CERAMIC ABSTRACTS

1996 Author Index

Compiled by the American Ceramic Society

The abstract number appears at the end of each citation. Abstracts are numbered continuously through an entire volume.

Aasland, Siv; Grande, Tor
Crystallization of ZBLAN glass.—75-04891
Ababuo, A.; Bernache-Assollant, D.; Heughebaert, M.
Influence of water vapor on grain growth during the calcination of hydroxyapatite.—75-01548
Abadzhieva, Nevena See Choisnet, Jacques
Abaev, M. I. See Ivanov-Omskii, V. I.
Abaidulina, T. G. See Nemov, S. A.
Abakumov, A. E. See Alekseev, Yu. I.
Abakumova, E. V. See Alekseev, Yu. I.
Abakumova, R. A.; Aloi, A. S.; Belyustin, A. A.; Ishakova, O. A.; Konstantinova, G. V.; Trofimenko, A. V.
Water resistance of aluminophosphate glasses with increased content of cesium oxide.—75-07375
Abaleshev, A. V. See D'yachenko, A. I.
Abalesheva, I. S. See Voloshin, V. A.
Abbaschian, Reza See Shaw, Leon
Abbasi, Hamid A. See Olabin, Vladimir M.
Abbasov, M. M. See Asadov, M. M.
Abbasov, M. M.; Asadov, M. M.
Phase equilibria in the Pr_2S_3-Pr_2O_3-In_2S_3 ternary system.—75-06305
Abbasova, R. F. See Il'yasov, T. M.
Abbate, A. See Dandekar, Dattatraya P.
Abbe, F. See Reynaud, P.; Tallaron, C.
Abbey, James E. See Hunt, Andrew T.
Abbott, Vaughan See Voisine, Gary R.
Abd Allah, M. H.; Abdin, Enayat M.; Selmy, A. I.; Khashaba, U. A.
Effect of fiber volume fraction on the fatigue behavior of GRP [glass-fiber-reinforced polyester] pultruded rod composites.—75-06965
Abd-Shukor, R.; Quah, C. T.
Superconductivity of 1212-type phase $TlSr_2(Ca, Cr)Cu_2O_7$ and $TlSr_2(Sr, Tm)Cu_2O_7$.—75-05840
Abdel-Fattah, Wafa I.; Rezk, K.
Development of porous AlCaP ceramics.—75-01083
Abdin, Enayat M. See Abd Allah, M. H.
Abdinov, A. Sh.; Babaeva, R. F.
Accumulation of weak optical signals and spectral memory in InSe(Dy) single crystals.—75-05235
Abdinov, A. Sh.; Babaeva, R. F.
Slow isothermal relaxation of dark resistance in dysprosium-doped indium selenide single crystals.—75-05477
Abdinov, D. Sh. See Alieva, T. D.; Tagiev, M. M.
Abdirashid, M. O. See Donato, A.
Abdrashitova, E. I. See Kraevskii, S. L.
Abdulkhalikova, N. R.; Aliev, A. E.
Thermal conductivity of superionic aluminophosphate glasses of $0.2Al(PO_3)_3$+$(0.8-x)LiF$+$xNaF$.—75-04999
Abdullah, K. See Grace, A.
Abdullin, Kh. A.; Mukashev, B. N.
Vacancy defects in silicon single crystals irradiated at 77 K.—75-03195
Abdurakhmanov, B. M. See Saidov, M. S.
Abdurakhmanov, G. A.; Vakhidova, G. S.
Diffusion and electrical conductivity of thick-film resistive compositions.—75-09497
Abdurakhmanov, V. R. See Gadzhiev, B. R.
Abe, H.; Seki, H.; Fukunaga, A.; Egashira, M.
Preparation of bimodal porous mullite ceramics.—75-04156
Abe, Hiroshi See Kondoh, Kei
Abe, Hiroyuki See Muraoka, Mikio
Abe, Hitoshi See Wen, Zhong-Min
Abe, Kazunobu See Aoki, Masashi
Abe, Kiyoshi See Nakazawa, Tadahisa
Abe, M. See Zhang, Q.
Abe, Masahiko See Nishiyama, Katsuhiro
Abe, Masahiro; Nanataki, Tsutomu; Yano, Shinsuke
Dielectric ceramic composition containing ZnO-B_2O_3-SiO_2 glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition.—75-07754
Abe, Masahiro; Nanataki, Tsutomu; Yano, Shinsuke
Dielectric ceramic composition containing ZnO-B_2O_3-SiO_2 glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition.—75-05221; —75-07755; —75-07756;
Abe, Masahiro; Nanataki, Tsutomu; Yano, Shinsuke
Dielectric ceramic composition containing ZnO-$B_2O_3SiO_2$ glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition.
Abe, Masahiro; Nanataki, Tsutomu; Yano, Shinsuke
Method of producing low-temperature firing dielectric ceramic composition containing B_2O_3.—75-05230
Abe, Osami; Yamada, Junichi
Preparation of multilayer composites by combination of centrifugal filter pressing and rate-controlled sintering.—75-01624
Abe, Osami
Contamination and sinterability of planetary-milled alumina.—75-06559
Abe, T. See Tada, S.
Abe, Takashi See Itoh, Hiroshi
Abe, Takeo See Furumura, Fukujiro
Abe, Y. See Ichikawa, M.; Meguro, T.
Abe, Y.; Tomioka, H.; Gunji, T.
One-pot synthesis of polyzirconoxane as a precursor for continuous zirconia fibers.—75-06701
Abe, Yoneji See Hirai, Toshiharu
Abe, Yoshihiro See Kasuga, Toshihiro; Kawamura, Kenichi; Nogami, Masayuki; Ota, Yoshio
Abe, Yoshihiro; Kasuga, Toshihiro; Nakamura, Koichi; Masuda, Yuichi; Nogami, Masayuki; Inukai, Eikichi
Superconducting $Bi_2Sr_2Ca_1Cu_2O_y$ phase formed by penetration throughout metallic copper pipe.—75-08425
Abe, Yoshio; Hamaji, Yukio; Sakabe, Yukio
Production of strontium titanate thin films.—75-08627
Abe, Yoshio; Takagi, Hiroshi; Sakabe, Yukio
Method for formation of barium titanate film.—75-03267
Abel, K. H.; Arthur, R. J.; Bliss, M.; Brite, D. W.; Brodzinski, R. L.; Craig, R. A.
Scintillating glass fiberoptic neutron sensors.—75-00222
Abell, J. S. See Marshall, A.
Abelson, J. R. See Fitzner, M. P.
Abelyashev, G. N.; Berzhanskii, V. N.; Polulyakh, S. N.; Sergeev, N. A.
Anisotropy of nuclear spin echo damping in yttrium iron garnet films.—75-08191
Aben, Hillar; Anton, Johan; Josepson, Juri
Nonaxisymmetric residual stress distribution in axisymmetric glass articles.—75-07356
Aberle, A. G. See Stephens, A. W.
Abernathy, C. R. See Bharatan, S.; Mackenzie, J. D.; Pearton, S. J.; Zavada, J. M.
Abidin, A. Z. See Sahar, M. R.
Abilov, Ch. I. See Gasanova, M. Sh.
Abilova, N. A. See Safaraliev, G. K.
Abraham, I.; Gritzner, G.
Powder preparation, mechanical and electrical properties of cubic zirconia ceramics.—75-09378
Abraham, R. See Jorda, J. L.
Abraham, Thomas
Advanced ceramic powder and nanosized ceramic powder: an industry and market overview.—75-04674; Economics of electronic ceramics.—75-04703
Abrahams, Isaac; Knowles, J. C.
Effects of sintering conditions on hydroxyapatite for use in medical applications: a powder diffraction study.—75-06596
Abraizov, M. See Dorfman, B.
Abramov, A. V. See Sobolev, M. M.
Abramov, S. B. See Churagulov, B. R.
Abramov, Yu. A.; Reznik, I. M.; Tsirel'son, V. G.
Electronic dynamical structure model of a $Ba_{0.87}K_{0.13}BiO_3$ crystal.—75-08922
Abramova, I. N.; Gerlovin, I. Ya.; Dolgikh, Yu. K.; Eliseev, S. A.; Ovsyankin, V. V.; Efimov, Yu. P.
Nonlinear luminescence and dynamic broadening of exciton lines of GaAs/AlGaAs structures during stationary optical excitation.—75-07986
Abrams, Lloyd See Craig, Bradley D.
Abramson, I. G.
Cement production can be ecology-friendly.—75-07139
Abu-Dayah, A.; Wager, J. F.
Aging studies of atomic layer epitaxy ZnS:Mn alternating-current thin-film electroluminescent devices.—75-05236
Abulafia, Y.; Barak, J.; Peng, J. L.
Susceptibility of $ErBa_2Cu_3O_6$ single crystal: a dipolar antiferromagnet.—75-00882
Abutalipov, Z. U. See Estemesov, Z. A.
Achour, S. See Fergag, M.
Ackerman, J. P. See Lewis, M. A.
Acord, L.
Brick handling system gets face-lift.—75-02754
Acosta, S.; Corriu, R. J. P.; Leclercq, D.
Preparation of alumina gels by a nonhydrolytic sol-gel processing method.—75-06722
Adachi, Akira; Okajima, Kenichi; Tanaka, Saburo; Toyoda, Haruhisa; Itozaki, Hideo
High-T_c superconducting quantum interference defice with an alternating current bias DOIT [direct offset integrated technique] and additional positive feedback.—75-08331
Adachi, Hideaki See Ichikawa, Yo
Adachi, Hideaki; Setsune, Kentaro; Mizuno, Koichi
Method of forming Hg-containing oxide superconducting films.—75-05871
Adachi, Hirohiko See Nakayasu, Tetsuo
Adachi, Katsushige See Ikeda, Kiyohiko
Adachi, Keisuke; Kawayama, Michihiro; Yoshida, Masakazu; Yamamoto, Takemi
Progress in ladle refractories techniques at Kawasaki Steel, Mizushima Works.—75-07636
Adachi, Sadao See Harman, Alang Kasim; Ozaki, Shunji
Adachi, Seiji See Isawa, Kazuyuki; Sakurai, Takeshi
Adachi, Yasuo See Tateyama, Hiroshi
Adair, James H. See Bell, Nelson S.
Adair, James H. See Cho, Seung-Beom
Adair, James H. See Kingsley, J. J.
Adair, James H.; Casey, Jon A.; Randall, Clive A.; Venigalla, Sridhar
Ceramic Transactions, Volume 54: Science, Technology, and Applications of Colloidal Suspensions.—75-02156
Adair, James H.; Singh, Rajiv K.
Enhanced chemical vapor deposition of diamond and related materials.—75-08575
Adam, F.; Dupre, B.; Gleitzer, C.; Kowalski, K.; Nowotny, J.
Transport kinetics of Cr in undoped CoO.—75-00625
Adamenko, O. E. See Verdiyan, M. A.
Adams, F. P. See Hutcheon, R. M.
Adams, Jane W. See Russell, Laura M.
Adams, R. W. See Novich, B. E.
Adbelhadi, M. M. See Ziq, Kh. A.
Adegbite, V.; Fellows, L.; Wei, J.; Qiu, Y.; Hawley, M.
Uniform microwave heating of polymer matrix composites.—75-01737
Adeleye, S. A.; Clay, P. G.; Oladipo, M. O. A.
Sorption of cesium, strontium, and europium ions on clay minerals.—75-06857
Adhibetty, Indira; Miller, Brian J.; Padmanabhan, Ramaswamy
Ceramic semiconductor package having varying conductive bonds.—75-08098
Adlam, E. J. See Palmer, R. H.
Adlerborn, J. E. See Larker, H. T.
Admaiai, L. F.; Daza, L.; Grange, P.; Delmon, B.
Synthesis of $YBa_2Cu_3O_{7-x}$ superconductor with fiber structure by the sol-gel method.—75-03414
Adrian, G. See Orlova, T. S.Russian Academy of Sciences, St. Petersburg, Russia
Adrian, Kh. See Orlova, T. S.Russian Academy of Sciences, St. Petersburg, Russia
Aduda, B. O.; Rawlings, R. D.
Acousto-ultrasonic study of the effect of porosity on a sintered glass system.—75-04880
Aduda, O. B. C.; Rawlings, R. D.
Monitoring of effects of inclusions in model glass systems using acousto-ultrasonic techniques.—75-05964
Adylov, G. T.; Gornostaeva, S. A.
Chemically stable ceramics based on porcelain stone from the Boinaksaiskoe deposit.—75-08757
Adylov, G. T.; Mansurova, E. P.
Effect of NiO on phase formation in fused specimens of the ZrO_2-Al_2O_3-NiO-Y_2O_3 system and properties of ceramics based on it.—75-07539
Aerni, R.
Single-fired ash glazing.—75-02357
Afanas'ev, V. N.; Uvarov, E. F.
Dynamics of variation of forward voltage drop on *pin* diodes under transient neutron irradiation.—75-07839
Afanas'ev, V. P.; Bogachev, S. V.; Zaitseva, N. V.; Kaptelov, E. Yu.; Kramar, G. P.; Petrov, A. A.
Effect of formation conditions of thin-film systems of dielectric substrate–platinum–lead zirconate titanate on the structure, composition, and properties of lead zirconate titanate films.—75-08203

Afanas'ev, V. V.; De Nijs, J. M. M.; Balk, P.
Elimination of hydrogen-related instabilities in Si/SiO_2 structures by fluorine implantation.—75-01483
Afanas'eva, I. N.; Kuz'micheva, G. M.; Khlybov, E. P.
Fast X-ray method for determining the structure and properties of the $MA1/2A_2'1/2'1/2Cu_2O_{6-\delta}$ phases.—75-05946
Afanasiev, P.; Geantet, C.; Breysse, M.
Role of oxoanions in the stabilization of tetragonal zirconia.—75-06344
Affatigato, Maria; Osborne, Danny H.; Haglund, Richard F., Jr.
Effect of surface roughness on the acid etching of amorphous silica.—75-04011
Afonina, G. A.; Leonov, V. G.
Sintering of corundum ceramics based on aluminum hydroxide.—75-04224
Afonina, L. I. See Yukhin, Yu. M.
Afonso, S. See Beera, R. A.
Agahi, Farid; Lau, Kei-May; Koteles, Emil S.
$GaAs_{1-x}P_x/GaAs$ quantum well structures with tensile strained barriers.—75-05328
Agahi-Kesheh, Darioush; Huang, Rong-Fong; Kommrusch, Richard S.
Multiceramic layer switch circuit.—75-07770
Agapov, B. L. See Sysoev, B. I.
Agarwal, Anand; Tomozawa, Minoru; Lanford, William A.
Effect of stress on water diffusion in silica glass at various temperatures.—75-06584
Agarwal, Monika See Shin, Hyun-Jung
Agarwal, S. See Sharma, S. C.
Agarwala, Mukesh K.; Bandyopadhyay, Amit; Van Weeren, Remco; Safari, Ahmad; Danforth, Stephen C.; Langrana, Noshir
FDC [fused deposition of ceramics], rapid fabrication of structural components.—75-08525
Agathopoulos, S. See Nikolopoulos, P.
Agdamskaya, S. G. See Alidzhanov, M. A.
Ageev, N. V.; Gasumyants, V. E.; Kaidanov, V. I.
Transport properties and band spectra of HTSCs of the bismuth system.—75-05854
Ageev, V. P.; Konov, V. I.; Ugarov, M. V.
Excimer laser-induced chemical vapor deposition of boron nitride films.—75-09302
Agekyan, V. F.; Gridneva, L. K.; Karpov, S. V.; Serov, A. Yu.
Raman scattering in three-cation weak magnetic semiconductor, $Cd_{1-x-y}Mn_xMg_yTe$.—75-05458
Agekyan, V. F.; Serov, A. Yu.; Stepanov, Yu. A.; Le, Tkhai-Lai
Photoinduced absorption of light in a solid solution of $Cd_{0.65}Mn_{0.35}Te$ with a high concentration of defects.—75-05429
Agekyan, V. F.; Serov, A. Yu.
Optical properties of PbI_2 microcrystals in a glassy matrix.—75-07357
Ager, Joel W., III; Han, Sung; Prussin, Stanley G.
Spatially resolved measurement of lattice damage in alpha-particle-irradiated type IIa natural diamond by confocal photoluminescence microscopy.—75-01936
Ager, Joel W., III See Anders, Simone
Ager, R. See Rimai, L.
Aggarwal, Ishwar D. See Jewell, John M.; Sanghera, J. S.
Aggarwal, M. D.; Wang, W. S.; Choi, J.; Metzl, R.; Darwish, A.; Sliz, R.
Czochralski growth of photorefractive bismuth silicon oxide [BSO] crystals.—75-03985
Aggarwal, P. S. See Sen, S. K.
Aghajanian, Michael K. See Hinton, Jonathan W.; Newkirk, Marc S.; Sonuparlak, Birol
Aghajanian, Michael K.; Biel, John P.; Smith, R. G.
Microstructure and properties of AlN matrix composites produced by the directed nitridation of molten aluminum.—75-06896
Aghajanian, Michael K.; Claar, Terry D.
Method of making metal matrix composite with the use of a barrier.—75-07267
Aghajanian, Michael K.; Keck, Steven D.; Burke, John T.; Hannon, Gregory E.; Becker, Kurt J.; Taylor, Steven J.
Barrier materials for making metal matrix composites.—75-07241
Agira, Katsuhiko; Okumura, Tomohiro; Nishiinoue, Tsuyoshi; Tomimatsu, Hiroyasu
Method to prevent molten steel from penetrating into purging plug.—75-07599
Agius, B. See Jiang, N.
Agnihotry, S. A.; Bhawalkar, R. H.; Chandra, Rashmi S.
Effect of calcination temperature on the Sb-doped Bi-Sr-Ca-Cu-O system.—75-05750
Agostine, Sharon E. See Berry, Amanda K.
Agostino, R. See Schaller, E.
Agramunt, Jose Vicente See Verduch, Antonio Garcia
Agrawal, D. C. See Majumder, S. B.; Muralidharan, B. G.;
Agrawal, Dinesh K. See Breval, Else; Cheng, Ji-Ping; See Hong, C.-S.; Mathis, M. D.
Agrawal, G. N. See Joardar, Abhijit
Agrawal, K. C.; Padhee, B. K.
Indigenous production of seawater magnesia—need of the hour.—75-08760
Agrawai, P. K. See Vaidyaraman, S.
Agrinskaya, N. V.; Kozub, V. I.; Shamshur, D. V.
Temperature dependence of magnetic resistivity in the hopping conductivity regime with variable range hopping: results for doped CdTe.—75-08078
Ahlen, Niklas; Johnsson, Mats; Nygren, Mats
Carbothermal synthesis of TiC whiskers via a vapor-liquid-solid [VLS] growth mechanism.—75-09230
Ahlert, Richard H.; Howard, James K.; Hylton, T. L.; Parker, M. A.; Ullah, M. I.
Barium ferrite thin film for longitudinal recording.—75-08252
Ahlfeldt, Henrik
Nonlinear optical properties of proton-exchanged waveguides in z-cut $LiTaO_3$.—75-00678
Ahmad, I. See Tian, Yong-Lai
Ahmad, I.; Silberglitt, R.; Shan, T. A.; Tian, Yong-Lai; Cozzens, R.
Microwave-assisted pyrolysis of SiC and its application to joining.—75-01586
Ahmed Farag, I. S. See Naga, S. M.
Ahmed, A. A.; Youssof, I. M.
Dissolution of lead crystal glass (24% PbO) in aqueous solutions of ethyl and methyl alcohols.—75-07381
Ahmed, S. See Azad, A. M.; Ianno, N. J.
Ahn, Sang-Kyeung See Jung, Woo-Sik
Ahn, Z.-S. See Park, J.-H.
Ahsan Mian, A. K. M. See Mahfuz, H.
Ahuja, Deepak P. See Mehrotra, Pankaj K.
Ai, Xing; Deng, Jian-Xin; Li, Zhao-Qian
Effect of SiC_w contents on the fracture toughness of $Al_2O_3/TiB_2/SiC_w$ composite at high temperature.—75-09626
Aibazov, I. F.; Mikhrin, S. B.; Samorukov
Characteristic properties of the degradation of semiinsulating gallium arsenide during thermal treatment.—75-05177
Aidamirov, M. A.; Gadzhiev, G. G.
Thermoelectric effects at the solid-liquid interface in $As_2(Se_{1-x}Te_x)_3$ systems.—75-08084
Aidaraliev, M. A. See Bresler, M. S.
Aihara, Katsuzo See Nabatame, Toshihide
Aikawa, Haruhiko See Ishikawa, Shinji
Ailey, K. S. See Davis, Robert F.
Aindow, M. See Cheng, T. T.
Aindow, M.; Yeadon, M.
Origins of growth spirals on laser-ablated $YBa_2Cu_3O_{7-\delta}$ thin films.—75-03387
Ainger, F. See Komarneni, Sridhar
Airapetov, G. A.; Panchenko, A. I.; Nechushkin, A. Yu.
Multicomponent clinkerless waterproof gypsum binders.—75-07169
Aitbaev, B. U. See Mirsagatov, Sh. A.
Aitcin, Pierre-Claude See Chanvillard, Gilles
Aizawa, M.; Nosaka, Y.; Fujii, N.
Preparation of TiO_2-SiO_2 glass via sol-gel process containing a large amount of chlorine.—75-05037
Aizawa, Mamoru See Hasegawa, Minoru
Aizawa, Mamoru; Itatani, Kiyoshi; Howell, F. Scott; Kishioka, Akira
Effects of starting materials on properties of hydroxyapatite powders prepared by spray pyrolysis technique.—75-09297
Aizawa, Masanobu; Nishiyama, Haruo; Eguchi, Koichi; Arai, Hiromichi
Air electrode property of La-based perovskite-type oxides: I. Thermal expansion coefficient and electric conductivity.—75-07719
Aizawa, Takuya; Ravikumar, K. G.; Suzaki, Shinzo
Polarization-independent quantum-confined Stark effect in an InGaAs/InP tensile strained quantum well.—75-05439
Aizawa, Tatsuhiko See Yen, Bing-K.
Ajersch, F. See Laplante, S.
Ajima, T. See Kishimoto, M.
Ajimura, Hideshi See Nishihara, Akira
Ajiri, Tadafumi See Arai, Kunio
Ajuria, Sergio A.; Kenkare, Prashant U.; Nghiem, Anh
Kinetic analysis of silicon oxidation in the thin regime by incremental growth.—75-02001
Akahane, Tadashi See Yasui, Kanji
Akai, Tomoko; Yamanaka, Hiroshi; Wakabayashi, Hajimu
Preparation of copper-ruby glasses by sputtering: the effect of atmosphere on the growth of copper particles.—75-02736
Akaishi, Minoru See Taniguchi, Takashi
Akane, Katsumasa; Iwaki, Katsuhiro; Arita, Shoichi; Matsuwaka, Shuichi
Industrial refuse incinerator.—75-05903
Akanuma, Kazuhiro See Tabata, Masahiro
Akao, Masaru See Aoki, Hideki
Akasaka, Y. See Inoue, H.
Akasaki, I.; Amano, H.
MOVPE growth of high-quality $Al_xGa_{1-x}N/Ga_xIn_{1-y}N$ ($x \geq 0$, $y \leq 1$) heterostructures for short wavelength light emitter.—75-00546
Akashi, Kazuo See Ito, Shigeru; Takahashi, Hiroyuki
Akatsu, Takashi See Yasuda, E.; Yoon, Sang-Young
Akatsu, Takashi; Tanabe, Tasuhiro; Yamada, Shigehiko; Yasuda, Eiichi
Measurement of fracture toughness and work-of-fracture of ceramics using the JIS-type bending beam with a chevron notch.—75-08681
Akazaki, Tatsushi; Nitta, Junsaku; Takayanagi, Hideaki; Enoki, Takamoto
Superconducting transistors using InAs inserted channel InAlAs/InGaAs inverted HEMTs.—75-08431
Akazawa, Toshiyuki; Kobayashi, Masayoshi
Characterization of differently prepared apatites by adsorption behavior of albumin.—75-09532
Akbar, S. A. See Azad, A. M.
Akbar, S. A.; Azad, A. M.; Chen, W.
High-temperature ceramic sensors.—75-00337
Akbar, S. A.; Wang, C. C.; Wang, L.; Collins, D. J.
Ceramic oxides as potential hydrocarbon and NO_x sensors.—75-02972
Akbarzadeh, H. See Vessal, B.
Akchurin, R. Kh.; Akimov, O. V.
Thin-layer elastically strained $InAs_{1-x-y}Sb_yBi_x/InSb$ heterostructures: calculations of some physical parameters.—75-03186
Akchurin, R. Kh.; Sakharova, T. V.; Zhegalin, V. A.
Conditions for LPE growth of $InAs_{1-x-y}Sb_yBi_x/InSb$ heterostructures.—75-07811
Akerman, M. A. See Caughman, J. B. O.; Kass, M. D.
Akers, Jama See Katz, Milton
Akh'yan, A. M.
Quartz ceramics—a new material in electrical engineering.—75-03143
Akhlestina, S. A. See Aleshkin, V. Ya.
Akhmadaliev, A. See Yunusov, M. S.
Akhmadullin, I. Sh. See Mironov, S. P.
Akhmadullin, I. Sh.; Golenishchev-Kutuzov, V. A.; Mugachev, S. A.; Mironov, S. P.
Optical spectra of iron ions in $LiNbO_3$.—75-06294
Akhmetov, V. D.; Gorokhov, E. B.; Moshegov, N. T.; Toropov, A. I.
Effect of irradiation on optical and photoelectrical properties of ir-sensitive GaAs/AlGaAs quantum well structures.—75-07850
Akhtar, M. Jared See Akhtar, Zeb-un-Nisa
Akhtar, M. Kamal See Pratsinis, Sotiris E.
Akhtar, M. See Singh, J.
Akhtar, Zeb-un-Nisa; Akhtar, M. Jared; Catlow, C. Richard
X-ray absorption studies of Bi-based superconductors.—75-05862
Akhundova, N. M. See Alieva, T. D.
Akiba, T. See Somiya, S.
Akiba, Toru See Akimune, Yoshio
Akimitsu, J. See Nakamura, A.
Akimov, A. I. See Kasper, N. V.
Akimov, A. I.; Govor, G. A.; Dobryanskii, V. M.; Mazurenko, A. M.
Magnetic and structural phase transitions in imperfect manganese arsenide.—75-08977
Akimov, A. I.; Karpei, A. L.; Chernyakova, A. P.
Composition of thallium high-T_c superconductors prepared via ceramic route.—75-08274
Akimov, A. I.; Mikhailov, V. V.; Savchuk, G. K.
Sintering kinetics of TSTC-42-1 piezoceramics prepressed under high pressure.—75-05637
Akimov, A. I.; Panevchik, V. V.; Savchuk, G. K.; Smol'govskaya, M. G.
Thermal stability of PZT piezoceramics.—75-08176
Akimov, A. I.; Yakimovich, V. N.; Rubtsov, V. A.; Stribuk, E. K.
Preparation and properties of the $HgBa_2CuO_{4+\delta}$ superconducting phase.—75-08399
Akimov, B. A.; Albul, A. V.; Il'in, V. Yu.; Nekrasov, M. Yu.; Ryabova, L. I.
Photoconductivity spectra and the problem of impurity states in PbTe(Ga).—75-05425
Akimov, B. A.; Albul, A. V.; Ryabova, L. I.
Kinetics of PbTe(Ga) photoconductivity.—75-05356
Akimov, G. Ya. See Barbashov, V. I.; Storozh, V. V.
Akimov, G. Ya.; Prokhorov, I. Yu.; Gorelik, I. V.; Timchenko, V. M.; Vereshchak, V. G.; Vasil'ev, A. D.
Role of cold isostatic pressing in the formation of the properties of ZrO_2-based ceramics obtained from ultradisperse powders.—75-05133
Akimov, G. Ya.; Timchenko, V. M.; Labinskaya, N. G.
Influence of the method of stabilizing the tetragonal phase on mechanical properties of polycrystalline zirconia.—75-06998
Akimov, G. Ya.
Appearance of self-deformation during hydrostatic compression of powders consisting of submicronic ionic-covalent single crystals.—75-09604
Akimov, O. V. See Akchurin, R. Kh.
Akimune, Yoshio See Hirosaki, Naoto
Akimune, Yoshio; Akiba, Toru; Hirosaki, Naoto
Impact damage behavior of CVD-coated silicon nitride for gas turbines.—75-06107
Akimune, Yoshio; Akiba, Toru; Okamoto, Yusuke; Hirosaki, Naoto
Effect of materials properties on spherical particle impact damage for ceramics.—75-02040
Akinc, Mufit See Grau, Jason; Meyer, Mitchell K.; Panchula, Martin L.; Thom, A. J.; Unal, Ozer
Akinmade, A. O.; Nicholson, J. W.
Development of glasses for novel polyphosphonate dental cements.—75-01082
Akira, Kaneyasu; Satoshi, Shimmatsu; Hiromi, Shima
Sintered MgO clinker containing Al_2O_3.—75-07660
Akiyama, Morito See Nonaka, Kazuhiro; Shobu, Kazuhisa
Akiyama, Morito; Kokabi, Hamid Reza; Nonaka, Kazuhiro; Shobu, Kazuhisa; Watanabe, Tadahiko
Influence of substrate temperature on physical structure of AlN thin films prepared on polycrystalline $MoSi_2$ by rf magnetron sputtering.—75-01546
Akiyama, Morito; Nonaka, Kazuhiro; Watanabe, Tadahiko; Miyazaki, Kazuhide
Self-detection of fracture in PZT and $MoSi_2$-Mo_2B_5 layered composite ceramics.—75-00696
Akolekar, Deepak B.
Comparison of thermal stability, acidity, catalytic properties, and deactivation behavior of novel aluminophosphate-based molecular sieves of type 36.—75-06433
Aksay, Ilhan A. See Shih, Wan-Y.; Slamovich, Elliott B.; Yogo, Toshinobu; Zhang, Y.-L.**Aksel'rod, L. M.** See Gropyanov, V. M.
Akselrod, E. I. See Karaulov, A. G.
Aksenov, A. A.; Churmukov, E. A.; Zolotorevskii, V. S.; Indenbaum, G. V.
Interaction of uninterrupted β-SiC filaments with aluminum melt and Al-Si alloys.—75-07215
Aksenova, L. L. See Givargizov, E. I.
Aktsipetrov, O. A.; Golovkina, V. N.; Zayats, A. I.; Murzina, T. V.; Nikulin, A. A.; Fedyanin, A. A.
Anisotropic optical second harmonic generation in Si/SiO_2 superlattices.—75-06421
Aktsipetrov, O. A.; Mishina, E. D.; Nikulin, A. A.; Rubtsov, A. N.; Fedyanin, A. A.; Van Khassel't, K.
Optical Casimir nonlocality—the source of macroscopic size effect during second harmonic generation in an Si/SiO_2 structure.—75-07991
Aktsipetrov, O. A.; Zayats, A. V.; Mishina, E. D.; Rubtsov, A. N.; Iong, V.; Khassel't, K.
Resonant second harmonic generation in Si/SiO_2 periodic quantum wells.—75-08047

Akulovich, N. I.; Bykovskii, V. A.; Karpovich, L. M.; Petrenko, V. V.; Utenko, V. I.; Shokh, V. F.
Introducing acceptor impurities under the photonuclear doping of gallium arsenide.—75-07941
Al Harthi, A. S. See Ziq, Kh. A.
Al Raihani, Huda; Durand, Bernard; Chassagneux, F.
Zirconia formation by reaction of zirconium sulfate in molten alkali metal nitrates or nitrites.—75-06834
Al'bats, B. S. See Entin, Z. B.
Al'perovich, I. A.; Osipov, G. T.; Svitko, V. S.
Light facing brick from Cambrian clays.—75-07448
Al'perovich, V. L.; Kuzaev, V. N.; Terekhov, A. S.; Shevelev, S. V.
Reversible changes of bands on the surface of *p*-GaAs(Cs, O) at RT studied by X-ray photoelectron spectroscopy.—75-05466
Al'perovich, V. R. See Gromozova, I. K.
Al'takh, O. L. See Sigaev, V. N.
Al'vares, Kh.; Veksler, M. I.; Grekhov, I. V.; Sokolov, N. S.; Shulekin, A. F.
Electrophysical characteristics of Au/CaF_2/*n*-Si(111) structures with ultrathin (less than 20 nm) CaF_2 layers grown by molecular beam epitaxy.—75-07876
Al'vares, Kh.; Berman, L. S.; Karimov, I. N.
Dependence of parameters of the deep level centers in calcium fluoride grown on silicon by molecular beam epitaxy.—75-02993
Al-Amri, A.; Evans, J. T.
Degradation of the strength of glass after light contact with other materials.—75-02641
Al-Ghamdi, S. See El-Hennawy, A.
Al-Ghefalli, Khalid N. See Makarova, Marina A.
Al-Khafaji, M. See Pathumarak, S.
Al-Shareef, H. N.; Bellur, K. R.; Auciello, Orlando
Effect of composition and annealing conditions on the electrical properties of $Pb(Zr_xTi_{1-x})O_3$ thin films deposited by the sol-gel process.—75-03226
Al-Shareef, Husam N. See Warren, William L.
Alagna, Lucilla; Endregard, Monica; Prosperi, Tommaso
X-ray absorption spectroscopy study of the binary semiconductive glass PbV_2O_6.—75-04940
Alamo, J. See Carrasco, M. P.
Alarco, J. A.; Brorsson, G.; Olin, H.
Early stages of growth of $YBa_2Cu_3O_{7-\delta}$ high-T_c superconducting films on (001)Y-ZrO_2 substrates.—75-05748
Alarcon, J. See Sales, M.
Alaya, M.; Grathwohl, G.; Musil, J.
Comparison of thermal cycling and oxidation behavior of graded and duplex ZrO_2 thermal barrier coatings.—75-02446
Alba, Maria Delores See Munoz-Paez, Adela
Albajar, Manuel See Pastor, Henri
Albanesi, E. A.; Lambrecht, W. R. L.; Segall, B.
Band offsets between group III nitrides.—75-01796
Albayrak, S. See Nass, R.
Albers, J. See Kanert, O.
Albers, P. See Schriener, Andreas
Albert, Diane See Butt, Darryl P.
Alberts, V. See Neethling, J. H.
Alberts, V.; Neethling, J. H.; Leitch, A. W.
Correlation between structural, optical, and electrical properties of GaAs grown on (001)Si.—75-02982
Albin, Sacharia; Hagwood, John C.; Cooper, John B.; Gray, David L.; Martinson, Scott D.; Scott, Michael A.
Diamond thin-film flow sensor.—75-08802
Albu-Yaron, A.; Bastide, S.; Bouchet, D.
Nanostructural and nanochemical investigation of luminescent photoelectrochemically etched porous *n*-type silicon.—75-00549
Albul, A. V. See Akimov, B. A.
Alcala, Maria D. See Real, Concha
Alcala, Maria D.; Real, Concha; Criado, Jose M.
New "incipient-wetness" method for the synthesis of chemically stabilized β-cristobalite.—75-03527
Alcock, J. R.; Sorensen, O. T.
Slurry abrasion resistance of engineering ceramics.—75-05980
Aldao, C. M. See Castro, M. S.
Aldinger, Fritz See Petzow, G.; Schafer, G.; Schubert, H.; Seitz, Juliane; Uhlig, Harald
Aldridge, L. P. See Bertram, W. K.; Cantrill, E. R.; Carter, M. L.; Taylor, J. C.
Aldridge, L. P.; Ray, A. S.; Stevens, M. G.; Day, R. A.; Leung, S. H. F.; Morassut, P.
Immobilization of Cs-contaminated zeolite by portland cement.—75-00045
Aldridge, M.; Yeomans, J. A.
Thermal shock resistance of a ductile particle (iron) toughened alumina.—75-09681
Alecu, I.; Stead, R. J.; Perera, D. S.
Overview of the thermal shock characteristics of aluminum titanate.—75-02083
Alekhov, Yu. A. See Pashchenko, V. P.
Aleksandrov, I. V.; Nesterova, Z. V.; Petrovskii, G. T.
Vibrational states of photoinduced defects in silica fibers.—75-06405
Aleksandrov, K. S.
Structural phase transitions in layered perovskite-like crystals.—75-05836; See also Petrov, M. I.
Aleksandrov, O. V.; Sobolev, N. A.; Shek, E. I.; Merkulov, A. V.
Formation of donor centers during annealing of erbium-implanted silicon.—75-07894
Aleksandrov, S. E.; Kovalgin, A. Yu.
Plasmochemical precipitation of silicon nitride [SiN_xH_y] films in the SiH_4-Ar-N_2 system studied by optical emission spectroscopy.—75-06707
Aleksandrov, V. V. See Tver'yanovich, Yu. S.
Aleksandrova, S. P.; Fedorova, V. V.; Chernova, N. P.
Slag resistance of refractories in the lining of an arc steel melting furnace.—75-07663
Alekseenko, L. S. See Kaplan, F. S.
Alekseenko, V. I.; Volkova, G. K.; Popova, I. B.; Nosolev, I. K.; Konstantinova, T. E.
Kinetic model of structural relaxation in oxide glasses.—75-07343
Alekseev, Yu. I. See Lotov, V. A.
Alekseev, Yu. I.; Abakumov, A. E.; Abakumova, E. V.
Diopside porcelain.—75-03637
Alekseeva, G. T. See Svechnikova, T. E.
Alekseeva, G. T.; Gurieva, E. A.; Konstantinov, P. P.; Maksimova, N. V.; Prokof'eva, L. V.
Ionization of an isoelectronic impurity of tin in dilute $Pb_{1-x}Sn_xSe$:Na solid solutions.—75-03072
Alekseeva, G. T.; Vedernikov, M. V.; Konstantinov, P. P.; Kutasov, V. A.; Luk'yanova, L. N.
Thermal and thermoelectric properties of [*n*-]$Bi_{2-x}Sb_xTe_{3-y}Se_y$ ($x \leq 0.12$, $y \leq 0.36$) solid solutions.—75-08080
Alekseeva, Z. D.
Synthesis of high-silica glasses with an increased thermal expansion coefficient.—75-07405
Alemany, C.; Pardo, L.; Jimenez, F.
Automatic iterative evaluation of complex material constants in piezoelectric ceramics.—75-05532
Aleshchenko, Yu. A.; Zavaritskaya, T. N.; Kapaev, V. V.; Kopaev, Yu. V.; Mel'nik, N. N.
Photoluminescence under moderate levels of excitation and resonant Raman scattering in GaAs/AlGaAs superlattices.—75-08019
Aleshin, A. N.; Buriak, A. V.; Ignatov, A. V.; Pasternak, V. A.; Tyurin, A. V.
I-V characteristics of lead sulfide films with different oxide phase contents.—75-05233
Aleshin, V. A. See Eremina, E. V.; Surovyak, Z.; Torshin, I. Yu.
Aleshin, V. D.; Brinkevich, D. I.; Babishchevich, S. A.; Sobolev, N. A.
Influence of lanthanides on the defect-impurity composition of epitaxial GaP layers.—75-07925
Aleshina, L. A.; Vizner, E. Yu.; Nikitina, E. A.
Effect of termination of scattering intensity curves on calculated parameters of short-range order in amorphous aluminum oxide.—75-06213
Aleshkin, V. Ya.; Akhlestina, S. A.; Zvonkov, B. N.; Zvonkov, N. B.; Lin'kova, E. R.; Malkina, I. G.
Polarization of superluminescence and anisotropy of optical losses in a waveguide InGaP/GaAs/InGaP structure.—75-03130
Alexander, C. V.
New feldspar producer enters market.—75-01067
Alexander, I. C. See Moore, M. A.
Alexander, Kathleen B. See Becher, Paul F.; Lin, Hua-Tay; Plucknett, K. P.; Sun, Ellen Y.
Alexander, Kathleen B.; Tiegs, T. N.; Becher, Paul F.; Waters, S. B.
Method for preparing ceramic composite.—75-08596
Alexander, M. T.; Brooks, C. T.; Hogan, B.
Design of experiments case study- optimizing the laser matching of cavities in LTCC.—75-00310
Alexander, S. B. See Hutcheon, R. M.
Alexander, W. Brock See Gilbert, Donald R.
Alexandrov, F. See Babaev, V. G.
Alexe, M.
Deposition and conducting properties of $BaPbO_3$ thin films.—75-00453
Alexenko, A. E. See Dvoryankin, V. F.
Alexensky, A. Ye.; Baidakova, M. L.; Boiko, M. E.; Davydov, V. Yu.; Vul, A. Ya.
Diamond-graphite phase transition in ultradispersed diamond [UDD]. X-ray and Raman characterization of diamond clusters.—75-08907
Alferov, Zh. I.; Bert, N. A.; Egorov, A. Yu.; Zhukov, A. E.; Kop'ev, P. S.; Kosogov, A. O.
Injection heterolaser based on vertical coupled InAs quantum dots in GaAs matrix.—75-07935
Alferov, Zh. I.; Gordeev, N. Yu.; Zaitsev, S. V.; Kop'ev, P. S.; Kochnev, I. V.; Komin, V. V.
Low threshold injection heterolaser based on quantum dots formed by metallorganic chemical vapor deposition.—75-07953
Alferov, Zh. I.; Katsavets, N. I.; Petrikov, V. D.; Tarasov, I. S.; Khalfin, V. B.
Optical mirror facet strength of cw-operated SQW SCH [single quantum well separate confinement heterostructure] laser diodes.—75-07992
Alford, T. L. See Russell, Stephen W.
Algani, C. See Zuberek, W. M.
Ali, M. M.; Handoo, S. K.
Accelerated OPC performance in high early-strength concrete.—75-00023
Ali, Zahida; Maqsood, Asghari; Maqsood, Muhammad; Ramay, S. M.; Yousaf, Mohammad; Anwar-ul-Haq
High-T_c superconductivity in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_{2+x}O_y$ [x=1.6, 1.8, 2] compounds.—75-08332
Alidzhanov, M. A.; Kurbanova, R. D.; Agdamskaya, S. G.
Interactions in the PbTe-$NiSe_2$ system.—75-05351
Aliev, A. E. See Abdulkhalikova, N. R.
Aliev, G. N.; Luk'yanova, N. V.; Seisyan, R. P.
Direct experimental determination of the spin-orbital constants of the separated valence band of gallium arsenide.—75-07834
Aliev, I. I. See Tanryverdiev, V. S.
Aliev, O. M. See Asadov, M. M.; Tanryverdiev, V. S.
Aliev, R. See Saidov, M. S.
Aliev, S. A.; Ismailov, Sh. S.; Tagiev, I. G.
Nonparabolicity of the electron spectra in Bi_2Te_3 and in $Bi_2Te_{2.7}Se_{0.3}$ solid solutions.—75-05407
Aliev, Sh. M.; Kamilov, I. K.; Shakhshaev, Sh. O.
Temperature dependences of related residual magnetization of gadolinium ferrite-garnet sublattices in the region of the point of compensation.—75-05716
Aliev, Sh. M.; Kamilov, K. I.
Magnetic properties of nickel cadmium ferrites studied by Mossbauer and magnetic methods.—75-05688
Aliev, V. A. See Plyushch, O. B.
Alieva, T. D.; Akhundova, N. M.; Abdinov, D. Sh.
Dependence of the $Bi_{0.5}Sb_{1.5}Te_3$/Bi-Sn and $Bi_2Te_{2.7}Se_{0.3}$/Bi-Sn junction resistances on the resistivity of the semiconductor crystal in the interfacial region.—75-07822
Alieva, T. D.; Barkhalov, B. Sh.; Abdinov, D. Sh.
Structure and electrical properties of interfaces of $Bi_{0.5}Sb_{1.5}Te_3$ and $Bi_2Te_{2.7}Se_{0.3}$ with several melts.—75-05488
Alizade, Z. I.; Khalilova, Kh. Kh.
Oxidation of vanadium during magnetic roasting of titanium magnetite concentrates by natural gas in the presence of sodium carbonate.—75-06932
Alizadeh, Parvin See Yekta, B. Eftekhari
Allahverdi, M. See Strom-Olsen, J. O.
Allain, J. L.; Couchaud, M.; Ferrand, B.; Grange, Y.; Utts, B.; Wyonleti, C.
Crystal growth and scintillation properties of CeF_3.—75-00182
Allaire, F.; Marple, B. R.; Boulanger, J.
Injection molding of submicrometer zirconia—blend formulation and rheology.—75-04086
Allan, Neil L.; Baram, Paul S.; Gormezano, Anne
Structural and defect properties of high-T_c oxides determined by atomistic lattice simulation.—75-05835
Allard, L. F. See Pedraza, A. J.
Allegrini, M. See Ceresara, L.; Labardi, M.
Allen, Andrew J.; Krueger, Susan; Skandan, Ganesh; Long, Gabrielle G.; Hahn, Horst W.; Kerch, Helen M.
Microstructural evolution during the sintering of nanostructured ceramic oxides.—75-04361
Allen, Deborah L.
Effect of composition and physical properties of silicon nitride on rolling wear and fatigue performance.—75-04494
Allen, G. C. See Spoto, G.
Allen, G. D. See Xin, D.
Allen, M. G. See Lee, J. B.
Allen, Ronald L.
Major types of porcelain enameling furnaces—the advantages and disadvantages of each.—75-01060
Allen, Timothy L. See Pyzik, Aleksander J.
Allen, W. R. See Park, J.-W.
Allen, William G.
Current developments in equipment for refractory placement.—75-05080
Allendorf, Mark D. See Osterheld, Thomas H.
Allendorf, Mark D.; Osterheld, Thomas H.
Modeling the gas-phase chemistry of silicon carbide formation.—75-04116
Allertsen, Hermod
Storage handling of ceramic products by means of AGVs [automatic guided vehicles].—75-04755
Alles, Aldo B. See Capurso, Joseph S.
Allibert, Colette See Pastor, Henri
Allix, O. See Ladeveze, P.
Allor, Richard L.; Jahanmir, Said
Current problems and future directions for ceramic machining.—75-05896
Alman, David E. See Hawk, J. A.
Almeida, R. M.; De Barros Marques, M. I.; Goncalves, M. C.
EXAFS study of Ba and La structural environments in fluorozirconate glasses.—75-04897
Almeras, P.; Berger, H.; Margaritondo, G.
Co-doped $Bi_2Sr_2CaCu_2O_y$: Anderson localization and superconductivity.—75-05737
Almeras, P.; Dell'Orto, T.; Coluzza, C.
Local chemical composition of HgBaCaCuO high-temperature superconductors.—75-00816
Almquist, J. N. See Nair, B. G.
Alnadzhar, A. A. See Loginov, Yu. Yu.
Alnaser, W. E. See Zein, M. M.
Alnaser, W. E.; Zein, M. M.; Khan, M. N.
Mechanical and structural properties of $YBa_2Cu_3O_{7-x}$ superconductors.—75-05794
Aloi, A. S. See Abakumova, R. A.
Alonso, A.; Garcia-Cordovilla, C.; Louis, E.
Evaluation of the wettability of Al-Pb and Al-Sn alloys with SiC and Al_2O_3 particulates by means of pressure infiltration.—75-05944
Alonso, M.; Sainz, E.; Lopez, F. A.
Devitrification of granulated blast-furnace slag and slag-derived glass powders.—75-05994
Alov, D. L.; Bazhenov, A. V.; Egorov, V. K.; Emelchenko, G. A.; Klassen, N. V.; Kolchin, A. A.
Activation of lead fluoride room temperature luminescence by structural modifications.—75-01782
Alov, D. L.; Rybchenko, S. I.
Luminescence kinetics of orthorhombic PbF_2.—75-01305
Alpas, A. T. See Wilson, S.
Alperine, S.; Lelait, L.
Microstructural investigations of plasma-sprayed yttria partially stabilized zirconia thermal barrier coatings.—75-06893
Alshawa, A. K. See Lozykowski, H. J.
Alsuf'ev, Yu. N. See Il'inskii, B. P.
Altaiskii, Yu. M. See Carlos, W. E.; Moore, W. J.
Altukhov, I. V.; Kagan, M. S.; Korolev, K. A.; Sinis, V. P.; Chirkova, E. G.
Induced intracenter radiative transitions in a strongly deformed *p*-Ge.—75-07920
Altunbas, M. See Gencer, A.
Altykis, M. G.; Khaliullin, M. I.; Rakhimov, R. Z.
Effect of fillers on the properties of gypsum structural materials.—75-07145
Aluker, Eduard See Gavrilov, Vladimir
Alvarado, S. F. See Johnson, M. B.
Alvarez, C. See Baudin, C.
Alvarez, I. See Ramos, E. M.

Alves, F. Jorge See Harmer, Martin P.
Alves, Oswaldo L. See Reynoso, Victor C. Solano; Zarbin, A. J. G.
Amada, Shigeyasu; Watanabe, Toru; Senda, Tetsuya; Takahashi, Chiori
Structural change in plasma-sprayed alumina coatings by laser melting: III, Analysis by computer simulation technique.—75-09452
Amadeh, A.; Labbe, J. C.; Laimeche, A.; Quintard, P.
Influence of boron nitride and carbon additives on the behavior of sintered AlN in a steelmaking environment.—75-07576
Amal, R.; Raper, J. A.
Particle characterization in ceramic processing.—75-01039
Amano, H. See Akasaki, I.
Amano, Koshi; Yatake, Satoru
Capacitor having a changeable dielectric capacity and manufacturing method thereof.—75-00389
Amano, Masahiko See Jackson, John E.; Tsutsui, Naoki
Amano, Muneyuki See Ozawa, K.; Sakka, Yoshio
Amanulla, S. A. See Andrievskii, R. A.
Amarakoon, Vasantha R. W. See Cho, Yong-S.; LaCourse, Brian C.
Amarakoon, Vasantha R. W.; LaCourse, Brian C.; Hernandez, Oscar; Fagan, James G.; Pietras, John; Peterson, Jeffrey L.
Thermistors—fundamentals and manufacturing issues.—75-00380
Amaratunga, G. A. J. See Silva, S. R. P.
Amathieu, L. See Coquard, P.
Ambia, M. G.; Islam, M. N.; Hakim, M. Obaidul
Effects of deposition variables on the spray pyrolysis of ZnO thin film.—75-06591
Ambree, P.; Wandel, K.
Capability of plasma-enhanced chemical vapor deposited SiO_2 films as diffusion barriers on InGaAs.—75-00419
Ambroise, J.; Maximilien, Sandrine; Pera, Jean
Properties of metakaolin blended cements.—75-02418
Amelin, V. G.
Photometric analysis of chromium oxide refractories.—75-02828
Amerikova, E. V. See Shabunina, G. G.
Amey, Daniel I. See Goodman, Thomas W.
Amini, M. See Vessal, B.
Aminov, T. G. See Arbuzova, T. I.; Golik, L. L.; Shabunina, G. G.
Amirov, R. Kh.; Zudeev, O. G.
Effect of a uniform electric field and nonequilibrium optical phonons on electron radiation in high-frequency field.—75-07843
Ammerlaan, K. A. I. See Ezhevskii, A. A.
Amores, Jose Manuel Gallardo See Prieto, Maria del Carmen
Amornkitbamrung, Vittaya; Suttisiri, Noppadon
Diamondlike carbon film on ZnSe by ac sputtering and MPCVD [microwave power] hybrid method for infrared window applications.—75-08806
Amoros, J. L. See Gozalbo, A.
Amoruso, S. See Berardi, V.
Amosov, Yu. I. See Smirnova, T. P.
Amoureux, J. P.; Cochon, E.; Delmotte, L.
D.O.R.—a new NMR method for high-resolution characterization in solids of quadrupolar nuclei with half-integer spins.—75-01420
Amrein, M. See Funke, K.
Amthauer, G. See Nitsche, R.
An, Linan; Chan, Helen M.
R-curve behavior of in situ toughened Al_2O_3:$CaAl_{12}O_{19}$ ceramic composites.—75-09602
Ananichev, V. A.; Baidakov, L. A.; Krylov, N. I.
Parameters of the free volume theory for As-S-Br glasses.—75-02673
Anast, M.
3-D alumina networks via the sol-gel process.—75-01369
Anathakumar, S.; Varma, H. K.; Perumal, P.
Effect of addition of calcined grains on the microstructure and nonlinearity features of ZnO varistors.—75-05289
Anders, Andre See Anders, Simone
Anders, S. See Komvopoulos, K.
Anders, Simone; Anders, Andre; Bhatia, C. Singh; Raoux, Sebastien; Schneider, Dieter; Ager, Joel W., III
Properties of vacuum arc-deposited amorphous hard carbon [AHC] films.—75-09176
Andersen, David R. See Dvorak, Mark D.
Anderson, Alfred B. See Martin, Heidi B.
Anderson, C. A. See Sargankova, I.
Anderson, David P. See Dutta, D.
Anderson, Edward M. See MacZura, George
Anderson, Ian M.; Bentley, Jim; Carter, C. Barry
AEM investigation of tetrahedrally coordinated Ti^{4+} in nickel titanate spinel.—75-01784; Quantitative X-ray microanalysis for the study of nanometer-scale phases in the AEM.—75-01917
Anderson, Marc A.; Chu, Li-Xin
Method for forming porous ceramic materials.—75-03544
Anderson, Mark T.; Phillips, Mark L. F.; Walko, Robert J.
Low-voltage cathodoluminescent properties of europium-activated anion-deficient fluorites.—75-00538; Phosphors for flat panel emissive displays.—75-05422
Anderson, Michael W. See Banerjee, Subrata
Anderson, N. C.; Mitchell, J. T.
Metalization and joining of aluminum nitride for space shuttle remote power controllers.—75-01151
Anderson, Paul M. See Goetz, Martin
Anderson, T. G.; Dubrovskii, Yu. V.; Larkin, I. A.; Morozov, S. V.; Khanin, Yu. N.
Electron tunneling in heterostructures having a single barrier and symmetrical spacers in longitudinal magnetic field.—75-03015
Andersson, Clarence A.
Derivation of the exponential relation for the effect of ellipsoidal porosity on elastic modulus.—75-06200
Andersson, Tomas; Rowcliffe, David J.
Indentation thermal shock test for ceramics.—75-03572
Ando, Akira See Hase, Kiyoshi
Ando, Hamae See Yokotani, Yoichiro
Ando, J. See Guardani, R.
Ando, K. See Takahashi, Minoru
Ando, Ken See Fukushima, Noburu
Ando, Koichi See Nagano, Seido
Ando, M.; Ozeki, H.; Muroi, T.; Oguri, K.
Application of basic materials for CC refractories.—75-07469
Ando, Masami; Suto, Seiichi; Suzuki, Takahiro; Tsuchida, Takashi; Nakayama, Chiaki; Miura, Norio
Hydrogen sulfide sensing characteristics of tin oxide sol-derived thin films.—75-07912
Ando, Minato; Ito, Masaaki; Kato, Takashi
Dielectric loss tangent of ceramic with high alumina content [>97%] in microwave region.—75-00316
Ando, Mitsuru See Miyagawa, Nobuo
Ando, Mitsuru; Takahashi, Shigeaki; Okumura, Hisatake; Yamaguchi, K.
Slit-type immersion nozzle of alumina-graphite material.—75-07665
Ando, Mitsuru; Takahashi, Shigeaki; Okumura, Hisatake
Alumina clogging-resistant materials for immersion nozzle.—75-07461
Ando, Motohide See Hirosaki, Naoto; Mitomo, Mamoru
Andoh, Hiroya See Yokoi, Naoki
Andoh, Hiroya; Kito, Masaru; Kusunoki, Masanobu; Fujimaki, Akira; Hayakawa, Hisao
Variations of order parameter and bias current distribution with time in thin-film superconducting lines.—75-08445
Andreasen, Jens H. See Moller, Carsten V.
Andreev, A. A.; Andrianov, A. V.; Averbukh, B. Ya.; Mavlyanov, R.
Injection electroluminescence of *pin* thin-film structures based on hydrogenated Si produced under conditions of super strong rarefication of silane by hydrogen.—75-07934
Andreev, A. D.; Suris, R. A.
Weak binding approximation for calculating the carrier spectrum in heterostructures.—75-08712
Andreev, A. N. See Lebedev, A. A.; Strel'chuk, A. M.
Andreev, A. N.; Anikin, M. M.; Lebedev, A. A.
Relationship between defect luminescence in 6H-SiC and deep level centers.—75-05461
Andreev, A. N.; Anikin, M. M.; Syrkin, A. L.
Effect of various processing methods on the state of 6H-SiC(000$\bar{1}$) surface.—75-06588
Andreev, A. N.; Lebedev, A. A.; Rastegaeva, M. G.; Snegov, F. M.; Syrkin, A. L.; Chelnokov, V. E.
Surface barrier height in Schottky diodes based on *n*-SiC-6H.—75-05493
Andreev, A. N.; Strel'chuk, A. M.; Savkina, N. S.; Snegov, F. M.; Chelnokov, V. E.
SiC-6H dinistor structures.—75-03160
Andreev, A. N.; Tregubova, A. S.; Shcheglov, M. P.; Rastegaev, V. P.; Dorozhkin, S. I.; Chelnokov, V. E.
Structure perfection features of SiC-6H crystals grown by modified Lely method.—75-05490
Andreev, E. F. See Kirpichnikova, L. F.
Andreev, I. A. See Mikhailova, M. P.
Andreev, O. V.; Parshukov, N. N.; Kertman, A. V.; Kislovskaya, T. M.
Phase equilibria in the CaS-Y_2S_3 system.—75-09017
Andreev, V. A. See Man'ko, V. S.
Andrekson, P. A.; Kazarinov, R. F.; Olsson, N. A.
Effect of thermionic electron emission from the active layer on the internal quantum efficiency of InGaAsP lasers operating at 1.3 μm.—75-05298
Andreola, F.; Manfredini, T.; Barbieri, G. P.; Bertoldi, P.; Billi, F.; Franchini, F.
Influence of wastewaters, recovery muds, and exhausted lime upon mix deflocculation.—75-08531
Andreola, F.; Pozzi, Paolo; Romagnoli, Marcello; Bresciani, Andrea; Pasquali, Guelfo
Additives used in the pressing of tableware.—75-05160
Andres, Ronald P. See Paithankar, Dilip Y.; Patil, A. N.
Andrews, C.
Good news for the glass container industry—containers see major growth in two key segments.—75-04712
Andrews, S. B. See Leapman, R. D.
Andrianov, A. V. See Andreev, A. A.; Averbukh, B. Ya.
Andrianov, A. V.; Belyakov, L. V.; Goryachev, D. N.; Sreseli, O. M.; Yaroshetskii, I. D.
Preparation and investigation of porous silicon in powdered form.—75-03135
Andriesh, A. M.; Malkov, S. A.; Verlan, V. I.
Electrophotographic spectroscopy of deep levels in As_2Se_3 and As_2S_3.—75-03017
Andriessen, J.; Dorenbos, Pieter; Van Eijk, C. W. E.
Calculation of energy levels of cerium in inorganic scintillator crystals.—75-01798
Andrievskaya, Elena R.; Lopato, L. M.; Kovylyaev, V. V.; Zaitseva, Z. A.
Phase equilibria in the HfO_2-Y_2O_3-La_2O_3 ternary system.—75-09019
Andrievskaya, Elena R.; Lopato, L. M.; Shevchenko, A. V.
Liquidus surface in the ZrO_2-Y_2O_3-Er_2O_3 system.—75-08971
Andrievskaya, Elena R.; Lopato, L. M.; Smirnov, Vasily P.
System HfO_2-Y_2O_3-Er_2O_3.—75-03846
Andrievskii, R. A.; Amanulla, S. A.; Bruks, E. D.; Kalinnikov, G. V.; Potafeev, A. F.
Effect of indentation load on the microhardness of titanium diboride films prepared by magnetron sputtering.—75-09275
Andrievskii, R. A.; Lyutikov, R. A.
High-temperature dissociation of silicon nitride.—75-09149
Andronikashvili, T. G.; Eprikashvili, L. G.; Ioseliani, G. Z.
Approximate calculations of some thermodynamic characteristics of a hydrocarbon-X-zeolite system from gas chromatography data.—75-08872
Andronova, R. A.; Zhukovskaya, A. E.; Kortel, A. A.
Standardization of refractories in Russia and Germany.—75-05143
Andryushchenko, L. A. See Grinev, B. V.
Aneziris, C. See Michaeli, N.
Anfilogov, V. N. See Bykov, V. N.
Ang, S. S.; Shi, Y. J.; Brown, W. D.
Electrical characterization of rapid thermal nitrided and reoxidized plasma-enhanced chemical vapor deposited silicon dioxide metal-oxide-silicon structures.—75-00472
Angel, P. J. See Vance, E. R.
Angel, P. J.; Vance, E. R.
Impact on Synroc of anionic process impurities.—75-00928
Angel, Ross J. See Hugh-Jones, Demelza A.
Angell, C. Austen See McMillan, P. F.
Angelo, J. E.; Moody, N. R.; Venkataraman, S. K.; Gerberich, W. W.
Effects of annealing on the structure of Ta_2N thin films deposited on Al_2O_3.—75-04016
Angert, N. See Kugel, V. D.
Angus, John C. See Cassidy, William D.; Martin, Heidi B.; Wang, Ya-Xin
Angus, John C.; Evans, Edward A.
Nucleation and growth processes during the chemical vapor deposition of diamond.—75-01598
Anikin, L. T. See Kravetskii, G. A.
Anikin, M. M. See Andreev, A. N.; Lebedev, A. A.; Strel'chuk, A. M.
Anikina, E. L.; Zemtsov, V. I.; Gorelov, V. P.; Burmakin, E. I.
Physicochemical properties of $Nd_{1-x}Ca_xCr_{1-x}Zn_xO_3$ solid solutions.—75-09169
Anilkumar, G. M. See Warrier, K. G. K.
Animitsa, I. E. See Neiman, A. Ya.
Anishchik, V. M.; Yarmolovich, V. A.; Gorbachevskii, D. A.; Gerasimova, T. G.
Structure and properties of tin dioxide films.—75-06906
Anisimova, N. Yu.; Chudinova, N. N.
Using microwave furnaces for solid-phase synthesis of inorganic phosphates.—75-09487
Aniskin, S. V.; Protod'yakonov, I. O.
Kinetics of hydrogen sulfide absorption in a drop of a sodium carbonate solution with resistivity to mass transfer in the liquid phase.—75-06253
Anisochkina, E. N. See Polyakov, V. I.
Ankudinov, A. V.; Titkov, A. N.; Ivanov, S. V.; Sorokin, S. V.; Shmidt, N. M.; Kop'ev, P. S.
Scanning tunneling microscopy and spectroscopy of the cleavages of ZnSe/GaAs heterostructures.—75-08052
Anlage, S. M. See Findikoglu, A. T.
Annaev, R. R. See Goryaga, A. N.
Annamalai, V. E. See Somakumar, T.
Annapurna, K. See Sathyanarayana, J. V.
Annen, M. J.; Kizhappali, R.; Carr, P. W.
Development of porous zirconia spheres by polymerization-induced colloid aggregation—effect of polymerization rate.—75-06570
Annenkov, Yu. M.; Dedov, N. V.; Solov'ev, A. I.; Aparov, N. N.; Frangul'yan, T. S.; Sharkeev, Yu. P.
Dispersion efficiency of powders of the Al_2O_3-(ZrO_2+Y_2O_3) system obtained by the plasmochemical method.—75-09264
Annenkov, Yu. M.; Frangul'yan, T. S.; Pritulov, A. M.; Aparov, N. N.
Efficiency of radiation technology for preparing high-strength corundum-zirconium ceramics.—75-05089
Anpilogova, G. Yu. See Mittova, I. Ya.
Anraku, T. See Chiba, A.
Anreenko, A. S.; Nikitin, S. A.; Spichkin, Yu. I.
Bulk magnetostriction and change of magnetization at hydrostatic pressure in melts and compounds of rare-earth metals with iron: II, Crystalline compounds of Y_2Fe_{17} and Er_2Fe_{17}.—75-05658
Ansart, F.; Yokogawa, Y.; Traverse, J. P.
X-ray diffraction of aluminum nitride at heat-treatment temperature between 20° and 1200°C.—75-04445
Ansell, M. P. See Newton, A.
Anshukova, N. V.; Golovashkin, A. I.; Ivanova, L. I.; Malyuchkov, O. T.; Rusakov, A. P.
Dielectric-metal phase transition and superconductivity in the $Ba_{1-x}K_xBiO_3$ system.—75-08289
Anslow, P. J. See Thornton, K. E. B.
Antalik, Jozef See Liska, Marek
Antalik, Jozef; Liska, Marek; Vavra, J.
Spectroturbidimetric study of particle size distribution in SiO_2 sols.—75-03840
Antaya, M.; Cearns, K.; Preston, J. S.
In situ growth of layered, spinel, and rock-salt $LiCoO_2$ by laser ablation deposition.—75-01535
Anthony, Sam See Corrigan, Frank
Anthony, Thomas R.; Banholzer, W. F.; Fleischer, James F.; Bray, James W.; Tiemann, Jerome J.; Bigio, Laurence
Single-crystal diamond of very high thermal conductivity.—75-01198
Anthony, Thomas R.; Fleischer, James F.; Ettinger, Robert H.
Apparatus and method for chemical vapor deposition of diamond.—75-01155; —75-03943; HF-CVD method for forming diamond.—75-01169
Anthony, Thomas R.; Fleischer, James F.; Slutz, David E.
Chemical vapor deposition of polycrystalline diamond with orientation and growth facets.—75-03729
Anthony, Thomas R.; Fleischer, James F.; Williams, Bradley E.
Method for enhancing the toughness of CVD diamond.—75-03737
Anthony, Thomas R.; Fleischer, James F.
Fine grain diamond workpieces.—75-03732
Antipov, E. V. See Torshin, I. Yu.
Antipov, V. G.; Zubrilov, A. S.; Merkulov, A. V.; Nikishin, S. A.; Sitnikova, A. A.; Stepanov, M. V.
Molecular beam epitaxy of a cubical GaN on GaAs(001) substrates with hydrazine.—75-05388
Antipov, Yu. V. See Korobova, N. E.
Antokhina, T. F. See Bayukov, O. A.; Ignat'eva, L. N.

Antolovich, Stephen D. See Schaffer, James P.
Anton, Johan See Aben, Hillar
Antonenko, A. M.; Gorbenko, V. M.; Sadovskaya, L. Ya.; Ermakov, S. Yu.
Acoustooptical and elastic constants of bismuth telluride.—75-09115
Antonic, T.; Cizmek, A.; Subotic, B.
Dissolution of amorphous aluminosilicate zeolite precursors in alkaline solutions: II, Mechanism of the dissolution.—75-06208
Antonov, G. I. See Borovik, N. P.; Kamenetskii, Yu. L.
Antonov, G. I.; Nedosvitii, V. P.; Kulik, A. S.; Prokudin, V. Yu.
Talcomagnesia ores of the Pravdinskoe Deposit as a raw material for the refractory industry.—75-06059
Antonov, G. I.; Shcherbenko, G. N.; Yakobchuk, L. M.
Periclase refractories from imported powders.—75-05117
Antonova, I. V.; Shaimeev, S. S.
Influence of ion bombardment on the gold diffusion in silicon.—75-05347; Transformation of radiation defects and their clusters in B^+ ion-implanted silicon.—75-03189
Antoshina, L. G. See Goryaga, A. N.
Antropov, V. M.; Titov, A. N.; Krasavin, L. S.
Anomalous behavior of electrical properties of titanium diselenide intercalated with silver.—75-07783
Antropova, O. A. See Belokonova, N. A.
Antropova, O. V. See Kalinkin, A. M.
Antropova, T. V. See Drozdova, I. A.
Antropova, T. V.; Drozdova, I. A.
Influence of synthesis conditions of porous glasses on their structure.—75-02726
Antropova, T. V.; Roskova, G. P.; Bakhanov, V. A.
Effect of the temperature of acid leaching on the strata formation in microporous glass plates.—75-02712
Antsiferov, V. N. See Koshcheev, O. P.
Antsiferov, V. N.; Avdeeva, N. M.
Special features of the formation of the structure of highly porous cellular materials based on reaction-sintered silicon carbide.—75-05142
Antsiferov, V. N.; Evstyunin, A. V.; Porozova, S. E.
Kaolins of the Prosyanovskoe and Kyshtymskoe Deposits as raw materials for synthesizing cordierite.—75-06037
Antsiferov, V. N.; Sevast'yanova, I. G.; Bekker, V. Ya.; Klimov, L. A.
Structure formation in a composite prepared from a ZrO_2-Y_2O_3-Al_2O_3 gel.—75-09453
Anufriev, M. V. See Sycheva, L. I.
Anwar, M. Y.; Messer, P. F.; Davies, H. A.; Ellis, B.
Novel approach to injection molding.—75-05905
Anwar-ul-Haq, See Ali, Zahida
Anya, C. C.; Hendry, A.
Hardness, identation fracture toughness, and compositional formula of X-phase SiAlON.—75-06988
Anyalebechi, Princewill N. See Balaba, Willy M.
Anzheurov, N. M.; Makovkin, A. I.
Help yourself.—75-07560
Anzheurov, N. M.
Joint stock company in the coming-to-be market.—75-07587
Aoike, Tatsuyuki See Saito, Keishi
Aoki, Hideki; Akao, Masaru; Shin, Yoshiharurayama; Hayashi, Osamu; Yoshizawa, Masahiko
Method for the production of an implant having an apatite coating layer using a hydrothermal treatment.—75-02570
Aoki, Hiroo See Moriyama, Minoru
Aoki, Katsuhiro See Fukuda, Yukio
Aoki, Makoto; Chiang, Yet-Ming; Kosacki, Igor; Lee, L. Jong-Ren; Tuller, Harry L.; Liu, Y.-P.
Solute segregation and grain boundary impedance in high-purity stabilized zirconia.—75-04401
Aoki, Masashi; Fukai, Kiyoshi; Abe, Kazunobu; Sakata, Koichiro; Takenaka, Tadashi
Method of making a multilayer piezoelectric composite.—75-08182
Aoki, Tomoko See Funayama, O.; Kaya, Hiroshi; Shimizu, Yasuo
Aono, Hiromichi; Sugimoto, Eisuke
Ionic conductivity and sinterability of Nasicon-type ceramics: the systems $NaM_2(PO_4)_3$+yNa_2O (M=Ge, Ti, Hf, and Zr).—75-07735; Ionic conductivity of PbI_2-PbO glass.—75-07342
Aono, Yasuyuki See Aoyama, Tatsuji; Inoue, Osamu
Aoyama, K. See Kumakawa, A.
Aoyama, Satoshi; Shibata, Noriyoshi
Low-temperature SiC film coating on metals by microwave plasma chemical vapor deposition.—75-07217
Aoyama, Shintaro See Fukuda, Yukio
Aoyama, Tatsuji; Hirota, Ken; Yamaguchi, Osamu; Aono, Yasuyuki; Matsutani, Nobuya
Characterization and low-temperature sintering of reactive Mn-Zn ferrite powder.—75-08195
Aoyama, Yoshio See Suzuki, Eisuke
Apai, P. See Danailov, M. B.
Aparov, N. N. See Annenkov, Yu. M.
Apblett, Allen W.; Georgieva, Galina D.; Raygoza-Maceda, Isobel
Preparation of a metallorganic deposition precursor for barium titanate.—75-01619
Apell, Peter See Ostling, Daniel
Apostolopoulos, D. G.; Frith, M.; Strawbridge, I.
Al/Mg alloy as an antioxidant in magnesia-graphite refractories.—75-05072
Applewhite-Ramsey, Amy See Marra, James C.
Applewhite-Ramsey, Amy; Schumacher, R. F.; Spatz, T. L.; Newsom, R. A.; Circeo, L. J.; Danjaji, M. B.
High-temperature vitrification of surrogate Savannah River Site (SRS) mixed waste materials.—75-03470
Apte, P. R. See Kumar, Dhananjay
Apte, P. R.; Pinto, R.; Chourey, A. G.
Surface resistance, residual losses, and granularity in Ag-doped $YBa_2Cu_3O_{7-\delta}$ thin films.—75-00880
Apte, Prasad S.; MacDonald, William D.
Microwave sintering kilogram batches of silicon nitride.—75-01580
Arahori, Tadahisa See Yamana, K.
Arai, Hiromichi See Aizawa, Masanobu
Arai, Kunio; Ajiri, Tadafumi; Yuki, Shinichi; Ota, Isao
Method for producing fine particles of barium ferrite.—75-00765
Arai, Kunio; Ajiri, Tadafumi
Process for producing fine metal oxide particles.—75-08783
Arai, M. See Kambe, M.
Arai, Yoshihide See Mizusaki, Junichiro
Araiza, Miguel A.; Portilla, Javier; Hernandez, J. C.; Arita, Irene; Castano, Victor M.
Physicochemical characterization of an invertebrate's skeleton and its possible use as biomaterial.—75-04387
Arakane, T. See Gonda, S.
Arakcheeva, A. V.; Shlyapkina, L. V.; Leonyuk, L. I.; Lubman, G. U.
Commensurate variant of the $A_{14}Cu_{24}O_{41}$-type crystal structure of a new $(Nd,Y,Sr,Ca)_{14}(Cu,Ca,Sr)_{24}O_{41}$ compound.—75-08882
Arakcheeva, A. V.
Crystal structure of the baykovite mineral.—75-06194
Araki, Hideaki See Fukuta, Junzo
Araki, N.; Makino, A.
Transient temperature response and evaluation of thermal diffusivity in FGM.—75-03941
Arashi, H. See Miida, R.
Arbenina, V. V.; Daricheva, O. E.; Pshenichnyi, D. A.
Luminescent characteristics of epitaxial layers of GaSb doped with rare-earth metals.—75-06486
Arbenina, V. V.; Dmitrieva, G. S.; Daricheva, O. E.
Properties of gallium antimonide doped with rare-earth metals during crystallization from tin-containing melts by LPE.—75-05449
Arbuzov, V. L. See Loshkareva, N. N.
Arbuzova, T. B.; Sukhov, V. Yu.
Principles of new energy-saving technology in the production of silicate wall materials.—75-07451
Arbuzova, T. I.; Smolyak, I. B.; Aminov, T. G.; Kireeva, E. V.
Magnetic structure of $CuCr_2S_4$ spinels doped with antimony.—75-08151
Archugov, S. A. See Lopatko, N. N.
Ardashnikova, E. I. See Fadeeva, E. E.
Ares, R. See Watkins, S. P.
Areshkin, A. G. See Vlasov, Yu. A.
Arestova, N. V. See Gorelov, V. P.
Arezzo, F.; Zacchetti, N.; Zhu, W.
X-ray photoelectron spectroscopy study of substrate surface pretreatments for diamond nucleation.—75-01978
Argoitia, Alberto See Martin, Heidi B.
Argunova, T. S. See Kyutt, R. N.; Shul'pina, I. L.
Argyiou, D. N.
Measurement of the static disorder contribution to the temperature factor in cubic stabilized ZrO_2.—75-03577
Arif, Mokhammad; Baidakov, L. A.
Glass formation and properties of glasses in the $(Sb_2S_3)_{1-x}(PbI_2)_x$ system.—75-02655
Ariki, Takuya See Kobayashi, Takeshi
Ariles, M. A.; Sanchez-Soto, P. J.; Justo, A.
Compositional variation of SiAlON phase produced after carbothermal reduction of a vermiculite-polyacrylonitrile intercalation compound.—75-01408
Arima, Momoko See Kakihana, Masato
Arima, Momoko; Kakihana, Masato; Nakamura, Yoshiyuki; Yashima, Masatomo; Yoshimura, Masahiro
Polymerized complex route to barium titanate powders using barium-titanium mixed-metal citric acid [CA] complex.—75-08161
Arima, Yuusuke; Miyamoto, Shinichi; Sahira, Kensho
Bioactive ceramic-coated surgical implant.—75-07242
Arimondo, E. See Ceresara, L.
Arimoto, Tadashi See Sakamoto, Wataru
Arimura, Yuichi See Sameshima, Soichiro
Arita, Irene See Araiza, Miguel A.
Arita, Shoichi See Akane, Katsumasa
Ariyoshi, Akira See Yao, Takeshi
Ariyoshi, Kisaburo; Maeda, Katsuhiko; Hasegawa, Tetsuo; Ohchi, Shoichi
Corrosion resistance of Al_2O_3-SiC castables to molten ash from incinerators.—75-07498
Arkad'ev, V. Yu. See Bulat, L. P.
Arkhipov, D. V.; Khristov, Ts. I.; Popovich, N. V.; Galaktionov, S. S.; Soshchin, N. P.
Cathodoluminophors based on yttrium oxyorthosilicate prepared by sol-gel technique.—75-09232
Arkhipov, M. A.; Medovoi, A. I.
Possibility of calculating the entropy of structural phase transitions in perovskites using an order-disorder model.—75-06325
Arlt, G. See Gao, Xi-Han
Armour, E. A. See Fong, Yu-Chue
Armstrong, George H. See Balaba, Willy M.
Armstrong, T. R. See Hess, N. J.; Stevenson, J. W.
Arnaudov, B. See Yakimova, R.
Arndt, F. See Waffenschmidt, E.
Arndt, Jorg See Tan, Cheng-Zhong
Arnold, Peter C. See Cooper, Paul
Arof, Abdul Kariem See Pushparajah, P.
Aronzon, B. A.; Chumakov, N. K.
Phase diagram of electron system of compensated semiconductors in magnetic field.—75-08003
Aronzon, B. A.; Gorodilov, N. A.; Chernov, A. L.; Shtropenin, G. L.
Quantum Hall effect in a sample of nonstandard geometry.—75-05456
Arora, Pawittar See Smart, Roger St. C.
Arrowsmith, N. See Emmelmann, S.
Arshad, Muhammad See Maqsood, Muhammad
Arsic, Persa See Djuric, Mirjana
Artamonov, A. V. See Smirnov, N. N.
Artamonova, M. V. See Nedospasova, T. A.
Artamonova, T. O. See Glebov, L. B.
Artem'ev, Yu. M. See Purevdorzh, D.
Artem'ev, Yu. M.; Artem'eva, M. A.; Lisogurskaya, O. F.
Photocatalytic oxidation of toluene on niobium(V) oxide.—75-06706
Artem'eva, M. A. See Artem'ev, Yu. M.; Purevdorzh, D.
Arthur, R. J. See Abel, K. H.
Artomasov, B. A. See Merkin, A. P.
Arul Dhas, N.; Patil, K. C.
Combustion synthesis and properties of zirconia-alumina powders.—75-03976
Arustamyan, A. M.; Balyan, M. K.; Gabrielyan, K. T.
Interpretation of lattice fringes on electron microscopy images.—75-06884
Arutyunyan, V. V.; Babayan, A. K.; Gevorkyan, V. A.; Martirosyan, U. M.
Formation kinetics of *V* centers in α-Al_2O_3 during irradiation by high-energy electrons.—75-06233
Arutyunyan, V. V.; Babayan, A. K.; Gevorkyan, V. A.
Nature of color center formation in corundum studied by the reflection spectra with application of synchrotron irradiation.—75-06283
Arwin, H. See Bergstrom, Lennart; Chen, J.; Heim, M.-K.
Arya, Shish P. S. See Sarin, Vinod K.
Arzhavitin, V. M.; Lavrinenko, S. D.; Petrenko, V. T.; Tikhonovskii, M. A.; Finkel, V. A.
Low-frequency internal friction in $BaCuO_{2+y}$ ceramics at high temperatures.—75-08974
Asa, Hideyoshi See Hayashi, Shigeki
Asada, Eiichi; Nagashima, Kazurou
Multilayered ceramic capacitor.—75-00405
Asada, H. See Matsuyama, K.
Asada, Ken See Kobune, Masafumi
Asadov, F. Yu. See Asadov, Yu. G.
Asadov, M. M. See Abbasov, M. M.; Mustafaeva, S. N.
Asadov, M. M.; Abbasov, M. M.
Phase diagrams of the Ho_2O_3-In_2S_3, Ho_2O_3-Ho_2S_3, and Ho_2O_2S-In_2S_3 systems.—75-09012
Asadov, M. M.; Aliev, O. M.; Gadzhieva, S. R.
Heat capacity and thermodynamic functions of $Ge_3As_2Te_3$ and $GeAs_2SeTe_3$ glassy phases in the range 55–320 K.—75-08946
Asadov, S. K.; Vasilenko, I. P.; Zavadskii, E. A.; Todris, B. M.
Actual *p-T* diagram of potassium nitrate.—75-08862
Asadov, Yu. G.; Dzhafarov, K. M.; Asadov, F. Yu.; Gamidova, S. S.
Mechanism of structural transformations in $Cu_{1-y}Cd_{0.05}Te$ crystals.—75-08981
Asahara, Yoshiyuki
Glass optical waveguide amplifier.—75-04968
Asai, S.
Styrene-butadiene tapered block copolymer (TBC) having a functionally graded molecular structure (FGM).—75-04232
Asakawa, T.; Sasaki, M.; Yoshimoto, M.; Gonda, S.; Shiraishi, T.; Koinuma, H.
Electrical properties of C_{60} and its partially decomposed thin films fabricated by vacuum evaporation and ion plating methods.—75-01284
Asakura, Hideo See Fujiwara, Teiichi
Asakura, Hideo; Nishiyama, Hideaki; Nakatsukasa, Masayuki
Development of automatic testing system for modulus of rupture at elevated temperatures and application to measuring.—75-08658
Asakura, Hiroyuki
Shinagawa's fibrous insulator [PYRO-FORM] supports the "MAGMA-POWER."—75-09734
Asami, Katsuhiko See Li, Jing-Feng
Asano, A. See Yasuda, E.
Asano, Keisuke See Taira, Hatsuo
Asanov, U. A. See Satyvaldiev, A.
Asatryan, G. R.; Baranov, P. G.; Zhekov, V. I.
Electron paramagnetic resonance of Dy^{3+} ions in yttrium-aluminum garnet.—75-08212
Asayama, Masahiro See Kameda, Tsuneji
Asayama, Masahiro; Nishida, K.; Tsuge, T.; Kanzaki, Shuzo; Oji, T.; Watari, Koji
Effect of amount of halogen impurities on high-temperature mechanical properties of sintered Si_3N_4.—75-02038
Ashcroft, I. A.; Derby, B.
Characterization of glass-ceramic to metal bonds.—75-04844
Ashcroft, I. See Jamting, A.
Ashenford, D. E. See Dhese, K. A.
Ashfold, M. N. R.; May, P. W.; Nicholson, E. D.; Partridge, P. G.; Meaden, G.; Wisbey, A.
Potential for diamond fiber composites.—75-08809
Ashizuka, Masahiro; Ishida, Eiichi
Crack configuration beneath Vickers indentation in Y_2O_3-containing tetragonal zirconia polycrystals.—75-09610; Joining of zirconia to zirconia using CaO-MgO-SiO_2-Al_2O_3 glasses.—75-09349
Ashkenazy, V. D.; Bonaldi, M.; Jung, G.
Random telegraph noise spectra in granular high-T_c films.—75-05821
Ashmontas, S.; Suzhedelis, A.
Small area contacts of different metals to *p*-type germanium.—75-08057
Ashrit, P. V. See Can, Nguyen
Ashworth, S. P. See Ciszek, M.
Asida, Shyoji; Takahata, Haruo; Katsuki, Takayo
PTC thermistor.—75-08111
Asif, S. A. Syed See Nagarajan, V. S.
Asif, S. A. Syed; Muthu, D. V.; Sood, Ajay Kumar; Biswas, Sanjay K.
Surface damage of yttria–tetragonal zirconia polycrystals and magnesia-partially-stabilized zirconia in single-point abrasion.—75-01042
Asim, M. M.; Hasanain fS. K.
Modified flux flow in polycrystalline YBCO: temperature and current dependence.—75-08373

Asjadi, G. R. See Terry, B. S.
Askarov, Sh. I. See Bakhadyrkhanov, M. K.
Askew, R. F. See Ramesham, R.
Aslam, M. See Hong, D.; Sahli, S.; Yang, G. S.
Aslam, M.; Beck, James V.
Diamond film structures and methods related to same.—75-07753
Aslan, M. See Nass, R.
Aslan, M.; Dorr, C.; Nass, R.; Schmidt, H.
Microstructural development and mechanical properties of pressureless sintered Al_2O_3/SiC composites.—75-01572
Aslan, M.; Nonninger, R.; Nass, R.; Rein, R.; Schmidt, H.
Relations between microstructure and mechanical properties of pressureless sintered SiC.—75-01926
Aslanov, G. A.; Burbaev, T. M.; Kurbatov, V. A.; Penin, N. A.
Impurity photoresistor in optical heterodyne pulse mode.—75-05342
Aslanov, L. A.
Effect of crystal dynamics on properties of inorganic materials.—75-06210
Asmontas, S.; Cesna, A.; Kundrotas, J.; Valusis, G.
Luminescence spectra of highly compensated *n*-InP.—75-07959
Asmussen, J. See Lee, Ki-Yong; Ulczynski, M.
Asoh, Keisuke See Kato, Eturo
Asoka-Kumar, P.; Lynn, K. G.; Welch, D. O.
Characterization of defects in Si and SiO_2-Si using positrons.—75-01744
Asokan, T.; Freer, R.
Dependence of ZnO varistor grain boundary resistance on sintering temperature.—75-05278
Asokan, T.
Microstructural features of fusion cast Al_2O_3-ZrO_2-SiO_2 refractories.—75-05106
Asonen, Harry; Ovtchinnikov, A.; Zhang, Guo-Dong
Aluminum-free 980-nm GaInAs/GaInAsP/GaInP pump lasers.—75-05238
Asotskii, V. V.; Kuznetsova, T. A.; Lashkarev, G. V.; Radchenko, M. V.; Tananaeva, O. I.; Teterkin, V. V.
Electrically active state of Co impurities in PbTe.—75-07866
Asryan, A. A. See Glazov, V. M.
Astaf'ev, O. V. See Yur'ev, V. A.
Astaf'ev, S. B. See Volk, T. R.
Astrelin, I. M. See Sychev, M. V.
Astrova, E. V.; Emtsev, V. V.; Lebedev, A. A.; Poloskin, D. I.; Remenyuk, A. D.; Rud, Yu. V.
Degradation of photoluminescence of porous silicon exposed to ^{60}Co γ-irradiation.—75-02991
Astrova, E. V.; Lebedev, A. A.; Remenyuk, A. D.; Rud, Yu. V.
Absorption and photoluminescence of a free porous silicon.—75-02959
Asuvathraman, R. See Kutty, K. V. Govindan
Aswath, P. B. See Bandyopadhyay, A.
Ataev, Zh.; Vasil'ev, V. A.; Elizarov, I. V.; Mezdrogina, M. M.
Photoluminescence of a-Si:H films doped with rare-earth elements.—75-03125
Atanasov, P. A. See Serbesov, V. S.
Atanassova, E. See Dimitrova, T.
Atarashiya, Koji
Functionally gradient materials of the system AlN-metals.—75-00096; Nanostructured FGM of the system AlN-M (M=Al, Ni, Mo).—75-02514
Atik, M. See Zarzycki, J.
Atita, Carolyn R.
Multilayer nanolaminates containing polycrystalline zirconia.—75-06097
Atkarskaya, A. B.; Borul'ko, V. I.; Popovich, S. A.
Effect of the composition and age of solution on the properties of thin films deposited on glass.—75-07332
Atkinson, Alan
Stress in ceramic films and coatings.—75-07039
Atoji, Tadashi See Tokunaga, Hiroyuki
Atsarkin, V. A.; Vasneva, G. A.; Demidov, V. V.
Electron spin lattice relaxation in high-temperature superconductors: Cu^{2+} in Y-Ba-Cu-O.—75-08309
Attwood, I. G.
Kaolins in southwest England.—75-03639
Atwell, William H.; Bartos, Donald M.; Harder, Patrick J.; Lipowitz, Jonathan; Saha, Chandan K.
Process for preparing silicon carbide powder from vaporized polysiloxanes.—75-01187
Atwood, E. See Storey, T.
Atwood, Matthew P. See Watson, Ian M.
Aubin, M. See Dolez, P.
Auciello, Orlando See Al-Shareef, H. N.; Chow, Alice F.; Dat, R.
Auciello, Orlando; Spitzl, R.; Engemann, J.
Selective deposition of diamond thin films on field emitter tips in dense arrays.—75-08053
Auffray, E. See Dafinei, I.
Auffray, E.; Beckers, T.; Chipaux, R.; Dafinei, I.; Depasse, P.; El Mamouni, H.
First results on large cerium fluoride crystals in a test beam.—75-00187
Auffray, E.; Dafinei, I.; Lecoq, P.; Schneegans, M.
Status of cerium fluoride performances.—75-01154
Auger, Marc; Baril, Daniel; Parent, Luc; Perron, Jean
High-temperature and abrasion-resistant temperature measuring device.—75-05990
Auld, Bob; Roughead, Alan
Supplying high-quality natural fused magnesia to the world refractory industry—the Australian experience.—75-07670
Ault, Neil N.; Crowe, John T.
Silicon carbide.—75-06056
Aum, H.-S. See Lee, S.-W.
Aurora, T. S.; Day, S. M.; Pederson, D. O.
Dilatometric and thermooptic properties of alkaline earth and cadmium fluorides between 300 and 1300 K.—75-01273
Ausloos, M. See Bougrine, H.; Houssa, M.; Pekala, M.; Vandewalle, N.
Autran, Jean-Luc See Raynaud, Christophe
Avakyan, P. B.; Nersesyan, M. D.; Merzhanov, A. G.
New materials for electronic engineering.—75-04120
Avalos-Borja, M. See Galvan, D. H.
Avavdekh, A. Z. See Vavilov, V. S.
Avdeev, S. P.; Dudko, G. V.; Kravchenko, A. A.; Polyanskii, M. P.; Cherednichenko, D. I.
Secondary emission properties of the electron-irradiated lead silicate glasses.—75-07367
Avdeeva, N. M. See Antsiferov, V. N.
Avdeeva, Yu. V. See Gromozova, I. K.
Avedikian, R. See Smith, D. S.
Avent, Anthony G. See Taylor, Roger
Aver'yanov, V. L. See Kudoyarova, V. Kh.
Averbakh, E. M. See Popov, A. E.
Averbukh, B. Ya. See Andreev, A. A.
Averbukh, B. Ya.; Andrianov, A. V.; Belyakov, L. V.; Goryachev, D. N.; Kovalev, D. I.; Sreseli, O. M.
Kinetics and spectral distribution of electroluminescence [EL] of porous silicon/metal structures.—75-03073
Averin, S. V.; Shtein von Kaminski, E.; Roskos, Kh. G.; Gelen, Kh. I.; Kersting, R.; Plettner, I.
Super-fast mechanism of vertical drift of current carriers in MSM [metal-semiconductor-metal] barrier heterostructures.—75-08066
Averkiev, N. S.; Gutkin, A. A.; Reshchikov, M. A.; Sedov, V. E.
Optical and piezospectroscopic properties and structure of gallium vacancy–silicon complexes in *n*-type GaAs: comparison with gallium vacancy–tin complexes.—75-07990
Averkiev, N. S.; Gutkin, A. A.; Reshchikov, M. A.
Effect of elastic force nonlinearities and the charge state on the type of equilibrium distortions of defects with an initial electron state of t_2 symmetry.—75-03003
Averkiev, N. S.; Il'inskii, S. Yu.
Spin ordering of electrons localized at deep donors in multivalley semiconductors.—75-08061
Averkieva, G. K. See Bugaev, A. A.
Averkov, Yu. O.; Bass, F. G.; Panchekha, A. P.
Dynamic localization features of an electron of the quantum semiconductor superlattice in fast-alternating electromagnetic and magnetostatic fields.—75-05286
Avetikyan, G. B.; Kuznetsova, A. I.; Dyatlova, A. Yu.
Magnetic properties of phosphate glasses containing nickel, cobalt, and iron oxides.—75-07347
Avgin, I.; Huber, D. L.
Exchange stiffness of Ca-doped YIG.—75-00734
Avilov, A. S.; Levshin, N. L.; Poroikov, S. Yu.; Revina, E. N.; Khitrova, V. I.
Effect of uv irradiation on the semiconductor-metal phase transition in VO_2 films with different subsurface-layer structure.—75-05300
Avramov, P. V. See Ovchinnikov, S. G.
Avramov, P. V.; Ovchinnikov, S. G.
Influence of the effects of strong electron correlations on the form of X-ray Cu*K* absorption spectra of $La_{2-x}Sr_xCuO_4$.—75-08343
Avrutskii, I. A.; Pyrkov, Yu. N.
Photomodulated spectroscopy for determination of integral excitonic absorption in single quantum well structure.—75-08020
Awaji, H. See Takada, J.
Awaji, H.; Watanabe, T.; Nagano, Yasuo
Compressive testing of ceramics.—75-03552
Awan, M. S.; Maqsood, Muhammad; Maqsood, Asghari
Preparation and characterization of Bi-based single crystals of high-T_c superconductors.—75-05817
Awan, M. S.; Maqsood, Muhammad; Shabbir, G.
Preparation and characterization of Bi-based single crystals of high-T_c superconductors.—75-05816
Awano, M.; Takagi, H.
Synthesis of cordierite and cordierite-$ZrSiO_4$ composite by colloidal processing.—75-06806
Awasthy, S. See Ganesan, V.
Awazu, Tomoyuki See Yamamoto, Susumu
Ayazbaev, T.; Zaitseva, N. V.; Isupov, V. A.; Pronin, I. P.; Shaplygina, T. A.
Dielectric properties of $(Pb_{1-x}A_x^{2+})(Mg_{1/3}Nb_{2/3})O_3$ (A^{2+}=Ba, Sr, Ca, Cd) ceramics.—75-08126
Ayazbaev, T.; Zaitseva, N. V.; Isupov, V. A.; Pronin, I. P.; Shaplygina, T. A.
Response of lead magnesium niobate-titanate ferroceramics polarized during cooling to low temperatures and heated without a field.—75-08169
Aydinuraz, A. See Gencer, A.
Aylott, C. E. W. See Chrysanthou, A.
Aymerich, X. See Perez-Murano, F.
Ayrault, S.; Chabert, B.; Soulier, J. P.; Treheux, D.; Vannes, A. B.; Chevallier, P.
Ceramic coatings on polymers by high-energy beam for tribology application.—75-06544
Ayupov, B. M. See Sharafutdinov, R. G.
Azad, A. M. See Akbar, S. A.
Azad, A. M.; Larose, S.; Akbar, S. A.
Bismuth-oxide-based solid electrolytes for fuel cells.—75-05176
Azad, A. M.; Younkman, L. B.; Akbar, S. A.; Ahmed, S.; Rizzoni, G.
Test results of a ceramic-based carbon monoxide sensor in the automotive exhaust manifold.—75-03661
Azarov, G. M.; Vlasov, A. S.; Maiorova, E. V.; Oborina, M. A.
Diopside: raw material for porcelain production.—75-08759
Azarova, L. A. See Vinogradov, E. E.
Azevedo, A.; Cinbis, C.; Kryder, M. H.
Magnetic properties of $Y_{3-x-y}Pr_xLu_yFe_5O_{12}$ garnet films.—75-03307
Azhdarov, G. Kh.; Kyazimzade, R. Z.; Mamedov, K. N.
Acceptor levels in mercury-doped $Ge_{1-x}Si_x$ [x=0–0.3] solid solutions.—75-07778
Azhdarova, D. S. See Zargarova, M. I.
Azimi, M. E. See Ghosh, P. K.
Azimi, M. E.; Ghosh, P. K.
Deposition and dielectric property of ion-beam-assisted bismuth titanate film.—75-00308; Numerically calculated effective permittivity of dielectric composites.—75-02924
Azough, F.; Setasuwon, P.; Freer, R.
Structure and microwave dielectric properties of ceramics based on $Ba_{1.75}Nd_{9.5}Ti_{18}O_{54}$.—75-01247
Azoulay, Jacob
YBCO thin film formation near the stability line by resistive evaporation of BaF_2, Cu, and Y.—75-00898
Azubike, D. C.; Chrysanthou, A.; Terry, B. S.
Kinetic dissociation of nickel titanate and nickel tungstate in oxygen potential gradients.—75-06250
Azuma, M. See Shimada, Y.
Azumi, Takeshi; Yoneda, Yasunobu; Morii, Hiroshi
Dielectric ceramic composition for low temperature sintering.—75-00396
Azzouz, Lakhdar See Bastide, Jean-Pierre
Baader, F. H. See Graule, T. J.; Si, Wen-Jie
Baader, F. H.; Graule, T. J.; Gauckler, L. J.
Processing of Al_2O_3 by direct coagulation casting (DCC).—75-04183
Baader, F. H.; Will, J.; Tieche, D.; Graule, T. J.; Gauckler, L. J.
High-strength alumina produced by Direct Coagulation Casting.—75-01524
Baba, Toshiyuki See Nonaka, Kazuhiro
Baba, Yoko See Takahashi, Hisakazu
Babaev, A. A.; Trapeznikova, I. N.; Kon'kov, O. I.; Terukov, E. I.
Modification of *a*-$Si_{1-x}C_x$:H film properties during annealing.—75-07975
Babaev, B. D. See Verdiev, N. N.
Babaev, B. D.; Verdiev, N. N.; Gasanaliev, A. M.
Phase diagram of the Li_2MoO_4-Na_2MoO_4-$CaMoO_4$ system.—75-09011
Babaev, V. G.; Guseva, M. B.; Khvostov, V. V.; Babina, V. M.; Moryashov, A. M.
C:N single-crystal growth and its properties.—75-09525
Babaev, V. G.; Guseva, M. B.; Kudryavtsev, Yu. P.; Bondarev, A. A.; Alexandrov, F.; Khvostov, V. V.
New medical material based on metastable form of carbon.—75-08808
Babaeva, P. K. See Zargarova, M. I.
Babaeva, R. F. See Abdinov, A. Sh.
Babayan, A. K. See Arutyunyan, V. V.
Babcock, S. E.; Vargas, J. L.
Nature of grain boundaries in the high-T_c superconductors.—75-05800
Babentsov, V. N.; Vlasenko, A. I.; Tarbaev, N. I.
Transformation of the defect system across the width of CdTe wafers under diffusional doping with gallium.—75-03190; Evolution of impurity-defect system of an undoped CdTe of *n*- and *p*-types at room temperature.—75-03023
Babiarz, Joseph See Goetz, Martin
Babich, V. M.; Baran, N. P.; Zotov, K. I.; Kiritsa, V. L.; Koval'chuk, V. B.
Low-temperature diffusion of oxygen and formation of thermodonors in silicon doped with an isovalent impurity of germanium.—75-05365
Babina, V. M. See Babaev, V. G.
Babinskii, A. V. See Golovenchits, E. I.
Babirad, Stefan A. See George, Billy L.
Babishchevich, S. A. See Aleshin, V. D.
Babiy, O. A. See Grigoryev, O. N.
Babkin, E. V.; Kiselev, N. I.; Pyn'ko, V. G.
Features of magnetoresistivity of magnetite.—75-08215
Babkina, L. A.; Prokopenko, M. I.; Kushchenko, A. V.; Stepanyuk, N. A.
High-alumina mortar from scrap of refractory articles after use in metallurgical units.—75-05097
Babonas, G.-Yu. See Leonyuk, L. I.
Babonas, G.-Yu.; Dagis, R.; Kregzhde, V.; Pukinskas, G.; Leonyuk, L. I.; Vetkin, A. G.
Optical spectra of $LnBa_2Cu_3O_x$ compounds.—75-05807
Babonneau, Florence See Dire, Sandra
Babu, D. Suresh See Rao, G. Narsinga
Babu, V. Hari See Satyavathi, S.
Babushkin, A. N. See Ignatenko, O. A.
Babushkin, Oleg; Lindback, T.; Holmgren, Allan
Thermal expansion of hot isostatically pressed hydroxyapatite.—75-06526
Babushkina, T. S. See Kul'bachinskii, V. A.; Mintairov, A. M.
Baccini, Gisulfo
Device to process green-tape type circuits.—75-03542
Bachelard, Roland See Ravenel, Pierre
Bachiorrini, A. See Maschio, S.; Montanaro, L.
Bachli, A.; Chen, J. S.; Ruiz, R. P.; Nicolet, M.-A.
Solid-phase reaction of tungsten thin films with polycrystalline diamond.—75-01933
Bachli, A.; Kolawa, E.; Vandersande, Jan W.; Nicolet, M.-A.
Novel metallization scheme for diamond.—75-07223
Bachmann, Peter K. See Cassidy, William D.
Bachmann, Peter K.; Hagemann, Hans-Jurgen; Lade, Hartmut; Leers, Dieter; Picht, Frederike; Wiechert, Detlef U.
Diamond chemical vapor deposition—gas compositions and film properties.—75-01217
Backhaus-Ricoult, M.; Peyrot Chabrol, A.; Chiron, R.; Hagege, S.
Influence of crystallographic orientation, chemical inhomogeneities, material transport anisotropy, and elastic strain energy on the migration of grain boundaries in chromium-doped alumina during internal reduction.—75-04283
Backhausen, J. See Joshi, M. L.
Backof, C. A.
Role of wireless communications in the National Information Infrastructure.—75-02147

Bacos, M. P.; Sudre, O.
Critical review on oxidation protection for carbon-based composites.—75-04422
Bacsa, Revathi R.; Gratzel, Micheal
Rutile formation in hydrothermally crystallized nanosized titania.—75-06759
Badalyan, A. G. See Baranov, P. G.
Badalyan, A. M. See Sharafutdinov, R. G.
Baddi, R. See Clarisse, L.
Bade, John P., Jr. See Saito, Kimitsugu
Bader, G. See Can, Nguyen
Badgwell, Thomas A. See Kassmann, Dean E.
Badi, N. See Bousetta, A.; Talwar, D. N.
Badi, N.; Bousetta, A.; Lu, M.; Bensaoula, A.
Effect of the growth process on boron nitride thin film electrical properties.—75-09288
Badich, V. D. See Viktorov, V. V.
Badre, J. M. See Ruiz Sierra, J. C.
Badria-Font, M. See Maksimov, B. A.
Badwal, S. P. S. See Ciacchi, F. T.; Hughes, A. E.
Badwal, S. P. S.; Callus, P.; Ciacchi, F. T.; Donelson, R.; Foger, K.; Graham, D.
Progress towards developing a planar solid oxide fuel cell at Ceramic Fuel Cells Limited [Clayton, Australia].—75-00980
Badwal, S. P. S.; Drennan, J.
Interfaces in zirconia-based electrochemical systems and their influence on electrical properties.—75-01299
Badwal, S. P. S.; Foger, K.
Overview of solid oxide fuel cell developments—designs, materials, properties, current status.—75-02138
Badzian, Andrzej; Badzian, Teresa; Drawl, William R.
Synthesis of nitrides from microwave nitrogen plasma.—75-09473
Badzian, Teresa See Badzian, Andrzej
Bae, Byeong-Soo; Weinberg, Michael C.
Optical absorption of copper phosphate glasses in the visible spectrum.—75-04919
Bae, Jun-Sung See Pyung, Su-Il
Bae, Seong-Youl See Kim, Yu-Hwan
Bae, Yong-W. See Lee, Woo-Y.
Bae, Yong-W.; Lee, Woo-Y.; Besmann, T. M.; Blau, Peter J.; More, K. L.; Braski, D. N.
Self-lubricating, TiN-MoS_2 composite coatings produced by simultaneous deposition from $Ti((CH_3)_2N)_4/NH_3/MoF_6/H_2S$ gas mixtures.—75-04204
Bae, Yong-W.; Lee, Woo-Y.; Besmann, T. M.; Blau, Peter J.; Riester, L.
Synthesis and selected micromechanical properties of titanium nitride thin films by the pyrolysis of tetrakis titanium in ammonia.—75-04644
Bae, Yong-W.; Lee, Woo-Y.; Yust, Charles S.; Blau, Peter J.; Besmann, T. M.
Synthesis and friction behavior of chemically vapor deposited composite coatings containing discrete TiN and MoS_2 phases.—75-04237
Baenitz, M.; Heinze, M.; Luders, K.; Werner, H.; Schlogl, R.
Susceptibility study of site-selective doped fullerenes—K_2RbC_{60}, Rb_3C_{60}, K_2CsC_{60}, and Rb_2CsC_{60}.—75-00883
Baer, D. R. See Wang, L.-Q.
Baer, John R. See Whalen, Thomas J.
Baertlein, C. D. See Teowee, G.
Baesso, M. L.; Shen, J.; Snook, R. D.
Mode-mismatched thermal lens determination of temperature coefficient of optical path length in soda-lime glass at different wavelengths.—75-00193
Baetzold, Roger C. See Islam, M. Saiful
Baev, A. A. See Tutov, E. A.
Baev, A. S. See Teterin, Yu. A.
Bag, Zhan
Implementation of reforms—a task for professional managers.—75-09721
Bagaev, S. N. See Kaminskii, A. A.
Bagaev, V. S.; Zaitsev, V. V.; Kalinin, V. V.; Onishchenko, E. E.
Luminescence of ZnTe films due to two types of isovalent substitutions.—75-07958
Bagautdinov, B. Sh. See Shmyt'ko, Ivan
Bagdasarov, A. S. See Merkin, A. P.
Bagheri, Hamid See Glezer, Boris
Bagnich, S. A.; Bogomolov, V. N.; Kurdyudov, D. A.; Pershukevich, P. P.
Phosphorescence of aromatic compounds in the porous matrix of sodium borosilicate glass and their interaction with pore walls.—75-07310
Bagnich, S. A.; Pershukevich, P. P.
Migration of triplet excitations of benzaldehyde in a porous matrix of sodium borosilicate glass.—75-07349
Bagraev, N. T. See Onopko, D. E.
Bagraev, N. T.; Vladimirskaya, E. V.; Gasumyants, V. E.; Kaidanov, V. I.; Kveder, V. V.; Klyachkin, L. E.
Strong charge correlations in p^+ quantum wells on n-type silicon surfaces.—75-08064
Bahadur, D. See Mandal, S. K.
Bahadur, Harish
Near-infrared spectral characteristics of Ge-doped cultured quartz crystals.—75-01894
Bahat, D. See Rabinovitch, A.
Bahgat, A. A.; Elssa, S. A.; Salah, S. H.
Glass-ceramic phase of $Bi_4Sr_3Ca_3Cu_4O_x$ high-T_c superconductor.—75-05771
Bahgat, A. A.
Dc and ac electrical properties of amorphous $Bi_2Sr_3Ca_3Cu_4O_{16}$.—75-05741
Bahlouli, Hocine
Nuclear spin-lattice relaxation time in d-wave superconductors.—75-08388
Bahra, Gurmit S. See Leigh, David A.
Bai, G. R. See Foster, C. M.
Bai, Guo-Ren See Yen, Bi-Ming
Bai, Kang; Kim, Ho-Gi
Microwave sintering of $BaTiO_3$ thick films.—75-06488
Bai, M.-L.; Zhu, G.-C.; Chen, J.-H.; Huang, J.
Three-dimensional temperature field calculation for the cylinder head of an air-cooled diesel engine with ceramic coated exhaust port.—75-03663
Bai, Pei-Guang; Liu, Jian; Parikh, Nalin; Tessmer, G. J.; Plano, Linda S.
Diamond thin film and single crystal etching under critical ECR plasma conditions.—75-09261
Bai, V. Seshu; Paranjali, P. V.; Bhagat, S. M.
Virgin response of field-induced microwave absorption in BSCCO—RSJ (resistively shunted Josephson junction) model.—75-05859
Baia, A. L. Neto; Santos, R. A.; Freire, F. L., Jr.; Beyer, W.; Camargo, S. S., Jr.
Influence of silicon incorporation on the properties of hard a-C:H films.—75-01545
Baidakov, D. L. See Legin, A. V.
Baidakov, L. A. See Ananichev, V. A.; Arif, Mokhammad; Bal'makov, M. D.
Baidakova, M. L. See Alexensky, A. Ye.
Baidakova, O. L.
Influence of MnS and $MnCl_2$ on the glass structure in the GeS_2-Ga_2S_3 system.—75-02591
Baidus, N. V. See Bednyi, B. I.
Baik, Nam-Seok; Lee, Hun-Sik; Tho, Nam-Woong; Park, Sung; Lee, Byung-Lee
Microstructure and dielectric properties of $Ba_3(Ti_{8.472}Zr_{0.528})O_{20}$.—75-07738
Baik, Sung-Gi See Kim, Sang-Sub; Park, Bo-Hyun
Baik, Sung-Gi; Lee, Soo-Min
R-curve behavior of PZT ceramics near the morphotropic phase boundary.—75-06938
Baik, Young-Joon See Chae, Hee-Baik; Lee, Wook-Seong
Baikov, Yu. M. See Smirnov, B. I.
Baikov, Yu. M.; Laisheva, L. V.; Limonov, M. F.; Mirgorodskii, A. P.; Syrnikov, P. P.
Optical phonons in $GdBa_2Cu_3O_{7-\delta}$ compounds.—75-08389
Baikova, L. G.; Fedorov, Yu. K.; Pukh, V. P.; Pesina, T. I.; Tikhonova, L. V.; Kazannikova, T. P.
Influence of aluminum oxide on mechanical properties of K_2O-Al_2O_3-P_2O_5 metaphosphate glasses and the role of aluminum in their structure.—75-02661
Baikova, L. G.; Pukh, V. P.; Fedorov, Yu. K.; Kireenko, M. F.; Kazannikova, T. P.
Determination of fracture toughness of glasses by the microindentation technique.—75-02642
Bailey, A. W.; Hrma, Pavel R.
Waste loading maximization for vitrified Hanford HLW blend.—75-03508
Bailey, Alex E.; Jawed, Inam; Ritter, Andrew P.; Sutherland, Audrey E.; Winzer, Stephen R.
Piezoelectric ceramic material including processes for preparation thereof and applications therefor.—75-08185
Bailey, J. H.; Capes, D. E.; Walker, B. L.
Development of RH degasser linings at British Steel PLC.—75-07528
Baillie, Caroline See Zhou, Li-Min
Baillif, P. See Cholet, V.
Bailon, L. See Pelaz, Lourdes
Baity, F. W. See Caughman, J. B. O.; Kass, M. D.
Bakel, A. J.; Ebert, W. L.; Luo, J. S.
Long-term performance of glasses for Hanford low-level waste.—75-03477
Baker, Anna L.; Garrigus, Darryl F.
Method of forming a ceramic composite.—75-03671
Baker, G.; Karihaloo, B. L.
Fracture of Brittle, Disordered Materials: Concrete, Rock, and Ceramics.—75-07107
Baker, K.; Steele, A.; Kennedy, K.; Lee, J.; Minder, J.; Walsh, M.
Economic forecast 1994-95.—75-04702
Baker, R. T. K.; Rodriguez, N. M.
Catalytic growth of carbon nanofibers and nanotubes.—75-01391; In situ electron microscopy studies of the behavior of metal particles on ceramic substrates.—75-04342
Baker, Sara
Trials and tribulations of turning professional.—75-02374
Bakhadyrkhanov, M. K.; Askarov, Sh. I.; Narkulov, N.; Srazhev, S. N.; Toshboev, T. U.
Influence of fast-diffusing impurities on the kinetics of thermodonor generation in silicon at 300–500°C.—75-03057
Bakhadyrkhanov, M. K.; Askarov, Sh. I.; Narkulov, N.; Srazhev, S. N.
Stability of chemically bound complexes of S with group IB elements in Si.—75-08062
Bakhanov, V. A. See Antropova, T. V.
Bakhrushin, V. E.
Role of background substrate impurities in the formation of the transition layer in lightly doped homoepitaxial silicon.—75-08049
Bakhtin, A. I. See Saetgaleev, Ya. Kh.
Bakhtizin, R. Z.; Pak, Ch.; Khashitsume, T.; Sakurai, T.
Atomic structure of Si(100) surfaces coated by submonolayered films of Bi.—75-08873
Bakhvalov, S. G. See Bayukov, O. A.
Bakin, A.; Zwinge, G.; Klockenbrink, R.
Simulation of the orientation-dependent growth of InGaAs/InP by metallorganic vapor phase epitaxy.—75-00595
Bakirov, A. A. See Surovyak, Z.
Bakirov, M. Ya.; Shakhbazova, R. V.
Radiation effects in InP solar cells irradiated with 5-MeV electrons.—75-08036
Bakirov, M. Ya.
Effects of passivation and photoluminescence in silicon solar cells with optical coatings.—75-07859; Local inhomogeneities in single crystals of Ge-Si solid solutions.—75-09512; Properties of amorphous films from hydrogenated solid solution of the germanium-silicon system.—75-08027
Bakis, Charles E. See Morscher, Gregory N.
Bakker, P. M. V.; He, Y. J.; Winnubst, A. J. A.; Burggraaf, A. J.; Verweij, H.
Preparation and characterization of alumina dispersed in Y-TZP.—75-01612
Baklanov, M. R. See Sharafutdinov, R. G.
Baklouti, S.; Coupelle, P.; Chartier, T.; Baumard, J. F.
Uniaxial pressing of spray-dried alumina agglomerates.—75-01736
Bakueva, L. G. See Musikhin, S. F.
Bakulina, V. V. See Shkol'nikov, E. V.
Bakunov, V. S. See Belyakov, A. V.
Bakunov, V. S.; Belyakov, A. V.
Analyzing the structure of ceramics.—75-09524
Bakunov, V. S.; Belyakov, A. V.
Behavior of a pressed mixture of two oxide powders during heating.—75-09221
Bal'makov, M. D.; Blinov, L. N.; Baidakov, L. A.
Vitreous selenium containing fullerenes.—75-02699
Balaba, Willy M.; Armstrong, George H.; Kauffman, Suzanne; Anyalebechi, Princewill N.
Siloxane coating process for metal or ceramic substrates.—75-08632
Balabaeva, R. F. See Sukhushina, I. S.
Balachandran, U. See Kumta, P. N.; Lelovic, M.; Varma, H. K.
Balachandran, U.; Dusek, J. T.; Maiya, P. S.; Mieville, R. L.; Kleefisch, M. S.; Udovich, C. A.
Mixed conducting ceramic membranes for partial oxygenation of methane.—75-02920
Balachandran, U.
Rapid formation of phase-clean 110 K (Bi-2223) powders derived via freeze-drying process.—75-08484
Balaev, A. D. See Khrustalev, B. P.
Balaev, D. A. See Petrov, M. I.
Balagopal, N. See Kumar, C. Sunil
Balagopal, N.; Kumar, C. Sunil; Damodaran, A. D.
Sintering of sol-sprayed alumina-zirconia composites.—75-06768
Balagurova, N. M. See Ivanov, V. V.; Rabinovitch, R. A.
Balaji, T. See Sathyanarayana, J. V.
Balakirev, V. F. See Vikhreva, O. A.; Yankin, A. M.
Balakireva, V. B.; Gorelov, V. P.
Proton and hole conductivity of $SrY_{2-2x}Ca_{2x}O_{4-\alpha}$ in a moist atmosphere.—75-05453
Balashov, V. L. See Garkushin, I. K.; Kosmynin, A. S.
Balashova, E. V.; Gol'tsman, B. M.; Zaitseva, N. V.; Mosina, G. N.; Sorokin, L. M.
Structure and phase composition of $SrTiO_3$ films obtained by rf magnetron sputtering.—75-09068
Balasubramanian, S.; Rao, K. J.
Molecular dynamics investigation of structure and transport in the K_2O-$2SiO_2$ system using a partial charge-based model potential.—75-02596
Balat, Marianne J. H.
Determination of the active-to-passive transition in the oxidation of silicon carbide in standard and microwave-excited air.—75-09586
Balaya, P.; Sunandana, C. S.
Mixed alkali effect in the $30[(1-x)Li_2O$-$xNa_2O]$:$70TeO_2$ glass system.—75-04916
Balaz, P.; Briancin, J.; Bastl, Z.
Properties of mechanochemically pretreated precursors of doped $BaTiO_3$ ceramics.—75-06507
Balazik, Ronald F.; Ferri, Christine K.
Diamond/industrial.—75-06027
Balazik, Ronald F.
Garnet/industrial.—75-06032
Balazs, G. B. See Glass, R. S.
Balbaa, I. S. See Strack, J. T.
Baldi, G. See Generali, E.
Baldo, Joao Baptista See Dos Santos, Wilson Nunes
Baldochi, S. L. See Duarte, M.
Baldus, H.-P.; Passing, G.; Sporn, D.; Thierauf, A.
Si-B-(N,C)—a new ceramic material for high performance applications.—75-03712
Baldus, H.-P.; Wagner, Oliver; Jansen, Martin
Silicon-aluminium nitride ceramic and precursor compounds, processes for their preparation, and their use.—75-03757
Baldwin, Leo B.
Glassware inspection machine comprising diffused light sources and two-dimensional cameras.—75-08580
Baldwin, Stephanie See Sugama, Toshifumi
Balek, Vladimir; Klosova, Elena; Murat, Michel; Camargo, Nelson Almeida
ETA [emanation thermal analysis] of nanocomposite xerogel powders.—75-08667
Baliga, Bantval J.
Method of fabricating high-voltage silicon carbide MESFETs.—75-05526
Balk, P. See Afanas'ev, V. V.
Balkanli, B.; Ungan, A.
Numerical simulation of bubble behavior in glass-melting tanks: I, Under ideal conditions.—75-07390
Balkas, Cengiz M.; Davis, Robert F.
Synthesis routes and characterization of high-purity, single-phase gallium nitride powders.—75-05497
Ball, C. J. See Vance, E. R.
Ballance, David S.; Camilletti, Robert C.; Dunn, Diana K.
Low dielectric constant coatings.—75-07763
Balland, Bernard See Raynaud, Christophe
Ballandovich, V. S.; Mokhov, E. N.
Capacitance spectroscopy of boron-doped silicon carbide.—75-02967
Ballario, Ralph R. See Kuszyk, Jack A.
Ballato, Arthur; Ballato, John
High-frequency piezoceramic equivalent circuit.—75-03237
Ballato, Arthur; Stern, Richard
Innovative technology transfer initiatives.—75-04713; —75-07080
Ballato, John See Ballato, Arthur
Ballinger, Todd H. See Zaki, Mohamed I.
Balmer, Mari Lou; Bunker, Bruce
Waste forms based on Cs-loaded silicotitanates.—75-03507

Balmer, Mari Lou; Eckert, Hellmut; Das, Nandini; Lange, Fred F.
^{27}Al nuclear magnetic resonance of glassy and crystalline $Zr_{(1-x)}Al_xO_{(2-x/2)}$ materials prepared from solution precursors.
Balmori, H.; Hernandez, F.; Jaramillo, D.
Electrokinetic behavior of aqueous $ZrO_2(Y_2O_3)$ suspensions with ammonium polyacrylate.—75-01479
Balmush, I. I.; Dashevskii, Z. M.; Kasiyan, A. I.
Barrier thermo-emf on *p-n* junction.—75-05251
Baluais, Gerard See Prin, Marie
Balyan, M. K. See Arustamyan, A. M.
Balz, T.; Brendel, R.; Hezel, R.
Plasma-deposited silicon nitride on ultrathin silicon oxide films investigated by infrared grazing internal reflection microscopy.—75-01906
Bamberger, Carlos E. See Shoup, Shara S.
Ban, Da-Yan See Cui, Jing-Biao
Ban, Takayuki; Hayashi, Shigeo; Yasumori, Atsuo; Okada, Kiyoshi; Yoshimura, Masahiro
Crystallization of mullite from rapidly quenched melt.—75-01212
Banawalikar, D. G. See Narayanan, S.
Banba, Yoshiji See Gotoh, Kuniaki
Bancroft, G. M. See Li, Dien
Bandis, Christos See Haggerty, David
Bandis, Christos; Chang, W.; Pate, B. B.; Plano, M. A.; Moyer, M. D.; Moreno, M. A.
Photoelectric emission studies of CVD diamond films.—75-09039
Bandis, Christos; Haggerty, David; Pate, B. B.
Electron emission properties of the negative electron affinity (111)2×1 diamond-TiO interface.—75-01840
Bando, Y. See Brito, Manuel E.
Bando, Y.; Kurashima, K.; Nakano, S.
Modern applications of a new 300-kV field emission transmission electron microscopy to the study of advanced materials.—75-08685
Bando, Yoshichika See Ikeda, Yasunori; Niinae, Toshinobu; Shimura, Kenichi
Bandow, S. See Bi, Xiang-Xin
Bandurkin, G. A.; Lyashchenko, A. K.; Dzhurinskii, B. F.
Cubic coordination in oxygen-containing compounds of rare-earth elements: fluorite-like and fluorite-fragmentary structures.—75-08901
Bandyopadhyay, A.; Aswath, P. B.
Interfacial stability, oxidation response, and mechanical properties of a Nicalon fiber-reinforced chemical bonded ceramic matrix composite.—75-06479
Bandyopadhyay, Amit See Agarwala, Mukesh K.; Pistor, Christoph M.
Bandyopadhyay, B.; Mandal, J. B.; Ghosh, B.
$(Hg_{0.8}Tl_{0.2})Sr_2(Ca_{1-y}Y_y)\ Cu_2O_{6+\delta}$: a new series of mercury-based 1212 superconductors.—75-08257
Bandyopadhyay, Siddharta; Hoffmann, Michael J.; Petzow, G.
Densification behavior and properties of Y_2O_3-containing α-SiAlON-based composites.—75-04310
Banerjee, G. See Das, R.; Mondal, P. K.; Mukherjee, B.; Roy, P. K.; Tripathi, H. S.
Banerjee, L. N.; Sengupta, U.; Mukhopadhyay, S. K.; Basu, R. K.
Development of chemical-free, high-purity, zero-cement castable.—75-07518
Banerjee, S. K.; Mathur, A. B.
Design parameters for high-temperature (1600°C and above) tunnel kiln and shuttle/car bell kiln for firing of high-duty refractories.—75-07507
Banerjee, S. See Ray, A. K.
Banerjee, Subrata; Anderson, Michael W.
Nonhazardous pumpable refractory insulating composition.—75-00277
Banerjee, Subrata
Recent trends in monolithic refractories.—75-07644
Bang, Jaecheol See Lu, Guo-Quan
Bang, K.; Ghajar, A. J.; Komanduri, R.
Effect of substrate surface temperature on the morphology and quality of diamond films produced by the oxyacetylene combustion method.—75-06585
Bangert, E. See Kuhn-Heinrich, B.
Banholzer, W. F. See Anthony, Thomas R.; Hurley, D. C.
Banks, P. J. See Ferguson, J. A.
Banks, P. J.; Bowman, R. G.
Prediction of failure in tiling systems.—75-00250
Bannenberg, N.; Naefe, H.; Umland, P.
Refractory wear of dolomitic and magnesitic BOF lining depending on temperature and lime saturation.—75-07654
Bannikov, O. L. See Karev, M. E.
Bannister, Damian J. See Yang, Xu-Gang
Bannister, M. J. See Mayer, G. T.; O'Donnell, R. G.
Bannister, M. J.; Goss, M. F.; Mayer, G. T.; Urbani, C.
Formation and characterization of the microcrack network in advanced refractory ceramics.—75-00262
Bano, N. See Hashmi, R. A.
Banos, Leticia See Grins, J.
Bansal, C.; Fultz, B.; Johnson, W. L.
Crystallization of Fe-B-Si metallic glass during ball milling.—75-02449
Bansal, N. P.
Low-temperature synthesis, pyrolysis, and crystallization of tantalum oxide gels.—75-06676; Synthesis and thermal evolution of structure in alkoxide-derived niobium pentoxide gels.—75-06385
Banthia, N.; Chokri, K.; Ohama, Y.; Mindess, S.
Fiber-reinforced cement-based composites under tensile impact.—75-02407
Bao, C.-L. See Shen, D.-H.
Bao, Ya-Hua See Chen, Ang
Bao, Yi-Wang; Jin, Z.-Z.; Li, Xiao-Rui
Evaluation of K_{Ic} depending on sample size for ceramics.—75-04515
Bao, Yi-Wang; Jin, Z.-Z.; Yue, X.-M.
Fatigue life prediction of structural ceramics.—75-04527
Bao, Z.-M. See Zhang, F.-J.
Baptista, Joao L. See Ferreira, Victor M.; See Pan, Yi; Zhou, Li-Qin; Zhou, Ming-Hua
Baptista, Joao L.; Mantas, P. Q.; Frade, J. R.
Grain boundary induced perturbations in electrical ceramics.—75-09509
Baquey, C. See Dion, I.
Bar, Ludwig R.; Daalmans, Gabriel M.; Barthel, K. H.; Ferchland, L.; Selent, M.; Kuhni, M.
Single-layer and integrated YBCO gradiometer coupled SQUIDs.—75-08410
Bar, Ludwig R.; Daalmans, Gabriel M.; Uhl, Dieter; Bommel, Franz
Niobium planar SQUID gradiometer operating in an unshielded environment.—75-08381
Bar-On, Isa; Baratta, Francis I.; Cho, Kyu
Crack stability and its effect on fracture toughness of hot-pressed silicon nitride beam specimens.—75-06951
Bar-On, Isa; Brown, Christopher A.; Johnsen, William A.; Calomino, Anthony M.; Brewer, David N.
Fractal analysis of fracture surfaces using the patchwork method.—75-03566
Baraban, A. P.; Bulavinov, V. V.; Drozd, V. E.; Nikiforova, I. O.; Sergienko, M. V.
Electrophysical properties of Al-Al_2O_3 structures synthesized by molecular stratification.—75-09139
Baragiola, R. A. See Sullivan, P. A.
Barak, J. See Abulafia, Y.
Baram, Paul S. See Allan, Neil L.
Baran, M.; D'yakonov, V. P.; Nabialek, A.; Revenko, Yu.
Superconducting properties of $GdBa_2Cu_4O_8$:Ca ceramics.—75-05838
Baran, M.; Levitin, R. Z.; Mill, B. V.; Shimchak, R.
Anisotropy of the magnetic properties of cuprate single crystals. $R_2Cu_2O_5$ (R=Y, Lu, Tm, Yb, Tb).—75-08261
Baran, M.; Zubov, E. E.; Markovich, V. I.
Magnetic ordering of the Gd^{3+} sublattice in the $Gd_{1-y}Y_yBa_2Cu_3O_{7-\delta}$ system.—75-05686
Baran, N. P. See Babich, V. M.
Baran, N. P.; Dzhumaev, B. R.; Korsunskaya, N. E.; Markevich, I. V.; Khomenkova, L. Yu.; Shul'ga, E. P.
EPR spectra of shallow donors responsible for the electron-stimulated reactions of defects in CdS crystals.—75-07878
Baran, S. V. See Trofimenko, N. E.
Baranauskas, Vitor See Corat, Evaldo J.
Baranov, A. I. See Sinitsyn, V. V.
Baranov, A. I.; Boyarkina, N. I.; Vasil'ev, A. V.
Sinks for radiation-induced vacancies and interstitial atoms in as-grown silicon crystals.—75-03165
Baranov, A. M. See Kondrashov, P. E.
Baranov, A. M.; Sieptsov, V. V.; Tereshin, S. A.; Mikhailov, I. F.; Pinegin, V. I.
Properties analysis of diamondlike thin films by in situ X-ray diffraction.—75-09173
Baranov, A. V. See Petrakovskii, G. A.
Baranov, P. G. See Asatryan, G. R.; Volm, D.
Baranov, P. G.; Badalyan, A. G.; Il'in, I. V.
Phase separation in cuprate superconductors: magnetic resonance analyses.—75-08393
Baranov, P. G.; Mokhov, E. N.
Electron paramagnetic resonance of beryllium, deep boron, and scandium acceptors in silicon carbide.—75-08920
Baranov, P. G.; Romanov, N. G.; Mashkov, I. V.; Khitrova, G. B.; Gibbs, Kh. M.; Lungnes, O.
Local diagnostics of the GaAs/AlAs superlattice using optical detection of magnetic resonance and the anti-crossover effect of energy levels.—75-08678
Barantseva, G. N. See Dmitrevskii, B. A.
Barantseva, S. E. See Bobkova, N. M.
Barashkov, N. See Gangopadhyay, S.
Baraton, M. I.; Busca, Guido; Lorenzelli, Vincenzo
Characterization of high-area $Mg_xFe_2O_{3+x}$ ($0 \le x \le 2$) monophase powders by vibrational spectroscopies.—75-06177
Baratta, Francis I. See Bar-On, Isa
Barbashov, V. I.; Akimov, G. Ya.
Features of the failure of hydrostatically compacted zirconium dioxide.—75-09636
Barbeau, Marianne T.; Moore, William H.
Tray, particularly for use with ceramic ware.—75-01005
Barbee, T. W., Jr. See Towle, S. N. Jr.
Barber, B. T. See Strack, J. T.
Barber, Greg D.; Yarbrough, Walter A.; Gray, Kevin
Microstructural evolution and flaws in CVD diamond.—75-09557
Barber, Greg D.; Yarbrough, Walter A.
Synthesis of diamond from carbon disulfide in hydrogen.—75-01707
Barbeta, V. B.; Jardim, R. F.; Ben-Dor, L.
Properties of polycrystalline samples of $Nd_{2-x}Ce_xCuO_{4-y}$ obtained from a sol-gel precursor.—75-00854
Barbezat, G. See Salito, A.
Barbier, D. See Gonon, N.
Barbier, G. See Colin, C.; Favrot, N.; Tuffe, S.
Barbier, Jean-Eric See Camus, Gerald
Barbieri, G. P. See Andreola, F.
Barbieri, Luisa See De Oliveira, Antonio Pedro Novaes
Barbieri, Luisa; Leonelli, C.; Manfredini, T.
Solubility, reactivity, and nucleation effect of Cr_2O_3 in the CaO-MgO-Al_2O_3-SiO_2 glassy system.—75-04994; Structural studies on RD-MgO-Al_2O_3-SiO_2 (R=Ca, Sr, or Ba) glassy systems by density measurements.—75-04996; Technological and product requirements for fast firing of glass-ceramic glazes.—75-02889
Barbieri, T. J. See Crichton, S. N.
Barbolla, J. See Pelaz, Lourdes
Barbosa, Luiz C. See Reynoso, Victor C. Solano
Barboux-Doeuff, S.; Sanchez, C.
Synthesis and characterization of titanium oxide-based gels synthesized from acetate modified titanium butoxide precursors.—75-06792
Barchii, I. E. See Galagovets, I. V.
Barczynski, R. J. See Gazda, M.; Murawski, L.
Barda, A. R. See Griffith, Michelle L.
Bardal, A.; Matthee, T.; Wecker, J.
Initial stages of epitaxial growth of Y-stabilized ZrO_2 thin films on a-SiO_2/Si(001) substrates.—75-06883
Bardwell, J. A. See Clark, K. B.
Bardyszewski, Witold See Xue, Deng-Ping
Bareille, R. See Dion, I.
Bargar, J. R. See Towle, S. N. Jr.
Baribeau, J.-M. See Clark, K. B.
Baril, Daniel See Auger, Marc
Barimani, C. See Knotek, O.
Barinov, S. M.; Evdokimov, V. Yu.; Ponomarev, V. F.
Effects of post-hot isostatic pressing on the strength of NiAl-ZrO_2 composites.—75-06972
Barinov, Yu. V.; Bezborodov, V. N.; Emel'yanov, V. V.; Pershenkov, V. S.
Kinetics of the tempering annealing of the charge in the gate SiO_2 of MOS structures irradiated by γ-quanta of Co^{60}.—75-03074
Barinova, A. P. See Grigor'eva, T. F.
Barkatt, Aaron See Sang, Jing C.
Barker, A. J. See Kilbride, I. P.
Barkhalov, B. Sh. See Alieva, T. D.
Barkovskii, N. V. See Klinkova, L. A.
Barks, Ronald E. See Ghosh, Asish
Barlingay, C. K.; Dey, S. K.
Sol-gel processing of $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films: dopant compensation mechanism and leakage current characteristics.—75-03166
Barlow, F.; Riad, A. S.; Moore, D.
Thick film ceramic oxide buffer layers for high temperature superconductors.—75-00888
Barlow, N. See Jackson, M. J.
Barmatz, M. See Jackson, H. W.; Yiin, T.
Barmatz, M.; Iny, O.; Yiin, T.; Khan, I.
Vibration method for tracking the resonant mode and impedance of a microwave cavity.—75-01052
Barnakov, Yu. A.; Ivanova, M. S.; Zvinchuk, R. A.; Obryadina, A. A.; Petranovskii, V. P.; Poborchii, V. V.
Synthesis and optical properties of CdS clusters in type X zeolite.—75-05496
Barnard, G. See Guilliatt, I. F.
Barnes, Paul See Rashid, Shahwana
Barniol, N. See Perez-Murano, F.
Barnwell, P.; Fuchs, S.
Detailed evaluation of alternative high power substrates for thick film circuits.—75-00456
Barnwell, P.; Jackson, T.
Miniature high frequency planar thick film transformer.—75-00544
Baro, M. D.; Otero, A.; Surinach, S.; Jha, A.; Jordery, S.; Poulain, M.
Thermal properties and crystallization kinetics of new fluoride glasses.—75-02617
Baron, A. E. See Tarasov, I. V.
Baroncini, G.; Chiarini, V.
Cogeneration installations on clay spray dryers.—75-00946
Baroni, E.
Great Britain, waiting for consumption to take off.—75-02776
Barrall, Jeffery L.; Morris, Debra L.; Fidler, Carrielee
Method of producing phosphate ceramic pipe cladding.—75-01126
Barrera, E. V. See McNally, R. L.
Barrera, T. P.; Dunn, B.; Fuqua, P. D.; Leininger, J.; Mackenzie, J. D.
Microstructure-property studies of BICUVOX ceramics.—75-02919
Barret, P. See Fernandez, L.; Zanni, H.
Barrett, Donovan L. See Burk, Albert A. Jr.
Barrio, Rafael A. See Elliott, R. J.
Barris, G. C. See Brown, I. W. M.; White, G. V.
Barris, G. C.; Brown, I. W. M.; Owers, W. R.; Ryan, M. J.; White, G. V.
Mixtures of ∫-SiAlON and SiC prepared by carbothermal reduction of silica-rich clays.—75-01588
Barrow, I. S. See Dye, S. T.; Fletcher, A. C.
Barrow, Peter
Method of making analogs of ∫-alumina.—75-06096
Barshchevskii, B. U.; Loginov, V. M.; Neklyudova, T. L.
Decorating porcelain ware with precious and semiprecious stones and colored glass.—75-07122
Barson, T.
Cevisama '94.—75-02759; Qualicer '94.—75-02791
Barsoum, Michel W.; El-Raghy, Tamer
Synthesis and characterization of a remarkable ceramic: Ti_3SiC_2.—75-06790
Barsoum, Michel W.; Elkind, Alexander; Selim, Fadel A.
Low breakdown voltage varistors by grain boundary diffusion of molten Bi_2O_3 in ZnO.—75-03083
Barsoum, Michel W.
Methods for densifying and strengthening ceramic-ceramic composites by transient plastic phase processing.—75-03672; See also Brodkin, Dmitri
Bartels, Gunter See Krell, Andreas
Bartenev, G. M. See Lomovskoi, V. A.
Bartenev, G. M.; Lomovskoi, V. A.; Sinitsyna, G. M.
Relaxation processes in silica glass.—75-07364
Bartenev, G. M.; Lomovskoi, V. A.
Relaxation properties of alkali silicate glasses according to mechanical measurements.—75-07365; Relaxation transitions in vitreous B_2O_3 and their molecular mechanisms.—75-04992
Barthel, K. H. See Bar, Ludwig R.
Barthel, K.; Cherradi, N.; Ilschner, B.
P/M preparation of intermetallic NiAl compounds with graded addition of Cr.—75-02518
Bartlett, J. R. See Carter, M. L.; Cassidy, D. J.; Drabarek, E.; Moran, P. D.; Percy, M. J.; Venz, P. A.; Woolfrey, J. L.
Bartlett, S. See Farok, H. M.

Bartnitskaya, T. S.; Vlasova, M. V.; Kakazei, N. G.; Tomila, T. V.
Role of silicon particle defect structure during low-temperature nitriding.—75-04392
Bartolome, F.; Kuz'min, M. D.; Bartolome, J.
Low-temperature specific heat of $NdMO_3$ (M=Co, Fe, Cr, Ni): magnetic ordering of Nd.—75-05684
Bartolome, J. See Bartolome, F.
Barton, A. L. See Freeman, M. M.
Barton, J. J. See Terminello, L. J.
Bartos, Axel See Pedulla, Joseph
Bartos, Donald M. See Atwell, William H.
Bartram, Ralph H.
Computer modeling of the optical properties of transition-metal ions in solids.—75-01269; See also Wojtowicz, A. J.
Barua, P.; Kalra, S. C.; Das, Ashis
Refractories for future steelmaking—global scenario and trend in India.—75-07650
Baryshev, M. G.; Muravskii, B. S.; Chernyi, V. N.; Yamanov, I. L.
Photoeffect in an epitaxial *p-n* structure having an *n* region of variable thickness and a metal oxide tunneling contact.—75-05426
Baryshev, N. S. See Ibragimova, M. I.
Baryshnikov, G. P. See Kashcheev, I. D.
Baryshnikov, Yu. Yu.; Zaxharov, I. L.; Liverko, V. N.
Features of free oxide film formation on the surface of cadmium telluride crystals.—75-05322
Basadre-Pampin, M. Isabel See Mahia, J.
Basalaev, A. A. See Gromov, P. B.
Bashirov, R. I.; Bashirov, R. R.; Elizarov, V. A.
Magnetophonon resonance on heated electrons in indium antimonide.—75-05372
Bashirov, R. R. See Bashirov, R. I.
Bashkansky, Mark; Battle, Phillip R.; Duncan, Michael D.; Kahn, Manfred; Reintjes, J.
Subsurface defect detection in ceramics using an optical gated scatter reflectometer.—75-03598
Bashkirova, S. A. See Chernyshev, E. A.; Ivanov, V. V.
Bashmakov, I. A. See Solov'eva, L. V.
Bass, F. G. See Averkov, Yu. O.
Bassanetti, A.; Bussotti, F.; Cestari, M.; Gambi, N.; Generali, E.; Olivieri, G.
Evolution of glazing and glazes.—75-07445
Bassas, J. See Palacin, M. R.
Bassett, William A. See Huang, Wuu-Liang
Bassoli, Marta See Rossi, Pier Francesco
Baste, S.
Damage mechanisms in CMCs as assessed by ultrasonic measurements.—75-04481
Bastian, Hartmuth; Juengst, Stefan; Wahrendorff, Peter
High-pressure discharge lamp with ceramic discharge vessel and ceramic sealing means having lead-through comprising thin wires having a thermal coefficient of expansion substantially less than that of the ceramic sealing means.—75-06090
Bastide, Jean-Pierre; Azzouz, Lakhdar; Germain, Patrick
Crystallization process of vitreous sodium trimetaphosphate: I. Crystallochemical aspect.—75-06198
Bastide, S. See Albu-Yaron, A.
Bastl, Z. See Balaz, P.
Bastow, T. J. See Chee, K. S.
Basu, D. See Phani, K. K.; Sinha, M. K.
Basu, D.; Dasgupta, A.; Basu, M. K.; Sarkar, B. K.
Aging of zirconia-toughened alumina ceramics under different hydrothermal conditions.—75-08867
Basu, M. K. See Basu, D.
Basu, R. K. See Banerjee, L. N.; Sengupta, U.
Basu, S. N. See Doppalapudi, D.
Batalin, B. S.; Moskalets, N. B.
Features of the process of hot-pressing glass compositions.—75-07385
Batalin, V. A. See Burdiyan, I. I.
Batalina, M. V. See Sirotkin, O. S.
Batamack, P.; Morin, C. D.; Vincent, R.; Fraissard, J.
Broad-line ^1H NMR—a new application for studying the Bronsted acid strength of solids.—75-01012
Batanova, A. M. See Bikbau, M. Ya.
Batchelor, Esther C. See Cocker, Alan J.
Batchelor, Warren J.; Finlayson, Trevor R.; Kelly, Georgina L.
Monoclinic phase measurement in Mg-PSZ using X-ray diffraction.—75-06278
Batchman, Theodore E. See Tayag, Tristan J.
Batdorf, James A. See Leatherman, Gary L.
Bate, L. D.; Grievson, B.; Hall, R. G.; Jones, A. G.
High-strength zirconia ceramics from green body preforms.—75-01525
Bates, J. B. See Dudney, N. J.
Bates, J. K. See Ebert, W. L.; Ellison, A. J. G.; Fortner, J. A.
Bates, J. K.; Emery, J. W.; Hoh, J. C.; Johnson, T. R.
Performance of high plutonium containing glasses for the immobilization of surplus fissile materials.—75-03483
Bathelt, Erich See Klee, Mareike
Batic, O. R. See Milanesi, C. A.
Batin, A. M. See Rokeakh, A. I.
Batirev, I. G.; Leiro, J. A.; Heinonen, M.
Atomic magnetic moment and electronic structure in Fe-B amorphous alloys based on XPS.—75-05657
Batolin, N. A. See Moiseev, G. K.
Batra, Ashok K. See Lal, Ravindra B.
Batra, R. C. See Yang, J. S.
Batrakov, V. V. See Gorichev, I. G.
Batson, P. E.
Atomic resolution electronic structure using spatially resolved electron energy loss spectroscopy.—75-01793
Batt, J.; Binner, J. G. P.; Cross, T. E.; Greenacre, N. R.; Hamlyn, M. G.; Hutcheon, R. M.
Parallel Measurement Programme in high-temperature dielectric property measurements: an update.—75-01038
Battaile, Corbett C.; Najafabadi, Reza; Srolovitz, David J.
Simulation of segregation to free surfaces in cubic oxides.—75-01342; Simulation of segregation to interfaces in metal oxides.—75-04398
Battiston, G. A. See Grafov, A. V.
Battle, Phillip R. See Bashkansky, Mark
Baturin, G. N.
Experimental study of phosphorus sorption on manganese dioxide.—75-09143
Batygov, S. Kh. See Voron'ko, Yu. K.
Baucke, Friedrich G. K.; Werner, Ralf D.; Muller-Simon, Hayo; Mergler, Kurt Wilhelm
Application of oxygen sensors in industrial glass-melting tanks.—75-08717
Baudin, C.; Alvarez, C.
Influence of graphite flake orientation on textural modifications of graphite-based refractories at high temperature.—75-07580; Thermal history and mechanical behavior of MgO-C-based refractories.—75-07676
Bauer, Kurt A. See Gordon, Michael W.
Bauer, Lawrence E.
Improving firing consistency.—75-03616
Bauer, M. L.; Christopher, A. M.; Ericson, M. N.; Kennedy, E. J.; Ramsey, J. A.
Rotary capacitance transducers for automotive environments.—75-00373
Bauer, Ralph See Cottringer, Thomas E.
Bauer, W.; Tomandl, G.
Preparation of spherical TiO_2 particles by an emulsion method using $TiCl_4$.—75-04171
Bauer-Grosse, E. See Trindade, B.
Bauhofer, W. See Schatteburg, S.
Baumann, F. H. See Schwander, P.
Baumann, Peter K. See Nemanich, R. J.
Baumann, Peter K.; Humphreys, T. P.; Nemanich, R. J.
Comparison of surface cleaning processes for diamond C(001).—75-00439
Baumann, Peter K.; Nemanich, R. J.
Negative electron affinity effects and Schottky barrier height measurements of cobalt on diamond (100) surfaces.—75-07983
Baumard, J. F. See Baklouti, S.; Chartier, T.; Rouxel, T.
Baumard, J. F.; Boncoeur, Marcel; Gasgnier, Gilles; Minjolle, Louis
Yttrium oxide/titanium oxide ceramic compositions.—75-08788
Bausa, L. E. See Lorenzo, A.
Baweja, S. See Bazant, Z.
Baxter, D. J.
Burner rig hot-salt corrosion of Si_3N_4 in the temperature range 800°C to 1300°C.—75-01983
Baxter, Gary
Narrative mural.—75-02307
Bayer, Michael; Pyka, Peter; Wagner, Heike
Process and molding compound for producing inorganic sintered products by injection molding.—75-01001
Bayford, R. See Sinnadurai, N.
Baykara, T.; Erkalfa, H.; Misirli, Z.; Toy, C.
Effect of MnO_2 and TiO_2 doping on the densification and microstructural development of alumina.—75-01460
Bayoux, J. P. See Mathieu, Alain; Muller, D.; Su, Mu-Zhen
Bayukov, O. A. See Petrakovskaya, E. A.
Bayukov, O. A.; Bakhvalov, S. G.; Petrova, E. M.; Antokhina, T. F.; Buznik, V. M.
Mossbauer spectroscopic study of the FeF_3-PbF_2-MF_2 (M=Mn, Sr) glasses.—75-07306
Bayya, Shyam S. See Jewell, John M.
Bazant, Z.; Baweja, S.
Creep and shrinkage revisited.—75-02394
Bazarova, Zh. G.; Gavrilova, E. R.; Nimaeva, E. N.
Phase relations in the Li_2MoO_4-M_2MoO_4-$Zr(MoO_4)_2$ systems (M=K or Rb).—75-09031
Bazhenov, A. V. See Alov, D. L.
Bazhenov, A. V.; Egorov, V. K.; Gasparov, L. V.; Klassen, N. V.; Mahonin, S. I.; Shmurak, S. Z.
Deformation welding of scintillating materials.—75-01421
Bazhenov, A. V.; Gorbunov, A. V.; Rezchikov, K. B.
Photoinduced optical phonons in La_2CuO_4 single crystals.—75-05205
Bazhenov, V. N. See Sinel'nik, M. D.
Bazuev, G. V.; Golovkin, B. G.; Lukin, N. V.; Krasil'nikov, V. N.; Kirsanov, N. A.
New phases with a perovskite structure in the La_2O_3-BaO-CuO_x-NiO system.—75-08995
Beach, Raymond J. See Payne, Stephen A.
Beale, Guy O. See Li, Meng-Li
Beales, T. P.; Friend, C. M.; Segir, W.; Vivaldi, F.; Ottonello, L.
Dc transmission cable prototype using high-temperature superconductors.—75-08284
Beall, George H.; Echeverria, Lina M.; Pfitzenmaier, Robert W.
Colored, opaque glass-ceramic.—75-07415
Beall, George H.; Pinckney, Linda R.
Fine-grained glass-ceramics.—75-07417; High modulus glass-ceramics containing fine grained spinel-type crystals.—75-05048
Beall, K.; Haworth, D.
Greek folk pottery.—75-02263
Beall, K.
Mexican candelabra.—75-02295
Beaman, Donald R. See Hwang, C. J.; Pyzik, Aleksander J.
Beard, R.
Decorating options advance with pad printing.—75-02231
Bearzotti, Andrea See Traversa, Enrico
Beatty, C. L. See Chen, Z.
Beauchamp, Edwin K.
Mechanisms for hackle formation and crack branching.—75-02664; See also Glass, S. Jill
Beaudoin, J. J. See Fu, Yan
Beaudoin, J. J.; Feldman, R. F.; Tumidajski, P. J.
Pore structure of hardened portland cement pastes and its influence on properties.—75-02415
Beaudoin, Y. See Huai, Y.
Beaumont, P. W. R. See Shercliff, H. R.
Bebenin, N. G.
Hole-phonon scattering in a ferromagnetic $HgCr_2Se_4$ semiconductor.—75-03048
Becher, Paul F. See Alexander, Kathleen B.; Lin, Hua-Tay; Plucknett, K. P.; Sun, Ellen Y.
Becher, Paul F.; Hsueh, Chun-Hway; Alexander, Kathleen B.; Sun, Ellen Y.
Influence of reinforcement content and diameter on the *R*-curve response in SiC-whisker-reinforced alumina.—75-02068
Becher, Paul F.; Hwang, Shyh-Lung; Lin, Hua-Tay; Tiegs, T. N.
Microstructural contributions to the fracture resistance of silicon nitride ceramics.—75-04599
Becherer, T. See Schmitt, M.
Bechtel, H. See Ronda, C. R.
Beck, A. See Wang, P.
Beck, Alexander
Braze bonding of diamond, cBN, sapphire, and other nonmetallic hard materials for industrial devices.—75-08514
Beck, James V. See Aslam, M.
Beck, James See Kauffman, Ralph E.
Becker, John E.
Attritor grinding of refractories.—75-02808
Becker, Kurt J. See Aghajanian, Michael K.
Becker, Marcie See Long, Cheri L.
Becker, Otmar See Nass, Peter
Becker, P. C. See Bruce, A. J.
Becker, William R. See Larson, Richard I.
Beckers, T. See Auffray, E.
Beckman, T. See Larker, R.
Bedekar, Milind See Wilber, William
Bedekar, R. N.; Patel, J. N.; Markam, T. L.; Meshram, R. N.
Global trade in refractory minerals: Indian prospects.—75-07557
Bedell, Cynthia M. See Dunand, David C.
Bedja, Idriss See Hotchandani, Surat
Bedja, Idriss; Hotchandani, Surat; Carpentier, Robert
Chlorophyll *b*-modified nanocrystalline SnO_2 semiconductor thin film as a photosensitive electrode.—75-00433
Bednorz, J. G. See Bianchi, U.
Bednyi, B. I.; Baidus, N. V.
Passivation of GaAs surface during treatment in phosphine vapor.—75-08000; Sulfur passivation of GaAs surface: unpinning of Fermi level.—75-03175
Bedrossian, J.
Infrared gas and liquid analyzers, a review of theory and applications.—75-01026; Infrared non-contact temperature measurement, an overview.—75-01027
Bedson, Janet; Lawrence, Robert W.; Picone, Philip J.
X-ray analysis of two phases in the barium borate, sodium barium borate, and sodium borate ternary phase system.—75-06407
Beebe, Thomas P., Jr. See Patrick, David L.
Beechan, C. R. See Singh, K. N.
Beera, R. A.; Brown, W. D.; Afonso, S.; Chan, F. T.; Salamo, G. J.; Naseem, H. A.
Diamondlike carbon [DLC] for high-temperature superconductor encapsulation.—75-08805
Beerling, T. E.; Helms, C. R.
Oxidation and ion damage of diamond by reactive ion etching.—75-02007
Beesabathina, D. Prasad; Fekade, K.; Wongchotigul, K.; Spencer, M. G.; Salamanca-Riba, L.
Structural study of SiC/AlN bilayers and trilayers on Si and 6H-SiC.—75-01945
Begg, Bruce D. See Vance, E. R.
Begg, Bruce D.; Finnie, Kim S.; Vance, E. R.
Raman study of the relationship between room temperature tetragonality and the Curie point of barium titanate.—75-09046
Begg, Bruce D.; Vance, E. R.; Cassidy, D. J.; Nowotny, J.
Effect of particle size on the room-temperature structure of barium titanate.—75-01833
Begin-Colin, S.; Le Caer, G.; Mocellin, A.
Polymorphic transformations of titania induced by ball milling.—75-06323
Begmatov, K. A. See Yunusov, M. S.
Beguin, Francois See Seron, Alain; Thebault, Jacques
Behal, L.; Schelker, D. H.
Effects of polyacrylate and sodium silicate dispersant on plaster mold characteristics.—75-02867
Behemyan, Lilit K. See Kazaryan, Rosa A.
Behera, B. See Das, P.
Behi, Mohammad See Li, Chien-Wei
Behl, Sanjay See Singh, Rajiv K.
Behrendt, D. R. See Singh, M.
Behrens, Gesa; Heuer, Arthur H.
Thermally activated martensitic transformations in Mg-PSZ.—75-03852
Beilin, V.; Goldgirsh, A.; Schieber, M.; Harel, H.
Blistering phenomenon in BiSCCO-2223 high-T_c superconducting tapes.—75-08267
Beille, J. See Berling, D.
Bekker, V. Ya. See Antsiferov, V. N.
Beklemyshin, V. I. See Kompan, M. E.
Bekrenev, A. V.; Pyartman, A. K.
Acid-base properties of sorbents based on modified zirconium(IV) phosphates.—75-08860; Acid-base properties of sorbents based on zirconium(IV) phosphates.—75-08861
Belashchenko, D. K.
Computer modeling of melts and glasses in the CaF_2-SiO_2 system.—75-04886; Computer simulation of CaO-WO_3 liquid oxides.—75-08646; Computer simulation of the electrical conductivity of CaO-SiO_2 melts.– 75-09121; Possibilities for calculating properties of liquid and glassy oxides on computer.—75-08695

Belavic, D. See Hrovat, M.
Belcher, A. See Giles, R.
Belcheva, D. See Lyubchev, L.
Belenli, I. See Gencer, A.
Belinskaya, F. A. See Filina, L. P.
Belizovsky, G. See Rabinovitch, A.
Bell, D. A.; Chen, E. S.; Drolet, D.
Use of high-strength insulation to improve lining stability and energy efficiency in steelmaking ladles.—75-07690
Bell, Nelson S.; Venigalla, Sridhar; Gill, Petra M.; Adair, James H.
Morphological forms of tobermorite in hydrothermally treated calcium silicate hydrate gels.—75-04823
Bell, Trevor J. See Montanaro, L.
Bella, Peter D. See Sardar, Dhiraj K.
Belleville, Philippe F. See Floch, Herve G.
Bellissent, Robert See Uhlig, Harald
Bello, I. See Huang, L. J.; Lau, W. M.
Belloch, J. M.; Isasi, J.; Lopez, M. L.
Synthesis, characterization, and semiconducting properties of solid solutions with rutile structure.—75-00885
Bellosi, A.; Esposito, L.; Scafe, E.
Influence of microstructure on the thermal conductivity of aluminum nitride.—75-06882
Bellosi, A.
Oxidation behavior of nitrides and borides as monolithic and composite ceramics.—75-02008; See also Lences, Z.
Bellur, K. R. See Al-Shareef, H. N.
Belmonte, M.; Moreno, R.; Moya, J. S.
Obtention of highly dispersed platelet-reinforced Al_2O_3 composites.—75-06700
Belogorokhov, A. I. See Belov, A. G.
Belogorokhov, A. I.; Karavanskii, V. A.; Belogorokhova, L. I.
Interrelationship between intensive photoluminescence and surface state in a porous silicon including free-standing films of porous silicon.—75-07939
Belogorokhova, L. I. See Belogorokhov, A. I.
Belokoneva, E. L.; Mill, B. V.
X-ray structural investigation of the redistribution of silver ions in ion-conducting channels of $AgSbOSiO_4$ after annealing at various temperatures.—75-09110
Belokonova, N. A.; Antropova, O. A.; Nikonenko, E. A.
Quantum chemical interpretation of the catalytic action of $Cu_{1-x}Zn_xCr_{2-y}Al_yO_4$ on ammonium nitrate decomposition.—75-06754
Belokopytov, G. V.
Excess dielectric nonlinearity of inhomogeneous ferroelectrics: I, Bulk effects.—75-05567
Belokurova, I. N. See Garnyk, V. S.
Belot, V.; Corriu, R. J. P.; Leclercq, D.
Silicon oxycarbide glasses with low O/Si ratio from organosilicon precursors.—75-05042
Belouet, Christian; Verhaege, Thierry
High-temperature superconducting current limiter.—75-08458
Belous, A. E. See Rizvanova, N. G.
Belous, V. M. See Tyurin, A. V.
Belousov, M. V.; Ivchenko, E. L.; Nesvizhskii, A. I.
Biaxial optical anisotropy of GaAs/AlAs(*hhl*) superlattices.—75-05252
Belousov, Valery V.
Liquid channel grain boundary structures.—75-04093
Belov, A. G.; Belogorokhov, A. I.; Lakeenkov, V. M.;
Liberant, L. M.; Smirnova, N. A.
Properties of the $Cd_{1-x}Zn_xTe$ reflection spectra in the far-ir region of the spectrum.—75-08030
Belov, D. V. See Popov, Yu. F.
Belov, R. K.; Volodin, B. A.; Vorob'ev, A. K.; Vysheslavtsev, P. P.; Gusev, S. A.; Drozdov, Yu. N.
Transport properties and structure of thin HTSC films of the $YBa_2Cu_3O_{7-\delta}/ZrO_2$:Y/$\alpha$-$Al_2O_3$ system during magnetron sputtering.—75-05855
Belov, V. T.; Lebedeva, M. P.
Dependence of thermal emission of anodized aluminum on the anodic oxide body.—75-06566
Belova, V. M.; Efimenko, S. P.; Milyaev, I. M.
Features of the magnetic interaction in alloys of the Fe-Cr-Co system.—75-08216
Belova, Yu. S. See Chernorukov, N. G.
Belsky, Andrey N. See Pedrini, C.
Belsky, Andrey N.; Kamenskikh, Irina A.; Vasil'ev, A. N.; Gektin, A. V.; Pedrini, C.; Martin, Patrick
Role of core levels in scintillation processes.—75-00934
Belsky, Andrey N.; Mikhailin, Vitaly V.; Rogalev, Andrey L.; Zinin, Eduard I.
Time-resolved spectroscopy of scintillation materials using X-ray synchrotron radiation.—75-01970
Belt, Roger F.; Ings, John B.; Whitlock, Jonathan B.
Chemical modification of magnetooptic garnet film properties.—75-03281
Beltrain, Vicente See Verduch, Antonio Garcia
Belyaev, A. N.; Simanova, S. A.; Eremin, A. V.; Troshina, O. N.
Features of the transfer of ruthenium in the form of RuO_4 in acetate-ethanol media.—75-06230
Belyaev, A. P.
Voltage-current characteristic of the heterostructure on the basis of disordered zinc selenide.—75-05514
Belyaev, M. V.; Karapetyan, G. O.; Livshits, V. Ya.
Influence of the structural relaxation of a glass on the refractive index gradient in ion exchange at temperatures near T_g.—75-02662
Belyaeva, V. I. See Kougiya, M. V.
Belyakov, A. V. See Bakunov, V. S.
Belyakov, A. V.; Bakunov, V. S.
Production of refractories with specified properties.—75-05120
Belyakov, A. V.; Sukhozhak, A. N.
Production of transparent ceramics (review).—75-04187
Belyakov, L. V. See Andrianov, A. V.; Averbukh, B. Ya.
Belyakov, L. V.; Goryachev, D. N.; Kovalev, D. I.; Kokh, F.; Petrova-Kokh, V.; Sreseli, O. M.
Visible and infrared electroluminescence of porous silicon.—75-03198
Belyakov, V.; Paltchik, A.
Gas-phase forming of anisotropic porous ceramic structures.—75-04054
Belyankina, N. B.; Dmitryuk, A. V.; Paramzina, S. E.; Timofeev, N. T.
Influence of activator concentration on the spectroscopic properties of radiophotoluminescent glasses.—75-02660
Belyanskii, M. P. See Rumyantseva, M. N.; Yashina, L. V.
Belyantsev, A. M.; Dubnev, A. I.; Klimin, S. L.; Kobelev, Yu. A.; Ostrovskii, L. A.
Generation of radio impulses by an electromagnetic shock wave in a transmission line with a ferrite.—75-08219
Belyantsev, A. M.; Romanova, Yu. Yu.
Intervalley mechanism of forming negative differential *S*-type conductivity in short heterostructures.—75-03070
Belyavskii, V. I.; Kopaev, Yu. V.; Shevtsov, S. V.; Zavarzin, A. N.
Quasi-stationary states of hole pairs in heterostructures with quantum wells.—75-08034
Belyi, V. N.; Kazak, N. S.; Mashchenko, A. G.; Pavlenko, V. K.; Severin, F. M.
Scanning of ultrasonic beams in ferroceramics by a nonuniform electrical field.—75-08700
Belykh, V. G.; Dalakyan, A. T.; Tulupenko, V. N.; Firsov, V. A.
Experimental study of the influence of uniaxial pressure on the effects of hot holes in *p*-germanium in longitudinal electric fields.—75-05319
Belyustin, A. A. See Abakumova, R. A.
Belyustin, A. A.; Ivanovskaya, I. S.
Composition of surface layers formed upon interaction with solutions and electrolytic properties of alkali aluminum borosilicate glasses: II, Sodium aluminum borosilicate glass.—75-02578
Belyustin, A. A.; Roshchina, Yu. V.; Ivanovskaya, I. S.
Composition of surface layers formed upon interaction with solutions and electrode properties of alkali aluminum borosilicate glasses: III, Properties of electrodes.—75-07290
Bement, A., Jr. See Peterson, C. R.
Bemis, L. See Shor, J. S.
Ben Rhouma, M. See Takadoum, J.
Ben-Dor, L. See Barbeta, V. B.
Ben-Jacob, E. See Rusman, I.
Ben-Nissan, B. See Chai, C.; Jamting, A.; Payten, W. M.; Todhunter, A. J.
Ben-Zeitun, Ahmed E.; Lee, Robert H.
Beam reinforcement ratio effect on column capacity and behavior in braced frames.—75-00025
Benalloul, P. See Zeinert, A.
Benammar, M.; Maskell, W. C.
Zirconia pump-gauge oxygen sensor operated with the gauge following a triangular emf.—75-03201
Bencoe, Denise N. See Kovacic, Larry
Bendeich, P. J.; Buykx, W. J.
Gelcasting of alumina for prosthetics.—75-01086
Bendeliani, N. A. See Gladkaya, I. S.
Bender, W.
Reminiscences of an old building ceramics clay preparation method—washing: II.—75-00983
Benedetti, A. See Zeng, Yan-Wei
Benedetti, A.; Geotti-Bianchini, F.; Fagherazzi, G.
SAXS study of the micro-inhomogeneity of industrial soda lime silica glass.—75-04925
Benedetto, J. M.; Roush, M. L.; Lloyd, Isabel K.; Ramesh, R.; Rychlik, B.
Temperature dependence of ferroelectric imprint.—75-05648
Benedict, T. L.
1993 supplier of the year—Ferro Corporation.—75-04670; New corporate identity to serve customers.—75-04728; New twist to glass fiber.—75-02734; Plymouth meets the extrusion market.—75-02788
Benes, V.; Bouse, V.; Slamova, M.; Suchanek, V.; Volenik, K.
Bubble structure of enamel coatings and its determination.—75-02440
Bengisu, M.; Inal, O. T.
Densification and mechanical properties of shock-treated alumina and its composites.—75-06438; Sintering of MgO and MgO-TiC ceramics by plasma, microwave, and conventional heating.—75-06766
Benhocine, A. See Eizenberg, M.
Benjamin, M. C.; Wang, C.; Kern, R. S.; Davis, Robert F.; Nemanich, R. J.
Properties of the heteroepitaxial AlN/SiC interface.—75-01913
Benko, E.; Wyczesany, A.
Calculations of chemical equilibria in the Zr-B-N system.—75-03768
Benmessaouda, D. See Tellier, C. R.
Benndorf, Carsten See Joeris, Pierre
Bennert, D. M.; Davis, Douglas H.; Hewlett, Kenneth J.
Pilot-scale vitrification high-nitrate/high-sodium content Hanford low-level waste simulant.—75-03484
Bennett, Gerald S. See Szymanski, Thomas
Bennett, James P.; Kwong, Kyei-Sing; Sikich, Steve W.
Recycling and disposal of refractories.—75-00270
Bennett, L. H.; Swartzendruber, L. J.; Turchinskaya, M. J.
Long-time magnetic relaxation measurements on a quench melt growth YBCO superconductor.—75-00818
Bennington, S. M. See Cain, M. G.
Bennison, Stephen J.; Mikeska, Kurt R.
HF-resistant ceramics and use thereof.—75-01114
Bennour, Fatima; Rogez, Jacques; Mathieu, Jean Claude
Phase equilibria in the Na_2O-Cs_2O-SiO_2 system.—75-09021
Benoit, J. See Zeinert, A.
Benoit, W. See Mi, Y.
Bensaoula, A. See Badi, N.; Bousetta, A.; Talwar, D. N.
Benson, P. See Poirier, J.
Benson, W. E. See Howe, James M.
Bensted, John See Rashid, Shahwana
Bentley, Jim See Anderson, Ian M.
Bentley, Jim; Horton, L. L.; McHargue, C. J.; McKernan, S.; Carter, C. Barry; Revcolevschi, A.
Compositions and chemical bonding in ceramics by quantitative electron energy loss spectrometry.—75-01817
Bentur, A. See Goldman, A.; Katz, Amnon; Peled, A.
Bentz, Dale P. See Desai, P. G.; Lewis, J. A.
Bentz, Joseph C.; Carroll, John T.; Shinosawa, Katsuhiro; Genter, David P.
Mechanically retained wear-resistant ceramic pad.—75-00160
Benzaquen, R. See Rao, T. Sudersena
Benzeggagh, M. L.; Kenane, M.
Measurement of mixed-mode delamination fracture toughness of unidirectional glass/epoxy composites with mixed-mode bending apparatus.—75-05956
Beppu, Yoshihisa See Ishino, Toshihiro
Ber, B. Ya. See Cheng, T. S.
Ber, B. Ya.; Merkulov, A. V.; Novikov, S. V.; Tret'yakov, V. V.; Cheng, T. S.; Fokson, S. T.
As incorporation during molecular beam epitaxy growth of GaN layers.—75-07787
Ber, B. Ya.; Zhurkin, E. E.; Merkulov, A. V.; Trushin, Yu. V.; Kharlamov, V. S.
Computer modeling of composition changes of complex and multilayer structures during ionic sputtering.—75-08644
Berardi, V.; Amoruso, S.; Spinelli, N.
Diagnostics of $YBa_2Cu_3O_{7-\delta}$ laser plume by time-of-flight mass spectrometry.—75-00785
Beratan, Howard R. See Summerfelt, Scott R.
Berbezier, I. See Chevrier, J.
Bercha, A. I. See Bercha, D. M.
Bercha, D. M.; Mitin, O. B.; Kharkhalis, L. Yu.; Bercha, A. I.
Features of the band spectra of an In_2Se_3 crystal.—75-08934
Berdin, Clotilde; Cailletaud, Georges; Jeulin, Dominique
Brittle failure prediction of ceramics using a multiscale approach.—75-08638
Beresford, R. See Ohtani, A.
Berezhnoi, A. A.; Korunnyi, V. N.
Influence of ferroelectric structural ordering on the effects of the acoustoelectrical interaction in polycrystals with complex perovskite structure.—75-08149
Berezhnoi, I. G. See Rozhkov, V. A.
Berezin, A. V. See Chernik, I. A.
Berezin, V. N. See Efremenkov, V. V.
Berezovets, V. A.; Farbshtein, I. I.
Energy spectra of two- and three-dimensional holes with removed spin degradation (study of tellurium).—75-03020
Berezovskaya, I. See Blasse, G.
Berezovskii, M. M.; Makhnii, E. V.
Properties of CdSe layers grown on cubic and hexagonal substrates.—75-08029; Properties of ZnSe single-crystal layers doped with Cd.—75-05452
Berg, G.; Ludwig, A.
Mixed oxide effect in an ion-exchanged glass.—75-02731
Berger, A. See Kaiser, A.
Berger, C.; Breitinger, D.; Grellner, F.; Greil, P.
Stability of hydroxyapatite in glassy matrices.—75-02685
Berger, H. See Almeras, P.; Sanjines, R.
Berger, M. H. See Bunsell, A. R.
Berger, Rene See Yahiaoui, El Mostapha
Bergman, Bill See Tang, Wei-Jia
Bergman, J. P.; Harris, C. I.; Kordina, O.; Henry, A.; Janzen, E.
Dynamics of the nitrogen-bound excitons in 6H- and 3C-SiC.—75-00461
Bergman, L.; McClure, M. T.; Glass, J. T.; Nemanich, R. J.
Recombination process of the broadband and 1.681 eV optical centers in diamond films.—75-00585
Bergman, L.; McClure, M. T.; Glass, J. T.
Origin of the broadband luminescence and the effect of nitrogen doping on the optical properties of diamond films.—75-01325
Bergman, L.; Turner, K. F.; Morrison, P. W.; Nemanich, R. J.
Micro-Raman analysis of stress state in diamond thin films.—75-08984
Bergna, Horacio See Harmer, Mark A.
Bergo, V. B. See Turevskaya, E. P.
Bergonzo, Phillipe; Boyd, Ian W.
Rapid photochemical deposition of silicon dioxide films using an excimer lamp.—75-01639
Bergstrom, D. B. See Manalang, M. A.
Bergstrom, Lennart; Liden, Eva; Nyberg, Brita
Rheology and processing of Al_2O_3-SiC whisker composite suspensions.—75-01652
Bergstrom, Lennart; Meurk, Anders; Arwin, H.; Rowcliffe, David J.
Estimation of Hamaker constants of ceramic materials from optical data using Lifshitz theory.—75-01021
Bergstrom, Lennart
Characterization of the surface chemistry of silicon nitride powders.—75-01807; Colloidal processing of ceramics—technology and science.—75-01402; Rheological properties of concentrated, nonaqueous silicon nitride suspensions.—75-09183
Berkowitz, A. E. See Kodama, R. H.; Margulies, D. T.; Spada, F. E.
Berling, D.; Beille, J.; Loegel, B.; Mehdaoui, A.; Noudem, J. G.; Tournier, R.
Complex susceptibility of superconducting BiPbSrCaCuO ceramics fabricated through combined magnetic melt texturing and hot-pressing.—75-08273
Berman, L. S. See Al'vares, Kh.
Bermejo, Edelio See Le Mercier, Thierry
Bermejo, Edelio; Chassaing, Jean; Bizot, Daniel
Substitution for iron by nonmagnetic constituents in spinel lithium ferrite.—75-05714

Bermejo, Edelio; Quarton, M.; Lacour, C.
Solid-state synthesis and sintering below 1000°C of lithium ferrite freeze-dried powders.—75-00758
Bermudez, O. See Driessens, F. C. M.
Bermudez, O.; Boltong, M. G.; Driessens, F. C. M.; Planell, J. A.
Development of some calcium phosphate cements from combinations of α-TCP, MCPM, and CaO.—75-03995; Optimization of a calcium orthophosphate cement formulation occurring in the combination of monocalcium phosphate monohydrate with calcium oxide.—75-03655; Development of an octocalcium phosphate cement.—75-03991
Bernache-Assollant, D. See Ababuo, A.Tetard, F.
Bernard, Claude See Pons, M.; Racault, C.; Rocabois, Philippe
Bernardini, J. See Le Gall, M.
Bernasik, A.; Nowotny, J.; Scherrer, S.; Weber, S.
Segregation-induced surface structures for Cr-doped CoO.—75-00593
Berndt, Christopher C. See Gross, K. A.; Lee, Woo-Y.; Pajares, Antonia
Bernhardt, C. See Yoshimoto, N.
Bernholc, J. See Boguslawski, P.
Bernik, S.; Hrovat, M.; Rozman, M.
Synthesis and analysis of PbO-modified Bi-Sr-Ca-Cu-O superconductors.—75-05842
Berns, H.; Theisen, W.
Wear-resistant coatings with graded structure.—75-02560
Bernshein, L. G. See Ivanova, N. A.
Bernstein, Jonathan J. See Chen, H. Daniel
Bernstein, P.; Hamet, J. F.; Blanc-Guilhon, B.
Mean-field description of the transition to the mixed state of superconducting microbridges with low vortex pinning forces.—75-00822
Berntsen, A. J. M. See Van Swaaij, R. A. C. M. M.
Berriche, R.; Holt, R. T.; Hawthorne, H. M.
Depth-sensing indentation studies on thin films of Si_3N_4 and SiO_2.—75-08651
Berriche, R.; Leroux, P.; Martinu, L.
Evaluation of adhesion of thin films of Si_3N_4 and SiO_2 to Si by the scratch method.—75-08668
Berrisford, K.
Accelerated drying of tableware.—75-02848
Berrondo, Manuel See Czirr, J. Bart
Berrondo, Manuel; Rivas-Silva, J. F.; Czirr, J. Bart
Cluster models of doped ionic crystal scintillators, quantum calculations.—75-01815
Berroth, Karl See Kubler, Jakob J.; Vogt, Ulrich; Woodtli, Jarmila
Berry, Amanda K.; Bogan, Leonard E.; Agostine, Sharon E.
Adsorption of organic additives on powder surfaces.—75-03869
Bershev, N. E. See Romanov, O. V.
Bert, Christophe; Urffer, Daniel; James, Gilbert
Fused ceramic beads.—75-08780
Bert, N. A. See Alferov, Zh. I.
Bert, N. A.; Chaldyshev, V. V.; Lubyshev, D. I.;
Preobrazhenskii, V. V.; Semyagin, B. R.
Spatial ordering of arsenic clusters in GaAs layers grown by molecular beam epitaxy at low temperatures.—75-05479
Bert, N. A.; Kunitsyn, A. E.; Mil'vidskaya, A. G.;
Mil'vidskii, M. G.; Chaldyshev, V. V.
Luminescence and structural quality of GaSb single crystals grown from nonstoichiometric melts.—75-03087
Berta, Y. See Dwivedi, A.; Lee, Chung-Kook
Bertagnolli, H. See Kaiser, A.
Berthereau, A.; Le Luyer, Y.; Olazcuaga, R.
Nonlinear optical properties of some tellurium(IV) oxide glasses.—75-00194
Berthet, M. P. See Vincent, C.
Berthold, T. G.; Grabmaier, B. C.
Growth of halide scintillators with a modified heat exchange method.—75-01519
Bertinetti, Maria A.; Turner, Pablo A.; Bolmaro, Raul E.;
Tome, Carlos N.
Self-consistent method to calculate fiber interactions in an SiC/Al_2O_3 ceramic composite.—75-03596
Bertoldi, P. See Andreola, F.
Bertolet, D. C.; Liu, Herng; Rogers, J. W., Jr.
Initial stages of AlN thin film growth on alumina using trimethylamine alane and ammonia precursors.—75-01549
Bertolotti, M.; Liakhov, G. L.; Ferrari, A.
Measurements of thermal conductivity of diamond films by photothermal deflection technique.—75-03579
Bertram, W. K.; Sabine, T. M.; Aldridge, L. P.
Modeling the microstructure of cement.—75-00055
Bertrandie, D. See Fernandez, L.
Berube, M. A. See Duchesne, J.
Berzhanskii, V. N. See Abelyashev, G. N.
Besedina, S. A.
Errors of the glass viscosity measurements by the beam-bending method as a result of defects of specimen surface and shape.—75-02587
Besene, T. See Chesnis, A.
Beshkov, G. See Dimitrova, T.
Besikoi, C.; Choi, Y.-H.; Labeyrie, G.
Detailed analysis of carrier transport in $InAs_{0.3}Sb_{0.7}$ layers grown on GaAs substrates by metallorganic chemical vapor deposition.—75-00455
Besmann, T. M.
CVI processing of ceramic matrix composites.—75-03984; See also Bae, Yong-W.; Matlin, W. M.; Rebillat, F.; Shanmugham, S.; Starr, T. L.; Stinton, D. P.
Bespyatykh, Yu. I.; Vasilevskii, V.; Gaidek, M.; Kharitonov, V. D.
Effect of a second-order superconductor on the basic state of a uniaxial ferromagnetic film.—75-05664
Bessada, C.; Massiot, D.; Coutures, J. P.
Si^{29} MAS-NMR in lead silicates.—75-06347
Bessada, Catherine See Parot-Rajaona, Tiana
Bessergenev, V. G.; Ivanova, E. N.; Kovalevskaya, Yu. A.;
Gromilov, S. A.; Kirichenko, V. N.; Larionov, S. V.
Preparation of conducting In_2S_3 and $In_2O_3(S)$ films from the volatile compound $In(S_2COC_3H_7\text{-}iso)_3$ and their electrical properties.—75-09391
Bessho, Yoshihiro See Nakamura, Yoshifumi
Bessolov, V. N.; Ivankov, A. F.; Konenkova, E. V.; Lebedev, M. V.; Strykanov, V. S.
Kinetics of GaAs(100) surface passivation in sodium sulfide aqueous solutions.—75-07945
Bessolov, V. N.; Ivankov, A. F.; Lebedev, M. V.
Change of the work function of electrons from the surface of A^3B^5 semiconductors during sulfide passivation.—75-07799
Bessolov, V. N.; Lebedev, M. V.; Tsarenkov, B. V.
Appearance of surface segregation of basic components of a solid solution of $A^{III}B^V$ and the segregated subsurface heterojunction in GaAlAs.—75-05242
Besson, J. See Favrot, N.
Besson, Jean-Louis See Rouxel, T.
Besson, Jean-Louis; Murat, Denis; Rouxel, T.; Valin, Frederic; Boncoeur, Marcel
Compressive creep of a fine-grained polycrystalline yttria.—75-04463
Bestgen, H. See Chaim, R.
Betterman, L. R.; Ouyang, C.; Shah, S. P.
Fiber-matrix interaction in microfiber-reinforced mortar.—75-02406
Bettinelli, M.; Ingletto, G.; Polato, P.; Pozza, G.; Zanella, G.; Zannoni, R.
Optical spectroscopy of Ce^{3+}, Tb^{3+}, and Eu^{3+} in new scintillating glasses.—75-07359
Betz, T.; Lehmann, J.; Riess, W.; Ziegler, G.
New aspects of alumina-pressure casting.—75-01592
Beumee, D.
Porcelain bodies for potters.—75-02331
Beutel, Tilman; Knozinger, Helmut; Trevino, Horacio
Mn-promoted Rh/NaY zeolite catalysts: an ir spectroscopic study.—75-06273
Bewilogua, K.; Schutze, A.; Kouptsidis, S.; Luthje, H.
Sputter deposition of cubic boron nitride films.—75-09449
Beyer, Herman K.; Pal-Borbely, Gabriella
Method for substitution of alumina in the framework of zeolites by silicon.—75-01120
Beyer, W. See Baia, A. L. Neto
Beyne, E.; Hoof, R. V.; Christiaens, F.; Roggen, J.;
Puymbroeck, J. V.; Heerman, M.
CIMID, a technology for high density integration of electronic systems.—75-00303
Beynon, J. See Hossein, A. A.
Bezama, Raschid J.; Casey, Jon A.; Ecker, Mario E.;
Farooq, Shaji; Frantz, Irene S.; Frase, Katharine G.
Large ceramic articles and method of manufacturing.—75-02950
Bezborodov, V. N. See Barinov, Yu. V.
Bezdelkin, V. V. See Mansfel'd, G. D.
Bezdicka, P.; Fournes, L.; Wattiaux, A.
Mossbauer characteristics of Sr_2CoFeO_6 obtained by electrochemical oxidation.—75-05696
Bezmen, N. I. See Rizvanova, N. G.
Bezrodnyi, N. A. See Ivanova, N. A.
Bezruchenko, V. I. See Rabinovitch, R. A.
Bezryadin, N. N. See Sysoev, B. I.
Bhaduri, S. See Zhou, En-Hong
Bhaduri, S. B. See Peng, Zhi-Xue; Zhou, En-Hong
Bhagat, R. B. See Rajesh, G.
Bhagat, S. M. See Bai, V. Seshu
Bhalla, A. S. See Ghosh, P. K.; Guo, Ru-Yan; Li, Shao-Ping; Nair, Nathan; Srivastava, Ashvin
Bhalla, A. S.; Guo, Ru-Yan
Substrates for microwave applications of high-T_c superconductors.—75-03409
Bhalodia, J. A.; Shaikh, I. A.; Kuberkar, D. G.
Effect of Pr and Ca substitution on superconductivity in $Y_{(1-x-y)}Pr_yCa_x)Ba_2Cu_3O_{7-\delta}$).—75-05756; Influence of molybdenum substitution on superconductivity of yttrium barium cuprate.—75-05781
Bhanthumnavin, V.; Lee, Chi-H.
Optical second harmonic generation of oblique incident light in transmission potassium dihydrogen phosphate crystal.—75-06497
Bharatan, S.; Jones, K. S.; Pearton, S. J.; Abernathy, C. R.;
Ren, F.
Structural characterization of GaN grown by electron cyclotron resonance-metallorganic molecular beam epitaxy (ECR-MOMBE).—75-01942
Bhasale, R.; Liu, H. K.; Dou, S. X.
Effect of degree of reduction in thermomechanical processing on the transport characteristics of Ag-clad $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{110+x}$ high-T_c superconducting wires and tapes.—75-00788
Bhat, B. Ganesh; Pillai, R. G. K.
Nitride-bonded silicon carbide refractories.—75-07615
Bhat, R. See Ramanathan, S.
Bhat, Rajaram See Zah, Chung-En
Bhatia, C. Singh See Anders, Simone
Bhatia, S. N. See Dhard, C. P.
Bhatnagar, A. K. See Sreedhar, B.
Bhatt, R. T. See Eldridge, J. I.
Bhattacharjee, Karuna N. See Singh, Nakshatra B.
Bhattacharya, A. K.; Hartridge, A.; Mallick, K. K.
Preparation and characterization of $Ln_2Zr_2O_7$ [Ln=lanthanide] microspheres by an inorganic sol-gel route.—75-06712
Bhattacharya, A. K.; Mallick, K. K.; Thomas, P. A.
Low-temperature synthesis of bismuth vanadium oxide isomorphous with $\gamma\text{-}Bi_4V_2O_{11}$.—75-06674
Bhattacharya, B.; Kulkarni, K. R.; Ghosh, D.
Optimization of a precalciner kiln—a case study.—75-01063
Bhattacharya, Deepika See Singh, Rajiv K.
Bhattacharya, Dipten; Choudhury, P.; Roy, S. N.
Thickness dependence of critical current density for electrophoretically deposited $YBa_2Cu_3O_{7-x}$ films.—75-00890
Bhattacharya, S.; Rajeswari, M.; Takeuchi, I.
Mechanisms of optical response in superconducting $YBa_2Cu_3O_{7-\delta}$ thin films and grain boundary weak links.—75-00826
Bhatti, A. R.; Pritchard, A. J.; Mortimer, B.
Processing and microstructure of continuous fiber-reinforced $MoSi_2$-based composites.—75-03917
Bhaumik, S. K.; Upadhyaya, G. S.; Vaidya, M. L.
Effect of Ti(C,N) addition on sintering behavior and properties of binder-modified WC-10Co cemented carbide.—75-04849
Bhawalkar, R. H. See Agnihotry, S. A.
Bhimasankaram, T. See Hanumaiah, A.; Singh, R. S.
Bhola, Rakesh See Dasgupta, Sankar
Bhowmik, Siddhartha See Martin, Steve W.
Bhushan, Bharat See Ruan, J.
Bhushan, Bharat; Koinkar, Vilas N.; Ruan, J.
Microtribological studies by using atomic force and friction force microscopy and its applications.—75-02078
Bhutta, I. A. See Riad, S. M.
Bi, Xiang-Xin See Ni, Heng-Fei
Bi, Xiang-Xin; Lee, W. T.; Wang, Kai-An; Collins, D. F.;
Bandow, S.; Eklund, P. C.
Size-effect stabilization of the low-T ferroelectric phase in nanocrystalline WO_3.—75-00697
Bianchi, U.; Kleemann, W.; Bednorz, J. G.
Raman scattering of ferroelectric $Sr_{1-x}Ca_xTiO_3$, x=0.007.—75-05706
Bianco, Alessandra See Traversa, Enrico
Bianconi, A.
Fermi liquid coupled with a generalized Wigner polaronic CDW giving high-T_c superconductivity.—75-05768
Bianconi, Patricia A.; Smith, David
Process for the addition of functional groups to polysilyne polymers.—75-01189
Bickford, Dennis F. See Resce, James L.
Bickley Remmey, G., Jr. See Carboy, J.
Bickmore, Clint R.; Laine, Richard M.
Synthesis of oxynitride powders via fluidized bed ammonolysis: I. Large, porous silica particles.—75-09474
Bickmore, Clint R.; Waldner, Kurt F.; Treadwell, David R.;
Laine, Richard M.
Ultrafine spinel powders by flame spray pyrolysis of a magnesium aluminum double alkoxide.—75-04265
Bidzilya, V. A.; Golovkova, L. P.; Vlasova, N. N.; Bogomaz, V. I.
Adsorption of α-tocopherol and its analogs on the surface of highly dispersed silica from aqueous micellar solutions of nonionogenic surfactants.—75-09116
Biel, John P. See Aghajanian, Michael K.; Kuszyk, Jack A.
Bigan, E. See Choi, Y.-H.
Bigelow, Louis K. See Kapoor, Rakesh R.
Bigenwald, Pierre; Gil, Bernard
Variational calculation of light hole envelope functions and exciton binding energies in (Ga,In)As-GaAs quantum wells.—75-05513
Bigio, Laurence See Anthony, Thomas R.
Biglin, James
Refractory maintenance and repair.—75-02836
Biglin, N. A.; Naumov, S. V.; Samokhvalov, A. A.
EPR in copper monoxide.—75-08665
Bigun, G. G. See Orlovskii, Yu. I.
Bihari, Bipin; Kumar, Jayant; Stauf, Gregory T.
Barium titanate thin films on MgO substrates [investigated] by second harmonic generation.—75-01797
Bijen, J. M. See Pietersen, H. S.; Su, Z.
Bikbau, M. Ya.; Shcheglova, N. N.; Borukhin, B. Ya.;
Batanova, A. M.; Pavlushkina, T. K.; Semenova, I. V.
Production of stone castings from blast-furnace slag from the Cherepovetsk metallurgical plant.—75-03626
Bikineev, V. A. See Ryzhov, V. A.
Bill, Joachim See Seitz, Juliane
Biller, Larry N.
Gray and other colors for pickle-free cover coat systems.—75-00098
Billi, F. See Andreola, F.
Billman, Elizabeth R. See Mehrotra, Pankaj K.
Bilodeau, S. See Van Buskirk, P. C.
Bin, M. See Gaidis, M. C.
Bin, M.; Gaidis, M. C.; Zmuidzinas, J.; Phillips, T. G.;
LeDuc, H. G.
THz SIS mixers with normal-metal Al tuning circuits.—75-08441
Binari, Steve C. See Scott, Craig J.
Bindi, R.; Lapraz, D.; Iacconi, P.
Theoretical analysis of the simultaneous detection method of thermally stimulated conductivity and luminescence: application to an $\alpha\text{-}Al_2O_3$ monocrystal.—75-03933
Bindloss, W. See Roelofs, M. G.
Biner, S. B.
Numerical analysis of crack growth in microcracking ceramics and ceramic composites.—75-04610; Numerical analysis of fracture and high-temperature creep characteristics of composites with discontinuous ductile reinforcements.—75-04611; See also Goel, H.
Binner, J. G. P. See Batt, J.
Binner, J. G. P.; Davis, P. A.; Cross, T. E.; Fernie, J. A.
Microwave joining of engineering ceramics.—75-01576
Binner, J. G. P.; Hassine, N. A.; Cross, T. E.
Microwave synthesis of nonoxide ceramic powders.—75-01584
Binsma, J. J. M. See Thijs, Peter J. A.
Birchler, F. See Hauert, R.
Birkby, I.; Dransfield, G. P.; McColgan, P.
Factors affecting the machinability of fine ceramic powder compacts.—75-01498
Birkett, Paul R. See Taylor, Roger
Birman, Amnon See Martin, L. P.
Birman, Amnon; Levush, B.; Carmel, Y.; Gershon, D.;
Dadon, David; Martin, L. P.
Modeling of multifrequency microwave sintering of ZnO ceramic.—75-01589

Birmingham, Scott D.
Scandia.—75-06054
Birnie, D. P., III See Rawn, C. J.
Birnie, D. P., III; Bordui, Peter F.
Defect-based description of lithium diffusion into lithium niobate.—75-01746
Birot, M. See Hemida, A. Tazi
Biryuk, T. V. See Levitskii, I. A.
Biryuk, V. A. See Levitskii, I. A.
Biryukov, S. A. See Sharafutdinov, R. G.
Biscans, Beatrice See Laguerie, Claude
Bischoff, E. See Schubert, H.
Bisti, V. E.
Surface states in slotless semiconductors.—75-08072
Biswas, A. See Roy, S. K.
Biswas, D.; Camlibel, I.
Manufacturing of specialty optical fibers.—75-00960
Biswas, Dhiman K.; Gatica, Jorge E.; Tewari, Surendra N.
Dynamic analysis of pressure infiltration processes.—75-03998
Biswas, J. R. See Mukherjee, B.
Biswas, N. C.; Dayal, R.; Chand, P.
Electron paramagnetic resonance and optical absorption of Cu^{2+} in NaF-B_2O_3 and NaF-Na_2O-B_2O_3 glasses.—75-07335; EPR and optical absorption spectra of VO^{2+} in NaF-B_2O_3 and NaF-Na_2O-B_2O_3 glasses.—75-07336
Biswas, S. See Dasgupta, A.
Biswas, Sanjay K. See Asif, S. A. Syed; Jayaram, Vikram
Bitkalov, S. A.
High-frequency conductivity of 2-D electrons under weak localization conditions.—75-07907
Bizot, Daniel See Bermejo, Edelio
Bjorgum, J. O. See Justnes, H.
Bjorneklett, A.; Haukeland, L.; Wigren, J.
Effective medium theory and the thermal conductivity of plasma-sprayed ceramic coatings.—75-06448
Blaauw, C. See Lu, H.
Blachere, J. R. See Pettit, F. S.
Black, D. See Plano, M. A.
Black, W. M. See Tian, Yong-Lai
Black, William E.; Parekh, Ebrahim M.
Sublimitable carbon-carbon structure for nose tip for reentry space vehicle.—75-01200
Blackburn, S.
Particulate paste cutting.—75-05906; See also Boehm, H.
Blackford, M. G. See Vance, E. R.
Blackman, Kimberly A. See Lewis, J. A.
Blackmore, J. M. See Jandt, K. D.
Blaginina, L. A.
Microstructure and properties of AlN ceramics heat-treated in air.—75-09562; See also Vedernikov, G. E.
Blakely, Keith A.; Martin, Steven C.; Spohn, Mary T.
Material supplier's role in market development.—75-02133
Blakely, Keith A.
Critical role of raw material suppliers in market development.—75-04698
Blanc-Guilhon, B. See Bernstein, P.
Blanchard, Cheryl R. See Schwab, S. T.; Wood, Charles D. III
Blanchard, Cheryl R.; Dearnaley, Geoffrey; Lankford, James, Jr.
Ion beam modification of bioactive ceramics to accelerate biointegration of said ceramics.—75-08583
Blanchard, E. See Davies, G.
Bland, Tracey A. See Obhi, Jasvinder Singh
Blank, Dave H. A. See Kersten, Bart A. G.
Blank, Paul See Krell, Andreas
Blankenstein, Paul; Rek, Paulus J. M.
Process for the preparation of zirconia.—75-03679
Blanpain, B. See Van der Biest, O.
Blanzat, B. See Leger, J. M.
Blasco, J.; Garcia, J.
Suppression of metal-semiconductor transition in $NdNiO_{3-\delta}$ doped with Cu.—75-05492
Blaser, J. See Caragianis-Broadbridge, C.
Blasse, G.; De Mello, Donega; Berezovskaya, I.
Luminescence of bismuth(III) in $InBO_3$.—75-06482
Blau, Peter J.
Friction process diagrams for analyzing interfacially complex sliding contacts.—75-04543; See also Bae, Yong-W.
Blazewicz, M.; Blazewicz, S.; Wajler, C.
Mechanical and implant behavior of chemically modified carbon braids.—75-03704
Blazewicz, S. See Blazewicz, M.
Bleay, S. M.; Scott, V. D.; Harris, B.
Wear studies of fiber-reinforced ceramic matrix composites.—75-04668
Bleier, A. See Shanmugham, S.
Blin, Annie See Gervais, Francois
Blinc, R. See Jarh, O.
Blinder, A. V. See Bolgar, A. S.
Blinov, L. N. See Bal'makov, M. D.
Bliss, M. See Abel, K. H.
Bliss, M.; Craig, R. A.; Reeder, P. L.; Sunberg, D. S.; Weber, M. J.
Relationship between microstructure and efficiency of scintillating glasses.—75-00198
Bliss, M.; Craig, R. A.; Sunberg, D. S.; Weber, M. J.
Relationship between microstructure and efficiency of lithium silicate scintillating glasses: the effect of alkaline earths.—75-04923; Relationship between microstructure and efficiency of lithium silicate scintillating glasses: the effect of replacing lithium by sodium.—75-04924
Bliton, Jerald L. See Rancoule, Gilbert
Bliznyuk, L. A. See Kasper, N. V.
Blomgren, George E.
Positive electrode materials for nonaqueous secondary batteries.—75-02927; See also Gallet, D.
Blonski, Robert P.
Oxidation-reduction reactions in fast-fire glazes.—75-02880
Blonskii, I. V.; Brodin, M. S.; Piryatinskii, Yu. P.; Tel'biz, G. M.; Tkhorik, V. A.; Tomchuk, P. I.
Photogeneration of sound in the system of CdS thermally insulated microcrystals in zeolite.—75-08012
Blonskii, I. V.; Brodin, M. S.; Tkhorik, V. A.; Tel'biz, G. M.; Filin, A. G.
Anomalies of the photoacoustic response in the CdS/Y zeolite system.—75-07782
Bloom, Theodore A. See Kukuch, Bruce J.
Bloor, I. K.
Measurement and control in ceramics.—75-06002
Bloshenko, V. N. See Komratov, G. N.
Bluhm, Andrea See Schaefer, Lothar
Blum, Yigal D.; Johnson, Sylvia M.; McDermott, Gregory A.
Preceramic polycyclomethylsilazanes: chemistry of processing.—75-04145
Blumenfeld, P. See Schmitt, N.
Blumenthal, William R.; Phillips, David S.
High-temperature deformation of single-crystal yttrium aluminum garnet (YAG).—75-04552
Blumm, M.; Dollmeier, K.; Ilschner, B.
Experimental investigation of fatigue-crack propagation in room temperature bending tests with Cu-Ni graded alloys.—75-02469
Bluncson, Cherie R.; Evans, B. J.
Influence of heat treatments on order-disorder phenomena in a naturally occurring manganese ferrite.—75-00739
Bly, Lloyd G.
Revolution in monolithic refractory installation—an overview.—75-05132
Bo, Zhong-He See Lagoudas, Dimitrius C.
Boatner, Lynn A. See Wojtowicz, A. J.
Boatner, Lynn A.; Rankin, Janet; Thevenard, Paul; Romana, Laurence J.
Controlled removal of ceramic surfaces with combination of ion implantation and ultrasonic energy.—75-03541
Boaz, Premakaran T.
Apparatus and method for applying a coating to glass using a screen printing process.—75-08549; Water-based paint for glass sheets.—75-07439
Boberskii, C.; Giess, Edward A.
Crystallization of nickel-bearing stoichiometric cordierite glasses.—75-06564
Bobina, A. F. See Mel'nikova, S. V.
Bobkova, N. M.; Barantseva, S. E.; Zalygina, O. S.
Composite wear-resistant glass-ceramic materials with various fillers.—75-03875
Bobkova, N. M.
Glass enamels in the electronics industry (review).—75-07732
Boborykina, E. N.; Nikitin, S. E.; Chudnovskii, F. A.
Thin films and single crystals of V_2O_3 in the phase transition region studied by surface acoustic wave method.—75-06398
Bobrenko, Yu. N.; Pavelets, A. M.; Pavelets, S. Yu.; Shengeliya, T. E.
Surface-barrier CdS structures with thin barrier layers.—75-03180
Bobrov, D. A. See Verdiyan, M. A.
Bobrov, V. S. See Stukan, L. V.
Bobrov, V. S.; Stukan, L. V.
Influence of preparation conditions of glassy electrodes from lithium silicate glasses on the value of their asymmetric potential.—75-05021; Stability of the potentials of glassy electrodes and their asymmetric potentiai.—75-04995
Bobruiko, V. B. See Yashina, L. V.
Bobylev, B. A. See Dem'yanenko, M. A.
Bobylev, Yu. P. See Vorflusev, V. P.
Boccaccini, Aldo R; Fan, Zhong-Yun
Simple mathematical model for the electrical conductivity of highly porous ceramics[—comment].—75-09185
Boccaccini, Aldo R.
Sintering of glass matrix composites containing Al_2O_3 platelet inclusions.—75-05044; See also Trusty, P. A.; West, Grant
Boch, P. See Famery, R.
Bochkovaya, G. Yu. See Voloshin, V. A.
Bock, Joachim See Lang, Christoph
Bock, Joachim; Preisler, Eberhard; Elschner, Steffen
Method of making electrical contacts on Bi-based oxide superconductors.—75-08472
Bodart, J. R. See Lin, Shu-Han
Boddenberg, Bruno; Seidel, Andreas
Zn-exchanged γ-zeolites studied with CO and xenon as probes.—75-06416
Bode, Michael H.
Observation of CuPt-ordered $CuInSe_2$.—75-00557
Bodet, R. See Chollon, G.
Bodet, R.; Jia, N.; Tressler, Richard E.
Microstructural instability and the resultant strength of Si-C-O (Nicalon) and Si-N-C-O (HPZ) fibers.—75-09558
Bodet, R.; Lamon, J.; Jia, N.; Tressler, Richard E.
Microstructural stability and creep behavior of Si-C-O (Nicalon) fibers in carbon monoxide and argon environments.—75-09655
Bodker, F. See Linderoth, S.
Bodkin, G. C.
Erosive wear characteristics of engineering ceramics.—75-02048
Bodnar, D. M. See Domashevskaya, E. P.
Bodnar, I. T.; Mazovko, A. V.
Refractive index and elastooptical properties of germanium sillenite.—75-09179
Bodnar, I. V. See Gremenok, V. F.
Bodnar, I. V.; Kesamanly, F. P.; Rud, V. Yu.; Rud, Yu. V.
Photoluminescence [PL] of $CuAl_xIn_{1-x}S_2$ single crystals.—75-03124
Bodnar, I. V.; Molochko, A. P.; Solovei, N. P.
Optical properties of silicate glasses activated with $CuInS_{2x}Se_{2(1-x)}$ solid solutions.—75-04984
Bodnar, I. V.; Orlova, N. S.; Tsyrel'chuk, I. N.
Temperature and concentration dependences of structural and thermal properties of $CuAl_xIn_{1-x}Se_2$ chalcopyrite solid solutions.—75-06522
Bodnaruk, O. A.; Gorbatyuk, I. N.; Ostapov, S. E.; Rarenko, I. M.; Shafranyuk, V. P.; Nichii, S. V.
Growth and structural perfection of cadmium-mercury and manganese-mercury chalcogenides.—75-05332
Bodnaruk, O. A.; Vertii, A. A.; Gorbatyuk, I. N.; Ivanchenko, I. V.; Popenko, N. A.; Rarenko, I. M.
Complex study of narrow-gap *p*-$Mn_xHg_{1-x}Te$ semiconductors.—75-07809
Bodur, C. See Payten, W. M.
Boehm, H.; Blackburn, S.
Effect of mixing procedure on fine alumina paste extrusion.—75-01459
Boekema, Carel See Her, Trao
Boerigter, Jana See Pearce, John A.
Boeva, M. K.; Khodos, M. Ya.; Fotiev, A. A.
Synthesis of $Bi_2Sr_2CaCu_2O_x$ from aqueous solutions using pyridine.—75-05844
Bogachev, S. V. See Afanas'ev, V. P.
Bogan, Leonard E. See Berry, Amanda K.
Boganov, V. See MacFarlane, D. R.
Bogatov, Yu. E.; Ochieng, Okot Aleksandr; Molodkin, A. K.; Safronenko, M. G.
Phase equilibria in the La_2O_3-VO system.—75-09020
Bogatu, V. See Goldenblum, A.
Bogdanchikova, N. E.; Paukshtis, E. A.; Dulin, M. N.; Petranovskii, V. P.; Sugi, I.; Khanaoka, T.
Determining role of the SiO_2/Al_2O_3 ratio in the stabilization of silver clusters in mordenite.—75-06442
Bogdanov, V. L. See Khalilev, V. D.
Bogdanov, V. S. See Verdiyan, M. A.
Bogdanova, Kh. G.; Golenishchev-Kutuzov, V. A.; Kurkin, M. I.; Nizamiev, I. R.; Shakirzyanov, M. M.
Features of dimensional magnetoelastic resonance in iron borate in multidomain states.—75-05670
Bogdanova, Kh. G.; Golenishchev-Kutuzov, V. A.; Kurkin, M. I.; Shakirzyanov, M. M.
Effect of spontaneous magnetostriction on the nuclear spin echo signal in $FeBO_3$.—75-08207
Bogdanovich, M. P.
Glass-added strontium ferrite of high coercivity.—75-08220; Influence of $BiFeO_3$ on the phase composition and magnetic properties of barium ferrite.—75-05676; Influence of $CaFe_2O_4$ additive on the magnetic properties of nickel zinc ferrite.—75-05677; Influence of fusible phases of $BiFeO_3$ on physical properties of ferrites based on lithium ferrite.—75-05678; Phase composition and magnetic properties of the $(100-x)BaFe_{11.2}O_{17.8}{\cdot}x(NaM)_{1/2}Fe_{12}O_{19}$ ferrites (M=Bi, Fe, Mn).—75-08236; Structure and magnetic properties of ferrites in the $Ni_{0.35}Zn_{0.65}Fe_2O_4$-CaO-$Fe_2O_3$ system.—75-08243
Bogdanyuk, N. S.; Davidyuk, G. E.; Shavarova, A. P.
Annealing of the green luminescence centers in cadmium sulfide.—75-02962; Centers of the red luminescence in CdS and CdS:Cu single crystals and their transformation under electron irradiation.—75-02971
Bogert, Hermann; Schneider, Wilhelm; Uhe, Heinrich
Apparatus for cooling neck rings in a glass molding machine.—75-08744
Bogomaz, V. I. See Bidzilya, V. A.
Bogomolov, V. N. See Bagnich, S. A.
Bogomolov, V. N.; Parfen'eva, L. S.; Prokof'ev, A. V.; Smirnov, I. A.; Samoilovich, S. M.; Ezhovskii, A.
Effect of a periodic cluster superstructure on the thermal conductivity of amorphous silica (opal).—75-09129
Bogomolov, V. N.; Pavlova, T. M.
Three-dimensional cluster lattices.—75-03187
Bogomolova, L. D.; Krasil'nikova, N. A.; Trul, O. A.
EPR of radiation-induced defects in fluoroaluminate glasses.—75-04963
Bogomolova, L. D.; Krasil'nikova, N. A.
Electron spin resonance of transition elements in fluoride and oxyfluoride glasses.—75-02586
Bogosova, Ya. B. See Konstantinov, G. M.
Bogosova, Ya. B.; Konstantinov, G. M.
Effect of inhomogeneities of solid solution composition on structure and properties of ferroelectric ceramics based on lead zirconate titanate [PZT].—75-05550
Boguslavskii, Yu. Ya.; Goncharova, V. A.; Il'ina, G. G.
Features of elastic behavior of ytterbium during the semimetal-semiconductor-semimetal transition under pressure.—75-07210
Boguslawski, P.; Briggs, E.; White, T. A.; Wensell, M. G.; Bernholc, J.
Native defects in wurtzite GaN and AlN.—75-01767
Bogusz, W. See Janewicz, M.
Bohm, N. See Polzin, J.-F.
Bohm, N.; Hausner, H.
Experimental design and neural networks in ceramic processing.—75-01491
Bohner, Marc; Lemaitre, Jacques
Effects of sulfate, pyrophosphate, and citrate ions on the physicochemical properties of cements made of β-tricalcium phosphate–phosphoric acid–water mixtures.—75-02405
Bohner, R.; Hamann, B.; Hulsenberg, D.; Knauf, O.; Schaffner, E.; Unbekannt, J.
Fine $BaTiO_3$ powder produced by the glass crystallization technique.—75-01503
Bohnet, Matthias
Cyclone separators for fine particles and difficult operating conditions.—75-05897
Boichuk, V. I.; Voitsekhivskaya, O. N.; Golovatskii, V. A.; Tkach, N. V.
Spectra of a contaminated particle in a thin semiconducting film that connects with solid crystals with random permeability.—75-05481
Boiko, E. A.; Evtikhov, Zh. L.; Dubrovskii, V. A.; Stepanova, L. V.; Vladimirov, V. A.
Calcium carbide and acetylene produced from wastes from coal mining at the Kan-Achin basin.—75-08755
Boiko, F. A. See D'yakonov, V. P.; Voloshin, V. A.

Boiko, G. G.; Sycheva, G. A.; Valyuk, L. G.
Influence of synthesis conditions on the kinetics of crystallization of photosensitive lithium silicate glasses.—75-02727
Boiko, M. E. See Alexensky, A. Ye.
Boikov, Yu. A.; Gol'tsman, B. M.; Danilov, V. A.
Ways of heightening the figure-of-merit of semiconductor thermoelectrics.—75-03200
Boikov, Yu. A.; Ivanov, Z. G.; Olson, E.; Danilov, V. A.; Klaeson, T.; Shchegolov, M.
Reasons for formation of crystals with the *c*-axis oriented parallel to the substrate plane in $YBa_2Cu_3O_{7-x}$ films.—75-05824
Boikov, Yu. A.; Pronin, I. P.; Ivanov, Z. G.; Klaeson, T.
Epitaxial $YBa_2Cu_3O_{7-\delta}$/(Ba, Sr)TiO_3 heterostructures on an Si-on-sapphire substrate.—75-08311
Boillet, J.; Kobayashi, W. T.; Snyder, W. J.; Paskocimas, C. A.; Leite, E. R.; Longo, E.
Corrosion of silica and mullite refractories used in glass furnaces under 100% oxy-firing process.—75-05078
Boillet, J.; Paskocimas, C. A.; Leite, E. R.; Longo, E.; Varela, J. A.; Kobayashi, W. T.
Influence of oxy-fuel combustion atmosphere in glass furnaces on refractory corrosion.—75-08730
Boissier, M. See Bonnet, J. P.
Boistelle, R. See Coquard, P.
Bojja, S. See Tsuneoka, T.
Bokhan, Yu. I.; Laletin, V. M.
Influence of demagnetizing factors on the field dependence of the magnetoelectric effect in ferrite-piezoelectric ceramics.—75-08223
Bokii, G. B. See Laptev, V. I.
Bokov, A. A. See Shonov, V. Yu.
Bokov, V. A.; Volkov, V. V.; Mazhevskii, A.; Petrichenko, N. L.; Stankevich, A.
Transition of a domain wall to nonlinear mobility in the presence of a planar field.—75-08249
Bol'nykh, I. K.; Sever, G. N.
Temperature and magnetic field shift of the long-wave region of photoelectric effects in $HgCr_2Se_4$.—75-05498
Bol'shakova, N. V.; Kostenok, O. M.
Thermal conductivity of basalt fiber materials.—75-07675
Bol'shikh, M. A. See Kazenas, E. K.
Boldyrev, V. V. See Grigor'eva, T. F.; Isupov, V. P.
Bolen, Wallace P.
Perlite.—75-06046; Silica.—75-06055
Bolgar, A. S.; Gorbachuk, N. P.; Blinder, A. V.; Moiseev, N. V.
Low-temperature thermodynamic characteristics of lanthanum silicide.—75-08976
Bolgov, S. S.; Vardanyan, B. R.; Malyutenko, V. K.
Electroluminescence spectra of variable-gap $Cd_xHg_{1-x}Te$/CdTe structures at 300 K.—75-05310
Bollmann, Ulrich See Thome, Roland
Bolmaro, Raul E. See Bertinetti, Maria A.
Bolotina, N. B. See Kevorkov, A. M.
Bolotnikova See Stepanova, E. A.
Bolotov, A. M. See Gavrilov, Yu. A.
Bolotov, Yu. A.
Effect of overheating of the melt and heat treatment of hardened materials on the structure of forsterite granules.—75-05086
Bolt, John D.; Tebbe, Frederick N.
High-strength aluminum nitride fibers and composites and processes for the preparation thereof.—75-08829
Bolt, R. J. See Jongerius, M. J.
Boltaev, A. P.; Burbaev, T. M.; Kalyuzhnaya, G. A.; Kurbatov, V. A.; Osina, T. I.; Solov'ev, N. N.
Properties of avalanche photodiodes on the basis of Si-TiO_2 heterojunction.—75-03138
Boltalin, A. I. See Sorokin, N. I.
Boltong, M. G. See Bermudez, O.; Driessens, F. C. M.
Boltyanskii, A. V.; Bulakh, V. L.; Fedorova, L. S.
Use of industrial waste for the production of building materials.—75-05069
Boltyanskii, A. V.
Aluminosilicate air-hardening mortar solutions with elevated strength.—75-07466
Bolyasnikova, L. S.; Vasil'ev, M. I.; Demidenko, V. A.; Dorofeeva, N. P.; Ovsyannikova, O. P.; Tsekhomskii, V. A.
Effect of external pressure on phase precipitation in copper halide photochromic glasses.—75-02710
Bommel, Franz See Bar, Ludwig R.
Bonaldi, M. See Ashkenazy, V. D.
Bonard, J. M.; Buffat, P. A.; Ganiere, J. D.
Characterization by transmission electron microscopy of gradients in the chemical composition of GaAs/$Al_xGa_{1-x}As$ semiconductor laser structures.—75-02976
Boncoeur, M. See Gourlaouen, V.
Boncoeur, M.; Lochet, N.; Miomandre, F.; Schnedecker, G.
Fabrication of $MgAl_2O_4$ spinel/niobium laminar composites by plasma spraying.—75-04035
Boncoeur, Marcel See Baumard, J. F.; Besson, Jean-Louis
Bondarenka, V.; Grebinskii, S.; Mickevicius, S.; Volkov, V.; Zacharova, G.
Mobility and concentration of charge carriers in $H_2V_{12-x}Mo_xO_{31+y}{\cdot}nH_2O$ xerogels.—75-08985
Bondarenka, V.; Mitskyavichyus, S.; Grebinskii, S.; Kinduris, A.; Volkov, V.; Zakharova, G.
Ir spectra of $H_2V_{12-x}Me_xO_{31+y}{\cdot}nH_2O$ (Me=Mo, Cr).—75-08960
Bondarenko, G. V. See Gorev, M. V.
Bondarenko, S. N. See Tolochko, S. P.
Bondarev, A. A. See Babaev, V. G.
Bonekamp, B. C. See Soppe, W. J.
Bonel, G. See Frayssinet, P.
Boness, R. J.; Langlois, R. G.
Detection of wear transitions of unlubricated silicon nitride rubbing surfaces using acoustic emission technique.—75-08653
Bonetti, E.; Campari, E. G.; Mattioli, P.
Stoichiometry dependence of oxygen anelastic relaxation in $YBa_2Cu_3O_{7-x}$ and the orthorhombic-to-tetragonal phase transition.—75-03406
Bonevich, J. E.; Harada, K.; Matsuda, T.; Kasai, H.; Yoshida, T.; Pozzi, G.
Electron holography of flux lattices in niobium.—75-00799
Bonevich, John E. See Herring, Rodney A.
Bonfield, W. See Tanner, K. E.; Wang, M.
Bongers, U. V.; Stradtmann, J.
Dolomite, the successful approach for the burning zone of the cement rotary kiln.—75-01057
Bonhote, C.; Verdon, C.; Landolt, D.
Electrodeposition of nanoscaled multilayer thin films.—75-04022
Bonnell, D. A. See Carroll, D. L.; Huey, B. D.; Liang, Y.; Nowakowski, Marilyn J.
Bonnet, J. P.; Boissier, M.; Gherbi, A. Ait
Amorphization process of neutron-irradiated crystalline quartz studied by Brillouin scattering.—75-06157
Bonoldi, L.; Sparpaglione, M.; Zini, L.
Role of initial reagents in the low O_2 pressure synthesis of $YBa_2Cu_4O_8$.—75-05825
Bonville, P. See Garcin, C.
Booker, G. R. See Seong, Tae-Yeon
Boone, B. G. See Grabow, B. E.
Boonyapiwat, Attapon See Darby, Greg
Boonyapiwat, Attapon; Clark, David E.
Nucleation and crystal growth of $Li_2O{\cdot}2SiO_2$ in a microwave field.—75-00217
Booske, John H. See Freeman, S. A.; Grellinger, D. J.; Meng, Bin-Shen
Booth, Charles L.; Harmer, Martin P.
Agile Manufacturing concepts and opportunities in ceramics.—75-02111; Agile manufacturing, a solution for many ceramic industry manufacturing problems.—75-05891
Booth, D. J. See MacFarlane, D. R.
Booth, Norman E.; Goldie, David J.
Superconducting particle detectors.—75-08428
Boothe, David T.; Braine, C.
Recycling of electrostatic precipitator dust from glass furnaces.—75-03640
Boothe, David T.; Severin, Harold
Recycling flue gas particulate waste from glass-melting operations.—75-03628
Bor, H.-J. See Chang, J.-C.
Bor, H.-J.; Chang, J.-C.; Lin, Y.-T.
Galvanic corrosion behavior of aluminum alloys under thin-layer electrolyte.—75-04427
Borchardt, G. See Mishin, Yu M.
Borchardt, Richard R. See Reilly, Kenneth T.
Borchers, J. A. See Lind, D. M.
Borchert, R. See Willert-Porada, M.
Bordenave, L. See Dion, I.
Bordui, Peter F. See Birnie, D. P. III
Borens, Manfred See Nass, Peter
Borges, C.F.M. See Huai, Y.
Borich, O. E. See Kokhanovskii, V. V.
Borisenko, N. D. See Kovalenko, A. V.
Borisov, A. F.; Bun'kov, M. M.; Voitovich, V. A.
Magnesia cements and concretes.—75-07164
Borisova, O. R. See Fadeev, A. Yu.
Borisovskii, S. B. See Organova, N. I.
Bork, V. P. See Lin, Shu-Han
Borkovskaya, L. V.; Dzhumaev, B. R.; Drozdova, I. A.; Korsunskaya, N. E.; Markevich, I. V.; Singaevskii, A. F.
Nonactivated donor mobility with ultrasound in CdS crystals.—75-05400
Borkovskaya, L. V.; Dzhumaev, B. R.; Korsunskaya, N. E.; Markevich, I. V.; Singaevskii, A. F.
Influence of fundamental absorption edge on the green luminescence spectrum of CdS crystals.—75-07922
Bormontov, E. N. See Tutov, E. A.
Bormontov, E. N.; Golovin, S. V.; Kotov, S. V.; Lukin, S. V.
Method for rapid determination of surface parameters in planar-nonuniform MIS structures.—75-07969; Surface states in MIS structures studied by the two-temperature admittance method.—75-03179
Borodaev, Yu. S. See Pekov, I. V.
Borovik, N. P.; Pererva, L. V.; Koroteeva, V. I.; Antonov, G. I.; Shcherbenko, G. N.
Production of refractories from Chinese periclase.—75-05119
Borovinskaja, I. P. See Sharivker, S. Y.
Borovinskii, S. V.; Chuvashev, A. A.
Choice of dimensionless parameters for analysis of relaxation changes in glass products.—75-02632; Simple models for thermomechanical behavior of glass products during their molding by drawing.—75-02742
Borrelli, N. F. See Smith, C.
Borrelli, N. F.; Cornelius, Lauren K.; Newhouse, Mark A.; Tick, P. A.
Transparent glass-ceramics.—75-07437
Borrelli, N. F.; Smith, C.; Smith, D.
Fullerenes entrapped in porous glass.—75-00171
Borsa, C. E.; Brook, R. J.
Fabrication of Al_2O_3/SiC nanocomposites using a polymeric precursor for SiC.—75-01495
Borsa, F. See Corti, M.; Johnston, D. C.
Borshch, V. N. See Kir'yakov, N. V.
Borst, W. See Gangopadhyay, S.; Liu, L.
Bortun, A. See Grafova, I.
Bortz, E. See Brunsman, E. M.
Borukhin, B. Ya. See Bikbau, M. Ya.
Borul'ko, V. I. See Atkarskaya, A. B.
Borzdov, V. M.; Zhevnyak, O. G.; Komarov, F. F.
Influence of electron-electron scattering on the charge carrier transport in the *n* channel of a silicon submicron MOS field effect transistor: Monte Carlo method.—75-03056
Borzistaya, E. L. See Selin, A. A.
Bosch, Pedro See Valenzuela, Miguel A.
Bose, A. K. See Das, S. R.
Bose, A. See Singh, N.
Bose, D. N. See Ghosh, S.
Bose, K. See Chakraborty, A. K.
Bossaglia, E. See Maroncelli, M.
Botila, T. See Petre, D.; Pintilie, I.
Botvina, L.
Phase transitions in the processes of fracture and crystallization.—75-06312; See also Ivanova, L. M.
Bou, Encarna See Gimeno, Rosario; Morena, Arnaldo
Bouaoudja, N. See Hamidouche, M.
Bouchet, D. See Albu-Yaron, A.
Bouchetou, M. L.; Cutard, T.; Huger, M.; Fargeot, D.; Gault, C.
Effect of the environment on CMCs.—75-03560
Boudreau, Marcel See Boumerzoug, Mohamed
Boudreaux, P. J.
Thermal aspects of high-performance packaging with synthetic diamond.—75-08081
Bougher, A. K.; Etheridge, M. D.; Lombardo, Christopher A.
Preliminary investigation of sanitary ware slip and influencing factors for a pressure cast system.—75-02883
Bougher, A. K.
Ball clay.—75-06020
Bougrine, H. See Houssa, M.
Bougrine, H.; Sergeenko, S.; Ausloos, M.
Nonequilibrium effects on the thermal conductivity of Bi-based high-temperature superconductors.—75-05804
Bouillon, E. See Sundre, O.
Bouilov, L. L. See Dvoryankin, V. F.; Tokiy, V. V.
Bouissou, S. See Musset, E.
Bouix, J. See Vincent, C.
Boukhili, R. See Elomari, S.
Boulanger, B.; Feve, J. P.; Marnier, G.
Calculation of phase-matching electrooptical modulation of SHG in KTP.—75-06425
Boulanger, J. See Allaire, F.
Boulard, Brigitte See Jacoboni, Charles
Boulos, M. I. See Guo, J. Y.
Boulton, J. M. See Teowee, G.
Boumerzoug, Mohamed; Boudreau, Marcel; Mascher, Peter; Jessop, Paul E.
Electron cyclotron resonance plasma chemical vapor deposition of silicon carbide thin films using ditertiary butyl silane.—75-00474
Boumiz, A.; Vernet, C.; Tenoudji, F. Cohen
Mechanical properties of cement pastes and mortars at early ages.—75-04820
Bour, D. P.; Geels, R. S.; Treat, D. W.
Strained $Ga_xIn_{1-x}P$/$(AlGa)_{0.5}In_{0.5}P$ heterostructures and quantum well laser diodes.—75-05483
Bourdette, B. See Ollivier, J. P.
Bourell, D. L. See Kuo, J. L.
Bourg, P. See Smith, D. S.
Bourke, S. J.
Quantifying culture change in the ancient Near East—multivariative statistical analysis of Second Millenium BC pottery from Pella in Jordan.—75-00020
Bourrat, X. See Chollon, G.; Droillard, Christine; Krivanek, Ondrej L.
Bourrat, X.; Evans, Anthony G.
Microstructure and mechanical properties of 2-D SiC-reinforced carbon matrix composites.—75-04365
Boury, D. See Spriet, P.
Bouse, V. See Benes, V.
Bousetta, A. See Badi, N.; Talwar, D. N.
Bousetta, A.; Badi, N.; Bensaoula, A.; Lu, M.
Synthesis and characterization of codeposited carbon nitride and boron materials.—75-09457
Bouthillette, Lionel O. See Stadler, Bethanie J. H.
Bouttet, D. See Pedrini, C.
Boutz, M. M. R.; Olde Scholtenhuis, R. J.; Winnubst, A. J. A.
Hydrothermal route for production of dense, nanostructured YTZP.—75-06640
Boutz, M. M. R.; Winnubst, A. J. A.; Hartgers, F.
Effect of additives on densification and deformation of tetragonal zirconia.—75-06574
Bouvard, D.; McMeeking, Robert M.
Deformation of interparticle necks by diffusion-controlled creep.—75-04279
Bovgerd, V. A. See Mittova, I. Ya.
Bovina, A. F. See Gorev, M. V.
Bovina, L. A. See Gorshkov, A. V.
Bow, J. S. See Carpenter, R. W.
Bowan, B. W.; Brandys, M. M.
Development of a vitrification process to solidify Savannah River M Area waste.—75-03456
Bowen, C. R. See Claussen, N.
Bowen, D. K. See Wormington, M.
Bowen, L. J. See Gentilman, R. L.
Bowen, P.; Mocellin, A.
Pressure filtration of AlN-TiO_2 slurries for the production of reaction hot-pressed Al_2O_3/TiN composites.—75-01629
Bowen, P.; Mulone, R.; Streit, P.
Processing of ceramic-metal composites (cermets) Al_2O_3-TiC_xN_{1-x}-Mo_2C-Ni.—75-00121
Bowen, Paul S.; Phelps, Steve K.; Ringermacher, Harry I.; Veltri, Richard D.
Intelligent process control of silicon nitride chemical vapor deposition.—75-03523
Bowen, Paul; Herard, Claude; Humphrey-Baker, Robin
Accurate submicron particle size measurement of alumina and quartz powders using a cuvette photocentrifuge.—75-05932
Bower, R. W.; Watt, V. H. C.; Sundararaman, R.; Chan, W.
Applications of low temperature direct bonding in microsensor structures.—75-00300
Bowerman, M. A. See Tofe, A. J.
Bowers, John E. See Ishikawa, Takkuya
Bowmaker, G. A. See Moran, P. D.
Bowman, Keith J. See Ma, Yue-Chu; Steinlage, Greg A.;

Zimmerman, Michael H.

Bowman, Keith J.; Kruger, Keith L.; Nogaj, Carl D.
Effects of rigid platelet additions on matrix, texture, and microstructural development in a model platelet-reinforced composite.—75-06595

Bowman, R. G. See Banks, P. J.

Bowman, R. G.; Westgate, P.; Maliwat, E.
Coefficient of restitution as an indication of impact resistance.—75-00239

Bowman, R. G.; Westgate, P.
Moisture expansion kinetics as a function of conditioning.—75-00245

Bowser, M. I. See Wang, Q. H.

Boyarkina, N. I. See Baranov, A. I.

Boyd, Gary L.
Ceramic turbine nozzle.—75-07255

Boyd, Ian W. See Bergonzo, Phillipe

Boyd, Joseph T. See Choo, Ahn Goo

Boyer, A. See Tcheliebou, F.

Boyer, M. A. See Lewis, J. A.

Boyle, Timothy J. See Schwartz, Robert W.

Boyle, Timothy J.; Pearson, Aaron T.; Schwartz, Robert W.
Synthesis and characterization of group IV metal adamantanol alkoxides as potential PZT precursors.—75-00704

Boymanns, Gerda See Frolow, Peter

Bozack, M. See Ramesham, R.

Bozadjiev, Ljudmil S.
Tile made of bulgarite.—75-02797

Bozec, X. See Perez, F.

Bozeman, S. P. See Yang, Pei-Chun

Bozkurt, Nazim See Sacks, Michael D.

Bozler, C. M. See Williamson, W. III

Bozovic, I. See Eckstein, J. N.

Bradley, D. J. See Donald, I. W.

Bradt, Richard C.; Brookes, Chris A.; Routbort, Jules L.
Plastic Deformation of Ceramics.—75-04780

Bradt, Richard C.
Critical grain size for microcracking in low thermal expansion anisotropic ceramics.—75-02033; Thermal shock testing of refractories and the energy balance approach to damage assessment.—75-07680; See also Schultz, Richard A.

Brady, G. A. See Hilmas, G. E.

Brady, G. A.; Hilmas, G. E.; Halloran, J. W.
Forming textured ceramics by multiple coextrusion.—75-01511

Brady, M. J. See Grill, A.

Braik, Y.; Le Gall, H.
Influence of radio-frequency sputtering and crystallization parameters on the structure of the BiGa-DyIG garnet films for magnetooptical recording.—75-00740

Braine, C. See Boothe, David T.

Brake, Darlene M. See Watkins, S. P.

Brake, Loren D. See Foley, Henry C.

Bramwell, S. T.; Gingras, M. J. P.; Reimers, J. N.
Order by disorder in an anisotropic pyrochlore lattice antiferromagnet.—75-00754

Brand, J. See Knotek, O.

Brandau, Egbert; Kadner, Martin; Brauneis, Edwin
Method for producing stabilized zirconium oxide powder.—75-01118

Brandenburger, Ulrich
Use of built-up granulate in tile manufacture.—75-05068

Brandon, D. G. See Farkash, M.; Johansson, T.

Brandon, J. R. See Wort, C. J. H.

Brandon, J. See Mersali, B.

Brandt, Charles D. See Burk, Albert A. Jr.

Brandt, Gunnar
SiC whisker- and particle-reinforced ceramic cutting tool material.—75-01135; material.—75-03682; Whisker- and particle-reinforced ceramic cutting tool material.—75-01140

Brandt, N. B.; Kul'bachinskii, V. A.; Kytin, V. G.; Lunin, R. A.; Kadushkin, V. I.; Shangina, E. L.
Features of transport phenomenon in alternately doped GaAs/$Ga_{1-x}Al_xAs$ heterostructures.—75-07889

Brandt, Nils G. L.; Senesan, Zeljka D.
Ceramic cutting tool reinforced by whiskers.—75-06078

Brandwood, A. See Ruys, A. J.; Wei, M.

Brandys, M. M. See Bowan, B. W.

Branson, R.
Transforming hazardous waste into sellable ceramics by the Qubator Process.—75-00989

Braski, D. N. See Bae, Yong-W.

Brasunas, J. C.; Lakew, B.
Transition edge noise in $YBa_2Cu_3O_{7-x}$ thin films before and after exposure to ionizing radiation.—75-03419

Bratton, R. J.; Singh, P.
Tubular solid oxide fuel cell developments[—review].—75-02942

Braue, W.; Paul, G.; Pleger, R.; Schneider, H.; Decker, J.
In-plane microstructure of plasma-sprayed Mg-Al spinel and 2/1-mullite-based protective coatings: an electron microscopy study.—75-09552

Braue, W.; Pleger, R.; Weiss, R.
Nanoscale microstructure of 2-D C/C-SiC ceramic composites processed via silicon capillary impregnation.—75-04380

Braue, W.
Microstructural considerations for fractographic analysis of polyphase ceramics via transmission electron microscopy.—75-04356; See also Carpenter, R. W.; Kleebe, H.-J.; Pleger, R.

Braun, Hans See Eschner, A.

Braun, Linda M.
Need for advanced characterization techniques in product manufacturing: a case study on ceramic matrix composites.—75-06902; See also Cook, R. F.

Braun, M.; Gschwindt, A.; Hoffmann, W. R.; Huttinger, K. J.
Influence of powder properties on the sintering of polyaromatic mesophases to high-strength isotropic graphite.—75-01543

Braun, P. D. See Loginov, Yu. Yu.

Braun, P. D.; Loginov, Yu. Yu.; Stobbs, U. M.; Khamfreis, K. D.
Formation of microtwins in (001) heteroepitaxial layers.—75-07895

Brauneis, Edwin See Brandau, Egbert

Brauns, Etienne; Patyn, Johan
Calculation of Weibull life expectancy parameters from fracture data using the maximum likelihood criterion and a Nelder-Mead simplex minimization algorithm.—75-08640

Braunstein, Gabriel See Paz-Pujalt, Gustavo R.

Bravo, D. See Martin, M. J.

Bravo-Leon, A.; Jimenez-Melendo, M.; Dominguez-Rodriguez, A.
Influence of oxygen partial pressure on the creep characterization of a superplastic 4 mol% yttria partially stabilized zirconia.—75-06996

Bray, James W. See Anthony, Thomas R.

Bray, K. L. See Lochhead, M. J.

Bray, P. J. See Emerson, J. F.

Brazil, Stephen M. See Talbert, Lloyd G.

Brazis, R.; Safonova, L.; Narkowicz, R.
Infrared excitations in semiconductor layered periodic structures in transverse magnetic field.—75-07931

Brebner, J. L. See Tran, C. A.

Brecher, C. See Wojtowicz, A. J.

Brede, R. See Danger, T.

Breder, Kristin See Lin, Hua-Tay

Breder, Kristin; Keiser, James R.
Failure analysis of an α-SiC tube subjected to thermal cycling in an oxygen-steam atmosphere.—75-04522

Breder, Kristin; Mroz, Thomas J.; Wereszczak, Andrew A.; Tennery, Victor J.
Utilization of fractography in the evaluation of high-temperature dynamic fatigue experiments.—75-04660

Brega, V. V. See Rotaru, A. Kh.

Breia, C.; Dinaro, R.; Hausmann, M. R.
Recycled crushed concrete as subbase pavement material.—75-00065

Breitinger, D. See Berger, C.

Brendel, R. See Balz, T.

Brenet, P.; Fantozzi, G.; Reynaud, P.; Rouby, D.
Measurement and analysis of the $p(u)$ curve giving the bridging tractions vs crack opening displacement in fiber-reinforced ceramic matrix composites.—75-04583

Brennan, John J. See Hasselman, D. P. H.; Sheldon, Brian W.; Sun, Ellen Y.

Brennan, John J.; Nutt, Steven R.; Sun, Ellen Y.
Interfacial microstructure and stability of BN-coated Nicalon fiber/glass-ceramic matrix composites.—75-04349

Brenner, D. W. See Robertson, D. H.; White, C. T.

Brenscheidt, F.; Seidel, D.; Wipf, H.
Elastic after-effect study of the ferroelastic tetragonal-orthorhombic transition in $YBa_2Cu_3O_x$.—75-03363

Bresciani, Andrea See Andreola, F.; Brusa, Augusto

Bresler, M. S.; Gusev, O. B.; Aidaraliev, M. A.; Zotova, N. V.; Karandashev, S. A.; Matveev, B. A.
Process of radiative recombination in double heterostructures of InAsSbP/InAsSb/InAsSbP.—75-03137

Bresler, M. S.; Gusev, O. B.; Zakharchenya, B. P.; Pak, P. E.; Sobolev, N. A.; Shek, E. I.
Electroluminescence of erbium-doped silicon.—75-07868

Bressers, J. See Martins, C. S.

Bressiani, A. H. See Rocha, J. C.

Bressiani, J. C. See Veiga, S. M. B.

Brett, J. E. See Ellson, D. B.

Brett, N. H. See Ghanbari-Ahari, K.

Breval, Else; Agrawal, Dinesh K.; Subbarao, E. C.; Limaye, Santosh Y.
Acoustic emission study of microcracking in the system $Ca_{1-x}Sr_xZr_4P_6O_{24}$.—75-02021

Brewer, David N. See Bar-On, Isa

Brewster, G. A. See Tofe, A. J.

Breysse, M. See Afanasiev, P.

Breza, Yu.; Didenko, P. I.; Konakova, R. V.; Milenin, V. V.; Romanova, G. F.
Effect of γ-radiation on the properties of SiO_2-GaAs structures.—75-07841

Brezny, B. See Singh, K. N.

Brezny, Rasto; Spotnitz, Robert M.
Method of making microcellular ceramic bodies.—75-00996

Brezynski, B. K. See Hauck, D.

Briancin, J. See Balaz, P.

Briatico, J. See Prado, F.

Bridger, Keith See Brown, Steve A.

Brielmann, Harry L., Jr. See Skutnik, Bolesh J.

Brigatti, Maria; Corradini, Fulvio; Franchini, Giancarlo
Interaction of exchanged Zn^{2+}-montmorillonite with alkaline and earth-alkaline cations.—75-03801

Briggs, E. See Boguslawski, P.

Brik, A. B.; Degoda, V. Ya.; Marazuev, Yu. A.; Samoilovich, M. I.; Shcherbina, O. I.
Mechanism of the formation of tunneling Al-O^- centers in quartz studied using EPR.—75-06269

Brinciotti, A. See Fornari, R.

Brindley, W. J. See Cook, L. S.

Brinev, B. V. See Gektin, A. V.

Bringuier, E.
Tentative anatomy of ZnS-type electroluminescence.—75-00614

Brinkevich, D. I. See Aleshin, V. D.

Brinkman, C. R. See Liu, K. C.

Brinkman, C. R.; Quinn, G. D.; McClung, R. W.
Overview of ASTM standard activities in support of advanced structural ceramics development.—75-07091

Brinkman, H. W.; Meijerink, J.; De Vries, K. J.; Burggraaf, A. J.
Kinetics and morphology of electrochemical vapor deposited thin zirconia/yttria layers on porous substrates.—75-08965

Brinkmann, D.
NMR relaxation in Y-Ba-Cu-O superconductors.—75-05803

Bristow, N. See Dukino, R. D.

Brite, D. W. See Abel, K. H.

Brito, Manuel E. See Hirao, Kiyoshi; Shigegaki, Yasuhiro; Watari, Koji

Brito, Manuel E.; Bando, Y.; Mitomo, M.
Microstructural features of sintered Si_3N_4/SiC-whiskers composites: mechanical integrity of whiskers.—75-06892

Brito, Manuel E.; Yasuoka, Masaki; Kanzaki, Shuzo
In process surface modification of alumina grains in sintered bodies.—75-09551

Britt, P. F. See Hettich, R. L.

Brix, Peter
Highly chemically and thermally resistant borosilicate glass which is capable of forming a seal with tungsten.—75-05049

Broadbent, C. P. See Machingawata, N. C.

Brocheton, Yves; Prassas, Michel; Ricoult, Daniel L. G.
Colorless ophthalmic glasses.—75-07416

Brockmeyer, J. W.; Straub, A. C.; Krieg, E. J.
Ceramic composite attachments for transmission of high-torque loads.—75-07063

Brodie, R.
Creative process.—75-02228

Brodin, M. S. See Blonskii, I. V.

Brodkin, Dmitri; Barsoum, Michel W.
Isothermal section of Ti-B-C phase diagram at 1600°C.—75-03802

Brodkin, Dmitri; Kalidindi, Surya R.; Barsoum, Michel W.; Zavaliangos, Antonios
Microstructural evolution during transient plastic phase processing of titanium carbide–titanium boride composites.—75-06891

Brodnick, A.
Exercises for a healthy back.—75-02245

Brodovoi, A. V.; Brodovoi, V. A.; Vyalyi, N. G.; Knorozok, L. M.; Kolesnichenko, V. G.
Magnetic susceptibility of crystals of $(InSb)_{1-x}(CdTe)_x$ solid solutions.—75-07960

Brodovoi, V. A. See Brodovoi, A. V.

Brodsky, Colin J.; Ko, Edmond
Effect of drying temperature on the physical properties of titania aerogels.—75-06576

Brodzinski, R. L. See Abel, K. H.

Brogan, Mark S.; Dines, Trevor J.; Cairns, James A.
Raman spectroscopic study of the Pt-CeO_2 interaction in the Pt/Al_2O_3-CeO_2 catalyst.—75-06335

Broglio, M. See Hillig, W. B.

Brombach, J. See Jungling, T.

Brondsted, Poul See Jacobsen, Torben K.; Sorensen, B. F.

Brongersma, H. H.; Groenen, P. A. C.; Jacobs, J.-P.
Application of low-energy ion scattering to oxidic surfaces.—75-01790

Brook, R. J. See Borsa, C. E.; Cahn, Robert W.; Iwamoto, Y.; Li, T.; Matsubara, Hideaki; McMillan, S. M.; Morelli, M. R.; Sternitzke, M.

Brooke, J.; Thompson, J.
China Diary.—75-02215

Brookes, Chris A. See Bradt, Richard C.

Brooks, C. T. See Alexander, M. T.

Brooks, Holly S. See Mehrotra, Pankaj K.

Brooks, Keith G. See Bursill, L. A.; Muralt, Paul; Tagantsev, A. K.

Brorsson, G. See Alarco, J. A.

Brorsson, G.; Olsson, E.; Ivanov, Z. G.
$YBa_2Cu_3O_{7-x}$ films on yttria-stabilized ZrO_2 substrates: influence of the substrate morphology.—75-03427

Brosha, E. See Garzon, F. H.

Brosnan, Denis A.
Monitoring for hydrogen fluoride emissions.—75-03583; See also Figueiredo, Aloyso O.; Hill, J. K.; Sanders, John P.

Bross, Alan D. See Pla-Dalmau, Anna

Brossa, Francesco See Ferraris, M.

Broszeit, Erhard See Sternitzke, M.

Brotz, F.-J.
Modernizing sanitary ware production.—75-05165

Brotzen, F. R. See Griffin, A. J. Jr.; McNally, R. L.

Brough, A. R.; Dobson, C. M.; Richardson, I. G.
In situ solid-state NMR studies of C_3S/SiO_2: hydration at room temperature and at elevated temperatures using ^{29}Si enrichment.—75-06243

Brough, A. R.; Groves, G. W.; Richardson, I. G.; Rodger, S. A.; Dobson, C. M.
Kinetics of hydration and other reactions of calcium silicates and cements.—75-00263

Broughton, J. N. See Huai, Y.

Broughton, R. M.
Polyurethanes in the ceramic industry.—75-07092

Brounshtein, B. I.; Kochetov, O. A.; Pimkin, V. G.; Simakova, I. V.
Macrokinetics of oxygen fluoride absorption.—75-06265

Brovikova, S. A. See Ivanova, L. D.

Brovtsyn, A. K.; Chershneva, G. S.
Aerodynamic purification, disintegration, and separation of quartz sands and similar bulk materials.—75-07440

Brow, Richard K. See Kovacic, Larry

Brow, Richard K.; Tallant, David R.; Turner, Gary L.
Raman and ^{11}B nuclear magnetic resonance spectroscopic studies of alkaline-earth lanthanoborate glasses.—75-04920

Brown, Christopher A. See Bar-On, Isa

Brown, D. L. See Petreanu, J. P.

Brown, Dale M.; Ghezzo, Mario
Silicon carbide junction field effect transistor device for high-temperature applications.—75-08115

Brown, G. R.
Michael Magoto.—75-02297; See also Towle, S. N. Jr.

Brown, G. See Smith, S.

Brown, G.; De Sanctis, S.; Eleazer, B.
New oxy-fuel burner provides benefits to glass melters.—75-03622

Brown, Gregory P.; Wood, David G.
Production of low-soda alumina.—75-08626

Brown, I. W. M. See Barris, G. C.; Mackenzie, K. J. D.; White, G. V.

Brown, I. W. M.; Ryan, M. J.; Owers, W. R.; White, G. V.; Hagglund, J.; Van der Berg, T.
Fabrication and properties of TiB_2 cermets.—75-00094
Brown, I. W. M.; White, G. V.; Barris, G. C.; Ryan, M. J.; Owers, W. R.; Sheppard, C. M.
Properties and microstructure of clay-derived β-SiAlON.—75-04389
Brown, I. See Lozykowski, H. J.
Brown, J. T.
Batch and cullet preheating for oxyfuel melting—the new paradigm for competitive advantage.—75-01055
Brown, Jesse J. Lee, Kyoung-Ho; Li, T. K.; Varshney, Usha
Brown, John T. See Kotacska, Lawrence H.
Brown, John T.; Kobayashi, Hisashi
Is your glass full of water.—75-05023
Brown, John
Solving firing problems—guessing or facts.—75-03631
Brown, Kenneth R.
Cerdec bulk bag doser evaluation.—75-02852
Brown, N. M. D. See Sargankova, I.
Brown, N. R. See Wilson, C. N.
Brown, P. J. See Chattopadhyay, T.
Brown, Paul W. See Ma, Wei-Ping; Sample, David R.
Brown, Paul W.; Martin, R. I.; TenHuisen, K. S.
Factors influencing the formation of monolithic hydroxyapatite at physiological temperature.—75-04041
Brown, R. C. See Moore, M. A.
Brown, Raymond See Himmel, Richard P.
Brown, S. R.; Turner, I. G.; Reiter, H.
Residual stress measurement in thermal-sprayed hydroxyapatite coatings.—75-04621
Brown, S. W. See Taylor, C. A. III
Brown, S. W.; Rand, S. C.; Hong, C.-H.; Pavlidis, D.
Raman scattering and X-ray diffraction studies of gallium nitride films grown on (100)gallium arsenide.—75-01923
Brown, Steve A.; Hom, Craig L.; Massuda, Mona; Prodey, Jacqueline D.; Bridger, Keith; Shankar, Natarajan
Electromechanical testing and modeling of a $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-$BaTiO_3$ relaxor ferroelectric.—75-05562
Brown, T. See Mahfuz, H.
Brown, W. D. See Ang, S. S.; Beera, R. A.; Jamil, S.; Malshe, A. P.; Molian, P. A.
Browning, N. D. See McGibbon, M. M.
Browning, N. D.; Chisholm, M. F.; Pennycook, S. J.
Atomic resolution chemical analysis at 100 kV in the scanning transmission electron microscope.—75-01792
Bruce, A. J. See Potter, B. G. Jr.
Bruce, A. J.; Grodkiewicz, W. H.; Shmulovich, J.; Wong, Y.-H.; Becker, P. C.; Nykolak, G.
Er^{3+}-doped soda-lime glasses and planar waveguide devices.—75-05010
Bruce, A. J.; Grodkiewicz, W. H.
Lanthanide containing oxide glasses.—75-04913
Bruce, C. A. See Kowbel, W.
Bruce, R. W.; Fliflet, A. W.; Kurihara, L. K.; Lewis, D., III; Rayne, R.; Chow, G.-M.
Microwave sintering of nanocrystalline ceramics.—75-01582
Bruce, Robert W.; Skelly, David W.; Minnear, William P.; Nardi, Richard A.; Wortman, David J.; Maricocchi, Antonio F.; Viguie, Rudolfo; Rigney, David V.
Vapor deposition of ceramic materials.—75-01006
Bruck, Martin; Vaahs, Tilo; Peuckert, Marcellus; Scheunemann, Ude; Stehlin, Thomas; Theis, Jurgen
Optical waveguide moldings made from silicon nitride and a method of detecting optical wavelengths using same.—75-07435
Bruckner, R. See Klug, T.; Yue, Yuan-Zheng
Bruckner, Raimund; Hintzen, Ullrich; Luhrsen, Ernst; Rothfuss, Hans; Ott, Albert
Process for inductive heating of ceramic shaped parts.—75-01003
Bruckner-Foit, A. See Johansson, T.
Bruhin, T.
Reflections on wood firing.—75-02339
Bruhn, J. See Garcia, Daniel E.
Bruk, L. I.; Gorya, O. S.; Korotkov, V. A.; Kovalev, L. E.; Malikova, L. V.; Simashkevich, A. V.
Kinetics of photoconductivity in ZnSe crystals upon photoexcitation of deep centers.—75-05357
Bruks, E. D. See Andrievskii, R. A.
Bruley, J. See Kleebe, H.-J.; Mullejans, Harald; Recnik, Aleksander; Tanaka, I.
Bruley, J.; Westwood, A. D.; Youngman, R. A.; Zhao, J.-C.; Notis, M. R.
SREELS analysis of oxygen-rich inversion domain boundaries in aluminum nitride.—75-04402
Bruls, R. See Hintzen, H. T.
Brunet, F.; Cabane, B.; Dubois, M.; Lux, P.; Virlet, J.
Structural and kinetic studies for the condensation of silica gels by HR ^{29}Si NMR.—75-01245
Brungardt, Clement L.
Process for forming ceramic laminates.—75-08616
Brungs, M. P. See Guerbois, J. P.; Ji, J. J.; Pettifer, A. J.; Shi, X. Y.
Brunk, F.; Schmidt, C.
Production of high-quality silica bricks for use in coke ovens.—75-07635
Brunkov, P. N.; Konnikov, S. G.; Ustinov, V. M.; Zhukov, A. E.; Egorov, A. Yu.; Maksimov, M. V.
Capacitance spectroscopy of electron energy levels in InAs quantum dots in GaAs matrix.—75-07795
Brunold, A. See Kochsiek, D.
Brunsman, E. M.; Sutton, R.; Bortz, E.
Magnetic properties of carbon-coated ferromagnetic nanoparticles produced by a carbon-arc method.—75-03305
Brusa, Augusto; Bresciani, Andrea
Floor and wall tile production through a multipurpose body.—75-02772
Brush, Lucien N. See Henager, Chuck H. Jr.
Bruzzichelli, C.
Ceramitec continues to grow.—75-02758
Bryant, P.
Effect of lead stoichiometry on the optimum sintering profile of PZT ceramics.—75-01456; Effects of low-level alumina and silica additions on PZT ceramics.—75-00327
Bryant, R. M.
Electronics processing in the '90s.—75-04705
Bryden, W. A. See Kistenmacher, T. J.; Miragliotta, J. A.; Wickenden, D. K.
Bryden, W. A.; Ecelberger, S. A.; Hawley, M. E.; Kistenmacher, T. J.
ECR-assisted reactive magnetron sputtering of InN.—75-00462
Bryukvin, V. A. See Leont'ev, V. G.
Bryzek, J.; Gee, D.
Enabling technologies for low-cost high-volume pressure sensors.—75-00483
Bryzgalov, I. A.; Spiridonov, E. M.; Petrova, I. V.; Sakharova, M. S.
Babkinite $Pb_2Bi_2(S, Se)_3$—a new mineral.—75-08753
Bu, Hen-Zhi See Wu, Zheng-Ming
Bublik, V. T.; Evgen'ev, S. B.; Kalinin, A. A.; Mil'vidskii, M. G.
Effect of implantation conditions and activating annealing on the structure of silicon- and selenium-doped gallium arsenide plates.—75-05292
Bublik, V. T.; Shcherbachev, K. D.
Microdefects in Te-doped GaSb.—75-05383
Buc, D. See Hotory, I.
Buchal, Christoph See Copetti, Carlo
Buchanan, M. See Steele, A. G.
Buchanan, R. M. See Jiang, N.
Buchanan, Relva C.; Chu, Peir
Processing and characteristics of spin-cast ferroelectric $Bi_4Ti_3O_{12}$ thin films.—75-00692
Buchel'nikov, V. D.; Nikishin, Yu. A.
Nonlinear electromagnetic excitation of longitudinal ultrasound in ferromagnets in the saturation region.—75-08234
Buchel'nikov, V. D.; Vasil'ev, A. N.; Voloshok, T. N.
Nonlinear generation of ultrasound in PbTe(Ga).—75-07985
Buchheit, C. D. See Schwartz, Robert W.; Sinclair, M. B.
Buchholz, D. B. See Vuchic, B. V.
Buchinskaya, I. I. See Maksimov, B. A.
Buchkov, E. A. See Gavrilov, Yu. A.
Buchta, Michael A. See Shih, Wei-Heng
Buchta, Michael A.; Shih, Wei-Heng
Improved aqueous dispersion of silicon nitride with aminosilanes.—75-04073; 75-08952
Buchwald, W. See Flemish, J. R.
Bucinskiene, D. See Narkevicius, A.
Buck, D. M.
Topaz as a source of mullite.—75-01734
Buck, E. C. See Ellison, A. J. G.
Buck, E. C.; Wronkiewicz, D. J.; Millar, A.
Microscopic characterization of crystalline phases in waste forms.—75-03480
Buckley, John
No-draft slip casting with low CTE materials.—75-07090
Bucko, D.; Vignot, J. M.; Guillo, P.; Gautier, D.; Takahashi, Y.; Inoue, S.
Lift-out rolls and lehr rolls for production of high-quality glass.—75-06001
Bucko, Miroslaw M.; Cichocinska, Maria
Preparation of Ca-β/21/2-Al_2O_3 from alumina gel.—75-09389
Bucko, Miroslaw M.; Haberko, Krzysztof; Faryna, M.
Crystallization of zirconia under hydrothermal conditions.—75-01213
Budanov, A. V. See Sysoev, B. I.
Buddhudu, S. See Sathyanarayana, J. V.; Vanniasinkam, J.
Budennaya, L. D.; Gorbik, P. P.; Dubrovin, I. V.; Ogenko, V. M.; Teterkin, V. V.
Physical characteristics of single-crystal solid solutions of the SnTe-Cd(S, Se) system.—75-05436
Budiansky, Bernard; Cui, Ying-Qing L.
Tensile strength of a fiber-reinforced ceramic composite containing a crack-like flaw.—75-07043
Buechele, A. C. See Gan, H.; Mohr, R. K.; Yan, Q.
Buechele, A. C.; Muller, I. S.; Pegg, I. L.; Kim, C.-W.; Yaschenko, E.
Properties of glasses for Idaho mixed waste vitrification.—75-03490
Buerhop, Claudia See Hahn, Karlheinz
Bufano, M. L. See Gevelber, M. A.
Buffat, P. A. See Bonard, J. M.
Bugaev, A. A.; Averkieva, G. K.; Prochukhan, V. D.
Two-photon and nonstationary energy exchange in $AgGaSe_2$ ternary semiconductors.—75-05509
Bugaev, A. A.
Kinetics of decay of light-induced lattices in $AgGaSe_2$ during two-photon excitation.—75-07944
Bugaev, A. S.; Zakharova, A. A.
Quasi-stationary charge transport by a surface acoustic wave.—75-08033
Bugakov, A. M. See Kurganskii, S. I.
Buhaenko, David S. See Southworth, Paul
Buhl, H. See Morgenthaler, K. D.
Bui-Pham, M. N. See Hahn, D. W.
Buijs, Maarten
Predicting the relative machinability of optical glass from composition.—75-00196
Buinovskii, A. S.; Sofronov, V. L.; Chizhikov, V. S.; Shtefan, Yu. P.; Kondakov, V. M.; Kobzar, Yu. F.
Fluoride technology for producing high-energy magnetic alloys and hardeners based on rare-earth metals.—75-05673
Bukivskii, P. N.; Gnatenko, Yu. P.; Rozhko, A. Kh.
Characteristic features of conductivity of $Cd_{0.95}Mn_{0.05}Te$:Co crystals.—75-02973; Localization of excitons in $Cd_{1-x}Mn_xTe$ crystals near the paramagnetic–spin glass phase transition temperature.—75-07952
Bulakh, V. L. See Boltyanskii, A. V.
Bulakh, V. L.; Drozd, V. I.
Forsterite-containing parts for air heaters of blast furnaces.—75-05094
Bulanyi, M. F.; Klimenko, V. I.; Likoshva, A. V.
Thermally stimulated conductivity in plastically deformed ZnS-Cu,Mn crystals.—75-05503
Bulanyi, M. F.; Klimenko, V. I.; Polezhaev, B. A.
EPR and luminescence of plastically deformed ZnS:Mn crystals.—75-07877
Bulat, L. P.; Zakordonets, V. S.; Arkad'ev, V. Yu.
Short-circuited semiconductor thermomechanical energy converter.—75-05474
Bulat, L. P.; Zakordonets, V. S.
Limited thermoelectric figure-of merit of crystalline semiconductor materials.—75-05359
Bulavinov, V. V. See Baraban, A. P.
Bulbulian, Silvia See Valenzuela, Miguel A.
Bulgakov, A. A.; Moskalenko, V. V.
Instability of surface polaritons in a classical semiconductor superlattice.—75-07936
Bulgakova, S. V. See Godin, Yu. G.
Buljan, Sergej-Tomislav
Alumina–rare earth oxide ceramic-metal bodies.—75-04871
Bull, C. See Finot, M.
Bullard, Jeffrey W. See Searcy, Alan W.
Bullock, E. See Grenet, C.; Kooner, S.; Sabouret, E.
Bullock, Ronald E. See Ference, Joseph A.
Bultitude, John See Chu, Mike S. H.
Bun'kov, M. M. See Borisov, A. F.
Bunina, O. A. See Gakh, S. G.
Bunker, Bruce See Balmer, Mari Lou
Bunsell, A. R.; Berger, M. H.; Hochet, N.
Structural and mechanical characterization of some alumina and SiC based fibers.—75-03929
Buntar, V.; Weber, H. W.
Magnetic properties of fullerene superconductors.—75-08357
Bunton, P. H. See Williams, R. T.
Burbaev, T. M. See Aslanov, G. A.; See Boltaev, A. P.
Burckhardt, Wolfgang; Winterstein, Georg
Ceramic catalysts for environmental protection.—75-03643
Burdette, H. See Plano, M. A.
Burdiyan, I. I.; Batalin, V. A.
Thermal conductivity and heat capacity of $(As_2S_3)_x(As_2Se_3)_{1-x}$ glasses.—75-04998
Buresch, F. E.
Crack growth in elastically damaged materials.—75-06949
Buretea, M. A. See Miller, G. P.
Burgard, K. C. See Wilson, C. N.
Burger, A. See George, M. A.; Languell, M. L.
Burgess, A. H.
Processing trends in tile manufacturing.—75-02790
Burgess, A. See LeGeros, J. P.
Burgess, D. R. F., Jr. See Kreider, K. G.
Burggraaf, A. J. See Bakker, P. M. V.; Brinkman, H. W.; He, Ying-Jie; Sagel-Ransijn, C. D.
Burk, Albert A., Jr.; Barrett, Donovan L.; Hobgood, Hudson M.; Clarke, Rowland C.; Eldridge, Graeme W.; Brandt, Charles D.
Method for epitaxially growing α-silicon carbide on *a*-axis α-silicon carbide substrates.—75-08593
Burkat, T. M. See Pal'tiel, L. R.
Burkat, V. S.
Dry adsorbed purification of fluoride gases during aluminum production.—75-06209
Burke, John T. See Aghajanian, Michael K.
Burke, Michael A.
Diamond coatings for aluminum alloys.—75-00155
Burkert, V. See Zorn, C.
Burkett, Richard
NCECA GlazeBase—how to access the Ceramics Gopher.—75-02879
Burkhart, III See Knell, Timothy A.
Burkov, V. I. See Egorysheva, A. V.
Burlak, A. V. See Aleshin, A. N.
Burlitch, J. M. See Jones, S. A.
Burmakin, E. I. See Anikina, E. L.; Karavaev, Yu. N.
Burmester, C. P. See Goldman, M.
Burmistrov, G. V. See Polyanskii, S. N.
Burmistrov, V. N.
Standardization of heat-engineering properties of ceramic wall materials.—75-07455
Burneika, I.; Knisevskaya, L.; Laurinavicius, A.; Pozela, K.; Smertin, O.; Tamosiuniene, M.
Numerical and experimental investigation of metal waveguide containing a layer of transversely magnetized semiconductor.—75-07987
Burns, Lee E. See Pickering, Michael A.
Burov, Yu. M.; Grigor'ev, Yu. M.; Davydova, G. I.
Chemical gas-phase deposition of refractory boron-containing products on the basis of thermometallic reduction of boron halogenides.—75-07490
Burr, Stephen P.
Patent's role in developing new technology.—75-04729
Burrows, R. W.
Interference colors with copper raku.—75-02271
Bursill, L. A.; Brooks, Keith G.
Crystallization of sol-gel-derived lead zirconate titanate thin films in argon and oxygen atmospheres.—75-00644
Bursill, L. A.; Peng, J. L.; Qian, H.
Chemical and polar nanodomain fluctuations in relaxor-type lead scandium tantalate.—75-01813
Burt, J. A. See Gupta, Y. M.
Burtsev, V. T.
Dephosphorization and chromium transfer from Fe-C-Cr-P-containing melts to slag on the basis of oxides and fluorides of Ba, Ca, and Na in weakly oxidizing atmosphere: II.—75-09251; Dephosphorization of the Fe-C-P melts by slags on the basis of Ba, Ca, and Al oxides, fluorides, and chlorides in weakly oxidizing atmosphere: I.—75-09252; See also Grigor'ev, E. V.

Burzacchini, Bruno; Paganelli, Mariano; Christ, Heinrich G.
Examination of fast-fire frits and glazes using a hot stage microscope at different heating rates [≤80 K/min].—75-02868
Busca, Guido See Baraton, M. I.; Ramis, Gianguido
Busca, Guido; Ricchiardi, Gabriele; Siew Hew, Sam D.
Spectroscopic characterization of magnesium vanadate catalysts: I. Vibrational characterization of $Mg_3(VO_4)_2$, $Mg_2V_2O_7$, and MgV_2O_6 powders.—75-06363
Busch, Trent See Leach, Bill
Bush, A. A. See Levin, A. A.; Novomlinskii, L. A.; Volkov, A. Yu.
Bushby, A. J.; Mukhopadhyay, A. K.; Mai, Y.-W.
Grain size effects on the mechanism of wear in alumina.—75-02056
Bushby, A. J.
Surface oxidation of a sintered silicon nitride—implications for mechanical properties.—75-02101
Bushuev, N. N.; Smirnova, E. V.; Mikhailichenko, A. I.
Physicochemical study of the H_2O-H_3PO_4-0.5H_2O system.—75-06318
Buslaev, Yu. A. See Kokunov, Yu. V.
Busse, L. E. See Sanghera, J. S.
Bussotti, F. See Bassanetti, A.
But'ko, Z. T. See Ul'yanova, T. M.
Butakov, S. V. See Polyanskii, S. N.
Butcher, Kenneth R.; Mountain, William L.; Struby, Sara B.
Ceramic foam filter having a protective sleeve.—75-06081
Butko, N. B.; Kraak, V.; Krauze, S.; Minina, N. Ya.; Savin, A. M.
Potential barrier growth at the grain boundaries of *p*-$Hg_{1-x}Cd_xTe$ bicrystals (x=0.23) during uniaxial compaction.—75-08024
Butkute, R. See Lisauskas, V.
Butler, C. See Hoghooghi, B.
Butler, D. J.; Nugent, K. A.; Roberts, A.
Characterization of optical fibers using near-field scanning optical microscopy.—75-06865
Butler, E. G. See Lewis, M. H.; Trusty, P. A.; Khasgiwale, N. R.; Fuentes, R.
Butler, James E. See Jensen, Elke; Pehrsson, Pehr E.; Troilo, L. M.
Butler, R.
ACC Columbus.—75-04672
Butnev, K. N. See Morozova, N. K.
Butt, Darryl P.; Albert, Diane; Taylor, Thomas N.
Kinetics of thermal oxidation of silicon nitride powders.—75-09595
Butt, Darryl P.; Lackner, Klaus S.; Wendt, Christopher H.; Conzone, Samuel D.; Kung, H.; Lu, Yung-Cheng
Kinetics of thermal dehydroxylation and carbonation of magnesium hydroxide.—75-06255
Butt, Darryl P.; Tressler, Richard E.; Spear, Karl E.
Discontinuous phase formation and selective attack of SiC materials exposed to low oxygen partial pressure environments. –75-01988
Butt, Darryl P.; Wantuck, Paul J.; Rehse, Steven J.; Wallace, Terry C., Sr.
Vaporization behavior of nonstoichiometric refractory carbide materials and direct observations of the vapor phase using laser diagnostics.—75-00276
Buttaev, B. M. See Smirnov, I. A.
Butter, R. S.; Lettington, A. H.
Diamondlike carbon [DLC] for biomedical applications.—75-08804
Butterfield, J. W.; Jones, G.
Decorating for trouble-free product.—75-02765
Button, C. C. See Yow, H. K.
Butyrin, G. M. See Kravetskii, G. A.
Buxbaum, Gunter See Lerch, Klaus
Buyanova, I. A.; Ostapenko, S. S.; Savchuk, A. U.
Polarization spectroscopy of luminescent excitation as a method for controlling elastic stresses in epitaxial GaAs layers.—75-08694
Buykx, W. J. See Bendeich, P. J.
Buzhinskii, S. A.; Val'kov, V. I.; Zavadskii, E. A.; Romanova, N. A.; Khapalyuk, E. A.
Hidden magnetically ordered phases in materials with competing ferro-antiferromagnetic interactions.—75-05675
Buzmakova, S. I. See Volkov, V. V.
Buznik, V. M. See Bayukov, O. A.
Buznik, V. M.; Urusovskaya, L. N.; Galant, V. E.; Vopilov, V. A.
NMR spectroscopic study of structural and dynamic features of fluorine in $Al(PO_3)_3$-BaF_2-MF_n glasses.—75-07307
Bychkov, A. M. See Rusakov, V. S.
Bychkovskii, D. N.; Konstantinov, O. V.; Tsarenkov, B. V.
—75-05520
Byeon, T.-B. See Kim, D.-Y.
Byerly, G. See Williamson, R. L.
Bygden, J.; DebRoy, T.; Seetharaman, S.
Dissolution of MgO in stagnant CaO-FeO-SiO_2 slags.—75-04316
Bykhodtseva, K. I.; Yakovleva, T. N.; Tarasova, D. V.; Soderzhinova, M. M.
Intercalation compounds [IC] of vanadium(V) phosphate dihydrate with univalent cations: synthesis and properties.—75-09345
Bykov, Igor P. See Glinchuk, M. D.
Bykov, V. N.; Anfilogov, V. N.; Kuznetsov, S. V.
Structure of aluminosilicate melts: evidence from Raman scattering spectra.—75-09070
Bykov, Yu.; Eremeev, A.; Flyagin, V.; Kaurov, V.; Kuftin, A.; Luchinin, A.
Gyrotron system for ceramic sintering.—75-00955
Bykovskii, V. A. See Akulovich, N. I.
Bykovskii, V. A.; Korshunov, F. P.; Solodovnikov, E. S.; Utenko, V. I.; Shokh, Y. F.
Radiative recombination and impurity-defect interaction in neutron transmutation doped gallium arsenide obtained under various conditions of crystal growth and irradiation.—75-08038
Byoun, Young-Seog; Oh, Chang-Seob; Choi, Sung-Churl
Synthesis of α-Al_2O_3 powder by using a microemulsion.—75-01705
Byun, Jae-Dong See You, In-Kyu
Byvsheva, I. I. See Stel'makh, N. S.
Cabane, B. See Brunet, F.; Roux, J. F.
Cable, M.
Attempting to predict the high-temperature corrosion of oxide ceramics by molten silicates.—75-01982
Caccavale, F.; Chakraborty, P.; Mansour, I.
Secondary ion mass spectrometry study of magnesium diffusion in lithium niobate.—75-01774
Cadieu, F. J. See Hegde, H.
Cadieux, M. See Catto, P.
Cadoff, L. H.; Jain, V.
Environmental testing of WVDP waste glasses.—75-03463
Cady, C. See Mackin, T. J.
Cahill, David G. See Wood, Jeffrey W.
Cahill, Paul A. See Jacobs, Joshua
Cahn, Robert W.; Haasen, Peter; Kramer, Edward J.; Brook, R. J.
Materials Science and Technology—A Comprehensive Treatment: Volume 17A, Part I, Processing of Ceramics.—75-07109; Volume 17B, Part II, Processing of Ceramics.—75-07110
Cai, J.; Li, B.-S.; Zhuang, H.-R.; Guo, J.-K.; Tian, Yong-Lai
Microwave joining of alumina both directly and with 2223 superconductor interlayer.—75-01575
Cai, J.; Song, C.-Y.; Li, B.-S.; Huang, X.-X.; Guo, J.-K.
Microwave sintering of zirconia-toughened mullite and its heating characteristics.—75-04111
Cai, Q.-Y. See Jiang, J.-F.
Cai, Zhi-Xiong; Welch, D. O.
Simulation study of grain growth in layered materials, application to $YBa_2Cu_3O_{7-\delta}$ ceramics.—75-03402; Theory on the structure of twin boundaries in $La_{2-x}Ba_xCuO_4$.—75-03417
Caillet, M. See Gleize, P.
Cailletaud, Georges See Berdin, Clotilde
Cain, M. G. See Lewis, M. H.
Cain, M. G.; Bennington, S. M.; Lewis, M. H.
Ferroelastic transformation in zirconia studied by neutron diffraction.—75-05573
Cain, R. L. See Plucknett, K. P.
Caird, Stephen B. See Narasimhan, Sundaram L.
Cairns, James A. See Brogan, Mark S.
Cakl, J. See Mikulasek, P.
Calamito, Dominic P. See Sawko, Paul M.
Calandra, Salvatore J. See Lau, Sai-Kwing
Calata, Jesus N. See Lu, Guo-Quan
Calciati, P.
Cecrisa, the reconquest of Brazil.—75-02756; Civita Castellana, specializing in sanitary ware.—75-02856; Sanitary ware firing.—75-07713
Calder, I. D. See Griswold, E. M.
Calderone, I.; Melbourne, W. H.
Analyzing glass strength data using the distribution of flaw depth.—75-00178
Caldwell, Ray See Cornett, Kenneth D.
Caley, Catherine E. See Holl, Susan M.
Calhoun, C. L., Jr.; Null, L. E.; Gorin, A. H.
Sulfur polymer cement [SPC] encapsulation of RCRA toxic metals and metal oxides.—75-03499
Calka, A. See Chen, Y.
Calka, A.; Nikolov, J. I.; Wantenaar, G. H. J.
Low-temperature synthesis of Al-AlN composites from a nanostructure made by controlled magnetoball milling of Al in ammonia.—75-01565
Callahan, Daniel L.
Diffraction method detection of local lattice distortion in AlN ceramics by convergent beam electron[—comment].—75-06205
Callahan, T. J.; Gantenberg, J. B.; Sands, B. E.
Calcium Phosphate (Ca-P) Coating Draft Guidance for preparation of Food and Drug Administration (FDA) submissions for orthopedic and dental endosseous implants.—75-00075
Calleja, J. M. See Ruiz, A.
Callens, E. See Johnson, J.
Callus, P. See Badwal, S. P. S.
Calmus, R. B. See Weber, E. T.
Calomino, Anthony M. See Bar-On, Isa
Calvani, P.; Capizzi, M.; Lupi, S.
Polaron imprints in the ir spectra of Nd_2CuO_{4-y}.—75-06321
Calzada, M. L. See Sirera, R.; Tu, Y.-L.
Calzada, M. L.; DeFrutos, J.
Nonstoichiometric lead titanate ceramics prepared by a wet chemical processing.—75-03244
Camargo, Nelson Almeida See Balek, Vladimir
Camargo, S. S., Jr. See Baia, A. L. Neto
Cambier, F. See Pilate, P.
Cameron, Ian V.; Makin, Stephen B.; Roberts, Michael A.
Argon stirring—development of a novel system for safe and controllable operation.—75-07478
Camet, E.; Garcia, V.; Morales, B.
Peruvian expressions.—75-02326
Camey, M. E. F.; Readey, D. W.
Oxidation kinetics of MgO-SiC composites.—75-04441
Camilletti, Robert C. See Ballance, David S.
Camlibel, I. See Biswas, D.
Campaniello, J. J. See Kooner, S.
Campari, E. G. See Bonetti, E.
Campbell, A. M. See Ciszek, M.
Campbell, B.; Wallen, P.
Electromagnetic interference study of a multi-chip carrier power hybrid.—75-00331
Campbell, B.
Bill Campbell.—75-02199
Campbell, Christian X.; El-Rahaiby, Said K.
Databook on Mechanical and Thermophysical Properties of Particulate-Reinforced Ceramic Matrix Composites.—75-04775; Databook on Mechanical and Thermophysical Properties of Whisker-Reinforced Ceramic Matrix Composites.—75-04776
Campbell, Geoffrey H.
Σ5 (210)/[001] symmetric tilt grain boundary in yttrium aluminum garnet.—75-09211
Campbell, Joe C. See Lai, Kafai
Campbell, William T. See Krum, Alvin L.
Campet, G.; Han, S. D.; Wen, S. J.
Correlations between the thermoelectric power and Hall effect of Sn or Ge doped In_2O_3 semiconductors.—75-05267
Camphausen, S. M. See Liu, A.
Campion, Isabelle M. M.; Marty, Christian
Method of making a shell mold from a ceramic material for a disposable pattern casting process.—75-08602
Campos-Loríz, Diego; Dierkes, Martina; Dukes, Gary; Funk, James E., Jr.; Lamkin, Michael A.; Schmitz, Peter
SiAlON-bonded silicon carbide refractory.—75-07702
Camus, Gerald; Barbier, Jean-Eric
Tensile behavior of a 2-D woven C/SiC composite at ambient and elevated temperatures.—75-04646
Camus, P. P. See Kelly, T. F.
Can, Nguyen; Ashrit, P. V.; Bader, G.
Electrical and optical properties of Li-doped $LiBO_2$ and $LiNbO_3$ films.—75-01282
Canarslan, Necip S. See Sekhar, Jainagesh A.
Canavier, E. K.
San Francisco fair connections.—75-02353
Caneiro, A. See Prado, F.
Canet, P.; Laurent, C.
Electroluminescence from radiation decay of surface plasmons in aluminum-insulator-indium tin oxide structures.—75-02908
Canino, Sylvia J. See Sonuparlak, Birol
Cannelli, G.; Cantelli, R.; Cordero, F.
Oxygen diffusion and reordering in $RBa_2Cu_3O_{6+y}$.—75-03388
Cannon, R. M.; Saiz, E.; Tomsia, A. P.; Carter, W. C.
Reactive wetting taxonomy.—75-04200
Cannon, R. M.
Wetting and segregant films at ceramic grain boundaries.—75-01976; See also French, R. H.; Pan, Xiao-Qing; Tanaka, I.; Wang, Chong-Min
Cannon, W. R. See Cook, R. F.; Khasgiwale, N. R.; Vaidyanathan, K. R.
Canright, R. E.
Controlled reflection design in high speed digital computers.—75-00447
Cans, M. See Desmonts, N.
Cantalini, C. See Pelino, M.
Cantalini, Carlo See Sun, Hong-Tao
Cantelli, R. See Cannelli, G.
Cantrell, John H. See Sathish, Shamachary
Cantrill, E. R.; Stevens, M. G.; Ray, A. S.; Aldridge, L. P.
Use of differential thermal analysis for hydrothermally cured cement products.—75-00072
Cantu, M. W. See Wolfenden, A.
Canva, M. See Larrue, D.
Cao, Chuan-Bao See Zhang, Zhi-Wei
Cao, G.; O'Reilly, J. W.; Crow, J. E.
Magnetic ordering and electric polarizability of Zn-doped $La_2CuO_{4\pm\delta}$ single crystals.—75-03381; Unusual transport and magnetic properties of Tb-doped $YBa_2Cu_3O_7$ single crystals and epitaxial thin films.—75-03425
Cao, Heng-Chu
Lifetime performance of bioceramics for biomedical prosthesis applications.—75-06108
Cao, Hong-Chen See Yang, Yuan-Fen
Cao, Joe J.; MoberlyChan, Warren J.; De Jonghe, Lutgard C.; Gilbert, Christopher J.; Ritchie, Robert O.
In situ toughened silicon carbide with Al-B-C additions.—75-02066
Cao, L.-X.; Xu, Y.; Zhao, B.-R.; Guo, L.-P.; Liu, J.-Z.; Xu, B.
Microstructure of Pb(Zr, Ti)O_3 and Pb(Zr, Ti)O_3/$YBa_2Cu_3O_7$ films.—75-08366
Cao, S. See Pedraza, A. J.
Cao, S.-Z. See Hu, Z.-Z.
Cao, Wan-Qing See Song, Xian-Yun
Cao, Wan-Qing; Hunt, Arlon J.
Improving the visible transparency of silica aerogels.—75-05019
Cao, Wan-Qing; Song, Xian-Yun; Hunt, Arlon J.
Preparation and characterization of aerogel-based carbon nanocomposites.—75-01611
Cao, Wan-Qing; Thomas, G.; Carey, M. J.
Microstructure of sputtered epitaxial $Ni_{0.8}Fe_{0.2}$/$Ni_xCo_{1-x}O$ exchange coupled bilayers on α-Al_2O_3(0001).—75-04369
Cao, X.-F. See Chen, X.-Q.
Cao, Xue-Qiang See Su, Qiang
Cao, Y. See Tao, S.-P.; Xiong, Q.
Cao, Ze-Chun; Wu, Ru-Jun; Song, Run-Sheng
Ineffective grain boundaries and breakdown threshold of zinc oxide varistors.—75-05343
Cao, Zhong; Jiang, Pei-Xuan; Li, Ling; Ye, Pei-Da
Bidirectional erbium-doped fiber amplifiers.—75-07324
Capar, Stephen G. See Hight, Susan C.
Capellucci, P. See Di Giampaolo, A. R.
Capes, D. E. See Bailey, J. H.
Capizzi, M. See Calvani, P.
Capmas, A.
Interest of research in building materials.—75-07082; See also Muller, D.; Su, Mu-Zhen
Cappelli, Mark A.
Apparatus and method for synthesizing diamond in supercritical water.—75-01156
Capurso, Joseph S.; Alles, Aldo B.; Schulze, Walter A.
Piezoresistive ceramic sensor based on PTCR barium titanate.—75-00689
Caracino, P. See Montanari, G. C.
Caracoche, Maria C. See Rivas, Patricia C.
Caracostas, O. A. See Wang, Q.
Caragianis-Broadbridge, C.; Walden, B. L.; Blaser, J.; Yang, C. O.; Paine, D. C.
Low temperature–high pressure oxidation of 3C-SiC.—75-03084

Caram, Hugo S. See Gaus, Shaun P.
Carboy, J.; McFadden, R. S.; Bickley Remmey, G., Jr. Pulse/proportional jet firing at work.—75-03627
Carcielio, N. See Sugama, T.
Carda, J. See Tena, M. A.
Cardile, C. M. See Dean, G. A.
Cardinaud, C. See Magro, C.
Cardoza, Hayley E. See Evans, Joe T. Jr.
Cardwell, D. A. See Jones, A. R.; Watson, Ian M.
Carel, C. See Ouammou, A.
Carey, M. J. See Cao, Wan-Qing
Carey, R.; Gago-Sandoval, P. A.; Newman, D. M. Magnetic and magnetooptical properties of Co-, Cr-, Mn-, and Ni-substituted barium ferrite films.—75-03303
Carim, A. H. See Skofronick, G. L.
Carl, Dan; Dobuzinsky, David M.; Nguyen, Son V.; Nguyen, Tue Method of making TA_2O_5 thin film by low-temperature ozone plasma annealing (oxidation).—75-05229
Carleton, James J. Today's safety and health issues [in porcelain enameling].—75-02150
Carlisle, J. A.; Terminello, L. J.; Hudson, E. A.; Shirley, E. L.; Himpsel, F. J.; Jia, J. J. Occupied and unoccupied orbitals of C_{60} and C_{70} probed with C 1*s* emission and absorption.—75-01316
Carlos, W. E.; Freitas, J. A., Jr.; Pazik, J. C.; Ivanova, L. M.; Altaiskii, Yu. M.; Zuev, V. L. Electron spin resonance studies of donors in bulk and thin-film β-SiC.—75-00475
Carlson, David W. See Hey, H. Peter W.
Carlsson, Jan-Otto See Johansson, Ann-Sofie
Carlsson, Roger See Kristoffersson, A.; Lyckfeldt, O.; Nyberg, Brita
Carlstrom, Elis See Nyberg, Brita
Carmel, Y. See Birman, Amnon; Martin, L. P.
Carmona, F. See Sirera, R.
Carmona, Sergio See Gettu, Ravindra
Carpenter, R. W.; Bow, J. S.; Kim, M. J.; Das Chowdhury, K.; Braue, W. Chemical widths at composite interfaces—relationships to structural widths and methods for measurement.—75-04305
Carpentier, Robert See Bedja, Idriss
Carr, K. E.; Wang, C. M.; Meltsner, K. J.; McCabe, T. J. Reducing PIM [powder injection molding] design-to-manufacture cycle time with process modeling and die design expert system.—75-05972
Carr, M. J. See Glass, S. Jill
Carr, P. W. See Annen, M. J.
Carrasco, M. P.; Guillem, M. C.; Alamo, J. Preparation and structural study of sodium germanium phosphate-sodium titanium phosphate solid solutions: II. Evolution of thermal expansion with composition.—75-01909
Carrasquillo, Gilbert See Leone, Edgar A.
Carre, Jean-Yves See Maze, Gwendael
Carroll, D. L. See Huey, B. D.; Liang, Y.; Mercer, T. W.
Carroll, D. L.; Mercer, T. W.; Liang, Y.; DiNardo, N. J.; Bonnell, D. A. Surface morphology of diamond thin films using photoinduced scanning tunneling microscopy.—75-01958
Carroll, Daniel F. See Dunmead, Stephen D.
Carroll, Daniel F.; Cochran, Gene A.; Conner, C. L.; Dunmead, Stephen D.; Eisman, Glenn A.; Hwang, C. J. Evaluation of a high-quality, low-cost carbothermal silicon nitride powder for use in making cost-effective engine components.—75-03698
Carroll, John T. See Bentz, Joseph C.
Carry, Claude See Sato, Eiichi
Carter, C. Barry See Anderson, Ian M.; Bentley, Jim; Kotula, P. G.
Carter, C. H., Jr. See Palmour, John W.; See Wang, S.
Carter, C. Chris Carter.—75-02217
Carter, J.; O'Connor, B. H. Effect of magnesia addition on the phase assemblage and microstructure of reaction-sintered alumina ceramics.—75-01831; Use of reaction sintering in the microstructural design of zirconia-dispersed alumina matrix ceramics.—75-01973
Carter, M. L.; Cassidy, D. J.; Woolfrey, J. L.; Bartlett, J. R. Rate-controlled sintering of ultrafine Y-TZP powder.—75-01640
Carter, M. L.; Stewart, M. W. A.; Leung, S. H. F.; Colella, M.; Vance, E. R. Microstructures of inactive Synroc-C samples produced by different hot consolidation methods.—75-08507
Carter, M. L.; Vance, E. R.; Aldridge, L. P. Immobilization of arsenic in cement.—75-00044
Carter, Melvin W. Contributions of the National Council on Radiation Protection and Measurements (NCRP) to radioactive waste management.—75-03453
Carter, Thomas M.; Coleman, Charles R.; Criss, Russell C.; Gillery, Frank H.; Martino, Pamela L.; Roginski, Amy M.; Winter, John A.; Wolfe, Terry L.; Finley, James J. Electrically heatable transparency.—75-00398
Carter, W. Brent See Chung, Yong S.
Carter, W. C. See Cannon, R. M.; Searcy, Alan W.
Carter, William L. See Rupich, Martin
Cartlidge, P. Ceramic decoration by the four-color process.—75-04788
Caruso, R. See Tordi, Alfredo
Carvalho, Carlos A. M. See Hashizume, H.
Carvalho, M. G.; Nogueira, M. Model-based evaluation of oxy-fuel glass-melting furnace performance.—75-06004
Casadio, S.; Donato, A.; Nannetti, C. A.; Ortona, A.; Rescio, M. Liquid infiltration and pyrolysis of SiC matrix composite materials.—75-04094
Casagranda, Albert; Xu, Jun-De; Evans, Anthony G.; McMeeking, Robert M. Pressure consolidation of fiber-reinforced oxide matrix composites: experiments and simulations.—75-03594
Casas, L. See Flemish, J. R.
Case, Eldon D. See Lee, Ki-Yong
Casey, Jon A. See Adair, James H.; Bezama, Raschid J.
Casey, Jon A.; Divakaruni, Renuka S.; Natarajan, Govindarajan; Reddy, Srinivasa S. N.; Sammet, Manfred Ceramic via composition, multilayer ceramic circuit containing same, and process for using same.—75-05218
Casey, Jon A.; Goland, David B.; Gupta, Dinesh; Herron, Lester W.; Humenik, James N.; Lombardi, Thomas E. Process for producing circuitized layers and multilayer ceramic sublaminates and composites thereof.—75-07773
Cash, Andrew See Chernakova, Ana K.
Caslavsky, J. See Vezzoli, G. C.
Casolari, C. Aesthetic effects obtained by decorating soluble salts.—75-07704; See also Medici, M.
Cass, Richard B. Accessing public laboratories to improve company technology.—75-07059
Cassidy, D. J. See Begg, Bruce D.; Carter, M. L.
Cassidy, D. J.; Woolfrey, J. L.; Bartlett, J. R. Crystallization and densification of sol-gel mullite powders.—75-01211
Cassidy, William D.; Evans, Edward A.; Wang, Ya-Xin; Angus, John C.; Bachmann, Peter K.; Hagemann, Hans-Jurgen Diamond growth rates and quality—dependence of gas phase composition.—75-01437
Castanho, S. M.; Moreno, R.; Salomoni, A.; Stamenkovic, I. Slip casting and pressure slip casting of Si_3N_4 aqueous suspensions.—75-01672
Castano, Victor M. See Araiza, Miguel A.
Castano, Victor M.; Suarez, D.; Rivera, E.; Estevez, M.; Hernandez, J. C. Growth of hydroxyapatite on silica gels.—75-04059
Casti, Thomas E. Diamond-coated microcomposite sintered body.—75-02568
Castillo, I. Abrego See Haetinger, C.
Castillon, Roger; Laveniere, Jean-Paul Monolithic ceramic supports for filtration membranes.—75-01127
Castro, J. See Mira, J.
Castro, J.; Martinez, D.; Rivas, J. Analysis of the high-temperature relaxation in polycrystalline magnetite.—75-03275
Castro, M. S.; Aldao, C. M.; Lopez, J. M. Porto Cobalt oxide and antimony oxide effects in the zinc oxide-bismuth oxide system.—75-01400
Castro, Miguel Angel See Munoz-Paez, Adela
Castro, R. G.; Kung, H.; Stanek, P. W. Reactive plasma spraying of $MoSi_2$ using an Ar-10% CH_4 powder carrier gas.—75-04198
Castro-Fernandez, Francisco See Pastor, Henri
Catalan, Antonio B.; Mantese, Joseph V.; Micheli, Adolph L. Preparation of barium strontium titanate thin-film capacitors on silicon by metallorganic decomposition.—75-00365
Catalano, Massimo See Sun, Hong-Tao
Catlow, C. Richard See Akhtar, Zeb-un-Nisa
Catto, P.; Cadieux, M. Jim Leedy—the reenchantment of clay.—75-02275
Cauchetier, M. See Musset, E.
Caughlin, T. A. See Sheasby, J. S.
Caughman, J. B. O. See Kass, M. D.
Caughman, J. B. O.; Hoffman, D. J.; Baity, F. W.; Akerman, M. A.; Forrester, S. C.; Kass, M. D. Sintering of ceramics using low-frequency rf power.—75-01666
Cave, J. See Dolez, P.
Cavin, O. Burl See Shanmugham, S.
Cawley, James D.; Heuer, Arthur H.; Newman, Wyatt S.; Mathewson, Brian B. Computer-aided manufacturing of laminated engineering materials [CAM-LEM].—75-03512
Cawley, James D. Effect of interphase carbon thickness on environmental resistance of continuous fiber-reinforced ceramic matrix composites.—75-04318; Oxidation of carbon constituents from multiphase microstructures.—75-09597; Oxygen diffusion in silica and corrosion of ceramics.—75-01770; See also Ikuhara, Yumi
Cearns, K. See Antaya, M.
Ceder, Gerbrand See Tepesch, Patrick D.
Cedvall, A. See Hofsass, H. C.
Ceh, M.; Kolar, D. Solubility of calcium oxide in barium titanate.—75-06360; Solubility of CaO in $CaTiO_3$.—75-06361
Celik, V. See Vengalis, B.
Cellucci, Fabio; Gozzi, Daniele; Tomellini, Massimo Oxygen diffusion in $YBa_2Cu_3O_{7-\delta}$ mixed conductors: interpretation of *T*-jump measurements and experiments on hysteresis of conductivity.—75-05810
Celotti, G. See Pekala, M.; Toriyama, Motohiro
Cerchez, M.; Trifu, E.; Grimblot, J. Increase in shock resistance of glassware via change in technological history.—75-02658
Ceresara, L.; Iembo, A.; Fuso, F.; Labardi, M.; Allegrini, M.; Arimondo, E. Pulsed laser ablation deposition and characterization of superconductive/ferroelectric bilayers.—75-08404
Cernosek, R. W.; Martin, S. J.; Wessendorf, K. O.; Terry, M. D.; Rumpf, A. N. Quartz resonator fluid monitors for vehicle applications.—75-00694
Cernoskova, Eva See Glinchuk, M. D.
Cerovic, Ljiljana S.; Milonjic, Slobodan K.; Zivkovic, Ljiljana V.; Uskokovic, Dragan P. Synthesis of spherical β-silicon carbide particles by ultrasonic spray pyrolysis.—75-06817
Cerqueira, Marinalva See Leite, E. R.
Cerri, Jose Alberto; Leite, E. R.; Gouvea, Douglas; Longo, E.; Varela, J. A. Effect of cobalt(II) oxide and manganese(IV) oxide on sintering of tin(IV) oxide.—75-04000
Cerrina, F. See Liang, S.
Cesna, A. See Asmontas, S.
Cestari, M. See Bassanetti, A.
Cha, Chin-Young See Ghosh, Asish
Cha, K.-H. See Kim, K.-H.
Chaban, N. F. See Mikhalenko, S. I.
Chabert, B. See Ayrault, S.
Chaboche, J. L.; Lesne, P. M.; Maire, J. F. Macroscopic modeling and damage processes in CMC's.—75-04581
Chaddha, Ajay K. See Parsons, James D.
Chae, Hee-Baik; Lee, Chang-Yop; Han, Yong-Jin; Baik, Young-Joon Thermal conductivity of MW-CVD diamond films synthesized with varying CH_4 concentration [2.5–10%].—75-09200
Chae, Ki-Woong; Nihara, Koichi; Kim, Doh-Yeon Effect of Cr_3C_2 addition on the sintering of SiC-TiC composite.—75-09271
Chae, Ki-Woong Effects of ZrC and VC addition on the diffusion-induced recrystallization of TiC-Cr_3C_2.—75-08916
Chae, Su-Jin; Park, Sang-Shik; Yoon, Soon-Gil; Lee, Won-Jae; Kim, Ho-Gi Characterization of $(Pb_{1-x}La_x)TiO_3$ [PLT] thin films grown by radio frequency magnetron sputtering and their electrical properties.—75-05536
Chai, C.; Ben-Nissan, B. Sol-gel-derived hydroxyapatite ceramic coatings.—75-01678; Thermal stability of synthetic hydroxyapatites.—75-01096
Chai, Yan-Jie See Xie, Shi-Zhong
Chaika, A. N. See Kul'bachinskii, V. A.
Chaim, R.; Stark, G.; Gal-Or, L.; Bestgen, H. Electrochemical Al_2O_3 coatings on TiB_2 and TiC substrates.—75-04020
Chaim, R.; Stark, G.; Gal-Or, L. Electrochemical ZrO_2 and Al_2O_3 coatings on SiC substrates.—75-06598
Chakalov, R. A. See Genchev, Z. D.; Nyakshev, K. F.
Chaker, M. See Huai, Y.
Chaki, T. K. See Wang, P. E.
Chaklader, A. C. D. See Veiga, S. M. B.
Chakrabarti, O. P.; Ghosh, S.; Mukerji, J. Influence of grain size, free silicon content, and temperature on the strength and toughness of reaction-bonded silicon carbide.—75-04566
Chakrabarti, P.; Chandra, A.; Gupta, V. Optically controlled characteristics of an ion-implanted hetero-MIS capacitor.—75-03104
Chakrabarti, S.; Sahu, J.; Chakraborty, M. Monophasic silica glasses with large neodymia concentration.—75-05028
Chakraborty, A. K. See Mollah, S.
Chakraborty, A. K.; Bose, K.; Som, K. K.; Chaudhuri, B. K. Effects of substituting mercury for yttrium, barium, and copper on the superconducting transition temperature of $YBa_2Cu_3O_8$.—75-03362
Chakraborty, A. K. Role of hydrolysis water-alcohol mixture on mullitization of Al_2O_3-SiO_2 monophasic gels.—75-06342
Chakraborty, A. See Mukherjee, B.
Chakraborty, I. N.; Chattopadhyay, A. K. Brown tabular alumina—a high-performance refractory aggregate for slag and chemical attack resistant formulations.—75-07485
Chakraborty, M. See Chakrabarti, S.; Krishnarao, R. V.
Chakraborty, P. See Caccavale, F.; Ghosh, B.
Chakraborty, R. N. See Reinhard, D. K.
Chakraborty, S. See Mollah, S.
Chakravorty, A. K. Effect of pH on 980°C spinel phase—mullite formation of Al_2O_3-SiO_2 gels.—75-03788
Chakravorty, D. See Hazra, S.; Pal, M.; Saha, S. K.
Chalaya, V. G. See Vlasenko, A. I.
Chaldyshev, V. V. See Bert, N. A.; Kunitsyn, A. E.
Chaldyshev, V. V.; Yakusheva, N. A. Photoluminescence of tin-doped GaAs grown by liquid phase epitaxy from mixed Ga-Bi solvent.—75-08017
Chaliyan, A. G.; Komarov, V. F.; Melikhov, I. V. Europium(III) phosphate crystallization via two intermediate modifications.—75-08927
Chalup, Alan See Gutmann, Benjamin
Chamberlain, D. M. See Zhokhovets, S. V.
Chambers, A. R. Machinability of light alloy MMCs [metal matrix composites].—75-07218
Chambers, S. A.; Liang, Y.; Gao, Y. Epitaxial growth and characterization of lattice-matched $MgO/Cr_{0.7}Mo_{0.3}/MgO(001)$ layered structures.—75-04025
Chan, Chen-Feng; Ko, Y.-C. Bonding matrix for bauxite-based, high-alumina torpedo ladle brick for lower temperature firing.—75-02753; Effect of rare-earth oxide concentrate on reaction, densification, and slag resistance of Al_2O_3-SiO_2 ceramic refractories.—75-02816; Influence of coarse aggregate content on the thermal conductivity of alumina-spinel castables.—75-07578
Chan, F. T. See Beera, R. A.
Chan, H. L. W. See Taunaumang, H.
Chan, Helen M. See An, Linan; Chen, Ching-Fong; Chou, Irene A.; French, Jonathan D.; Gaus, Shaun P.; Harmer, Martin P.; Thompson, A. M.
Chan, J. S. See Newman, N.
Chan, J. S.; Fu, T. C.; Cheung, N. W.; Newman, N.; Liu, X.; Ross, J. T. Metallization of GaN thin films prepared by ion-beam-assisted molecular beam epitaxy.—75-00542
Chan, Steven S.; Kam, Russel K.; Watson, Victor J. Millimeter wave ceramic package.—75-03210
Chan, W. C. W. See Gaspari, F.
Chan, W. S. See Shah, D. K.
Chan, W. See Bower, R. W.

Chan, Yin-Wen See Li, Victor C.
Chand, Naresh; Chu, Sung-Nee George; Dutta, N. K.
Growth and fabrication of high-performance 980-nm strained InGaAs quantum well lasers for erbium-doped fiber amplifiers.—75-05331
Chand, P. See Biswas, N. C.
Chand, Ronald H. See Guo, C.-S.
Chand, Ronald H.; Guo, C.-S.
New concept in cost-effective machining.—75-05965
Chandler, A.
Making pots at Silver Dollar City.—75-02287
Chandler, G. T. See Imrich, K. J.
Chandler, H. W.
Measuring the fracture properties of ceramics.—75-05959
Chandra, A. See Chakrabarti, P.
Chandra, G. Ravi See Krishna, B. Gopala
Chandra, Grish; Michael, Keith W.
Hermetic protection for integrated circuits.—75-07762
Chandra, Rashmi S. See Agnihotry, S. A.
Chandra, S. See Sidhu, K. S.
Chandra, Sharat; Malhotra, L. K.; Rastogi, A. C.
Structural, optical, and magnetic properties of $Cd_{0.77}Mn_{0.23}Te$ thin films.—75-06518
Chandra, Subhas See Kamalasanan, M. N.
Chandran, B.; Schmidt, W. F.; Gordon, M. H.
Temperature and stress issues in devices with diamond substrates during manufacturing and operation.—75-08077
Chandrasekhar, B. K. See Gopi Chandran, R.; Rao, K. J.
Chandrasekhar, S.; Farris, T. N.
Model of free abrasive machining for glasses and brittle ceramics.—75-00969
Chang, B.-S. See Yeh, C.-F.
Chang, C.-C.; Chang, J.-H.; Fang, S.-K.
Influence of sputtering parameters and substrates on ZnO thin-film structure.—75-04083
Chang, C.-W. See Lee, K.-H.; Hsieh, S.-W.
Chang, Clarence D.; Kresge, Charles T.; Santiesteban, Jose G.; Vartuli, James C.
Method for preparing a modified solid oxide.—75-08595
Chang, D. D.; Ling, H. C.
Photoimageable thick-film metallization on microwave substrate for wireless applications.—75-00361
Chang, Fang-Ru; Sposito, Garrison
Electrical double layer of a disk-shaped clay mineral particle: effect of particle size.—75-05163
Chang, H. L.; Shih, Wei-Heng
Conversion of fly ash to zeolites for waste treatment.—75-03513
Chang, Horng-Yi; Liu, Kuo-Shung; Lin, I-Nan
Modification of PTCR behavior of $(Sr_{0.2}Ba_{0.8})TiO_3$ materials by post-heat treatment after microwave sintering.—75-07976
Chang, J.-C. See Bor, H.-J.
Chang, J.-C.; Bor, H.-J.; Lin, Y.-T.
Crevice corrosion behavior of 304 stainless steel—crevice depth effect.—75-04421
Chang, J.-H. See Chang, C.-C.; Lee, K.-H.
Chang, J.-S. See Lee, Y.-Y.
Chang, Jiann-Min See Lal, Ravindra B.
Chang, Leon L. See Horan, William J.
Chang, R. P. H. See Vuchic, B. V.
Chang, S. C.; Sheu, T. S.
Rupture of Incoloy 800 tubes in a reform furnace.—75-03630
Chang, S. See Kim, C. Y.
Chang, S.-C. See Li, Y.-S.
Chang, S.-T. See Weng, B.-J.
Chang, Sek-Yung See Yang, J.-M.
Chang, T.-T.; Chuang, T.-H.
Influence of zirconium additions on the grain boundary melting of Ni_3Al intermetallic compounds.—75-02496
Chang, Tallis Y. See Norman, Jeffrey B.
Chang, Thomas; Zhu, Jian-Gang
Angular dependence measurement of individual barium ferrite recording particles near the single-domain size.—75-03276
Chang, Tong-Shik See Iba, Hisayoshi
Chang, Tzu-Yi See Shyu, Jiin-Jyh
Chang, U.-C.; Fann, D.-M.; Tzeng, R.-S.; Wu, J.-M.; Lee, J.-Y.
System for high sensitivity measurement of twisted nematic liquid crystal display cell gap by using a photoelastic modulator.—75-04252
Chang, W. See Bandis, Christos
Chang, W.-D. See Deng, Ming-Chen
Chang, Weng See Kear, Bernard H.
Chang, X. See Li, S.
Chang, X.-F. See Li, S.-C.
Chang, Y.-B.; Lee, S.-C.; Chou, S.-H.
R-curve fracture toughness study of Fe-Al-Mn alloys.—75-04448
Chang, Y.-C. See Howe, James M.
Chang, Y.-H. See Lin, W.-K.
Chang, Yu-Jing See Hwang, Chii-Shyang
Chaniotakis, E. See Papavassiliou, G.
Chanvillard, Gilles; Aitcin, Pierre-Claude
Pullout behavior of corrugated steel fibers.—75-04829
Chao, C. H. See Popovici, G.
Chao, H.-T.; Ma, C.-C. M.; Tai, N.-H.
Ceramic coating on the carbon/carbon composites through the sol-gel technique.—75-03960
Chao, L.-Y. See Danchaivijit, S.
Charatan, R. M.; Gross, M. E.; Eaglesham, D. J.
Plasma-enhanced chemical vapor deposition of titanium nitride thin films using cyclopentadienyl cycloheptatrienyl titanium.—75-01607
Chariar, A. K. Tripathi See Sharma, H. D.
Chariar, Vijayaragharan See Tripathi, A. K.
Charikova, O. G. See Mosin, Yu. M.
Charles, H. K.; Uy, M. E.
Design aid for multichip module.—75-00309
Charlson, E. J. See Khan, A. H.; Popovici, G.; Zhao, G.
Charlson, E. M. See Khan, A. H.; Zhao, G.
Charnaya, E. V. See Gabrielyan, V. T.; Grigor'eva, N. A.
Charruau, S.; Misson, H.; Touboul, A.
Time domain wavelets "D.S.P" lossy transmission line simulator in the mentor graphic's "layout" package.—75-00623
Chartier, T. See Baklouti, S.
Chartier, T.; Ferrato, M.; Baumard, J. F.
Supercritical debinding.—75-01687
Charushnikova, I. A. See Grigor'ev, M. S.
Chashchin, S. P. See Man'ko, V. S.
Chason, E. See Mayer, T. M.
Chassagneux, F. See Al Raihani, Huda
Chassaing, Jean See Bermejo, Edelio
Chatillon, Christian See Rocabois, Philippe
Chatry, M.; Henry, M.; Livage, Jacques
Synthesis of nonaggregated nanometric crystalline zirconia particles.—75-01710
Chatterjee, A. K.
Cement kiln refractories—recent trends of development.—75-07489; See also Parulekar, R. S.
Chatterjee, B. See Singh, K. K.
Chatterjee, Dilip K. See Ghosh, Syamal K.
Chatterjee, K. C. See Ghosh, N. K.
Chatterjee, S. See Sinha, M. K.
Chattopadhyay, A. K. See Chakraborty, I. N.
Chattopadhyay, Aditi; Seeley, Charles E.
Simulated annealing technique for multiobjective optimization of intelligent structures.—75-03257
Chattopadhyay, D.
Electron mobility in $Cd_{0.8}Zn_{0.2}Te$.—75-05311
Chattopadhyay, S. K. See Samaddar, B. N.
Chattopadhyay, T.; Brown, P. J.; Roessli, B.
Disappearance of three-dimensional magnetic ordering in Gd_2CuO_4.—75-03358
Chaturvedi, S. See Hegde, S. B.; Sharma, S. C.
Chaudhari, Praveen; Gambino, Richard J.; Koch, Roger H.; Lacey, James A.; Laibowitz, R. B.; Viggiano, Joseph M.
Thin-film high-T_c oxide superconductors and vapor deposition methods for making the same.—75-03444
Chaudhari, S. M. See Deshpande, S. K.
Chaudhuri, A. K. See Samanta, B.
Chaudhuri, B. K. See Chakraborty, A. K.
Chaudhuri, J.; Ram, M. L.; Sarkar, B. K.
High-pressure polymorph of titania [observed] by vibrational ball milling.—75-06239
Chaudhuri, M. See Das, R.
Chaudhuri, S. P.; Sarkar, P.
Constitution of porcelain before and after heat treatment: II, Aspect ratio and size distribution of mullite.—75-09536
Chaudhuri, S. Ray See Yan, Yongan
Chaudhury, M. See Roy, P. K.
Chausskaya, I. D.; Komratov, G. N.
Kinetics of decomposition of titanium carbide powders produced from titanium alloy chips in H_2O_2 and H_2SO_4 solutions.—75-06666
Chavez, F. See Silver-Andrade, F.
Chavez-Garcia, M. L.; De Pablo-Galan, L.
Crystal structure and ionic conductivity of high-bismuth beta solid solution in Bi_2O_3-SrO-CaO system.—75-01209
Chawla, K. K. See Ferber, M. K.; Vaidya, R. U.; Wolfenden, A.
Chayahara, Akiyoshi See Fukumi, Kohei
Chazalviel, J.-N.; Ozanam, F.; Dublin, V. M.
Role of dielectric effects in the red-green switching of porous silicon luminescence.—75-00590
Che, G.-C See Lan, Y.-C.
Che, Sheng-Lei; Sakurai, Osamu; Shinozaki, Kazuo; Mizutani, Nobuyasu
Effect of starting materials on the preparation of spherical Pd powders by ultrasonic spray pyrolysis.—75-09284
Chediak, J. Alexander
Ceramic engineers in the 21st century.—75-02113
Chee, K. S.; Cheng, Y.-B.; Smith, Mark E.; Bastow, T. J.
Solubility of aluminum in yttrium nitrogen melilite phases.—75-01243
Chee, L. Y. See Naem, A. A.
Chein, T. See Tzeng, Y.
Chein, T.; Cutshaw, C.; Tanger, C.; Tzeng, Y.
Polishing of thick CVD diamond by an excimer laser and a cast iron wheel.—75-09376
Chein, T.; Tzeng, Y.
High-rate deposition of diamond films in $CH_4/O_2/H_2$ microwave plasmas.—75-09329
Chejne Janna, F. See Ruiz Sierra, J. C.
Chekhovskii, V. G. See Khalilev, V. D.
Chekunkov, V. V. See Latypov, Z. M.
Chelidze, T.; Reuschle, T.; Gueguen, Y.
Theoretical investigation of the fracture energy of heterogeneous brittle materials.—75-07044
Chelnokov, V. E. See Andreev, A. N.; Ivanov, P. A.; Ivanov-Omskii, V. I.; Lebedev, A. A.; Zelenin, V. V.
Chemerinskaya, L. S. See Gora, E. A.
Chemerisova, A. M. See Smirnov, N. N.
Chen, Ang; Zhi, Yu; Bao, Ya-Hua; Dai, Xi; Jiang, Qin
$BaTiO_3$-$YBa_2Cu_3O_{6+\delta}$ ceramic composite system.—75-03343
Chen, Ang; Zhi, Yu; Bao, Ya-Hua
$BaTiO_3$-$BaPbO_3$ ceramic composites.—75-03870
Chen, Arnold C. See Pearah, Paul J.
Chen, C. I. See Chen, J. D.
Chen, C. See Lu, C.-F.
Chen, C.-F. See Chiu, K.-C.
Chen, C.-I. See Lee, K.-J.
Chen, C.-J. See Liu, C.-S.
Chen, C.-M.; Chen, E.-T.; Lei, T.-S.
Microstructural transformations in ferritic nodular cast iron after laser remelting.—75-03318
Chen, Chang-Kang; Hodby, J. W.; Hu, Yong-Le
Selection of appropriate systems for flux growth of single-crystal $YBa_2Cu_3O_{7-y}$.—75-05827
Chen, Chia-Fu; Nishimura, Kazuhito; Ko, Ensei; Ishizuka, Hiroshi; Hosomi, Satoru
Method of producing diamond of controlled quality.—75-08609
Chen, Chien-Jen See Liu, Dean-Mo
Chen, Chien-Jen; Lin, Li-Jiaun; Liu, Dean-Mo
Synthesis and characterization of $(Sr_{1-x}K_{2x})Zr(PO_4)_6$ ceramics.—75-06789
Chen, Chih-Cheng; Yen, Fu-Su; Huang, C.-Y.
Aging effects on the characteristics and sintering behavior of coprecipitated Al_2O_3-ZrO_2 powders.—75-03950
Chen, Chih-Cheng; Yen, Fu-Su
Effects of amorphous silica coatings on the sintering behaviors of SiC whisker-reinforced Al_2O_3 composites.—75-06590
Chen, Ching-Fong; Perisse, M. E.; Ramirez, A. F.; Padture, N. P.; Chan, Helen M.
Effect of grain boundary phase on the thermal conductivity of aluminum nitride ceramics.—75-03886
Chen, Christina H. See Kumar, B.
Chen, D.-G.; Lu, F.-X.; Yang, R.; Liu, D.-W.; Yu, W.-X.; Sun, Q.-B.
Magnetron-sputtered CN_x films.—75-09357
Chen, D.-X.; Hernando, A.; Conde, F.
Lower critical field and surface barrier in sintered $Bi_2Sr_2CaCu_2O_{8+\delta}$ superconductor.—75-05790
Chen, Da-Jiang; Mayo, Merrilea J.
Rapid rate sintering of nanocrystalline ZrO_2-3 mol% Y_2O_3.—75-04192
Chen, Dan-Ping; Miura, Yoshinari; Nanba, Tokuro; Osaka, Akiyoshi
Thermochromism and temperature dependence of the energy gap in cadmium aluminum bismuthate glasses.—75-07372
Chen, De-Ling
Experimental study of ball clays.—75-07550; See also Yuan, Gong-Quan
Chen, E. S. See Bell, D. A.
Chen, E.-T. See Chen, C.-M.
Chen, En-Sheng; Nelson, Bryan R.; Patel, Bhaskar
Thermomechanical improvement of a flue wall in anode baking furnace.—75-07682
Chen, F. See Xiong, Q.
Chen, F.-H. See Wu, S.-C.
Chen, F.-R. See Deng, Ming-Cheng
Chen, F.; Gao, L.; Meng, R. L.
Hydrostatic pressure on $HgBa_2CaCu_2O_{6+\delta}$ and $HgBa_2Ca_2Cu_3O_{8+\delta}$.—75-00811
Chen, Fred Y.; King, A. H.; Salat, Robert F.; Fricano, Glenn J.
TEM study of growth defects in CVD diamond films.—75-04292
Chen, G.-L. See Guo, Y.-L.
Chen, G.; Stump, N. A.; Peterson, J. R.
Pressure-induced amorphization in $Eu(OH)_3$: a luminescence study.—75-06504
Chen, Gang See Gu, Mu; Ren, Shao-Xia
Chen, Guang-Hua See Zhang, Ya-Fei
Chen, H. D. See Williamson, W. III
Chen, H. Daniel; Udayakumar, K. R.; Gaskey, Christopher J.; Cross, L. Eric; Bernstein, Jonathan J.; Niles, Lance C.
Fabrication and electrical properties of lead zirconate titanate thick films.—75-05569
Chen, H. See Lan, Y.-C.; Li, W.-S.; Munro, R. G.; Shimoo, Toshio
Chen, H.; Maffei, N.; Prince, R. H.
Diamond thin-film growth mechanism in a filament-assisted excimer laser ablation system.—75-01440
Chen, Haydn See Holma, M.; Takesue, Naohisa
Chen, Her S. See Parsons, James D.
Chen, Hong See Cui, Jing-Biao
Chen, Hsi-Huei; Lin, Chun-I.
Reduction of carbon/alumina powder mixture in a flowing nitrogen stream: the effect of catalysts on the reaction kinetics.—75-06756
Chen, I-Wei See Chen, Pei-Lin; Huang, Zhen-Kun; Xue, Liang A.
Chen, I.-C. See Fang, S.-C.
Chen, J. D.; Wu, H.-D.; Chen, C. I.; Ju, C. P.
Tribological study of two-dimensional carbon-carbon composites.—75-04658
Chen, J. S. See Bachli, A.
Chen, J. S.; Kolawa, E.; Nicolet, M.-A.
Reaction of Ta thin film with single-crystalline (001)β-SiC.—75-00583
Chen, J. See Huang, Y.
Chen, J.-C. See Wang, H.-H.
Chen, J.-F. See Zhou, X.-Y.
Chen, J.-H. See Bai, M.-L.
Chen, J.-H.; Zhou, J.-W.; Zhu, G.-C.; Yan, F.-C.; Geng, L.-J.
Performance of ceramic-coated exhaust port of an air-cooled diesel engine.—75-03656
Chen, J.-L. See Zhao, S.-T.
Chen, J.-X. See Heim, M.-K.
Chen, J.-Y. See Yang, C.-F.
Chen, J.; Arwin, H.; Lindqvist, O.
Spectroscopic ellipsometry measurement of the oxide thickness on silicon nitride ceramics.—75-03838
Chen, J.; Cheney, S.; Srinivasan, G.
Magnetization and ferromagnetic resonance studies on amorphous films of Fe_2O_3-Bi_2O_3-Li_2O.—75-03310
Chen, J.; Ogawa, T.; Nakamura, H.
Low-frequency (*1/f*) noise in $YBa_2Cu_3O_{7-\delta}$ grain boundary junction dc superconducting quantum interference devices.—75-00819
Chen, Jie; Harmer, Martin P.; Smyth, Donald M.
Compositional control of ferroelectric fatigue in perovskite ferroelectric ceramics and thin films.—75-00640
Chen, Jing See Ho, Kuok-San; Lin, Jian
Chen, Jing; Ho, Kuok-San; Lin, Jian; Rabson, Thomas A.
Switching of ferroelectric thin films.—75-05646
Chen, K. See Chen, T.-L.; Lu, D.-F.; Rao, P.-G.; Su, X.-Y.; Ye, J.-D.
Chen, K.-J. See Qu, X.-X.

Chen, K.-X.; Xu, Y.-Q.; Song, Y.-L.
Development and application of high-quality magnesite-chrome bricks for VOD refining furnace.—75-03612
Chen, K.-Y. See Su, Y.-L.
Chen, L. See Kisara, K.; Mindess, S.
Chen, L.-F. See Luo, X.-T.
Chen, L.-M. See Ge, C.-C.; Wang, Z.-X.
Chen, L.-S. See Fu, S.-L.
Chen, L.; Goto, T.; Mukaida, M.; Niino, M.; Hirai, Toshio
Synthesis and thermoelectric properties of silicon-boron compounds with high boron contents.—75-03182
Chen, Li-Fu; Wang, Bao-Wei; Liu, Shu-Jie; Yan, Yong-Jun
Preparation of mullite fiber.—75-04162
Chen, Li-Xiang See Zhou, Jian-Jun
Chen, Ling-Yan See Gu, Mu; Wang, Li-Ming
Chen, Ling-Yan; Gu, Mu; Wang, Li-Ming; Xiang, Kai-Hua
Investigation of radiation damage induced by hydroxyl and oxygen impurities in BaF_2 crystal.—75-01761
Chen, Long-Qing See Wang, Yun-Zhi
Chen, Long-Qing; Fan, Danan
Computer simulation model for coupled grain growth and Ostwald ripening—application to Al_2O_3-ZrO_2 two-phase systems.—75-04307
Chen, M. F. See Vezzoli, G. C.
Chen, Ming See Tsankov, Mincho A.
Chen, N. See Guo, Z.-Q.
Chen, Nan See Li, Y.
Chen, P.-C.; Hsu, Klaus Y. J.; Hwang, H.-L.
Fundamental electrical properties of fluorinated and N_2O plasma-annealed ultrathin silicon oxides grown by microwave plasma afterglow oxidation at low temperatures.—75-01295
Chen, Pei-Lin; Chen, I-Wei
Grain boundary mobility in Y_2O_3: defect mechanism and dopant effects.—75-06876; Grain growth in CeO_2: dopant effects, defect mechanism, and solute drag.—75-06878; Sintering of fine oxide powders: I, Microstructural evolution.—75-09574
Chen, Pin-Zhen See Chiang, Joseph F.
Chen, Q. Y. See Cui, X. T.
Chen, Q.-F.; Peng, X.; Ma, X.-Q.; Yuan, K.-Q.; Li, T.-F.
Thermal stress analysis of ceramic thermal barrier coatings under loading.—75-04652
Chen, Q.-W. See Hao, Y.-Z.
Chen, Qi-Jin See Chen, Yan; Yang, Jie
Chen, Qian-Wang; Qian, Yi-Tai; Chen, Zu-Yao
Origin of the grain growth anisotropy in titania.—75-01902
Chen, R.-P.; Lin, Y.-L.; Yuan, Y.-Z.
Properties and performances of high-purity corundum bricks for chemical and petrochemical industries in China.—75-02830
Chen, S. C. See Siwiecki, K. J.
Chen, S. P. See Yan, M.
Chen, S.-F. See Lu, D.-F.
Chen, S.-K. See Huang, J.-L.
Chen, S.-K.; Liu, H.-S.
FTIR, DTA, and XRD study of sphene ($CaTiSiO_5$) crystallization in a ceramic frit and a nonborate base glass.—75-06236
Chen, S.-L. See Xie, Z.-P.
Chen, Sheau-Wen See Hwang, Chii-Shyang
Chen, Shih-Chang
Method of making semiconductor device comprising a titanium nitride film.—75-05527
Chen, Shih-Yih See Huang, Jow-Lay
Chen, Shuei-Yuan; Deng, Wen-How; Shen, Pou-Yan
Stability of cubic ZrO_2 (10 mol% Y_2O_3) when alloyed with NiO, Al_2O_3, or tiO_2: implications to solid electrolytes and cermets.—75-06781
Chen, Si-Hua See Zhang, Bi
Chen, Su-Fen; Wang, L.-M.; Jian, W.-B.
Surface modification of $YBa_2Cu_3O_x$ thin films with a scanning tunneling microscope.—75-00879
Chen, T.-L.; Chen, K.; Zhao, S.-T.; Wei, A.-H.; Wu, J.; Chen, Y.-X.
Atomization and fuel saving of ceramic needle valves for diesel engine.—75-03642
Chen, Tian-Yi See Ping, Huang-Fu
Chen, W. M.; Dreszer, P.; Prasad, A.
Origin of *n*-type conductivity of low-temperature grown InP.—75-00559
Chen, W. See Akbar, S. A.; Shao, Y.; Wu, J.
Chen, W.-H. See Chen, Y.-S.
Chen, W.-R. See Tuan, W.-H.
Chen, Wei-Nong; Ravichandran, G.
Static and dynamic compressive behavior of aluminum nitride under moderate confinement.—75-04630
Chen, X.-M. See Zhou, S.-Q.
Chen, X.-M.; Suzuki, Y.; Sato, N.
Sinterability improvement of $Ba(Mg_{1/3}Ta_{2/3})O_3$ dielectric ceramics.—75-02937
Chen, X.-Q.; Jiang, L.-Z.; Yu, D.-P.; Cao, X.-F.; Xu, Y.-Q.
Wear mechanism of magnesia ramming material for cobalt-melting induction furnace.—75-03636
Chen, Xiang-Li; Mazumder, Jyoti
Kinetic studies of laser chemical vapor deposition of titanium nitride.—75-01556
Chen, Xiao-Long See Zhong, Qun
Chen, Xiao-Long; Liang, Jing-Kui; Wang, Cong
Nd_2O_3-SrO-CuO system: compounds and phase relations.—75-03812
Chen, Xiao-M. See Ellis, Bryan
Chen, Xin E.; Pfaff, Mark E.
Dense, self-sintered silicon carbide/carbon-graphite composite and process for producing same.—75-01163
Chen, Y.-L.; Wang, D.-H.; Yang, D.-Z.
Solid-state phase transformation in ZrO_2-CaO system induced by high-energy ball milling.—75-03837
Chen, Y.-L.; Yang, D.-Z.; Wu, K.-H.
Mechanical alloying of ceramics in zirconia-ceria system.—75-04101
Chen, Y.-M. See Lin, R.-W.
Chen, Y.-R. See Wang, S.-Q.
Chen, Y.-R.; Wu, H.-Z.; Zhang, Q.; Tan, J.-Q.; Yuan, Q.-M.
TEM observation of martensitic transformation in (Y, Mg)-PSZ ceramics.—75-03847
Chen, Y.-S.; Chen, W.-H.
Vibration damping of laminated composites with viscoelastic layer.—75-04274
Chen, Y.-X. See Chen, T.-L.
Chen, Y.; Calka, A.; Williams, J. S.
Nitriding reactions of Ti-Al system induced by ball milling in ammonia gas.—75-04122
Chen, Y.; Sellar, J. R.
Dielectric relaxations in yttria-stabilized zirconia alloys at lower temperatures.—75-00320
Chen, Yan See Lin, Zhang-Da
Chen, Yan-Feng See Ma, Wen-Hui
Chen, Yan; Mei, Jun; Chen, Qi-Jin; Lin, Zhang-Da
Achieving high nucleation density of diamond film under low pressures in hot-filament chemical vapor deposition.—75-03946
Chen, Yen-Lian See Wu, Tsung-Ming
Chen, Yu See Wang, Wen-Cai
Chen, Z. See Gao, X.; Lee, J. B.
Chen, Z.-M.; Tan, S.-H.; Jiang, D.-L.
SiC-TiB_2 composites doped with Al_2O_3.—75-04213
Chen, Z.; Mecholsky, J. J., Jr.; Joseph, T.; Beatty, C. L.
Application of fractal fracture to advanced engine material.—75-04451
Chen, Zhao-You See Xu, Yan-Qing
Chen, Zhao
Effects of gadolinia and alumina addition on the densification and toughening of silicon carbide.—75-01470
Chen, Zhi-Zhang; Rohatgi, A.
Method for low-temperature plasma-enhanced chemical vapor deposition (PECVD) of an oxide and nitride antireflection coating on silicon.—75-01174
Chen, Zu-Yao See Chen, Qian-Wang
Chenakin, Alexander V.; Skachko, Vladimir I.
Local film deposition for microwave devices.—75-07951
Chenakin, S. P. See Panichkin, I. Yu.
Chenevier, M.; Gicquel, A.; Cubertafon, J. C.
Hydrogen atom concentration measurements by multiphotonic excitation LIF [laser-induced fluorescence] technique—spatial distribution in a microwave bell jar reactor.—75-08672
Cheney, S. See Chen, J.
Cheng, B.-L.; Gabbay, M.; Fantozzi, G.
Mechanical loss and elastic modulus associated with phase transitions in barium titanate ceramics.—75-04587
Cheng, C. H. See Xu, Yu-Huan
Cheng, C.-H.; Yao, C.-Y.; Hung, W.-M.
Electrical properties study of electrolyte in lithium rechargeable battery.—75-02905
Cheng, H. S. See Wang, Q.
Cheng, H.-M. See Li, C.-L.
Cheng, Hsiu-Fung; Yeh, Ming-Hua; Liu, Kuo-Shung; Lin, I-Nan
Effect of oxygen pressure on microstructure, texture, and growth characteristics of laser-ablated $BaTiO_3$ thin films.—75-05186
Cheng, Hui-Ming See Uchiyama, Yasuo
Cheng, J.-H. See Zhai, H.-X.
Cheng, J.-Y. See Hou, Shang-Y.
Cheng, Ji-Ping See Dewan, H. S.; Roy, Rustum; Zhou, Li-Qiu
Cheng, Ji-Ping; Fang, Yi; Agrawal, Dinesh K.; Roy, Rustum
Densification of large-size alumina objects by continuous microwave sintering.—75-01426
Cheng, Qing-Hua; Sarkar, S. L.
Study of rheological and mechanical properties of mixed alkali activated slag pastes.—75-02426
Cheng, T. S. See Ber, B. Ya.; Zhokhovets, S. V.
Cheng, T. S.; Jenkins, L. C.; Hooper, S. E.; Foxon, C. T.; Ber, B. Ya.; Merkulov, A. V.
Impurity distribution in GaN layers grown by molecular beam epitaxy.—75-07917
Cheng, T. S.; Novikov, S. V.; Foxon, C. T.
Surface nitridation effects on $LiGaO_2$ substrates in molecular beam epitaxy.—75-08067
Cheng, T. T.; Aindow, M.; Mayer, J.
HREM study of the ionic conductor strontium lithium β-alumina.—75-02912
Cheng, Y.-B.; Drennan, J.
Microstructural characterization of ZrO_2/O1/2-SiAlON composites.—75-04355
Cheng, Y.-B.
α- to β-SiAlON phase transformations in post-sintering heat treatment.—75-08853; See also Chee, K. S.; Edwards, D. P.; Gao, L.; Hewett, C. L.; Mandal, H.; Mayor, A. E.; Zhao, Ru-Peng
Cheng, Y.-Q.; Wang, F.-X.; Guan, D.-H.
Effects of a ZDDP [zinc dialkyl dithiophosphate] additive on ceramic-steel contacts.—75-02459
Cheong, B. K. See Eppler, W. R.
Cheong, Deock-Soo See Gam, Jig-Sang; Kim, Chang-Sam
Cheong, H.-M.; Choi, S.-H.; Han, K.-S.
Prevention mechanism of $3CaO{\cdot}SiO_2$ formation in clinker with excess SO_3.—75-00058
Cheong, S.-W. See Oseroff, S.
Chepin, James; Ross, Joseph H., Jr.
NMR studies of electronic and local structure in Cu-Au alloys.—75-01896
Chepolis, W. M.; Erturk, T.
Fiber twist test—a new test technique to measure composite interface properties.—75-03564
Cherednichenko, D. I. See Avdeev, S. P.
Cheremushkin, E. A. See Zemskov, V. S.
Cherenkov, A. E. See Strel'chuk, A. M.
Cherenkov, O. P. See Samoilenko, Z. A.
Cherepanov, Vladimir A. See Vstavskaya, E. Yu.
Cherian, Isaac K.; Lehigh, Mitchell D.; Nettleship, Ian; Kriven, Waltraud M.
Stereological observations of platelet-reinforced mullite and zirconia matrix composites.—75-09576
Cherian, Kuruvilla A. See Dewan, H. S.; Roy, Rustum
Cherian, Kuruvilla A.; Kumar, Satyendra; Roy, Rustum
Effects of some physical parameters on diamond crystallization in the NaOH+Ni+C system at 1 atm.—75-09296
Cherian, Kuruvilla A.; Litster, J.; Rudolph, V.; White, E. T.
Evidence for slip and double spiral growth mechanism in combustion flame-synthesized diamond.—75-08930
Cherkashin, M. I. See Gromov, V. V.
Chermant, J. L. See Doreau, F.; Lhermitte-Sebire, I.; Maupas, H.
Chermant, J. L.; Holmes, J. W.
Elevated temperature creep and cyclic creep behavior of fiber reinforced ceramics.—75-04508
Chern, C. S. See Kalkur, T. S.
Chern, H.-L.; Kao, C.-H.; Wang, C.-J.; Wu, M.-K.
Rapid melting and solidification of $(Bi, Pb)_2Sr_2Ca_2Cu_3O_x$ bulk materials by CO_2 laser.—75-03396
Chern, J. D. See Genchev, Z. D.
Chernakova, Ana K.; Cash, Andrew; Peruyero, Jose
Orientation dependence of dipole gaps in the magnetostatic wave spectrum of Bi-substituted iron garnets.—75-03324
Chernavskii, P. A.; Pankina, G. V.; Lunin, V. V.
Carbidizing of iron deposited on SiO_2 and Al_2O_3 during Fischer-Tropsch synthesis.—75-09227
Chernaya, T. S. See Kevorkov, A. M.
Chernenko, I. M. See Ivon, A. I.; Katkov, V. F.; Tonkoshkur, A. S.
Chernenko, V. A.; Kokorin, V. V.; Vitenko, I. N.
Properties of ribbon made from shape memory alloy Ni_2MnGa by quenching from the liquid state.—75-03330
Chernenkov, Yu. P. See Vorob'ev, G. P.
Chernik, I. A.; Berezin, A. V.
Nature and magnitude of the influence of deep electroactive doping on the band spectra of IV-VI compounds studied based on the valence band of lead telluride.—75-05392
Chernin, E. I. See Gol'denberg, L. B.
Chernobai, V. A. See Kirillova, S. I.; Venger, E. F.
Chernogorenko, V. B.; Tasybaeva, Sh. B.
Mechanism of the chemical reduction of copper(II) by an ion of hypophosphite.—75-06677
Chernomorskaya, E. A. See Karpov, A. V.
Chernorukov, N. G.; Karyakin, N. V.; Suleimanov, E. V.; Belova, Yu. S.
Role of water in the formation of the crystal structure of $Ca(PUO_6)_2{\cdot}nH_2O$ and $Ca(AsUO_6)_2{\cdot}nH_2O$ compounds.—75-08509
Chernov, A. L. See Aronzon, B. A.
Chernov, P. V. See Kornienko, L. S.
Chernov, Stanislav See Gavrilov, Vladimir
Chernov, V. K. See Zharova, L. A.
Chernova, N. P. See Aleksandrova, S. P.
Chernyaev, A. V. See Nemov, S. A.
Chernyaev, Serge V. See Mozhaev, A. P.
Chernyakova, A. P. See Akimov, A. I.
Chernyavski, V. L.; Mchedlov-Petrossyan, O. P.
Cement concrete modified through high-molecular hydrocarbon impregnation.—75-00026
Chernyi, V. N. See Baryshev, M. G.
Chernyshev, A. V. See Kudoyarova, V. Kh.
Chernyshev, E. A. See Ivanov, V. V.; Rabinovitch, R. A.
Chernyshev, E. A.; Bashkirova, S. A.; Tikchonovich, T. V.; Ivanov, V. V.
Novel organosilicon precursors for Si-C ceramics and ceramic matrix composites.—75-04124
Cherradi, N. See Barthel, K.; Delfosse, D.; Desmonts, N.
Cherradi, N.; Desmonts, N.; Kawasaki, A.
WC-Co graded materials: heat flux measurements and estimation.—75-02559
Cherradi, N.; Moeckli, P.; Dollmeier, K.
Residual stress in CrNi/ZrO_2 graded materials, numerical modeling, and X-ray measurements.—75-02540
Chershneva, G. S. See Brovtsyn, A. K.
Chervonenkis, A. Ya. See Randoshkin, V. V.
Cheser, N.
Pinched for time.—75-02330
Chesnis, A.; Oginskis, A. K.; Besene, T.; Latishenka, A.; Shiktorov, N. K.
Production of bronze $La_xV_2O_5$ by magnetron sputtering.—75-06750
Chesnokova, S. M.; Grishina, E. P.
Fast photometric determination of iron impurity in red lead and litharge.—75-03563
Cheung, H. S. See Tofe, A. J.
Cheung, N. W. See Chan, J. S.
Chevallier, P. See Ayrault, S.
Chevrier, J.; Cruz, A.; Berbezier, I.
Influence of kinetic roughening on the epitaxial growth of silicon.—75-00516
Chew, K. W. See Laine, Richard M.
Chewasatn, S.; Milne, S. J.
Synthesis and characterization of $PbTiO_3$ and Ca- and Mn-modified $PbTiO_3$ fibers produced by extrusion of diol-based gels.—75-06791
Cheyssac, P.; Kofman, R.; Merli, P. G.; Migliori, A.; Stella, A.
Dynamic behavior of lead nanoparticles in a dielectric matrix.—75-01827
Chezhina, N. V.; Kuznetsova, I. V.; Savel'eva, N. V.
Magnetic susceptibility of $Y_{0.5}La_{0.5}CaNi_xAl_{1-x}O_4$ solid solutions.—75-05690
Chia, Q. S.; Younes, C. M.; Partridge, P. G.
Auger electron spectroscopic analysis of chemical vapor deposited diamond/substrate interfaces.—75-06164
Chiang, C.-C. See Hwang, C.-L.
Chiang, D. See Starr, T. L.
Chiang, Joseph F.; Chen, Pin-Zhen; Xu, You-Wu
Ceramic glass composition.—75-07411

Chiang, Yet-Ming
Electrical transport in ultrafine ceramics: effects of grain-size-dependent solute segregation and nonstoichiometry.—75-09506; See also Aoki, Makoto
Chiarelli, A. S. See Farber, B. Ya.
Chiarini, V. See Baroncini, G.
Chiba, A.; Nishida, M.; Imamura, K.; Anraku, T.; Shintani, Y.; Moon, C.
Fabrication of functionally gradient materials by powder consolidation technique using underwater-shock pressure.—75-02477
Chichibu, S.; Harada, Y.; Uchida, M.
Heteroepitaxy and characterization of $CuGaSe_2$ layers grown by low-pressure metallorganic chemical vapor deposition.—75-00505
Chichikalyuk, Yu. A. See Kulikov, G. S.
Chick, L. A. See Hess, N. J.
Chien, F. R.; Ning, X. J.; Pirouz, P.; Wang, C.; Davis, Robert F.
Growth orientation considerations of epitaxial AlN films on 6H-SiC substrates.—75-03041
Chien, F. R.; Nutt, Steven R.; Yoo, W. S.
Stacking fault energy calculations in 6H- and 15R-SiC.—75-00601
Chien, Yung-Tsen See Hung, Yung-Hsiung
Chigira, Takahiro See Fujishima, Motoi
Chikaishi, Kazuhiro See Shimada, Ken
Chikatueva, L. A.; Platonov, V. S.
Problems calculating and classifying production costs in cement industry production.—75-09731
Chikatueva, L. A.
Manufacturing costs of cement industry production.—75-09727
Chikovsky, A. N. See Gur'ev, N. V.
Childress, Gary; Kaniuk, John; Reichenbach, John
Voice for ceramics in Washington.—75-04765
Childs, M. A. See Toyoda, H.
Childs, T. H. C.; Mahmood, S.; Yoon, H. J.
Ceramic ball finishing by magnetic fluid grinding.—75-09233
Chilton, Michael R. See Larson, Richard I.
Chin, T.-S. See Liu, H.-S.
Chin, Tsung-Shune See Deng, Ming-Cheng
Ching, Wai-Yim See Mo, Shang-Di
Chiou, Y.-H.; Tsai, M.-T.; Shih, H.-C.
Preparation of alumina fiber by sol-gel processing.—75-06721
Chipaux, R. See Auffray, E.
Chipaux, R.; Faure, J.-L.; Pansart, J.-P.; Poinsignon, J.; Rebourgeard, P.; Tartas, J.
Study of neutron damage resistance of some scintillating crystals and associated photodetectors with the nuclear reactor Ulysse.—75-00936
Chirkinyan, A. S. See Dzhotyan, A. P.
Chirkova, E. G. See Altukhov, I. V.; Druzhinin, Yu. P.
Chiron, R. See Backhaus-Ricoult, M.
Chisholm, M. F. See Browning, N. D.; McGibbon, M. M.
Chistyakov, V. M. See Solov'ev, S. A.
Chistyakova, N. I. See Rusakov, V. S.
Chitica, N. See Mihailescu, I. N.
Chiu, Chin-Chen
Influence of surface oxidation on thermal shock resistance and flexural strength of SiC/Al_2O_3 composites.—75-06997
Chiu, H.-L.; Huang, J.-L.
Microstructure and fracture behavior of hot-pressed TiC/Si_3N_4 composites.—75-04601
Chiu, Hsin-Tien; Hsu, Jen-Shiou
Low-pressure chemical vapor deposition of silicon carbide thin films from hexamethyldisilane.—75-04096
Chiu, K.-C.; Wang, J.-S.; Chen, C.-F.; Yang, C.-H.; Lin, T.-Y.; Huang, C.-S.
Preparation and characterization of C_{60} powder.—75-04146
Chiu, Y.-D.; Lei, T.-S.; Kao, C.-H.
Effects of sintering temperature on the superconducting and microstructural properties of $Bi_{1.7}Pb_{0.4}Sr_{1.6}Cu_{1.6}O_y/Ag_2O$ composites.—75-05761
Chivukula, V. See McIntyre, D. S.; Sayer, M.; Sedlar, M.
Chivukula, V.; Ilowski, J.; Emesh, I.; McDonald, D.; Leung, P.; Sayer, M.
Dielectric properties of ferroelectric thin films in the frequency range of mHz–GHz.—75-05545
Chizhevskaya, S. N.; Shelimova, L. E.
Electroactive and electroinactive dopants in Bi_2Te_3 and their interaction with antisite defects.—75-05309
Chizhevskii, E. G. See Trofimov, V. T.; Volkov, B. A.
Chizhikov, V. S. See Buinovskii, A. S.
Chizhov, P. E. See Grigor'ev, Yu. M.
Chkheidze, M. D. See Lupeiko, T. G.
Chmel, A. E.
Effect of Zn^{2+} on the size of the correlation zone in the Na_2O-ZnO-SiO_2 system.—75-08914
Cho, Doo-Hee See Hirao, Kazuyuki
Cho, Doo-Hee; Hirao, Kazuyuki; Fujita, Koji; Soga, Naohiro
Photochemical hole burning [PHB] and local structural change in Sm^{2+}-doped borate glasses.—75-00173
Cho, Duk-Ho See Lim, Hun-Jin
Cho, Hyun-Nam See Yoo, Kwang-Soo
Cho, J.
Thermal and X-ray studies of the pyrolysis process for bismuth-substituted iron garnet films.—75-06391
Cho, Jae-Kyong; Santhanam, Suresh; Le, Tan
Design, fabrication, switching, and optical characteristics of new magnetooptic spatial light modulator.—75-00729
Cho, Jaephil See Johnston, D. C.; Martin, Steve W.
Cho, Jaephil; Martin, Steve W.
Structures and ionic conduction of $xNa_2S+(1-x)SiS_2$ glasses.—75-02691
Cho, K. See Yang, Jun-Hwan
Cho, Kyeong-Sik; Kim, Young-Wook; Choi, Heon-Jin; Lee, June-Gunn
In situ toughened silicon carbide–titanium carbide composites.—75-04076
Cho, Kyu See Bar-On, Isa; Natz, R. Nathan
Cho, M.-Y. See Shin, M.-K.
Cho, Mun-K. See Jang, Hyun-M.
Cho, Nam-Hee See Park, Yung
Cho, S.-G.; Johnson, P. F.
Evolution of the microstructure of undoped and Nb-doped $SrTiO_3$.—75-06874
Cho, S.-H. See Kim, S.-H.
Cho, S.-Y.; Lee, J.-H.; Park, S.-J.
Preparation of spherical $Zr_{0.8}Sn_{0.2}TiO_4$ powder by ultrasonic spray pyrolysis.—75-01626
Cho, Seong-Jai See Oh, Kyung-Sik
Cho, Seong-Jai; Um, Chang-Do; Kim, Seock-Sam
Wear and wear transition in silicon carbide ceramics during sliding.—75-04663
Cho, Seung-Beom; Venigalla, Sridhar; Adair, James H.
Morphological forms of α-alumina particles synthesized in 1,4-butanediol solution.—75-01229
Cho, Sung-Baek; Miyaji, Fumiaki; Kokubo, Tadashi; Nakanishi, Kazuki; Soga, Naohiro; Nakamura, Takashi
Apatite formation on various silica gels in a simulated body fluid containing excessive calcium ion.—75-09217
Cho, Woo-Seok; Yoshimura, Masahiro
Room temperature preparation of crystallized $Ba_{1-s}Sr_sWO_4$ [$0 \le s \le 1$] solid-solution films by an electrochemical method.—75-09424
Cho, Yong-S.; Amarakoon, Vasantha R. W.
Nanoscale coating of silicon and manganese on ferrimagnetic yttrium iron garnets.—75-08232
Choa, Y. H.; Ueda, S.; Niihara, Koichi
Effects of second phase particles on interface and grain boundary structure in MgO-based ceramics.—75-01839
Chockalingam, M. J. See Jayachandran, M.
Choe, Byung-Doo See Lee, Jeong-Seok
Choe, Joon-Won See Lu, Guo-Quan
Choi, B.-J. See Park, D.-W.
Choi, B.-K.; Shin, K.-H.
Ionic conductivity and Raman spectroscopic investigations of B_2O_3-Na_2O-NaI_2 glasses.—75-07341
Choi, Byung-In See Zhou, Zhen-Hong
Choi, C. H. See Zhao, Y.
Choi, C. H.; Sorrell, C. C.; Nowotny, J.
Interactions between oxygen and the ZrO_2 surface.—75-02000
Choi, Doo-Jin See Kim, Dong-Joo
Choi, G.-M. See Jun, S.-T.
Choi, Heon-Jin See Cho, Kyeong-Sik
Choi, J. See Aggarwal, M. D.
Choi, J.-Y.; Jin, S.-T.; Kim, J.; Kim, J.-Y.
Hot-pressed 3Y-TZP matrix composites with mullite whiskers and alumina platelets.—75-04069
Choi, Jai-Ho See Saito, Katsuaki
Choi, Ji-Won See Kucheiko, Sergey
Choi, Jong-Hyun See Jeong, Kyung-Chai
Choi, Joon-Young See Song, Tae-Ho
Choi, Ki-Ho
Ultrasonic testing of ceramics.—75-05987
Choi, Kyung-Soo; Park, D.-W.
Determination of optimum condition in plasma spraying process.—75-07203
Choi, M.-H.; Kim, Deug-J.
Microstructure formation and mechanical properties of α-/β-SiAlON.—75-09565
Choi, Rino; Kim, Hyoun-E.
Effect of Si_3N_4 whisker addition on microstructural development and fracture toughness of hot isostatically pressed Si_3N_4.—75-06582
Choi, S.-H. See Cheong, H.-M.
Choi, S.-K. See Han, Kyoung-Ran
Choi, Se-Young See Lee, Kwang-Hee; Lee, Yong-Keun
Choi, Sung-Churl See Byoun, Young-Seog; Jung, Yeon-Gil; Yun, Young-Hoon
Choi, Sung-R. See Salem, Jonathan A.
Choi, Sung-R.; Salem, Jonathan A.
Preloading technique in dynamic fatigue testing of glass and ceramics with an indentation flaw system.—75-03592
Choi, T.-S.; Jun, B.-S.
Preparation and properties of magnesia-alumina spinel by SHS.—75-09385
Choi, W.-K.; Ling, C.-H.
Variation in the field-dependent behavior of thermally oxidized tantalum oxide films.—75-01365
Choi, Y.-H. See Besikoi, C.
Choi, Y.-H.; Staveteig, P. T.; Bigan, E.
Characterization of InTlSb/InSb grown by low-pressure metallorganc chemical vapor deposition on a GaAs substrate.—75-05258
Choi, Yoon; Rhee, Shi-Woo
Equilibrium in the reaction of Ti and C to form substoichiometric TiC_x.—75-06224
Choi, Young-Hwa See Park, Sang-Whan
Choisnet, Jacques; Abadzhieva, Nevena; Stefanov, Plamen
X-ray photoelectron spectroscopy, temperature-programmed desorption, and temperature-programmed reduction study of $LaNiO_3$ and $La_2NiO_{4+\delta}$ for methanol synthesis.—75-06411
Chokri, K. See Banthia, N.
Chokshi, A. H. See Owen, D. M.
Cholet, V.; Vandenbulcke, L.; Rouan, J. P.; Baillif, P.; Erre, R.
Characterization of boron nitride films deposited from BCl_3-NH_3-H_2 mixtures in chemical vapor infiltration conditions.—75-03965
Chollon, G.; Bodet, R.; Pailler, R.; Bourrat, X.
Structure and thermal evolution of SiC-based fibers with low oxygen content.—75-04406
Chollon, G.; Pailler, R.; Naslain, R.; Olry, P.
Structure, composition, and mechanical behavior at high temperature of the oxygen-free Hi-Nicalon fiber.—75-03930
Choo, Ahn Goo; Chudgar, Mona H.; Jackson, Howard E.; De Brabander, Gregory N.; Kumar, Mukesh; Boyd, Joseph T.
Photon scanning tunneling microscopy of optical waveguide structures.—75-01330
Choo, Woong-K. See Lee, Jung-H.
Choquette, S.
Review of optical waveguides sensors for bio/chemical and environmental applications.—75-01093
Chorus, R.
GATT negotiations—a world market for ceramics.—75-04709
Chou, Guo-Zhi See Li, Wen-Chao
Chou, Hsien-Ming See Liu, Dean-Mo
Chou, Irene A.; Chan, Helen M.; Harmer, Martin P.
Machining-induced surface residual stress behavior in Al_2O_3-SiC nanocomposites.—75-07000
Chou, J.-C.; Chuang, D.-M.
Fabrication and optoelectronic properties of a-C:H/a-Se (or alloy)/Al_2O_3/Al structures.—75-02473
Chou, J.-H. See Fu, S.-L.
Chou, Kuo C. See Yuan, Shi
Chou, Kuo-Tung; Lee, B. I.
Solvent effect on aging of silica gels.—75-06776
Chou, S.-H. See Chang, Y.-B.
Chou, S.-W. See Jou, J.-H.
Chou, T. C.; Nieh, T. G.
Post-disintegration of thin $MoSi_2$ films by oxidation at 500°C.—75-06934
Chou, T. W.; Karandikar, P. G.
Damage processes and nonlinearity in ceramic matrix composites.—75-04483
Chou, T.-S.
Physical metallurgy of mechanically alloyed oxide dispersion strengthened MA956 and MA957 stainless steels: I, Recrystallization mechanism.—75-02521; Physical metallurgy of mechanically alloyed oxide dispersion strengthened MA956 and MA957 stainless steels: II, Grain control.—75-02522
Chou, W.-B. See Tuan, W.-H.
Chou, Y. T. See Li, Y. Z.
Chou, Y.-S. See Hellmann, J. R.
Chou, Y.-S.; Green, David J.
Residual stress-induced spontaneous microcracking in α-SiC platelet Al_2O_3 composites.—75-07028
Choudhary, R. N. P. See Sharma, S.
Choudhury, H. See Das, P.
Choudhury, K.; De, A. K.; Phani, K. K.
Ultrasonic detection of changes in the microstructure of glass-ceramics during crystallization.—75-06915
Choudhury, P. See Bhattacharya, Dipten
Choudhury, S. K.; Jha, R. K.; Mohammed, S. B.
Ultralow cement castables—applications in steel industries.—75-07686
Choudhury, S. K.; Sahu, J. K.; Prasad, B.
Current status on development of alumina carbon composite refractories for continuous casting of steel.—75-07502
Chourey, A. G. See Apte, P. R.
Choux, S.; Masson, I.; Feiereisen, J. P.; George, A.; Michel, J. P.
Cavitation induced by high-temperature plastic deformation in aluminum nitride ceramics.—75-09605
Chow, Alice F.; Auciello, Orlando; Poker, David B.; Kingon, Angus I.
Optical loss mechanisms in oxide thin films.—75-06494
Chow, G.-M. See Bruce, R. W.
Chow, J. C. L.; Fung, P. C. W.
Energy-dispersive X-ray spectroscopic analysis in a microscopic area of a grain in YBCO ceramic superconductor.—75-03366
Chow, Laurence C.; Takagi, Shozo
Self-setting calcium phosphate cements and methods for preparing and using them.—75-08785
Chowdhury, M. See Dasgupta, A.
Chowdhury, R. See Narayan, J.; Raghunathan, R.
Choy, Jin-Ho; Han, Yang-So; Song, Seung-Wan
Preparation of single-phase $Pb(Mg_{1/3}Nb_{2/3})O_3$ samples utilizing information from solubility relationships in the Pb-Mg-Nb–citric acid–H_2O system.—75-06735
Chrisey, D. B. See Lubitz, P.
Christ, Heinrich G. See Burzacchini, Bruno
Christen, David K. See Jones, Edwin C.
Christensen, Bruce J. See Coverdale, R. T.; Rarick, Robert L.
Christensen, Renee J.; Faber, K. T.
Room-temperature cyclic fatigue of reaction-bonded silicon nitride using the double cleavage drilled compression specimen.—75-02093
Christiaens, F. See Beyne, E.
Christiansen, Frank J.
Method for closing holes in ceramic substrates.—75-08589
Christopher, A. M. See Bauer, M. L.
Christopher, C. C. See Parkash, O.
Chrysanthou, A. See Azubike, D. C.; Saidi, A.
Chrysanthou, A.; Saidi, A.; Aylott, C. E. W.
Preparation and microstructure of Al_2O_3-TiC composites by self-propagated high-temperature synthesis.—75-04151
Chrysanthou, A.; Sanchuan, T.
Preparation of ceramic composite powders from waste colliery minestones.—75-04158
Chryssikos, G. D.; Duffy, J. A.; Hutchison, J. M.
Lithium borate glasses: a quantitative study of strength and fragility.—75-04977
Chryssikos, G. D.; Kapoutsis, J. A.; Kamitsos, E. I.
Lithium-sodium metaborate glasses: structural aspects and vitrification chemistry.—75-04914
Chrzanowski, J.; Meng-Burany, S.; Xing, W. B.; Curzon, A. E.; Irwin, J. C.; Heinrich, B.
Characterization of $Tl_2Ba_2CaCu_2O_8$ films prepared by laser ablation of $Ba_2CaCu_2O_y$ precursor targets and ex situ thalliation.—75-08272
Chu, Amy S. See Kinsman, Karin M.
Chu, Cha Y. See Wu, Weite
Chu, David K.
Surface skimming bulk wave generation in $KTiOPO_4$ and its analogs.—75-03272
Chu, George H. See Piez, Karl A.

Chu, J. I.; Park, H.-C.; Sorrell, C. C.
Crystallization of TiO_2-doped glass-ceramic in the system $MgO-CaO-SiO_2-P_2O_5$.—75-00210; DTA study of nucleation and crystallization of $MgO-CaO-SiO_2-P_2O_5$ glass-ceramics containing ZrO_2, $BaCO_3$, and Li_2CO_3.—75-00170

Chu, J.-H. See Liu, Kun

Chu, K.-T. See Hsieh, I.-J.

Chu, Li-Xin See Anderson, Marc A.

Chu, Mike S. H.; Rae, Alan
Review of ceramic powder compositions and their manufacturing routes.—75-00985

Chu, Mike S. H.; Rose, Daniel C.; Bultitude, John
Lead perovskite based ceramic compositions without any free lead oxide.—75-06093

Chu, Peir See Buchanan, Relva C.; Zurcher, Peter

Chu, Sheng-Yuan See Uchino, Kenji

Chu, Sheng-Yuan; Ye, Zhou; Uchino, Kenji
Photovoltaic effect for the linearly polarized light in (Pb, La)(Zr, Ti)O_3 ceramics.—75-03247

Chu, Sung-Nee George See Chand, Naresh

Chu, Tien-Min; Halloran, J. W.; Wagner, W. C.
Ultraviolet curing of highly loaded hydroxyapatite suspension.—75-04266

Chu, Tun-Jen See Najm, H.

Chu, Tun-Jen; Robertson, R. E.; Najm, H.; Naaman, A. E.
Effects of poly(vinyl alcohol) on fiber cement interfaces: II. Microstructures.—75-02404

Chu, Tun-Jen; Robertson, R. E.
Viscoelastic behavior of macrodefect-free cement.—75-04838

Chuang, D.-M. See Chou, J.-C.

Chuang, M.-S.; Wang, F.-M.; Tu, G.-C.
Fabrication of Cu/TiO_2 composite by powder sintering method.—75-02475

Chuang, T.-H. See Chang, T.-T.; Huang, C.-T.

Chuang, T.-J.
Life prediction model for continuous fiber-reinforced ceramic composites under creep conditions.—75-04576

Chubaci, Jose Fernando Diniz See Ogata, Kiyoshi

Chubarenko, V. A. See Gubkin, M. K.

Chuchaev, I. I. See Geiler, V. A.

Chudgar, Mona H. See Choo, Ahn Goo

Chudinova, N. N. See Anisimova, N. Yu.; Murashova, E. V.; See Zakharova, B. S.

Chudnovskii, F. A. See Boborykina, E. N.; Odynets, L. L.; Vikhnin, V. S.

Chudo, Masuo
Functionally gradient carbide superhard alloy for cutting tool.—75-04855

Chugai, O. N. See Zagoruiko, Yu. A.

Chugreev, A. L.; Misurkin, I. A.
Delocalized valence electrons of a 2-D CuO_2 layer in high-temperature superconductors.—75-05743

Chugreev, A. V. See Nel'son, D. K.

Chugunova, G. P. See Saburova, R. V.

Chuiko, A. A. See Kovtyukhova, N. I.

Chukalkin, Yu. G.; Shtirts, V. R.
Magnetism of disordered nickel-zinc ferrites.—75-08228

Chukhal, P. A. See Kamenetskii, Yu. L.

Chukichev, M. V. See Vavilov, V. S.

Chumachenko, A. V.; Zemlyanov, M. G.; Muzychka, A. V.; Parfenov, O. E.; Parshin, P. P.; Shikov, A. A.
Experimental study of the influence of free carrier concentrations on the vibration spectra of $YBa_2Cu_3O_{7-y}$ compounds.—75-08315

Chumakov, N. K. See Aronzon, B. A.

Chumakov, S. M. See Demidova, Zh. N.

Chumarev, V. M.; Mar'evich, V. P.; Kudryashov, V. N.
Phase transformations during interaction of niobium and tantalum pentoxides with iron monosulfide.—75-06311

Chun, H.-D. See Kim, S.-H.

Chun, Heoung-Jae; Daniel, Isaac M.
Thermomechanical and creep characterization of unidirectional SiC/Al composite.—75-07236

Chun, J.-S. See In, C.-B.

Chun, Seong-Yong See Sida, Masato

Chung, A.
Chinese porcelain and technological discovery—a unique cultural environment.—75-00016

Chung, B. See Garzon, F. H.

Chung, C.-S. See Jou, J.-H.

Chung, Chee-Won; Lee, Wan-In; Lee, June-Key
Dry etching of $Pt/PbZr_xTi_{1-x}O_3/Pt$ thin-film capacitors in an inductively coupled plasma (ICP).—75-05547

Chung, Hoon-Taek; Chung, Tae-Serk; Kim, Ho-Gi
Lithium ion conductivity in $Li_{3x}La_{(2/3-x)}TiO_3$ {x=0.017–0.317} system.—75-09154

Chung, Il-Sub; Lee, J.-K.; Yoo, I.-K.; Desu, Seshu B.
Modification of PZT nucleation and growth using oxide layer in multilayered electrodes.—75-05610

Chung, J.-S. See Song, J. H.

Chung, S.-L.; Lee, Wei-Chang
Method for producing nitride ceramic powders.—75-03742

Chung, S.-L.; Tu, Chang-Lin; Lee, Wei-Chang
Method of manufacturing a powdery AlN.—75-06130

Chung, Su-Jin See Oh, Kwang-Suk; Park, Bong-Mo; Park, Seung-Eek

Chung, Tae-Serk See Chung, Hoon-Taek

Chung, Yip-Wah See Lin, Shu-Han

Chung, Yong S.; Hill, D. Norman; Carter, W. Brent; Lackey, W. J.
Chemical vapor deposition of $YBa_2Cu_3O_x$ in a cold plasma reactor using an aerosol vaporization technique.—75-03345

Chung, Yong-Chae; Liberatore, Michael; Wuensch, B. J.
Toward determination of reliable grain boundary diffusion coefficients for oxides.—75-09521

Chung, Yong-Chae; Wuensch, B. J.
Fabrication and characterization of NiO bicrystals.—75-04027; Growth of nickel oxide single crystals and bicrystals via chemical vapor transport {CVT}.—75-04060

Chupakhina, L. E. See Isupov, V. P.

Churagulov, B. R.; Oleinikov, N. N.; Lyubimov, S. L.; Galas, O. V.; Abramov, S. B.
Synthesis of $YBa_2Cu_3O_{7-x}$ by the fast expansion of supercritical aqueous solutions of yttrium, barium, and copper nitrates.—75-05846

Churakov, G. V. See Ivanov, Yu. L.

Churchland, M. T.
Parallam—new structural wood composite.—75-02139

Churilov, I. A. See Kul'bachinskii, V. A.

Churmukov, E. A. See Aksenov, A. A.

Chuvaev, V. F. See Yaroslavtsev, A. B.

Chuvashev, A. A. See Borovinskii, S. V.

Chykhrii, S. I. See Leshchuk, R. E.

Chyung, Kenneth; Stempin, John L.; Wexell, Dale R.
B-N-C_x hydrid coatings for inorganic fiber reinforcement materials.—75-01157

Ciacchi, F. T. See Badwal, S. P. S.; Hughes, A. E.

Ciacchi, F. T.; Nightingale, S. A.; Badwal, S. P. S.
Ionic conductivity of microwave sintered zirconia-yttria electrolytes.—75-00344

Ciarlo, D. R. See Glass, R. S.

Cichocinska, Maria See Bucko, Miroslaw M.

Ciliberto, E. See Spoto, G.

Cima, Michael J. See Hirakata, Keigo

Cinbis, C. See Azevedo, A.

Cinibulk, Michael K. See Hay, Randall S.; Kleebe, H.-J.

Cinibulk, Michael K.; Hay, Randall S.
Textured magnetoplumbite fiber-matrix interphase derived from sol-gel fiber coatings.—75-03336

Cinibulk, Michael K.; Welch, John R.; Hay, Randall S.
Preparation of thin sections of coated fibers for characterization by transmission electron microscopy.—75-06739

Ciobanu, G. See Puica, I.

Circeo, L. J. See Applewhite-Ramsey, Amy

Cisco, Terry See Virga, Kathleen

Ciszek, M.; Ashworth, S. P.; James, M. P.; Glowacki, B. A.; Campbell, A. M.; Garre, R.
Self-field ac losses and critical currents in multitube Ag-Bi-2223 conductors.—75-08409

Ciszek, M.; Klamut, J.; Zaleski, A. J.
Influence of hydrogenation on inter- and intragranular critical currents in $YBa_2Cu_3O_{7-\delta}$.—75-00813

Ciszek, T. F. See Schwerdtfeger, C. R.

Ciurchea, D.; Cozar, O.; Ilonca, G.; Geru, V. I.; Pop, V.
Statistical representation of the excess conductivity in a Bi-Sr-Ca-Cu-O superconductor.—75-08418

Cizmek, A. See Antonic, T.

Claar, Terry D. See Aghajanian, Michael K.; Newkirk, Marc S.

Claar, Terry D.; Schiroky, Gerhard H.; Johnson, William B.
Method of modifying ceramic composite bodies by a post-treatment process and articles produced thereby.—75-02571

Claridge, R. F. C.; Mackle, K. M.; Sutton, G. L. A.; Tennant, W. C.
Zircon EPR revisited: 10-K EPR of three low-symmetry centers in irradiated zircon.—75-03868

Clarisse, L.; Baddi, R.; Duclos, R.
Effect of stress on the phase distribution during superplastic deformation of an alumina-zirconia composite.—75-04502

Clark, David E. See Boonyapiwat, Attapon; Cozzi, A. D.; Darby, Greg; Di Fiore, Robert R.; Earl, David A.; Koh, Michael T. K.; Roth, M.; Schulz, Rebecca L.; Wicks, G. G.

Clark, David E.; Folz, Diane C.; Oda, Steven J.; Silberglitt, R.
Ceramic Transactions, Volume 59: Theory and Application in Materials Processing III.—75-02160

Clark, Hector M. See Smoot, John E.

Clark, Jimmy
Ceramics Israel.—75-02212; Czeslaw Podlesny.—75-04790; Jindra Vikova.—75-02276

Clark, K. B.; Bardwell, J. A.; Baribeau, J.-M.
Physical characterization of ultrathin anodic silicon oxide films.—75-00572

Clark, Terence See Cruse, Richard

Clark, Terence; Cruse, Richard; Rohman, Stephen; Mininni, Robert
Ceramic vapor deposited coating using a steam-containing carrier gas and nonalkoxy silane precursors.—75-01106

Clarke, David R.
Intergranular film in silicon nitride ceramics—a diffuse interface approach.—75-04351; Strategies for controlling the wetting behavior of intergranular films in liquid phase sintered ceramics.—75-01683; See also Doyle, K. J.; Kizler, Peter; Nan, Ce-Wen

Clarke, H. McI. See Smoot, John E.

Clarke, R. See Rapoport, N.; Taylor, C. A. III

Clarke, Rowland C. See Burk, Albert A. Jr.

Clasen, Rolf; Janes, Sigmar; Oswald, Christian; Ranker, Doris
Electrophoretic deposition of nanosized ceramic powders.—75-01482

Claurch, Thomas C.; Havens, Thomas G.; Kerko, David J.
Brown photochromic glasses.—75-07410

Clausen, K. N. See Findeisen, E.

Clausing, R. E. See Mehta, Prabhjot; Tolt, Z. L.

Claussen, N. See Garcia, Daniel E.; Hotza, D.; Janssen, R.; Knechtel, M.; Lathabai, Srinivasarao

Claussen, N.; Bowen, C. R.; Holz, D.; Wu, S.
Combination of transformation and nanotoughening in mullite composites.—75-03975

Clavaud, Bernard See Etienne, Frederic; Martin-Calle, Serge

Clavenna, LeRoy R. See Davis, Stephen M.

Clay, P. G. See Adeleye, S. A.

Cleary, T. A. See Mishra, A.

Cleary, Thomas M.; Varner, J. R.
Crack initiation during Hertzian indentation of normal and anomalous glasses—a study using fractography and acoustic emission.—75-02637

Clements, N. See Golecki, I.

Clemons, John See Fathi, Zak

Clennell, T.
Ron Roy's ole black magic.—75-02349

Clevesson, Orjan See Rundgren, Kent

Cliche, G. See Dallaire, S.

Clifford, David G. See McVeety, Thomas

Clifton, R. J. See Raiser, G. F.

Cloer, Fielding See Rau, Andreas W.

Cloots, R. See Vandewalle, N.

Clyne, T. W.; Tsui, Y. C.
Effect of intermediate layers on residual stress distributions and debonding of sprayed thermal barrier coatings.—75-02458

Coad, E. J. See Jilbert, G. H.

Coaker, B. M.; Xu, N. S.; Jones, F. J.
Photon emission from an alumina insulator in vacuum subjected to dc electrical fields.—75-02926

Cobbiedick, B.
Versatile tool improves brick production.—75-02800

Cochon, E. See Amoureux, J. P.

Cochran, Gene A. See Carroll, Daniel F.; Dunmead, Stephen D.

Cochrane, J. See Gu, G. D.

Cocker, Alan J.; Batchelor, Esther C.
Method of using oxygen measuring probe.—75-07377

Cockerill, Timothy M.; Forbes, David V.; Dantzig, Jonathan A.
Strained layer InGaAs-GaAs-AlGaAs buried heterostructure quantum well lasers by three-step selective area MOCVD.—75-05484

Cocking, J. L.
High-temperature embrittlement of ceramic matrix composites—interface effects.—75-01862; See also Goodwin, G.

Cocks, A. C. F.; Leckie, F. A.
Design with ceramic matrix composites.—75-03555

Coddens, Gerrit See Winkler, Bjorn

Codella, Peter J. See D'Evelyn, Mark P.

Cogburn, Onis
Fifty dollar ball mill.—75-04706

Cohen, Ronald E. See Marton, Frederic C.

Cohen, S.; Weil, R.; Muranevich, E.
Index of refraction and its temperature coefficient in $CdSe_{0.18}Te_{0.82}$ at 10.2 μm wavelength.—75-00514

Cohen, Yoel; Riess, Ilan
Preparation of oxynitride thin films of $BaNb(O_xN)_y$ and $LaNb(O_xN_z)_y$ using reactive sputtering from multiphase targets.—75-06732

Cohenca, C. H. See Jardim, R. F.

Cojocaru, L. N. See Nazarenco, I.

Colangelo, S. E. See Petreanu, J. P.

Colbeck, Ian
Measuring the fractal dimensions of fume aerosols in situ using light scattering.—75-05958

Colbow, K. M.; Jacquemin, R.; Eberhardt, W.
Two-photon photoemission study of GaAs(100).—75-05510

Cole, James J. See Wood, Charles D. III

Cole, Robert See Kondos, Pericles A.

Colella, M. See Carter, M. L.

Coleman, Charles R. See Carter, Thomas M.

Coleman, R. V.; Dai, Z.; Gong, Y.; Slough, C. G.; Xue, Q.
Electronic structure of layered and linear chain materials by scanning probe microscopy.—75-01844

Coley, Crystal See Tepesch, Patrick D.

Colgan, C.
Glenda Taylor.—75-02262

Colin, C. See Favrot, N.

Colin, C.; Favrot, N.; Li, F.; Barbier, G.
Green strength of WC/Co bilayer compacts.—75-02487

Colla, E. L. See Tagantsev, A. K.; Zurmuhlen, R.

Colla, E. L.; Tagantsev, A. K.; Kholkin, A. L.; Setter, N.
Dc voltage and cycling induced recovery of switched polarization in fatigued ferroelectric thin films.—75-05543

Collin, Marianne
Method of coating a ceramic body.—75-00995

Collins, Carl B. See Davanloo, Farzin

Collins, D. A. See Feenstra, R. M.

Collins, D. F. See Bi, Xiang-Xin

Collins, D. J. See Akbar, S. A.

Collins, George J. See Peterson, George T.

Collins, R. E. See Fischer-Cripps, Anthony C.

Collins, Steven R. See Toure, Abron S.

Collins, W. E. See George, M. A.; Languell, M. L.

Colombet, P. See Tarrida, M.

Colombier, Christian; Disson, Jean-Pierre; Cuer, Jean-Pierre
Metal/metalloid nitride/carbide ceramic powders prepared by flash pyrolysis.—75-07264

Colombo, Luigi
HgCdTe crystal growth and infrared device technology.—75-03046

Colombo, P. See Donato, A.

Colombo, Paolo See Pivin, Jean Claude

Colomer, M. T.; Nieto, E.; Jurado, J. R.
Developing a thick-film cermet.—75-07721

Colque, S.; Grange, P.
Proposal for a new mechanism for the transformation of alumina into aluminum nitride.—75-04189

Coltrin, Michael E. See Dandy, David S.; McMaster, Mark C.

Coluzza, C. See Almeras, P.

Compton, R. N. See Hettich, R. L.

Comte, Marie J. M.
High index glasses.—75-07429

Conde, F. See Chen, D.-X.

Condorelli, G. G. See Malandrino, G.

Cong, Xian-Dong See Kirkpatrick, R. James

Cong, Xian-Dong; Kirkpatrick, R. James
^{17}O MAS NMR investigation of the structure of calcium silicate hydrate gel.—75-02383; ^{29}Si and ^{17}O NMR investigation of the structure of some crystalline calcium silicate hydrates.—75-06146; ^{29}Si MAS NMR study of the structure of calcium silicate hydrate.—75-06147

Congdon, James W. See Marra, James C.
Conley, John F., Jr.; Lenahan, P. M.; Evans, H. L.
Electron spin resonance evidence for an impurity-related *E*1/2-like hole trapping defect in thermally grown SiO_2 on Si.—75-01753; Observation and electronic characterization of new *E*1/2 center defects in technologically relevant thermal SiO_2 on Si: an additional complexity in oxide charge trapping.—75-00555
Conner, C. L. See Carroll, Daniel F.
Connolly, Elizabeth S.; Forsythe, George D.; Rajendran, Govindasamy P.
Ceramic hot gas filter.—75-06082
Connoly, P. See Smirnov, E.
Constable, D. See Neal, Graham S.
Constantin, C. See Pintilie, I.; Pintilie, L.
Constantinescu, F.; Vasiliu, F.; Constantinescu, N.; Dinescu, M.; Nita, P.; Motoc, C.
Boron carbide preparation by highly reactive precursors.—75-09224
Constantinescu, N. See Constantinescu, F.
Conte, P. See Frayssinet, P.
Conway, J. C., Jr. See Stough, M. A.
Conwell, Stanley L.; Wood, William P.
Alpha-alumina-based abrasive grain.—75-07116
Conzone, Samuel D. See Butt, Darryl P.
Cook, Arnold J.
Method of forming a diamond composite structure.—75-03744
Cook, John K.
Test methods for porcelain enamel—a report on ASTM committee activities.—75-00141
Cook, L. S. See Wolfenden, A.
Cook, L. S.; Wolfenden, A.; Brindley, W. J.
Temperature dependence of dynamic Young's modulus and internal friction in LPPS NiCr AlY.—75-04868
Cook, M. J.; Hudson, J. B.; Hillig, W. B.
Use of CVD AlN films as protective coatings in $MoSi_2$ composites.—75-02558
Cook, P. See Liu, T.
Cook, R. F.; Braun, Linda M.; Cannon, W. R.
Trapped cracks at indentations: I, Experiments on yttria-tetragonal zirconia polycrystals.—75-07055
Cook, Stephen L. See Shamlian, Sarkis H.
Cooley, Kevin M. See Lee, Woo-Y.
Coombe, R. D. See Liu, Z.
Cooney, R. P. See Moran, P. D.
Cooney, T. G.; Hachfeld, E. A.; Francis, Lorraine F.
Role of macrodefects in PZT thin films for microelectromechanical systems.—75-00695
Cooper, G. A. See Lin, Tze-Pin
Cooper, J. A., Jr. See Sheppard, S. T.
Cooper, J. R. See Dumin, D. J.
Cooper, Joel P. See Tour, James M.
Cooper, John B. See Albin, Sacharia
Cooper, Paul; Arnold, Peter C.
Air entrainment and dust generation from a falling stream of bulk material.—75-05892
Cooper, Reid F. See Freeman, S. A.; Grellinger, D. J.; Meng, Bin-Shen; Nair, B. G.
Cooper, Timothy J. See Kotacska, Lawrence H.
Coors, Doug
Application of aluminum titanate as thermocouple protection tubes in the molten aluminum industry.—75-01075; See also Limaye, S. Y.
Copet, B. See Duvierre, G.
Copetti, Carlo; Schubert, Jurgen; Zander, W.; Buchal, Christoph
Structures super conductor tracks and process for making them.—75-00918
Copp, A. N.
Magnesia/magnesite.—75-06039
Coquard, P.; Boistelle, R.; Amathieu, L.
Hardness, elasticity modulus, and flexion strength of dry set plaster.—75-04817
Corat, Evaldo J.; Trava-Airoldi, V. J.; Leite, Nelia F.; Pena, Angel F. V.; Baranauskas, Vitor
Low-temperature diamond growth with CF_4 addition in a hot filament reactor.—75-01563
Cordero, F. See Cannelli, G.
Corderro, Dave See Zhang, Chun-Ping
Cordoba, G.; Moreno, R.; Salomoni, A.; Stamenkovic, I.
Rheology of alumina-based slips used for pressureless- and pressure-casting.—75-01653
Cordoba, G.; Moreno, R.
Evaluation of the effectiveness of a phosphate ester in Al_2O_3 tape casting slips.—75-01487
Cordone, S. S. See Slavin, A. N.
Corish, John
Atomistic simulation methods applied to defect structure and transport phenomena in solid materials.—75-09219
Corlatan, D. See Neyts, K. A.
Cormack, A. N.
What can New York State colleges do for the glass industry.—75-02153
Cornelis, J. See Devos, P.
Cornelius, Lauren K. See Borrelli, N. F.
Cornett, Kenneth D.; Ramakrishnan, E. S.; Shapiro, Gary; Caldwell, Ray; Howng, Wei-Yean
Voltage-controlled capacitor for wide-band tuning.—75-00387
Corradini, Fulvio See Brigatti, Maria
Correa, Sanjay M.
CVD diamond production using preheating.—75-08823
Correia, L. A.; Salomoni, A.; Hey, A. W.
Kinetic modeling of pressure filtration of ceramic powder suspensions.—75-01555
Corrigan, Frank; Anthony, Sam; Sweeting, Barbara
Polycrystalline cubic boron nitride abrasive particles and abrasive tools made therefrom.—75-04786
Corriu, R. J. P. See Acosta, S.; Belot, V.
Corson, David N.; O'Byrne, Liam
Taguchi experiments for cast iron grates: 1995 PEI Technical Forum.—75-00140
Cortez, Rebecca See Wood, Jeffrey W.
Corti, M.; Borsa, F.; Miller, L. L.
^{35}Cl nuclear magnetic resonance study of magnetic ordering in $Sr_2CuO_2Cl_2$ single crystal.—75-03761
Corti, M.; Lascialfari, A.; Rigamonti, A.
^{139}La nuclear quadrupole resonance and relaxation in Zn-doped La_2CuO_4.—75-03760
Corumluoglu, O. See Guadagnino, E.
Cosack, T.; Pawlowski, L.; Schneiderbanger, S.
Thermal barrier coatings on turbine blades by plasma spraying with improved coating.—75-04869
Cosandey, F.; Lu, P.
Formation and orientation of low-energy MgO/Pd, Al_2O_3/Pd, and TiO_2/Pd interfaces.—75-04326
Costa, F. M. A. See Mendonca, M. H.
Coston, Kent R. See Lashbrook, James A. Jr.
Cote, B. See Coutures, J. P.; Massiot, D.; Parot-Rajaona, Tiana
Cote, B.; Massiot, D.; Coutures, J. P.; Poe, B. T.; McMillan, P. F.
^{27}Al NMR of CaO-Al_2O_3-SiO_2 and CaO-Al_2O_3 liquids and glasses.—75-00256
Cotterell, B. See Qin, C.-D.
Cottringer, Thomas E.; Van de Merwe, Ronald H.; Bauer, Ralph; Yarbrough, Walter A.
Alumina sol-gel fiber.—75-08772
Couchaud, M. See Allain, J. L.
Coupelle, P. See Baklouti, S.
Coupland, Duncan R.; Hunt, Helena E.
Coated ceramic article.—75-02567
Court, D. See Sinnadurai, N.
Courtney, T. H. See Murphy, B. R.
Cousins, C. S. G. See Hamichi, M.
Coustumer, P. L.; Monthioux, M.; Despres, J. F.
Surface roughness of Nicalon fiber.—75-06910
Coutures, J. P. See Bessada, C.; Cote, B.; Massiot, D.
Coutures, J. P.; Massiot, D.; Florian, P.; Cote, B.
High and very high temperature ^{17}O and ^{27}Al nuclear magnetic resonance on liquid alumina and silica bearing oxides.—75-01087
Couty, R. See Fernandez, L.; Zanni, H.
Cova, P. See Singh, A.
Coveney, P. See D'Angelo, R.; Fletcher, P.
Coverdale, R. T.; Christensen, Bruce J.; Mason, Thomas O.
Interpretation of the impedance spectroscopy of cement paste via computer modeling.—75-04819
Covino, J. See Lee, I.; Hudson, K.
Cowley, Jorge See Palmer, Alfredo T.
Cox, Brian N.; Marshall, David B.
Crack initiation in fiber-reinforced brittle laminates.—75-04469
Cox, Jeff See King, Kathy
Cox, U. J.; Crain, J.; Hatton, P. D.
High-resolution X-ray scattering studies of epitaxial $GdBa_2Cu_3O_{7-\delta}$ thin films.—75-03373
Coy, R. See Tura, J. M.
Coyle, T. W. See Yakimov, A.; Zheng, Z.
Coyne, W. See Lisicka-Skrzek, E.
Cozar, O. See Ciurchea, D.
Cozzens, R. See Ahmad, I.
Cozzi, A. D.; Clark, David E.; Ferber, M. K.; Tennery, Victor J.
Apparatus for the joining of ceramics using microwave hybrid heating.—75-00938
Craig, Bradley D.; Francis, Lorraine F.; Abrams, Lloyd
Measurement of porosity in ceramic coatings by thermogravimetric volatilization of liquids [TVL].—75-08682
Craig, Kevin C. See Islam, Abu S.
Craig, R. A. See Abel, K. H.; Bliss, M.
Crain, J. See Cox, U. J.
Cramer, C. See Funke, K.
Cramer, Dieter See Lubitz, Karl
Crane, Jon C. See Taylor, Roger
Cransveld, J. See Yue, B.
Creber, Diane
Wilton Pottery.—75-04805
Crepin-Leblond, J. See Rebillat, F.
Criado, Emilio
High-alumina refractory corrosion in wastewater incinerator of a chemical plant.—75-07562
Criado, Jose M. See Alcala, Maria D.; Real, Concha
Crichton, S. N.; Barbieri, T. J.; Tomozawa, Minoru
Solubility limits for troublesome components in a simulated low-level nuclear waste glass.—75-03496
Crichton, S. N.; Savage, M. F.; Tomozawa, Minoru
Volatilization rates of troublesome components from a simulated low-level nuclear waste glass.—75-03506
Cridge, Peter D.; Gallo, Thomas A.
Reaction injection molding inorganics.—75-07273
Crimp, Melissa J.; Zhang, Ming-Li; Oppermann, Dean A.
Suspension parameters of SiC_w/Al_2O_3 composites.—75-03931
Criss, Russell C. See Carter, Thomas M.
Crnjak-Orel, Z. See Orel, B.
Croitoru, N. See Rusman, I.
Crook, Elizabeth M. See Nikles, David E.
Cropper, Andre D. See Scott, Craig J.
Crosbie, Gary M.; Pan, Tsung-Yu
Powered thermal transients modeling to compare AlN substitution for BeO.—75-02928
Cross, L. Eric
Ferroelectric ceramics: materials and application issues.—75-03231; See also Chen, H. Daniel; Elissalde, C.; Ghosh, P. K.; Guo, Ru-Yan; Jiang, Q. Y.; Li, Shao-Ping; Markowski, Kelley A.; Mulvihill, Maureen L.; Srivastava, Ashvin; Williamson, W. III
Cross, T. E. See Batt, J.; Binner, J. G. P.
Crow, J. E. See Cao, G.
Crowder, Stephen V. See Kovacic, Larry
Crowe, John T. See Ault, Neil N.
Cruciani, Gary See Ramberg, C. Eric
Cruickshank, Brandon J. See LaGraff, John R.
Cruickshank, Karen M.; Jing, Xi-Ping; Wood, Graeme; Lachowski, Eric E.; West, Anthony R.
Barium neodymium titanate electroceramics: phase equilibria studies of $Ba_{6-3x}Nd_{8+2x}Ti_{18}O_{54}$ solid solution.—75-02893
Cruse, Richard See Clark, Terence
Cruse, Richard; Szalai, Veronika; Clark, Terence; Rohman, Stephen; Mininni, Robert
CVD of silicon-based ceramic materials on internal surface of a reactor.—75-01162
Cruz, A. See Chevrier, J.
Csencsits, R. See Foster, C. M.; Sheldon, Brian W.
Csillag, S. See Raty, R.
Ctortecka, B. See Dai, G. P.
Cubertafon, J. C. See Chenevier, M.
Cuer, Jean-Pierre See Colombier, Christian
Cui, G.-W. See Miao, H.-Z.
Cui, Jing-Biao; Chen, Hong; Zhang, Ji-Fa; Ban, Da-Yan; Fang, Rong-Chuan
Thermal conductivity of diamond film.—75-09197
Cui, K. See Liu, N.
Cui, Qi-Liang See Meng, Jin-Fang
Cui, Shu-Xian See Zhu, De-Zhi
Cui, X. T.; Zhang, Z. H.; Chen, Q. Y.; Romero-Borja, F.; Liu, J. R.; Zheng, Z. S.
Deposition and characterization of CN, films.—75-01820
Cui, Ying-Qing L. See Budiansky, Bernard
Cui, Z.-J. See Zhao, X.-Q.
Cukan, Vladimir See Morgan, David L.
Culea, E.; Milea, I.; Iliescu, T.
Spectroscopic investigation of the influence of uranium ions on the structure of borate glasses.—75-04929
Cumbers, Donald I. See Whitman, David W.
Cumbrera, F. L. See Guiberteau, F.
Cummings, James; Stutts, Daniel
Analytical composite model of a piezoelectric traveling-wave motor for optimal design and manufacture.—75-00637
Cunningham, George M.; Frost, Rodney I.; Lachman, Irwin M.
Extrusion die for protrusion and/or high cell density ceramic honeycomb structures.—75-08578
Cunningham, J. E. See Walker, J. A.
Cuomo, J. J. See Liu, A.; Morath, Christopher J.
Curley, M. See Rapoport, N.
Curnbo, Michael J.; Jacobs, Stephen D.
Near-surface forces in optical polishing [determined] using atomic force microscopy.—75-04381
Curran, Sean See Leone, Edgar A.
Curtain, W. A. See Stinton, D. P.
Curtin, M. T. See Vogt, Gerald J.
Curtin, W. A.; Netravali, A. N.; Park, J. M.
Strength distribution of Carborundum polycrystalline SiC fibers as derived from the single-fiber composite test.—75-06783
Curtis, C. L.; Gawne, D. T.; Priestnall, M.
Processing and electrical properties of plasma-sprayed yttria-zirconia.—75-05209
Curzon, A. E. See Chrzanowski, J.
Cutard, T. See Bouchetou, M. L.; Fargeot, D.
Cutard, T.; Huger, M.; Fargeot, D.; Gault, C.
High-temperature ultrasonic characterization of the mechanical and microstructural behavior of a fibrous composite with a magnesium lithium aluminum silicate [MLAS] glass-ceramic matrix.—75-04340
Cutler, Raymond A. See Lakshminarayanan, R.
Cutler, Willard A.; Zok, Frank W.; Lange, Fred F.
Mechanical behavior of several hybrid ceramic matrix composite laminates.—75-07002
Cutshaw, C. See Chein, T.; Tzeng, Y.
Cuzick, David
Functional/sculptural concerns.—75-02257
Cygan, Randall T. See Kim, Yeong-Kyoo
Cymbalista, C.
Celia Cymbalista—an autobiography.—75-02209
Czirr, J. Bart See Berrondo, Manuel
Czirr, J. Bart; Berrondo, Manuel
Cerium-activated lanthanum beryllate as a gamma detector material.—75-00942
Czubarow, Pawel See Seyferth, Dietmar
Czyzak, B.
Microwave absorption in high-T_c superconductors in low magnetic fields.—75-08368
D'Andrea, Gennaro See Soraru, Gian Domenico
D'Angelo, R.; Plona, T. J.; Schwartz, L. M.; Coveney, P.
Ultrasonic measurements on hydrating cement slurries.—75-02428
D'Avolio, Antonio; Pesenti, Luigi
Piezoceramic capsule for telephone instruments.—75-05652
D'Evelyn, Mark P. See Hukka, Terttu I.; Rawles, Robin E.
D'Evelyn, Mark P.; Stokes, Edward B.; Codella, Peter J.; Williams, Bradley E.
Properties of CVD diamond for optical applications.—75-09175
D'Evelyn, Mark P.; Struck, Lisa M.; Rawles, Robin E.
Surface cleaning, topography, and temp. measurements of single-crystal diamond.—75-01955
D'ordyai, V. S. See Galagovets, I. V.
D'Souza, A.; Pantano, C. G.
Surface layer formation due to leaching and heat treatment of alkali lead silicate glass.—75-07402
D'yachenko, A. I.; Tarenkov, V. Yu.; Abaleshev, A. V.; Svistunov, V. M.
Nature of a linear phonon in tunneling conductivity of metal oxides: pressure effects.—75-08376
D'yachenko, Yu. I. See Shkol'nikov, E. V.
D'yakonov, A. M. See Drichko, I. L.
D'yakonov, K. V. See Ilisavskii, Yu. V.
D'yakonov, V. P. See Baran, M.; Levchenko, G. G.

D'yakonov, V. P.; Fita, I. M.; Levchenko, G. G.; Markovich, V. I.
Effect of pressure-induced oxygen ordering on the superconducting properties of $GdBa_{2-x}Sr_xCu_3O_y$.—75-08296
D'yakonov, V. P.; Levchenko, G. G.; Markovich, V. I.; Fita, I. M.; Doroshenko, N. A.
Magnetic ordering of the Gd^{3+} sublattice in the $Gd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ system.—75-05791
D'yakonov, V. P.; Markovich, V. I.; Boiko, F. A.; Doroshenko, N. A.; Levchenko, G. G.; Fita, I. M.
Superconductivity of the $Gd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ HTSC system.—75-08433
D'yakov, V. A. See Shaldin, Yu. V.
D'yurouz, K. See Loginov, Yu. Yu.
Da Jornada, J. A. H. See Fritzen, C. L.
Da Silva, Sidiney Nascimento See Noronha, Reinaldo Tito Teixeira
Daalmans, Gabriel M. See Bar, Ludwig R.
Dabney, W. See Firstenberg, K.
Dabrowski, Bogdan See Toreki, Robert
Dadon, David See Birman, Amnon; Martin, L. P.
Dafinei, I. See Auffray, E.; Nikl, M.
Dafinei, I.; Auffray, E.; Lecoq, P.; Schneegans, M.
Heavy fluoride glasses as an alternative to crystals in high-energy physics calorimetry.—75-00927; Lead tungstate for high-energy calorimetry.—75-01089
Dagis, R. See Babonas, G.-Yu.
Daher, E. V.
Technical problems encountered in the manufacture of lead calcium titanate.—75-01726; Tungsten oxidation state and the effect on PCT [lead calcium titanate] electrical properties.—75-02020
Dahms, M. See Pirwitz, F.
Dahotre, Narendra B.; McCay, Mary H.; McCay, T. Dwayne
Laser bonding process.—75-08585
Dai, D.-Y. See Mai, Z.-H.
Dai, G. P.; Ctortecka, B.; Tunstall, D. P.
Cu NMR studies of the $Nd_2CuO_{4-y}F_y$ system.—75-06199
Dai, J.-Y. See Zhang, G.-J.
Dai, J.-Y.; Wang, Y. G.; Li, D.-X.
Atomic structure at Ti(C,N)-TiB_2 interfaces in Ti(C,N)-TiB_2-Ni ceramics.—75-03764
Dai, X.-G. See Zheng, G.-L.
Dai, X.-M.; Tian, J.-M.; Pan, G.-G.; Wang, J.-L.; Zhang, B.-Q.
Preparation and characterization of fine Y-ZrO_2 powders by spray pyrolysis.—75-04147
Dai, Xi See Chen, Ang
Dai, Xun-Hu; Viehland, Dwight
Effects of lanthanum modification on the antiferroelectric-ferroelectric stability of high-zirconium-content lead zirconate titanate.—75-00654; Spontaneous relaxor to normal ferroelectric transformation in La-modified lead zirconate titanate.—75-03260
Dai, Xun-Hu; Xu, Zheng-Kui; Viehland, Dwight
Dielectric, structural, and microstructural characteristics of tetragonal structured PLZT relaxors.—75-00648; Long-time relaxation from relaxor to normal ferroelectric states in $Pb_{0.91}La_{0.06}(Zr_{0.65}Ti_{0.35})O_3$.—75-05600
Dai, Yi-Sheng See Lu, Tai-Jing
Dai, Z. See Coleman, R. V.
Dailov, A. A.; Kishkin, V. A.; Kovalenko, M. G.
Determining brick strength during examination of stone structures.—75-07443
Daimon, Masaki See Ohba, Yoko
Daitoh, Y. See Yano, Y.
Dalakyan, A. T. See Belykh, V. G.
Daley, R. S. See Musket, R. G.
Dalgleish, B. J. See Locatelli, M. R.; Shalz, M. L.
Dalgleish, B. J.; Tomsia, A. P.; Glaeser, A. M.
Transient FGM approach to joining silicon-based ceramics.—75-02556; Transient liquid-phase bonding of Si-based ceramics using microdesigned Ni-based interlayers.—75-00144
Dallaire, S.; Cliche, G.
In situ synthesis of TiB_2 or TiC by reactions in a molten NiCrAlY alloy.—75-07214
Dallapiccola, Elisabetta See Soraru, Gian Domenico
Dallas, T.; Gangopadhyay, S.; Yi, S.; Holtz, M.
Time-resolved and cw photoluminescence spectra of polycrystalline diamond films.—75-09098
Dallmann, D. A.; Shenai, K.
Investigation of self-heating effects in submicron SOI MOSFETs.—75-00526
Daly, Glenn
Frank Philipps—rollin' the dice.—75-02256
Dalziel, Rosalie
European ceramic tile industry.—75-07070
Damani, R.; Gstrein, R.; Danzer, R.
Critical notch-root radius effect in SENB-S [single edge notch bend-saw cut] fracture toughness testing.—75-08649
Damjanovic, Dragan See Shulman, Holly S.
Damle, R. V.
New criterion for measurement of stiffness constants c_{44}, c_{55}, c_{66}, and c_{13} of lithium niobate and quartz.—75-03813
Damme, H. V. See Maggion, R.
Damodaran, A. D. See Balagopal, N.; Koshy, J.; Kumar, C. Sunil; Mani, T. V.; Sivakumar, S.; Varma, H. K.; Warrier, K. G. K.
Dan'shin, N. K.; Nepochatykh, Yu. I.; Shkar, V. F.
Role of precession and longitudinal vibrations of magnetization in the dynamics of spin reorientation in Fe_3BO_6.—75-08239
Dan, J. P. See Haenni, W.
Dan, T. K. See Deb, S.
Danailov, M. B.; Apai, P.
589-nm light generation by intracavity mixing in an Nd:YAG laser.—75-02957
Dananjay, A. See Manthiram, A.
Danchaivijit, S.; Chao, L.-Y.; Shetty, D. K.
Matrix cracking in brittle matrix composites with tailored interfaces.—75-04582
Dandekar, Dattatraya P.; Abbate, A.; Frankel, J.
Equation of state of aluminum nitride and its shock response.—75-01218
Dandy, David S.; Coltrin, Michael E.
Effects of temperature and filament poisoning on diamond growth in hot filament reactors.—75-01474
Danerud, M.; Winkler, D.; Lindgren, M.
Nonequilibrium and bolometric photoresponse in patterned $YBa_2Cu_3O_{7-\delta}$ thin films.—75-00836
Danforth, Stephen C. See Agarwala, Mukesh K.; Khasgiwale, N. R.; Leone, Edgar A.; Pan, Xiao-Qing; Vaidyanathan, K. R.
Danger, T.; Koetke, J.; Brede, R.
Spectroscopy and green upconversion laser emission of Er^{3+}-doped crystals at room temperature.—75-00599
Daniel, A. M. See Lewis, M. H.
Daniel, A. M.; Lewis, M. H.
Measurement of interfacial micromechanics in ceramic matrix composites.—75-01029
Daniel, David E. See Pearce, John A.
Daniel, Isaac M. See Chun, Heoung-Jae
Danilov, E. B. See Khalilov, V. Kh.
Danilov, S. N. See Vorob'ev, L. E.
Danilov, V. A. See Boikov, Yu. A.
Danilova, I. G. See Demidov, A. V.
Danilova, L. E. See Yukhin, Yu. M.
Danilova, T. N.; Ershov, O. G.; Imenkov, A. N.; Stepanov, M. V.; Sherstnev, V. V.; Yakovlev, Yu. P.
Maximum operation temperature of diode lasers based on InAsSb/InAsSbP.—75-07963
Danilova, T. N.; Ershov, O. G.; Zegrya, G. G.; Imenkov, A. N.; Stepanov, M. V.; Sherstnev, V. V.
Light polarization in InAsSb/InAsSbP double heterostructure lasers.—75-03078
Danilova, T. N.; Imenkov, A. N.; Kolchanova, N. M.; Popov, A. A.; Yakovlev, Yu. P.
Inhomogeneous lasing from *p*-GaInAsSb channel buried lasers.—75-07933
Danilovich, M. B. See Golubkov, L. A.
Danilovich, O. V. See Smirnova, T. P.; Yakovkina, L. V.
Danisch, Jim
Floating pottery of Myanmar.—75-04794; Tharu potters of Nepal.—75-02369
Danishevskii, A. M.; Rogachev, A. Yu.
Time-resolvable pulse exciton photoluminescence of pure 6H-SiC crystals and films.—75-08087
Danishevskii, A. M.; Shuman, V. B.; Rogachev, A. Yu.; Guk, E. G.; Ivanov, P. A.; Mal'tsev, A. A.
Creation of β-SiC phase crystallites in porous layers of SiC.—75-07814
Danishevskii, A. M.; Shuman, V. B.; Rogachev, A. Yu.; Ivanov, P. A.
Porous silicon carbide investigated by methods of vibrational and luminescence spectroscopies.—75-05441
Danjaji, M. B. See Applewhite-Ramsey, Amy
Dankert, Thomas K.; Tuson, G. B.
Demonstration on an ultralow-NO_x oxygen-fuel glass-melting system.—75-05992
Dannemann, Kathryn A.; Mandell, John F.
Tensile damage development in fiber-reinforced ceramic matrix composites.—75-04649
Dannheim, J. See Strohbauch-Homberg, G.
Dano
Starting over.—75-02361
Dantsiger, A. Ya. See Dergunova, N. V.; Gavrilyachenko, S. V.; Reznichenko, L. A.
Dantsiger, A. Ya.; Dudkina, S. I.; Reznichenko, L. A.; Razumovskaya, O. N.; Dergunova, N. V.; Klevtsov, A. N.
Ferroelectric materials with high permittivity.—75-05577
Dantzig, Jonathan A. See Cockerill, Timothy M.
Danyluk, S. See Fang, Y.
Danzer, R. See Damani, R.
Daoukaki, D. See Pissis, P.
Dapkus, L. See Lisauskas, V.
Daran, E.; Legros, R.; Munoz-Yague
Effect of growth temperature and doping concentration on the distribution of the emitting centers in CaF_2:Er molecular beam epitaxial layers.—75-06577
Darby, Greg; Clark, David E.; Di Fiore, Robert R.; Foiz, Diane C.; Schulz, Rebecca L.; Boonyapiwat, Attapon
Temperature measurement during microwave processing.—75-01728
Dareing, Don W. See Peterson, J.; Wu, Zhen-Ming
Daricheva, O. E. See Arbenina, V. V.
Darienko, N. E. See Polezhaev, Yu. M.
Darriet, B. See Huang, Sui-Yang
Darwin, D.; McCabe, S. L.
Bond characteristics of pretensioned strand.—75-02388
Darwish, A. See Aggarwal, M. D.
Darwish, Adam D. See Taylor, Roger
Darwish, H. See Salama, S. N.
Das Chaklader, Asoke C.; Lin, Edmond C. Y.
In situ production of silicon carbide-containing ceramic composite powders.—75-06123
Das Chowdhury, K. See Carpenter, R. W.
Das Poddar, P. K. See Das, S. K.
Das, A. See Suryanarayanan, R.
Das, Amitava
Das Amitava's thermal conductivity equations on Indian insulating refractories.—75-07503
Das, Ashis See Barua, P.
Das, B. K. See Dhara, Sandip
Das, D. K. See Das, R.
Das, K. N. See Krishna, N. V. S.
Das, K. N.; Krishna, N. V. S.; Ghosh, K. S.
Appropriate material for dams and weirs—Tata Steel's approach.—75-07477
Das, K. See Mukherjee, B.
Das, K.; Venkatesan, V.; Humphreys, T. P.
Ohmic contacts on diamond by B ion implantation and TiC-Au and $TaSi_2$-Au metallization.—75-00115
Das, Nandini See Balmer, Mari Lou
Das, P.; Choudhury, H.; Behera, B.
Sintering kinetics study of zirconia powder compact—analysis of a flow model.—75-04221
Das, R. N. See Rao, K. J.
Das, R.; Sen, P.; Kumar, A.; Das, D. K.; Chaudhuri, M.; Banerjee, G.
High emissive refractory coating for industrial furnaces.—75-07561
Das, S. Durga; Kumar, S. V. K. Kiran
Fuel-efficient furnace design with proper refractory and insulation bricks.—75-07555
Das, S. K. See Mukherjee, B.; Tripathi, H. S.
Das, S. K.; Kumar, Sanjay; Das Poddar, P. K.
Hydraulicity and high-temperature strength behavior of high-alumina cement in relation to synthetically prepared refractory aggregates.—75-07571
Das, S. R. See Deb, S.
Das, S. R.; Bose, A. K.; Kaul, S.; Singh, Rajesh
Hot blast stove design—Indian perspective.—75-07569
Das, S. See Mandal, P.; Ray, S. K.
Das, Satyendranath
High-T_c superconducting band reject ferroelectric filter (TFF).—75-08179; High-T_c superconducting monolithic ferroelectric tunable band pass filter.—75-08180
Das, Tushar; Toledo, Oscar Diaz
Development of magnesia—spinel-carbon brick for ladles of secondary metallurgy.—75-07522
Dasgupta, A. K. See Ghosh, N. K.
Dasgupta, A. See Basu, D.
Dasgupta, A.; Biswas, S.; Chowdhury, M.; Pati, Dipankar
Alumina–silicon carbide–carbon-based low-cement castable and ramming masses for BF applications.—75-07463
Dasgupta, A.; Sen, P. S.; Sinha, M. K.
Effect of ZrO_2 addition on strength and dilation behavior of cordierite ceramics.—75-06970
Dasgupta, Sankar See King, H. W.
Dasgupta, Sankar; Bhola, Rakesh
Silicon nitride based cutting tool insert.—75-01196; Exhaust gas filter.—75-00399
Dashevskii, Z. M. See Balmush, I. I.; Kul'bachinskii, V. A.
Dat, R.; Auciello, Orlando; Kingon, Angus I.
Effects of temperature on the ferroelectric properties of $PbZr_{0.53}Ti_{0.47}O_3$-based capacitors prepared by pulsed laser ablation deposition.—75-05554
Dat, R.; Lichtenwalner, D. J.; Auciello, Orlando; Kingon, Angus I.
Lead zirconate titanate ferroelectric capacitors produced on sapphire and gallium arsenide substrates.—75-05597
Date, Junichi See Hayashi, Shigeki
Date, Sadgopal K. See Potdar, Hari S.
Datta, R. K.
Oxidic and oxygen-free refractories [OFR] as thermionic emitters—a review.—75-07624; See also Walton, K. S.
Datta, Someswar See Nicholson, Patrick S.
Daunov, M. I.; Kamilov, I. K.; Elizarov, V. A.
Metal-insulator electron phase transition in a strongly doped compensated semiconductor (SDCS).—75-05381
Dauskardt, R. H.
Cyclic fatigue–crack growth in Si_3N_4 ceramics.—75-04479
Davanloo, Farzin; Collins, Carl B.
Nanophase diamond films.—75-01181; —75-06133
Davarska, C. See Lyubchev, L.
Davazoglou, D.; Donnadieu, A.
Optical oscillator strengths and quantum mechanics matrix elements of WO_3 polycrystalline thin films.—75-04613
Davenport, Thomas E. See Perino, Stanley
David, B.; Grundler, D.; Krey, S.; Doormann, V.; Eckart, R.; Krumme, J. P.
High-T_c SQUID magnetometers for biomagnetic measurements.—75-08329
David, P. See Narcy, B.
Davidge, R. W. See Wootton, A.
Davidge, R. W.; Twigg, P. C.; Riley, F. L.
Effects of silicon carbide nanophase on the wet erosive wear of polycrystalline alumina.—75-09629
Davidov, D. See Golosovsky, M.
Davidov, V. Yu. See Vikhnin, V. S.
Davidson, A. M. See Imaduddin, S.
Davidson, Brian N.; Pickett, Warren E.
Dynamics at a step on the diamond (111) surface.—75-01828
Davidson, David L. See Schwab, S. T.
Davidson, J. L. See Gurbuz, Y.; Kang, W. P.; Languell, M. L.; Wur, D.
Davidson, James A.
Zirconium oxide and zirconium nitride coated biocompatible leads.—75-07280
Davidyuk, G. E. See Bogdanyuk, N. S.
Davies, G.; Blanchard, E.
Advances in isostatic pressing.—75-03949; Pressure casting in the sanitary ware industry.—75-02885
Davies, H. A. See Anwar, M. Y.
Davies, J. F. See Lau, S. P.
Davies, J.
Observation of the fracture path development in mortar beam specimens.—75-04824
Davies, Mark J.; Parker, Stephen C.; Watson, Graeme W.
Atomistic simulation of the surface structure of spinel.—75-06163
Davies, P. K.
Influence of internal interfaces on the dielectric properties of ceramic microwave resonators.—75-02914; Influence of structural defects on the dielectric properties of ceramic microwave resonators.—75-01759; See also Mukundan, R.; Negas, Taki
Davis, Andrew See Stadler, Bethanie J. H.
Davis, C. R.
Wastewater treatment in today's regulatory environment.—75-03538
Davis, Douglas H. See Bennert, D. M.
Davis, Douglas H.; Hewlett, Kenneth J.
Waste vitrification—choice of melter.—75-03509

Davis, H. A. See Rej, Donald J.
Davis, Kenneth L.; Weitzel, C. E.; Mellen, Neal J.
Method of fabricating a silicon carbide vertical MOSFET and device.—75-03208
Davis, L. E. See Wu, Z.
Davis, M. E. See Helmkamp, M. M.
Davis, P. A. See Binner, J. G. P.
Davis, Pamela J.; Deshpande, Ravindra; Smith, Douglas M.
Pore structure evolution in silica gel during aging/drying: IV. Varying pore fluid pH.—75-06708
Davis, R. L. See Li, D. Y.
Davis, Robert F. See Balkas, Cengiz M.; Benjamin, M. C.; Chien, F. R.
Davis, Robert F.; Ailey, K. S.; Kern, R. S.; Kester, D. J.; Sitar, Z.; Smith, L.
Initial stages of growth of thin films of III-V nitrides and silicon carbide polytypes by molecular beam epitaxy.—75-00521
Davis, Robert F.; Kester, D. J.; Ailey, K. S.
Molecular beam epitaxy of boron nitride thin films and their analytical characterization.—75-04118
Davis, Robert J. See Fishel, Christopher T.
Davis, Stephen M.; Clavenna, LeRoy R.; Say, Geoffrey R.; Fiato, Rocco A.
High surface purity heat transfer solids for high-temperature fluidized bed reactions.—75-07698
Davlat'yan, T. A. See Lubnin, E. N.
Davydov, D. N. See Volkov, B. A.
Davydov, I. A. See Vyvenko, O. F.
Davydov, S. Yu.; Tikhonov, S. K.
Anharmonic properties of wide band gap semiconductors.—75-07779; Calculation of the dielectric and optical properties of wide-band semiconductors.—75-07794; Deformation potential of wide band semiconductors.—75-07820; Elastic constants and phonon frequencies of wide band gap semiconductors.—75-07860; Elastic properties of silicon carbide polytypes.—75-06449; Keating-Harrison model for the description of elastic properties of wide-gap semiconductors.—75-07943; Magnetic susceptibility of wide band gap semiconductors.—75-07961; Surface donor states induced by metal atoms adsorbed in broad-band semiconductors.—75-05494
Davydov, V. Yu. See Alexensky, A. Ye.
Davydova, G. I. See Burov, Yu. M.
Dawes, Steven B.; Stempin, John L.; Wexell, Dale R.
Coated inorganic fiber reinforcement materials and ceramic composites comprising the same.—75-01109
Dawson, S.
Bill Stewart.—75-02200
Dawson, William J.; Swartz, Scott L.
Continuous process for production of ceramic powders with controlled morphology.—75-03669
Day, Delbert E.
Using glass in the body.—75-02152; See also Greenhut, Victor A.; Kang, Seung-Gu; Mogus-Milankovic, A.; Ray, Chandra S.
Day, J. Paul; Hickman, D. L.
Ceramic gas turbine heat exchanger development.—75-01078
Day, P. S.; Skamser, Daniel J.; Faber, K. T.; Jennings, Hamlin M.; Johnson, D. Lynn
Damage tolerance of silicon carbide and alumina matrix surface composites.—75-04485
Day, R. A. See Aldridge, L. P.; Vance, E. R.
Day, R. J. See Gould, P. J.
Day, S. M. See Aurora, T. S.
Dayal, R. See Biswas, N. C.; Gokhale, N. M.
Dayton, J. A., Jr. See Mearini, G. T.
Daza, L. See Admaiai, L. F.
De Barros Marques, M. I. See Almeida, R. M.
De Batist, R. See Devos, P.
De Bernardi, C. See Pozzi, F.
De Biasi, Ronaldo S. See Fernandes, A. A. R.
De Biasi, Ronaldo S.; Fernandes, A. A. R.; Grillo, Maria L. N.
Measurement of small concentrations of vanadium in rutile (TiO_2) using electron spin resonance.—75-05957
De Biasi, Ronaldo S.; Fernandes, A. A. R.
Electron spin resonance investigation of Cr^{3+} diffusion in rutile.—75-06848
De Bois, Antoni
Heat exchange systems for wet kilns.—75-08727
De Brabander, Gregory N. See Choo, Ahn Goo
De Bruin, D. W.; Koen, E. F.
Two-chip smart accelerometer.—75-00629
De Favia, Luis Antonia; Trasatti, Sergio
Point of zero charge [pzc] of CeO_2.—75-03823
De Graaf, M. J. M.; Van der Drift, R. J. A.; Glass, H. J.
Uniform compaction of ferrite potcores.—75-00762
De Groot, K. See Flach, J. S.; Li, Pan-Jian; Li, Yu-Bao
De Guire, Mark R. See Shin, Hyun-Jung
De Jesus, Reynaldo Pereira See Noronha, Reinaldo Tito Teixeira
De Jong, M. S. See Hutcheon, R. M.
De Jong, R.; Franken, M.; Tamis, P.
Selection of castables used in iron and steel production.—75-07656
De Jonghe, Lutgard C. See Cao, Joe J.; Hong, Wan-Shick; Wu, Shun-J.; Yokota, S. H.
De Julian, C. See Giri, Anit K.
De l'Eprevier
Engineering a porous composite refractory with low wettability.—75-05090
De la Cruz, W. See Gordillo, G.
De la Torre, S. D.; Ishihara, K. N.; Shingu, P. H.
Solid solution formation in the Al_2O_3-Cr_2O_3 system assisted by ball milling.—75-07229
De Largeril, J. See Provost, G.
De Largeril, J.; Masse, F.; Puillet, M.; Salembier, C.
Optimization of monolithic refractory steel ladle lining.—75-07620
De Mello, Donega See Blasse, G.
De Nijs, J. M. M. See Afanas'ev, V. V.
De Oliveira, Antonio Pedro Novaes; Barbieri, Luisa; Leonelli, C.; Manfredini, T.; Pellacani, Gian Carlo
Physical properties of quenched glasses in the Li_2O-ZrO_2-SiO_2 system.—75-02675
De Pablo-Galan, L. See Chavez-Garcia, M. L.
De Portu, G. See Scafe, E.
De Riu, Luca See Lohrengel, Joachim
De Sanctis, S. See Brown, G.
De Souza Santos, H.; Kiyohara, P. K.; De Souza Santos, P.
Pseudomorphic transformations of euhedral crystals of γ-AlOOH into aluminas.—75-03829
De Souza Santos, P. See De Souza Santos, H.
De Souza, J. P. See Fritzen, C. L.
De Souza, Ricardo E.; Engelsberg, M.; Nascimento, George C.
Fourier spectroscopy of elastic modes and anharmonic effects in $LiNbO_3$.—75-00663
De Souza, S.; Terry, B. S.
Production of stabilized and nonstabilized ZrO_2 by carbothermic reduction of $ZrSiO_4$.—75-06751
De Sylos Cintra, Joaquim, Jr. See Dos Santos, Wilson Nunes
De Visschere, P. See Neyts, K. A.
De Visser, A. See Kul'bachinskii, V. A.
De Vries, J. W. C. See Zheng, Jie-Hui
De Vries, K. J. See Brinkman, H. W.
De Waal, Henk See Yan, Ying-Chao
De Wijn, J. See Li, Yu-Bao
De Wilde, A. See Luyten, J.
De Wit, J. H. W. See Oliveira, F. A. Costa
De With, Bert See He, Ying-Jie
De With, G. See Groen, W. A.
De With, G.; Sweegers, N.
Small-specimen compact tension testing of ceramics.—75-05981
De, A. K. See Choudhury, K.
Dean, G. A.; Cardile, C. M.; Stead, R. J.
Development of a porous ceramic frit for a flow field–flow fractionation instrument.—75-05942; ESP [electrostatic precipitator] dust as a potential feedstock for alumina-based ceramics.—75-01486
Dearnaley, Geoffrey See Blanchard, Cheryl R.
Deb, S.; Das, S. R.
Effects of grinding on properties of Mg-PSZ ceramics prepared by the surface enrichment of zirconia powders.—75-06592
Deb, S.; Sarkar, B. K.; Dan, T. K.
Thermoanalytical studies on titanium diboride, titanium-diboride-dispersed alumina, and zirconia ceramics.—75-04444
Deb, S.; Singh, R. P.
Development and investigation of HAp-based bone graft materials.—75-06066
Deb, S.
In situ synthesis of titanium carbide and alpha-alumina by exothermic reactions of titania, carbon, and aluminum powder in high vacuum and quadrupole gas analysis during experiment.—75-06643
Debray, K. See Letullier, P.
DebRoy, T. See Bygden, J.
Debsikdar, J. C.
Phase stability and microstructure of some sol-gel-derived anorthite-based hybrid materials.—75-04135
Dechev, A. V. See Sigaev, V. N.; Stefanovich, S. Yu.
Decker, J. See Braue, W.
Deckwerth, M.; Ruessel, C.
New polymeric route to silicon carbide and silicon nitride using elementary silicon as starting material.—75-06694
Dedkov, V. S.; Ivanov, Yu. F.; Lopatin, V. V.
Supercrystallite quasi-crystalline formations in boron nitride.—75-06378
Dedov, N. V. See Annenkov, Yu. M.
Dedyk, A. I.; Karmanenko, S. F.; Malyshev, M. N.; Ter-Martirosyan, L. T.
Dielectric hysteresis in multilayered structures based on strontium titanate.—75-07722
Deen, J. See Naem, A. A.
Deevi, S. C.; Deevi, S.; Hajaligol, Mohammad R.
Manufacturing of iron carbides in fluidized bed reactors.—75-04100
Deevi, S. C.; Deevi, S.
Reaction synthesis of $MoSi_2$-Al_2O_3 composite using MoO_3, Al, and Si powders.—75-03833
Deevi, S. C.; Hajaligol, Mohammad R.; Lieberman, Pamela D.; Nichols, Walter A.; Watkins, Michael L.
Heater having a multiple layer ceramic substrate and method of fabrication.—75-06088
Deevi, S. C.
Differential thermal analysis of exothermic reactions in the synthesis of $MoSi_2$.—75-06204
Deevi, S. See Deevi, S. C.
DeFrutos, J. See Calzada, M. L.
Degischer, H. P.; Schulz, P.; Lacom, W.; Langgartner, J.
Properties of continuous carbon fiber reinforced aluminum depending on the infiltration process and local fiber variations.—75-02536
Degoda, V. Ya. See Brik, A. B.
Degoda, V. Ya.; Kiyak, B. R.; Proskura, A. I.
Effects of proton irradiation on the luminescence of ZnS(Cu) ceramic.—75-06594
Degterov, Sergei A.; Pelton, Arthur D.
Thermodynamic calculation of gas/slag/refractory equilibria in coal gasification.—75-08710
Degtyarenko, N. N.; Elesin, V. F.; Mel'nikov, V. L.
Anisotropy of threshold energies of oxygen atom displacement in perovskite structure.—75-08869
Degtyarenko, N. N.; Elesin, V. F.
Dilatational volumes of oxygen point defects of the basal plane in perovskite structures.—75-09503
Degtyareva, L. M. See Pitak, N. V.
Deguchi, M. See Show, Y.
Deguchi, T. See Kamada, T.
DeJager, H. J. See Schipper, W. J.
Dekanski, A. See Marinkovic, S.
Dekhno, A. L. See Runova, R. F.
Dekker, Jan Pieter; Van der Put, Paul J.; Veringa, Hubert J.
Vapor phase synthesis of titanium nitride powder.—75-06828
Dekola, T. I. See Plyushch, O. B.
Deksnys, A. See Vengalis, B.
Delabugliz, Zh. See Gas'kov, A. M.
Delage, Andre; Georges, Jean-Michel; Maumus, Jean-Pierre
Method of manufacturing a honeycomb structure of thermostructural composite material.—75-00997
Delamare, M. P.; Monot, I.; Wang, J.; Provost, J.
Desgardin, G.
Influence of CeO_2, $BaCeO_3$, or PtO_2 additions on the microstructure and critical current density of melt-processed YBCO samples.—75-08340
Delaney, W. E. See Goretta, Kenneth C.
Delannay, F. See Favrot, N.; Jacques, P.
Delaval, J. M. See Sefyani, F. L.
Delcea, Cezar C. See Hida, George T.
Delfosse, D.; Cherradi, N.; Ilschner, B.
Influence of residual stresses on the tensile behavior of a Cu-Ni FGM.—75-02495
Delfrate, M. Alvazzi; Leoni, M.; Nanni, L.
Electrical characterization of $BaTiO_3$ made by hydrothermal methods.—75-03889
Delga, C. See Frayssinet, P.
Delhaes, Christof; Neuschutz, Dieter
Rate of SiC deposition from methyltrichlorosilane and influence of HCl addition.—75-04193
Delin, K. A.; Kleinsasser, A. W.
Stationary properties of high-critical-temperature proximity effect Josephson junctions.—75-08417
Dell'Orto, T. See Almeras, P.
Dell, Don
Hectorite as a critical element in the manufacturing of high-grade ceramic slips, bodies, and glazes.—75-03638
Dellacorte, Christopher; Steinetz, Bruce
Tribological evaluation of an Al_2O_3-SiO_2 ceramic fiber candidate for high-temperature sliding seals.—75-04657
Delmon, B. See Admaiai, L. F.
Delmotte, L. See Amoureux, J. P.
DeLoach, Laura D. See Payne, Stephen A.
Delorenzo, R. See Montorsi, M. A.
Deltour, R. See Ye, M.
DeLuca, John A.; Karas, Pamela L.
Thallium-calcium-barium-copper-oxide superconductor with silver and method.—75-08494
Delverdier, O. See Montioux, M.
Delville, A.; Letellier, M.
Surface relaxation and surface area measurements in soft and hardened pastes.—75-01693
Dem'yanenko, M. A.; Marchishin, I. V.; Bobylev, B. A.
Deep levels in a semiinsulating GaAs studied by the method of photoinduced admittance transient spectroscopy.—75-05272
Demaree, J. D. See Fountzoulas, C. G.
DeMay, Susan
Four steps of critical observation.—75-02255
Demazeau, G. See Matar, S.; Naslain, R.
Demazeau, G.; Siberchicot, B.; Matar, S.
New ferromagnetic oxide La_2MnIrO_6: synthesis, characterization, and calculation of its electronic structure.—75-00753
Dembovskii, S. A. See Zyubin, A. S.
DeMeuse, Mark T. See Fathi, Zak
Demidenko, L. M. See Demidova, Zh. N.
Demidenko, V. A. See Bolyasnikova, L. S.
Demidov, A. V.; Danilova, I. G.
Adsorption of isobutane on H-ZSM-5 zeolite studied by ir and uv spectroscopies.—75-06156
Demidov, V. V. See Atsarkin, V. A.
Demidova, Zh. N.; Demidenko, L. M.; Matsak, P. I.; Matsak, Z. A.; Osipova, L. Ya.; Chumakov, S. M.
Testing an olivinite ramming mixture under the conditions of converter production at the Severstal JSC.—75-05147
Demin, A. V. See Kravetskii, G. A.; Matyunin, Yu. I.
Demin, A. V.; Matyunin, Yu. I.
Behavior of platinum group metals during virtrification of simulators of high-level liquid wastes (induction furnace with water-cooled crucible).—75-03447
Demin, V. I. See Georgobiani, A. N.
Demin, V. N.
Possibility of applying relaxation liquid epitaxy during the growth of very thin homoepitaxial A^3B^5 layers.—75-09377
Demishev, S. V.; Sluchanko, N. E.; Pronin, A. A.
Phase transformations in the region of the metal–amorphous semiconductor microcontact.—75-08004
Den Exter, M. J. See Titulaer, M. K.
Den Hartog, H. W. See Verhoef, A. H.
Denes, G.; Laou, E.
Interface between SnF_2 particles and air in stannous fluoride heated in air.—75-04346
Deneuville, A. See Foulton, F.; Gonon, P.
Deng, Jian-Xin See Ai, Xing
Deng, Ming-Cheng; Chang, W.-D.; Chin, Tsung-Shune
High coercivity maghemite particles.—75-03295
Deng, Ming-Cheng; Chin, Tsung-Shune; Chen, F.-R.
Fine structure and magnetic properties of Mn- and Co-doped nanocrystalline γ-Fe_2O_3.—75-03293
Deng, Wen-How See Chen, Shuei-Yuan
Denis, J. P. See Xu, Wu
Denisenko, A. V. See Melnikov, A. A.
Denisov, D. E. See Suvorov, S. A.
Denisov, E. I.; Shul'gin, B. V.; Viktorov, L. V.; Kargin, Yu. F.
Intrinsic radiative background of $Bi_4Ge_3O_{12}$ crystals.—75-05355
Denisova, T. A. See Volkov, V. L.

Denk, Ingrid; Munch, Wolfram; Maier, J.
Partial conductivities in $SrTiO_3$: bulk polarization experiments, oxygen concentration cell measurements, and defect-chemical modeling.—75-00359
Denos, Yves See Morin, Francois
Denotkin, V. L.; Kopylov, S. M.; Krigel, V. G.; Labutin, O. A.; Tarasov, A. V.
Spectral cathodoluminescence of quantum well layers in $A^{III}B^{V}$ heterostructures studied with the acoustooptical monochromator.—75-03167
Denry, Isabelle L.; Rosenstiel, Stephen F.
Cubic leucite stabilization in feldspathic dental porcelain.—75-03644
Depasse, P. See Auffray, E.
Deppert, K. See Maximov, I.
Derby, B.
Joining ceramics.—75-07086; Reaction bonding of ceramics by gas-metal reactions.—75-01641; See also Ashcroft, I. A.; Le, Thien-Nga; Li, T.; Sternitzke, M.
Derenzo, S. E. See Sobolev, B. P.
Derenzo, S. E.; Moses, W. W.; Weber, M. J.; West, A. C.
Methods for a systematic, comprehensive search for fast, heavy scintillator materials.—75-01031
Dergunova, N. V. See Dantsiger, A. Ya.; Reznichenko, L. A.
Dergunova, N. V.; Reznichenko, L. A.; Dantsiger, A. Ya.; Razumovskaya, O. N.; Dudkina, S. I.; Shilkina, L. A.
Dependence of Curie temperature on the crystal chemical parameters of multicomponent PZT-based solid solutions.—75-08123
Derikova, M. G. See Shimanskii, A. F.
Deriso, John
Ceramic-filled transmission lines for circuit miniaturization.—75-00424
Dernovaya, L. I.; El'tekov, Yu. A.
Adsorption properties of a glucose-modified silica surface.—75-09117
Dernovskii, V. I. See Yashina, L. V.
Derre, A.; Ducarroir, M.; Teyssandier, F.
Improvement of the oxidation resistance of carbon-bearing materials.—75-04430
Deryabin, V. A. See Shardakov, N. T.
Deryagin, A. G. See Sobolev, M. M.
Deryagin, B. V. See Lipson, A. G.
Deryagin, N. G. See Sobolev, M. M.
Desai, P. G.; Lewis, J. A.; Bentz, Dale P.
Unreacted cement content in macrodefect-free composites: impact on processing-structure-property relations.—75-04837
Desgardin, G. See Delamare, M. P.; Osterstock, F.; Wang, J.
Deshmukh, Uday V. See Pyzik, Aleksander J.
Deshpande, Ravindra See Davis, Pamela J.
Deshpande, S. K.; Ogale, S. B.; Chaudhari, S. M.
EXAFS studies of changes in the local environment of Cu ions in Fe- and Zn-doped $YBa_2Cu_3O_{7-\delta}$ superconductor.—75-03367
Deshpande, Subhash B. See Potdar, Hari S.
Deslattes, Richard D. See Pedulla, Joseph
Desmaison, J.
High-temperature oxidation of porous nonoxide ceramics—recent advances in modeling and protection by coatings.—75-01993
Desmicht, R. See Sacuto, A.
Desmond, Peter H.
Shopping for bargains at the tax fair.—75-04749
Desmonts, N. See Cherradi, N.
Desmonts, N.; Cans, M.; Cherradi, N.; Ischner, B.
Liquid phase sintering of gradient WC/Co materials.—75-02500
Despres, J. F. See Coustumer, P. L.
Desu, Seshu B.
Minimization of fatigue in ferroelectric films.—75-03242; See also Chung, Il-Sub; Yoo, I.-K.
Deusser, Hans; Kerner, Dieter; Meyer, Jurgen; Michael, Gunther; Stubbe, Andreas
Surface-modified pyrogenically produced aluminum oxide.—75-01137
Devaty, R. P. See Yoganathan, M.
Devaux, Xavier See Rousset, Abel
Deve, Herve E.
Ceramic fiber tow reinforced metal matrix composite.—75-07253
Devi, A. R.; Jayasankkar, C. K.
Optical properties of Pr^{3+} ions in lithium borate glasses.—75-07358
Devine, Brad See Thomas, David F.
Devine, P. See Dhese, K. A.; Duddles, N. J.
Devlikanova, R. U. See Razumovskaya, O. N.; Reznichenko, L. A.
Devos, P.; De Batist, R.; Cornelis, J.
Low-temperature torsion pendulum measurements on YBCO superconductors.—75-03379
Devulapalli, Balaji See Rajamani, Raj K.
Devyatkin, E. A.; Simonov, I. V.
Stressed state of a conductor from a fixed superconductor during its magnetization in a transverse field.—75-09676
Devyatykh, G. G.; Gavrishchuk, E. M.; Fatenkov, A. N.; Yashina, E. V.
Effect of CVD conditions on the porosity of zinc sulfide.—75-06575
Devyatykh, G. G.; Gavrishchuk, E. M.; Yashina, E. V.
Effect of conditions of polycrystalline ZnS CVD on its microstructure.—75-09540
Devyatykh, G. G.; Kotkov, A. P.; Liverko, V. N.; Moiseev, A. N.
Effect of temperature of reactor walls on growth of the layers of cadmium telluride by the reaction of dimethylcadmium with diethyltelluride.—75-05296
Dew-Hughes, D. See Genchev, Z. D.; Huang, Sun-li
Dewan, H. S.; Ravichandran, Duraiswamy; Cheng, Ji-Ping; Drawl, William R.; Cherian, Kuruvilla A.; Roy, Rustum
Range of metals that work in the LPSSS [low-pressure solid-state source] process of diamond synthesis.—75-09415
Dey, Nishit; Socie, Darrell F.; Hsia, K. Jimmy
Tensile creep behavior of a vitreous-bonded aluminum oxide under static and cyclic loading.—75-07042
Dey, S. K. See Barlingay, C. K.
Dhalenne, G. See Lafleurielle, M.
Dhalluin, C. See Musset, E.
Dhara, Sandip; Rastogi, A. C.; Das, B. K.
Growth, magnetic properties, and the effect of cobalt addition in metallorganic chemical vapor deposited (MOCVD) gamma iron oxide thin films for magnetic recording applications.—75-05674
Dhard, C. P.; Bhatia, S. N.; Sastry, P. V. P.
Magnetoconductivity of $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ in fluctuation regime.—75-00821
Dharia, J. R. See Gao, F.
Dhas, Nalamudyan Arul; Patil, K. C.
Controlled combustion synthesis and properties of fine-particle nasicon materials.—75-06561
Dhese, K. A. See Duddles, N. J.
Dhese, K. A.; Devine, P.; Ashenford, D. E.
Photoluminescence and *p*-type conductivity in CdTe:N grown by molecular beam epitaxy.—75-00566
Di Fiore, Robert R. See Darby, Greg; Roth, M.
Di Fiore, Robert R.; Clark, David E.
Microwave joining of zinc sulfide.—75-01577
Di Giampaolo, A. R.; Capellucci, P.; Vesteghem, H.; Kriegesmann, J.; Lira, J.
Sol-gel-derived thick ZrO_2 coatings by liquid thermal spraying.—75-00133
Di Rese, L. See Scafe, E.
Diakonu, I. I. See Raevskii, S. D.
Diallo, T. I. See Volokobinskii, Yu. M.
Dias, Francisco J.; Koch, Freimut J.
Porous fluid-permeable moldings of silicon carbide and process of production.—75-06135
Diaz, E. See Zampino, M. A.
Diaz, J.; Yi, H. J.; Erdtmann, M.
Efficiency of photoluminescence and excess carrier confinement in InGaAsP/GaAs structures prepared by metallorganic chemical vapor deposition.—75-00467
Diaz, P.; Edirisinghe, J.; Ralph, B.
Characterization of a zirconia-yttria-titania thermal barrier coating.—75-04843
Diaz-Hernandez, J. L. See Sanchez-Soto, P. J.
Dib, M. See Strakhov, V. I.; Udalov, Yu. P.
Dibirov, M. A.; Gasanaliev, A. M.; Gamataeva, B. Yu.
$LiNO_3$-KNO_3-$Sr(NO_3)_2$ system.—75-06260
DiCarlo, J. A. See Tressler, Richard E.; Yun, H. M.
DiCarlo, J. A.; Yun, H. M.; Morscher, Gregory N.; Goldsby, J. C.
Models for the thermostructural properties of SiC fibers.—75-03907
Dickens, B.
Monitoring the cure of thin-layer polymides on glass substrates with photoacoustic infrared spectroscopy.—75-00353
Dickerson, P. O. See Sayir, A.
Dickerson, R. M.; Singh, M.
Microstructures of BN/SiC coatings on Nicalon fibers.—75-04375
Dickinson, J. T.; Langford, S. C.; Nakahara, Sumio; Scudiero, L.; Hipps, K. W.; Kim, Myoung-Won
Spatial and temporal probes of fracture, wear, and deformation.—75-04628
Dickinson, J. See Pohl, M.
Didenko, P. I. See Breza, Yu.
Didik, V. A.; Kozlovskii, V. V.; Malkovich, R. Sh.; Skoryatina, E. A.
Distribution of isotopes formed in GaAs under irradiation by high-energy protons, deuterons, and ^{3}He nuclei.—75-05282
Didkovskaya, O. S. See Klimov, V. V.
Dieckmann, Rudiger
Point defects and transport of matter and charge in nonstoichiometric oxides.—75-04287; II.—75-09375; See also Robinson, D.; Song, D. W.; Subramanian, R.; Tsai, Tse-Lun; Ustundag, E.
Diederichs, E. J. See Thomas, D. L.
Diefendorf, R. Judd See Wallenberger, Frederick T.
Dierickx, D. See Durand, L.
Dierken, C.; Grellner, F.; Greil, P.; Sindel, J.; Petschelt, A.
Machining effects of dental feldspathic porcelain and glass-ceramics.—75-04580
Dierkes, Martina See Campos-Loriz, Diego
Dietrich, Herbert
Process for coating fiber-reinforced ceramic composites.—75-01002
Dietz, Guido W. See Schumacher, M.
Dietz, Guido W.; Waser, R.
How to analyze relaxation and leakage currents of dielectric thin films: simulation of voltage-step and voltage-ramp techniques.—75-05198
Dietz, N. L. See Ellison, A. J. G.
Diggs, B.; Zhou, A.; Silva, C.
Magnetic properties of carbon-coated rare-earth carbide nanocrystallites produced by a carbon arc method.—75-03904
Dighe, S. V. See Partlow, W. D.
Diikov, A. L. See Volchek, A. O.
Dijonneau, Corinne S. See Floch, Herve G.
Diko, P. See Lanckbeen, A.; Sargankova, I.
Dillon, F. See Phillipps, A.
Dimitriev, Y. See Dimitrov, V.; Iordanova, R.; Kashchieva, E.; Vlakhov, E.
Dimitrov, D. P. See Voshchilova, R. M.
Dimitrov, L.; Spasov, L.; Dimitrov, P.
Surface coating of mullite fibers with microporous titanium silicate and aluminophosphate.—75-06788
Dimitrov, P. See Dimitrov, L.
Dimitrov, V. See Iordanova, R.
Dimitrov, V.; Dimitriev, Y.; Montenero, Angelo
Ir spectra and structure of V_2O_5-GeO_2-Bi_2O_3 glasses.—75-04910
Dimitrova, O. V. See Yakubovich, O. V.
Dimitrova, T.; Atanassova, E.; Beshkov, G.
Thin thermal SiO_2 after NH_3 or N_2O plasma action under plasma-enhanced chemical vapor deposition conditions.—75-04257
Dimos, D.; Warren, William L.; Sinclair, M. B.
Photoinduced hysteresis changes and optical storage in (Pb,La)(Zr,Ti)O_3 thin films and ceramics.—75-00565
Dimos, D.
Ferroelectric thin films for photonics: properties and applications.—75-05579; See also Dubovik, E.; Garino, T.; Potter, B. G., Jr.; Sinclair, M. B.; Warren, William L.
Dimza, Vilnis See Glinchuk, M. D.
DiNardo, N. J. See Carroll, D. L.
Dinaro, R. See Breia, C.
Dines, Trevor J. See Brogan, Mark S.
Dinescu, M. See Constantinescu, F.
Ding, C.-X.; Qiao, H.-C.; Zhang, Y.-F.; Qu, J.-Z.; Gu, W.-M.
Thermal barrier coatings for diesel engines.—75-02552
Ding, Hong-Zhi; Xing, Xiu-San; Zhu, He-Sun
Fractal behavior in fatigue of materials.—75-04530
Ding, Jian See Fu, Yan
Ding, Jun; Tsuzuki, Takuya; McCormick, Paul G.
Ultrafine alumina particles prepared by mechanochemical/thermal processing.—75-09486
Ding, Pei-Jun See Wang, Ke-Ming
Ding, W. See Fan, Q.-S.; Perera, D. S.
Ding, X. M. See Merk, N.
Ding, X. M.; Merk, N.; Ilschner, B.
Particle volume graded Ni-Al_2O_3 and Cu-Al_2O_3 composite deposits: production and performances.—75-02519
Ding, X.-Z. See Lu, Tai-Jing
Ding, Xing-Zhao; Liu, Lin; Ma, Xue-Ming
Influence of alumina dopant on the structural transformation of gel-derived nanometer titania powders.—75-06647
Ding, Z.-S. See Fang, Z.-H.; Xu, L.-H.
Ding, Zhen-Ya See Xie, Wei-Min
Ding, Zi-Shing See Xu, Yu-Qing
Dinger, Dennis R. See Villa, Carlos E.; Villegas-Palacio, Sergio; Woodard, K. J.
Dinger, Dennis R.; Funk, James F.
Predictive process control: varying raw materials properties can produce constant body properties.—75-03591
Dinwoodie, John
Saffil alumina fiber: manufacture, properties, and application in high-temperature furnaces.—75-05134
Dion, I.; Bordenave, L.; Lefebvre, F.; Bareille, R.; Baquey, C.; Monties, J.-R.
Physicochemistry and cytotoxicity of ceramics: II. Cytotoxicity of ceramics.—75-03915
Dion, Michel See Li, Zhan-Ming
DiPietro, S. G. See Kibler, J. J.
Dire, Sandra; Babonneau, Florence
Sol-gel precursors: a spectroscopic study of transesterification reactions between silicon and titanium alkoxides.—75-06353
DiRuggiero, Crispino See Kaniuk, John A.
Disam, J. See Martinz, H.-P.
Dissanayake, M. A. K. L.; Garcia-Martin, Susana; Saez-Puche, Regino
Synthesis and properties of a new $\int$ polymorph of Li_3CrO_4.—75-06795
Disson, Jean-Pierre See Colombier, Christian
Ditmars, E. See Yang, J.-M.
Dityatyev, A. A. See Epanchintsev, O. G.
Divakaruni, Renuka S. See Casey, Jon A.
Divecha, Amarnath P.; Karmarkar, Subhash D.; Hoover, Scott M.; Kerr, James M.; Ferrando, William A.
Pressure cast alumina tile reinforced aluminum alloy armor and process for producing the same.—75-07272
Dixon, Alun See Metcalfe, Mark S.
Dixon, D. C.
Zirconia-TZM brazed joints.—75-02563
Djambazov, S.; Lepkova, D.; Ivanov, I.
Stabilization of aluminum titanate.—75-06782
Djekic, Dragan See Djuric, Mirjana
Djeu, N. See Hauglie-Hanssen, Christian
Djordjevic, Z. B. See Mohr, R. K.
Djurado, E.; Roux, C.; Hammou, A.
Synthesis and structural characterization of a new system: ZrO_2-Y_2O_3-RuO_2.—75-09081
Djuric, Mirjana; Mihajlov, Andjelka; Petrasinovic-Stojkanovic, Ljiljana; Zivanovic, B.
Thermodynamic analysis of the metastable regions for the Al_2O_3-SiO_2 system.—75-03853
Djuric, Mirjana; Ranogajec, Jonjaua; Neducin, Radmila Marinkovic; Djekic, Dragan; Arsic, Persa
Calculation of optimum mixtures based on sandy-calcareous clay.—75-05056
Djuricic, B.; Pickering, S.; McGarry, D.; Glaude, P.; Tambuyser, P.; Schuster, K.
Properties of zirconia powders produced by homogeneous precipitation.—75-03828
Dmitrevskii, B. A.; Barantseva, G. N.; Yarosh, E. B.
Production of pure ammonia dihydrophosphate from extractive phosphorus-containing solutions.—75-06328
Dmitriev, A. G.
Temperature dependence of the band gap width in GaAs.—75-03183
Dmitriev, A. P.; Emel'yanov, S. A.; Ivanov, S. V.; Mel'tser, B. Ya.; Terent'ev, Ya. V.; Yaroshetskii, I. D.
Experimental measurements of the energy of interface donor centers in GaSb/InAs/GaSb quantum well.—75-03025
Dmitriev, A. P.; Evlakhov, N. V.; Furman, A. S.
Pseudopotential calculation of band structure of SiC-AlN solid solution.—75-08031
Dmitriev, A. V.; Evlyukhin, A. B.
Auger interband transitions and carrier lifetime in *p*-type degenerate narrow gap semiconductors.—75-05248
Dmitriev, S. G.; Markin, Yu. V.
Anomalous Schottky effect at semiconductor-dielectric interface.—75-07785

Dmitriev, S. G.; Medvedev, B. K.; Mokerov, V. G.; Shagimuratov, O. G.
U- centers in selectively doped heterostructures.—75-02956
Dmitriev, S. G.; Shagimuratov, O. G.
Concentration of a two-dimensional electron gas in selectively doped heterostructures under equilibrium and nonequilibrium filling of impurity centers.—75-07810
Dmitriev, S. G.; Zhdan, A. G.; Kukharskaya, N. F.; Markin, Yu. V.
Dynamics of thermal generation of free carriers at semiconductor-insulator interface under relaxation of the volume generation center population.—75-05287
Dmitriev, V. A. See Nel'son, D. K.; Ognev, A. N.; Strel'chuk, A. M.
Dmitrieva, G. S. See Arbenina, V. V.
Dmitryuk, A. V. See Belyankina, N. B.
Dmowski, K.; Jakubowski, A.
Identification of tunneling emission in Si-SiO_2 interfaces by multipoint correlation method with binomial weighting coefficients.—75-00510
Dneprovskii, V. S.; Krupennikov, D. N.; Lipovskii, A. A.; Okorokov, D. K.
Nonlinear optical properties of CdSe nano- and microcrystals.—75-05405
Dobin, A. Yu.; Yassievich, I. N.
Hole states in ultrathin quantum wells.—75-07909
Dobrokhotova, Zh. V. See Zaitsev, A. I.
Dobrovinskaya, N. A. See Smirnova, E. G.
Dobrovol'skaya, A. M. See Freik, D. M.
Dobrovol'skii, V. N.; Romanov, A. V.; Gryaznov, S. B.
Spontaneous switching of the impact ionization current in *p-n* junction.—75-03168
Dobryanskii, V. M. See Akimov, A. I.; Govor, G. A.
Dobson, C. M. See Brough, A. R.
Dobuzinsky, David M. See Carl, Dan; Nguyen, Son V.
Dobychin, D. P. See Pal'tiel, L. R.
Dodds, John; Frances, Christine; Guigon, Pierre; Thomas, Alain
Fine grinding.—75-06608
Doering, Patrick See Gilbert, Donald R.
Dogan, C. P. See Hawk, J. A.
Dogan, C. P.; Hawk, J. A.
Microstructural design of high-alumina ceramics for abrasive environments.—75-09555
Dohi, H. See Haratani, S.
Dohrup, Jesper; Hoyvald, Annette; Morgensen, Gurli; Jacobsen, Claus J. H.; Villadsen, Jorgen
Formation of new compounds $Ln_4Al_2O_9$ in the Ln_2O_3-Al_2O_3 system (Ln=La, Pr, Tb).—75-08939
Doi, Akira See Kobayashi, Naoya; Masada, Keizo
Doi, Kenji See Yamana, K.
Doi, Toshiya; Ozawa, Takeshi; Tanaka, Kazuhide; Yuasa, Toyotaka; Kamo, Tomoichi; Matsuda, Shinpei
Superconductive material, a superconductive body, and a method of forming such a superconductive material or body.—75-05885
Doi, Toshiya; Soeta, Atsuko; Takeuchi, Seizi; Kamo, Tomoichi; Matsuda, Shinpei
Laminated superconductor oxide with strontium, calcium, copper and at least one of thallium, lead, and bismuth.—75-08461
Doke, Yasuo See Saito, Tomohiro
Dokherti, V. See Gorbachev, N. S.
Doladugina, V. S.
Method for qualitative evaluation of the nature of optical disturbances in float glasses.—75-02666
Dolan, C. W.; Nanni, A.
Status of fiber-reinforced plastic reinforcement development and cement-based research needs.—75-02425
Dolecek, P. See Mikulasek, P.
Doleman, P. See Lewis, M. H.
Dolez, P.; Aubin, M.; Willen, D.; Nadi, R.; Cave, J.
Calorimetric ac loss measurements of silver-sheathed Bi-2223 superconducting tapes.—75-08268
Dolgikh, S. G. See Khodzhaev, T. Kh.
Dolgikh, S. G.; Karklit, A. K.; Migal, V. P.; Karas, G. A.
Mullite refractories from bauxites of the Iksinskoe Deposit.—75-06042
Dolgikh, V. A. See Tarasov, I. V.
Dolgikh, Yu. K. See Abramova, I. N.
Dolgushev, N. V.; Gusarov, V. V.; Malkov, A. A.; Egorova, E. Yu.; Shchukarev, A. V.; Malygin, A. A.
Composition and influence of the surface layer of alumina enriched with sodium on its interaction with $TiCl_4$ and H_2O vapors.—75-06556
Dollmeier, K. See Blumm, M.; Cherradi, N.
Dollmeier, K.; Ilschner, B.; Thiele, W.
Pilot study related to the continuous fabrication of FGM strip by powder metallurgy.—75-02523
Dolotov, N. I. See Lebedev, A. O.; Voshchilova, R. M.
Domashevskaya, E. P. See Kurganskii, S. I.; Terekhov, V. A.; Tutov, E. A.
Domashevskaya, E. P.; Makeeva, N. N.; Terekhov, V. A.; Bodnar, D. M.
Silicon oxide films produced by plasmochemical and pyrolytic methods.—75-06761
Domel, Regina See Xiao, Y. G.
Domergue, Jean-Marc; Heredia, Fernando E.; Evans, Anthony G.
Hysteresis loops and the inelastic deformation of 0/90 ceramic matrix composites.—75-02064
Dominec, J.; Plechacek, V.; Vasek, P.
Ultrasound attenuation and velocity in $Bi_2Sr_{2-x}Ca_{1+x}Cu_2O_{8-\delta}$ [x=0, 0.25, 0.5, 0.75, and 1].—75-03423
Dominguez, F. See Friedmann, T. A.; Siegal, M. P.
Dominguez-Rodriguez, A. See Bravo-Leon, A.; Gomez-Garcia, Diego; Guiberteau, F.; Ye, J.-D.
Dominguez-Staedke, N. See Scagnetti, P. A.
Domrachev, G. A.; Varuhin, V. A.; Zakurazhnov, A. A.
Protective materials on the base of the Cr-C-system with phase gradient.—75-02537
Donald, I. W.; Metcalfe, B. L.; Bradley, D. J.
Preparation and properties of some lithium borate based glasses.—75-05034
Donaldson, Kimberly Y. See Hasselman, D. P. H.; Russell, Laura M.
Donaldson, Lesley See Koppang, Richard
Donato, A. See Casadio, S.
Donato, A.; Colombo, P.; Abdirashid, M. O.
Joining of SiC to SiC using a preceramic polymer.—75-04088
Donato, Antonio T. See Tang, Xun; Wu, X.-L. Kevin
Donchev, T. See Racheva, T. M.
Dondi, M.
Compositional parameters to evaluate feldspathic fluxes for ceramic tiles.—75-00281
Donelson, R. See Badwal, S. P. S.
Donets, I. G. See Ugai, A. Ya.
Donetskii, D. V. See Vorob'ev, L. E.
Dong, C. See Lan, Y.-C.
Dong, Da-Kui; Ma, Fu-Ding
Glass formation and crystallization in AlF_3-YF_3-BaF_2-CaF_2-MgF_2.—75-04900
Dong, L.-M. See Tian, J.-M.
Dong, Qiang See Zhang, Tian-Shu
Dong, Y.-F. See Zhang, Chao-Zong
Dong, Zhe-Hai See Gao, Yuan-Cai
Donnadieu, A. See Davazoglou, D.
Dontsov, G. I. See Podkorytov, A. L.
Doormann, V. See David, B.
Dopp, Douglas J. See Nguyen, Son V.
Doppalapudi, D.; Mulpuri, R.; Basu, S. N.; Sarin, Vinod K.
Phase transformations in multilayered CVD mullite coatings.—75-03821
Doreau, F.; Gilbert, F.; Vicens, J.; Chermant, J. L.
Creep behavior of SiC_f-YMAS composites.—75-04472
Doreau, F.; Vicens, J.; Chermant, J. L.
TEM and EDX investigations of experimental SiC_f-YMAS composites.—75-04411
Dorenbos, Pieter See Andriessen, J.; Rodnyi, P. A.
Dorf, M.
Smokeless saggar firings.—75-02360
Dorfman, B.; Abraizov, M.; Pollak, Fred H.; Eby, R.; Rong, Z.-Y.; Strongin, M.
Diamondlike atomic-scale composite films: surface properties and stability studied by STM and AFM.—75-09537
Dorfman, B.; Abraizov, M.; Pollak, Fred H.; Yan, D.; Strongin, M.; Yang, X.-Q.
Atomic structure modifications of diamondlike nanocomposite films—observation by Raman spectroscopy, FTIR, and STM.—75-01262
Dorfman, G. A. See Khalilov, V. Kh.
Dorfman, Mitchell R.; Kushner, Burton A.; Garcia, Jorge E.
Boron nitride and aluminum thermal spray powder.—75-07244
Dorfman, S. See Gordon, A.
Dorin, R. See Neal, Graham S.
Dormans, G. J. M. See Larsen, P. K.; Lefki, K.
Dorn, B. S. C. See Wort, C. J. H.
Dorofeev, M. V. See Gorichev, I. G.
Dorofeev, Yu. A.; Men'shikov, A. Z.; Pleshchev, V. G.
Atomic and magnetic structures of phases in the $CuFe(S_{1-x}Se_x)_2$ system.—75-05245
Dorofeeva, N. P. See Bolyasnikova, L. S.
Dorokhova, G. I. See Pekov, I. V.
Doroshenko, N. A. See D'yakonov, V. P.; Voloshin, V. A.
Dorothy, Robert G.; Nguyen, Viet-X.; Shen, Zhi-Yuan
High-temperature superconducting dielectric resonator having mode-absorbing means.—75-05223
Dorozhkin, S. I. See Andreev, A. N.
Dorr, C. See Aslan, M.
Dorris, Stephen E. See Luo, J. S.
Dorris, Stephen E.; Poeppel, Roger B.; Prorok, Barton C.; Lanagan, M. T.; Maroni, V. A.
Synthesis of highly phase pure BSCCO superconductors.—75-05888
Dos Santos, Wilson Nunes; De Sylos Cintra, Joaquim, Jr.; Baldo, Joao Baptista
Effect of moisture on the thermal conductivity of the refractory concrete.—75-07538
Dosanjh, P. See Ma, Q. Y.
Doshchanov, K. M.
Recombination and charge transport in polycrystalline semiconductors under optical illumination.—75-08041
Dotsch, H. See Winkler, H. P.
Dotsenko, V. P. See Radionov, V. N.
Dou, S. X. See Bhasale, R.; Guo, Y. C.; Jin, J. X.; Lian, Ying-Wu; Vo, N. V.; Wang, R. K.; Yavuz, M.
Dou, S. X.; Liu, H. K.
Important role of the interfaces in the high-temperature superconductors.—75-00812
Dou, Shu-Ju See Sun, Jia-Lin; Wang, Tian-Ming
Dou, Shu-Ju; Sun, Jia-Lin
Corrosion mechanism of magnesia spinel refractory by CaO-enriched converter slag.—75-07495
Dougherty, Joseph P. See Sample, David R.
Doughty, C. See Findikoglu, A. T.
Dove, Thomas
Automatic inspection of ceramic tiles and tableware.—75-05893
Doverspike, Kathleen See Rowland, L. B.
Doverspike, Kathleen; Shamamian, Vasgen A.; Freitas, J. A., Jr.
Deposition of flame-grown diamond films in an enclosed chamber.—75-01431
Doweidar, H.; El-Damrawi, G. M.; Moustafa, Y. M.
Transport properties of semiconducting Fe_2O_3-PbO-B_2O_3 glasses.—75-02697
Downes, R. N. See Tanner, K. E.
Downes, R.
Decorating reaches new heights with Brittains papers.—75-02232
Downing, K. H. See O'Keefe, M. A.
Downs, R. T.; Palmer, David C.
Pressure behavior of α-cristobalite.—75-03825
Doyle, K. J.; Clarke, David R.; Drennan, J.; Hannink, R. H. J.
DIGM [diffusion-induced grain boundary migration]-like grain development at a single-crystal/polycrystalline interface in yttria-stabilized zirconia.—75-01823
Doyle, W. D. See Yu, Yu-Wu
Dozmarov, V. V. See Shaldin, Yu. V.
Drab, John See Ramer, O. Glenn
Drabarek, E.; Bartlett, J. R.; Woolfrey, J. L.
Production of thick alumina coatings on graphite by sol-gel processing.—75-01634
Drabent, Claudia See Krahn, Wolfgang
Dransfield, G. P. See Birkby, I.
Dravid, Vinayak P. See Isabell, Thomas C.; Su, Hung-Hai
Drawl, William R. See Badzian, Andrzej; Dewan, H. S.; Roy, Rustum
Drayton, R. F.; Weller, T. M.; Katehi, L. P. B.
Development and characterization of miniaturized circuits for high-frequency applications using micromatching techniques.—75-00311
Dreher, E. See Hofsass, H. C.
Dreifus, D. L.; Holmes, J. S.; Stoner, B. R.
Diamond transistors and circuits.—75-07832
Dreifus, David L. See Hartsell, Michelle L.
Dreifus, David L.; Tessmer, Alison J.; Holmes, Joseph S.; Kao, Chien-Teh; Malta, Dean M.; Plano, Linda S.
Diamond field effect transistors.—75-00460
Dremov, V. V. See Gurtovoi, V. L.
Drennan, J. See Badwal, S. P. S.; Cheng, Y.-B.; Doyle, K. J.; Perera, D. S.; Zhao, Ru-Peng
Drennan, J.; Perera, D. S.; Moricca, S.; Fan, Q.-S.; Gu, P.-Z.
Mechanical property/microstructure relationships in a range of Si_3N_4/SiC composites.—75-04594
Dressler, Wolfgang; Kleebe, H.-J.; Hoffmann, Michael J.; Ruhle, Manfred; Petzow, G.
Model experiments concerning abnormal grain growth in silicon nitride.—75-09570
Dreszer, P. See Chen, W. M.
Drew, R. A. L. See Hadian, Ali Mohammad; Strom-Olsen, J. O.; Wanjara, P.
Drichko, I. L.; D'yakonov, A. M.; Kagan, V. D.; Kreshchuk, A. M.; Kipshidze, G. D.; Polyanskaya, T. A.
Determination of two-dimensional electron gas characteristics in structures of InGaAs/InP by acoustic methods in the quantum Hall regime.—75-02995
Driessens, F. C. M. See Bermudez, O.
Driessens, F. C. M.; Boltong, M. G.; Bermudez, O.; Planell, J. A.; Ginebra, M. P.; Fernandez, E.
Effective formulations for the preparation of calcium phosphate bone cements.—75-04014
Drinek, V.; Pola, J.
Laser-induced chemical vapor deposition of silicon carbide.—75-04091
Driskell, T. D.
Early history of calcium phosphate materials and coatings.—75-01084
Drobot, A. See Tsang, K.
Drofenik, M. See Shimanskij, A. F.
Droillard, Christine; Lamon, J.; Bourrat, X.
Strong interface in CMCs, a condition for efficient multilayered interphases.—75-04403
Droillard, Christine; Lamon, J.
Fracture toughness of 2-D woven SiC/SiC CVI composites with multilayered interphases.—75-04541
Drolet, D. See Bell, D. A.
Dron, R.
Polymerization of silicate ions in aqueous solutions.—75-01069
Drory, M. D.
Diamond coating of metal alloys.—75-07204
Drost, H. See Mach, R.
Drozd, V. E. See Baraban, A. P.
Drozd, V. I. See Bulakh, V. L.
Drozdov, S. V.; Kipshidze, G. D.; Lebedev, V. B.; Novikov, S. V.; Sharonova, L. V.; Shik, A. Ya.
Use of reverse magnetron configuration source for nitrogen activation in molecular beam epitaxy of GaN.—75-08093
Drozdov, Yu. N. See Belov, R. K.
Drozdov, Yu. N.; Gaponov, S. V.; Gusev, S. A.; Kluenkov, E. B.; Nozdrin, Yu. N.; Talanov, V. V.
Microstructure and electrical properties of YBCO films.—75-08363
Drozdova, I. A. See Antropova, T. V.; Borkovskaya, L. V.; Panova, T. I.
Drozdova, I. A.; Antropova, T. V.
Use of different methods of electron microscopy for study of inhomogeneities in porous glasses.—75-05989
Drozdova, I. A.; Embergenov, B. E.; Korsunskaya, N. E.; Markevich, I. V.; Singaevskii, A. F.
Mechanism of formation of conducting channels in CdS crystals under the action of the electric field.—75-03091
Drozdova, I. A.; Korsunskaya, N. E.; Markevich, I. V.; Sheinkman, M. K.
Nature of metastable centers responsible for anomalous temperature dependence of (0001) plane conductivity in CdS crystals.—75-07981
Drozdyk, L.; Getty, R.; Hormadaly, J.; Needes, C.; Mones, A.
Transition via fill material for silver-gold interconnects.—75-00384
Drozhdin, S. N. See Kamysheva, L. N.
Drucker, J. S. See Scheinfein, M. R.
Drue, K. H. See Muller, J.
Druzhinin, Yu. P.; Chirkova, E. G.
Peculiarities of a photoconductivity spectrum in compensated germanium.—75-03112
Du, Hai-Qing See Du, Wei-Fang; Zhou, Song-Qing
Du, Jie See Gu, Mu

Du, Jun See Yang, Gai-Ying
Du, Shan-Yi See Li, Weng-Fang
Du, She-Jun See Feng, Yong
Du, Wei-Fang; Tan, Xu; Du, Hai-Qing
Positive temperature coefficient of resistance effect in hot-pressed cristobalite-silicon carbide composites.—75-05442
Du, Y. See Jin, Z.
Du, Y. See Yashima, Masatomo
Du, Yuan-Cheng See Ren, Zhong-Min
Du, Zheng-Z. See Evans, Anthony G.
Duan, X. F. See Steeds, J. W.
Duann, Jia-Ruey See Lai, Chung-Ping
Duarte, M.; Vieira, M. M. F.; Baldochi, S. L.
Thermal diffusivity of $BaLiF_3$ crystals.—75-06525
Dub, S. N. See Gogotsi, G. A.; Semenovich, V. A.
Dubbelday, W. See McKittrick, J.
Dube, D. C. See Zurmuhlen, R.
Dube, D. C.; Scheel, H. J.; Reaney, I.
Dielectric properties of lanthanum gallate ($LaGaO_3$) crystal.—75-01272
Dubinin, S. F. See Vologin, V. G.
Dublin, V. M. See Chazalviel, J.-N.
Dubnev, A. I. See Belyantsev, A. M.
Dubois, J. See Tuffe, S.
Dubois, M. See Brunet, F.
Dubots, Dominique
Method of obtaining porous solids based on refractory carbide.—75-06131
Dubov, S. I. See Mittova, I. Ya.
Dubovik, E.; Fridkin, V.; Dimos, D.
Bulk photovoltaic effect [BPE] in ferroelectric $Pb(Zr,Ti)O_3$ thin films.—75-05534
Dubovskii, A. B.; Kazakova, L. I.; Semenkovich, G. V.
Optical absorption and luminescence of neodymium and erbium in single crystals of yttrium and gadolinium orthotantalates.—75-06492
Dubowski, J. J. See Keeler, W. J.
Dubreuil, B.; Gilbert, T.
Soft laser sputtering of InP(100) surface.—75-00597
Dubrovin, I. V. See Budennaya, L. D.
Dubrovina, I. N. See Yankin, A. M.
Dubrovskii, O. I. See Kurganskii, S. I.
Dubrovskii, V. A. See Boiko, E. A.
Dubrovskii, Yu. V. See Anderson, T. G.
Dubrovsky, Timothy See Nevernov, Igor
Dubs, C. See Sandiumenge, F.
Ducarroir, M. See Derre, A.
Duchesne, J.; Berube, M. A.
Effect of supplementary cementing materials on the composition of cement hydration products.—75-02401
Ducheyne, P. See Radin, S.
Ducheyne, P.; Radin, S.
Effect of calcium phosphate ceramic composition and structure on in vitro precipitation reactions.—75-01830
Duclos, R. See Clarisse, L.
Duclos, Steven J.; Greskovich, Charles D.; O'Clair, Chester R.
Electronic trap defects in Y_2O_3:Eu and (Y, $Gd)_2O_3$:Eu X-ray scintillators.—75-01754
Ducroquet, F. See Raynaud, Christophe
Ducroux, Jean-Patrick See Rekhson, Simon M.
Duddles, N. J.; Dhese, K. A.; Devine, P.
Control of nitrogen incorporation in ZnTe:N grown by molecular beam epitaxy using Ar dilution in an N plasma source.—75-01412
Dudin, V. V. See Toropov, N. I.
Dudka, A. P. See Maksimov, B. A.
Dudkin, L. D. See Petrova, L. I.
Dudkina, S. I. See Dantsiger, A. Ya.; Dergunova, N. V.
Dudko, G. D. See Stel'makh, N. S.
Dudko, G. V. See Avdeev, S. P.
Dudley, M. See Wang, S.
Dudney, N. J.; Bates, J. B.; Lubben, D.
Thin-film rechargeable lithium batteries.—75-02941
Dudorov, V. N. See Randoshkin, V. V.
Duevel, R. V. See Simons, J. K.
Duffy, J. A. See Chryssikos, G. D.
Duffy, J. A.; Kyd, G. O.
Ultraviolet absorption and fluorescence spectra of cerium and the effect of glass composition.—75-07374
Duginov, V. N. See Grebinnik, V. G.
Duglav, A. V. See Teplov, M. A.
Duhl, Michael L. See Ference, Joseph A.
Dujardin, C. See Pedrini, C.
Dukes, Gary See Campos-Loriz, Diego
Dukin, A. A. See Golubev, V. G.
Dukino, R. D.; Swain, M. V.; Loo, C. E.; Bristow, N.; England, B. M.
Application of fracture mechanics to three Australian iron sources.—75-02023
Dul'kin, E. A.
Elastic behavior of $PbTiO_3$ crystals near ferroelectric phase transition.—75-05555; See also Gavrilyachenko, V. G.
Dulin, Bruce E.
Thermal spray powder of tungsten carbide and chromium carbide.—75-01201
Dulin, M. N. See Bogdanchikova, N. E.
Duliu, O. G. See Nazarenco, I.
Dumin, D. J.; Cooper, J. R.; Maddux, J. R.
Low-level leakage currents in thin silicon oxide films.—75-00536
Dunaevskii, S. M.
Electronic structure of the bulk and surface of spinels.—75-07727
Dunand, David C.; Bedell. Cynthia M.
Method for enhancing superplasticity in composites.—75-00163
Dunbar, M.
Two chip approach to smart sensing.—75-00628
Duncan, Michael D. See Bashkansky, Mark
Duncombe, Peter R.; Shinde, Subhash L.; Takamori, Takeshi
Aluminum nitride body utilizing a vitreous sintering additive.—75-08815
Dung, S.-L. See Kao, C.-H.
Dunlap, B. I. See Robertson, D. H.
Dunmead, Stephen D. See Carroll, Daniel F.; Fawcett, Timothy G.; Pyzik, Aleksander J.
Dunmead, Stephen D.; Weimer, Alan W.; Carroll, Daniel F.; Eisman, Glenn A.; Cochran, Gene A.; Susnitzky, David W.
Silicon nitride/silicon carbide composite powders.—75-08848
Dunn, B. See Barrera, T. P.
Dunn, Diana K. See Ballance, David S.
Dunn, J. R. See Jayasundere, N.
Dunn, Martin L.
Effects of crack face boundary conditions on the fracture mechanics of piezoelectric solids.—75-03230
Dunn, S. A. See Sung, Y. M.
Dunogues, J. See Hemida, A. Tazi
Dunstan, Dave E.
Comparison of the electrokinetic properties of silica surfaces.—75-06432
Dunz, D. See Pintschovius, L.
Dupas, A. See Guillot, G.
Duperray, Ferard; Lempereur, Simon
Method of producing a metal superconductive ceramic connection.—75-05875
Dupon, Ryan W. See Kinsman, Karin M.
Dupre, B. See Adam, F.
Dupre, B.; Gleitzer, C.; Kowalski, K.; Nowotny, J.
Electrical properties of CoO thin films.—75-00473
Duquette, D. J. See Iacocca, R. G.; Kolaya, L. E.
Duram, P.; Moure, C.; Jurado, J. R.
Sintering and microstructural development of ceria-gadolinia dispersed powders.—75-04219
Duran, A. See Pascual, L.
Durand, Bernard See Al Raihani, Huda
Durand, L.; Dierickx, D.; Regnier, P.; Van der Biest, O.; Poissonnet, S.
Effects of Y_2BaCuO_5 [211] and platinum additions on the unidirectional solidification of $YBa_2Cu_3O_{7-\delta}$.—75-08303
Durasova, Yu. A. See Randoshkin, V. V.
Durovic, S.
Classification of phyllosilicates according to the symmetry of their octahedral sheets.—75-03772
Dusane, R. O.; Rajarshi, S. V.; Goyal, D. J.
Structural defects in glow discharge a-Si:C:H investigated by positron annihilation spectroscopy.—75-01777
Duscher, G. See French, R. H.
Dusek, J. T. See Balachandran, U.
Dusza, J. See Sajgalik, P.
Dusza, J.; Sajgalik, P.
Static fatigue resistance of Si_3N_4+Si_3N_4 whisker ceramics at 1200°C.—75-07031
Dutsyak, I. S.; Pavlyshin, A. Z.; Kityk, I. V.; Yuvzhenko, V. A.
Features of electron-stimulated changes of the optical absorption limit of amorphous germanium monoselenide and monosulfide films.—75-07887
Dutta, D.; Hill, Charles S.; Anderson, David P.
Processing, structure, and morphology of graphitic carbon foams produced from anisotropic pitch.—75-01153
Dutta, Debasish; Kikuchi, Noboru; Papalambros, Panos
Project MAXWELL—a technical overview.—75-02144
Dutta, K. K. See Olszyna, A.; Chand, Naresh
Dutta, P. See Ghosh, N. K.
Dutton, Rollie E. See Matikas, Theodore E.
Dutton, Rollie E.; Pagano, Nicholas J.; Kim, Ran Y.
Crack initiation in borosilicate glass–SiC fiber composites.—75-02579
Dutton, Rollie E.; Rahaman, Mohamed N.
Creep sintering of polycrystalline ceramic particulate composites.—75-03982
Duva, V. M. See Zybura, M. F.
Duval-Riviere, M. L.; Vicens, J.
Polytypic transformation and gliding behavior in polycrystalline α-SiC deformed by compression at high temperatures.—75-07021
Duvierre, G.; Copet, B.; Nelson, M. A.
Use of fused-cast AZS products and their monolithic derivatives in applications for the ceramic industry.—75-07689
Duvignaud, P. H. See Lanckbeen, A.; Ye, M.
Dvilis, E. S. See Khasanov, O. L.
Dvorak, Mark D.; Schroeder, Andreas; Andersen, David R.
Measurement of the anisotropy of two-photon absorption coefficients in zinc blende semiconductors.—75-05375
Dvoretskii, S. A. See Svitashev, K. K.
Dvoryankin, V. F.; Kudryashov, A. A.; Temirov, Yu. Sh.;
Bouilov, L. L.; Sokolina, G. A.; Alexenko, A. E.
CVD diamond films for X-ray detectors.—75-08798
Dweck, J.; Franco, A.; Shanefield, D. J.
Thermogravimetric study of yttrium isopropoxide and dispersant burnout in aluminum nitride ceramic processing.—75-06821
Dweck, J.; Xavier, C.; Souza Santos, P.; Shanefield, D. J.
Alpha-alumina obtained from monobasic aluminum formate and organic additives.—75-06536
Dwivedi, A.; Berta, Y.; Speyer, R. F.
Effect of controlled crystallization on the chemical durability of a lead-containing waste glass.—75-05005
Dwivedi, Priya J.; Green, David J.
Indentation crack shapes and their evolution during subcritical crack growth in ion-exchanged glasses.—75-02659
Dwivedi, Ratnesh K. See Hinton, Jonathan W.
Dyatlova, A. Yu. See Avetikyan, G. B.
Dye, S. T.; Phillips, D. N.; Barrow, I. S.
Carbon components of silica fume.—75-01206
Dyer, K. See Pan, Z.
Dyer, T. E. See Lau, S. P.
Dymnikov, V. D.; Konstantinov, O. V.
Energy levels in a rectangular quantum well with complex shape.—75-05315
Dymont, V. P. See Ryzhkovskii, V. M.
Dynna, M. See Vassent, J. L.
Dyshel, D. E.
Mechanism for oxygen vacancy formation in antimony-doped tin(IV) oxide.—75-09513
Dzhabbarly, A. R.; Kerimova, E. M.; Seidov, F. M.; Zamanova, A. K.
Interaction of TlTe with FeTe and physical properties of $TlFeTe_2$.—75-07937
Dzhafarov, K. M. See Asadov, Yu. G.
Dzhafarov, M. A. See Gasanova, M. Sh.; Zamanova, E. N.
Dzhakeli, V. G.; Kachlishvili, Z. S.; Mateshvili, N. Yu.
Current kinetics and kinetic coefficients in pulse fields.—75-05269
Dzhangirov, A. Yu. See Safarov, M. G.
Dzhangirov, D. A. See Sukhanov, M. A.
Dzhepson, Ove L.
Designing ecologically safe cement production upgrades.—75-07143
Dzhioev, R. I.; Zakharchenya, B. P.; Korenev, V. L.
Thin ferromagnetic films in a ferromagnetic/semiconductor structure studied by an optical orientation method.—75-08247
Dzhotyan, A. P.; Kazaryan, E. M.; Chirkinyan, A. S.
Interband impurity light absorption in thin III-V semiconductor wires.—75-07938
Dzhumaev, B. R. See Baran, N. P.; Borkovskaya, L. V.
Dzhurinskii, B. F. See Bandurkin, G. A.; Tsaryuk, V. I.
Dziedzic, Chester J.; Ezis, Andre; Talbott, Robiee L.
Can tooling components.—75-06115
Dzombak, David A.; Evanko, Cynthia R.
Alumina catalyst support preparation.—75-08770; Alumina catalysts support manufacture.—75-08771
Eaglesham, D. J. See Charatan, R. M.
Earl, David A.; Clark, David E.; Schulz, Rebecca L.
Microwave energy versus convected hot air for rapidly drying ceramic tile.—75-00291
Eastman, J. See Siegel, R. W.
Eaton, Richard
From the potter's wheel to the computer.—75-04795
Ebeid, R. J.
Flat glassmaker sees more growth and opportunity.—75-04708
Ebenhoch, J. S.; Ter Maat, J. H. H.; Hesse, W.; Truebenbach, P.
Injection molding of ceramics using a polyacetal-based binder system.—75-03522
Eberhardt, W. See Colbow, K. M.
Ebert, R. See Voit, W.
Ebert, W. L.; Bates, J. K.
Corrosion behavior of DWPF glasses.—75-03454
Ebert, W. L.
Laboratory testing of West Valley reference 6 glass [WV6].—75-03475; See also Bakel, A. J.
Ebragim, A. M. See Mak, V. T.
Eby, R. See Dorfman, B.
Ecelberger, S. A. See Bryden, W. A.; Kistenmacher, T. J.
Echeverria, Lina M. See Beall, George H.
Echigoya, Junichi See Mitose, K.
Echigoya, Junichi; Hayashi, Shigeyuki
Interface structure of directionally solidified CoO-$ZrO_2(Y_2O_3)$ eutectic.—75-01875
Echigoya, Junichi; Ohfuji, T.; Suto, H.
Preparation of La_2NiO_4 films by dc sputtering on cubic ZrO_2.—75-06730
Eckart, R. See David, B.
Ecker, Mario E. See Bezama, Raschid J.
Eckerbom, Lena See Lundberg, R.
Eckert, Hellmut See Balmer, Mari Lou
Eckert, James O., Jr.; Hung-Houston, Catherine C.; Gersten, Bonnie L.; Lencka, Malgorzata M.; Riman, Richard E.
Kinetics and mechanisms of hydrothermal synthesis of barium titanate.—75-08964
Eckstein, J. N.; Bozovic, I.
High-temperature superconducting multilayers and heterostructures grown by atomic layer-by-layer molecular beam epitaxy.—75-05775
Eddy, Michael M.
Epitaxial thallium high-temperature superconducting films formed via a nucleation layer.—75-08456
Edelman, Piotr See Kontkiewicz, Anna
Edelstein, A. S. See Pearson, D. H.
Edirisinghe, J. See Diaz, P.
Edirisinghe, M. J.
Processing and properties of some alumina-boride composites.—75-04182; Removal of additives from plastically formed ceramic components by thermolysis: a review.—75-09421; See also Matar, S. A.; Moloney, Veronique M. B.; Olszyna, A.; Shim, K. B.; Song, J. H.; Yu, Ga-Er
Edmunds, Lynne
Design and durability assure Denby's [Denby, UK] popularity.—75-00283
Edvardsson, Sverker; Ojamae, Lars; Thomas, John O.
Vibrational modes in Na$^+$β-alumina by molecular dynamics.—75-06404
Edwards, A.
Advancing nanophase technology.—75-04676
Edwards, B. See LeGeros, J. P.
Edwards, C. F. See Hahn, D. W.
Edwards, D. P.; Muddle, B. C.; Cheng, Y.-B.; Hannink, R. H. J.
Microstructure in reaction-bonded silicon nitride ceramics.—75-01888
Edwards, G. H.
Turning furnace waste into glass raw material.—75-03634
Edwards, G. J. See Halliburton, L. E.; Scripsick, M. P.
Edwards, G. See Ibrahim, M. M.
Edwards, L. See Liu, T.

Edwards, R. A. H. See Oliveira, F. A. Costa
Effner, U.; Woydt, M.
Slip rolling friction and wear of ceramics in water and oil.—75-09671
Efimenko, L. P. See Karpichenko.
Efimenko, S. P. See Belova, V. M.
Efimov, V. M. See Sharafutdinov, R. G.
Efimov, Yu. P. See Abramova, I. N.
Efremenkov, V. V.; Berezin, V. N.; Rozhkov, V. S.; Liberman, A. M.; Kinder, V. A.
Modern system for process control in the production of charge glass.—75-08732
Efryushina, N. P. See Radionov, V. N.
Egami, Akira; Ehira, Masaya
Cermet sintered body.—75-04874
Egami, Jun See Sasaki, Toshihisa
Egashira, M. See Abe, H.; Shimizu, Y.
Egashira, Mitsuru See Fudouzi, Hiroshi
Egashira, Yasuyuki See Liu, Yi-Jun
Egasira, H. See Sasajima, Y.
Egawa, Kunihiko; Umemura, Toshio; Kinouchi, Shinichi; Wakata, Mitsunobu; Utsunomiya, Shin; Nozaki, Ayumi
Oxide superconductor and a method for manufacturing an oxide superconductor.—75-00913
Egdell, R. G.
Surface chemistry of tin(IV) oxide—defects, doping, and conductivity.—75-01954
Egger, Norbert See Seitz, Juliane
Eglitis, R. See Kotomin, E.
Egorov, A. Yu. See Alferov, Zh. I.; Brunkov, P. N.; Ivanov, Yu. L.; Ustinov, V. M.
Egorov, G. V. See Ivanov, S. N.; Popov, P. A.
Egorov, V. K. See Alov, D. L.; Bazhenov, A. V.
Egorov, V. K.; Klassen, N. V.; Negrii, V. D.; Prokopenko, V. M.; Shmurak, S. Z.; Sinitzin, V. V.
Comparative studies of optical spectra in PbF_2 at different excitations.—75-01268
Egorov, V. K.; Zuev, A. P.
Van de Graaff ion beams as a useful instrument of scintillation study of crystals.—75-01051
Egorov, Yu. V. See Panfilova, L. V.
Egorov-Tismenko, Yu. K. See Yamnova, N. A.
Egorova, E. Yu. See Dolgushev, N. V.
Egorysheva, A. V. See Volkov, V. V.
Egorysheva, A. V.; Burkov, V. I.; Kargin, Yu. F.; Volkov, V. V.
Optical properties of Co-doped $Bi_{12}TiO_{20}$ and $Bi_{12}SiO_{20}$ single crystals.—75-06495
Egorysheva, A. V.; Volkov, V. V.; Skorikov, V. M.
Effect of pentavalent additives on the optical and photoconducting properties of $Bi_{12}TiO_{20}$.—75-06447
Eguchi, K. See Yazawa, T.
Eguchi, K.; Hoshino, T.; Fujihara, T.
Performance analysis of FGM-based direct energy conversion system for space power applications.—75-03912
Eguchi, Koichi See Aizawa, Masanobu; Ohtaki, Michitaka
Ehira, Masaya See Egami, Akira
Ehret, G. See Yamegni-Noubeyo, J. C.
Ehrfeld, Wolfgang See Freimuth, Herbert
Ehsani, G. N. See Ruys, A. J.
Ehsani, G. N.; Ruys, A. J.; Sorrell, C. C.
Effects of attrition on the densification of hydroxyapatite.—75-01468; Microwave sintering of hydroxyapatite.—75-01581
Eichmiller, F. C. See George, L. A.
Eiden, Ulrich See Mueller, Ulrich
Eidenzon, A. M. See Puzanov, N. I.
Eidenzon, A. M.; Puzanov, N. I.
Classification of growth microdefects in silicon crystals grown by the Czochralski method.—75-06840; Features of dislocationless Si crystals grown by the floating crucible method.—75-06607
Eigenmann, B. See Pintschovius, L.
Eikhler, G. See Kaminskii, A. A.
Eimori, N.; Mori, Y.; Hatta, A.; Ito, T.; Hiraki, A.
Changes of work function of CVD diamond with ultraviolet light.—75-07800
Einarsrud, Mari-Ann See Hundere, Aase Marie
Einset, Erik O.
Capillary infiltration rates into porous media with applications to Silcomp processing.—75-01388; Method for making high thermal conducting diamond.—75-03741
Eisman, Glenn A. See Carroll, Daniel F.; Dunmead, Stephen D.
Eissa, S. A. See Bahgat, A. A.
Eitel, Wilhelm
Use of Endless Lining System [ELS] for ladles in steel mills.—75-07688
Elvazov, E. A.; Guseinov, V. I.; Sharifov, Ya. N.; Safarov, A. F.; Gurbanov, S. Sh.
Electrical conductivity of $CoCr_2S_{3.5}Se_{0.5}$ in a variable field.—75-05307
Eizenberg, M.; Meyer, F.; Benhocine, A.
Reactive ion beam sputtered WN_x films on silicon: growth mode and electrical properties.—75-01646
Ekenhorst, D.; Hentschel, M. P.; Goebbels, J.; Riesemeier, H.; Wendorff, J.
Nondestructive inspection of the interface by X-ray refraction and high resolution computer tomography.—75-03588
Eklund, Lars See Nyberg, Brita
Eklund, P. C. See Bi, Xiang-Xin
Eknoyan, O.; Taylor, H. F.; Neurgaonkar, R. R.
Guided-wave electrooptic applications for tungsten bronze ferroelectrics.—75-03236
Ekstrand, Asa See Westin, Gunnar
Ekstrom, Thommy; Shen, Z.-J.
Temperature stability of rare-earth-doped α-SiAlON ceramics.—75-03848
Ekstrom, Thommy
SiAlON composite ceramics.—75-03924; SiAlONs—ceramics with possibilities.—75-02095; See also Mandal, H.; Olsson, P.-O.; Shen, Z.-J.; Wen, S.-L.
El Mamouni, H. See Auffray, E.
El'tekov, Yu. A. See Dernovaya, L. I.
El-Batal, H. A. See Salama, S. N.
El-Damrawi, G. M. See Doweidar, H.
El-Damrawi, G. M.; Hassan, A. K.; Meikhail, M. S.
Characterization studies of quaternary superionic AgX-Ag_2O-MoO_3-P_2O_5 glasses. (X=Cl, Br).—75-07329
El-Egili, K. See Funke, K.
El-Hennawy, A.; Al-Ghamdi, S.
Performance improvement of MOSFET lasers by using trapezoidal gate MOSFETs.—75-03113
El-Raghy, Tamer See Barsoum, Michel W.
El-Rahaiby, Said K. See Campbell, Christian X.; Lehman, Richard L.
Elangovan, S. See Hartvigsen, J. J.; Khandkar, A. C.
ElBatal, Hatem AbdelRahman See Khedr, Amal AbouBakr
Eldridge, Graeme W. See Burk, Albert A. Jr.
Eldridge, J. I.; Bhatt, R. T.
Experimental investigation of interface properties in SiC fiber-reinforced reaction-bonded silicon nitride matrix composites.—75-04520
Eldridge, J. I.
Elevated temperature fiber pushout testing.—75-03561; See also Gaeta, P. J. Jr.
Eleazer, B. See Brown, G.
Elender, G.; Sackmann, E.
Wetting and dewetting of Si/SiO_2-wafers by free and liquid-monolayer covered aqueous solutions under controlled humidity.—75-05515
Elesin, M. A.
New method of producing zinc sulfide with pigment purity.—75-05398
Elesin, V. F. See Degtyarenko, N. N.
Elesin, V. F.; Krasheninnikov, A. V.; Openov, L. A.
Effect of Anderson disorder on superconducting paired correlations with s^*- and d-symmetry in high-temperature superconductors.—75-08294
Elesin, V. F.; Mel'nikov, D. V.; Podlivaev, A. I.
Generation and amplification region in resonant-tunneling diodes.—75-07901
Elesin, V. F.; Openov, L. A.; Kholmovskii, E. G.
Calculation of electron and magnetic characteristics of CuO_2 planes in the framework of the modified approximation of the middle field.—75-08639
Elghandour, E. I.; Koikailah, F. A.; Khalil, S. A.; Naga, S. R.
Effect of staking sequence of laminated composite with different cure on the fracture mechanics at elevated temperature.—75-04501
Eliseev, S. A. See Abramova, I. N.
Elissalde, C.; Cross, L. Eric; Randall, Clive A.
Structural-property relations in a reduced and internally biased oxide wafer (RAINBOW) actuator material.—75-05643
Elissalde, C.; Ravez, J.; Gaucher, P.
Dielectric relaxations in ceramics with compositions $(1-x)Pb(Mg_{1/3}Nb_{2/3})O_{3-x}PbTiO_3$ (x=0, 0.05, 0.1, and 0.25).—75-05182
Elissalde, C.; Weill, F.; Ravez, J.
Correlation between dielectric properties and nanostructure in a $Pb(In_{1/2}Nb_{1/2})O_3$ ceramic.—75-06436
Elizalde, M. R. See Martin, A.
Elizarov, I. V. See Ataev, Zh.
Elizarov, V. A. See Bashirov, R. I.; Daunov, M. I.
Elizarova, N. V. See Pervov, V. S.
Elizarova, N. V.; Pervov, V. S.; Fal'kengof, A. T.; Makhonina, E. V.; Zhigarnovskii, B. M.; Kozhenkov, V. Yu.
Electrochemical properties of complex transition metal dichalcogenides and their intercalated compounds.—75-06458
Elizarova, T. A. See Zaitsev, A. I.
Elkholy, M. M.
Ac conductivity for amorphous TeO_2-P_2O_5 glass system.—75-02620
Elkind, Alexander See Barsoum, Michel W.
Ellerby, Donald T. See Fahrenholtz, William G.
Ellingson, W. A.; Steckenrider, J. S.; Sivers, E. A.; Ling, J.-R.
Nondestructive characterization of structural ceramic components.—75-03586
Elliott, J. F. See Krishna Murthy, G. G.
Elliott, R. J.; Perondi, L.; Barrio, Rafael A.
Ionic conduction in $(1-x)B_2O_3+xLi_2O$.—75-04909
Elliott, S. R.
Calculation of the dc conductivity activation energy of ionically conducting glasses.—75-04881
Ellis, B. See Anwar, M. Y.
Ellis, Bryan; Chen, Xiao-M.; Seddon, Angela B.
Method of strengthening glass.—75-05050
Ellis, Donald E. See Wu, Yue
Ellis, Peter J. See Southworth, Paul
Ellison, A. J. G.; Loong, C.-K.; Wagner, J.
Structure and spin dynamics of lanthanide-bearing silicate glasses.—75-02612
Ellison, A. J. G.; Wolf, S. F.; Buck, E. C.; Luo, J. S.; Dietz, N. L.; Bates, J. K.
Laboratory testing of LITCO glasses.—75-03474
Ellison, Adam
Evaluation of models of waste glass durability.—75-03464
Ellison, Anthony W. See Jennett, Timothy A.
Ellson, D. B. See Wright, W. W.
Ellson, D. B.; Wright, W. W.; Brett, J. E.; Kerdic, J.
Factors influencing the cold crushing strength and modulus of rupture of refractories.—75-00261; Nondestructive testing of refractories.—75-00266
Ellson, D. B.; Wright, W. W.
Use of anchors in refractory linings.—75-00275
Ellsworth, J. A. See Hahn, S. R.
Ellsworth, Susan E. See Stebbins, Jonathan F.
Elomari, S.; Boukhili, R.; Lloyd, D. J.; Masounave, J.
Thermal expansion studies of prestrained Al_2O_3/Al metal matrix composite.—75-04870
Elomari, S.; Boukhili, R.; Skibo, M. D.; Masounave, J.
Dynamic mechanical analysis of prestrained Al_2O_3/Al metal matrix composite.—75-04848
Elschner, Steffen See Bock, Joachim
Elshereafy, E. See Salem, M. R.
Elsner, Frederick H. See Ohkawa, Tihiro
Elstner, I.; Eschner, A.; Nebe, U.
Calcium aluminate wool: a new fiber for high-temperature thermal insulation—a healthy solution for up to 1250°C.—75-07486
Elthon, Don See Geny, Joel; George, Etienne; Lawanier, Jean-Pierre
Elwell, D. F. See Shapiro, A. A.
Elyukhin, V. A.; Portnoi, E. L.
Immiscibility region of ternary solid solutions of A^3B^5 compounds.—75-07916
Elyukhin, V. A.
Immiscibility region of $A_x{}^3B_{1-x}{}^3C_y{}^5D_{1-y}{}^5$ solid solutions in a quasi-chemical approximation.—75-06242
Elyutin, A. V.; Manukhin, A. V.; Lopatin, P. B.
Phase transitions in carbides, nitrides, monooxides of transition metals and defects of their structure.—75-06854
Elyutin, A. V.; Manukhin, A. V.; Plaksin, O. A.; Stepanov, V. A.
Mechanisms of vacancy formation in transition metal oxides under resonance laser action.—75-06852
Em, V. T. See Tashmetov, M. Yu.
Emanuel, Mark A. See Payne, Stephen A.
Embergenov, B. E. See Drozdova, I. A.
Emel'chenko, G. A. See Shmyt'ko, Ivan
Emel'yanov, S. A. See Dmitriev, A. P.
Emel'yanov, V. V. See Barinov, Yu. V.
Emelchenko, G. A. See Alov, D. L.
Emelina, A. L. See Zakharova, B. S.
Emerson, J. F.; Bray, P. J.
Nuclear magnetic resonance and transmission electron microscopy studies of mixed alkali silicate glasses.—75-02599
Emery, J. W. See Bates, J. K.
Emesh, I. See Chivukula, V.
Emi, Hitoshi See Otani, Yoshio
Emig, G.; Fitzer, E.; Zimmerman-Chopin, R.
Sol-gel process for spinning of continuous $(Zr,Ce)O_2$ fibers.—75-04227
Emig, G.; Wirth, R.; Zimmerman-Chopin, R.
Sol-gel-based precursors for manufacturing refractory oxide fibers.—75-05138
Emmelmann, S.; Arrowsmith, N.
Baptism through fire.—75-02195
Emmerich, W. D. See Mayer, J.
Emoto, Noriaki See Sasaki, Kimiaki
Emtsev, V. V. See Astrova, E. V.
Emy, Tobias See Greil, P.
Endicott, M. R. See Kenkre, V. M.
Endicter, Scott See Ignatiev, Alex
Endler, I.; Wolf, E.; Leonhardt, A.
Preparation, characterization, and wear behavior of TiN_x-coated cermets obtained by plasma-enhanced chemical vapor deposition.—75-04864
Endo, A. See Suzuki, T.
Endo, Harumi See Kawamura, Kazuro
Endo, S. See Maruyama, K.
Endo, Tadashi; Miyagawa, Naomichi; Takizawa, H.
Multiphase composites of tetragonal zirconia agglomerate dispersed into alumina and alumina-zirconia matrices.—75-06690
Endo, Tadashi; Sugiura, S.; Sakamaki, M.; Takizawa, H.; Shimada, M.
Sintering and mechanical properties of β-wollastonite.—75-04627
Endo, Yasuhiko See Morishita, Tomohiro; Ono, Yasushi
Endo, Yoshiyuki See Kousaka, Yasuo
Endo, Yoshiyuki; Kousaka, Yasuo; Onitsuka, Hidenori
Adhesion force arising from solid salt bridge formed after drying of liquid bridge.—75-06154
Endoh, Shigehisa; Ohya, Hitoshi; Masuda, Kaoru; Suzuki, Shigeyuki; Iwata, Hiroyuki; Ikeda, Chihiro
Shape separation of fine particles using fluid fields—dynamic properties of irregular shaped particles in wet cyclones.—75-05975
Endregard, Monica See Alagna, Lucilla
Engelbrecht, F.; Helbig, R.
Free carrier absorption in n-type 6H-SiC.—75-00494; Ir absorption spectra of impurities in 6H-SiC.—75-00529
Engelhard, M. H. See Wang, L.-Q.
Engeli, Georg See Vogt, Ulrich
Engels, Seigfried See Thome, Roland
Engelsberg, M. See De Souza, Ricardo E.
Engemann, J. See Auciello, Orlando
England, B. M. See Dukino, R. D.
Englisch, Wolfgang; Goy, Heinrich; Sauerwein, Paul; Hitzschke, Peter; Simmat, Fritz; Takke, Rolf
Process for the production of a homogeneous ream-free body made of quartz glass.—75-02747
Enkoji, M.
Sandy Vitarelli—a potter in Maui.—75-02354
Enoki, Manabu See Tsuda, Hiroshi
Enoki, Manabu; Utoh, Y.; Kishi, Teruo
Stochastic microfracture process of ceramics.—75-07033
Enoki, Takamoto See Akazaki, Tatsushi
Enoki, Toshiaki; Kobayashi, Norikazu; Nakayama, Atsuko; Suzuki, Kazuya; Ishii, Chiaki; Kaneko, Katsumi
Novel structure of microporous activated carbon fibers and their gas adsorption.—75-01900
Enomoto, N. See Kim, Dae-Weon; Nakagawa, Zenbee; Sugawara, T.
Enomoto, Nobuhito See Ohji, Nobuyuki
Enomoto, Noritsugu See Yoshida, Kazuaki
Enomoto, Youichi See Hayashi, Kunihiko; Konishi, Masaya
Enpuku, Keiji See Kiss, Takanobu
Enrique, Jose Emilio See Morena, Arnaldo

Entin, I. See Ma, Q. Y.

Entin, Z. B.; Fridman, I. A.
Press filters for dehydration of cement slurry.—75-08538

Entin, Z. B.; Nefedova, L. S.; Al'bats, B. S.
Aspects of changeover to new standards.—75-07135; Status of certification of cement industry production.—75-07185

Entin, Z. B.; Ryazin, V. P.; Krivoborodov, Yu. R.; Tung, Nguen Tkhan
Mechanism of hydration of cement with basalt additions.—75-07165

Entin-Wohlman, O. See Yildirim, T.

Epanchintsev, O. G.; Zubchenko, A. S.; Tret'yakov, Yu. D.; Dityatyev, A. A.; Kobelev, N. N.; Korneyev, A. E.
Shock-wave micron-size diamond synthesis from fullerites.—75-06760

Epanchintsev, O. G.; Zubchenko, A. S.; Kobelev, N. N.; Korneyev, A. E.; Dityatyev, A. A.; Nesterenko, V. F.
Shock-wave micron-size diamond synthesis from fullerenes.—75-09431

Epifani, M.
Nonlinear effects in high-temperature superconducting bolometers.—75-00837

Epikhin, A. N.; Krylov, I. O.; Kiselev, M. R.; Mikhailichenko, A. I.; Krylova, A. V.
Influence of synthesis conditions on the magnetic properties of iron oxide pigments produced from industrial wastes.—75-09341

Eppler, Douglas R. See Eppler, Richard A.

Eppler, Douglas R.; Eppler, Richard A.
Analyzing the color of reddish glazes.—75-02850

Eppler, Richard A. See Eppler, Douglas R.

Eppler, Richard A.; Eppler, Douglas R.
Formulating lead-free glazes.—75-07707

Eppler, W. R.; Cheong, B. K.; Laughlin, D. E.
Physical and magnetic microstructure of rapid thermally annealed thin-film bismuth-doped garnets.—75-03326

Eprikashvili, L. G. See Andronikashvili, T. G.

Epstein, J. S. See Mackin, T. J.

Erch, R. A.; Nichols, F. A.; Schult, D. L.
Weibull analyses applied to the pull adhesion test and fracture of a metal-ceramic interface.—75-02561

Erdel, Bert P.
PCD [polycrystalline diamond]-tipped cutting tool systems for best-in-class manufacturing.—75-07224

Erdogan, Fazil See Lee, Woo-Y.

Erdogan, Fazil; Ozturk, M.
Periodic cracking of FGM coatings.—75-04615

Erdtmann, M. See Diaz, J.

Eremeev, A. See Bykov, Yu.

Eremenko, A. V. See Pashkevich, Yu. G.

Eremin, A. V. See Belyaev, A. N.

Eremin, I. M.; Larionov, A. L.
Local strain and autolocalization energy of clusters with S=2 and 3/2 in $YBa_2Cu_3O_7$.—75-08353

Eremin, K. V. See Koneshova, T. I.

Eremina, E. V.; Aleshin, V. A.; Stefanovich, S. Yu.; Popovkin, B. A.
Melt growth and physicochemical properties of $TeSeO_4$ crystals.—75-05379

Erich, Donald L. See Marra, James C.

Erickson, Dwight D.; Wood, William P.
Abrasive grain comprising calcium oxide and/or strontium oxide.—75-07113

Erickson, L. C.; Hawthorne, H. M.; Troczynski, Tom; Hogmark, S.; Olsson, M.
Wear and micromechanical properties of microstructurally improved ceramic plasma-sprayed coatings.—75-09691

Erickson, Paul
Premilled frit as a key factor in deciding to porcelain enamel in-house.—75-00118

Ericson, M. N. See Bauer, M. L.

Ericsson, T. See Ibanez, A.

Ericsson, Torsten See Oden, Magnus

Eriksson, Mikael See Rundgren, Kent

Erkalfa, H. See Baykara, T.

Ermakov, S. Yu. See Antonenko, A. M.

Ermakov, V. E. See Khalilov, V. Kh.

Ermakov, V. N. See Gorin, A. E.

Ermilova, M. M. See Mardilovich, A. A.

Ermolaev, Yu. L. See Sanin, A. L.

Ermolov, V. A.
Effect of an external premagnetizing field on the formation of permanent acoustic memory in magnetostricted polycrystalline ferrite.—75-08200

Ernst, Johannes See Krahn, Wolfgang

Erny, T. See Suttor, D.; Walter, S.

Erokhin, Yu. Yu. See Gorbenko, O. Yu.

Eror, N. G. See Lelovic, M.

Erre, R. See Cholet, V.

Ershov, O. G. See Danilova, T. N.; Moiseev, K. D.

Ershov, S. N. See Vasilevskii, M. I.

Ershov, V. A.; Laryushkina, Yu. A.
Calculation of the molecular composition of CaO-Al_2O_3 melts.—75-06170

Ershova, M. M. See Kokunov, Yu. V.

Erturk, T. See Chepolis, W. M.; Gaudette, F.

Erturk, T.; Park, K.; Sung, Chang-Mo
Burner rig thermal fatigue failure of SiC continuous fiber/Si_3N_4 ceramic composites.—75-04455

Erwin, L. See Min, B. H.

Erwin, R. W. See Keimer, B.

Erxmeyer, J. See Konenkamp, R.

Escardino, A. See Gozalbo, A.

Esch, Rachel; Zimmer, Kirt
25 years at Frog Hollow[, Vermont].—75-02179

Eschenbach, R. C.; Whitworth, C. G.
Glassy slag from rotary hearth vitrification.—75-03469

Eschner, A. See Elstner, I.

Eschner, A.; Santowski, Klaus; Braun, Hans
Wear mechanism of alumina-spinel bricks in steel ladles.—75-07693

Escorne, M. See Ostorero, J.

Escribano, Vicente Sanchez See Prieto, Maria del Carmen

Esfarjani, Keivan; Gu, Bing-Lin; Maruyama, Yutaka; Ohno, Kaoru; Kawazoe, Yoshiyuki
Electronic properties of $C_{59}BN$ fullerenes.—75-01286

Esh, David W.; Scheetz, Barry E.
Flow and transport modeling of a low-level radioactive waste disposal facility.—75-03466

Esposito, L. See Bellosi, A.; Salomoni, A.

Esser, S. See Leyendecker, T.

Estemesov, Z. A.; Makhambetova, U. K.; Abutalipov, Z. U.
Basic properties of neopore-concrete.—75-07138

Estevez, M. See Castano, Victor M.

Estournes, C. See Rao, K. J.

Etchessahar, E. See Yang, Gai-Ying

Etheridge, John See Marra, James C.

Etheridge, M. D. See Bougher, A. K.

Ethiraj, R. See Ramesh, N.

Etienne, Frederic; Jacquemier, Michel; Meunier, Pierre; Clavaud, Bernard
Introduction of unshaped products without SiO_2 in secondary metallurgy for cleanliness of metal.—75-07585

Etikos, C. P. See Kontoulis, I.

Etourneau, J. See Magro, C.

Ettinger, Robert H. See Anthony, Thomas R.

Eun, Kwang-Y. See Lee, Wook-Seong

Eun, Kwang-Y.; Park, Jong-K.; Lee, Jae-K.
Method for production of diamond particles.—75-06095

Evanko, Cynthia R. See Dzombak, David A.

Evans, Anthony G. See Bourrat, X.; Casagranda, Albert; Domergue, Jean-Marc; Lynch, Christopher S.; Mackin, T. J.; Tu, Wen-Chiang

Evans, Anthony G.; Naslain, R.
Ceramic Transactions, Volume 57: High-Temperature Ceramic-Matrix Composites I: Design, Durability, and Performance.—75-02158; Ceramic Transactions, Volume 58: High-Temperature Ceramic-Matrix Composites II: Manufacturing and Materials Development.—75-02159

Evans, Anthony G.; Zok, Frank W.; McMeeking, Robert M.; Du, Zheng-Z.
Models of high-temperature, environmentally assisted embrittlement in ceramic matrix composites.—75-07016

Evans, Anthony G.; Zok, Frank W.
Physics and mechanics of fiber-reinforced brittle matrix composites.—75-07020

Evans, B. J. See Bluncson, Cherie R.; Thompson, G. K.

Evans, D. T.; Frith, M.; Strawbridge, I.
Application of thermomechanical modeling to carbon-bonded refractory structures.—75-07474

Evans, Edward A. See Angus, John C.; Cassidy, William D.; Wang, Ya-Xin

Evans, G.; Greif, R.
Two-dimensional model of the chemical vapor deposition of silicon nitride in a low-pressure hot-wall reactor including multicomponent diffusion.—75-04263

Evans, H. L. See Conley, John F. Jr.

Evans, J. R. G. See Matar, S. A.; Song, J. H.

Evans, J. T. See Al-Amri, A.

Evans, Joe T., Jr.; Cardoza, Hayley E.
Imprint mechanism in ferroelectric capacitors.—75-05589

Evans, Keenan L.; Liaw, Hang M.; Lin, Jong-Kai
Method for enhancing aluminum nitride.—75-08592

Evdokimenko, A. V. See Fodchuk, I. M.

Evdokimov, V. Yu. See Barinov, S. M.

Evele, Holger
Program for auditing porcelain enamel plants.—75-00123

Everson, Mark P. See Tamor, Michael A.

Eves, Eugene
Equipment supplier's role in process development.—75-02128

Evetts, J. E. See Kumar, R. V.; Watson, D. R.; Zhang, J. L.

Evgen'ev, S. B. See Bublik, V. T.

Evlakhov, N. V. See Dmitriev, A. P.

Evlyukhin, A. B. See Dmitriev, A. V.

Evstropov, V. V. See Strel'chuk, A. M.

Evstropov, V. V.; Kaliteevskii, M. A.; Lipko, A. L.; Sinitsyn, M. A.; Tsarenkov, B. V.; Shernyakov, Yu. M.
Light absorbing semiconducting Bragg reflector.—75-07948

Evstropov, V. V.; Strel'chuk, A. M.
Neutron irradiated SiC(6H) p-n structures: current-voltage characteristics.—75-07984

Evstropov, V. V.; Zhilyaev, Yu. V.; Nazarov, N.; Sadof'ev, Yu. G.; Topchii, A. N.; Faleev, N. N.
Epitaxial p-n structures of GaAs on Si substrates: electrical, photoelectrical, and electroluminescent properties.—75-03022

Evstyunin, A. V. See Antsiferov, V. N.

Evsyunin, V. G. See Rastsvetaeva, R. K.

Evtikhov, Zh. L. See Boiko, E. A.

Evtimova, S. See Yakimova, R.

Evtukh, A. A. See Romanyuk, B. N.

Evwaraye, A. O.; Smith, S. R.; Mitchel, W. C.
Characterization of defects in n-type 6H-SiC single crystals by optical admittance spectroscopy.—75-01743

Evwaraye, A. O.; Smith, S. R.; Mitchel, W. C.
Electrical and optical properties of vanadium in bulk n-type silicon carbide.—75-00468; Shallow levels in n-type 6H-silicon carbide as determined by admittance spectroscopy.—75-06345

Ewell, Richard See Vandersande, Jan W.

Ewing, Rodney C. See Lutze, Werner

Ewsuk, Kevin G. See Fahrenholtz, William G.; Gao, Y.; Loehman, Ronald E.

Ewsuk, Kevin G.; Harrison, Larry W.
Manufacturing tailored property ceramic composites.—75-00961

Exnar, P.
Characterization of porous glasses by means of porosimetry.—75-02630

Eyert, V. See Matar, S.

Ezaki, Kenicki See Takahashi, Hisakazu

Ezhevskii, A. A.; Van Gizbergen, S. I. K. Kh. M.; Ammerlaan, K. A. I.
Anomalous excitation in the EPR spectrum of the Fe^{3+} ion in GaAs.—75-07784

Ezhovskii, A. See Bogomolov, V. N.

Ezikov, V. I.; Pasishnik, S. V.
Structure of anions in melts R_xO_y-SiO_2 (R=Ca, Pb, and Bi).—75-02613

Ezis, Andre See Dziedzic, Chester J.

Fabbri, B.
Quality assurance of ceramic clays—a deeper understanding.—75-01070

Fabbri, L. See Scafe, E.

Fabel, Karl-Heinz
European-style fast single firing of wall tiles.—75-00286

Fabeni, P. See Nikl, M.

Faber, Anne Jans See Yan, Ying-Chao

Faber, K. T. See Christensen, Renee J.; Day, P. S.; Zimmerman, Michael H.

Faber, M.; Langguth, J.; Greil, P.
Preparation and characterization of PZT submicron powders using a spray pyrolysis process.—75-01613

Fabrega, A.
Miniature porcelain.—75-02298

Fabris, B. Burtet See Marella, M.

Faccio, Marco See Sun, Hong-Tao

Face, Dean W.
Process for depositing high-temperature superconducting oxide thin films.—75-03437

Fadeev, A. S. See Vedernikov, G. E.

Fadeev, A. Yu.; Borisova, O. R.; Lisichkin, G. V.
Determining the fractal dimensions of the surface for some porous silicas.—75-09615

Fadeeva, E. E.; Ardashnikova, E. I.; Shtanov, V. I.; Popovkin, B. A.
Preparation of superconducting fluorinated neodymium cuprate.—75-08400

Fagan, James G. See Amarakoon, Vasantha R. W.

Fagerberg, R.; Grepstad, J. K.
Temperature-dependent kinetic inductance of $YBa_2Cu_3O_{7-\delta}$ thin films predicted by the coupled grain model in the strong-coupling limit.—75-03416

Fagerholm, Heidi; Johansson, Leena-Sisko; Graeffe, Mats; Rosenholm, Jarl B.
Surface charge and viscosity of mixed Si_3N_4-Y_2O_3 suspensions containing lignosulfonate.—75-09193

Fagherazzi, G. See Benedetti, A.

Faguy, Peter W.; Ma, Wan-Li; Lowe, J. Alan
Conducting polymer-clay composites for electrochemical applications.—75-05179

Fahrenbruch, Alan L. See Kim, Dong-Hwan

Fahrenholtz, William G.; Ewsuk, Kevin G.; Ellerby, Donald T.; Loehman, Ronald E.
Near-net-shape processing of metal-ceramic composites by reactive metal penetration.—75-04861

Fahrner, W. R. See Melnikov, A. A.

Faige, Fritts
Possible ways to save energy in cement production.—75-08737

Fain, Cliff C. See Figueiredo, Aloyso O.

Fajardo, James; Sigel, George H., Jr.
Improved Pr^{3+}-doped heavy metal fluoride glasses and fibers.—75-04905

Fal'kengof, A. T. See Elizarova, N. V.; Pervov, V. S.

Falaschi, Jean-Pierre See Mathieu, Alain

Falconer, John L. See Jia, Meng-Dong

Faleev, N. N. See Evstropov, V. V.; Punegov, V. I.; Ustinov, V. M.

Famery, R.; Richard, N.; Boch, P.
Preparation of α- and β-tricalcium phosphate ceramics, with and without magnesium addition.—75-04155

Fan, D. See LeGeros, R. Z.

Fan, Danan See Chen, Long-Qing

Fan, H.-F. See Rao, P.-G.

Fan, P. See Ran, J.-G.

Fan, Q.-S. See Drennan, J.; Gu, P.-Z.; Perera, D. S.; Sternitzke, M.

Fan, Q.-S.; He, Y.; Han, L.-C.; Ding, W.; Gu, P.-Z.
Preparation and microstructure of Si_3N_4-SiC multiphase ceramics using nano-size and submicron-size SiC powders.—75-04152

Fan, W. D.; Jagannadham, K.; Narayan, J.
Improvement of adhesion of diamond coatings to WC(Co) tool substrates.—75-02490; Multilayer diamond-coated WC tools.—75-07221

Fan, Wang; Niinisto, Lauri
Preparation of strontium titanate using strontium titanyl oxalate as precursor.—75-06737

Fan, Zhong-Yun See Boccaccini, Aldo R

Fang, J. See Thompson, A. M.

Fang, Rong-Chuan See Cui, Jing-Biao

Fang, S.-C.; Huang, C.-H.; Chen, L.-C.
Preparation of YBCO superconductor thin film by spin-coating method with metallorganic precursors.—75-05818

Fang, S.-K. See Chang, C.-C.

Fang, Tong See Lambropoulos, John C.

Fang, Tsang-Tse See Tsay, Jenq-Dar

Fang, Tsang-Tse; Wu, Nan-Ti; Shiau, Fuh-Shan
Formation mechanism of strontium barium niobate ceramic powders.—75-06612

Fang, Y.; Danyluk, S.; Lanagan, M. T.
Effect of temperature on the coefficient of friction of $Bi_2Sr_2CaCu_2O_x$/$Bi_2Sr_2CaCu_2O_x$ and $Bi_2Sr_2CaCu_2O_x$/Ag.—75-05758

Fang, Yi See Cheng, Ji-Ping

Fang, Z.-H. See Xu, L.-H.

Fang, Z.-H.; Shen, Z.-J.; Ding, Z.-S.
Erosion of structural ceramics.—75-04514; Preparation, thermal expansion, and mechanical properties of $K_{1-x}Sr_{0.5x}Zr_2P_3O_{12}$ ceramics.—75-04176

Fang, Z.-Q. See Look, D. C.
Fann, D.-M. See Chang, U.-C.
Fantini, M. C. See Suzuki, P. A.
Fantozzi, G. See Brenet, P.; Cheng, B.-L.; Hamidouche, M.; Reynaud, P.; Sudreau, F.; Tallaron, C.; Tuffe, S.
Farabaugh, E. N.; Lai, Guan-Ren; Feldman, A.; Robins, L. H.
Closed CVD system for the deposition of diamond films.—75-09242
Farber, B. Ya.; Chiarelli, A. S.; Heuer, Arthur H.
Dislocation mechanism of crack nucleation in cubic zirconia single crystals.—75-04489
Farbshtein, I. I. See Berezovets, V. A.
Fardis, M. See Papavassiliou, G.
Fargeot, D. See Bouchetou, M. L.; Cutard, T.; Rouxel, T.
Fargeot, D.; Cutard, T.; Huger, M.; Gault, C.
Elastic behavior of fibrous ceramic matrix composites at high temperature under tensile stress.—75-03887
Farhat, S. See Hassouni, K.
Farias, M. H. See Galvan, D. H.
Farina, M. See Kuz'ma, M.
Farinas, J. C.; Moreno, R.
Influence of the stability of zircon suspensions on direct slurry-ICP chemical analysis.—75-01873
Farkash, M.; Shafry, N.; Brandon, D. G.
SiC whisker-reinforced ceramics with modulated microstructures.—75-04395
Farmer, A. J. D.; Gane, N.; Sekel, R.
Adhesion testing of hydroxyapatite coatings.—75-01008
Farmer, J. See Khasawinah, S.
Farmer, S. C. See Sayir, A.
Farne, G. See Maschio, S.
Farok, H. M.; Saunders, G. A.; Lambson, W. A.; Kruger, R.; Senin, H. B.; Bartlett, S.
Alexandrite effect and optical properties of holmium metaphosphate glass.—75-07321
Farok, H. M.; Senin, H. B.; Saunders, G. A.
Optical and ultrasonic properties of europium phosphate glasses.—75-04982
Farooq, Shaji See Bezama, Raschid J.
Farouk, Bakhtier See Lee, Jung-H.
Farrauto, Robert J. See Voss, Kenneth E.
Farrauto, Robert J.; Voss, Kenneth E.; Heck, Ronald M.
Ceria-alumina oxidation catalyst.—75-06084
Farrell, D. J. See Shih, Wei-Heng
Farrington, G. C. See Jones, S. M.
Farris, T. N. See Chandrasekhar, S.
Faryna, M. See Bucko, Miroslaw M.; Lis, J.
Fasoula, E. See Panagopoulos, C.
Fatenkov, A. N. See Devyatykh, G. G.
Fathi, Zak See Garard, Richard S.
Fathi, Zak; Garard, Richard S.; Clemons, John; Saltiel, Craig; Hutcheon, R. M.; DeMeuse, Mark T.
Processing and characterization of a polymer matrix composite using variable frequency microwave heating.—75-01632
Faugere, A. M. See Maggion, R.
Faur, Maria; Ionescu, Savu Gheorghe; Faur, Mircea
Influence of TiO_2 doping on the quantum efficiency of α-Fe_2O_3 electrodes in water photoelectrolysis.—75-04084
Faur, Mircea See Faur, Maria
Faure, J.-L. See Chipaux, R.
Faust, William D.
What's happening overseas [in porcelain enameling].—75-00148
Fauth, F. See Staub, U.
Favrot, N. See Colin, C.
Favrot, N.; Colin, C.; Besson, J.; Barbier, G.; Delannay, F.
Dilatometric study of the processing of WC-Co based gradient materials.—75-02454
Fawcett, Timothy G.; Knudsen, Arne K.; Guiton, Theresa A.; Quinn, Tom J., III; Mills, Lynne K.; Dunmead, Stephen D.
Raw materials influence the alpha-particle emission rate of AlN.—75-08508
Fayette, L.; Marcus, B.; Mermoux, M.
In situ Raman spectroscopy during diamond growth in a microwave plasma reactor.—75-01870
Fedders, P. A. See Lin, Shu-Han
Fediv, V. I. See Savchuk, A. I.
Fedner, L. A. See Sukhanov, M. A.
Fedorchuk, A. A. See Vasilechko, L. O.
Fedorov, D. L. See Permogorov, S. A.; Vlasov, Yu. A.
Fedorov, M. I. See Zaitsev, V. K.
Fedorov, P. P. See Sobolev, B. P.; Sorokin, N. I.
Fedorov, P. P.; Sobolev, B. P.
Morphotropic transitions in the rare-earth trifluoride series.—75-06280
Fedorov, V. A. See Gan'shin, V. A.; Ivanov, V. P.; Korkishko, Yu. N.; Kuznetsova, I. Ya.; Pashinkin, A. S.
Fedorov, Yu. K. See Baikova, L. G.; Zenkov, A. A.
Fedorov, Yu. V. See Gulyaev, Yu. V.; Mokerov, V. G.
Fedorova, L. S. See Boltyanskii, A. V.
Fedorova, O. M. See Kalevich, V. K.
Fedorova, O. N.; Strakhov, V. I.
Phase equilibria in the $SrMoO_4$-$LaNbO_4$ system.—75-09023
Fedorova, T. E. See Kornilov, V. V.
Fedorova, V. V. See Aleksandrova, S. P.
Fedoruk, R. M. See Pitak, N. V.
Fedoruk, R. M.; Pitak, N. V.; Savina, L. K.
Corundum refractories with a combined nitride-containing binder.—75-05079; Silicon carbide articles for linings of reactors for the production of aluminum chloride.—75-07658
Fedotov, A. K. See Il'yashchuk, Yu. M.
Fedotov, V. K. See Klinkova, L. A.
Fedyanin, A. A. See Aktsipetrov, O. A.
Fedyushchenko, S. V. See Pekov, I. V.
Fee, M. G. See Sammes, N. M.
Feenstra, R. M.; Vaterlaus, A.; Woodall, J. M.; Collins, D. A.; McGill, T. C.
Cross-sectional scanning tunneling microscopy of III-V semiconductor structures.—75-00450
Feher, L.; Link, G.; Thumm, M.
Microwave raytracing in large overmoded industrial resonators.—75-00965
Fei, Xin See Wong, K.-W.
Fei, Y.; Wong, H. K.
Crystal structure of proton-exchanged $LiNbO_3$ waveguides.—75-00642
Fei, Zei See Hong, Zhang
Feichuk, P. I. See Fochuk, P. M.
Feidenhans'l, R. See Findeisen, E.
Feiereisen, J. P. See Choux, S.
Feige, F.
State of the art in high compression comminution.—75-00068
Feige, Reinhard See Thome, Roland
Feigelman, M. V. See Kagan, D. M.
Feigerle, C. S. See Jones, L. L.; Mehta, Prabhjot; Tolt, Z. L.
Feise, Hermann J.; Schwedes, Jorg
Behavior of cohesive powder in the biaxial tester.—75-05936
Fekade, K. See Beesabathina, D. Prasad
Feklisova, O. V. See Parakhonskii, A. L.
Felder, P. See Willmott, P. R.
Feldman, A.
Round robin thermal conductivity measurements on CVD diamond.—75-08699; See also Farabaugh, E. N.
Feldman, Bernard J. See Lin, Shu-Han
Feldman, R. F. See Beaudoin, J. J.
Felisberto, Cynthia N.; Milkovich, Stephen A.; Nufer, Robert W.
Green sheets of controlled microporosity and method of producing same.—75-00007
Fellows, L. See Adegbite, V.
Felten, J. J.; Hoffheins, B. S.; Lauf, R. J.
Pd conductor for thick film hydrogen sensor.—75-03110
Fenchak, V. Yu. See Kityk, I. V.
Fend, T.; Goring, J.
Failure-related microstructure of 2-D-carbon/carbon under shear conditions.—75-04524
Feng, Ai-Guo; Munir, Z. A.
Field-assisted self-propagating synthesis of β-SiC.—75-01500; Relationship between field direction and wave propagation in activated combustion synthesis.—75-06757
Feng, C.-D. See Qiu, H.-B.
Feng, C.-D.; Shi, E.-W.; Guo, J.-K.; Yan, D.-S.; Schulze, Walter A.
Characterization and fast firing of nanoscale ZrO_2+3 mol% Y_2O_3 ceramic powder prepared by hydrothermal processing.—75-03964
Feng, C.-X. See Song, Y.-C.
Feng, H. See Yiin, T.
Feng, Kean See Lin, Zhang-Da
Feng, Man See Huang, Ke-Qin
Feng, Pei-Zhi; Li, Jian-Xi
Study of a new cement with high iron and magnesium contents.—75-00069
Feng, Qing-Rong See Wen, Jian-Zhou
Feng, S.; Seitzer, D.
Improved passive model for transient prediction of GaAs E/D MESFET analog switches.—75-03051
Feng, Sun-Qi See Wen, Jian-Zhou
Feng, Xiang-Dong See Roth, Ian
Feng, Y. See Luo, J. S.
Feng, Yong; Zhou, Lian; Du, She-Jun
Quenched $YBa_2Cu_3O_{7-x}$-WO_3 superconductors.—75-03394
Feng, Yong; Zhou, Lian; Shi, Lei
Properties of Sn-added YBCO prepared by the powder melting process.—75-00856
Feng, Z.-C. See Wee, A. T. S.
Feng, Z.-C.; Tin, C. C.; Yue, K. T.; Hu, R.; Williams, J.; Liew, S.-C.
Combined structural and optical assessment of CVD grown 3C-SiC/Si.—75-00437
Feofilov, S. P. See Kaplyanskii, A. A.
Feoktistov, N. A.; Pevtsov, A. B.; Kosarev, A. I
Surface recombination in a-Si:H *p-i-n* structures.—75-08070
Ferber, M. K. See Cozzi, A. D.; Lara-Curzio, E.; Lin, C.-K. J.; Rebillat, F.; Srinivasan, G.; Wereszczak, Andrew A.
Ferber, M. K.; Lara-Curzio, E.; Russ, S. E.; Chawla, K. K.
Single-fiber push-in vs single-fiber push-out—a comparison between two test methods to determine the interfacial properties of brittle matrix composites.—75-04399
Ferchland, L. See Bar, Ludwig R.
Ference, Joseph A.; Bullock, Ronald E.; Uhlir, Donald A.; Duhl, Michael L.; Ropelato, Sam A.
Method for preparing a cermet-coated article.—75-07266
Fergag, M.; Achour, S.; Harabi, A.; Mirouh, K.
Iron-doped titanium nitride films.—75-01554
Ferguson, J. A.; Banks, P. J.
Assessing the plastic properties of Australian paver clays by triaxial compression testing.—75-00233
Ferguson, K.
David Shaner—notes from a friend.—75-02229
Ferk, Hans-Werner See Schmid, Heinz
Ferl, Kh.; Palis, P.; Shmidt, Kh.
Highly effective and reliable equipment. Technological innovations to solve cement industry problems.—75-07155
Fernandes, A. A. R. See De Biasi, Ronaldo S.
Fernandes, A. A. R.; De Biasi, Ronaldo S.
X-ray induced valence changes in the V_2O_5-MgO system.—75-03866
Fernandes, T. R. C.; Lee, W. E.; Mitchell, T. E.
Microstructural aspects of reduction of Zimbabwe chromite to high-carbon ferrochromium.—75-04354
Fernandez, E. See Driessens, F. C. M.
Fernandez, J. F. See Villegas, M.
Fernandez, Julian Martinez; Morscher, Gregory N.
Determination of interfacial properties in function of temperature using a single fiber microcomposite test.—75-03556
Fernandez, L. See Zanni, H.
Fernandez, L.; Rassem, R.; Zanni, H.; Couty, R.; Barret, P.; Bertrandie, D.
^{29}Si NMR investigation of the CaO-SiO_2-Na_2O-H_2O system related to the chemistry of cement.—75-00257
Fernie, J. A. See Binner, J. G. P.
Ferrand, B. See Allain, J. L.
Ferrando, William A. See Divecha, Amarnath P.
Ferrari, A. M. See Generali, E.
Ferrari, A. See Bertolotti, M.
Ferraris, B. F.; Moscuzza, E.
Quality system in a production plant with continuous process: the case of Sardamag SpA (Italy).—75-07640
Ferraris, M. See Lemoine, P.
Ferraris, M.; Rabajoli, Paolo; Paracchini, Luigi; Brossa, Francesco
Vacuum plasma spray deposition of titanium particle/glass-ceramic matrix biocomposites.—75-04272
Ferraris, M.; Verne, E.
Viscous phase sintering of particle-reinforced glass matrix composites.—75-07407
Ferrato, M. See Chartier, T.
Ferreira, Jose M. F. See Zhou, Ming-Hua
Ferreira, P. M. See Pei, Z. J.
Ferreira, S. See Siguin, D.
Ferreira, S.; Siguin, D.; Garcia, F.
Thermal analysis of sintering of magnetite pellets.—75-04255
Ferreira, Victor M.; Baptista, Joao L.
Preparation and microwave dielectric properties of pure and doped magnesium titanate ceramics.—75-01616; Role of niobium in magnesium titanate microwave dielectric ceramics.—75-02936
Ferri, Christine K. See Balazik, Ronald F.
Ferroni, Luca See Montanaro, L.
Ferronskaya, A. V.
Gypsum in modern buildings.—75-07151
Fert, A. See Perez, F.
Fesenko, E. G. See Gavrilyachenko, V. G.
Fesenko, O. E.
Electrical strengthening and phase transitions in $PbZrO_3$ crystals refined by chemical etching.—75-08134
Fessender, Richard W. See Hotchandani, Surat
Fetisov, A. V.; Fotiev, A. A.; Fetisov, V. B.; Yasnikov, A. G.; Vorob'ev, Yu. P.
Experimental and theoretical studies of the slow oxidation stage of YBCO ceramics.—75-08314
Fetisov, A. V.; Fotiev, A. A.
Hydration of $YBa_2Cu_3O_{6+\delta}$ in a low-humidity atmosphere.—75-08338
Fetisov, V. B. See Fetisov, A. V.; Vorob'ev, Yu. P.
Fett, Theo See Zhu, S.
Fett, Theo; Munz, D.; Seidel, Jurgen; Stech, Martin; Rodel, Jurgen
Correlation between long and short crack *R*-curves in alumina using the crack opening displacement and fracture mechanical weight function approach.—75-04467
Feve, J. P. See Boulanger, B.
Fiato, Rocco A. See Davis, Stephen M.
Fidel'man, V. G. See Verdiyan, M. A.
Fidler, Carrielee See Barrall, Jeffery L.
Field, J. E. See Jilbert, G. H.
Fields, B. Anne See Wiederhorn, Sheldon M.
Fields, B. Anne; Wiederhorn, Sheldon M.
Creep cavitation in a siliconized silicon carbide tested in tension and flexure.—75-04473
Fierstein, Aaron R. See Glezer, Boris
Figovsky, Oleg L.; Gutman, Emmanuel M.
Carbon fiber reinforced silicate polymer composite materials.—75-06426
Figueiredo, Aloyso O.; Brosnan, Denis A.; Fain, Cliff C.; Leigh, H. David
Determination of selected properties of magnesia-carbon bricks after firing at intermediate temperatures.—75-07509
Figueras, A. See Sandiumenge, F.
Filarowicz, Donald J.
Backup insulation in torpedo cars and steel ladles.—75-07480
Filatov, A. V. See Koneshova, T. I.
Filimonov, Igor N.; Loginov, A. Yu.
Tunneling mode of superoxide radical anion decay on Pd-promoted yttria.—75-06401
Filimonov, Yu. A. See Vysotskii, S. L.
Filin, A. G. See Blonskii, I. V.
Filina, L. P.; Belinskaya, F. A.
Practical application of alkali metal titanates as inorganic ion exchangers.—75-06709
Filipovich, V. N. See Kalinina, A. M.
Filippov, B. V. See Kurbatova, G. I.
Filius, K. D. See Whitworth, C. G.
Finch, William C. See Whitman, David W.
Fincham, David; Mackrodt, W. C.; Mitchell, P. J.
MgO at high temperatures and pressures: shell-model lattice dynamics and molecular dynamics.—75-06272
Findeisen, E.; Feidenhans'l, R.; Vigild, M. E.; Neilsen, M.; Clausen, K. N.; Foss, M.
Distribution function, density, and hydrogen content of amorphous diamondlike carbon films obtained by X-ray and neutron scattering.—75-01274
Findeisen, E.; Feidenhans'l, R.; Vigild, M. E.
Hydrogen concentration and mass density of diamondlike carbon films obtained by X-ray and neutron reflectivity.—75-01528
Findikoglu, A. T.; Doughty, C.; Anlage, S. M.
Dc electric field effect on the microwave properties of $YBa_2Cu_3O_7$/$SrTiO_3$ layered structures.—75-00783
Fine, M. E. See Wang, Q.
Finger, Gerd See Kornatowski, Jan
Finger, Larry W. See Palmer, David C.
Fink, Kimberly S.; Otaigbe, Joshua U.
Sealing frit pastes.—75-07274
Finkel, V. A. See Arzhavitin, V. M.
Finlayson, Trevor R. See Batchelor, Warren J.
Finn, W. E. See Peterson, J.

Finnemore, D. K. See Xu, Ming
Finnie, Kim S. See Begg, Bruce D.
Finnis, M. W.; Kruse, C.; Schonberger, U.
First-principles calculations for metal/ceramic interfaces.—75-04325
Finot, M.; Suresh, S.; Bull, C.; Giannakopoulos, A. E.; Olssonn, M.; Sampath, S.
Experimental studies of thermal cycling of an Ni-Al_2O_3 graded material.—75-02470
Finot, M.; Suresh, S.; Giannakopoulos, A. E.
Sharp interfaces versus functionally graded metal-ceramic layers—geometrical optimization for mechanical response.—75-02543
Fionov, A. V.; Kharlanov, A. N.; Lunina, E. V.
Acidic properties of alumina modified with orthoboric acid.—75-09212
Fiore, D. F. See Gentilman, R. L.
Firsov, D. A. See Vorob'ev, L. E.
Firsov, V. A. See Belykh, V. G.
Firstenberg, K.; Dabney, W.; Jain, V.
Role of deflocculants during concentration of the simulated high-level radioactive wastes.—75-03493
Firstov, S. A. See Grigoryev, O. N.
Fischer, A. K. See Luo, J. S.
Fischer, G. M. See Kaplunenko, V. K.
Fischer, G.
New technologies must continue to meet increasing environmental demands.—75-02598
Fischer, Glenn
Cutting costs and competing globally chief goals in '96.—75-09708
Fischer, H. E. See Medwick, P. A.
Fischer, K. See Wolf, B.
Fischer, P. See Guillaume, M.; Roessli, B.
Fischer, R. See Ruginets, R.
Fischer, Reinhard; Schneider, H.; Schmucker, Martin
Crystal structure of Al-rich mullite.—75-03778
Fischer, T. E.
Tribochemistry of ceramics.—75-09210
Fischer, W. See Gordon, R. S.
Fischer-Cripps, Anthony C.; Collins, R. E.
Probability of Hertzian fracture.—75-07023
Fischer-Cripps, Anthony C.; Lawn, Brian R.; Pajares, Antonia; Wei, Lan-Hua
Stress analysis of elastic-plastic contact damage in ceramic coatings on metal substrates.—75-09673
Fischer-Cripps, Anthony C.; Lawn, Brian R.
Stress analysis of contact deformation in quasi-plastic ceramics.—75-09672
Fischman, Gary
Challenges in bioceramics.—75-07064
Fishbine, B. H.; Miglionico, C. J.; Hackett, K. E.; Hendricks, K. J.
Graphene nanotubule cold field emission electron sources.—75-00499
Fishel, Christopher T.; Davis, Robert J.
Characterization of Mg-Al mixed oxides by temperature programmed reaction of 2-propanol.—75-06178
Fisher, B.
SPC improves production at Consumers Glass [, Toronto, Canada].—75-02743
Fisher, I. M.; Voloshin, I. F.; Makarov, N. M.
Features of the electromagnetic absorption in high-J_c melt-textured samples.—75-03370
Fisher, Robert E.
Installation of monolithic refractories: critical issues for successful performance.—75-05102
Fishkis, Maya; Misra, Chanakya; Wefers, K.
Fiber-reinforced aluminum matrix composite with improved interfacial bonding.—75-00159
Fishkis, Maya; Yeh, J. R.; Wefers, K.
Optimization of the interfaces in Nicalon-fiber-reinforced-AlPO-matrix composite materials.—75-06072
Fishman, A. Ya. See Mitrofanov, V. Ya.
Fita, I. M. See D'yakonov, V. P.; Levchenko, G. G.
Fitseva, R. G. See Latypov, Z. M.
Fitzer, E. See Emig, G.
Fitzmaurice, J. C. See Parkin, I. P.
Fitzner, M. P.; Abelson, J. R.
Reactive magnetron sputtering of silicon in Ar+CH_4—identity and energy of the SiC growth species.—75-00584
Flach, J. S.; Shimp, L. A.; Van Blitterswijk, C. A.; De Groot, K.
Calibrated method for crystallinity determination of hydroxyapatite coatings.—75-01205
Flaherty, Thomas J., III See Larson, Richard I.
Flechsig, Karl A.; Lee, Chih-Kung; Lee, Sylvia L.; McGhee, Michael L.; Nayak, Ullal V.; O'Sullivan, Timothy C.; Walian, Josef
Advanced PZT glide head design and implementation for a small slider.—75-00710
Fleischer, James F. See Anthony, Thomas R.
Fleisher, V. G.; Stepanov, Yu. P.; Traito, K. B.; Semenchenko, M. G.
Singularity of complex magnetic susceptibility of $YBa_2Cu_3O_{6+x}$ in zero and quenched magnetic fields.—75-08411
Flemish, J. R.; Xie, K.; Buchwald, W.; Casas, L.; Zhao, J. H.; McLane, G.
Comparison of microwave ECR and rf plasmas for dry etching of single-crystal 6H-SiC.—75-00438
Flerov, I. N. See Gorev, M. V.
Flerova, S. A. See Korshunov, O. Yu.
Fletcher, A. C.; Lewis, R. K.; Phillips, D. N.; Barrow, I. S.; Herbert, H. K.
Aspects of crystalline silica in silica fume.—75-02112
Fletcher, J. G.; Irvine, J. T. S.; West, Anthony R.
Polarization behavior of YBCO electrodes on YSZ electrolytes.—75-00843
Fletcher, M. See Smith, S.
Fletcher, P. See Hughes, T. L.
Fletcher, P.; Coveney, P.
Prediction of thickening times of oil field cements using artificial neural networks and Fourier transform infrared spectroscopy.—75-02416
Fleurial, Jean-Pierre See Vandersande, Jan W.
Fliflet, A. W. See Bruce, R. W.
Flik, M. I. See Zhou, Zhen-Hong
Flint, Sara D. See Slade, Robert C. T.
Floch, Herve G.; Belleville, Philippe F.; Priotton, Jean-Jacques; Pegon, Philippe M.; Dijonneau, Corinne S.; Guerain, Jacques
Sol-gel optical coatings for lasers: III.—75-01673
Flohr, K. W.
Techniques for the characterization and quality control of hydroxyapatite raw materials and coatings.—75-01095
Florian, P. See Coutures, J. P.
Flukiger, R. See Grivel, J.-C.
Flyagin, V. See Bykov, Yu.
Flynn, C. P. See Ikuhara, Yuichi
Flynn, R. See Ramesh, R.
Fochuk, P. M.; Shcherbak, L. P.; Feichuk, P. I.; Panchuk, O. E.
Model for the high-temperature equilibrium of point defects in Sn-doped CdTe.—75-07973
Fochuk, P. M.; Shcherbak, L. P.; Feichuk, P. I.; Panchuk, O. E.
Spectrum of point defects in cooled crystals of Sn-doped CdTe.—75-08060
Fodchuk, I. M.; Raranskii, A. N.; Evdokimenko, A. V.
New possibilities of X-ray diffraction analysis in assessing structural perfection of III-V and II-VI compounds.—75-05970
Fogarassy, E.; Fuchs, C.; Slaoui, A.
Low-temperature synthesis of silicon oxide, oxynitride, and nitride films by pulsed excimer laser ablation.—75-01567
Fogarty, T. N.
Process- and radiation-induced defects in electronic materials and devices.—75-04289
Foger, K. See Badwal, S. P. S.
Fohrweiser, R. See Hamdeh, H. H.
Fok, S. L. See Smart, J.
Fokson, S. T. See Ber, B. Ya.
Foley, Henry C.; Sonnichsen, George C.; Brake, Loren D.; Mariwala, Ravindra K.; Lafyatis, Davis S.
CMS [carbon molecular sieves]/SiO_2/Al_2O_3 catalysts for improved selectivity in the synthesis of amines from methanol and/or dimethyl ether and ammonia.—75-08822
Foley, Paul
Curing of preceramic articles with gaseous hydrogen halide.—75-08571
Folk, T.
Bruce Winn.—75-02203; Waylande Gregory.—75-02801
Folmer, Jeffrey S. See Koc, Rasit
Folsom, C. A. See Moore, E. H.
Foltyn, S. R. See Jia, Q. X.; Skofronick, G. L.
Folz, Diane C. See Clark, David E.; Darby, Greg; Roth, M.; Schulz, Rebecca L.; Wicks, G. G.
Fomichev, V. N. See Ryzhov, V. A.
Fomina, G. A. See Galakhov, A. V.
Fominykh, M. V. See Sorokin, N. I.
Fondado, A. See Oseroff, S.
Fondado, F. See Schultz, T.
Fondeur, Fernando; Mitchell, Brian S.
Infrared studies of calcia-alumina fibers.—75-06245
Fong, Yu-Chue; Armour, E. A.; Hersee, S. D.
Confocal photoluminescence study of metallorganic chemical vapor deposition growth on patterned GaAs substrates.—75-05264
Fonseca, Antonio T. See Zhou, Ming-Hua
Fontaine, M.-F. See LeMercier, Thierry
Fontcuberta, J. See Perez, F.
Fooks, H. See Ramer, R.
Forbes, David V. See Cockerill, Timothy M.
Ford, Renee G. See Mutsuddy, B. C.
Fordham, E.; Hall, C.; Roberts, T.; Hall, L.; Maitland, G.
Imaging voids in cement slurries.—75-00043
Fordham, R. J. See Oliveira, F. A. Costa
Forgan, E. M. See Yethiraj, M.
Fork, D. K.
Superconducting thin films on epitaxial magnesium oxide grown on silicon.—75-00924; See also Ghonge, Subodh G.; Hou, Shang-Y.
Forkel-Wirth, D. See Meier, J.
Fornari, R.; Brinciotti, A.; Sentiri, A.
Pressure of phosphorous in equilibrium with solid InP at different temperatures.—75-05447
Forrester, S. C. See Caughman, J. B. O.; Kass, M. D.
Forry, John S.; Simonton, Thomas C.; Welch, William C.; Wisnosky, Jerome D.
Ceramic veneer composite structure.—75-01107; —75-03540
Forssberg, Eric See Wang, Yan-Min
Forst, Donald See Viehland, Dwight
Forst, Donald; Viehland, Dwight
Incommensuration and the distorted oxygen octahedron of antiferroelectric tin-modified lead zirconate titanate.—75-00668
Forster, H. See Hofius, H.
Forsythe, George D. See Connolly, Elizabeth S.
Forthmann, R. See Nickel, Hubertus
Fortner, J. A.; Gerding, T. J.; Bates, J. K.
Long-term test results from a West Valley actinide-doped reference glass.—75-03478
Foss, M. See Findeisen, E.
Fossheim, K. See Ting, Wu
Foster, C. M.; Csencsits, R.; Bai, G. R.; Li, Z.; Wills, L. A.; Hiskes, R.
Structure and properties of heteroepitaxial $Pb(Zr_{0.35}Ti_{0.65})O_3$/$SrRuO_3$ multilayer thin films on $SrTiO_3$(100) prepared by MOCVD and rf sputtering.—75-05645
Fotiev, A. A. See Boeva, M. K.; Fetisov, A. V.; Garkushin, I. K.; Kokshanov, A. G.; Kosmynin, A. S.; Snegirev, A. I.; Spitsyna, N. P.; Vasil'ev, V. G.; Viktorov, V. V.
Fotouhi, B. See Golestani-Fard, F.
Foulton, F.; Pochet, T.; Gheeraert, E.; Deneuville, A.
Characterization of CVD diamond films used for radiation detection.—75-01395
Fountain, G. G. See Malta, D. P.
Fountzoulas, C. G.; Kattamis, T. Z.; Demaree, J. D.; Hirvonen, J. K.
Silicon-containing diamondlike carbon coatings formed by ion-beam-assisted deposition (IBAD): processing and properties of a new category of hard, wear-resistant thin films.—75-08811
Fournes, L. See Bezdicka, P.
Fournier, D. H.
Forming technology affects refractory performance.—75-02818
Fouts, Richard E.; Johnston, Robert P.
Pressure slip casting process for making hollow-shaped ceramics.—75-01000
Fox, Alan G. See Kumar, Atul
Fox, Bradley A. See Hartsell, Michelle L.; Wynands, Henry A.
Fox, D. S.
Oxidation protection of porous reaction-bonded silicon nitride.—75-06933; See also Jacobson, N. S.
Fox, P. See Ringnalda, J.
Foxon, C. T. See Cheng, T. S.
Fraaij, A. L. A. See Su, Z.
Frade, J. R.
Applicability of quasi-steady-state solutions for the kinetics of diffusion-controlled solid-state reactions.—75-01981; See also Baptista, Joao L.
Fragala, I. L. See Malandrino, G.
Fraiman, L. S.; Shlionskii, Yu. S.
Modernization of Volga-75 grate coolers at AO Gornozavodsktsement Co.—75-08733
Fraiman, L. S.; Shlionskii, Yu. S.
Use of oil shale as nozzle fuel in rotary cement kilns.—75-08743
Fraissard, J. See Batamack, P.; Hepp, M. A.
Frances, Christine See Dodds, John
Franchini, F. See Andreola, F.
Franchini, Giancarlo See Brigatti, Maria
Francis, Lorraine F. See Cooney, T. G.; Craig, Bradley D.; Kim, Y. J.; Lewis, J. A.; Wolf, William D.
Franco, A. See Dweck, J.
Frangi, F. See Trezzi, M.
Frangis, N. See Ginoudi, A.
Frangul'yan, T. S. See Annenkov, Yu. M.
Frank, M. See Leyendecker, T.
Frank, Martin See Holand, Wolfram
Frank, R.
Overview of integrated circuits for control networks.—75-00560
Franke, P. See Lu, F.-H.
Frankel, J. See Dandekar, Dattatraya P.
Franken, M. See De Jong, R.
Franklin, M. See Stone, R.
Franks, George V.; Lange, Fred F.
Plastic-to-brittle transition of saturated, alumina powder compacts.—75-09662
Frantti, J.; Lantto, V.
Characterization of $Pb_{0.97}Nd_{0.02}(Zr_{0.55}Ti_{0.45})O_3$ thin films prepared by pulsed laser ablation.—75-00429
Frantz, Irene S. See Bezama, Raschid J.
Franukevicius, D. See Vengalis, B.
Frase, Katharine G. See Bezama, Raschid J.
Fraser, Hamish L. See Sandhage, Kenneth H.
Fraser, R. See Liu, T.
Frasunyak, F. M. See Shchennikov, V. V.
Frasunyak, V. M. See Savchuk, A. I.; Shchennikov, V. V.
Fray, D. J. See Kumar, R. V.
Frayssinet, P.; Tourenne, F.; Rouquet, N.; Conte, P.; Delga, C.; Bonel, G.
Comparative biological properties of HAp plasma-sprayed coatings having different crystallinities.—75-03873
Frazer, E. J. See Neal, Graham S.
Frechette, V. D. See Varner, J. R.
Freedman, Andrew
Halogenation of diamond (100) and (111) surfaces by atomic beams.—75-06634
Freeman, Arthur J.; Wimmer, Erich
Density functional theory as a major tool in computational materials science.—75-05941
Freeman, Arthur J.
Electronic structure theory in the new age of computational materials science.—75-07068
Freeman, C. J. See Sundaram, S. K.
Freeman, G. B. See Moss, T. S.; Vaidyaraman, S.
Freeman, M. M.; Barton, A. L.; Marcus, H. L.
Dielectric strength of diamondlike carbon (DLC) thin films for energy storage capacitors.—75-07723
Freeman, S. A. See Grellinger, D. J.
Freeman, S. A.; Booske, John H.; Cooper, Reid F.
Ionic transport in sodium chloride and silver chloride during microwave irradiation.—75-01763
Freer, R. See Asokan, T.; Azough, F.; Pigram, A. J.
Freik, A. D. See Mansfel'd, G. D.
Freik, D. M.; Prokopiv, V. V.; Salii, Ya. P.; Mateik, G. D.; Lishchinskii, I. M.; Dobrovol'skaya, A. M.
Charged state of intrinsic atomic defects and thermodynamic n-p transition in lead selenide films.—75-07805
Freim, J.; McKittrick, J.; Katz, J.
Microwave sintering of nanocrystalline γ-Al_2O_3.—75-04110
Freim, J.; McKittrick, J.; Nellis, W. J.
Structural ceramics produced through post-sintering of dynamically compacted powder.—75-04230
Freiman, Stephen W. See Spriggs, Richard M.
Freimuth, Herbert; Hessel, Volker; Kolle, Harald; Lacher, Manfred; Ehrfeld, Wolfgang; Vaahs, Tilo
Formation of complex ceramic miniaturized structures by pyrolysis of poly(vinylsilazane).—75-04050

Freire, F. L., Jr. See Baia, A. L. Neto
Freisem, S. See Schmitt, M.
Freiser, H. See Sperline, R. P.
Freitas, J. A., Jr.; Khan, M. Asif
Raman and photoluminescence studies of undoped and magnesium-doped GaN films on sapphire.—75-01919
Freitas, J. A., Jr. See Carlos, W. E.; Doverspike, Kathleen; Moore, W. J.; Rowland, L. B.
Freivolt, Stefan See Matej, Jiri
French, Jonathan D. See Luecke, W. E.; Wiederhorn, Sheldon M.
French, Jonathan D.; Chan, Helen M.; Harmer, Martin P.; Miller, Gary A.
High-temperature fracture toughness of duplex microstructures.—75-02062
French, Jonathan D.; Wiederhorn, Sheldon M.
Tensile specimens from ceramic components.—75-02103
French, K. W. See Gentilman, R. L.
French, R. H. See Mo, Shang-Di; Mullejans, Harald
French, R. H.; Scheu, C.; Duscher, G.; Mullejans, Harald; Hoffmann, Michael J.; Cannon, R. M.
Interfacial electronic structure and full spectral Hamaker constants of Si_3N_4 intergranular films from VUV and SR-VEEL spectroscopy.—75-04348
Frenklach, Michael
Chemical reaction mechanisms of diamond growth.—75-01397
Frentrup, W. See Harmann, A.
Fresina, M. T. See Stockman, S. A.
Friberg, S. E. See Jones, S. M.
Fricano, Glenn J. See Chen, Fred Y.
Fricke, Michele See Katz, Milton
Fridkin, V. See Dubovik, E.
Fridman, I. A. See Entin, Z. B.
Friebele, E. Joseph See Jewell, John M.
Friedlander, S.
Outside in bowls.—75-02318
Friedman, G.; Liu, L.; Kouvel, J. S.
Experimental testing of applicability of the Preisach hysteresis model to superconductors.—75-03369
Friedman, L.
Sign and temperature dependence of the Hall effect of $Bi_2Sr_2YCu_2O_8$ single crystals at compositions below that for metallic conduction.—75-03401
Friedmann, T. A. See Medlin, D. L.; Siegal, M. P.
Friedmann, T. A.; Mirkarimi, P. B.; Medlin, D. L.
Ion-assisted pulsed laser deposition of cubic boron nitride films.—75-01553
Friedmann, T. A.; Siegal, M. P.; Tallant, David R.; Simpson, R. L.; Dominguez, F.
Residual stress and Raman spectra of laser-deposited highly tetrahedral-coordinated amorphous carbon films.—75-01649
Friend, C. M. See Beales, T. P.
Fries, R. See Rand, B.
Fries, R.; Rand, B.
Filter pressing of alumina dispersions.—75-04045
Friesen, L.
Century of SiC.—75-03688
Frigo, S. P. See Simons, J. K.
Frischat, Gunther-Heinz See Kordas, G.; Von Borstel, Thomas
Frischknecht, Kyle D. See Wallenberger, Frederick T.
Frith, M. See Apostolopoulos, D. G.; Evans, D. T.
Fritsch, Sophie; Navrotsky, Alexandra
Thermodynamic properties of manganese oxides.—75-06396
Fritscher, K. See Schulz, U.
Fritzen, C. L.; Livi, R. P.; De Souza, J. P.; Da Jornada, J. A. H.
Effect of ion implantation on the CVD diamond nucleation density on Si substrates.—75-09276
Fritzsche, H.; Nakayama, Yoshikazu
Light-induced metastable changes in amorphous silicon nitride.—75-06258
Friz, Martin
Vapor deposition material for the production of optical coatings of medium refractive index.—75-01138
Frodin, James E.; Pellow, Scott; Kramp, Jean
Superabrasive tool.—75-02174
Frojdh, Christer; Thungstrom, Goran; Nilsson, Hans-Erik; Petersson, C. Sture
Uv-sensitive metal-semiconductor photodiodes on 6H-SiC.—75-00632
Frolov, A. A. See Guk, V. G.
Frolov, G. A. See Zakharov, F. I.
Frolov, G. V.; Shadrin, M. P.; Smagin, Yu. A.; Vdovina, L. M.
Express moisture gage of a brick body.—75-07447
Frolov, S. I. See Klyui, N. I.; Semenovich, V. A.
Frolov, Yu. See Pivkina, A.
Frolova, G. S. See Ivanov-Omskii, V. I.
Frolova, T. B. See Gavrilova, N. D.
Frolow, Peter; Gebhardt, Franz; Goerenz, Edmund; Boymanns, Gerda; Metzger, Claus
Chromic oxide blocks for use in glass container industry.—75-07492
Frolushkina, E. V. See Zegrya, G. G.
Frost, R. L. See Venz, P. A.
Frost, Rodney I. See Cunningham, George M.
Froufe, L. See Siguin, D.
Frydrych, Daniel J. See Newkirk, Marc S.
Frye, R. C.; Hui, C. L.; Johnson, M. G.
Crosstalk noise in a mixed-signal silicon-on-silicon multichip module.—75-00306
Fu, Chen-Tsu See Lai, Chung-Ping; Liu, Dean-Mo; Shu, Kuen-Ming
Fu, Chen-Tsu; Li, Ai-Kang
Heat treatment for particle-reinforced alumina ceramic composite.—75-01113; Strengthening and toughening of Cr_3C_2-reinforced Al_2O_3.—75-01684
Fu, Chen-Tsu; Wu, Jenn-Ming; Li, Ai-Kang
Microstructure and mechanical properties of Cr_3C_2 particulate-reinforced Al_2O_3 matrix composites.—75-06895
Fu, Chen-Tsu; Wu, Jenn-Ming
Effects of post-sinter hot isostatic pressing processes on microstructures and mechanical properties of Al_2O_3-Cr_3C_2 composites.—75-01472
Fu, De-Chun; Grebe, Vernon J.
Cobalt-free, black, dual-purpose porcelain enamel glass.—75-07257
Fu, De-Chun; Pawlicki, E. J.
Chemical durability of a boroaluminosilicate glass [for use in a ceramic glaze].—75-02854
Fu, J.
Lithium alkaline earth bismuthate glasses.—75-07346; See also McWard, T. H.
Fu, L. See Gan, H.
Fu, S. Q. See Nowick, A. S.
Fu, S. S. See Matlack, K. S.; See Yan, Q.
Fu, S.-L.; Chen, L.-S.; Chou, J.-H.
Sintering of cordierite glass-ceramic with lead borosilicate glass.—75-02606
Fu, T. C. See Chan, J. S.; Newman, N.
Fu, X.-R. See Jiang, X.; Li, H.; Li, W.-L.; Wu, F.-Y.; Yan, D.-S.; Zhuang, H.-R.
Fu, X.-Y. See Gu, P.-Z.
Fu, Y.-T. See Ren, C.-Z.; Yu, A.-B.
Fu, Yan See Gu, Ping
Fu, Yan; Ding, Jian; Beaudoin, J. J.
Zeolite-based additives for high alumina cement [HAC] products.—75-04839
Fu, Yan; Gu, Ping; Xie, Ping; Beaudoin, J. J.
Application of secondary ettringite formation in steam-cured expansive cement to friction pile technology.—75-02384
Fu, Zheng-Yi See Wang, Wei-Min
Fuchs, Baruch A. See Wuest, Craig R.
Fuchs, C. See Fogarassy, E.
Fuchs, S. See Barnwell, P.
Fudouzi, Hiroshi; Egashira, Mitsuru; Shinya, Norio
Drawing and observation of electrified images on ceramic substrates using electron beam.—75-08518
Fudzhieda, T. See Ivanov-Shits, A. K.
Fuentes, M. See Martin, A.
Fuentes, R.; Trolio, L. M.; Butler, James E.
Anodic bonding of diamond to glass.—75-08511
Fuerstenau, Douglas W.
Grinding aids.—75-06628
Fuflygin, V. N. See Gorbenko, O. Yu.
Fuflygin, V. N.; Novozhilov, M. A.; Kaul, A. R.; Tret'yakov, Yu. D.
$Bi_2Sr_2CaCu_2O_x$ films prepared by chemical vapor deposition (CVD).—75-08266
Fuhs, W. See Terukov, E. I.
Fujihara, T. See Eguchi, K.
Fujii, E. See Shimada, Y.
Fujii, Jun; Suzuki, Kazunori; Kimura, Kazuo
Catalyst for cleaning exhaust gas with alumina, ceria, zirconia, nickel oxide, alkaline earth oxide, and noble metal catalyst, and method for preparing.—75-08773
Fujii, K.; Nakano, J.; Shindo, M.
Evaluation of characteristic properties of a newly developed graphite material with an SiC/C composition gradient.—75-03699
Fujii, Koichiro See Sakakidani, Katsutoshi
Fujii, N. See Aizawa, M.
Fujii, S. See Kamada, T.
Fujii, Satoshi See Kobune, Masafumi; Shikata, Shinichi
Fujii, Souichi See Tamamaki, Masahiro
Fujii, Tadayuki See Goto, Kenjiro; Maiwa, Koji
Fujii, Y. See Suematsu, Hisayuki
Fujii, Yoji; Moriwaki, Masahiro
Spread-type cylindrical ultrahigh-temperature zirconia furnace.—75-08740
Fujii, Yoji; Taniguchi, Kiyomi
Mold lubricant for molten aluminum [ABN series].—75-05108
Fujii, Yoshihiro; Wakiya, Naoki; Lim, Jin-Ho; Sakurai, Osamu; Shinozaki, Kazuo; Mizutani, Nobuyasu
Effect of A site substitution on order-disorder transition in $Pb(Fe_{1/2}Nb_{1/2})O_3$ (PFN) and $Pb(Sc_{1/2}Ta_{1/2})O_3$ (PST).—75-08128
Fujikawa, Hisayoshi; Taga, Yasunori
Effects of additive elements on electrical properties of tantalum oxide films.—75-05188
Fujikawa, Nobuyoshi See Hirahara, Seiichi; Okawa, Yoshihiro
Fujiki, Y. See Nishio, T.
Fujikura, M. See Nakano, K.
Fujimaki, Akira See Andoh, Hiroya
Fujimine, Satoshi See Miyaji, Fumiaki
Fujimori, Naoji See Ikegaya, Akihiko; Tsuno, Takashi
Fujimori, Tetsuo; Yamamoto, Yasuhisa; Okada, Atsumasa
Effect of mechanical properties of the matrix of the diamond tool on cutting ability.—75-02041
Fujimoto, Fuminori See Ogata, Kiyoshi
Fujimoto, Hiroyuki See Murakami, Masato
Fujino, D. See Stone, R.
Fujino, K. See Karoto, S.
Fujino, Kousou; Takano, Satoshi; Yoshida, Noriyuki; Hara, Tsukushi; Ishii, Hideo
Oxide superconducting film manufacturing apparatus.—75-08480
Fujino, Masaru See Wakino, Kikuo
Fujino, Shuichi See Hayashi, Kunihiko
Fujino, Y. See Igarashi, Y.
Fujioka, J. See Kawamura, M.
Fujioka, Toshiyuki See Yoshida, Hideto
Fujisawa, Hironori See Shimizu, Masaru
Fujishima, Motoi; Chigira, Takahiro; Yoshida, Yasuhiko
Novel carbon source for diamond synthesis.—75-01597
Fujita, Hiroyuki See Goodman, Thomas W.
Fujita, Katsunori See Shimizu-Iwayama, Tsutomu
Fujita, Kazuhisa See Vaccaro, Pablo O.
Fujita, Koji See Cho, Doo-Hee
Fujita, Mitsuhiro See Ohgoshi, Masahiro
Fujita, Nobuhiko See Itozaki, Hideo
Fujiwara, Hideaki See Morita, Akihiro
Fujiwara, T. See Tsubakino, H.
Fujiwara, Teiichi; Asakura, Hideo; Nakatsukasa, Masayuki
Development of automatic thermal conductivity testing system and application to routine work.—75-05082
Fukagawa, Mitsuru See Shiosaki, Tadashi
Fukai, Kiyoshi See Aoki, Masashi
Fukao, Kaname
Method for molding a ceramic port liner.—75-05924
Fukase, Munehiko; Sakai, Yasushi; Kitajima, Kunio
Synthesis of fluorine muscovite by solid-state reaction model and its thermal durability.—75-09082
Fukaya, Masashi See Fukuta, Junzo
Fuks, D. See Revzin, B.
Fukuda, K.; Shoda, K.; Kunishinge, A.
Microstructure in mixed phases of $BaTi_4O_9$-$BaPr_2Ti_4O_{12}$ ceramics.—75-06899
Fukuda, Koichiro; Maki, Iwao; Ito, Suketoshi; Ikeda, Susumu
Structure change in strontium oxide-doped dicalcium silicates.—75-09069
Fukuda, Koichiro; Maki, Iwao; Ito, Suketoshi; Yoshida, Hideto
Phase stability study on the remelting reaction in Ca_2SiO_4 solid solutions.—75-01235
Fukuda, Koichiro; Maki, Iwao; Ito, Suketoshi
Thermal hysteresis for the $\alpha 1/2_L 1/2$ transformations in strontium oxide-doped dicalcium silicates.—75-09087; Thermoelastic behavior in Ca_2SiO_4 solid solutions.—75-09097
Fukuda, Mitsuo; Okayasu, Masanobu; Temmyo, Jiro
Degradation behavior of 0.98-μm strained quantum well InGaAs/AlGaAs lasers under high-power operation.—75-05276
Fukuda, Seiichi See Yamada, Kazuo
Fukuda, Takuya See Saito, Katsuaki
Fukuda, Yukio; Aoki, Katsuhiro; Numata, Ken; Aoyama, Shintaro; Nishimura, Akitoshi; Summerfelt, Scott R.
Effects of interfacial roughness on the leakage properties of $SrTiO_3$ thin-film capacitors.—75-05189
Fukuhara, Minoru See Kobayashi, Naoya
Fukuhira, Masanori See Fukuoka, Hirofumi
Fukuhira, Masanori; Fukuoka, Hirofumi; Konya, Yoshiharu; Watanabe, Masaki
Preparation of high α-type silicon nitride powder.—75-03749
Fukui, Hiroshi; Nishimura, Hirochika; Suzuki, Hisao; Kaneko, Shoji
Preparation and size control of cube-shaped hydrous titanium oxide fine particles by a colloid aging method.—75-09387
Fukui, T. See Yamada, T.
Fukui, T.; Hori, M.
Preparation of thermally stable aluminas by hydrothermal treatment of an alkoxide-derived gel.—75-06738
Fukui, Takehisa See Oobuchi, Takeshi
Fukui, Y.; Takashima, K.; Yamanaka, N.; Ponton, C. B.
Young's modulus determination of functionally gradient Al-Al_3Ni material by a resonance method.—75-02562
Fukumi, Kohei; Chayahara, Akiyoshi; Kadono, Kohei
Gold nanoparticles ion implanted in glass with enhanced nonlinear optical properties.—75-04969
Fukumoto, M.; Ueda, T.; Okane, I.
Gas permeability of plasma-sprayed $MoSi_2$ coating.—75-03896
Fukumoto, M.; Yamasaki, T.; Okane, I.
Influence of coating configuration on cyclic thermal shock fracture behavior of plasma-sprayed coatings.—75-02492
Fukunaga, A. See Abe, H.
Fukuoka, A. See Karppinen, M.
Fukuoka, Hirofumi See Fukuhira, Masanori
Fukuoka, Hirofumi; Watanabe, Masaki; Konya, Yoshiharu; Fukuhira, Masanori
Preparation of high α-type silicon nitride powder.—75-06136
Fukuoka, Morinao See Koike, Hisashi
Fukuoka, Shoji See Hojo, Janichi
Fukushima, Hideko; Sawano, Yasuo; Kojo, Katsuhiko
Sintered ceramic composite and molten metal contact member produced therefrom.—75-06101
Fukushima, Noburu; Niu, Hiromi; Ando, Ken
Bi oxide superconductors.—75-08451
Fukushima, Toshihiro See Sugiyama, Osamu
Fukuta, Junzo; Fukaya, Masashi; Araki, Hideaki
Method of fabricating ceramic circuit substrate.—75-05228
Fukuya, Michikazu; Hirota, Ken; Yamaguchi, Osamu
Sintering and characterization of yttria-stabilized cubic zirconia with alumina derived from solid solution.—75-01664
Fuller, Edwin R., Jr. See Ray, A. K.; Sridhar, Narayanaswamy; Zimmerman, Michael H.
Fuller, Sharon M. See Pyzik, Aleksander J.
Fulmek, Paul L.; Hauser, Hans
Coercivity and switching field of single-domain γ-Fe_2O_3 particles under consideration of the demagnetizing field.—75-00725
Fultz, B. See Bansal, C.
Fun, Qian-Duan See Kim, Nam-Heun
Funabiki, Takuzo See Yoshida, Hisao
Funahashi, Ryoji; Matsubara, Ichiro; Kusumi, Shinji
Preparation and critical current density of a Bi-based superconducting whisker composite.—75-00848
Funahashi, Yoshio; Kogai, Masao; Kasugai, Katsura; Kato, Hideki
Porous mold for manufacturing ceramics.—75-03547
Funakubo, Hiroshi See Furakawa, Yukiko; Hioki, Tsuyoshi
Funatani, K.
Toughness and strength of ceramic materials in regard to industrial applications.—75-02106
Funato, Kenichi See Hotta, Katsuyoshi
Funayama, O. See Sato, K.; Shimizu, Yasuo
Funayama, O.; Aoki, Tomoko; Isoda, Takeshi
Synthesis and pyrolysis of polyborosilazane with low oxygen content.—75-09079

Funayama, O.; Nakahara, Hirohiko; Tezuka, A.
Development of Si-B-O-N fibers from polyborosilazane.—75-06571
Funayama, O.; Tashiro, Y.; Kamo, A.
Conversion mechanism of perhydropolysilazane into silicon nitride based ceramics.—75-06562
Fung, P. C. W. See Chow, J. C. L.; Wang, Z.-D.; Zhang, J.-X.
Funk, James E., Jr. See Campos-Loriz, Diego
Funk, James F. See Dinger, Dennis R.
Funke, K.; El-Egili, K.; Reichelt, R.; Amrein, M.; Cramer, C.
Nanostructures detected by conductivity spectroscopy.—75-00172
Funkenbusch, Eric F.; Tran, Tai T.
Zirconium oxide fibers and process for their preparation.—75-08793
Fuqua, P. D. See Barrera, T. P.
Furakawa, Yukiko; Sakurai, Osamu; Funakubo, Hiroshi; Shinozaki, Kazuo; Mizutani, Nobuyasu
Effect of Ti/Sr ratio on grain growth of La-doped $SrTiO_3$ ceramics.—75-09289
Furic, K. See Music, S.; Pivac, B.
Furman, A. S. See Dmitriev, A. P.
Furmanov, Yu. A. See Gogotsi, G. A.
Furmanova, N. G. See Geifman, I. N.
Furuhashi, H.; Hayashi, N.; Watanabe, S.; Kojima, K.; Uchida, Y.; Takashima, O.
Microprocessing of superconductive thin films by excimer laser.—75-00830
Furuhashi, Hiroshi See Tatumoto, Hirohiko
Furui, Yuji See Matsumoto, Itsuo
Furukawa, Atsuhiko See Sugino, Takashi
Furukawa, Katsuki; Tajima, Yoshimitsu; Suzuki, Akira
Method of producing silicon carbide single crystals by sublimation recrystallization process using a seed crystal.—75-01179
Furukawa, Katsuya See Ishida, Atsumu; Matsubara, Hideaki
Furukawa, Shigeo See Tanaka, Katsuhisa
Furukawa, Yasunori See Markgraf, Steven A.
Furumura, Fukujiro; Abe, Takeo; Shinohara, Y.
Method of determining the extent of the fracture process zone based on spectral analysis of acoustic emissions.—75-05961
Furusawa, Akira See Shikata, Kunihide
Furusawa, Toshiaki; Hino, Hiroshi; Norose, Susumu; Nakamura, Simesu
High precision machining of carbon products.—75-09327
Furuta, S.; Katsuki, H.; Takagi, H.
Preparation and properties of fibrous boehmite sol and its application for thin porous membranes.—75-06718
Furuya, M.; Mori, T.; Ochi, A.
Transmission electron microscopy study of B-site cation configurations in perovskite-structured $Pb(Mg_{1/2}W_{1/2})O_3$-$Pb(Ni_{1/3}Nb_{2/3})O_3$-$PbTiO_3$ ceramics.—75-00708
Fusamae, Hidenori; Shin, Woo-Suck; Seo, Won-Seon; Koumoto, Kunihito
Evaluation of grain boundary groove profiles and surface diffusion coefficients in SiC ceramics using atomic force microscopy.—75-09546
Fushimi, Tetsuro See Kuwabara, Akio; Wakita, Tamotsu
Fuso, F. See Ceresara, L.
Fuso, F.; Vyacheslavov, Leonid N.; Masciarelli, Guglielmo
Stark broadening diagnostics of the electron density in the laser ablation plume of $YBa_2Cu_3O_{7-\delta}$ and $PbZr_xTi_{1-x}O_3$.—75-00867
Futagami, R. S.; Ioku, K.; Nishizawa, H.; Yamasaki, N.
Hydrothermal preparation of $Na_1Ti_2(PO_4)_3$ fine powders.—75-04071
Fuyuki, Tadashi See Yoshida, Hideto
Fyles, K. M.
Modern automotive glasses.—75-07351
Gabas, Nadine See Laguerie, Claude
Gabbay, M. See Cheng, B.-L.
Gabdrakhmanova, R. M. See Koshcheev, O. P.
Gabidullin, M. G.; Ryb'ev, I. A.
Structure-forming processes in spherical-shaped keramzit doped with aluminum etching wastes.—75-09454
Gabrielyan, K. T. See Arustamyan, A. M.
Gabrielyan, V. T.; Kasperovich, V. S.; Klimko, S. A.; Charnaya, E. V.
^7Li NMR in crystals of lithium niobate with varying nonstoichoimetries.—75-08856
Gadaud, P.; Kaya, B.
Oxygen mobility in $YBa_2Cu_3O_{7-\delta}$.—75-03389
Gadelle, P. See Gleize, P.
Gadkaree, K. P.
Glass-ceramic matrix composites with high oxidation embrittlement resistance.—75-05015
Gadzhiev, B. R.; Seidov, Mir-Gasan Yu.; Abdurakhmanov, V. R.
Incommensurate-incommensurate phase transition in the sequence of structural phase transformations in $TlInS_2$ layered crystals.—75-07919
Gadzhiev, G. G. See Aidamirov, M. A.
Gadzhieva, S. R. See Asadov, M. M.
Gaeta, P. J., Jr.; Sisson, R. D.; Singh, M.; Eldridge, J. I.
Interfacial properties of as-received and coated SiC (SCS-6) fiber-reinforced reaction-formed SiC matrix composites.—75-04350
Gaetani, Massimo
Revolution in ceramic tile sorting systems.—75-07453
Gafurova, M. B. See Urmanov, N. A.
Gaggiotti, G.; Galdikas, A.; Kaciulis, S.
Surface chemistry of tin oxide based gas sensors.—75-00610
Gagliardi, M. F. See Millini, R.
Gagnaire, A. See Gonon, N.
Gago-Sandoval, P. A. See Carey, R.
Gagulin, V. V. See Venevtsev, Yu. N.
Gaidek, M. See Bespyatykh, Yu. I.
Gaidis, M. C. See Bin, M.
Gaidis, M. C.; Bin, M.; Miller, D.; Zmuidzinas, J.; LeDuc, H. G.; Stern, J. A.
Characterization of submillimeter quasi-optical twin-slot-double junction SIS mixers.—75-08271
Gailevich, S. A. See Levitskii, I. A.
Gainsford, G. J. See MacKenzie, K. J. D.
Gaitan, M. See Gonzalez, C.
Gajbhiye, N. S. See Sankaranarayanan, V. K.
Gakh, S. G.; Myasnikova, T. P.; Bunina, O. A.; Yusman, T. A.
Structure and optical properties of thin films of lead and barium titanates.—75-05644
Gal'chinetskii, L. P. See Morozova, N. K.
Gal'dikene, O. See Rozovskii, G.
Gal-Or, L. See Chaim, R.; Zhitomirsky, I.
Galagovets, I. V.; Peresh, E. Yu.; Lazarev, V. B.; Barchii, I. E.; D'ordyai, V. S.
Phase equilibria and several properties of compounds in $In_2(Ga_2)S_3$-P_2S_5 systems.—75-06302
Galakhov, A. V.; Pankov, G. A.; Fomina, G. A.
Composite ceramic materials with SiC fiber.—75-05077
Galakhov, A. V.; Tsibailo, E. V.; Fomina, G. A.; Mitin, B. S.
Agglomerated packings.—75-05934
Galakhov, V. R.; Surkova, T. P.; Sokolov, M. I.
Transition metal impurities and band offsets in $Zn_{1-x}Mn_xSe$(Ni) compounds.—75-06532
Galaktionov, M. S. See Petrov, V. N.; Arkhipov, D. V.; Khristov, Ts. I.
Galanov, S. I. See Vodyankin, A. Yu.
Galant, V. E. See Buznik, V. M.
Galas, O. V. See Churagulov, B. R.
Galdikas, A. See Gaggiotti, G.
Galenko, V. I. See Gogotsi, G. A.
Galiano, M. See Guo, Xin
Galickas, A. See Kavaliauskas, J.
Galipeau, D. W. See Story, P. R.
Galkin, A. A. See Mozhaev, A. P.
Gallagher, P. K. See Iwagoshi, T.
Gallagher, W. J. See Mai, Q. Y.
Gallardo, A. Conde See Jergel, M.
Galler, Michael A. See Lewis, J. A.
Gallet, D.; Waghray, A.; Kumta, P. N.; Blomgren, George E.; Setter, M.
Chemical routes to synthesize lithium cobalt oxide powders for rechargeable lithium batteries.—75-02897
Galligan, Michael P. See Voss, Kenneth E.
Gallmann, Wolfgang See Moltgen, Paul
Gallo, Thomas A. See Cridge, Peter D.
Galstyan, V. G. See Givargizov, E. I.; Morozova, N. K.; Nikitenko, V. A.
Galusek, Dusan; Majling, Jan
Zirconia-based organic precursor infiltration as a method for preparation of ZTA ceramics: II, Sintering and materials behavior.—75-06835
Galvan, D. H.; Avalos-Borja, M.; Farias, M. H.
Effect of silver in $YBa_2Cu_3O_{7-x}$ samples.—75-05757
Gam, Jig-Sang See Park, S.-W.
Gam, Jig-Sang; Ha, Jung-Soo; Cheong, Deock-Soo; Han, Kyong-Sop
AlN-BN machinable ceramics.—75-02022
Gama, S. See Suzuki, P. A.
Gamataeva, B. Yu. See Dibirov, M. A.
Gambi, N. See Bassanetti, A.
Gambino, Richard J. See Chaudhari, Praveen
Gamidova, S. S. See Asadov, Yu. G.
Gan'shin, V. A.; Korkishko, Yu. N.; Fedorov, V. A.
Calculation of strained states in surface structures of arbitrary system from the data of a double-crystal X-ray diffractometry.—75-06944
Gan, Der-Shin See Lin, Ying-Chun
Gan, H.; Fu, L.; Perez-Cardenas, F.; Buechele, A. C.; Mohr, R. K.; Pegg, I. L.
Electrical corrosion of Inconel 690 as an electrode material for waste glass melters.—75-08501
Gan, K. K. See Stone, R.; White, C.
Gan, Y.-X.; Meng, A.-T.
Dielectric loss properties of magnesia-stabilized zirconia.—75-00315
Gan, Z.-Z. See Wei, C.-D.
Ganapathi, L. See Nandedkar, A. S.
Gane, N. See Farmer, A. J. D.
Ganesan, G.; Sharma, S. C.
Effects of methane concentration and hydrogen treatment on preferred orientation in diamond films grown by chemical vapor deposition.—75-01838
Ganesan, V.; Srinivasan, R.; Awasthy, S.
Magnetic shielding using high-temperature superconductors.—75-05792
Ganesh, Ramaratnam; Goo, Edward
Microstructure and dielectric characteristics of $(Pb_xBa_{0.5-x}Sr_{0.5})TiO_3$ ceramics.—75-00674
Gangadharan, K. See Pathak, G. M.
Gangopadhyay, Arup; Willermet, P. A.; Tamor, Michael A.; Vassell, W. C.
Amorphous hydrogenated carbon [AHC] films for tribological applications.—75-08794
Gangopadhyay, S. See Dallas, T.; Liu, L.; Shen, J. M.
Gangopadhyay, S.; Barashkov, N.; Liu, L.; Paisule, C.; Borst, W.; Wigmans, R.
Dye mixtures for ultrafast wavelength shifters.—75-01444
Ganguly, C. See Gopi Chandran, R.
Gani, M. S. J. See Pravdic, G.; Wright, W. W.
Ganiere, J. D. See Bonard, J. M.
Gantenberg, J. B. See Callahan, T. J.
Gantmakher, V. F.; Golubkov, M. V.; Lok, J. G. S.; Geim, A. K.
Giant negative magnetoresistance of semiinsulating amorphous indium oxide films in strong magnetic fields.—75-09145
Gao, C.-X. See Zou, Guang-Tian
Gao, F. See Kowbel, W.
Gao, F.; Dharia, J. R.; McGowan, W. M.; Hilinski, E. F.; Johnson, K. F.; Schlenoff, J. B.
New fluors for radiation-tolerant scintillators.—75-00933
Gao, G. B. See Morkoc, H.
Gao, L. See Chen, F.; Qiu, H.-B.; Zheng, Y.-S.; Zhuang, H.-R.
Gao, L.; Qiao, H.-C.; Qiu, H.-B.; Yan, D.-S.
Preparation of ultrafine zirconia powder by emulsion method.—75-09401
Gao, L.; Qiao, H.-C.; Shi, N.-Y.; Guo, J.-K.; Yan, D.-S.
Preparation of sinterable ultrafine zirconia [ZrO_2-3 mol% Y_2O_3] powder by emulsion method.—75-04169
Gao, L.; Wang, H.; Cheng, Y.-B.; Muddle, B. C.
Preparation of Ca-α-SiAlON/SiC nanophase composites.—75-04157
Gao, Li-Ming See Luo, Hong-Jie
Gao, Q. See Zhou, X.-Y.
Gao, Q.-J.; Lin, Z.-D.; Zhao, A.-Q.; Peng, X.-F.; Jiang, H.-R.; Xu, X.
Adhesion interface of CVD diamond films.—75-08864
Gao, Shang-Tong See Jin, Zheng-Guo
Gao, T. See Nishikawa, T.
Gao, X. See Lu, L.; Xiao, J.
Gao, X.; Chen, Z.
China's state of art on ceramic components in diesel engines.—75-03511
Gao, Xi-Han; Arit, G.
Nonlinear dielectric effect in Cr-, Ni-doped $BaTiO_3$ ceramics.—75-07740
Gao, Xiao-Ping; Yee, Sinclair S.
Threshold energies of high-field-induced hole currents and positive charges in SiO_2 layers of metal-oxide-semiconductor structures.—75-00620
Gao, Y. See Chambers, S. A.
Gao, Y.; Jia, J.; Loehman, Ronald E.; Ewsuk, Kevin G.
TEM characterization of Al/Al_2O_3 composite fabricated by reactive metal infiltration.—75-02550
Gao, Yuan-Cai; Dong, Zhe-Hai; Liu, Gui-Chun; Lin, Y.-L.
Significance of fused refractory raw materials in the high-performance refractories.—75-07657
Gao, Z.; Wu, T.; Peng, S.
New preparative procedure for ultrafine spinel ferrites.—75-05698
Gaponenko, S. V.
Optical processes in semiconductor nanocrystallites (quantum dots)—review.—75-07995; See also Ksie, I. Kh.
Gaponov, S. V. See Drozdov, Yu. N.
Garai, S. K. See Ghosh, N. K.
Garard, Richard S.; Fathi, Zak; Wei, J. Billy
Materials processing via variable frequency microwave irradiation.—75-00963
Garard, Richard S.
Controlling and understanding the variables: key to commercializing microwave processing of advanced materials.—75-02121; See also Fathi, Zak
Garasim, V. I. See Mikityuk, V. I.
Garasim, V. I.; Zayachuk, D. M.; Ivanchuk, R. D.; Kempnik, V. I.; Mikityuk, V. I.
Effective magnetic moment of gadolinium impurity in PbTe(Gd) and PbSe(Gd) crystals.—75-09135
Garbini, Joseph L. See Sidles, John A.
Garboczi, E. J. See Neubauer, C. M.
Garbulsky, Geraldo D. See Tepesch, Patrick D.
Garcia, Daniel E.; Bruhn, J.; Shicker, S.; Janssen, R.; Claussen, N.
Alumina-aluminide alloys (3A).—75-07198
Garcia, Daniel E.; Janssen, R.; Claussen, N.
Microstructure development in in situ reinforced reaction-bonded aluminum niobate-based composites.—75-06898
Garcia, Ephrahim See Jones, Lowell
Garcia, F. See Ferreira, S.
Garcia, J. See Blasco, J.
Garcia, Jorge E. See Dorfman, Mitchell R.
Garcia, V. See Camet, E.
Garcia-Cordovilla, C. See Alonso, A.
Garcia-Martin, Susana See Dissanayake, M. A. K. L.
Garcin, C.; Imbert, P.; Bonville, P.
Mossbauer emission measurements on highly dilute ^{57}Fe impurities in the high-T_c superconductors $La_{2-x}Sr_xCuO_4$.—75-00834
Garf, Michal A.
Early vendor involvement and how to reduce your fabrication costs.—75-00088
Garg, A. See Howe, James M.
Garg, Ajay K.
Modified alpha-alumina particles.—75-07117; Modified sol-gel alumina.—75-07118
Garif'yanov, N. N.; Maramzin, V. Yu.; Khaliullin, G. G.; Garifullin, I. A.
Electronic properties of sodium tungsten bronze.—75-08136
Garifullin, I. A. See Garif'yanov, N. N.
Garino, T.; Dimos, D.; Lockwood, S.
Integration of thin film decoupling capacitors.—75-00342
Garkavi, M. S.; Sulimova, E. V.; Lapidus, M. A.
Gypsum-based aerated concretes.—75-07152
Garkushin, I. K. See Kosmynin, A. S.; Petrov, A. S.
Garkushin, I. K.; Slobodin, B. V.; Fotiev, A. A.; Kosmynin, A. S.; Trunin, A. S.; Balashov, V. L.
Phase relations in the system (Y, Dy, Yb)$_2Cu_2O_4$-CuO_x.—75-09032
Garkushin, I. K.; Temirbulatova, O. V.; Trunin, A. S.
Stable $CaWO_4$-$BaWO_4$-NaCl and $CaWO_4$-$BaCl_2$-NaCl triangles of a four-component reciprocal system of sodium, calcium, and barium chlorides and tungstates.—75-06367
Garkushin, I. K.; Trunin, A. S.; Miftakhov, T. T.
Ternary system of Na_2MoO_4-$BaMoO_4$-MoO_3.—75-06388
Garland, J. C. See Wan, Y. M.
Garmash, E. P.; Kryuchkov, Yu. N.; Pavlikov, V. N.
Ceramic membranes for ultra- and microfiltration (review).—75-09234
Garmire, Elsa See Houser, Glenn D.
Garnier, Corinne See Gervais, Francois
Garnyk, V. S.; Belokurova, I. N.
Effect of elastic deformation during electron bombardment of Si single crystals.—75-07847

Garre, R. See Ciszek, M.
Garrigus, Darryl F. See Baker, Anna L.
Garrison, M. D. See Plowman, T. E.
Garzon, F. H. See Hawley, M. E.
Garzon, F. H.; Raistrick, I. A.; Brosha, E.; Chung, B.
Development of wide range air/fuel sensors for internal combustion engine control.—75-00314
Gas'kov, A. M. See Morozova, N. V.
Gas'kov, A. M.; Ryabova, L. I.; Labo, M.; Delabugliz, Zh.; Rumyantseva, M. N.; Kuznetsova, T. A.
Copper effect on the sensor properties of SnO_2 polycrystalline films.—75-09122
Gasan-Zade, S. G. See Vas'ko, F. T.
Gasan-Zade, S. G.; Kalenik, V. I.; Shepel'skii, G. A.
Low-temperature photoelectric property peculiarities of $Mn_xHg_{1-x}Te$.—75-07955
Gasanaliev, A. M. See Babaev, B. D.; Dibirov, M. A.; Kazanbekov, V. R.; Verdiev, N. N.
Gasanly, Sh. M.; Guseinov, E. K.
Behavior of charge carrier mobility in the inversion channel of Si MIS structures.—75-07791
Gasanova, M. Sh.; Abilov, Ch. I.; Iskender-Zade, Z. A.; Dzhafarov, M. A.
Switching effect in single crystals of $(In_2Te_3)_{0.99}(Fe_2Te_3)_{0.01}$.—75-08073
Gasgnier, Gilles See Baumard, J. F.
Gasik, M. M.; Lilius, K. R.
Micromechanical model for evaluation of properties of functional gradient materials.—75-04597
Gasik, M. M.
Processing and characterization of WC-Co functional gradient materials.—75-02532; See also Kicevic, D.
Gaskey, Christopher J. See Chen, H. Daniel
Gaskill, D. K. See Rowland, L. B.
Gaskov, A. M. See Rumyantseva, M. N.
Gaspari, F.; Chan, W. C. W.; Lim, P. K.; Zukotynski, S.
Diamondlike hydrogenated amorphous carbon prepared using saddle-field glow-discharge decomposition of methane.—75-09263
Gasparik, Tibor; Wolf, Kenneth; Smith, Christopher M.
Experimental determination of phase relations in the $CaSiO_3$ system from 8 to 15 GPa.—75-03797
Gasparov, L. V. See Bazhenov, A. V.
Gasser, A. See Ladeveze, P.
Gasser, Oswald See Helms, Jan
Gasumyants, V. E. See Ageev, N. V.; Bagraev, N. T.; Vladimirskaya, E. V.
Gasworth, Steven M.
Cyclic hot-filament CVD of diamond.—75-08572
Gat, E. See Huai, Y.
Gat, Roy
Composite fibers having a diamond surface.—75-03730
Gatal'skii, G. M. See Govor, G. A.
Gataullin, O. F.; Zheglov, E. P.; Ryzhmanov, Yu. M.
EPR study of the Cu^{2+} impurity centers in the KH_2PO_4 and KD_2PO_4 lattices.—75-05565
Gatica, Jorge E. See Biswas, Dhiman K.
Gattef, E. See Vlakhov, E.
Gatti, M.
Advantages of isostatic pressing.—75-02751
Gau, E.-J. See Her, P.-S.
Gauche, Jean-Pierre See Martin-Calle, Serge
Gaucher, P. See Elissalde, C.
Gauckler, L. J. See Baader, F. H.; Graule, T. J.; Hallstedt, Bengt; Hidber, Pirmin C.; Huisman, W.; Sasaki, K.; Si, Wen-Jie
Gaudette, F.; Erturk, T.; Robertson, S.
Finite element analysis of the fiber twist test.—75-03565
Gaue, N. K. See Singh, R. K.
Gault, C. See Bouchetou, M. L.; Cutard, T.; Fargeot, D.
Gault, Rosette
Rules, rules, what rules. Sculptural freedom with paper clay.—75-04801
Gaus, Shaun P.; Chan, Helen M.; Harmer, Martin P.; Caram, Hugo S.
Temperature runaway and scale-up of the reaction bonding of aluminum oxide [RBAO].—75-09484
Gauthier, J.-P. See Nakashima, S.
Gautier, D. See Bucko, D.
Gavaleshko, N. N. See Shchennikov, V. V.
Gavaleshko, N. P. See Shchennikov, V. V.; Slobodyan, V. Z.
Gavaleshko, N. P.; Slobodyan, V. Z.; Radevich, E. I.; Orletskii, I. G.
Electrophysical properties of heavily doped InSb(Mn).—75-06461
Gaviko, V. S.; Korolev, A. V.; Mushnikov, N. V.
Spontaneous magnetoelastic deformation of the crystal lattice in the spin reorientation temperature region of the $SmFe_2$ compound.—75-09064
Gavrichev, K. S. See Gurevich, V. M.
Gavrikova, T. A. See Zykov, V. A.
Gavrilenko, A. N. See Tarasov, V. F.
Gavrilov, G. A.; Pomiguev, Yu. G.; Sotnikova, G. Yu.; Ter-Martirosyan, A. L.
Device for registering spatial-spectral distribution of irradiation intensity of semiconducting lasers at close range.—75-08659
Gavrilov, S. V. See Zobkalo, I. A.
Gavrilov, Vladimir; Aluker, Eduard; Chernov, Stanislav
Subnanosecond scintillations in diamond.—75-01347
Gavrilov, Vladimir; Chernov, Stanislav
Fast luminescence and absorption in BGO and SiO_2.—75-01291; Nanosecond uv scintillations in cesium iodide.—75-01313
Gavrilov, Yu. A.; Buchkov, E. A.; Bolotov, A. M.; Vlasov, Yu. G.
Glass formation and transport properties of glasses in the CuI-PbI_2-As_2Se_3 system.—75-07340
Gavrilova, E. R. See Bazarova, Zh. G.
Gavrilova, N. D.; Vaganova, O. Yu.; Frolova, T. B.
Anomalous pyroelectricity in sharply cooled lithium sulfate monohydrate and nonpolar alum crystals.—75-09118
Gavrilyachenko, S. V. See Razumovskaya, O. N.
Gavrilyachenko, S. V.; Dantsiger, A. Ya.; Reznichenko, L. A.; Razumovskaya, O. N.; Klevtsov, A. N.
Temperature stability of resonant frequency of filtered materials produced by different production process methods.—75-05649
Gavrilyachenko, V. G.; Dul'kin, E. A.; Semenchev, A. F.
Precipitation hardening in $PbTiO_3$ ferroelectric crystals.—75-05625
Gavrilyachenko, V. G.; Semenchev, A. F.; Fesenko, E. G.
Screening of spontaneous polarization in lead titanate crystals.—75-08171
Gavrishchuk, E. M. See Devyatykh, G. G.
Gawlicki, Marek See Slosarczyk, Anna
Gawne, D. T. See Curtis, C. L.; Jisheng, E.
Gay, Richard L. See Grantham, LeRoy F.
Gazda, M.; Kusz, B.; Barczynski, R. J.
Low-temperature mechanical energy dissipation phenomena in praseodymium-doped yttrium superconductors.—75-03378
Ge, C.-C. See Li, J.-T.; Wang, Z.-X.
Ge, C.-C.; Liu, W.-S.; Xia, Y.-L.; Chen, L.-M.
Emergence of ZrO phase and catastrophic failure of Si_3N_4-AlN-ZrN ceramics.—75-03697
Ge, Mao-Hui; Sattler, Klaus
Vapor-phase grown bundles of carbon nanotubes.—75-01740
Ge, Q.-L. See Lei, T.-C.
Ge, X. See Jiang, Z.-S.
Geantet, C. See Afanasiev, P.
Gebhardt, Franz See Frolow, Peter
Gedye, R.; Westaway, K.; Smith, F.
Application of microwaves to rapid chemical synthesis.—75-01380
Gee, D. See Bryzek, J.
Geels, R. S. See Bour, D. P.
Gehin, G. See Provost, G.
Gehman, R. W.
Modular mass flow sensor design.—75-00545
Gehrke, E. See Schubert, H.
Geifman, I. N.; Furmanova, N. G.; Nagornyi, P. G.; Golovina, I. S.
Structure, EPR, and dielectric properties of single crystals of a new $Rb_3Ti_3P_4O_{20}$:V^{4+} compound.—75-09074
Geiger, Greg
Commercialization of powder synthesis processes.—75-04692; Decorators converge for DECO '95.—75-02862; Glass Problems Conference focuses on oxy-fuel.—75-03614; Selecting the right particle size analyzer.—75-05974; See also Schnitzer, Christine
Geiler, V. A.; Margulis, V. A.; Chuchaev, I. I.
Dispersion of charge carriers in point defects in semiconducting structures.—75-05281
Geim, A. K. See Gantmakher, V. F.
Geise, Douglas D.
Benefits from supplier participation in designing parts for porcelain enamel application.—75-00074
Geismar, Bernd
Kiln for the production of ceramic products and process for the operation of the kiln.—75-06015
Gektin, A. V. See Belsky, Andrey N.
Gektin, A. V.; Brinev, B. V.; Serebrayannyi, V. Ya.; Vinograd, E. L.
Temperature stability of NaI(Tl) scintillators.—75-01354
Gelen, Kh. I. See Averin, S. V.
Gelinas, M. P. See Liu, Z.
Gelyuk, I. P. See Titova, K. V.
Gencer, A.; Mutlu, R. H.; Belenli, I.; Ozogul, O.; Aydinuraz, A.
Nonlinearity in magnetic response of $Bi_2Sr_2CaCu_2O_8$.—75-08386
Gencer, A.; Nezir, S.; Altunbas, M.; Aydinuraz, A.
Ac susceptibility study of BiPbSrCaCuO (2223) superconductors.—75-08259
Genchev, Z. D.; Chakalov, R. A.; Chern, J. D.; Dew-Hughes, D.
Thermal model for the bolometric response of high-T_c superconducting films to chopped optical radiation.—75-08439
Generali, E.; Baldi, G.; Ferrari, A. M.; Leonelli, C.; Manfredini, T.; Siligardi, C.
M_2O-CaO-ZrO_2-SiO_2 glass-ceramic system as component for matte tile glazes.—75-07710
Generali, E.
Glass-ceramic systems as components of new tile glazes.—75-00287; See also Bassanetti, A.
Genevrier, Marc; Mocellin, A.
Reaction sintering and mechanical behavior of cordierite containing sapphirine dispersoids.—75-06755
Geng, L.-J. See Chen, J.-H.
Geng, X.-M. See Liang, Y.-H.
Genin, G. M.; Hutchinson, J.W.
Composite laminates in plane stress—constitutive modeling and stress redistribution due to matrix cracking.—75-04462
Genkina, E. A. See Maksimov, B. A.
Genma, N. See Ohkuma, K.
Gent, J. See Lewis, M. H.
Genter, David P. See Bentz, Joseph C.
Gentilman, R. L.; Fiore, D. F.; Pham, H. T.; French, K. W.; Bowen, L. J.
Fabrication and properties of 1-3 PZT polymer composites.—75-00660
Geny, Joel; Meen, James K.; Elthon, Don
Phase equilibria of the La_2O_3-SrO-CuO system at 950°C and 10 kbar.—75-08392
Georgallides, C. See Newton, A.
George, A. See Choux, S.
George, Billy L.; Williams, Donald R.; Babirad, Stefan A.
Granular materials having an improved ceramic coating, methods of preparing same, and composite sheets including same.—75-01112
George, Etienne; Elthon, Don; Meen, James K.
Phase equilibria of the SrO-CaO-CuO system at 950°C in 1 atm of oxygen and at 10 kbar.—75-01234
George, L. A.; Eichmiller, F. C.
Wear of enamel against glass-ceramic, porcelain, and amalgam.—75-06075
George, M. A. See Languell, M. L.
George, M. A.; Burger, A.; Collins, W. E.
Nucleation and growth processes of diamond films [investigated] by atomic force microscopy.—75-01599
George, Thomas F. See Lin, D. L.
Georges, Jean-Michel See Delage, Andre
Georgieva, Galina D. See Apblett, Allen W.
Georgitse, E. I.; Paranchich, S. Yu.; Paranchich, L. D.; Postolaki, I. T.; Smirnov, V. A.
Radiative recombination in narrow-gap n-$Hg_{1-x}Cd_xSe$ solid solution.—75-08039
Georgobiani, A. N. See Tagiev, B. G.
Georgobiani, A. N.; Demin, V. I.; Leshchinskaya, E. S.; Matyna, L. I.; Oleinik, S. P.
Luminescence of ZnS:Tb^{3+} and ZnS:Sm^{3+} films obtained by the decomposition of chelate complexes.—75-07957
Georgobiani, A. N.; Kotlyarevskii, M. B.; Rogozin, I. V.; Kidalov, V. V.
Characterization of the surface of ZnO layers and the ZnO/ZnSe interface in heterostructures prepared by radical-beam getter epitaxy.—75-05259
Georgobiani, A. N.; Tagiev, B. G.; Tagiev, O. B.; Izzatov, B. M.
Photoluminescence of rare-earth elements in $CaGa_2S_4$ compounds.—75-05434
Geotti-Bianchini, F. See Benedetti, A.; Lohrengel, Joachim
Gerardin, Corine See Sen, Sabyasachi
Gerasimenko, V. V. See Moiseev, A. N.
Gerasimova, L. V. See Goryaga, A. N.
Gerasimova, T. G. See Anishchik, V. M.
Gerberich, W. W. See Angelo, J. E.
Gerblinger, Josef
Testing the oxygen-sensitive properties of strontium titanate thin films at high temperatures.—75-05983; See also Lohwasser, Werner
Gerdemann, R.; Husemann, K.-D.; Gross, R.
Spatially resolved analysis of high-T_c grain boundary Josephson junctions and arrays.—75-00866
Gerdes, T. See Willert-Porada, M.
Gerdes, T.; Willert-Porada, M.; Rodiger, K.; Kolaska, H.
Guidelines for large-scale MW [microwave] processing of hard metals.—75-01024
Gerding, T. J. See Fortner, J. A.
Gerfin, Tobias; Graetzel, Michael
Ellipsometric investigation of metallorganic chemical vapor deposition of niobium oxide films.—75-03794
Gerhardt, R. A.
Porous silica: a versatile material for microelectronic applications.—75-03133; See also Kaplan, J. C.
Gerhardy, T. See Hufenbach, W.
Gerkin, R. V. See Kurenkov, V. F.
Gerling, John F.
Process commercialization: don't risk losing the benefits by ignoring the hazards.—75-02142
Gerlovin, I. Ya. See Abramova, I. N.
Germain, Patrick See Bastide, Jean-Pierre
German, Randall M.
Sintering Theory and Practice.—75-07111; See also Johnson, John L.; Lin, S. T. Paul
Germanenko, A. V.; Min'kov, G. M.; Larionova, V. A.; Rut, O. E.
Interface electron states at the smooth heterojunction HgTe-CdTe.—75-03067
Germanenko, I. N. See Ksie, I. Kh.
Gern, F. H.
Interaction between capillary flow and macroscopic silicon concentration in liquid siliconized carbon/carbon.—75-03573
Gerschutz, J. See Scholl, S.
Gershkohen, S. L. See Rabinovitch, R. A.
Gershon, D. See Birman, Amnon; Martin, L. P.
Gersten, Bonnie L. See Eckert, James O. Jr.
Gertner, Zh. V. See Medvedeva, N. I.
Geru, V. I. See Ciurchea, D.
Gervais, Francois See Parot-Rajaona, Tiana
Gervais, Francois; Blin, Annie; Garnier, Corinne
Infrared reflectivity spectroscopy of nitrogen-substituted alkaline-earth aluminosilicate glasses.—75-04906
Gervens, Lynn See Long, Cheri L.
Gesemann, Hans-Jurgen; Seffner, Lutz; Volker, Karin
Process for the manufacture of PZT films.—75-08189
Gesheva, Kostadinka A.; Stoyanov, G. I.; Stefanov, R.; Vlakhov, E.
Microstructures and electrical characterization of CVD W and Mo films as contacts in photocells.—75-04374
Gesing, Adam J. See Newkirk, Marc S.
Gess, Terry
My work as a potter.—75-02305
Gessler, Herbert A. See Gessler, Herbert A.
Gessler, Herbert A.; Gessler, Herbert A.; Gessler, Matthew A.
Natural gas tin float bath roof.—75-00229
Gessler, Matthew A. See Gessler, Herbert A.
Gessner, W. See Muller, D.
Gettings, R. J. See Quinn, G. D.
Gettu, Ravindra; Mobasher, Barzin; Carmona, Sergio; Jansen, Daniel C.
Testing of concrete under closed-loop control.—75-04834
Getty, R. See Drozdyk, L.
Geus, J. W. See Titulaer, M. K.
Gevelber, M. A.; Quinones, M. T.; Bufano, M. L.
Dynamic modeling of CVD for real-time control of microstructure.—75-03559
Gevorkyan, V. A. See Arutyunyan, V. V.
Gewirth, Andrew A. See LaGraff, John R.
Geyer, A.; Oberacker, R.; Grathwohl, G.
High-temperature properties of silicon nitride ceramics and their dependence on starting powder.—75-01296
Geyer, Gotz See Helms, Jan

Geyer, Ulrich; Von Minnigerode, Gunther; Krebs, Hans-Ulrich
Surface modification during scanning tunneling microscope measurements on $YBa_2Cu_3O_7$ thin films.—75-00878
Ghajar, A. J. See Bang, K.
Ghanassi, M. See Ricard, D.
Ghanbari-Ahari, K.; Brett, N. H.
Phase equilibria and microstructures in ZrO_2-MgO-SiO_2-SrO system: IV, MgO-based refractories.—75-01233
Ghatak, S. K. See Mukherjee, M. L.
Gheeraert, E. See Foulton, F.; Gonon, P.
Gherardi, L. See Montanari, G. C.
Gherbi, A. Ait See Bonnet, J. P.
Ghezzo, Mario See Brown, Dale M.
Ghinello, I. See Montanari, G. C.
Ghirardi, F. See Mersali, B.
Ghivelder, L. See Haetinger, C.
Ghonge, Subodh G.; Goo, Edward; Ramesh, R.; Haakenaasen, R.; Fork, D. K.
Microstructure of epitaxial ferroelectric/metal oxide electrode thin-film heterostructures on $LaAlO_3$ and silicon.—75-00675
Ghosh, A. See Hazra, S.; Mandal, S.; Mukherjee, B.
Ghosh, Asish; Barks, Ronald E.; Rusin, Richard P.
Ceramic Transactions, Volume 66: Challenges in Ceramic Product Development, Manufacture, and Commercialization.—75-04772
Ghosh, Asish; Cha, Chin-Young
Use of boundary element method to design glass and metal components.—75-05918
Ghosh, Asish
Probabilistic design for manufacturability.—75-02140; See also Saha, Chandan K.
Ghosh, B. See Bandyopadhyay, B.
Ghosh, B.; Chakraborty, P.; Pal, P. G.; Mitra, S. K.; Swaminathan, K. S.
Magnesioaluminate spinel—a potential raw material for making new generation refractories.—75-07595
Ghosh, D. See Bhattacharya, B.; Parulekar, R. S.
Ghosh, K. S. See Das, K. N.; Krishna, N. V. S.; Sen, S.
Ghosh, K. S.; Mitra, S. K.; Mukherjee, T.
Trends in steel plant refractories—present and future.—75-07685
Ghosh, N. K.; Garai, S. K.; Sarkar, S.; Dutta, P.; Dasgupta, A. K.; Chatterjee, K. C.
Development of refractory inserts for improving the performance of ingot mold bottom plates.—75-07527
Ghosh, P. K. See Azimi, M. E.; Zavala-Enriquez, G.
Ghosh, P. K.; Azimi, M. E.
Numerical simulation of electrical characteristics of multilayer ceramic capacitors.—75-00358
Ghosh, P. K.; Bhalla, A. S.; Cross, L. Eric
Surface morphology of rf-sputtered bismuth titanate thin films.—75-06382
Ghosh, S. K. See Warrier, K. G. K.
Ghosh, S. See Chakrabarti, O. P.
Ghosh, S.; Bose, D. N.
Plasma-enhanced chemical vapor deposited silicon nitride films for interface studies.—75-04139
Ghosh, Sujit See Sengupta, U.
Ghosh, Syamal K.; Chatterjee, Dilip K.; Kolb, Theodore R.
Ceramic rollers for conveyance of photographic films and paper polymeric webs.—75-08776
Ghosh, Syamal K.; Chatterjee, Dilip K.; Koziol, Dennis R.
Process for producing a tetragonal phase zirconia ceramic.—75-01133
Giacomin, A. J. See Wolfenden, A.
Giacomini, P.
Italy: the ceramic sector balance sheets.—75-09724; World ceramic tile production and consumption.—75-02803
Giannakopoulos, A. E. See Finot, M.
Gibbs, Kh. M. See Baranov, P. G.
Gibbs, P.
1994 Fletcher Challenge Award.—75-02177
Giblin, F. See Mayer, J.
Gibson, J. See Srinivasan, G.
Gicquel, A. See Chenevier, M.; Hassouni, K.
Giesche, H.
Interaction between 3-amino-1-propanol and SiO_2 powder surfaces.—75-06246
Giess, Edward A. See Boberskii, C.; Watanabe, Koichi
Gil'mutdinov, F. Z. See Kanunnikova, O. M.
Gil, A.; Montes, M.
Analysis of the microporosity in pillared clays.—75-06420
Gil, Bernard See Bigenwald, Pierre
Gilbert, B. K. See Williamson, W. III
Gilbert, Bernard See Lemoine, Christine
Gilbert, Christopher J. See Cao, Joe J.
Gilbert, Donald R.; Singh, Rajiv K.; Alexander, W. Brock; Lee, Dong-Gu; Doering, Patrick
Deposition of diamond using an electron cyclotron resonance plasma system.—75-01430; Diamond growth precursor dependence in an electron cyclotron resonance plasma system.—75-08906
Gilbert, F. See Doreau, F.
Gilbert, K. See Thomas, M. E.
Gilbert, T. See Dubreuil, B.
Gilchrist, M. D.; Kinloch, A. J.; Matthews, F. L.; Osiyemi, S. O.
Mechanical performance of carbon-fiber- and glass-fiber-reinforced epoxy I-beams: I, Mechanical behavior.—75-07004
Giles, R.; Manne, S.; Zaremba, C. M.; Belcher, A.; Mann, S.; Morse, D. E.
Imaging single nacreous tablets with the atomic force microscope.—75-01865
Giling, L. J. See Li, Yuan
Gill, J. E. See Wolfenden, A.
Gill, Petra M. See Bell, Nelson S.
Gillen, G. See Kreider, K. G.
Gillen, Kenneth T. See Jacobs, Joshua
Gillery, Frank H. See Carter, Thomas M.
Gilles, B. See Vassent, J. L.
Gillespie, S. J. See Zurcher, Peter
Gillet, M. See Regnier, S.
Gillis, H. J. See Jang, J.-W.
Gillot, C.; Michenaud, J.-P.
PTC effect in doped $BaTiO_3$ ceramics: evidence for a bulk contribution.—75-03141
Gilman, R. See Stone, R.
Gilmore, Daniel R., III See Kazakos, Ann M.
Gilmore, R. S. See Hurley, D. C.
Gilot, P.; Marcuccilli, F.; Prado, G.
Porous media and the use of thermobalances—the kinetics of combustion processes.—75-02014
Gimeno, Rosario; Marco, Jorge; Bou, Encarna; Jarque, Juan Carlos; Sanchez, Enrique
Optimizing glaze transparency by design.—75-07711
Ginebra, M. P. See Driessens, F. C. M.
Gingerich, Richard G. W. See Munn, Robin W.; Reilly, Kenneth T.
Gingras, M. J. P. See Bramwell, S. T.
Ginoudi, A.; Paloura, E. C.; Frangis, N.
Performance of $Ga_xIn_{1-x}P$/GaAs heterojunctions grown by metallorganic molecular-beam epitaxy and metallorganic vapor-phase epitaxy.—75-05416
Ginzburg, I. B.
Automation of cement production.—75-07136
Ginzburg, L. P.
Charged defects in vitreous silica.—75-06839
Ginzburg, S. L. See Golovenchits, E. I.
Gippius, N. A. See Kopelevich, G. A.
Gipson, Lynn
Challenge, renewal, and inspiration.—75-02214
Girdies, Frank; Schollhorn, Robert
Spontaneous topotactic oxidation of La_2CuO_4 at RT.—75-06935
Giri, Anit K.; De Julian, C.; Gonzalez, J. M.
Coercivity of Fe-SiO_2 nanocomposite materials prepared by ball milling.—75-01267
Girka, A. I.; Mokhov, E. N.
Vacancy defects in silicon carbide.—75-09523
Girschick, Steven L. See Yu, Benjamin W.
Gischman, Gary S. See Rusin, Richard P.
Gitzhofer, F. See Guo, J. Y.
Giunta, G. See Scafe, E.
Givargizov, E. I.; Aksenova, L. L.; Galstyan, V. G.; Kuznetzov, A. V.; Muratova, V. I.; Rakova, E. V.
Growth of diamond particles on sharpened silicon tips for field emission.—75-09322
Given, Bruce A. See Wang, Man-Sheng
Gizhevskii, B. A. See Loshkareva, N. N.; Shchennikov, V. V.
Gladkaya, I. S.; Kremkova, G. N.; Bendeliani, N. A.
Binary system of BN-Mg_3N_2 under high pressures and temperatures.—75-06165
Gladkaya, N. V. See Kamenetskii, Yu. L.
Gladkii, V. V. See Magataev, V. K.
Gladyshevskii, E. I.; Gorelenko, Yu. K.; Shcherba, I. D.; Yarovets, V. I.
Interatomic spacings of transition metal-silicon and types of chemical bonds in binary transition metal silicides.—75-06478
Glaeser, A. M.
New approach to investigating surface transport in ceramics.—75-08688; Studies of interfacial behavior in ceramics via microdesigned interfaces.—75-01952; See also Dalgleish, B. J.; Kulinsky, L.; Locatelli, M. R.; Powers, J. D.
Glass, H. J. See De Graaf, M. J. M.
Glass, J. T. See Bergman, L.; Morrison, P. W.; Wolter, S. D.; Yang, Pei-Chun; Zhu, Wei
Glass, J. T.; Simendinger, Denise T.; Goeller, Peter T.
Oriented diamond film structures on nondiamond substrates.—75-08108
Glass, R. C. See Kordina, O.; See Tuominen, M.
Glass, R. S.; Balazs, G. B.; Ciarlo, D. R.; Hargrove, D. L.
Multielement microelectrode array sensors and compact instrumentation development at Lawrence Livermore National Laboratory.—75-00547
Glass, S. Jill See Kenkre, V. M.
Glass, S. Jill; Beauchamp, Edwin K.; Carr, M. J.; Guess, T. R.; Monroe, S. L.; Moore, R. J.
Failure analysis of a fiberglass-reinforced plastic pressure vessel.—75-04521
Glass, S. Jill; Green, David J.
Mechanical properties of infiltrated alumina–Y-TZP composites.—75-07008
Glass, S. Jill; Newton, Clay
Comparison of pressure compaction and diametral compression tests for determining granule strengths.—75-04461
Glasser, F. P. See Sourie, A.
Glaubitt, W.; Sporn, D.; Jahn, R.
Ceramic fibers from sol-gel precursors.—75-01392
Glaude, P. See Djuricic, B.
Glaunsinger, W. S. See McKelvy, M.
Glazkov, V. P. See Syrykh, G. F.
Glazov, V. M. See Regel, A. P.
Glazov, V. M.; Kol'tsov, V. B.
Liquid semiconductors having degenerate electron gas.—75-03081
Glazov, V. M.; Pavlova, L. M.; Asryan, A. A.
Thermal dissociation of copper chalcogenides during melting.—75-09519
Glazov, V. M.; Pavlova, L. M.; Stankus, S. V.; Khairulin, R. A.
Volume change investigations during melting and heating of HgTe melt by γ-radiation penetration method.—75-08095
Glazov, V. M.; Poyarkov, K. B.
Crystallization of PbTe-SnTe alloys at ultrahigh cooling rates.—75-07816; Structural effects observed in Sn-Te system during melt solidification with super-high (10^7–10^8 K/s) cooling speeds.—75-06785; X-ray analysis of melts of the Sn-Te system produced by super-high speed cooling.—75-05516
Gleason, K. K. See McNamara, K. M.
Glebov, L. B.; Polukhin, V. N.; Shchavelev, O. S.; Murashov, S. V.; Artamonova, T. O.; Shchavelev, K. O.
Correlation of the secondary electron emission coefficient of vitreous and crystalline materials with their atomization energies.—75-08889
Gleitzer, C. See Adam, F.; Dupre, B.
Gleize, P.; Herreyre, S.; Gadelle, P.
Characterization of tubular boron nitride filaments.—75-06105
Gleize, P.; Schouler, M. C.; Gadelle, P.; Caillet, M.
Growth of tubular boron nitride filaments.—75-04062
Glendenning, Malcolm D.; Lee, W. E.
Microstructural development on crystallizing hot-pressed pellets of cordierite melt-derived glass containing B_2O_3 and P_2O_5.—75-02595
Glesener, J. W. See Pappas, D. P.
Glezer, Boris; Bagheri, Hamid; Fierstein, Aaron R.
Low thermal stress ceramic turbine nozzle.—75-08833
Gliko, O. A. See Naumova, I. I.
Glinchuk, K. D.; Guroshev, V. I.; Klad'ko, V. P.; Prokhorovich, A. V.
Correlation between the intensity distribution of the 1.49-eV carbon luminescence band and the arsenic-vacancy concentration in semiinsulating undoped GaAs crystals.—75-05266
Glinchuk, K. D.; Guroshev, V. I.; Prokhorovich, A. V.
Characteristics of As_iZn_{Ga} pairs induced by irradiation plus annealing in *p*-type GaAs(Zn) crystals.—75-07802
Glinchuk, K. D.; Prokhorovich, A. V.
Diffusion of radiation-induced intrinsic point defects in *p*-GaAs.—75-09500
Glinchuk, M. D.; Skorokhod, Vladislav; Bykov, Igor P.; Dimza, Vilnis; Cernoskova, Eva
Polycrystalline $PbMg_{1/3}Nb_{2/3}O_3$ studied by electron paramagnetic resonance of Fe^{3+} ions.—75-03249
Glinchuk, M. D.; Stefanovich, V. A.
Effect of random fields of defects on long-range order in disordered dipole systems.—75-05187
Glowacki, B. A. See Ciszek, M.; Lo, Wai
Glowacki, B. A.; Jackiewicz, J.
Influence of the cold deformation procedures on the critical current distribution in Ag-$(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes.—75-05786
Glukhov, Roman A.; Vasil'ev, A. N.
Monte Carlo study of energy losses in hot stage of electronic excitation relaxation in scintillators.—75-01891
Glushko, E. Ya.
Surface states in an accurately resolved model of semiconducting films.—75-08071
Glushkov, V. F. See Magataev, V. K.
Glushkova, V. B. See Panova, T. I.
Glushkova, V. B.; Kalinina, M. V.; Popov, V. P.; Tikhonov, P. A.; Trusova, E. M.
Physicochemical properties and hydration stability of $YBa_2Cu_3O_x$ ceramics doped with Sn, Nb, and Zr oxides.—75-05812
Glyantsev, V. N.; Tavrin, Y.; Zander, W.; Schubert, Jurgen; Siegel, M.
Stability of dc and rf SQUIDs in static ambient fields.—75-08416
Gnappi, Guglielmina See Traversa, Enrico
Gnatenko, Yu. P. See Bukivskii, P. N.
Gnatus, A. N.
Structure, physicomechanical properties, and production of cement-dacite binders.—75-07189
Gnatyuk, V. A. See Vlasenko, A. I.
Gnitetskii, O. A. See Kukol, V. V.
Goberis, S.; Stuopys, A.
Utilization of waste catalyst in refractory concrete.—75-07692
Gobsch, G. See Zhokhovets, S. V.
Godil, Asif A.
Partially loaded microwave waveguide resonant standing wave electrooptic modulator.—75-00717
Godin, Yu. G.; Bulgakova, S. V.
Model calculation of thermodynamic properties of uranium gadolinium oxide fuels.—75-06274
Godkhindi, M. M. See Krishnarao, R. V.
Godoy, A. L. E. See Lima, L. F. C.
Goebbels, J. See Ekenhorst, D.
Goedeke, H. See Suttor, D.
Goedken, Virgil L. See Rees, William S. Jr.
Goel, H.; Schilling, C. H.; Biner, S. B.; Moore, J. A.; Lograsso, B. K.
Plastic shaping of aqueous alumina suspensions with saccharides and dicarboxylic acids.—75-04140
Goel, T. C. See Pramila, C.; Tripathi, A. K.
Goela, Jitendra S. See Pickering, Michael A.
Goela, Jitendra S.; Pickering, Michael A.; Taylor, Raymond L.
Chemical vapor deposited β-SiC for optics applications.—75-03967
Goeller, Peter T. See Glass, J. T.
Goerenz, Edmund See Frolow, Peter
Goetz, Martin; Babiarz, Joseph; Wein, Deborah S.; Anderson, Paul M.; Lindner, Alan W.
Ceramic microelectronics package.—75-05522
Goeuriot, P. See Roy, J.-F.
Gogotsi, G. A.; Dub, S. N.; Ozerskii, B. I.; Ostrovoi, D. Yu.; Khomenko, G. E.; Lomonova, E. E.
Zirconia crystals with yttrium and cerium oxides.—75-05152
Gogotsi, G. A.; Galenko, V. I.; Zavada, V. P.; Swain, M. V.
Deformation and fracture of CeO_2-stabilized zirconia ceramics: I, Strength and deformability.—75-06957; Deformation and fracture of zirconia ceramics stabilized by CeO_2: II, Crack resistance.—75-06958
Gogotsi, G. A.; Lamonova, E. E.; Furmanov, Yu. A.; Savitskaya, I. M.
Zirconia crystals suitable for medicine: I, Implants.—75-03664

Gogotsi, G. A.; Zavada, V. P.; Swain, M. V.
Mechanical property characterization of 9 mol% Ce-TZP ceramic material: II, Fracture toughness.—75-09653
Gogotsi, Yu. G.; Yoshimura, M.; Kakihana, Masato; Kanno, Y.; Shibuya, M.
Hydrothermal synthesis of carbon films on SiC fibers and particles.—75-01531
Gogotsi, Yu. G.; Yoshimura, M.
Degradation of SiC-based fibers in high-temperature high-pressure water.—75-06921; Oxidation and properties degradation of SiC fibers below 850°C.—75-04435
Gogotsi, Yu. G.
Particulate silicon nitride based composites[—review].—75-06498; See also Grathwohl, G.
Goidin, V. V. See Molchanov, V. V.
Gokhale, N. M.; Dayal, R.; Sharma, S. C.
Crystalline phases and mechanical properties of TZP ceramics prepared from sol-gel powders.—75-06437
Gokularathnam, C. V. See Senthil Kumar, S. B.
Gol'berg, Yu. A.; Konstantinov, O. V.; Posse, E. A.; Tsarenkov, B. V.
Photoelectric effect in GaP surface barrier structures: temperature dependence of the short-wave quantum efficiency.—75-03119
Gol'dberg, Yu. A.
Frequency-capacitive method for determining the electrostatic constants of semiconducting structures with a potential barrier.—75-08670
Gol'denberg, L. B.; Chernin, E. I.
Increase of water and frost resistance of articles based on gypsum binders.—75-07159
Gol'dman, E.I.; Zhdan, A. G.
Generation of electron-hole pairs at the surface of a semiconductor in the edge fields of macroscopic charged clusters: effects of electrical inhomogeneities of different scales.—75-03035
Gol'man, E. K. See Vol'pyas, V. A.
Gol'tsev, A. V. See Ilisavskii, Yu. V.; Smirnov, I. A.
Gol'tsman, B. M. See Baiashova, E. V.; Boikov, Yu. A.
Gol'tsman, B. M.; Zaitseva, N. V.; Kretser, Yu. L.; Lemanov, V. V.; Shaplygina, T. A.
Features of formation of $SrTiO_3$ and $Ba_{0.5}Sr_{0.5}TiO_3$ films during magnetron sputtering.—75-08139
Goland, David B. See Casey, Jon A.
Golben, J. See Katz, S.
Gold, J. S. See Lannon, J. M. Jr.
Goldenblum, A.; Oprea, A.; Bogatu, V.
Time behavior of currents in ZnS:Mn metal-insulator-semiconductor-insulator-metal structures.—75-00622
Goldfus, D.
Trend reversal.—75-03535
Goldgirsh, A. See Beilin, V.
Goldhahn, R. See Zhokhovets, S. V.
Goldie, David J. See Booth, Norman E.
Goldmacher, S. M.
Problem of commercial growth in regulated times.—75-02141
Goldman, A.; Bentur, A.
Properties of cementitious systems containing silica fume or nonreactive microfillers.—75-02417
Goldman, M.; Burmester, C. P.; Wille, L. T.
Strain and domain evolution in $YBa_2Cu_3O_x$.—75-03407
Goldsby, J. C. See DiCarlo, J. A.; Yun, H. M.
Goldstein, Michael; Shim, Cari H.
Method for making Si/SiC composite material.—75-01175; Si/SiC composite material and method for making Si/SiC composite material.—75-08840
Golecki, I.; Morris, R. C.; Narasimhan, D.; Clements, N.
Carbon-carbon composites inductively heated and rapidly densified by thermal gradient chemical vapor infiltration: density distributions and densification mechanism.—75-09229; Rapid densification of carbon-carbon composites by thermal gradient chemical vapor infiltration.—75-04190
Golenishchev-Kutuzov, V. A. See Akhmadullin, I. Sh.; Bogdanova, Kh. G.; Mironov, S. P.
Golestani-Fard, F.; Fotouhi, B.; Marghosian, V.; Roshanfekr, S.
Microstructure of magnesia refractories prepared from Iranian magnesite.—75-07603; Properties of magnesia refractories prepared from Iranian magnesite.—75-07638
Golik, L. L.; Kun'kova, Z. E.; Aminov, T. G.; Shabunina, G. G.
Optical absorption and photoconductivity of $ZnCr_2S_4$ single crystals.—75-07989
Golikov, Yu. V. See Yankin, A. M.
Golikova, O. A.; Kazanin, M. M.; Kon'kov, O. I.; Kudoyarova, V. Kh.; Terukov, E. I.
Films of amorphous hydrated silicon deposited at elevated temperatures.—75-07890
Golikova, O. A.; Kudoyarova, V. Kh.
Structural network and Fermi level of a pseudodoped amorphous hydrated silicon.—75-03172
Golikova, O. A.; Mavlyanov, Kh. Yu.; Petrov, I. N.; Yafaev, R. R.
Effect of Si+ implantation on properties of amorphous hydrogenated silicon [a-Si:H].—75-03008
Golitsyna, O. M. See Kamysheva, L. N.
Goll, A. K.; Mathur, M. K.
Modeling of propagation delays in the bilevel crossing interconnections on the GaAs-based integrated circuits.—75-03094
Golosovskii, I. V. See Zobkalo, I. A.
Golosovsky, M.; Tsindlekht, M.; Davidov, D.
High-frequency vortex dynamics in $YBa_2Cu_3O_7$.—75-08335
Golovashkin, A. I. See Anshukova, N. V.; Kuz'michev, N. D.
Golovatskii, V. A. See Boichuk, V. I.
Golovenchits, E. I.; Ginzburg, S. L.; Sanina, V. A.; Babinskii, A. V.
Spin dynamics of the quasi-two-dimensional Heisenberg antiferromagnet, Eu_2CuO_4.—75-08240
Golovin, S. V. See Bormontov, E. N.
Golovina, I. S. See Geifman, I. N.
Golovkin, B. G. See Bazuev, G. V.; Kristallov, L. V.
Golovkin, B. G.; Kristallov, L. V.; Kruchinina, M. V.
Phase diagram of the $NaVO_3$-$Na_4V_2O_7$ system.—75-06300
Golovkina, V. N. See Aktsipetrov, O. A.
Golovkova, L. P. See Bidzilya, V. A.
Golub, L. E.; Ivchenko, E. L.; Rasulov, R. Ya.
Intersubband absorption of light in a semiconductor quantum well with complicated band structure.—75-03069
Golubev, A. V. See Moiseev, A. N.
Golubev, O. L. See Vlasov, Yu. A.
Golubev, V. G. See Terukov, E. I.
Golubev, V. G.; Kropotov, G. I.; Patsekin, A. V.; Sobolev, N. A.; Shek, E. I.; Dukin, A. A.
Far-infrared photoconductivity of silicon irradiated by fast neutrons.—75-05320
Golubev, V. G.; Zherzdev, A. V.; Moroz, G. K.; Patsekin, A. V.; Yan, D. T.
Photoinduced strong luminescence enhancement from anodically oxidized porous silicon.—75-08013
Golubina, L. V.; Komissarova, L. N.; Pushkina, G. Ya.
Calcium phosphate conversions in water and H_3PO_4 solutions.—75-09225
Golubko, N. V. See Yanovskaya, M. I.
Golubkov, A. V. See Smirnov, I. A.
Golubkov, A. V.; Kasymova, A. G.; Popov, V. V.; Smirnov, I. A.
Thermal conductivity of lanthanum monosulfide doped with thullium and lutetium.—75-09199
Golubkov, A. V.; Prokof'ev, A. V.; Shelykh, A. I.
Optical characteristics of Ce_2O_3 single crystals.—75-06493
Golubkov, L. A.; Danilovich, M. B.; Yakovleva, S. A.
Production of hard magnetic materials based on natural magnetite.—75-08238
Golubkov, M. V. See Gantmakher, V. F.
Golubok, A. O. See Tsyrlin, G. E.
Golyshev, V. Yu.; Popkov, A. F.
Macroscopic tunneling of spins in weakly ferromagnetic particles of orthorhombic antiferromagnets.—75-08227
Gomanyuk, A. A. See Obraztsov, A. N.
Gomez, E. See Silver-Andrade, F.
Gomez-Garcia, Diego; Martinez-Fernandez, Julian; Dominguez-Rodriguez, A.; Westmacott, Kenneth H.
Electron-beam-induced loop formation on dislocations in yttria fully stabilized zirconia.—75-09544; Zirconium nitride precipitation in nominally pure yttria-stabilized zirconia.—75-01258
Gomina, M.
Quasi-static and fatigue damage accumulation in a Nicalon-lithium magnesium aluminosilicate composite material.—75-04618
Goncalves, M. C. See Almeida, R. M.
Goncharov, E. G. See Semenova, G. V.
Goncharov, E. G.; Popov, A. E.; Zavrazhnov, A. Yu.
Semiconducting phosphides and arsenides of silicon and germanium.—75-05471
Goncharov, V. P. See Rozhkov, V. A.
Goncharova, V. A. See Boguslavskii, Yu. Ya.
Goncharuk, I. N. See Vikhnin, V. S.
Goncharuk, V. K. See Ignatyuk, V. A.; Kavun, V. Ya.; Merkulov, E. B.
Goncharuk, V. V. See Sychev, M. V.
Gonchukova, N. O.; Tolochko, O. V.; Larionova, T. V.
Relaxation phenomena in amorphous bismuth borate condensate prepared by plasma treatment of glass.—75-02683
Gonczy, Stephen T. See Leung, Roger Y.
Gonda, S. See Asakawa, T.
Gonda, S.; Kawasaki, Masashi; Arakane, T.; Koinuma, H.
Highly sensitive analysis for valence band edge of C_{60} films by total yield photoelectron spectroscopy.—75-01297
Gong, H.; Lu, Tai-Jing; Ong, C. K.
Dependence of charging on crystallographic orientations of an as-grown α-quartz.—75-01216
Gong, Mei-Ling See Roth, Ian
Gong, Y. See Coleman, R. V.
Gong, Zhen-Xiang; Mujumdar, Arun S.
Development of drying schedules for one-side-heating drying of refractory concrete slabs based on a finite element model.—75-02811
Goni, S. See Lorenzo, P.
Goni, S.; Lorenzo, M. P.; Guerrero, A.; Hernandez, M. S.
Calcium hydroxide saturation factors in the pore solution of hydrated portland cement fly ash pastes.—75-02389
Gonnet, V. See Matar, S.
Gonon, N.; Gagnaire, A.; Barbier, D.
Growth and structure of rapid thermal silicon oxides and nitroxides studied by spectroellipsometry and Auger electron spectroscopy.—75-01859
Gonon, P.; Deneuville, A.; Gheeraert, E.
Metal/insulator/semiconductor tunnel diodes formed by the oxidation of polycrystalline diamond films.—75-00540
Gontar, V. M. See Kompan, M. E.
Gontijo, I.
Determination of important parameters for SHG in LBO.—75-06441
Gonyukh, V. M. See Sirotkin, O. S.
Gonzales, R.
Patrick Hilferty—questioning criteria.—75-02324
Gonzalez, C.; Gaitan, M.; Lopez, M. L.
Structure and magnetic properties of $LiMVO_4$ (M=Co, Ni, Cu) spinels.—75-05713; Relationship between crystal structure and electric properties for lithium-containing spinels.—75-01239
Gonzalez, Eduardo J.; Trumble, Kevin P.
Spontaneous infiltration of alumina by copper-oxygen alloys.—75-00134
Gonzalez, J. M. See Giri, Anit K.
Goo, Edward See Ganesh, Ramaratnam; Ghonge, Subodh G.
Goodenough, John B. See Huang, Ke-Qin; Nanjundaswamy, K. S.
Goodilin, E. A. See Zhang, W.
Goodman, Thomas W.; Fujita, Hiroyuki; Murakami, Yoshikazu; Murphy, Arthur T.; Amey, Daniel I.
Substrate and ceramic package.—75-08117
Goodwin, A. R. See Thornton, K. E. B.
Goodwin, G.; Cocking, J. L.
Modeling and testing of thermal barrier coatings in diesel engines.—75-00112
Goossen, K. W. See Walker, J. A.
Gopalakrishnan, J. See Sharma, Vaudana
Gopalakrishnan, J.; Shivakumara, C.; Manivannan, V.
Superconducting thallium cuprates obtained by substitution of copper for thallium in the double-thallium layer cuprate.—75-05839
Gopalakrishnan, M. V. See Senthil Kumar, S. B.
Gopalan, Venkatraman; Raj, Rishi
Domain structure–second harmonic generation correlation in potassium niobate thin films deposited on a strontium titanate substrate.—75-08127
Gopi Chandran, R.; Chandrasekhar, B. K.; Ganguly, C.; Patil, K. C.
Sintering and microstructural investigations on combustion-processed mullite.—75-09436
Gora, E. A.; Mamontova, M. Yu.; Sidorenko, F. A.; Chemerinskaya, L. S.
Phase composition of a nickel boride composite.—75-09009
Gora, E. A.; Mamontova, M. Yu.; Sidorenko, F. A.
Effect of heating in air on the phase composition of a nickel boride composite.—75-06579
Gorbachev, A. V. See Voron'ko, Yu. K.
Gorbachev, N. S.; Naldrett, D.; Laitfutt, P.; Dokherti, V.
Experimental study of the distribution of the rare-earth elements and yttrium between sulfide and silicate melts.—75-06464
Gorbacheva, M. V. See Mudretsova, S. N.
Gorbachevskii, D. A. See Anishchik, V. M.
Gorbachuk, N. P. See Bolgar, A. S.
Gorban, A. P. See Klyui, N. I.
Gorbatyuk, I. N. See Bodnaruk, O. A.
Gorbenko, G. N. See Konstantinova, A. F.
Gorbenko, O. Yu. See Molodyk, A. A.
Gorbenko, O. Yu.; Fuflygin, V. N.; Erokhin, Yu. Yu.
YBCO and BSCCO thin films prepared by wet MOCVD.—75-05864
Gorbenko, V. M. See Antonenko, A. M.
Gorbik, P. P. See Budennaya, L. D.
Gorbunov, A. V. See Bazhenov, A. V.
Gorbunov, S. V.; Kudyakov, S. V.; Yakovlev, V. Yu.; Kruzhalov, A. V.
Nonstationary optical absorption of two types of autolocalized excitons [ALEs] in beryllium oxide crystals.—75-09163
Gorbunov, S. V.; Kudyakov, S. V.; Yakovlev, V. Yu.; Kryzhalov, A. V.
Transient absorption of autolocalized holes [ALHs] in beryllium oxide crystals.—75-09100
Gorbunov, V. E. See Gurevich, V. M.
Gorbunova, L. L. See Valiev, U. V.
Gorbunova, Yu. E. See Kokunov, Yu. V.
Gordeev, N. Yu. See Alferov, Zh. I.
Gordienko, A. B.; Zhuravlev, Yu. N.; Poplavnoi, A. S.
Band structure of sodium nitrate.—75-08874
Gordillo, G.; Moreno, L. C.; De la Cruz, W.
Preparation and characterization of SnO_2 thin films deposited by spray pyrolysis from $SnCl_2$ and $SnCl_4$ precursors.—75-04148
Gordon, A.; Dorfman, S.
Pressure-induced migration of ferroelectric interfaces.—75-03251
Gordon, D. C. See Redwing, J. M.
Gordon, M. H. See Chandran, B.; Jamil, S.; Johnson, J.; Ulrich, Richard
Gordon, Michael W.; Zlatkin, Mikhail; Bauer, Kurt A.; Oswald, Kurt D.
Ceramic foam low emissions burner for natural gas-fired residential appliances.—75-08745
Gordon, R. S.; Fischer, W.; Virkar, A. V.
Applications of ceramic electrolytes and electrodes in the beta battery and solid oxide fuel cell: current assessment.—75-02891
Gorecki, Andrew F.
Humidity effects on electrostatic porcelain enamel powder.—75-00102
Gorelenko, Yu. K. See Gladyshevskii, E. I.
Gorelenok, A. T.; Shpakov, M. V.
Pure green (λ=555 nm) luminescence of GaP:Y epitaxial layers.—75-08032
Gorelenok, A. T.; Yakimenko, I. Yu.
Determination of the hole concentration in InP by Raman spectroscopy.—75-07825
Gorelik, I. V. See Akimov, G. Ya.
Gorelik, S. S.; Sagalova, T. B.; Safonov, Yu. S.
Material responses in electronic components based on single-crystalline $Si/SiO_2/Si$ polycrystalline Si three-layer structures.—75-09553
Gorelov, V. P. See Anikina, E. L.; Balakireva, V. B.
Gorelov, V. P.; Arestova, N. V.; Kurumchin, E. Kh.; Vdovin, G. K.
Thermal expansion of solid proton electrolytes based on $BaCeO_3$.—75-06913
Goremychkin, E. A. See Syrykh, G. F.
Goren, S. D.; Koru, C.; Roessler, E.
Deuterium quadrupole coupling constant of H-doped Y-Ba-Cu-O systems.—75-03355
Goretta, Kenneth C. See Wu, Weite
Goretta, Kenneth C.; Delaney, W. E.; Routbort, Jules L.; Wolfenstine, J.; Zhang, W.; Heilstrom, E. E.
Creep of silver at 900°C.—75-08278
Gorev, M. V.; Bovina, A. F.; Bondarenko, G. V.; Flerov, I. N.; Tresso, A.; Grannek, Zh.
Solid solutions of $Rb_2KSc_{1-x}Ga_xF_6$.—75-06356
Gorges, B.
Edda Kallweit.—75-02240

Gorichev, I. G.; Dorofeev, M. V.; Shaplygin, I. S.; Batrakov, V. V.; Nevskaya, E. Yu.
Modeling of dissolution processes of oxide phases: II, Model of the influence of the binary electrical layer on the consecutive first-order reactions with reversible first phase.—75-06688
Gorin, A. E.; Ermakov, V. N.; Kolomoets, V. V.
Intervalley redistribution of electrons under impact ionization of neutral donors in uniaxially strained germanium crystals.—75-03071
Gorin, A. H. See Calhoun, C. L. Jr.
Goring, J. See Fend, T.
Gorjavov, Gennadij See Ilioukha, Nicolai
Gorlanova, Yu. V. See Ignatenko, O. A.
Gormezano, Anne See Allan, Neil L.
Gornert, P. See Sandiumenge, F.
Gornostaeva, S. A. See Adylov, G. T.
Gornushkina, E. D. See Kaminskii, V. V.
Gornushkina, E. D.; Malkovich, R. Sh.
Impurity diffusion in a semiconductor in two states distinguished by diffusion coefficients and degrees of impurity ionization.—75-03052
Gorochov, O. See Sacuto, A.
Gorodetskaya, I. E. See Neiman, A. Ya.
Gorodetskii, D. A.; Mel'nik, Yu. P.; Sklyar, V. K.; Usenko, V. A.; Yas'ko, A. A.
Single layer of BaO on tungsten(100): structure and work function.—75-09187
Gorodilov, N. A. See Aronzon, B. A.
Gorokhov, E. B. See Akhmetov, V. D.
Gorshkov, A. V.; Bovina, L. A.; Stafeev, V. I.
General regularities of diffusion of impurities in $Cd_{0.2}Hg_{0.8}Te$.—75-07900
Gorshunov, A. G.; Grigor'ev, V. N.; Grinev, V. I.; Litvinenko, K. L.; Lysenko, V. G.; Khvam, I. M.
Shape of the emission spectra diffracted on laser-induced lattices in GaAs/AlGaAs quantum wells.—75-08054
Gorski, L.
Phase transitions in ceramic oxides as the result of processes with short-time high-temperature action.—75-01236
Gorsuch, G.; Jin, Y.; Ingle, N. K.; Mountziaris, T. J.; Yu, W. Y.; Petrou, A.
Kinetics of diamond-like film growth using filament-assisted chemical vapor deposition.—75-04089
Gorya, O. S. See Bruk, L. I.
Goryachev, D. N. See Andrianov, A. V.; Averbukh, B. Ya.; Belyakov, L. V.
Goryaga, A. N.; Annaev, R. R.; Antoshina, L. G.; Gerasimova, L. V.
Nature of Verwey transition in magnetite.—75-08991
Goss, M. F. See Bannister, M. J.; Mayer, G. T.
Gotic, M. See Music, S.
Goto, Iwao See Yamazaki, Hiraku
Goto, Ken See Kagawa, Yutaka
Goto, Ken; Kagawa, Yutaka
Crack-fiber interaction and interfacial failure models in fiber-reinforced ceramics.—75-06952; Crack-fiber interactions in fiber-reinforced brittle matrix composite.—75-02639
Goto, Kenjiro See Maiwa, Koji
Goto, Kenjiro; Honda, Kinichi; Kamihira, Kazushige; Maiwa, Koji; Fujii, Tadayuki
Effect of rhenium oxide addition on the superconducting characteristics in $YBa_2Cu_3O_x$.—75-00792
Goto, Seichi See Nakayasu, Tetsuo
Goto, Shigeo See Takano, Akira
Goto, Susumu
Automobile window glasses with complex shapes.—75-05001
Goto, T. See Chen, L.; Jiang, C.
Goto, Takashi; Hirai, Toshio; Narushima, Takayuki; Iguchi, Yasutaka
High-temperature oxidation of CVD silicon-based ceramics.—75-09593; Active to passive transition in the high-temperature oxidation of CVD SiC and Si_3N_4.—75-01980
Goto, Tomoko See Tomita, Hisayo
Gotoh, Kuniaki; Takebe, Shyoji; Masuda, Hiroaki; Banba, Yoshiji
Effect of humidity on the removal of fine particles on a solid surface using high-speed air jet.—75-06580
Gotoh, Yoshihiro; Mikazuki, Yoshinobu; Morisaki, Yasutoshi
Flat packaged piezoelectric device using a glass-ceramic composite material comprising forsterite as ceramics.—75-08178
Gottfried-Gottfried, R. See Neumann, N.
Gottschling, S. See Muller, C.
Gough, David M. See Szymanski, Thomas
Goujard, S. See Jacques, S.
Goujard, S.; Vandenbulcke, L.; Tawil, H.
Oxidation behavior of 2-D and 3-D carbon/carbon thermostructural materials protected by CVD polylayer coatings.—75-04437
Gould, Benjamin J.; Povey, Ian M.; Pemble, Martyn E.
Chemical vapor deposition of ZrO_2 thin films monitored by ir spectroscopy.—75-06183
Gould, John H. See Hight, Susan C.
Gould, P. J.; Day, R. J.; Taylor, R.
Microstructural evaluation of ceramic matrix composites produced by polymer pyrolysis.—75-01884
Gourbilleau, F.; Maupas, H.; Hillel, R.
Silicon carbide-titanium carbide nanocomposites: microstructural investigation.—75-01932
Gourlaouen, V.; Schnedecker, G.; Boncoeur, M.
Inhibition of the formation of the B metastable phase in yttrium oxide plasma spray coatings by the addition of zirconia.—75-06658
Gouvea, Douglas See Cerri, Jose Alberto
Govila, Ratan K. See Whalen, Thomas J.
Govor, G. A. See Akimov, A. I.
Govor, G. A.; Gatal'skii, G. M.; Dobryanskii, V. M.;
Leusenko, A. A.; Malishevskii, V. F.; Mager, E. L.
Dielectric properties of cubic and pyrolytic boron nitrides (svetlanite).—75-09126
Govyadinov, A. N. See Mardilovich, A. A.
Gowri, S.; Narayanasamy, K.; Krishnamurthy, R.
Role of diamond in precision machining of plasma sprayed fine ceramics.—75-00010
Goy, Heinrich See Englisch, Wolfgang
Goyal, D. J. See Dusane, R. O.
Gozalbo, A.; Amoros, J. L.; Escardino, A.
Influence of microstructure on indentation hardness of a ZnO-Al_2O_3-SiO_2-TiO_2 glass-ceramic.—75-00216
Gozzi, Daniele See Cellucci, Fabio
Grabar, A. A. See Kityk, I. V.
Graber, J. See Kamp, M.
Grabert, G.; Haertling, Gene H.
Influence of processing pressure on the formation of the high-T_c phase in Bi-Pb-Sr-Ca-Cu-O superconductors.—75-05783
Grabke, H. J.
Hot corrosion—the experience from metals and intermetallics.—75-01995
Grabmaier, B. C. See Berthold, T. G.
Grabov, V. M. See Ivanov, G. A.
Grabovenko, L. Yu. See Mikirticheva, G. A.
Grabow, B. E.; Boone, B. G.
Simultaneous bolometric and nonbolometric microwave response in biepitaxial Y-Ba-Cu-O thin films.—75-00864
Grace, A.; Low, I. M.; Phillips, D. N.; Abdullah, K.; Skala, R. D.
Synthesis and properties of mullite ceramics prepared from silica fume and alumina.—75-01702
Grachev, A. I. See Pleshakov, I. V.
Grader, Gideon S.; Johnson, David W., Jr.; Roy, Apurba; Thomson, John, Jr.
Method of making a multilayer monolithic magnetic component.—75-08254
Gradoboev, A. A.; Kurmashev, Sh. D.
Influence of $Cd_xHg_{1-x}Te$ properties on characteristics of long-channel IGFET.—75-05344
Graebner, J. E.; Jin, S.; Herb, J. A.
Local thermal conductivity in chemical vapor deposited diamond.—75-01303
Graebner, John E.
Inexpensive technique for estimating the thermal conductivity of CVD diamond from the optical absorption.—75-08675
Graebner, T. E. See Jin, S.
Graef, Renee C. See Schwab, S. T.
Graeffe, Mats See Fagerholm, Heidi
Graetzel, Michael See Gerfin, Tobias
Graf, Volker; Mueller, Carl A.
Method of making artificial layered high-T_c superconductors.—75-03434
Grafov, A. V. See Mazurenko, E. A.
Grafov, A. V.; Melnik, O. V.; Mazurenko, E. A.; Rizzo, L.; Gueriero, P.; Battiston, G. A.
Synthesis processes of Zr and Hf oxycarbide refractory coatings on carbon matrices.—75-02841
Grafova, I.; Bortun, A.; Khainakov, S.; Gueriero, P.
Nontraditional use of new inorganic ion exchangers as functionally graded sorbents.—75-02516
Graham, D. See Badwal, S. P. S.
Graivoronskii, V. See Sotnikov, M.
Granados, J.
Clay on the Wall.—75-02219; Close to the earth.—75-02221
Granatkina, Yu. V. See Ivanova, L. D.
Grande, Tor See Aasland, Siv; McMillan, P. F.
Grange, P. See Admaiai, L. F.; Colque, S.
Grange, Y. See Allain, J. L.
Granju, J. L.
Thin bonded overlays: about the role of fiber reinforcement on the limitation of their debonding.—75-04835
Grannek, Zh. See Gorev, M. V.
Granozio, F. Miletto See Malandrino, G.
Granqvist, C. G. See Stjerna, B.
Grant, Robert H.; Novak, Richard E.; Molinaro, James S.
High-temperature ceramic nut.—75-06092
Grantham, C. See Jin, J. X.
Grantham, LeRoy F.; Gay, Richard L.
Method for generation of finely divided reactive plutonium oxide powder.—75-00937
Grathwohl, G. See Alaya, M.; Geyer, A.; Koch, Dietmar; Oberacker, R.; Weiss, S.
Grathwohl, G.; Porz, F.; Gogotsi, Yu. G.
Effect of oxidation on creep of silicon-nitride-based ceramics.—75-01989
Gratta, Giorgio See Newman, Harvey B.
Gratzel, Micheal See Bacsa, Revathi R.
Grau, Jason; Akinc, Mufit
Synthesis of nickel sulfide by homogeneous precipitation from acidic solutions of thioacetamide.—75-04246
Graule, T. J. See Baader, F. H.; Hidber, Pirmin C.; Huisman, W.; Si, Wen-Jie
Graule, T. J.; Baader, F. H.; Gauckler, L. J.
Direct coagulation casting (DCC)—principles of a new green shaping technique.—75-03996
Graule, T. J.; Si, W.; Baader, F. H.; Gauckler, L. J.
Direct Coagulation Casting (DCC)—fundamentals of a new forming process for ceramics.—75-00952
Graves, George A. See Hecht, Norman L.
Gray, David L. See Albin, Sacharia
Gray, G. T., III See Johnson, J. N.; Wright, S. I.
Gray, Kevin See Barber, Greg D.
Gray, Leonard W.; Kan, Tehmau
Immobilization as a route to surplus fissile materials disposition.—75-03473
Gray, S. See Maximov, I.
Grayevsky, A. See Porath, D.
Greaves, Colin See Jennings, Richard A.; Slater, Peter R.
Grebe, D. See Kaminskii, A. A.
Grebe, Vernon J. See Fu, De-Chun
Grebenshchikov, R. G. See Nesterchuk, N. I.
Grebinnik, V. G.; Duginov, V. N.; Zhukov, V. A.;
Kravchenko, E. A.; Krivosheev, I. A.; Mamedov, T. N.
Bismuth oxide, α-Bi_2O_3, studied by the muon method.—75-08877
Grebinskii, S. See Bondarenka, V.
Grecu, S. See Lupei, A.
Green, David J. See Chou, Y.-S.; Dwivedi, Priya J.; Glass, S. Jill; Sglavo, V. M.
Green, M. A. See Stephens, A. W.
Green, T. J.; Launsby, R. G.
Using DOE to reduce costs and improve the quality of microelectronic manufacturing processes.—75-00631
Green-Andersen, Peter; Smidth, F. L.
New generation of grate coolers—the challenge for high efficiency.—75-00056
Greenacre, N. R. See Batt, J.
Greene, B. I.; Krol, D. M.; Kosinski, S. G.
Thermal and photo-initiated reactions of H_2 with germanosilicate optical fibers.—75-06390
Greene, K.
Coille McLaughlin Hooven.—75-02222
Greenhut, Victor A.; McCauley, James W.; Day, Delbert E.
Delegation visits the Chinese Ceramic Society.—75-04700
Greenwald, Anton C.; Loges, Peter G.; Kaloyeros, Alain E.
MOCVD yttria-stabilized zirconia on Co-Cr.—75-02512
Gregory, J. See Melnick, B. M.
Greif, R. See Evans, G.
Greil, P. See Berger, C.; Dierken, C.; Faber, M.; Hong, Chu-Wan; Hotza, D.; Sahling, O.; Suttor, D.; Walter, S.
Greil, P.; Emy, Tobias; Suttor, D.
Ceramic materials from organometallics.—75-01393
Grekhov, I. V. See Al'vares, Kh. K.
Grekhov, I. V.; Shulekin, A. F.; Veksler, M. I.
Formation mechanism of the stationary reverse *I-V* characteristics of MIS structures with charge transport.—75-03032
Grellinger, D. J.; Booske, John H.; Freeman, S. A.; Cooper, Reid F.
Processing parameters influencing the sintering of alumina in a conventional and 14-GHz microwave furnace.—75-01064
Grellner, F. See Berger, C.; Dierken, C.
Gremenok, V. F.; Kindyak, V. V.; Zaretskaya, E. P.;
Kindyak, A. S.; Viktorov, I. A.; Bodnar, I. V.; et al.
Fabrication of $CuGa_xIn_{1-x}Se_2$ films by pulse laser evaporation.—75-03027
Grenet, C.; Plunkett, L.; Veyret, J. B.; Bullock, E.
Carbon fiber-reinforced silicon nitride composites by slurry infiltration.—75-03958
Grepstad, J. K. See Fagerberg, R.
Greshnevikova, O. E.; Ivanov, S. V.; Kop'ev, P. S.;
Nekrasov, V. Yu.; Trukhin, V. N.; Yaroshetskii, I. D.
Energy relaxation of hot carriers in a short-period semiconductor superlattice.—75-03019
Greshnevikova, O. E.; Kudryavtsev, I. A.; Nekrasov, V. Yu.; Trykhin, V. N.; Yaroshetskii, I. D.
Linear-circular dichroism during two-photon absorption of light in CdSe nanocrystals.—75-05361
Greskovich, Charles D. See Duclos, Steven J.
Grey, Ian E. See Hollitt, Michael J.
Gribnikov, Z. S. See Vagidov, N. Z.
Gridneva, L. K. See Agekyan, V. F.
Griesmeier, U. See Hofsass, H. C.
Grievson, B. See Bate, L. D.
Griffin, A. J., Jr. See McNally, R. L.
Griffin, A. J., Jr.; Brotzen, F. R.; Loos, P. J.
Effect of thickness on the transverse thermal conductivity of thin dielectric films.—75-00325; Effective transverse thermal conductivity of amorphous Si_3N_4 thin films.—75-01276
Griffin, Alair See Mumm, Daniel R.
Griffin, C. J. See Wilson, D. M.
Griffin, Curtis W. See Mumm, Daniel R.
Griffin, E. Alair; Munn, Daniel R.; Marshall, David B.
Rapid prototyping of functional ceramic composites.—75-05909
Griffith, Michael J.
Combination thermal barrier and wear coating for internal combustion engines.—75-01159
Griffith, Michelle L.; Barda, A. R.; Taylor, N.; Halloran, J. W.; Juan, W. H.; Pang, S. W.
Micromolding of ceramics using photolithographic polyimide patterns.—75-01571
Griffith, Michelle L.; Halloran, J. W.
Freeform fabrication of ceramics via stereolithography.—75-08527
Griffiths, J.; Hill, J.
Influence of atmosphere and sample surface area on phase formation in melt-quenched Bi(Pb)-Sr-Ca-Cu-O glass-ceramics.—75-05778
Griffiths, P. R. See Zhou, En-Hong
Grigor'ev, E. I. See Kuznetsov, A. V.
Grigor'ev, E. V.; Burtsev, V. T.
Thermodynamic evaluation of oxidation potential of the BaO-BaF_2-CaF_2-NaF melts used for refinement of Fe-C-Cr steels.—75-07235
Grigor'ev, L. A. See Kamzin, A. S.
Grigor'ev, M. S.; Charushnikova, I. A.; Krot, N. N.;
Yanovskii, A. I.; Struchkov, Yu. T.
Crystal structure of neptunyl oxalate hexahydrate $(NpO_2)_2C_2O_4{\cdot}6H_2O$.—75-08894
Grigor'ev, V. N. See Gorshunov, A. G.
Grigor'ev, V. N.; Grinev, V. I.; Litvinenko, V. L.; Lysenko, V. G.; Pershikova, N. I.; Khvam, I. M.
Saturation of exciton absorption in GaAs/AlGaAs multilayer quantum wells during femtosecond laser excitation.—75-08050
Grigor'ev, Yu. M. See Burov, Yu. M.
Grigor'ev, Yu. M.; Chizhov, P. E.
Chemical vapor deposition of SiC+C in electric and temperature fields.—75-09240

Grigor'eva, N. A.; Ivanov, S. M.; Kasperovich, V. S.; Khazanov, E. N.; Charnaya, E. V.
^{27}Al NMR in $Y_{3-x}Er_xAl_5O_{12}$ [x=0, 0.09, 0.18, 0.27] garnets.—75-08190
Grigor'eva, N. B.; Otroshchenko, L. P.; Maksimov, B. A.; Zhurova, E. A.; Sobolev, B. P.; Simonov, V. I.
X-ray study of single crystals of the $Ca_{0.65}Ho_{0.33}F_{2.35}$ solid solution with modified fluorite structure.—75-09113
Grigor'eva, T. F.; Vorsina, I. A.; Barinova, A. P.; Boldyrev, V. V.
Mechanochemical synthesis of dispersed composites with layer structure from kaolinite and some organic and inorganic acids: ir study.—75-08982; Mechanochemical synthesis of the dispersive layered compositions on the basis of kaolinite and higher organic acids.—75-06680
Grigor'eva, T. F.; Vorsina, I. A.; Barinova, A. P.; Lyakhov, N. Z.
Early stages in mechanochemical activation of kaolinite and talc.—75-08911
Grigorashev, D. I.; Lennikov, V. V.; Murav'eva, G. P.; Oleinikov, N. N.; Tret'yakov, Yu. D.
Real structure of $Bi_2Sr_2CaCu_2O_{8+\delta}$ prepared from various starting materials.—75-05823
Grigorashev, D. I.; Loza, S. A.; Oleinikov, N. N.; Spiridonov, F. M.; Tret'yakov, Yu. D.
Influence of phase composition of a reactive mixture on the formation mechanism of HTSC phases of $Bi_2Sr_2CaCu_2O_{8+\delta}$ composition.—75-05782
Grigorjeva, L. See Kotomin, E.
Grigoryan, E. A. See Kir'yakov, N. V.
Grigoryev, O. N.; Firstov, S. A.; Babiy, O. A.
Effect of zirconia (3 mol% yttria) additive on mechanical properties and structure of alumina ceramics.—75-06872
Grill, A.; Brady, M. J.
Platinum alloys and iridium bottom electrodes for perovskite-based capacitors in DRAM applications.—75-05623
Grill, A.; Patel, V.
Controlling properties of DLC [diamondlike carbon]: effects of pressure and precursor dilution.—75-09246
Grill, W. See Kim, T. J.
Grillo, Maria L. N. See De Biasi, Ronaldo S.
Grimblot, J. See Cerchez, M.
Grimes, Melvin C.
Influence of frit melting point and coefficient of expansion on hairlining.—75-00106
Grimes, R. W.; Pilling, J.
Defect formation in β-Al_2TiO_5 and its influence on structure stability.—75-06842
Grimmer, A. R.
Structural investigation of calcium silicates from ^{29}Si chemical shift measurements.—75-00702
Grimsditch, M.; Zouboulis, E. S.; Polian, A.
Elastic constants of boron nitride.—75-01279
Grinchesben, I. N.; Popovich, N. S.; Zaikovskii, A. B.; Medzhidov, G. A.
Optical properties of $TlSbS_2$-$TlSbSe_2$ single crystals.—75-06496
Grinev, B. V.; Andryushchenko, L. A.; Shershukov, V. M.; Ulanenko, K. B.; Minakova, R. A.; Sevastjanova, I. V.
Elastic scintillation materials based on polyorganosiloxane.—75-01280
Grinev, V. I. See Gorshunov, A. G.; Grigor'ev, V. N.
Grins, J.; Banos, Leticia; Sinclair, D. C.
Synthesis and crystal structure of $Li_2NaTa_7O_{19}$.—75-05215
Grins, J.; Svensson, G.
Synthesis of oxynitride perovskites.—75-01712
Grisham, S.
Summer glass technology seminar covers environmental issues, controls, and partial oxy-fuel conversions.—75-02616
Grishechkina, S. P.; Voronova, I. D.
Electrical conductivity of *n*-type $Pb_{0.78}Sn_{0.22}Te$ and $Pb_{1-x}Ge_xTe$ in the ferroelectric region.—75-05306
Grishin, A.; Niska, J.; Loberg, B.
Straightened voltage effect in high-T_c superconductors.—75-00868
Grishin, I. A.; Mityugova, V. N.; Tyutyaev, I. N.; Tseloval'nova, T. V.
Fluorozirconate glass with low magnitude of bound scattering on phase microinclusions.—75-04899
Grishina, E. P. See Chesnokova, S. M.
Grishpun, E. M. See Lebedev, N. F.; McIntyre, D. S.
Griswold, E. M.; Weaver, L.; McIntyre, D. S.; Sayer, M.; Calder, I. D.
Crystallization of rapid thermal processed PZT: platinum and ruthenium oxide electrodes.—75-05541
Gritsenko, D. A. See Shimanskii, A. F.
Gritsenko, V. A.; Ivanov, R. M.; Morokov, Yu. N.
Electron structure of amorphous SiO_2: experiment and numerical modeling.—75-08921
Gritzner, G. See Abraham, I.
Grivel, J.-C.; Flukiger, R.
Visualization of the formation of the $(Bi, Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ phase.—75-08447
Grodkiewicz, W. H. See Bruce, A. J.
Groen, W. A. See Hintzen, H. T.
Groen, W. A.; Kraan, M. J.; De With, G.
Ceramic body.—75-01103; New ternary nitride ceramics: $CaSiN_2$.—75-06109
Groen, W. A.; Van Hal, P. F.
High-temperature electrical conductivity of AlN ceramics.—75-00338
Groenen, P. A. C. See Brongersma, H. H.
Groger, Howard P. See Varshney, Usha
Gromadin, A. L. See Kurova, I. A.
Gromilov, S. A. See Bessergenev, V. G.
Gromov, I. A. See Vikhnin, V. S.
Gromov, P. B.; Voronova, R. S.; Basalaev, A. A.
Composition and possibilities of nitrate section of phosphorites of Kohl's peninsula.—75-06026
Gromov, V. V. See Kuznetsov, V. A.
Gromov, V. V.; Cherkashin, M. I.
Sorption properties of NaX zeolite modified by polydimethlydiallylammonium chloride.—75-09189
Gromov, V. See Smirnov, E.
Gromozova, I. K.; Maksimov, V. N.; Al'perovich, V. R.; Kots, E. A.; Avdeeva, Yu. V.; Romanova, I. V.
Improvement of methods of controlling trace content of chlorides in cement production materials.—75-07158
Gropyanov, A. V. See Gropyanov, V. M.
Gropyanov, V. M.; Aksel'rod, L. M.; Gropyanov, A. V.
Temporary preservative binders for lime and lime-periclase refractories.—75-05146
Gropyanov, V. M.; Novikov, V. L.; Gropyanov, A. V.
Kinetics and optimization of temperature and time regimes for sintering naturally pure Russian dolomites.—75-08761
Gropyanov, V. M.; Vezikova, R. M.; Kuznetsov, G. I.
Properties of lime and lime-periclase refractories on a ceramic binder.—75-05121
Gross, K. A.; Berndt, Christopher C.
In vitro testing of plasma-sprayed hydroxyapatite coatings.—75-03571; Structural changes of plasma-sprayed hydroxyapatite coatings during in vitro testing.—75-01941
Gross, M. E. See Charatan, R. M.
Gross, M. E.; Rice, Catherine E.
Method of producing a layer of superconductive oxide.—75-00910
Gross, M. See Hofsass, H. C.
Gross, R. See Gerdemann, R.
Gross, V. See Hannink, R. H. J.
Grossmann, J.; Rose, K.; Sporn, D.
Processing, properties, and microstructural design of sol-gel-derived nanostructured $Ni\text{-}Y_2O_3/ZrO_2$.—75-00122
Grotjohn, T. A. See Mossbrucker, J.
Groves, G. W. See Brough, A. R.
Groza, Joanna R. See Risbud, Subhash H.
Grozea, Daniel See Vasiliu, F.
Grubman, C.
Back to basics.—75-02194
Gruen, Dieter M.
Conversion of fullerenes to diamonds.—75-06121
Grueninger, William
Glassware forming machine.—75-07425
Grundler, D. See David, B.
Grundy, David C. See Phule, Pradeep P.
Grutzeck, Michael W. See Kwan, Stephen
Gruverman, A.; Kolosov, O.; Hatano, J.; Takahashi, K.; Tokumoto, H.
Nanoscale control of ferroelectric domain structure by AFM.—75-03243
Gryadun, V. I. See Shapovalov, V. P.
Gryaznov, S. B. See Dobrovol'skii, V. N.
Gryba, T.; Lefebvre, J. E.
Optimization of MQW structures for acoustooptic absorption modulators.—75-03106
Grytsiv, M. Ya. See Leshchuk, R. E.
Grytsiv, V. I.; Vengel, P. F.; Tomashik, V. N.
Reciprocal ternary system Cu, Pb‖Se, Te.—75-09051
Gschwindt, A. See Braun, M.
Gstrein, R. See Damani, R.
Gu, B.-X. See Zhang, H.-Y.
Gu, B.-X.
Magnetic properties of $Ba_2(Zn_xFe_{1-x})_2Fe_{28}O_{46}$ X-type hexaferrites.—75-00746
Gu, Bing-Lin See Esfarjani, Keivan; Gui, Hong; Kawazoe, Yoshiyuki
Gu, Bing-Lin; Maruyama, Yutaka; Yu, Jing-Zhi; Ohno, Kaoru; Kawazoe, Yoshiyuki
Effects of molecular orientation on the electronic structure of the solid fullerites.—75-01277
Gu, Chang-Zhi; Jin, Zeng-Sun; Lu, Xian-Yi; Zou, Guang-Tian; Meng, Qiang
Thermal-sensitive device fabricated with diamond film and a planar microelectrode.—75-08812
Gu, G. D. See Zhao, Y.
Gu, G. D.; Zhao, Y.; Cochrane, J.; Russell, G. J.
Crystal growth by directional solidification and superconductivity of $Bi_2Sr_2CaCu_2O_{8+y}$.—75-00782
Gu, G. D.; Zhao, Y.; Russell, G. J.; Koshizuka, N.
Crystal growth and superconductivity of Bi-Sr-Ca-Cu-Al-O materials.—75-00781; Growth morphology and stability of the solid-liquid interface in Bi-Sr-Ca-Cu-O oxides.—75-00809; Superconductivity of Fe-substituted $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals.—75-00874
Gu, G. D.; Zhao, Y.; Russell, G. J.
Effect of annealing on the superconductivity of $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals.—75-00787
Gu, Hui See Pan, Xiao-Qing; Tanaka, I.
Gu, Hui-Cheng; Li, Feng-Ying; Wang, Ji-Fang
Ultrasonic behavior of ferrimagnetic yttrium iron garnet (YIG) crystal under pressure.—75-03338
Gu, K.-F. See Liang, K.-M.
Gu, Mu See Chen, Ling-Yan
Gu, Mu; Chen, Ling-Yan; Du, Jie; Xiang, Kai-Hua; Chen, Gang; Ren, Shao-Xia
Radiation effect mechanism of some rare-earth-doped BaF_2 crystals.—75-01918
Gu, Mu; Chen, Ling-Yan; Li, Qing; Wang, Li-Ming; Xiang, Kai-Hua
Mechanism of slow component suppression in lanthanum-doped barium fluoride crystal.—75-01882
Gu, P.-Z. See Drennan, J.; Fan, Q.-S.
Gu, P.-Z.; Zhang, W.-R.; Li, Y.; Fan, Q.-S.
Preparation of Si_3N_4/SiC composite from organic precursor.—75-04166
Gu, P.-Z.; Zhang, W.-R.; Xiao, Y.-X.; Fu, X.-Y.; Fan, Q.-S.; Liao, Z.-H.
Preparation of SiAlON valves for gasoline engine.—75-03708
Gu, Ping See Fu, Yan
Gu, Ping; Xie, Ping; Fu, Yan
Rapid evaluation of the water/cement ratio of hardened portland cement paste.—75-04830
Gu, Shu-Lin See Shi, Yi
Gu, W.-M. See Ding, C.-X.
Gu, Yu-Qin; Yu, Li-Xin
Thermal diffusivity measurement of CVD diamond.—75-08709
Guadagnino, E.; Corumluoglu, O.
Potentiometric determination of chloride in glass and glassmaking raw materials.—75-08696
Guajardo, C. Falcony See Jergel, M.
Guan, D.-H. See Cheng, Y.-Q.
Guan, Jie; Liu, Mei-Lin
Preparation of $Li_xMn_2O_4$ electrode materials for lithium ion batteries.—75-02930
Guan, Z.-D. See Jin, H.; Zeng, L.-X.; Zhai, H.-X.
Guardani, R.; Vallarelli, J. V.; Ando, J.
Production of submicron glass spheres from immiscible glass phases.—75-07398
Gubanov, V. B. See Gur'yanov, G. M.
Gubanova, I. A. See Parfenov, V. V.
Gubkin, M. K.; Perekalina, T. M.; Chubarenko, V. A.; Shapiro, A. Ya.
Ferro- and ferrimagnetism of $La_{0.9}Na_{0.1}Cu_xMn_{1-x}O_3$.—75-05672
Gubkin, M. K.; Perekalina, T. M.
Electrical conductivity and magnetic resistivity in $La_{0.9}Na_{0.1}Mn_{0.9}Re_{0.1}O_3$ crystals.—75-05668; Nonuniform magnetic state of $La_{0.9}Na_{0.1}Mn_{1-x}(Cu, V)_xO_3$.—75-05700
Guceri, Selcuk I. See Pistor, Christoph M.
Guckel, H.
Advances in surface micromachined force sensors.—75-00413
Gudilin, E. A.; Oleinikov, N. N.; Kvartalov, D. B.; Ketsko, V. A.; Murav'eva, G. P.
Crystallization of lanthanide-doped $YBa_2Cu_3O_{7-\delta}$ ceramics as a method for preparing yttrium-containing high-T_c superconductors with high critical current densities.—75-08281
Gudilin, E. A.; Oleinikov, N. N.; Tret'yakov, Yu. D.
Crystallization of superconducting yttrium barium cuprates from peritectic melts.—75-08282
Gueguen, Y. See Chelidze, T.
Guerain, Jacques See Floch, Herve G.
Guerbois, J. P.; Brungs, M. P.; Trimm, D. L.
Gamma alumina from gibbsite.—75-01513
Gueriero, P. See Grafov, A. V.; Grafova, I.
Gueroguiev, Y. M.; Vutova, K. G.; Mladenov, G. M.
Proximity function in electron-beam lithography on high-T_c superconducting thin films.—75-08403
Guerra, John M.
Photon tunneling microscopy applications.—75-01905
Guerrero, A. See Goni, S.; Lorenzo, P.
Guess, T. R. See Glass, S. Jill
Guette, A. See Jacques, S.
Gufan, Yu. M.; Moshchenko, I. N.; Okroshvili, I. T.; Rudashevskii, E. G.; Snezhkov, V. I.
Theory of La_2CuO_4 structure.—75-06389
Gufan, Yu. M.
Effect of ferroelastic deformation in the parent phase on the superconducting transition temperature of $YBa_2Cu_3O_{7-\delta}$.—75-05753; See also Prokhorov, A. M.
Gugel, E.; Woetting, G.
Silicon nitride—from the past to the future—the career of an exceptional engineering material.—75-03722
Guggenberger, Michael A. See Linner, Britta
Gui, Hong; Gu, Bing-Lin; Zhang, Xiao-Wen
Order-disorder transition in $(A1/2A1/21/2)BO_3$ and $A(B1/2B1/21/2)O_3$ complex perovskite crystals.—75-00682
Guiban, M. A. See Poirier, J.
Guiberteau, F.; Cumbrera, F. L.; Dominguez-Rodriguez, A.
X-ray Berg-Barrett topography of the deformation substructure of stabilized zirconium oxide single crystals deformed at 1673 K.—75-03865
Guicciardi, S. See Scafe, E.
Guigon, Pierre See Dodds, John
Guilhaume, Nolven; Primet, Michel
Catalytic decomposition of methane: CuO supported on high specific area spinels synthesized by a sol-gel process.—75-06542
Guillard, F. J. A.; Hand, R. J.; Lee, W. E.
Growth of an alumina particulate-reinforced Al-Al_2O_3 composite by directed metal oxidation.—75-00099
Guillaumat, L.; Lamon, J.
Model of the nonlinear stress-strain behavior of a 2D-SiC/SiC ceramic matrix composite (CMC).—75-04604
Guillaume, M. See Staub, U.
Guillaume, M.; Fischer, P.; Roessli, B.
Magnetic order of Pr ions in related perovskite-type Pr 123 compounds.—75-03380
Guillem, M. C. See Carrasco, M. P.
Guillen, C.; Herrero, J.; Lincot, D.
Photovoltaic activity of electrodeposited *p*-$CuInSe_2$/electrolyte junction.—75-00571
Guillet, F. See Narcy, B.
Guilliatt, I. F.; Barnard, G.
Refractories developments for the aluminum industry.—75-00271
Guillo, P. See Bucko, D.
Guillon, P.
Microwave techniques for measuring complex permittivity and permeability of materials.—75-01034
Guillot, G. See Raynaud, Christophe
Guillot, G.; Dupas, A.
NMR imaging applied to water distribution in porous media.—75-01035
Guillot, M. See Ostorero, J.
Guinebretiere, R.; Masson, O.; Ruin, P.
Sol-gel coating of ceramic powders.—75-04226
Guiton, Theresa A. See Fawcett, Timothy G.; Johnson, John L.
Guiu, F. See Li, M.; Wang, M.
Guizard, Stephane See Martin, Philippe
Guk, A. V. See Gulyaev, Yu. V.; Mokerov, V. G.

Guk, E. G. See Danishevskii, A. M.; Mnatsakanov, T. T.

Guk, E. G.; Shuman, V. B.; Zubrilov, A. S.
Characteristics of solar cells at low temperatures.—75-02975

Guk, V. G.; Osipova, E. V.; Frolov, A. A.
Mosaic structure of PbTe crystals.—75-08989

Gulari, E. See Lee, K. J.

Gulati, Suresh T.
Relative impact of manufacturing vs service flaws on design of glass articles.—75-00199

Gulgun, Mehmet A. See Johnson, Bradley R.

Gulgun, Mehmet A.; Kriven, Waltraud M.
Simple solution polymerization route for oxide powder synthesis.—75-04217

Gulyaev, Yu. V.; Mokerov, V. G.; Guk, A. V.; Fedorov, Yu. V.; Khabarov, Yu. V.
Photoluminescence of the three- and two-dimensional carriers in N-AlGaAs/GaAs heterostructures.—75-08016

Gulyaev, Yu. V.; Temiryazev, A. G.; Tikhomirova, M. P.
Magnetoelastic interaction in yttrium iron garnet films with magnetic inhomogeneities through the film thickness.—75-03313

Gulyamov, G.; Khamidova, B.
Influence of sample geometry on the current-voltage characteristics of *p-n* junctions in a high microwave field.—75-07927

Gulyamov, G.; Umarov, K. B.
Nonideality coefficient of volt-ampere characteristics of *p-n* junctions during heating of charge carriers and phonons.—75-05404

Gulyamov, G.
Electromotive force in silicon *p-n* junction in strong superhigh frequency fields.—75-07869; Influence of surface recombination on the current-voltage characteristics of a *p-n* junction in a strong microwave field.—75-07928

Gun'ko, N. A. See Zegrya, G. G.

Gun'ko, Yu. L. See Kozyrin, V. A.

Gundel, D. B.; Taylor, P. J.; Wawner, F. E.
Fabrication of thin oxide coatings on ceramic fibers by a sol-gel technique.—75-04039

Gungor, Nurfer; Tulrin, Tulay
Zeta potential of bentonite clay in aqueous solution.—75-02805

Gunji, T. See Abe, Y.

Gunshor, R. L. See Nurmikko, A. V.

Guo, C.-H. See Zhai, H.-X.

Guo, C.-S. See Chand, Ronald H.

Guo, C.-S.; Chand, Ronald H.
Characterization of ceramic materials from the machining point of view.—75-09529; Precision machining of technical ceramics.—75-05908

Guo, Hui-Ming See Tian, Shun-Bao

Guo, J. Y.; Gitzhofer, F.; Boulos, M. I.; Ishigaki, T.; Mieno, M.
Sinterability of plasma-synthesized ultrafine SiC powders from Si and CH_4.—75-09435

Guo, J.-K. See Cai, J.; Feng, C.-D.; Gao, L.; Hong, J.-S.; Lai, T.-R.; Liu, G.-J.; Qiu, H.-B.; Zhang, Biao; Zhou, Y.

Guo, J.-K.; Ma, L.-T.
Interface and interphase of ceramics.—75-04345

Guo, J.-K.; Zhang, Biao; Huang, X.-X.
Synthesis and thermal expansion of $M_{1/2}Sr_{1/4}Zr_2P_3O_{12}$ (M=Li, Na, K) compounds.—75-04239

Guo, J.-K.; Zhu, Pei-Nan
Design principles of multiphase ceramic materials. —75-09255

Guo, L.-J. See Zhang, G.-F.

Guo, L.-P. See Cao, L.-X.

Guo, Lu-Cun See Uematsu, Keizo

Guo, Qi-Xin; Yamamura, Toshimi; Yoshida, Akira
Structural properties of InN films grown on sapphire substrates by microwave-excited metallorganic vapor phase epitaxy.—75-01944

Guo, Ru-Yan See Bhalla, A. S.; Pandey, R. K.

Guo, Ru-Yan; Bhalla, A. S.; Cross, L. Eric
$Ba(Mg_{1/3}Ta_{2/3})O_3$ single crystal fiber grown by the laser-heated pedestal growth technique.—75-01384

Guo, Ru-Yan; Ravindranathan, P.; Selvaraj, U.
Modified mixed oxide perovskites $0.7Sr(Al_{1/2}B_{1/2})O_3$-$0.3LaAlO_3$ and $0.7Sr(Al_{1/2}B_{1/2})O_3$-$0.3NdGaO_3$ (B=Ta^{5+} or Nb^{5+}) for high-T_c superconductor substrate applications.—75-05799

Guo, S.-J. See Lee, M.-K.

Guo, Xin; Zhao, J.; Qiao, J.; Tabata, A.; Pang, B.; Galiano, M.
PECVD and ozone CVD deposition rate, uniformity, and step coverage.—75-04132

Guo, Xin
Solute segregations at the space charge layers of stabilized zirconia: an opportunity for ameliorating conductivity.—75-09575

Guo, Y. C.; Liu, H. K.; Dou, S. X.
Development of microstructure and superconductivity of silver-clad Bi(2223) composite tapes in the process of heat treatment.—75-05746

Guo, Y. C.; Liu, H. K.; Ionescu, H. M.; Dou, S. X.
Ag-clad $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ high-T_c superconducting wires and tapes.—75-00769

Guo, Y. See Wu, Y.-W.

Guo, Y.; He, Z.-J.; Lian, P.-F.; Wu, Q.; Zhu, J.-M.; Wu, Y.-W.
Investigation on the mechanism of bonding Si_3N_4 to 40Cr steel by vacuum brazing.—75-02498

Guo, Y.-L.; Chen, G.-L.; Yue, G.-Q.; Hu, S.-Z.
Acoustic microscope and its application in ceramic research.—75-03550

Guo, Z.-P. See Zhang, Chao-Zong

Guo, Z.-Q.; Ping, Z.-F.; Chen, N.
Production and properties of Cr_2O_3 raw material for refractories.—75-02829

Gupta, A. See Hussey, B. W.; Winder, S. M.

Gupta, A.; Winder, S. M.
Ongoing investigation of oxy-fuel firing impact on corrosion of nonglass contact refractories: II.—75-05116

Gupta, Arunava
Multilayer distorted lattice copper oxide perovskite structures including NdCeCuO and YBaCuO multilayers.—75-08477

Gupta, D. K. See Meier, S. M.

Gupta, D.; Varma, S. P.
Infrared reflectance and transmittance of diamondlike carbon films at normal, as well as glancing, angles of incidence.—75-09152

Gupta, Dinesh See Casey, Jon A.

Gupta, N. P. See Rai, A.

Gupta, Sankar D.
Ceramic fiber and process therefor.—75-03728

Gupta, Satish C. See Suresh, N.

Gupta, Surya Mohan; Kulkarni, Ajit R.
Dielectric and microstructure studies of lead magnesium niobate prepared by partial oxalate route.—75-08125

Gupta, Tapan K.; Jean, Jau-Ho
Design and development of a low-*k* silica dielectric.—75-02899

Gupta, V. See Chakrabarti, P.

Gupta, Vijay See Kumaria, Shashwat

Gupta, Y. M. See Gustavsen, R. L.

Gupta, Y. M.; Horn, P. D.; Burt, J. A.
Effect of tension on *R* lines in ruby crystals shocked along crystal *c*-axis.—75-02043

Gur'ev, N. V.; Chikovsky, A. N.; Kolobkov, V. P.
Glass-forming ability of rare earths in fluorozirconate glasses.—75-05017

Gur'yanov, G. M. See Ledentsov, N. N.

Gur'yanov, G. M.; Tsyrlin, G. E.; Petrov, V. N.;

Samsonenko, Yu. B.; Gubanov, V. B.; Polyakov, N. K.
Self-organizing of quantum-dimensional strained $In_xGa_{1-x}As$ structures on misoriented GaAs(100) surfaces during submonolayer molecular beam epitaxy.—75-03157

Gurarie, V. N.; Orlov, A. V.; Nugent, K. W.; Weiser, P.; Prawer, S.
Synthesis of carbonitride films using high-energy shock plasma deposition.—75-01706

Gurarie, V. N.; Williams, J. S.; Watt, A. J.
Effect of ion implantation on thermal shock resistance of magnesia and glass.—75-04497

Gurary, A. I.; Tompa, G. S.; Stall, R. A.; Kroll, W. J.; Zawadzki, P.; Schumaker, N. E.
Producing and controlling substrate temperature uniformity from 600°C to 1100°C in CVD roating disk reactors.—75-03534

Gurbanov, S. Sh. See Eivazov, E. A.

Gurbuz, Y.; Kang, W. P.; Davidson, J. L.; Kerns, D. V.; Henderson, B.
High sensitivity and wide temperature tolerance hydrogen gas sensors utilizing PECVD diamond technology.—75-07905

Gurevich, I. G. See Rat'ko, A. I.

Gurevich, V. M.; Gavrichev, K. S.; Gorbunov, V. E.; Khodakovskii, I. L.
Heat capacity and thermodynamic properties of eulytine, $Bi_4(SiO_4)_3$.—75-08948

Gurieva, E. A. See Alekseeva, G. T.

Gurin, A. M.
Geometric probability of reproducibility of disordered sphere packing as a model of metallic glass.—75-03567

Gurin, V. S.; Sviridov, V. V.; Lyakhov, A. S.; Tyavlovskaya, E. A.; Kasparov, K. N.
Formation of ultrafine $CuInS_2$.—75-07898

Guroshev, V. I. See Glinchuk, K. D.

Gurov, V. V. See Solodovnikov, S. F.

Gurovic, Jan See Lezal, Dimitrij

Gurrappa, I. See Suryanarayana, K. V.

Gurtovoi, V. L. See Valyaev, V. V.

Gurtovoi, V. L.; Dremov, V. V.; Makarenko, V. A.; Shapoval, S. Yu.
Atomic structure observation of ECR hydrogen plasma passivated Si(111) surface by scanning tunneling microscope in air.—75-05247

Gurylev, B. V. See Vasilevskii, M. I.

Gus'kov, V. N. See Tarasov, I. V.

Gusakov, V. E. See Saiko, A. P.

Gusarov, A. I. See Volchek, A. O.

Gusarov, V. V. See Dolgushev, N. V.

Guseinov, D. T. See Sultanov, G. D.

Guseinov, D. T.; Kerimova, T. G.; Kadyrogly, Zafar L.
Effects due to repulsive barriers in a $GdIn_2S_4$ compound.—75-07858

Guseinov, E. K. See Gasanly, Sh. M.

Guseinov, E. K.; Ismailov, N. D.
Influence of surface range of a space charge on the photoconductivity of $Cd_xHg_{1-x}Te$ ($x\approx0.3$).—75-05350

Guseinov, N. M.
Polaron in a model of a superlattice with deep quantum wells.—75-06322

Guseinov, V. I. See Eivazov, E. A.

Gusev, A. I.
Nitrogen pressure on cubic stoichiometric and nonstoichiometric transition metal nitrides and carbonitrides.—75-06697

Gusev, O. B. See Bresler, M. S.

Gusev, S. A. See Belov, R. K.; See Drozdov, Yu. N.

Gusev, Yu. I.; Melchakov, E. N.; Mironov, I. A.; Panteleev, L. A.; Reiterov, V. M.; Rodnyi, P. A.
Optical properties and radiation damages of cerium fluoride crystals doped with alkali-earth and rare-earth elements.—75-01323

Guseva, M. B. See Babaev, V. G.

Gushchin, R. I. See Sinel'nik, M. D.

Guskov, M. I. See Khalilov, V. Kh.

Gusmano, Gualtiero See Traversa, Enrico

Gust, W. See Rabkin, E.

Gustavsen, R. L.; Gupta, Y. M.
Lime-resolved Raman measurements in α-quartz shocked to 60 kbar.—75-06259

Guthmann, O.; Reller, A.; Kastening, B.; Rodel, J.
Processing of gradient materials with directed electrochemical oxidation of carbon foams.—75-03533

Gutkin, A. A. See Averkiev, N. S.

Gutman, Emmanuel M. See Figovsky, Oleg L.

Gutmann, Benjamin; Chulup, Alan
Barium carbonate.—75-06021

Guy, I. L. See Taunaumang, H.

Guzman, Guillermo; Morineau, Roger; Livage, Jacques
Synthesis of vanadium dioxide thin films from vanadium alkoxides.—75-01723

Guzman, Luis See Miotello, Antonio

Gvozd, V. S.
Isomorphic substitution of magnesium cations by cations of rare-earth elements in periclase ceramics.—75-08962

Gyul'maliev, T. A. See Tagiev, B. G.

Ha, Jung-Soo See Gam, Jig-Sang

Haacke, G. See Watkins, S. P.

Haakenaasen, R. See Ghonge, Subodh G.

Haasen, Peter See Cahn, Robert W.

Habarou, G. See Spriet, P.

Haber, N. See Rokhvarger, A. E.

Haber, Richard A. See Haerle, Andrew G.; Yarosh, A. J.

Haberko, Krzysztof See Bucko, Miroslaw M.; Pedzich, Z.

Haberstroh, C.; Helbig, R.; Stein, R. A.
New features of the photoluminescence of SiC (6H), SiC (4H), and SiC (15R).—75-01314

Habig, K.-H.
Possibilities and limits of wear protection through advanced ceramics.—75-09663

Hachfeld, E. A. See Cooney, T. G.

Hachigo, Akihiro See Shikata, Shinichi

Hachitani, Yoichi
High-strength machinable ceramics "nanoceram."—75-05018

Hackett, K. E. See Fishbine, B. H.

Hackley, Vincent A.; Malghan, Subhas G.
Modification of silicon nitride slip properties by poly(acrylic acid).—75-04117; Surface chemistry of silicon nitride powder in the presence of dissolved ions.—75-06380

Hadfield, M.; Stolarski, T. A.
Lubricated rolling contact fatigue on silicon nitride rods.—75-04352

Hadian, Ali Mohammad; Drew, R. A. L.
Strength and microstructure of silicon nitride ceramics brazed with nickel-chromium-silicon alloys.—75-02546

Hadjipanayis, G. C. See Lin, X.; See Liu, J.

Haenni, W.; Dan, J. P.; Perret, A.; Thiebaud, J. P.; Weiss, P.
Design and production of diamond devices.—75-09254

Haerle, Andrew G. See Smith, Peter A.

Haerle, Andrew G.; Haber, Richard A.
Experimental evaluation of a new flocculation-filtration model for ceramic shape forming processes.—75-05945

Haertling, Gene H.
Method for making monolithic prestressed ceramic devices.—75-05226; Rainbows and Ferrofilms—smart materials for hybrid microelectronics.—75-03254; Room temperature and 77-K dielectric properties of acetate-derived PZT, PLZT, PSZT, and PBZT thin films.—75-05634; See also Grabert, G.

Haetinger, C.; Castillo, I. Abrego; Kunzler, J. V.; Ghivelder, L.; Pureur, P.; Reich, S.
Thermal expansion and specific heat of nonrandom YBCO/Ag composites.—75-08438

Haga, Mikichika See Sakai, Mototsugu

Hagege, S. See Backhaus-Ricoult, M.

Hagemann, Hans-Jurgen See Bachmann, Peter K.; Cassidy, William D.

Hager, Joseph W. See Hall, Richard B.

Hagg, Sandra L.; Pfitzenmaier, Robert W.; Smith, C.
Glass-ceramics and color package.—75-00225

Haggerty, David See Bandis, Christos

Haggerty, David; Bandis, Christos; Pate, B. B.
Interaction of hyperthermal hydrogen with the diamond surface.—75-01999

Haggerty, J. S. See Rhine, Wendell E.

Hagglund, J. See Brown, I. W. M.

Hagio, T.; Yoshida, H.
Sintering and crystallization of ground hexagonal boron nitride powders.—75-04218

Hagiwara, Noboru See Sasaki, Kimiaki

Hagiwara, Shozou See Kawabe, Hideaki

Haglund, Richard F., Jr. See Affatigato, Maria

Hague, Noor-Ul See Hashmi, R. A.

Hagwood, John C. See Albin, Sacharia

Hahn, B. See Walter, S.

Hahn, D. W.; Edwards, C. F.; McCarty, K. F.; Meeks, E.; Bui-Pham, M. N.; Kee, Robert J.
Engineering aspects of scalable stagnation-flow reactors for combustion synthesis of diamond.—75-08520

Hahn, H. See Sahay, V.

Hahn, Horst W. See Allen, Andrew J.; Kear, Bernard H.

Hahn, Jun-H. See Hwang, N.-M.

Hahn, Karlheinz; Buerhop, Claudia; Weissmann, Rudolf
Firing PbO-free glass enamels using the cw-CO_2 laser.—75-07386

Hahn, Peter
From quality control to quality management.—75-07075

Hahn, S. R.; Parsons, J. D.; Ellsworth, J. A.
Electrical characterization of $Hg_{1-x}Cd_xTe$ ($0.1265\leq x\leq0.58$) grown by organometallic vapor phase epitaxy.—75-00470

Hahn, Wendy K. See Roth, Ian

Hahn, Yoo-Dong See Song, In-Hyuck

Hahnel, A. See Pippel, E.

Haigh, Mike See McCracken, Derek J.

Haines, J. See Leger, J. M.

Hainsworth, S. V.; Page, T. F.
Nanoindentation studies of the chemomechanical effect in sapphire.—75-06282

Haire, Richard G. See Shoup, Shara S.

Hajaligol, Mohammad R. See Deevi, S. C.

Hajsaid, M. See Zhao, G.

Hakim, M. Obaidul See Ambia, M. G.

Hakotani, Yasuhiko See Nakamura, Yoshifumi
Hakuraku, Y.; Koba, S.; Higo, S.; Nakao, A.; Ogushi, T.
Ultrathin film preparation of superconducting 2223 Bi(Pb)SrCaCuO by sputter deposition and rapid annealing.—75-08444
Haldar, Pradeep See Motowidlo, Leszek
Halder, Anup See Roy, P. K.
Hall, A.
Drying technology for today's manufacturer.—75-03519
Hall, Bertie F., Jr.
Tube-making mechanism having a fill tube for depositing a ceramic powder into the tube as it is being made.—75-08636
Hall, C. See Fordham, E.; Hughes, T. L.; Skibsted, Jergen
Hall, L. See Fordham, E.
Hall, R. G. See Bate, L. D.
Hall, Richard B.; Hager, Joseph W.
Evaluation of graphite foams as low mass structural materials.—75-01290
Haller, E. E. See Nickles, A. S.
Halliburton, L. E. See Scripsick, M. P.
Halliburton, L. E.; Edwards, G. J.
Radiation damage mechanisms in scintillator materials—applications to BaF_2 and CeF_3.—75-01771
Hallin, C. See Kordina, O.
Halliyal, Arvind See Rao, Radhika M. V.
Halloran, J. W. See Brady, G. A.; Chu, Tien-Min; Griffith, Michelle L.; Hilmas, G. E.; Liu, Yin
Hallstedt, Bengt; Risold, Daniel; Gauckler, L. J.
Thermodynamic evaluation of the Bi-Cu-O system.—75-01253
Haluska, Loren A.; Michael, Keith W.
Ceramic coatings.—75-03727; Electronic coatings using filled borosilazanes.—75-01167; Metal-containing ceramic coatings.—75-07263; Protective electronic coatings using filled polysilazanes.—75-01190
Haluska, Loren A.
Precursor for ceramic coatings.—75-03748
Hama, J. See Kato, R.
Hamad, B. S.
Chemical and physical properties of white cement concrete.—75-02391
Hamada, S. See Iyogi, G.
Hamagami, Junichi; Huybrechts, Ben; Watanabe, Yuichi; Takata, Masasuke
Optical hydrogen sensor using Pd/MoO_x films.—75-00681
Hamaguchi, Setsunori See Kawabe, Hideaki
Hamaguchi, Yoshikazu See Kaga, Hisashi; Shimono, Isao
Hamaji, Yukio See Abe, Yoshio; Iwamoto, Sakiko; Kajiyoshi, Koji; Sano, Harunobu; Shibata, Masamitsu
Hamaker, B.
Gathering of tea.—75-02260
Hamann, B. See Bohner, R.
Hamano, A.; Terao, K.; Uchiyama, I.; Nakasu, K.; Tozawa, Y.; Osakada, A.
Highly reliable cofiring technologies of AlN PGA type packages.—75-00339
Hamano, Kenya See Ootsuka, Tadashi
Hamano, Kenya; Hirayama, Masashi
Effect of quartz addition on mechanical strength of porcelain bodies prepared from pottery stone.—75-00285
Hamano, Seiichi See Yamanishi, Osamu
Hamano, Y.
Design of processing technology for advanced structural ceramics.—75-00949
Hamasaki, Keiji See Hirata, Yoshihiro
Hamasaki, Toyohiro; Yanai, Tomohiro; Ishizaki, Kozo
Influence of oxygen content on Si_3N_4 grain boundary.—75-01872
Hamatani, H. See Kumakawa, A.
Hamaya, N. See Suematsu, Hisayuki
Hamazaki, Yoshihisa; Kaneshige, Toshihiko; Nanba, Makoto; Takakura, Yuichi
Mineral composition change in matrix of alumina-spinel castable.—75-07604
Hamdan, N. M. See Ziq, Kh. A.
Hamdeh, H. H.; Xia, Z.; Fohrweiser, R.
Mossbauer spectrometry study of magnesioferrite particles.—75-00751
Hamed, A. See Rusakova, I.
Hamet, J. F. See Bernstein, P.
Hamichi, M.; Cousins, C. S. G.; Meads, R. E.
Structural response of $KTiOPO_4$ to electrical fields: effects due to low-frequency modulation.—75-00606
Hamidouche, M.; Bouaouadja, N.; Osmani, H.; Torrecillias, R.; Fantozzi, G.
Thermomechanical behavior of mullite-zirconia composite.—75-09209
Hamlyn, M. G. See Batt, J.
Hammad, A. M.; Issa, M. A.
Fractal dimension as a measure of roughness of concrete fracture trajectories.—75-02408
Hammann, J. See Vincent, E.
Hammerer, W. See Mosser, J.
Hammou, A. See Djurado, E.; Lauret, H.
Hampshire, S.
Devitrification behavior of oxynitride glasses.—75-02643; See also Ramesh, R.; Song, Y.-J.
Hamuro, Mitsuro See Yamamoto, Shinya
Han, D.-H. See Na, J.-G.
Han, D.-H.; Wang, J.-P.; Luo, H.-L.
Characterization of the Mn and Co volume-doped acicular γ-Fe_2O_3 particles.—75-00724
Han, In-Sub See Woo, Sang-Kuk; Yang, Jun-Hwan
Han, Joo-Hwan See Shin, Seung-Doh
Han, K.-S. See Cheong, H.-M.
Han, Kyong-Sop See Gam, Jig-Sang; Park, S.-W.
Han, Kyoung-Ran; Lim, C.-S.; Hong, M.-J.; Choi, S.-K.; Kwon, S.-H.
Surface modification of silicon nitride powder with aluminum.—75-01691
Han, Kyoung-Ran
Process for coating ceramic powder with alumina by sol-gel process and improved densification.—75-03675
Han, L.-C. See Fan, Q.-S.
Han, Ping See Shi, Yi; Worrell, Wayne
Han, S. D. See Campet, G.
Han, S. See Stone, R.
Han, Sang-Mi See Lim, Hun-Jin
Han, Sung See Ager, Joel W., III
Han, Sung-Wook See Moon, Hwan-Seong
Han, Y.-H. See Suh, J.
Han, Yang-So See Choy, Jin-Ho
Han, Yong-Jin See Chae, Hee-Baik
Hanada, Teiichi See Takasaki, Hisako; Tanabe, Setsuhisa
Hanawa, T.; Murakami, K.; Kihara, S.
Calcium phosphate precipitation on calcium-ion-implanted titanium in electrolyte.—75-01076
Hand, R. J. See Guillard, F. J. A.
Handerek, J. See Ujma, Z.
Handoo, S. K. See Ali, M. M.
Handrick, K. See Koberle, H.
Haneda, H. See Sakaguchi, Isao
Hang, K. W. See Keusseyan, R. L.
Hangas, J. See Rimai, L.
Hangyo, M. See Nakashima, S.; Tonouchi, M.
Hanic, F. See Hartmanova, M.
Hanna, D. C. See Shepherd, D. P.
Hanna, S. M.
Application of ferrites and ferromagnets in tuning rf cavities for accelerators.—75-03279
Hanni, Robert; Kuz, Zdenko
Glassware forming machine.—75-07427
Hannink, R. H. J. See Doyle, K. J.; Edwards, D. P.; Waalib-Singh, N. K.
Hannink, R. H. J.; Gross, V.; Muddle, B. C.
Mechanical properties of a zirconia-based ternary alloy.—75-02073
Hannon, Gregory E. See Aghajanian, Michael K.
Hanse, E. See Poirier, J.
Hansen, James D.
Ceramic orthodontic bracket with debonding channel.—75-03667
Hansen, James E.; Tixier, John S.
Commercialization of the in situ vitrification [ISV] technology.—75-05890
Hanumaiah, A.; Bhimasankaram, T.; Suryanarayana, S. V.
Dielectric behavior and magnetoelectric effect in cobalt ferrite–barium titanate composites.—75-05662
Hao, Hong-Qi; Jin, Zhi-Hao; Wang, Xiao-Tian
Influence of brazing conditions on joint strength in Al_2O_3/Al_2O_3 bonding.—75-06648
Hao, Jian-Hua; Zhao, Xing-Rong; Zhou, Fang-Qiao
In situ growth of Y-Ba-Cu-O films by ion beam sputtering.—75-05777
Hao, L.; Macfarlane, J. C.; Pegrum, C. M.
Excess noise in $YBa_2Cu_3O_7$ thin-film grain boundary Josephson junctions and devices.—75-08313
Hao, Y.-Z.; Chen, Q.-W.
Applications of technology of compound lining of semigraphitized self-baking carbon block ceramic brickwork in large-sized blast furnaces.—75-03606
Hapke, J. See Ziegler, G.
Hara, Naohiro See Masuda, Yoshi
Hara, Shuichi See Ouchi, Tatsuya
Hara, Tomihiro See Sugiyama, Shunichi
Hara, Tsukushi See Fujino, Kousou
Harabi, A. See Fergag, M.
Harada, Akinori
Fabrication of ferroelectric domain reversals.—75-00712
Harada, K. See Bonevich, J. E.
Harada, Keizo See Matsuura, Takashi
Harada, Keizo; Itozaki, Hideo
Stacked Josephson junction device composed of oxide superconductor material.—75-05883
Harada, Keizo; Nakanishi, Hidenori; Itozaki, Hideo
Thin film superconductor with an interlayer on a silicon substrate.—75-00925
Harada, Kouichi; Kanai, Hideyuki; Yamashita, Yohachi
Effect of Mn on aging of $(Pb_{0.63}Ba_{0.37})(Zr_{0.7}Ti_{0.3})O_3$ dielectric ceramics.—75-05185
Harada, Masahiro See Ikesue, Akio; Katagiri, Setsuo
Harada, Ryusuke See Sugiyama, Noriyuki
Harada, Ryusuke; Sugiyama, Noriyuki; Ishida, Hideki
Al_2O_3-strengthened feldspathic porcelain bodies: effects of the amount and particle size of alumina.—75-02849
Harada, Shigemi See Mikami, Yorihito
Harada, Tamotsu See Kuwabara. Mitsuo
Harada, Y. See Chichibu, S.
Haraguchi, K. See Takahashi, Minoru
Haratani, S.; Tominaga, J.; Dohi, H.
Property change of AgO_x recordable compact disk with various dielectric films.—75-01092
Harayama, Yoichi See Horiuchi, Michio
Harbison, Barry B. See Jewell, John M.
Harder, Patrick J. See Atwell, William H.
Hardtdegen, Hilde See Hollfelder, M.
Hardtl, Karl Heinz See Schaufele, Ansgar B.
Hareesh, U. S. See Warrier, K. G. K.
Harel, H. See Beilin, V.
Hargrove, D. L. See Glass, R. S.
Harkki, Jouko See Nevala, Hannu
Harkness, S. D. See Lee, Dong-Gu
Harman, Alang Kasim; Ninomiya, Susumu; Adachi, Sadao
Optical constants of sapphire (α-Al_2O_3) single crystals.—75-01322
Harmann, A.; Russell, G. J.; Frentrup, W.
Electronic structural differences of $RBa_2Cu_3O_{6.1}$ (R=Y, Pr, and Nd) single crystals probed by soft X-ray absorption spectroscopy.—75-05765
Harmer, Mark A.; Bergna, Horacio; Saltzberg, Michael; Hu, Yung-Haw
Preparation and properties of borosilicate-coated alumina particles from alkoxides.—75-04154
Harmer, Martin P. See Booth, Charles L.; Chen, Jie; Chou, Irene A.; French, Jonathan D.; Gaus, Shaun P.; Li, Y. Z.; Stearns, Laura C.; Thompson, A. M.
Harmer, Martin P.; Kim, Jeong-Joo; Alves, F. Jorge; Chan, Helen M.
Effect of liquid phase on microstructural coarsening in ceramic systems.—75-09541
Harmon, David L. See Nguyen, Son V.
Harmon, E. S. See Melloch, M. R.
Harmsworth, Patrick D. See Jennett, Timothy A.
Harper, J. See Wilkins, R.
Harr, R. E.
Easing the availablity of bare die—die information exchange (DIE) format.—75-00322
Harrell, J. W. See Yu, Yu-Wu
Harris, A. B. See Yildirim, T.
Harris, B. See Bleay, S. M.
Harris, C. I. See Bergman, J. P.
Harris, Daniel C.
Diamond optics: status for infrared applications.—75-07380
Harris, Gary L.
Properties of Silicon Carbide.—75-02168
Harris, Jonathan H.; Shinde, Subhash L.; Takamori, Takeshi; Youngman, R. A.
Low-temperature sintering route for aluminum nitride ceramics.—75-01172
Harris, M. T. See Leigh, W. B.
Harris, Stephen J.; Weiner, Anita M.
Pressure and temperature effects on the kinetics and quality of diamond films.—75-01628
Harris, V. G. See Pappas, D. P.
Harrison, D. A. See Keeler, W. J.
Harrison, Larry W. See Ewsuk, Kevin G.
Harsanyi, R. S. G.
Thick film superconductors and their application in the microelectronics technology.—75-00889
Harshavardhan, Kolagani S.; Venkatesan, Thirumalai
Superconducting films on alkaline earth fluoride substrate with multiple buffer layers.—75-00920
Hart-Smith, L. J.
Reexamination of the analysis of in-plane matrix failures in fibrous composite laminates.—75-07027
Hartgers, F. See Boutz, M. M. R.
Hartig, Klaus W.; Larson, Steven L.; Lingle, Philip J.
Low-E glass coating system and insulating glass units made therefrom.—75-07431
Hartig, Klaus W.; Lingle, Philip J.
Method of making high performance, durable, low-e glass.—75-00227
Hartman, J. Stephen See MacKenzie, K. J. D.
Hartman, J. Stephen; Narayanan, Arjun; Wang, You-Xiang
NMR spin lattice relaxation in nitrogen-doped 6H silicon carbide.—75-00550
Hartmann, Q. J. See Stockman, S. A.
Hartmann, S. See Mucklich, F.
Hartmann, Werner See Mangold, Helmut
Hartmanova, M.; Poulsen, F. W.; Hanic, F.
Influence of copper and iron doping on cubic yttria-stabilized zirconia.—75-06649
Hartquist, D. A.
Coalition advocates safe ceramic ware.—75-02857
Hartridge, A. See Bhattacharya, A. K.
Hartsell, Michelle L. See Wynands, Henry A.
Hartsell, Michelle L.; Dreifus, David L.; Fox, Bradley A.
Diamond semiconductor device with carbide interlayer.—75-05523
Hartvigsen, J. J. See Khandkar, A. C.
Hartvigsen, J. J.; Milliken, C.; Elangovan, S.; Khandkar, A. C.
Challenges to obtaining high efficiency in solid oxide fuel cells.—75-02895
Harumiya, Noriho See Katsuoka, Kyuji
Haruta, Yasuhiro See Itozaki, Hideo
Hasanain, S. K. See Asim, M. M.
Hascicek, Yusuf S.; Testardi, Louis R.
Method of producing superconductor which exhibits critical current density bifurcation.—75-05877
Hase, A.; Kunzel, H.; Zahn, D. R. T.
Assessment of clustering-induced internal strain in AlInAs on InP grown by molecular beam epitaxy.—75-00415
Hase, Kiyoshi; Ando, Akira; Yoneda, Yasunobu; Kittaka, Toshihiko
Piezoelectric ceramics.—75-00719
Hasegawa, H. See Ozawa, M.
Hasegawa, Hiroshi See Okada, Kenichi
Hasegawa, Minoru; Itatani, Kiyoshi; Aizawa, Mamoru; Howell, F. Scott; Kishioka, Akira
Low-temperature synthesis of aluminum silicon carbide using ultrafine aluminum carbide and silicon carbide powders.—75-01566
Hasegawa, Takashi See Hayashi, Tsuyoshi
Hasegawa, Tetsuo See Ariyoshi, Kisaburo
Hasegawa, Tetsuya See Nantoh, Masashi
Hasegawa, Yoshio
Process for manufacturing SiC-based ceramic precursors.—75-01186
Haselkorn, M. See Pei, Z. J.
Hash, M. C. See Kaun, T. D.
Hashiba, M. See Kuwabara, T.
Hashida, Toshiyuki See Hosoi, Kazuyuki; Jian, C. Y.; Li, Victor C.; Maalej, Mohamed
Hashimoto, Koji See Li, Jing-Feng
Hashimoto, Misao See Miyajima, Shumpei
Hashimoto, Shinobu See Yamaguchi, Akira
Hashimoto, Shinobu; Yamaguchi, Akira
Growth morphology and mechanism of a hollow ZnO polycrystal.—75-04331; Preparation of porous Cr_3C_2 grains with Cr_2O_3.—75-06733; Synthesis of $MgAl_2O_4$ whiskers by an oxidation-reduction reaction.—75-01709
Hashimoto, T.; Yoshida, Toshikazu; Takawa, Hiroaki
Oxygen deficiency in $BaBi_{0.25}Pb_{0.75}O_{3-\delta}$ and its effect on the conduction behavior and crystal structure.—75-05808

Hashimoto, Taishi See Hayashi, Shigeki
Hashish, M.; Ramulu, M.; Raju, S. P.
Abrasive waterjet cutting front characteristics in machining of glass.—75-00009
Hashizume, H.; Carvalho, Carlos A. M.; Sudo, Naoaki
Determination of Mg_3BN_3 structure from powder diffraction data by entropy maximization.—75-06201
Hashizume, Tadahiro See Katsuoka, Kyuji
Hashizume, Tamotsu; Yoshino, Masaki; Shimozuma, Mitsuo
SiO_2/amorphous As/GaAs passivation systems prepared at room temperature by 50-Hz plasma-enhanced chemical vapor deposition.—75-00596
Hashizume, Tomihiro; Sakurai, T.
FI-STM study of fullerenes.—75-01851
Hashmi, R. A.; Hague, Noor-Ul; Bano, N.
Dielectric properties of silver borophosphate glasses.—75-04949
Haspel, David; Henderson, Walter
New generation of process optimization systems for the cement industry.—75-00057
Hass, K. C. See McBride, J. R.
Hassan, A. K. See El-Damrawi, G. M.
Hasselman, D. P. H. See Russell, Laura M.
Hasselman, D. P. H.; Donaldson, Kimberly Y.; Thomas, J. R., Jr.; Brennan, John J.
Thermal conductivity of vapor-liquid-solid [VLS] and vapor-solid [VS] silicon carbide whisker-reinforced lithium aluminosilicate glass-ceramic composites.—75-02693
Hassine, N. A. See Binner, J. G. P.
Hassouni, K.; Farhat, S.; Scott, C. D.; Gicquel, A.
Mass and energy transport in an H_2 microwave plasma obtained under diamond deposition discharge conditions: role of the spatial distribution of the microwave power density.—75-08979
Hataiova, Beata See Liska, Marek
Hatanaka, Yukio See Kishishita, Hiroyuki
Hatano, Hirohisa See Hirata, Yoshihiro
Hatano, J. See Gruverman, A.
Hatcher, Helen; Kaczmarczyk, Alexander; Scherer, Agnes
Chemical classification and provenance of some Roman glazed ceramics.—75-00015
Hatchwell, C. See Sammes, N. M.
Hatta, A. See Eimori, N.; Makita, H.
Hatta, A.; Suzuki, Hidetoshi; Kadota, Kenichi; Makita, H.; Yara, Takuya; Ito, T.
Low-temperature synthesis of diamond films by pulse-modulated magnetoactive microwave plasma CVD.—75-09356
Hatta, Hiroshi See Kogo, Yasuo
Hatton, Kenneth S. See Sonuparlak, Birol
Hatton, P. D. See Cox, U. J.
Hattori, Isao
Ceramic honeycomb substrates for automobile exhaust catalysts.—75-06065
Hattori, Mitsuru
Method for preparing a ceramic gas-turbine nozzle with cooling fine holes.—75-01117
Hattori, T. See Nagakubo, M.; Suzuki, T.
Hattori, Wataru See Hidaka, Mutsuo; Miura, Sadahiko
Hattori, Y. See Tajima, Y.
Hauck, D.; Ruppik, M.; Brezynski, B. K.
Changing the plasticity by means of additives, clay disintegration and shaping temperature.—75-00238; Potential applications for natural stone dusts and stands for brickmaking.—75-00249
Hauck, D.; Ruppik, M.; Krutzner-Brezynski, Bettina
Fast firing of large-size, vertically perforated clay units by optimization of the raw material composition.—75-05996
Hauert, R.; Spescha, G.; Keller, B.; Birchler, F.; Mayer, J.; Wintermantel, E.
Biocompatibility and surface analysis of nitrogen-containing DLC [diamondlike carbon].—75-08876
Haug, T. See Suttor, D.
Hauge, Robert H. See Pan, Chen-Yu
Haught, D. A. See Talmy, I. G.
Hauglie-Hanssen, Christian; Djeu, N.
Further investigations of a 2-μm Tm:YVO_4 laser.—75-05327
Haukeland, L. See Bjorneklett, A.
Haupt, Uwe
Injection molding of porcelain.—75-02872
Hauret, G.; Vaills, Y.; Luspin, Y.
Similarities in the behavior of magnesium and calcium in silicate glasses.—75-04927
Hauser, Hans See Fulmek, Paul L.
Hausmann, M. R. See Breia, C.
Hausner, H. See Bohm, N.; Kopp, C.; Li, Jian-Guo; Polzin, J.-F.
Havens, Thomas G. See Claunch, Thomas C.
Haviar, Miroslav
Influence of α- and β-Si_3N_4 precursors on formation of α-SiAlON ceramics.—75-09336
Havrda, J. See Skacel, F.
Haw, L.-G. See Ko, S.-Y.
Hawk, J. A. See Dogan, C. P.
Hawk, J. A.; Alman, David E.; Petrovic, John J.
Abrasive wear behavior of an Si_3N_4-$MoSi_2$ composite.—75-04449
Hawk, J. A.; Dogan, C. P.
Review of abrasive wear of ceramics.—75-09182
Hawkins, Heather T.; Scheetz, Barry E.
Monophasic sodium zirconium phosphate (NZP) as a host structure for the immobilization of reprocessed high-level commercial wastes.—75-03481
Hawley, M. E. See Bryden, W. A.
Hawley, M. E.; Houlton, R. J.; Raistrick, I. A.; Garzon, F. H.
Temperature-dependent growth of $LaAlO_3$ films on $YBa_2Cu_3O_7$ c-axis films for multilayer structures.—75-03415
Hawley, M. See Adegbite, V.
Haworth, D. See Beall, K.
Hawthorne, H. M. See Berriche, R.; Erickson, L. C.
Hay, David G. See Lathabai, Srinivasarao
Hay, David G.; O'Donnell, R. G.; Trigg, M. B.
Density maps of ceramic bodies using X-ray radiography.—75-01019
Hay, Randall S. See Cinibulk, Michael K.; Parthasarathy, Triplicane A.
Hay, Randall S.; Parthasarathy, Triplicane A.; Welch, John H.
Creep and stability of pollucite.—75-02031
Hay, Randall S.; Petry, M. D.; Keller, K. A.; Cinibulk, Michael K.; Welch, John R.
Carbon and oxide coatings on continuous ceramic fibers.—75-03957
Hay, Randall S.
Orientation relationships and interfaces between low symmetry phases in the yttria-alumina system.—75-04384
Hayakawa, Hisao See Andoh, Hiroya
Hayakawa, Masanori; Ohnishi, Keiji
Ceramic color composition and method of forming ceramic color film on glass plate using same.—75-00224
Hayakawa, Naoya See Nogami, Masayuki
Hayakawa, Nobuhiro See Kawai, Takeshi
Hayakawa, Osamu See Kang, In-Ho
Hayakawa, Osamu; Nakahira, Kenji; Tsubaki, Junichiro
Comparison of particle size analyzers and evaluation of the measuring technique with fine ceramic powders: I, Oxide powders.—75-08642; II, Nonoxide powders.—75-08643; Evaluation of fine ceramic raw powders with particle size analyzers having different measuring principles and the problem.—75-08669
Hayakawa, Yasuhiro See Sano, Makoto
Hayama, Seiji See Suzuki, Suguru
Hayashi, H. See Li, J.-S.
Hayashi, Katsuro; Yamamoto, Takahisa; Sakuma, T.
Grain orientation dependence of the PTCR effect in niobium-doped barium titanate.—75-03037
Hayashi, Kazuhiko
Ceramic superconductor having a heterogeneous composition distribution and method of preparing the same.—75-08453
Hayashi, Kazushi See Tachibana, Takeshi
Hayashi, Koishiro See Horiuchi, Michio
Hayashi, Kunihiko See Konishi, Masaya
Hayashi, Kunihiko; Fujino, Shuichi; Enomoto, Youichi; Tanaka, Shoji
Method for manufacturing an oxide superconductor thin film and a target for use in the method.—75-00906
Hayashi, Kunio See Shiono, Takeshi
Hayashi, Kunio; Okamoto, Yasunori
Technique for measuring thermal conductivity of carbon fibrous insulators by transient hot wire method.—75-08705
Hayashi, Kunio; Yoneyama, Masaaki; Okamoto, Yasunori
Mechanical properties of $MoSi_2$/ZrO_2 composites at room temperature.—75-09651
Hayashi, Kyohei See Iwaya, Masaki
Hayashi, N. See Furuhashi, H.
Hayashi, N.; Yoshida, Noriyuki
Method of fabricating oxide superconducting films by laser deposition.—75-03433
Hayashi, Osamu See Aoki, Hideki
Hayashi, Ryuichi See Tsuda, Hiroshi
Hayashi, Shigeki; Kijima, Takahiko; Asa, Hideyoshi; Hashimoto, Taishi; Date, Junichi
Processing of copper thick film materials for hybrid circuits.—75-00367
Hayashi, Shigeo See Ban, Takayuki; Koyama, Toshiyuki
Hayashi, Shigeyuki See Echigoya, Junichi
Hayashi, Takashi; Satoh, Kimihiko; Suganuma, Katsuaki
Chemical processing and dielectric properties of $BaTiO_3$ ceramics.—75-00432
Hayashi, Tsuyoshi; Saitou, Koji; Hasegawa, Takashi; Tabatu, Yujin
Effects of grinding aids on the surface properties of flaky graphite.—75-09294
Hayashibara, M. See Koyanagi, A.
Hayatsu, Toshihide See Shimoo, Toshio
Hayden, L. A. See Jong, J. M.
Haydon, Margaret
Venturing into the unknown.—75-02378
Hayes, Kevin G. See Roberts, Peter A.
Hayes, M. B. See Riad, S. M.
Hayes, Robert See Smart, Roger St. C.
Hayward, P. See Hutcheon, R. M.
Hazra, S. See Mandal, S.
Hazra, S.; Ghosh, A.; Chakravorty, D.
Gel to glass conversion in the cobalt silicate system.—75-02720
He, Chang-Ling; Makovicky, Emil; Osbaeck, Bjarne
Thermal stability and pozzolanic activity of calcined kaolin.—75-03937
He, En-Pei See Liu, Mei-Dong
He, Hui-Qing
Development and application of scum weir for a tundish and exploration for its antislag erosion mechanism.—75-07511; See also Yuan, Gong-Quan
He, J.-Z.; Li, Z.-G.; See, S.-L.
Al_2O_3-SiO_2-based castables containing andalusite.—75-02807
He, Jun See Kizler, Peter
He, Mao-Qi See Ren, Zhong-Min
He, Ping-Xian See Li, Ya-Wei
He, Y. See Fan, Q.-S.; Zhao, H.
He, Y. J. See Bakker, P. M. V.
He, Ying-Jie; Winnubst, Louis; Burggraaf, A. J.; Verweij, H.; Van der Varst, Paul G. T.; De With, Bert
Grain size dependence of sliding wear in tetragonal zirconia polycrystals.—75-09639
He, Ying-Jie; Winnubst, A. J. A.; Sagel-Ransijn, C. D.; Burggraaf, A. J.; Verweij, H.
Enhanced mechanical properties by grain boundary strengthening in ultrafine-grained TZP ceramics.—75-09630
He, Ying-Jie; Winnubst, A. J. A.; Verweij, H.
Sinter forging of zirconia-toughened alumina.—75-06763
He, Yong-Feng; Li, Yin-Tai; Yan, Xing-Jian
Magnetic susceptibility of MgO-C brick.—75-07597
He, Yu-Liang See Zhang, Rong
He, Z.-J. See Guo, Y.; Wu, Y.-W.
Hendrick, William L., Jr. See Moore, Robert E.
Healy, S. D. See Scheinfein, M. R.
Hearle, Jonathan A. See Kostuch, Jacek A.
Heath, G. R.; Stack, M. M.; Rehberg, M.; Kammer, P. A.
Erosion of functionally graded coatings under fluidized bed conditions.—75-02466
Heatherly, L. See Mehta, Prabhjot; Tolt, Z. L.
Hebboul, S. E. See Wan, Y. M.
Heberle, A. P.; Ruhle, W. W.; Ploog, K.
Quantum beats of electron Larmor precession in GaAs wells.—75-05454
Hecht, Norman L.; Yaney, Perry P.; Graves, George A.
Use of laser Raman microprobe spectroscopy for investigating residual surface strain in selected ceramics.—75-03602
Heck, Joaquim L., Jr. See Wuest, Craig R.
Heck, Ronald M. See Farrauto, Robert J.
Hedrick, James B.
Mica.—75-06040; Rare earths.—75-06050
Heera, V.; Kogler, R.; Skorupa, W.; Stoemenos, J.
Amorphization and recrystallization of 6H-SiC by ion beam irradiation.—75-00414
Heerman, M. See Beyne, E.
Hegde, H.; Samarasekara, P.; Cadieu, F. J.
Nonepitaxial sputter synthesis of aligned strontium hexaferrite, $SrO{\cdot}6(Fe_2O_3)$, films.—75-03322
Hegde, M. S. See Manoharan, S. Sundar; Srinivasu, V. V.
Hegde, S. B.; Chaturvedi, S.
Effect of alkalis on alumina refractories in cement rotary kilns.—75-05083; Service of high-alumina refractories in arc furnaces.—75-05136
Heidemann, D.
Proton high-resolution solid-state NMR spectroscopy using CRAMPS techniques for studies in silicate and cement science.—75-01914
Heikkila, L. See Yu, Tao
Heim, K. R. See Scheinfein, M. R.
Heim, M.-K.; Chen, J.-X.; Pompe, R.; Arwin, H.
High-temperature oxidation behavior of an Si_3N_2O-ZrO_2 composite.—75-04429
Hein, M. A.; Strupp, M.; Piel, H.
Surface impedance of $YBa_2Cu_3O_{7-x}$ thin film grain boundary Josephson junctions: evaluation of the IcRn product.—75-00877
Heindl, Roland
Use of a finely divided, refractory, oxidic micropowder for preparing ceramic masses and moldings.—75-00280
Heinonen, M. See Batirev, I. G.
Heinrich, B. See Chrzanowski, J.; Xing, W.
Heinrich, J. G.; Kruner, H.
Silicon nitride materials for engine applications.—75-03718; —75-03719
Heinrich, T.; Raether, F.; Marsmann, H.
Growth and structure of single phase mullite gels from chelated aluminum alkoxides and alkoxysilanes.—75-06629
Heintz, J. M. See Letullier, P.; Magro, C.
Heinz, E. See Seidel, P.
Heinze, M. See Baenitz, M.
Helbig, R. See Engelbrecht, F.; Haberstroh, C.; Rottner, K.
Helble, Joseph J.; Moniz, Gary A.; Morse, Theodore F.
Apparatus for producing nanoscale ceramic powders.—75-03539
Held, P.
From Mali to Oregon—Baba Wague Diakite.—75-02773
Helebrant, Ales See Matousek, Josef
Helke, Gunter; Langer, Hans-Joachim
Piezoceramic material having high piezoelectric activity and high dielectric constant.—75-00718
Hellman, Olof C.
Imaging of buried Si and Si:Ge surface structure under amorphous Ge films by planview transmission electron microscopy.—75-00511
Hellmann, J. R. See Stough, M. A.
Hellmann, J. R.; Chou, Y.-S.
Effect of coating thickness on interfacial shear behavior of zirconia-coated sapphire fibers in a polycrystalline alumina matrix.—75-04493
Hellstrom, E. E. See Goretta, Kenneth C.; Park, S. M.; Zhang, W.
Hellwig, A.; Hendry, A.
Formation of barium-tantalum oxynitrides.—75-06613
Helmkamp, M. M.; Davis, M. E.
Synthesis of porous silicates.—75-06386
Helms, C. R. See Beerling, T. E.
Helms, Jan; Geyer, Gotz; Wanek, Erich; Zollner, Werner; Gasser, Oswald
Bone replacement part made of glass ionomer cement.—75-01100
Helsel, E. See Hoghooghi, B.
Hembree, G. G. See Scheinfein, M. R.
Hemida, A. Tazi; Pailler, R.; Naslain, R.; Pillot, J. P.; Birot, M.; Dunogues, J.
SiC-based fibers with low free carbon content.—75-04211
Hemley, Russell J. See Kingma, Kathleen
Hemmingsson, C. See Kordina, O.
Hempel, K. A. See Zimmermann, G.
Henager, Chuck H., Jr.; Brush, Lucien N.
Model for intermetallic/ceramic composite microstructures from solid-state displacement reactions between metal carbides and silicon.—75-07220
Hench, Larry L.; West, J. K.
Molecular orbital models of silica.—75-06277
Hench, Larry L.
The 70's: from selection of alternative waste forms to evaluation of storage system variables.—75-03501; See also West, J. K.
Henderson, B. See Gurbuz, Y.
Henderson, Craig C. See Jacobs, Joshua; Morosin, B.
Henderson, D. O. See Mu, R.; Pan, Z.

Henderson, J. See Mayer, J.
Henderson, M. A.
Influence of surface structure on the interaction of water with TiO_2(100).—75-04343
Henderson, Walter See Haspel, David
Hendricks, Diana See Piez, Karl A.
Hendricks, K. J. See Fishbine, B. H.
Hendriksen, P. V. See Linderoth, S.
Hendry, A. See Anya, C. C.; Hellwig, A.; Zhe, Xiao-Li
Hendry, Robert C. See Rudder, Ronald A.
Henn, F. E. See Jiang, N.
Henneberg, Karl-Heinz See Muller, Eberhard
Hennion, Bernard See Winkler, Bjorn
Henrich, V. E.
Atomic bonding at oxide surfaces.—75-04296
Henry, A. See Bergman, J. P.; Kordina, O.
Henry, Francis W., Jr.; Stendera, James W.
Production of basic castables and basic precast shapes for steel applications.—75-07634
Henry, M. See Chatry, M.
Henry, M.; Taulelle, F.
Use of the partial charge model and multinuclear NMR techniques in aqueous chemistry.—75-01050
Hens, Karl F. See Johnson, John L.
Hensley, D.A. See Khasgiwale, N. R.
Hentschel, Art See Pope, Edward J. A.
Hentschel, M. P. See Ekenhorst, D.
Heo, H.-B.; Seo, S.-H.; Shin, K.-C.
Formation mechanism of fine $BaTiO_3$ powder from spray pyrolysis.—75-01507
Heo, Jong See Kim, You-Song
Hepburn, A. R. See Lau, S. P.
Hepburn, Tony
Watershed—a new rawness.—75-02379
Hepp, M. A.; Man, P. P.; Fraissard, J.
Excitation conditions for quantitative determination of quadrupolar spins with a spin-echo sequence; cancellation of spurious signals.—75-01490
Her, J.; Lim, H.; Kim, C.-H.
Two-temperature technique for plasma-enhanced chemical vapor deposition growth of silicon nitride on InP.—75-06824
Her, P.-S.; Gau, E.-J.; Lee, J.-Y.
Dielectric properties and phase transition temperature of ferroelectric liquid crystals.—75-03222
Her, Trao; Boekema, Carel
Wannier states in magnetite.—75-00764
Herard, Claude See Bowen, Paul
Herb, J. A. See Graebner, J. E.
Herbert, H. K. See Fletcher, A. C.
Herbert, J. M. See Tu, Y.-L.
Herbst, U.
Advanced flexible design of hydraulic refractory presses.—75-07457
Heredia, Fernando E. See Domergue, Jean-Marc
Herlin, N. See Luce, M.; Musset, E.
Herman, L.
Collector's eye.—75-02224
Herman, M. See Kolawa, E.
Hermann, Jean-Marie See Rouvet,
Hermann, R. See Moffatt, J. E.
Hermann, Wilhelm See Klee, Mareike
Hermansson, L.
Strong and safe brittle ceramics—materials aspects of design with structural ceramics.—75-09677
Hermel, Waldemar See Klemm, H.
Hernandez, C.
Eduardo Andaluz.—75-02241
Hernandez, F. See Balmori, H.
Hernandez, J. C. See Araiza, Miguel A.; Castano, Victor M.
Hernandez, M. S. See Goni, S.
Hernandez, Oscar See Amarakoon, Vasantha R. W.; LaCourse, Brian C.
Hernandez, S. See Lorenzo, P.
Hernando, A. See Chen, D.-X.
Herrero, J. See Guillen, C.
Herreyre, S. See Gleize, P.
Herring, Rodney A.; Bonevich, John E.; Tanji, Takayoshi; Tonomura, Akira
Observation and measurement of atomic scale imperfections in materials using CBED+EBI/H.—75-01901
Herrmann, G. See Honein, E.
Herrmann, M.; Klemm, H.; Schubert, Christian; Tangermann, Katja; Reich, T.; Kruner, H.
High-temperature properties of silicon nitride materials with rare-earth additives.—75-04556
Herron, Lester W. See Casey, Jon A.
Hersee, S. D. See Fong, Yu-Chue
Hertzberg, Richard W.
Deformation and Fracture Mechanics of Engineering Materials.—75-07106
Hervieu, M. See Wang, J.
Heslin, Michael R.; Shelby, J. E.
Formation and properties of lithium neodymium silicate glasses.—75-05011
Hess, N. J.; Maupin, G. D.; Chick, L. A.; Sunberg, D. S.; McCreedy, D. E.; Armstrong, T. R.
Synthesis and crystallization of yttrium aluminum garnet and related compounds.—75-03335
Hess, N. See Neumann, N.
Hesse, D.; Scholz, R.; Senz, S.; Sieber, H.; Werner, P.; Heydenreich, J.
Structure of spinel/oxide reaction fronts during spinel-forming solid-state reactions.—75-04408
Hesse, Reinhard See Vali, Hojatollah
Hesse, W. See Ebenhoch, J. S.
Hesse, W.; Ter Maat, J. H. H.; Trubenbach, P.
Injection molding and catalytic debinding of zirconia (Y-TZP) ceramics with a polyacetal based binder system.—75-01550
Hessel, Volker See Freimuth, Herbert
Hettich, R. L.; Jin, C.; Britt, P. F.; Tuinman, A. A.; Compton, R. N.
Ionic properties of hydrogenated and fluorinated fullerenes.—75-01301
Heuer, Arthur H. See Behrens, Gesa; Cawley, James D.; Farber, B. Ya.; Ikuhara, Yuichi; Shin, Hyun-Jung
Heughebaert, M. See Ababuo, A.
Hewak, Daniel W. See Takebe, Hiromichi
Hewett, C. A. See Zeidler, J. R.
Hewett, C. L.; Cheng, Y.-B.; Muddle, B. C.; Trigg, M. B.
Reaction mechanism of hot-pressed calcium α-SiAlON.—75-01643
Hewett, C. L.; Cheng, Y.-B.; Muddle, B. C.
Preparation of fine-grained calcium α-SiAlON.—75-06728
Hewitt, M.
Svend Bayer.—75-02366
Hewlett, Kenneth J. See Bennert, D. M.; Davis, Douglas H.
Hey, A. W. See Correia, L. A.
Hey, H. Peter W.; Carlson, David W.
Silicon nitride deposition.—75-08631
Heydenreich, J. See Hesse, D.
Hezel, R. See Balz, T.
Hibbert, D. B. See Pigram, P. J.
Hibi, M. See Nishikawa, T.
Hibi, Toshiyuki See Ota, T.
Hickernell, Frederick S. See Kim, Yoon-Kee
Hickey, G.
Sadashi Inuzuka.—75-02350
Hickman, D. L. See Day, J. Paul
Hida, George T.; Hida, Rodica S.; Delcea, Cezar C.
SiAlON composition.—75-03754
Hida, Rodica S. See Hida, George T.
Hidaka, Akio; Oota, Jirou; Sasaki, Katsumi; Taki, Hiromitsu; Satou, Noriya
Surface-mount-type ceramic capacitor.—75-00410
Hidaka, Jusuke; Kano, Junya; Shimosaka, Atsuko
Flow mechanism of granular materials discharging from bin-hopper system.—75-05948
Hidaka, Mutsuo See Miura, Sadahiko
Hidaka, Mutsuo; Miura, Sadahiko; Satoh, Tetsuro; Hattori, Wataru; Tsai, J. S.; Tahara, Shuichi
Magnetically coupled SQUID for the digital readout of integrated HTS circuits.—75-08358
Hidber, Pirmin C.; Graule, T. J.; Gauckler, L. J.
Citric acid—a dispersant for aqueous alumina suspensions.—75-06185
Hidejiro, Miki See Tomio, Takeshi
Higa, Teruo
Functional ceramics.—75-08579
Higaki, Kenjiro See Shikata, Shinichi; Matsuura, Takashi
Higaki, Kenjiro; Itozaki, Hideo
Superconducting microwave parts having a package, two substrates, and line and grounding conductors.—75-08488
Higashi, Kenji See Satoh, Munetake
Higashino, Hidetaka See Mizuno, Koichi
Higashitani, Ko; Yamamura, Takuya; Isshiki, Yumiko; Kage, Akiko; Kondo, Akihiko
Formation of composite latex particles by deposition of amphoteric particles.—75-06615
Higashiyama, Kazutoshi See Kumagai, Teruo
Higgins, Robert See Ho, Kuok-San
Hight, Susan C.; Gould, John H.; Mindak, William R.; Capar, Stephen G.
Lead and cadmium release under conditions of consumer use: FDA experiments with cookware, glass tumblers, lead crystal baby bottles, and ceramic mugs.—75-04720
Higo, S. See Hakuraku, Y.
Higuchi, Hirokazu See Yamamoto, Shinya
Higuchi, K.; Miyazawa, K.; Sakuma, T.
Microstructure characterization of sol-gel derived PZT films.—75-06897
Higuchi, Matsuo See Nishioka, Takao
Higuchi, T. See Murakami, Masato; Van Dalen, A. J. J.
Higuchi, Yoshikatsu; Okabe, Masanori; Kawakami, Yasunobu
Crystalline ceramic fiber and method of manufacturing same.—75-08570
Higuchi, Yukio; Michiura, Nobuhiko; Tatekawa, Tsutomu; Tamura, Hiroshi
Effects of dopants and oxygen vacancies on the dielectric loss tangent of $(Zr_{0.8}Sn_{0.2})TiO_4$ dielectric ceramics.—75-00326
Hihara, Hiroshi See Yoshida, Kazuaki
Hikata, Takeshi See Sato, Kenichi
Hikata, Takeshi; Sato, Kenichi
Method of preparing oxide superconducting wire.—75-00909
Hikichi, Yasuo See Ota, T.
Hikita, Kazuyasu; Miyayama, Masaru; Yanagida, Hiroaki
Gas sensing by ac impedance under dc bias or CuO/ZnO *pn* heterocontact.—75-00497
Hikita, T. See Yasuda, I.
Hilarius, V. See Kaestner, G.
Hilinski, E. F. See Gao, F.
Hill, Charles S. See Dutta, D.
Hill, D. Norman See Chung, Yong S.; Isabell, Thomas C.
Hill, Graham J. See Reece, M. J.
Hill, J. K.; Brosnan, Denis A.
Detection of hydrogen fluoride emissions from firing clay ceramics using Fourier transform infrared (FTIR) spectroscopy.—75-03611
Hill, J. See Griffiths, J.
Hill, L. W.; Hill, S.
California clay conference.—75-02208
Hill, Michael D.; White, Grady S.; Hwang, Cheol-Seong; Lloyd, Isabel K.
Cyclic damage in lead zirconate titanate.—75-05542
Hill, R. G.; Webster, K.; May, C.
Microstructural evidence for amorphous phase separation in bone china.—75-00290
Hill, S.
Don't put out the flames.—75-02238; See also Hill, L. W.
Hillel, R. See Gourbilleau, F.; Maupas, H.
Hillert, M.
Calculation of phase diagrams of multicomponent systems.—75-03767
Hillhouse, V.
Echizen stoneware—800 years of Japanese tradition.—75-02239; Elisabeth Anderson.—75-02243; Robert Sunday.—75-02345
Hillig, W. B.; Ramakrishnan, R. M.; Broglio, M.; Patibandla, N.
Stucture and formation kinetics of $MoSi_2$ composites formed by reactive vapor infiltration process.—75-04231
Hillig, W. B.
Effect of fiber misalignment on fracture behavior of fiber-reinforced composites: II, Theoretical modeling.—75-06964; See also Cook, M. J.
Hillman, Craig See Oechsner, Matthias
Hillman, Craig; Suo, Zhi-Gang; Lange, Fred F.
Cracking of laminates subjected to biaxial tensile stresses.—75-06953
Hills, D. A. See Warren, P. D.
Hillyard, Sean; Silcox, John
Annular dark field imaging in STEM.—75-01788
Hilmas, G. E. See Brady, G. A.
Hilmas, G. E.; Brady, G. A.; Halloran, J. W.
SiC and Si_3N_4 fibrous monoliths—nonbrittle fracture from powder processed ceramics produced by coextrusion.—75-02096
Hilpert, Klaus See Peck, D. H.
Hilz, Gabriela See Kleebe, H.-J.
Himmel, Richard P.; Brown, Raymond
Green ceramic via metallization technique.—75-05524
Himpsel, F. J. See Carlisle, J. A.
Hinczak, I.; Roper, H.
Designed cements for waste encapsulation.—75-00029
Hiner, G. H.
Composites take glass into the 21st century.—75-04694
Hinkov, P. See Kashchieva, E.
Hinks, D. G. See Zasadzinski, Roberta
Hino, Hiroshi See Furusawa, Toshiaki
Hino, Taro See Kwon, Young-Soo
Hinton, Jonathan W.; Lukacs, Alexander, III; Jensen, James A.; Newkirk, Marc S.; Aghajanian, Michael K.; Dwivedi, Ratnesh K.
Methods for fabricating shapes by use of organometallic, ceramic precursor binders.—75-00999
Hintzen, H. T.; Bruls, R.; Kudyba, A.; Groen, W. A.; Metselaar, R.
Powder preparation and densification of $MgSiN_2$.—75-01609
Hintzen, H. T.; Swaanen, P.; Metselaar, R.
Hot-pressing of $MgSiN_2$ ceramics.—75-06638
Hintzen, Ullrich See Bruckner, Raimund
Hioki, Tsuyoshi; Funakubo, Hiroshi; Sakurai, Osamu; Shinozaki, Kazuo; Mizutani, Nobuyasu
Preparation of semiconductive epitaxial $BaTiO_3$ thin film and its electrical properties.—75-08025
Hipps, K. W. See Dickinson, J. T.
Hirabayashi, Izumi See Ogawa, Naoyuki; Yoshida, Manabu
Hirabayashi, Keiji; Hirose, Yoichi
Method for forming tabular diamond crystals.—75-03738
Hiraga, K. See Lee, Byong-Taek; Pezzotti, Giuseppe
Hiragushi, Keisuke See Kii, Toshie
Hirahara, Seiichi; Fujikawa, Nobuyoshi; Koyasu, Tsuguo; Koyasu, Sumie
Dielectric ceramic composition for high frequency.—75-00395
Hirahara, Seiichiro See Okawa, Yoshihiro
Hirai, Hisako See Kondo, Kenichi
Hirai, Koichi; Tatsumisago, Masahiro; Takahashi, Masanari; Minami, Tsutomu
^{29}Si and ^{31}P MAS-NMR spectra of Li_2S-SiS_2-Li_3PO_4 rapidly quenched glasses.—75-00175
Hirai, T. See Jiang, C.
Hirai, Toshiharu; Abe, Yoneji; Komatsu, Michio
Coating solutions for forming transparent conductive ceramic coatings, substrates coated with transparent conductive ceramic coatings and process for preparing same, and uses of substrates coated with transparent conductive ceramic coatings.—75-00393
Hirai, Toshio See Chen, L.; Goto, Takashi; Kobayashi, Yuichi; Omori, M.; Yamane, Hisanori; Zhang, L.-M.
Hiraiwa, Mana Yasui; Yamazaki, Atsushi; Nagoya, Toshio
Adsorption and catalytic reaction of CFC-11 on NaX zeolite.—75-08865
Hirakata, Keigo; Rhine, Wendell E.; Cima, Michael J.
Surface chemistry of lead titanate and its impact on binder removal.—75-04234
Hirakawa, K. See Zheng, X.-G.
Hiraki, A. See Eimori, N.
Hirako, Hisae See Yoshizumi, Motohiko
Hiramatsu, Makoto See Yoshino, Kenji
Hirano, K.
Application of a ductile metallic phase toughening mechanism to ceramic/metals functionally graded materials.—75-02436; Toughening mechanism for ceramics by a ductile metallic phase.—75-07051
Hirano, Masanori See Kato, Eturo
Hirano, Masanori; Kato, Etsuro
Hydrothermal synthesis of cerium(IV) oxide.—75-04072
Hirano, Shingo; Yoshinaka, Masaru; Hirota, Ken; Yamaguchi, Osamu
Formation, characterization, and hot isostatic pressing of Cr_2O_3-doped ZrO_2 (0.3 mol% Y_2O_3) prepared by hydrazine method.—75-01510
Hirano, Shinichi See Kikuta, Koichi; Ono, Satomi; Sakamoto, Wataru
Hirano, Shinichi; Yogo, Toshinobu; Kikuta, Koichi; Sakamoto, Wataru; Koganei, Hirosada
Synthesis of Nd:YVO_4 thin films by a sol-gel method.—75-08075
Hirano, Shinichi; Yogo, Toshinobu; Kikuta, Koichi; Yamada, Seiji
Processing and properties of barium titanate/polymer hybrid materials by sol-gel method.—75-02931

Hirano, T.; Whitlow, L. W.; Teraki, J.; Miyajima, M.
Gradient potential design for functionally gradient energy conversion materials.—75-03036
Hirano, Takeshi See Ohji, T.
Hirano, Takeshi; Niihara, Koichi; Izaki, Kansei; Wakai, Fumihiro
Effects of grain boundary structure on creep behavior for Si_3N_4/SiC nanocomposites.—75-02045
Hirano, Takeshi; Yang, Jian-Feng; Niihara, Koichi
Effect of seed crystals on the microstructure of Si_3N_4 ceramics.—75-09543; Effects of ball milling time on the properties of low-purity β-phase silicon nitride powder and the hot-pressed body.—75-09292
Hirano, Tetsuya See Itozaki, Hideo
Hirao, Kazuyuki See Cho, Doo-Hee; Tanaka, Katsuhisa
Hirao, Kazuyuki; Cho, Doo-Hee
Development of photochemical hole burning glass for high speed, high capacity optical memory.—75-04947
Hirao, Kiyoshi See Nagaoka, Takaaki; Shigegaki, Yasuhiro; Yasuoka, Masaki
Hirao, Kiyoshi; Nagaoka, Takaaki; Brito, Manuel E.; Kanzaki, Shuzo
Mechanical properties of silicon nitrides with tailored microstructure by seeding.—75-09652; Morphological control of silicon nitride by seeding.—75-04377
Hirao, Kiyoshi; Watari, Koji; Brito, Manuel E.; Toriyama, Motohiro; Kanzaki, Shuzo
High thermal conductivity in silicon nitride with anisotropic microstructure.—75-06471
Hirao, T. See Kamada, T.; Show, Y.
Hiraoka, Makoto See Nonaka, Kazuhiro
Hirata, Atsushi See Tokura, Hitoshi
Hirata, Atsushi; Yoshikawa, Masanori
Effect of plasma flow on diamond growth by arc discharge plasma jet CVD.—75-09279
Hirata, H. See Okabe, N.
Hirata, Yoshihiro See Sameshima, Soichiro
Hirata, Yoshihiro; Kyoda, Hideharu; Iwamoto, Takayuki; Hatano, Hirohisa; Hamasaki, Keiji
Infiltration of nickel into alumina compact by electrodeposition.—75-00104
Hiratsuka, Kazuya See Tomonaga, Hiroyuki
Hirayama, F.; Koyanagi, M.
Fabrication of Nb/Ta-O/Ta/epitaxial Nb Josephson junctions.—75-08316
Hirayama, Masashi See Hamano, Kenya
Hirayama, Toru See Qiu, Hong-Hua
Hirayama, Tsukasa; Tanji, Takayoshi; Tonomura, Akira
Direct visualization of electromagnetic microfields by interference of three-electron waves.—75-08661
Hirohama, Takeshi See Seki, Takeshi
Hiroi, M. See Sera, M.
Hirokawa, Tetsuro See Ishikawa, Takashi
Hiroki, Nobuyoshi See Kawahigashi, Satashi
Hiromi, Shima See Akira, Kaneyasu
Hironaka, Seiichiro See Jimbo, Tadayuki; Ohgoshi, Masahiro
Hirosaki, Naoto See Akimune, Yoshio; Mitomo, Mamoru
Hirosaki, Naoto; Okamoto, Yusuke; Ando, Motohide; Munakata, Fumio; Akimune, Yoshio
Effect of grain growth on the thermal conductivity of silicon nitride.—75-09273; Thermal conductivity of gas-pressure-sintered silicon nitride.—75-09198
Hirose, Chizai See Ishikawa, Shinji
Hirose, Haruo See Hotta, Katsuyoshi
Hirose, Naohiro; West, Anthony R.
Impedance spectroscopy of undoped $BaTiO_3$ ceramics.—75-02913
Hirose, Takeshi See Ikuma, Yasuro
Hirose, Yoichi See Hirabayashi, Keiji
Hirose, Yuji
Slip casting of large size alumina products.—75-05914
Hiroshima, Takuya; Tanaka, Kazuhiko; Kimura, Toshio
Effects of microstructure and composition on the Curie temperature of lead barium niobate solid solutions.—75-08133
Hirota, Ken See Aoyama, Tatsuji; Fukuya, Michikazu; Hirano, Shingo; Watanabe, H.
Hirotsuru, Hideki; Mitomo, Mamoru; Nishimura, Toshiyuki
Influence of phase transformation on densification behavior and grain growth of fine silicon nitride powder.—75-08956
Hirschfeld, D. A. See Lee, Kyoung-Ho; Li, T. K.
Hirschfeld, D. A.; Li, T. K.; Russ, W. M.; Lee, K. H.
Development of new low expansion ceramics—CMZP and modified β-eucryptite.—75-01145
Hirschon, Albert S. See Wu, Hui-Jung
Hirt, Alfred
Image-wise poled ferroelectric layers for printing application.—75-05588
Hirvonen, J. K. See Fountzoulas, C. G.
Hisanaga, Takeshi See Itoh, Hiroshi
Hishinuma, K. See Somiya, S.
Hiskes, R. See Foster, C. M.
Hitchman, Michael L. See Shamlian, Sarkis H.
Hitzschke, Peter See Englisch, Wolfgang
Hixson, R. S. See Johnson, J. N.
Hlavacek, V. See Majorowski, S.; Zhao, G. Y.
Hng, H.-H. See Wee, A. T. S.
Ho, C.-T.
Internal synthesis method for mullite-chromium carbide composite in a vacuum system.—75-06663
Ho, I. H. See Su, L. C.
Ho, Jang-Cheng; Lin, I-Nan; Liu, Kuo-Shung
Characterization of (Pb, La)TiO_3 thin films prepared by the sol-gel method.—75-03218
Ho, K. M. See Wang, C. Z.
Ho, Kuok-San See Chen, Jing; Lin, Jian
Ho, Kuok-San; Lin, Jian; Chen, Jing; Rabson, Thomas A.; Higgins, Robert
Thin-film lithium niobate on sapphire for SAW applications.—75-05650
Ho, R.-H. See Weng, B.-J.
Hoang, Truc See Vangala, Reddy R.
Hoang, Truc; Vangala, Reddy R.
Method of tuning a ceramic duplex filter using an averaging step.—75-07768
Hobgood, Hudson M. See Burk, Albert A., Jr.
Hoche, Thomas; Ruhle, Manfred
Effect of calcium doping on the atomistic structure of the $(\bar{1}104)$ twin boundary in alumina.—75-06870
Hochet, N. See Bunsell, A. R.
Hochholzer, M.; Jordan, V.
Linewidth enhancement factor α of GaAs/GaAlAs quantum well lasers.—75-03080
Hockey, B. J. See Wiederhorn, Sheldon M.
Hodby, J. W. See Chen, Chang-Kang
Hodge, James D.; Klemptner, Lori J.
Superconducting $YBa_2Cu_4O_{7-x}$ produced at low temperatures.—75-08490
Hodges, J. L.
Reengineering program helps container maker take a fresh look at new ways to do business.—75-04741
Hoelderich, Wolfgang See Mueller, Ulrich
Hoff, H. A. See Pappas, D. P.; Waytena, G. L.
Hoffheins, B. S. See Felten, J. J.
Hoffman, Alon See Weiser, P.
Hoffman, D. J. See Caughman, J. B. O.
Hoffman, Mark See Sternitzke, M.
Hoffman, Richard W. See Shiao, Jean-Song
Hoffmann, J. See Voit, W.
Hoffmann, Michael J.
High-temperature properties of Yb-containing Si_3N_4.—75-03899; Microstructural development and mechanical properties of Si_3N_4 ceramics.—75-04358; See also Bandyopadhyay, Siddharta; Dressler, Wolfgang; French, R. H.; Kuang, S.; Tanaka, I.; Uhlig, Harald; Wang, Chong-Min
Hoffmann, O.
High-temperature dilatometery of fiber-reinforced calcium hydrosilicates.—75-03568
Hoffmann, S.; Klee, Mareike; Waser, R.
Structural and electrical properties of wet chemically deposited $Sr(Ti_{1-y}Zr_y)O_3$ (y=0...1) thin films.—75-05214
Hoffmann, W. R. See Braun, M.
Hofius, H.; Hofmann, H.; Forster, H.
Characterization of ultrafine alumina powder produced by wet milling.—75-01396
Hofman, H.
Alumina powder—relations between powder properties and microstructure.—75-01376
Hofmann, D. M.; Stadler, W.; Meyer, B. K.; Pereira, L.; Santos, L.; Pereira, E.
Spin resonance study of the 2.9 eV luminescence centers in natural and synthetic diamond.—75-00600
Hofmann, H. See Hofius, H.
Hofsass, H. C.; Ronning, C.; Griesmeier, U.; Gross, M.; Cedvall, A.; Dreher, E.
Electrical characterization of *p-n* and *p-i-n* diode structures made by ion beam deposition of doped diamondlike carbon [DLC].—75-07864
Hofsted, J.
Reflection of environment.—75-02338
Hogan, B. See Alexander, M. T.
Hoganas, Svenska See Rundgren, Kent
Hogarth, C. A. See Hossein, A. A.
Hoghooghi, B. See McKittrick, J.
Hoghooghi, B.; McKittrick, J.; Butler, C.
Synthesis of celsian ceramics from zeolite precursors.—75-06805
Hoghooghi, B.; McKittrick, J.; Helsel, E.; Lopez, O. A.
Viscous deformation of glass-ceramics in barium aluminosilicates.—75-02745
Hoghooghi, B.; Raj, Rishi
Controlled epitaxial nucleation of nickel oxide on microfabricated magnesium oxide substrates in a CVD process.—75-04308; Heteroepitaxial growth kinetics in a CVD process using nickel oxide on MgO as a model system.—75-04334
Hogmark, S. See Erickson, L. C.
Hogmark, S.; Olsson, M.
Tribological performance of ceramic materials in face seal applications.—75-09686
Hoh, J. C. See Bates, J. K.
Hoier, R. See Wang, Y. G.
Hoinkis, Mark See Holl, Susan M.
Hojaji, H. See Matlack, K. S.
Hojo, Janichi; Kajiya, Tomomi; Fukuoka, Shoji; Kunoo, Kazuo
Thermal stress of multilayer composite of SiC-TiC-Ni system.—75-00142
Hojo, Junichi; Kishi, Kazushi; Umebayashi, Seiki
Nanocomposites obtained from ultrafine composite particles.—75-01591
Hoke, Darren A.; Kim, Do-Kyung; LaSalvia, Jerry C.; Meyers, Marc A.
Combustion synthesis/dynamic densification of a TiB_2-SiC composite.—75-01404
Holand, Wolfram; Frank, Martin; Schweiger, Marcel; Wegner, Susanne; Rheinberger, Volker
Glass development and controlled crystallization in the SiO_2-Li_2O-ZrO_2-P_2O_5 system.—75-07300
Holc, J. See Hrovat, M.
Holcombe, Cressie E., Jr.; Seals, Roland D.
Low substrate temperature deposition of diamond coatings derived from glassy carbon.—75-03735
Holdener, Fred R. See Wuest, Craig R.
Holgate, S. A. See Yang, B.
Holl, S.-E. See Spur, G.
Holl, Susan M.; Johnson, Robert D.; Novotny, Vlad J.; Williams, Jeffrey L.; Caley, Catherine E.; Hoinkis, Mark
Solid-state NMR studies of the bonding structure of diamondlike amorphous carbon films.—75-01934
Holland, L. R. See Maleki, H.
Holleri, N.; Manfredini, U.; Sikalidis, C.
Dry Tech Multiline: an evolution in raw materials preparation for ceramic tiles.—75-00284
Holleri, N.
Granulation without drying.—75-02775
Hollfelder, M.; Hardtdegen, Hilde; Meyer, R.
AlGaAs grown by low-pressure metallorganic vapor phase epitaxy using an N_2 carrier.—75-02960
Hollis, D. B. See McDougall, J.
Hollitt, Michael J.; O'Brien, Brian A.; Grey, Ian E.
Production of synthetic rutile.—75-01073
Hollitt, Michael J.; O'Brien, Brian A.
Production of acid-soluble titania.—75-01134
Holloway, John R. See McMillan, P. F.
Hollstein, Thomas; Pfeiffer, Wulf; Rombach, Michael; Thielicke, B.
Machining damage in engineering ceramics [analyzed] by fracture mechanics, fractography, and X-ray diffraction.—75-04579
Holm, Alan R. See Lashbrook, James A. Jr.
Holm, Jan L. See Sandberg, Bjorn
Holma, M.; Kitamura, M.; Chen, Haydn
Electronic structure of barium titanate studied by the extended Huckel tight-binding method.—75-01287
Holmen, G. See Jacobsson, Harald
Holmes, A. S. See Syms, R. R. A.
Holmes, J. S. See Dreifus, D. L.
Holmes, J. W. See Chermant, J. L.; Sorensen, B. F.; Vaidyanathan, K. R.; Wu, X.
Holmes, Joseph S. See Dreifus, David L.
Holmgren, Allan See Babushkin, Oleg
Holmquist, Glenn A.
Oxidation-resistant diamond composite and method of forming the same.—75-01182
Holroyd, Bill; Solheim, Svein; Karr, Chris
Olivine.—75-06045
Holt, Joseph B. See Makowiecki, Daniel M.
Holt, R. T. See Berriche, R.
Holterhoff, Adam G.
Calcium aluminate cements.—75-04808
Holtz, M. See Dallas, T.
Holz, D. See Claussen, N.
Holzman, L. M. See Kelly, T. F.
Hom, Craig L. See Brown, Steve A.
Homeny, J.
Refractories testing at Orton/RTRC.—75-02834
Homma, Motofumi See Imura, Masaaki
Hommel, H. See Lajnef, M.
Hon, M.-H. See Lin, Tain-Tsair; Tsai, M.-S.; Wang, Hsiao-Lei; Wang, J.-S.; Wang, L.-Y.; Wu, Weng-Jin; Yeh, C.-H.
Honda, Kinichi See Goto, Kenjiro; Maiwa, Koji
Honda, T. See Kuroiwa, T.; Mikami, N.
Honda, Toru See Nakajima, Eiichi
Honea, E. C. See Ogura, A.
Honein, E.; Honein, T.; Herrmann, G.
Stress analysis of functionally gradient materials based on a heterogenization procedure.—75-04636
Honein, T. See Honein, E.
Honeyman-Colvin, Paul; Lange, Fred F.
Infiltration of porous alumina bodies with solution precursors: strengthening via compositional grading, grain size control, and transformation toughening.—75-06645
Hong, C.-H. See Brown, S. W.
Hong, C.-S.; Ravindranathan, P.; Agrawal, Dinesh K.
Synthesis and sintering of amorphous cordierite powders by a combustion method.—75-06798; Synthesis and sintering of mullite powders by the decomposition/combustion of aluminum nitrate—amorphous fumed silica-urea mixtures.—75-06799; Synthesis of $NaZr_2P_3O_{12}$ powders by evaporative decomposition of solutions.—75-06813
Hong, Chu-Wan; Greil, P.
DEM [discrete element method] simulation of particle packing dynamics during colloidal forming processes.—75-01422
Hong, Chu-Wan
Problems with FEM stress analysis of cordierite monolith as diesel particle filters.—75-03657
Hong, D.; Aslam, M.
Fabrication and characterization of diamond field emitter diode with built-in anode.—75-07884
Hong, Gi-Gon See Lee, Hong-Lim
Hong, Gye-Won See Kim, Chan-Joong; Lee, Ho-Yong; Park, Hai-Woong; Vandewalle, N.
Hong, J.-S.; Huang, X.-X.; Guo, J.-K.
Synthesis of mullite powder from seeded diphasic gels.—75-04245
Hong, J.-W. See Shin, N.-F.
Hong, John H. See Norman, Jeffrey B.
Hong, K. See Kim, B.-H.
Hong, Kug-Sun; Kim, In-Tae; Kim, Chong-Don
Order–disorder phase formation in the complex perovskite compounds $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$.—75-08156
Hong, Kwon See Hyun, Seung-Min
Hong, M.-J. See Han, Kyoung-Ran
Hong, S. H. See Mai, Q. Y.
Hong, T. See Wang, B.-M.
Hong, Wan-Shick; De Jonghe, Lutgard C.; Yang, Xi; Rahaman, Mohamed N.
Reaction sintering of ZnO-Al_2O_3.—75-01644
Hong, Wu See Hong, Zhang
Hong, Yoo-S. See Lim, Byung-C.
Hong, Zhang; Hong, Wu; Fei, Zei
Current-carrying anisotropy and the effects on it of thermomechanical treatments for Ag-sheathed Bi(Pb)-Sr-Ca-Cu-O superconducting tapes.—75-08283
Hongoh, H. See Miura, M.
Honma, Torao
Ceramic folkslore of MUMYOI-Vaki.—75-04789
Hood, M. See Lin, Tze-Pin
Hoof, R. V. See Beyne, E.

Hooper, S. E. See Cheng, T. S.
Hoover, Scott M. See Divecha, Amarnath P.
Hopkins, D. C.; Revis, P. R.
Development of a three dimensional power circuit package for aircraft applications.—75-00458
Hopkins, David A.
Dolomite.—75-06029
Hor, P. H. See Rusakova, I.
Horan, William J.; Slavejkov, Aleksandar G.; Chang, Leon L.
Heat transfer optimization in TV glass furnaces.—75-05998
Hori, M. See Fukui, T.; Mizushima, Yasuyuki; Walls, P. A.
Hori, T. See Ogasawara, T.
Horibe, H. See Kashiba, Y.
Horie, Michikazu; Tamura, Takanori; Ohgaki, Mitsuaki
TeSe films by TeSe-SeF_6/Ar reactive sputtering for ablative optical recording.—75-05501
Horiguchi, Akihiro See Ueno, Fumio
Horiguchi, Masaharu
Planar waveguide-type optical amplifiers.—75-05032
Horikawa, H. See Kamijoh, T.
Horikawa, T. See Kuroiwa, T.; Mikami, N.
Horio, Masayuki See Kamiya, Hidehiro
Horiuchi, Michio; Harayama, Yoichi; Hayashi, Koishiro
Aluminum nitride circuit board and method of producing same.—75-05216
Hormadaly, J.
Cadmium-free and lead-free thick film conductor composition.—75-02943; See also Drozdyk, L.
Hormes, Josef See Kuper, Gerhild
Horn, J. A.; Patterson, B. R.; Zhou, J.
Rheological characterization of temperature effects in particle-filled polymer fluids.—75-03923
Horn, P. D. See Gupta, Y. M.
Hornberger, Helga; Weissmann, Rudolf; Lutz, Norbert
Machining of silica glasses using excimer laser radiation.—75-07389
Horng, M.-F. See Hwang, C.-L.
Hornis, Helmut G. See Hunt, Andrew T.
Horsey, Richard S.
NTC thermistor manufacturing.—75-00356
Horton, L. L. See Bentley, Jim
Hoshi, T. See Tsukada, I.
Hoshi, Youichi; Speliotis, Dennis E.; Judy, Jack H.
Barium hexaferrite-silicon nitride-carbon magnetic recording medium.—75-05719
Hoshide, T.
Proof testing and subsequent fatigue characteristics in ceramics.—75-02087; See also Sakai, T.
Hoshino, Koichi See Matsuoka, Morito
Hoshino, T. See Eguchi, K.
Hoshiyama, Yasuhiro See Taki, Chihiro
Hoshiyama, Yasuhiro; Nomura, Osamu; Nishio, Hideaki; Ichikawa, Kenji
Effects of pitch addition on MgO-C bricks.—75-07546
Hosoi, Kazuyuki; Hashida, Toshiyuki; Takahashi, Hideaki; Yamasaki, Nakamichi; Korenaga, Takashi
New processing technique for hydroxyapatite ceramics by the hydrothermal hot-pressing [HHP] method.—75-08535
Hosokawa, Kiyohiro See Nishi, Koichi
Hosomi, Satoru See Chen, Chia-Fu
Hosono, Hideo See Kawamura, Kenichi
Hossein, A. A.; Hogarth, C. A.; Beynon, J.
Optical absorption in CeO_2-V_2O_5 thin films.—75-06292
Hosseini-Ashrafi, M. E. See Nikitidis, Michail S.
Hotate, Shiroh See Yamazaki, Hiraku
Hotchandani, Surat See Bedja, Idriss
Hotchandani, Surat; Bedja, Idriss; Fessender, Richard W.
Electrochromic and photoelectrochromic behavior of thin WO_3 films prepared from quantum size colloidal particles.—75-06459
Hoteiya, Michinori See Kuwabara, Akio
Hotokka, M. See Yushchenko, V. S.
Hotory, I.; Srnanek, R.; Buc, D.
Effects of thermal annealing on the properties of niobium nitride thin films.—75-06597
Hotta, Katsuyoshi; Miyazawa, Hajime; Murakawa, Masao; Hirose, Haruo; Funato, Kenichi
Effect of laser irradiation on the Bi system.—75-00790
Hotta, N. See Watanabe, T.
Hotta, N.; Kotera, K.; Watanabe, T.; Komeya, K.; Meguro, T.; Sasamoto, T.
Synthesis of fine composite powders of AlN-TiN-YN system by floating-type fluidized-bed CVD.—75-01708
Hotta, Tadashi; Shikano, Tomoyuki; Nonaka, Masashi; Tsubaki, Junichiro
Empirical evaluation of process operations affecting sintered density.—75-08664
Hotza, D.; Janssen, R.; Claussen, N.; Greil, P.
Hydrophobic aluminum nitride powder for aqueous tape casting.—75-01529
Hou, C.-K.; Hwang, Y.-W.; Ou, K.-C.; Wang, W.-J.
Effect of austenitizing temperature on the hardening of oil quench tool steels.—75-04492
Hou, G.-W. See Zheng, X.-G.
Hou, H.-Q.; Tu, C.-W.
Optical property of InAsP/InP strained quantum wells grown on InP(111)B and (100) substrates.—75-00558
Hou, J.-P. See Zhang, F.-J.
Hou, Shang-Y.; Kwo, J.; Watts, R. K.; Cheng, J.-Y.; Fork, D. K.
Structural and dielectric properties of $Ba_{0.5}Sr_{0.5}TiO_3$ thin films grown on Si by off-axis sputtering.—75-05213
Hou, Tie-Cui See Liu, Xin-Tian
Hou, X. See Sahli, S.
Houghton, J. R.
Two priorities for the glass industry.—75-02151
Hoult, A. P. See Tuersley, I. P.
Houlton, R. J. See Hawley, M. E.
Houser, Glenn D.; Garmire, Elsa
Nonlinear absorption in (Cd,Zn)Se/ZnSe single quantum wells.—75-00551
Houssa, M. See Pekala, M.
Houssa, M.; Bougrine, H.; Ausloos, M.
Thermal conductivity of pure or iron-doped $YBa_2Cu_3O_{7-\delta}$ with or without an excess of CuO.—75-03418
Houston, Jack E. See Michalske, Terry A.
Houston, P. A. See Yow, H. K.
Hovak, J. See Koudelka, L.
Hovnanian, Nadine See Varnier, Olivier
Howanski, W. S. See Singh, K. N.
Howard, A. J. See Mayer, T. M.
Howard, James K. See Ahlert, Richard H.
Howard, Kevin E.
Method of making moisture-resistant aluminum nitride powder and powder produced thereby.—75-08605
Howarth, Thomas R. See Ting, Robert Y.
Howe, James M.; Benson, W. E.; Garg, A.; Chang, Y.-C.
Analysis of interface dynamics in solid-state phase transformations by in situ hot-stage high-resolution transmission electron microscopy.—75-01785
Howell, F. Scott See Aizawa, Mamoru; See Hasegawa, Minoru
Howng, Wei-Yean
Ceramic technologies for portable radio applications.—75-00941; See also Cornett, Kenneth D.
Howorth, L. N.
Ron Dale.—75-02346
Hoyvald, Annette See Dohrup, Jesper
Hren, J. J. See Liu, A.
Hrma, Pavel R. See Bailey, A. W.; Kim, Dong-Sang; Li, Hong; Piepel, Greg F.; Sullivan, G. K.
Hrma, Pavel R.; Piepel, Greg F.; Redgate, P. E.; Smith, Donald E.; Schweiger, Michael J.; Vienna, J. D.
Prediction of processing properties for nuclear waste glasses.—75-03486; Prediction of nuclear waste glass dissolution as a function of composition.—75-03485
Hrovat, M. See Bernik, S.
Hrovat, M.; Holc, J.; Belavic, D.
Evaluation of some commercial thick-film resistor materials for strain gages.—75-05193
Hrovat, M.; Holc, J.; Kolar, D.
Phase equilibria in the RuO_2-PbO-TiO_2 and RuO_2-PbO-NiO systems.—75-06307
Hsia, K. Jimmy See Dey, Nishit; See Xin, Yun-Biao
Hslang, Hsing-I; Yen, Fu-Su
Effect of crystallite size on the ferroelectric domain growth of ultrafine $BaTiO_3$ powders.—75-03227
Hsiao, T.-F.; Lee, C.-H.
Pyrolytic growth of ZnS on Si.—75-03142
Hsieh, C. H.; Jain, H.; Miller, A. C.
X-ray photoelectron spectroscopy of Al- and B-substituted sodium trisilicate glasses.—75-04941
Hsieh, Chang-Li See Wei, Wen-Cheng J.
Hsieh, I.-J.; Chu, K.-T.; Yu, C.-F.
Cathodoluminescent characteristics of $ZnGa_2O_4$ phosphor grown by radio-frequency magnetron sputtering.—75-00423
Hsieh, John See Thomas, Jeffrey J.
Hsieh, S.-W.; Chang, C.-Y.; Lee, Y.-S.
Properties of plasma-enhanced chemical vapor deposited a-SiN_x:H by various dilutroie gases.—75-01335
Hsieh, W.-T. See Wu, S.-Y.
Hsieh, W.-T.; Li, W.-H.; Lee, K.-C.
Magnetic ordering of Pr in $Pb_2Sr_2PrCu_3O_8$.—75-01226
Hsieh, Wen-Ching; Su, Ching-Shen
Ultraviolet-induced thermoluminescence in ZrO_2 doped by Er_2O_3.—75-03860
Hsu, C.-T.; Hwu, Y.-J.
Usage of the limiting forming height as the formability of sheet metals.—75-04267
Hsu, Chi-Ming; Lin, Hong-Ming; Tsai, Kuen-Rong
High resolution transmission electron microscopy and magnetic properties of nanocrystalline iron particles with oxidized and nitrided surfaces.—75-00738
Hsu, Chia-Chen See Huang, Tzer-Hsiang
Hsu, D. K.; Liaw, P. K.; Yu, N.; Saini, V.; Miriyala, N.; Snead, L. L.
Nondestructive characterization of woven fabric ceramic composites.—75-03587
Hsu, H.-T. See Wu, S.-C.
Hsu, Jen-Shiou See Chiu, Hsin-Tien
Hsu, Klaus Y. J. See Chen, P.-C.
Hsu, P. P. See McNallan, Michael J.
Hsu, Richard See Kim, Jin-Yong
Hsu, S.-E. See Yeh, T.-S.
Hsu, Stephen M. See Liu, Hai-Yan
Hsu, Stephen M.; Nagarajan, V. S.; Liu, Hai-Yan
Microstructural design of ceramics for optimum wear resistance.—75-09654
Hsu, Stephen M.; Shen, M.-C.; Ying, T.-N.; Wang, Y.-S.; Lee, S.-W.
Tribology of silicon-based ceramics.—75-04659
Hsu, T.-Y. See Tu, Jin-Biao
Hsu, Wen L. See McMaster, Mark C.
Hsu, Z.-Y. See Pan, M.
Hsueh, Chun-Hway
Consideration of radial dependences of axial stresses in the shear-lag model for fiber pullout.—75-04465; Pullout of a ductile fiber from a brittle matrix: I, Shear lag model.—75-07024; Pullout of a ductile fiber from a brittle matrix: II, A simplified model.—75-07025; Stress transfer from axially loaded fiber to matrix in a microcomposite.—75-04639; See also Becher, Paul F.
Hu, B. See Karczewski, G.
Hu, E. L. See Tseng, M. Z.
Hu, Guo-Jun See Xu, Yu-Qing
Hu, Hai-Quan; Zhang, Fu-Ping; Wu, Chun-Gui
Firing processes of copper red glaze in an electric furnace and its applications.—75-02869
Hu, Hong-Xing; Liu, Mei-Lin
Electrocatalytic activity of Ag-based electrodes for solid-state electrochemical devices.—75-02906
Hu, J. Q.; Jones, L. E.; Pennisi, L.
Reticulated ceramic inserts (core busters) for ceramic radiant tube applications.—75-03710
Hu, L.-J. See Yeh, T.-S.
Hu, L.; Jiang, Z.
Properties and structures of TeO_x-based glasses containing ferroelectric components.—75-07361
Hu, M.-L. See Juang, Y.-D.
Hu, Mei-Sheng See O'Keefe, M. A.
Hu, R. See Feng, Z.-C.; Wee, A. T. S.
Hu, S. See Yan, Q.
Hu, S.-Q. See Kuang, X.-M.
Hu, S.-Z. See Guo, Y.-L.
Hu, Tian-Dou See Wang, Wen-Cai
Hu, Xiao-Zhi See Wang, Hui
Hu, Xiao; Yan, Hong; Ohuchi, Fumio S.
Electronic structures of β-SiC(001) surfaces and Al/β-SiC(001) interface.—75-00480
Hu, Yi See Kao, Yu-Hua
Hu, Yong-Le See Chen, Chang-Kang
Hu, Yung-Haw See Harmer, Mark A.; Shih, Wei-Heng
Hu, Z.-H. See Liu, N.
Hu, Z.-W. See Huang, X.-R.
Hu, Z.-Z.; Cao, S.-Z.
Notch fatigue limit of metal materials.—75-04609
Hu, Zhuang-Qi See Li, Ya-Li
Hu, Zong-Min See Jin, Zheng-Guo
Hua, Su-Kun See Shi, E.-W.
Hua, Wen-Jun; Zhang, Ji-Rong; Wang, Zhi-Rui; Lo, S. H. J.
Microstructure-fatigue crack propagation relationship in TiB_2 particle-reinforced ZN (ZA-8) alloy.—75-07014
Huni, Y.; Broughton, J. N.; Gat, E.; Chaker, M.; Borges, C.F.M.; Beaudoin, Y.
Pulsed-laser deposition and characterization of amorphous diamondlike carbon films.—75-01635
Huang, C. M.; Xu, Y.-R.; Zangvil, A.; Kriven, Waltraud M.
O'+β' SiAlON composites for turbine engine applications.—75-03707
Huang, C. M.; Xu, Y.-R.; Zhu, Dong
Combustion-synthesized β1/2-SiAlON reinforced with SiC [20 vol%] monofilaments.—75-03977
Huang, C.-H. See Fang, S.-C.
Huang, C.-S. See Chiu, K.-C.
Huang, C.-T.; Yeh, M.-S.; Chuang, T.-H.
Ssuperplastic forming of Superdux 64 stainless steel.—75-04229
Huang, C.-Y. See Chen, Chih-Cheng
Huang, Chi-Yuen See Li, Shao-Ping
Huang, Dong-Shen See Jiang, Xing-Xiang
Huang, H. L. See Sobolev, V. L.
Huang, Hui-Huang See Zhao, Jun-Guo
Huang, Hui-Ning
Development of low-temperature fast-firing glazed tiles using diopside.—75-02864
Huang, J. W. See Ryan, J. M.
Huang, J. See Bai, M.-L.
Huang, J.-H. See Shiao, J.-J.
Huang, J.-L.; Shih, K.-C.; Chen, S.-K.
Synthesis and thermal stability of Si-Ti-C-O compounds.—75-04240
Huang, J.-L.
Si_3N_4-TiC composites.—75-04394; See also Chiu, H.-L.
Huang, Jenn-Gwo; Jaccodine, Ralph J.; Young, Donald R.
Improvement of the SiO_2/Si interface of metal-oxide-semiconductor devices using gate dielectrics formed by NF_3-aided oxidation and N_2O post-annealing.—75-05341
Huang, Jow-Lay; Jih, Jyh-Ming
SiC-AlN: II, Mechanical properties.—75-04625
Huang, Jow-Lay; Kuo, Fan-Jian; Chen, Shih-Yih
Microstructure and crack behaviors in hot-pressed TiB_2-Si_3N_4 composites.—75-06894
Huang, Ke-Qin; Feng, Man; Goodenough, John B.
Sol-gel synthesis of a new oxide-ion conductor Sr- and Mg-doped $LaGaO_3$ perovskite.—75-02938
Huang, L. J. See Lau, W. M.
Huang, L. J.; Bello, I.; Lau, W. M.
Synchrotron radiation X-ray absorption of ion-bombardment-induced defects on diamond(100).—75-01779
Huang, L.-P. See Jiang, X.; Li, H.
Huang, Qi-Sheng See Kang, Jun-Yong
Huang, Qi-Zhong; Xiao, Han-Ning; Shi, Qiang
Effects of aluminum on properties of hot-pressed C-B_4C-SiC composites.—75-03696
Huang, Rong-Fong See Agahi-Kesheh, Darioush; Lombard, J. H.
Huang, Rong-Fong; Kommrusch, Richard S.
Development of a multilayer ceramic antenna switch for wireless communications.—75-00312
Huang, Rong-Fong; Ramakrishnan, E. S.
Effect of dopants on high-frequency dielectric properties of lead zirconate.—75-01454
Huang, S.-G.; Lee, C.-H.
Rf magnetron sputtering deposition of CaF_2 on Si.—75-03152
Huang, Shao-Ming; Yang, Chang-Zheng; Yu, X.-H.
Synthesis, characterization, and properties of ionic metal-fullerene adducts.—75-01351
Huang, Shao-Ming; Yu, X.-H.; Yang, Chang-Zheng
DSC study in situ on copolymerization of C_{60} with paracyclophane.—75-01443
Huang, Sui-Yang; Darriet, B.; Von der Muehll, R.
Elaboration and characterization of $BaZnGeO_4$ ceramics.—75-03793
Huang, Sun-li; Dew-Hughes, D.; Zheng, D. N.; Jenkins, R.
Effects of MgO addition on phase evolution and flux pinning of Bi-2212/Ag tapes fabricated by electrophoretic deposition and partial melting processing.—75-08302
Huang, T.-W. See Zhuang, H.-R.
Huang, Tian-Qiao See Ignatiev, Alex
Huang, Tzer-Hsiang; Hsu, Chia-Chen; Kuo, C.-T.
Ruby spectral band-profile analysis for temperature sensing.—75-06512
Huang, W. C.; Jain, H.; Marcus, M. A.
Structural study of Rb and (Rb,Ag) germanate glasses by EXAFS and XPS.—75-04932

Huang, W. H.; Viehland, Dwight; Neurgaonkar, R. R.
Anisotropic glasslike characteristics of strontium barium niobate relaxors.—75-00638
Huang, Wen-Hai See Ray, Chandra S.
Huang, Wuu-Liang; Bassett, William A.; Wu, Tzy-Chung
Dehydration and hydration of montmorillonite at elevated temperatures and pressures using synchrotron radiation.—75-03783
Huang, X.-R.; Hu, Z.-W.; Jiang, S.-S.
Synchrotron radiation topography studies of twinning in NdP_5O_{14} crystals.—75-04410
Huang, X.-X. See Cai, J.; Guo, J.-K.; Hong, J.-S.; Shi, J.-L.; Shi, Y.; Zhang, B.
Huang, Y. See Jiang, Z.-Z.; Li, Jian-Bao; Sui, W.-M.; Wang, S.-H.; Wei, P.; Xie, Z.-P.; Zhai, H.-X.; Zhang, Zong-Tao
Huang, Y.-R. See Wang, X.-G.
Huang, Y.-R.; Wang, X.-G.; Luo, W.-W.; Wang, H.-J.; Zhou, A.
SiC fiber-reinforced LAS glass-ceramic via sol-gel technique.—75-02740
Huang, Y.; Wang, C.-A.; Chen, J.; Li, J.-B.
Effects of interfacial phase composition and structure on elevated temperature properties of $SiC(w)/Si_3N_4$ composites.—75-04320
Huang, Yan-Ling; Young, R. J.
Microstructure and mechanical properties of pitch-based carbon fibers.—75-07013
Huang, Yu-Dong; Zhang, Zhi-Qian; Liu, Li-Xun; Lu, Qi-Wei
Single-fiber pullout method for evaluating interfacial strength in CFRP [carbon fiber-reinforced plastic composite].—75-08702
Huang, Z.-R.; Liang, B.; Jiang, D.-L.; Tan, S.-H.
SiC nanopowder by high-temperature pyrolysis.—75-04210
Huang, Z.-R.; Tan, S.-H.; Jiang, D.-L.
Preparation of SiC slip and fabrication of SiC components by slip casting.—75-04168
Huang, Zhao-Hui See Zhao, Jun-Guo
Huang, Zhen-Kun; Chen, I-Wei
Rare-earth melilite solid solution and its phase relations with neighboring phases.—75-06337
Huang, Zhen-Kun; Liu, Shih-Yu; Rosenflanz, Anatoly; Chen, I-Wei
SiAlON composites containing rare-earth melilite and neighboring phases.—75-06349
Huang, Zhen-Kun; Tien, T.-Y.
Solid-liquid reaction in the Si_3N_4-AlN-Y_2O_3 system under 1 MPa of nitrogen.—75-03836
Hubacek, Milan; Ueki, Masanori; Sato, Tadao
Orientation and growth of grains in copper-activated hot-pressed hexagonal boron nitride.—75-01230
Hubacek, Milan; Ueki, Masanori
Role of boron oxide in growth of boron nitride grains.—75-09423
Hubbard, Camden R. See Rabin, B. H.; See Shanmugham, S.
Hubbard, K. J.; Schlom, D. G.
Thermodynamic stability of binary oxides in contact with silicon.—75-03856
Huber, A.
Decoration of porcelain, earthenware, and bone china.—75-05162
Huber, D. L. See Avgin, I.
Huber, Robert See Meyer, Willi
Hubner, H. See Pandolfelli, V. C.
Huckstep, R. L. See Payten, W. M.
Hudakova, N. See Magro, C.
Hudakova, N.; Macko, D.; Knizek, K.; Plechacek, V.; Sedmindubsky, D.
Infrared studies of the Bi cuprates.—75-08345
Hudlet, S.; Saint-Jean, M.; Roulet, B.
Electrostatic forces between a metallic tip and semiconductor surfaces.—75-00482
Hudson, E. A. See Carlisle, J. A.
Hudson, George C. See Humphreys, T. P.; Rudder, Ronald A.
Hudson, J. B. See Cook, M. J.; Kolaya, L. E.
Hudson, K.; Winbow, H.; Cowley, J.
Colors for ceramic bodies.—75-02861
Huettinger, K. J.; Pieschnick, T. W.
Synthesis of monocrystalline silicon nitride filaments.—75-06810
Huey, B. D.; Bonnell, D. A.; Carroll, D. L.
Observation and characterization of electric fields at grain boundaries.—75-04383
Hufenbach, W.; Gerhardy, T.
Designing ceramic/metal composites.—75-04847
Huffman, Maria
Liquid source misted chemical deposition (LSMCD)—a critical review.—75-05904
Hufschmidt, Heike; Weyl, Axel; Janke, Dieter
High-temperature electrical properties in the ThO_2-rich region of ThO_2-RE_2O_3 systems.—75-03898
Huger, M. See Bouchetou, M. L.; Cutard, T.; Fargeot, D.
Hugh-Jones, Demelza A.; Angel, Ross J.
Compressional study of $MgSiO_3$ orthoenstatite up to 8.5 GPa.—75-03774
Hughes, A. E.; Ciacchi, F. T.; Badwal, S. P. S.
Role of O^{2-}, OH^-, and anion vacancies in the degradation of Y-TZP in moist environments.—75-06343
Hughes, A. E.
Interfacial phenomena in Y_2O_3-ZrO_2-based ceramics—a surface science perspective.—75-01878
Hughes, Jerry See Shih, Wei-Heng
Hughes, K.; Roy, J. M.; Wills, K. J.
Influence of calcined alumina and deflocculant on low-cement castable properties.—75-07577
Hughes, T. L.; Methven, C. M.; Jones, T. G. J.; Pelham, S. E.; Fletcher, P.; Hall, C.
Determining cement composition by Fourier transform infrared spectroscopy.—75-02396
Hugon, M. C. See Jiang, N.
Huhne, Erwin D.
Process for manufacture of synthetic diamond layers on substrates.—75-03753
Hui, C. L. See Frye, R. C.
Huisman, W.; Graule, T. J.; Gauckler, L. J.
Conditions to obtain reliable high-strength alumina via centrifugal casting.—75-01410
Hukka, Terttu I.; Pakkanen, Tapani A.; D'Evelyn, Mark P.
Hydrogen and halogen bonding on the diamond (100)2×1 surface—an ab initio study.—75-01864
Hulinsky, Vaclav See Matej, Jiri
Hulsenberg, D. See Bohner, R.
Hultman, L. See Turan, R.
Humenik, James N. See Casey, Jon A.
Humphrey-Baker, Robin See Bowen, Paul
Humphreys, T. P. See Baumann, Peter K.; Das, K.; Malta, D. P.
Humphreys, T. P.; Posthill, J. B.; Malta, D. P.; Thomas, R. E.; Rudder, Ronald A.; Hudson, George C.
Surface preparation of single-crystal C(001) substrates for homoepitaxial diamond growth.—75-01692
Hundebol, S.; Rosholm, P.
Combustion of anthracite and petroleum coke in cement kiln systems.—75-01056
Hundere, Asse Marie; Einarsrud, Mari-Ann
Effects of reduction of the Al-Y-O containing secondary phases during sintering of AlN with YF_3 additions.—75-08915
Hundhausen, M. See Teuschler, T.
Hung, Ching-Cheh
Carbon fibers produced from graphite fluoride by thermal decomposition in an inert environment.—75-01142
Hung, W.-K. See Wang, C.-J.
Hung, W.-M. See Cheng, C.-H.
Hung, Yung-Hsiung; Chien, Yung-Tsen; Ko, Y.-C.
Influence of ferrous content on the second maximum permeability temperature of Mn-Zn ferrites.—75-03296
Hung, Yung-Hsiung; Chien, Yung-Tsen; Ko, Y.-C.
Influence of mole ratio of CaO to SiO_2 on magnetic properties and grain size of Mn-Zn ferrites.—75-05679
Hung-Houston, Catherine C. See Eckert, James O. Jr.
Hunt, Andrew T.; Abbey, James E.; Hornis, Helmut G.
PZT, PLZT, LSC [La-Sr-Co], and platinum thin films produced in the open atmosphere using combustion chemical vapor deposition.—75-05633
Hunt, Arlon J. See Cao, Wan-Qing; Song, Xian-Yun
Hunt, Helena E. See Coupland, Duncan R.
Hunt, J. A. See Leapman, R. D.
Hunt, William D. See Kim, Yoon-Kee
Hunter, Orville; Liu, John Y.; McIntyre, Don A.
New generation castables for the hydrocarbon processing industry.—75-07611
Hunter, R. J.; O'Brien, R. W.; Rowlands, W. N.
Characterization of concentrated suspensions of particles using electroacoustics.—75-01015
Huo, Yong-Zhong; Jiang, Qing
Effect of polarization switch upon stress in thickness vibration of a ferroelectric plate.—75-03228
Hur, Yong-H.; Park, Yong-K.; Park, Jong-C.
Mercury-thallium-barium-calcium-strontium-copper-oxide 1223 superconductor and method of making same.—75-08463
Hurd, Alan J. See Kenkre, V. M.
Hurley, D. C.; Gilmore, R. S.; Banholzer, W. F.
Ultrasonic phase velocity and elastic modulus in isotopically enhanced manufactured diamonds.—75-01364
Hurson, S. M. See Tofe, A. J.
Hurtubise, G. See Llewellyn, R.
Husemann, K. See Yoshimoto, N.
Husemann, K.-D. See Gerdemann, R.
Hussain, M.; Oku, Y.; Nakahira, Atsushi; Ueda, S.; Niihara, Koichi
Effects of nanosized filler dispersion on mechanical properties of carbon fiber reinforced epoxy composites.—75-02046
Hussey, B. W.; Gupta, A.; Olsson, E.
Novel solid-phase epitaxial growth of $YBa_2Cu_3O_{7-\delta}$ films from precursor oxides.—75-00838
Huston, K.
Sister Dennis Frandrup.—75-02358
Hutcheon, R. M. See Batt, J.; Fathi, Zak; Mathis, M. D.
Hutcheon, R. M.; Adams, F. P.; De Jong, M. S.
What is the best microwave absorber.—75-01366
Hutcheon, R. M.; Hayward, P.; Smith, B. H.; Alexander, S. B.
High-temperature dielectric constant measurement—another analytical tool for ceramic studies.—75-01025
Hutchings, I. H.
Development of wear maps for the abrasion and erosion of ceramic materials.—75-09616
Hutchinson, D.
Metamorphosis of a small business.—75-02294
Hutchinson, J.W. See Genin, G. M.
Hutchison, J. L. See Le, Thien-Nga
Hutchison, J. M. See Chryssikos, G. D.
Hutchison, R. B.; Jo, Y. M.; Raper, J. A.
New ceramic membrane for high-temperature gas filtration.—75-00113
Huttinger, K. J. See Braun, M.; Linner, Britta
Huybrechts, Ben See Hamagami, Junichi
Huybrechts, Ben; Takata, Masasuke; Ishizaki, Kozo
Grain boundary oxidation rate of semiconductive Mn-doped $BaTiO_3$.—75-00498
Huyser, William K.; Stolpa, James. W.
Comparison of test methods used for evaluating porcelain enameled and painted surfaces.—75-00079
Huyser, William K.
Hot-rolled steels for porcelain enameling.—75-00101
Hwa, L.-G. See Yang, J.-D.
Hwang, C. J. See Carroll, Daniel F.
Hwang, C. J.; Beaman, Donald R.; Susnitzky, David W.
SiAlON composites and method of preparing the same.—75-01192
Hwang, C.-L.; Liu, J.-J.; Horng, M.-F.; Chiang, C.-C.
Mechanical property and behavior of railway sleeper materials.—75-04593
Hwang, Cheol-Seong See Hill, Michael D.
Hwang, Chii-Shyang; Chang, Yu-Jing; Chen, Sheau-Wen
Effect of sintering atmosphere on microstructure and mechanical properties of TiO_2-added zirconia-toughened alumina: II, Effect of the content of TiO_2.—75-09283
Hwang, Chii-Shyang; Ji, Shi-Dong; Lin, Sin-Lung
Properties of CeO_2-Al_2O_3-SiO_2 glasses prepared in air.—75-04990
Hwang, H. J.; Ueda, S.; Niihara, Koichi
Grain boundary controlled mechanical and dielectric properties of $BaTiO_3$-based nanocomposite.—75-01854
Hwang, H.-L. See Chen, P.-C.
Hwang, Hae-J. See Watari, Koji
Hwang, N.-M.; Hahn, Jun-H.; Yoon, Duk-Y.
Charged cluster model in the synthesis of diamond by CVD.—75-08879
Hwang, N.-M.; Yoon, Duk-Y.
Driving force for deposition in the chemical vapor deposition process.—75-06573; Thermodynamic paradox of diamond deposition with simultaneous graphite etching in the low-pressure synthesis of diamond: approach by charged cluster model.—75-09091
Hwang, S.-J. See Shinar, J.
Hwang, Shiang-Po See Yeh, T.-S.
Hwang, Shyh-Lung See Becher, Paul F.; Sun, Ellen Y.
Hwang, Wen-Shin See Liu, Chung-Hsin
Hwang, Y.-W. See Hou, C.-K.
Hwu, Y.-J. See Hsu, C.-T.
Hyakubu, T. See Kumakawa, A.
Hylton, T. L. See Ahlert, Richard H.
Hylton, T. L.; Parker, M. A.; Ullah, M. I.
Ba ferrite thin-film media for high-density longitudinal recording.—75-03280
Hyman, E. See Tsang, K.
Hyndman, C. P. See Tomlinson, W. J.
Hyun, Sang-H.; Kang, Beom-S.
Synthesis of titania composite membranes by the pressurized sol-gel technique.—75-01720
Hyun, Sang-H.; Song, Seung-R.
Low-temperature synthesis of mullite powders by the emulsion route.—75-06675
Hyun, Sang-H.; Yi, Sung-Chul
Synthesis and application of nanoparticulate aluminosilicate sols: III, Single-phasic aluminosilicate sols.—75-09456
Hyun, Seung-Min; Hong, Kwon; Kim, B.-H.
Preparation and characterization of Al-doped ZnO transparent conducting thin film by sol-gel processing.—75-09379
Iacconi, P. See Bindi, R.
Iacocca, R. G.; Duquette, D. J.
Effect of oxygen partial pressure on the oxidation behavior of carbon fibers and carbon fiber/glass matrix composites.—75-06922
Ianno, N. J.; Ahmer, S.; Pittal, S.; Woollam, John A.
In situ ellipsometric monitoring of the electron cyclotron resonance etching of diamondlike carbon.—75-01534
Iba, Hisayoshi; Chang, Tong-Shik; Kagawa, Yutaka; Minakuchi, Hiroyoshi; Kanamaru, Kuniaki
Fabrication of optically transparent short-fiber-reinforced glass matrix composites.—75-02715
Ibanez, A.; Ericsson, T.; Lindqvist, O.
Local range order of tellurium atoms in TeO_2-BaO and TeO_2-BaF_2 glassy systems.—75-04915
Ibbitson, Scott A. See Tang, Xun; Whitman, David W.
Ibe, Katsuhiko See Shibahara, Hiroyasu
Ibragimov, Sh. B. See Zainabidinov, S.
Ibragimova, M. I.; Baryshev, N. S.; Zhikharev, V. A.; Khaibullin, I. B.
Recombination characteristics of ion-implanted (I, III, and VIII groups) and thermally annealed $Cd_xHg_{1-x}Te$ crystals.—75-05459
Ibrahim, D. M. See Naga, S. M.
Ibrahim, M. M.; Edwards, G.; Seehra, M. S.
Magnetism and spin dynamics of nanoscale FeOOH particles.—75-03308
Ibrahim, M. M.; Seehra, M. S.; Srinivasan, G.
Magnetization reversal and magnetic clusters in copper ferrite films.—75-03311
Ichikawa, Hiroshi See Nakano, K.; Shimoo, Toshio
Ichikawa, Hiroshi; Okamura, Kiyohito; Seguchi, Tadao
Oxygen-free ceramic fibers from organosilicon precursors and e-beam curing.—75-04131
Ichikawa, Kenji See Hoshiyama, Yasuhiro
Ichikawa, Kenji; Nakamura, Ryosuke; Ogata, Masanori; Suto, Minoru
Distribution and properties of secondary spinel in magnesia-chrome bricks.—75-07531
Ichikawa, Kenji; Nomura, Osamu; Nakamura, Makoto; Kiwada, Takashi
Reactivity of submerged entry nozzle to molten steel: II.—75-05126
Ichikawa, M.; Takamatsu, T.; Matsuo, T.; Okabe, N.; Abe, Y.
Rolling fatigue of hot isostatically pressed silicon nitride bearing balls with emphasis on statistical properties.—75-02092
Ichikawa, Michiharu See Sakurai, Takeshi; Yamamoto, Kiyoshi
Ichikawa, Yo; Mizuno, Koichi; Sato, Toshifumi; Adachi, Hideaki; Setsune, Kentaro
Thin-film high-T_c superconductor comprising a ferroelectric buffer layer.—75-00926
Ichikawa, You See Setsune, Kentaro
Ichikawa, Yukihito See Machida, Minoru
Ichimori, Takashi See Ichinose, Hideki
Ichimori, Terumitsu See Nakayama, Susumu

Ichimura, Hiroshi; Kawana, Atsuo
Corrosion properties of ion-plated TiN and CrN coatings.—75-01987
Ichinose, H. See Nagano, M.
Ichinose, H.; Nagano, M.; Katsuki, H.
Deposition of $PbTiO_3$ film by the spray-ICP technique.—75-06567; Synthesis of $PbTiO_3$ film on $LaNiO_3$-coated substrate by the spray-ICP technique.—75-06814
Ichinose, Hideki See Kizuka, Tokushi; Kohyama, M.; Nakanose, M.
Ichinose, Hideki; Ichimori, Takashi; Ishii, Hideo; Ishida, Yoichi; Mader, W.
Electron microscopic analysis of Pd/MgO mismatched interface.—75-00091
Ichinose, Noboru
Nonlinear conduction mechanism in perovskite-type ceramics.—75-01315; R&D trends of electronic ceramics in Japan.—75-02145; See also Okazaki, Kiyoshi
Idicula, Segi P. See Padhi, P. C.
Idink, Heike; Srikanth, V.; White, William B.
Raman study of low-temperature phase transitions in bismuth titanate, $Bi_4Ti_3O_{12}$.—75-01238
Idink, Heike; White, William B.
Raman spectroscopic study of order-disorder in lead magnesium niobate.—75-01924
Idogaki, T. See Nagakubo, M.
Idoux, M.
Evolution of burner technology for cement.—75-01059
Ieki, Hideharu See Koike, Jun
Iembo, A. See Ceresara, L.
Iga, Atsushi; Ito, Masahiro; Okinaka, Hideyuki
Faults of ZnO crystal in ZnO varistor.—75-00490
Igaki, Hisashi See Ikeda, Kiyohiko
Igarashi, Katsuhiko; Nomura, Takeshi
Reliability of Ag terminal electrode under heat cycle.—75-00128
Igarashi, Y.; Fujino, Y.; Suzuki, N.
Interdiffusion between Y-Ba-Cu-O thin films and Al_2O_3 substrates studied by applying Rutherford backscattering spectrometry combined with atomic force microscopy.—75-01760
Ignat'ev, A. I.; Shalamaiko, E. E.; Shmatok, L. K.
Crystallizability of optical glasses and their melts.—75-02580
Ignat'ev, F. N. See Volchek, A. O.
Ignat'eva, L. N. See Kulikov, A. P.
Ignat'eva, L. N.; Antokhina, T. F.; Kavun, V. Ya.;
Polishchuk, S. A.; Stremousova, E. A.; Petrova, E. B.
Spectroscopic study of the structure of glasses based on gallium and indium trifluorides.—75-02684
Ignat'eva, T. I. See Kuznetsov, M. V.
Ignatenko, O. A.; Babushkin, A. N.; Gorlanova, Yu. V.
Baric hysteresis of electrical conductivity and thermo-emf of the high-pressure phases of germanium telluride.—75-07790
Ignatiev, Alex; Wu, Nai-Juan; Lin, He; Huang, Tian-Qiao; Endicter, Scott; Li, Xian-Yi
Nonvolatile ferroelectric superconducting field effect transistor [FSuFET].—75-05613
Ignatov, A. V. See Aleshin, A. N.
Ignatyuk, O. A. See Sytnik, R. D.
Ignatyuk, V. A.; Goncharuk, V. K.; Merkulov, E. B.;
Shushpanova, L. S.; Kolesov, A. V.
Characteristics of the electric and dielectric properties of fluorozirconate glasses.—75-04944
Iguchi, I. See Okunev, V. D.
Iguchi, Y. See Terabe, K.
Iguchi, Yasutaka See Goto, Takashi
Ihara, Hideo See Kaneko, Hiroko
Iida, Eishi; Nakamura, Makoto; Yamanura, Takashi; Nomura, Osamu; Nakamura, Ryosuke
Anti-alumina buildup material for submerged entry nozzle.—75-07467
Iida, N.
Ceramic two-stroke methanol engine.—75-03690
Iida, S. See Ori, T.
Iijima, K. See Yano, Y.
Iio, Satoshi See Otsuka, Jun
Iitsuka, Shoji See Katagiri, Setsuo
Iiyama, Makoto
Corrosion rate of alumina [evaluated] by rotating cylinder method.—75-07497; See also Takahishi, Tatsuhito
Iiyama, Michitomo See Inada, Hiroshi; Nakamura, Takao; Tanaka, So
Iizuka, Yasuo
^{18}O tracer studies of CO oxidation with O_2 on MoO_3: I, Determination of the number of active sites.—75-06145
Ijchi, Tetsuro See Ohkubo, Michio
Ikawa, Hiroyuki See Miyajima, Tatsuya
Ike, Hiroyuki See Terada, Osamu
Ikeda, A. See Wakasa, K.
Ikeda, Chihiro See Endoh, Shigehisa
Ikeda, H. See Tsubakino, H.
Ikeda, K. See Makihara, C.
Ikeda, Kiyohiko; Yoshikawa, Akira; Adachi, Katsushige; Kaizu, Koichi; Igaki, Hisashi
Effect of growth and coalescence of multisurface cracks on static fatigue behavior of glass-ceramics.—75-00184
Ikeda, M. See Mizuno, Y.
Ikeda, Nobuaki See Sugiyama, Shunichi
Ikeda, Susumu See Fukuda, Koichiro
Ikeda, Yasunori; Sano, Yasushi; Bando, Yoshichika; Niinae, Toshinobu; Takada, Jun
Consideration of Bi_2CuO_4 in the Bi_2O_3-CuO system.—75-00777
Ikeda, Yasunori
Phase diagram of superconducting oxides.—75-00841; See also Kobayashi, Naoya; Kusano, Yoshihiro; Masada, Keizo; Niinae, Toshinobu; Takada, Jun
Ikeda, Yasushi; Mizuta, Yasutoshi; Shibata, Hidetoshi
Highly sensitive fluoroscopy test for ceramics with image subtraction.—75-08671
Ikegami, Kiyoshi See Kuwabara, Mitsuo
Ikegami, Takayasu; Saito, Noriko
Synthesis of well-sinterable alumina powder by dispersing hydroxide precipitate in alcohol.—75-09481
Ikegami, Takayasu
Contacts and coordination numbers in a compact of polyhedral particles.—75-01207; Theoretical description of a two-dimensional compaction process of cylinders.—75-01729
Ikegaya, Akihiko See Miyamoto, Y.
Ikegaya, Akihiko; Fujimori, Naoji
Method and apparatus of synthesizing diamond in vapor phase.—75-08588
Ikemachi, Takaaki See Koriyama, Shinichi
Ikeshima, Koichi See Machida, Minoru
Ikesue, Akio; Kamata, Kiichiro; Yoshida, Kunio
Effects of neodymium concentration on optical characteristics of polycrystalline Nd:YAG laser materials.—75-05301; Synthesis of transparent Nd-doped HfO_2-Y_2O_3 ceramics using HIP.—75-01722; Transparent Cr^{4+}-doped YAG ceramics for tunable lasers.—75-00624
Ikesue, Akio; Kamata, Kiichiro
Microstructure and optical properties of hot isostatically pressed Nd:YAG ceramics.—75-05386
Ikesue, Akio; Shimizu, K.; Yoshitomi, J.; Harada, Masahiro
Magnesia-chrome refractories with excellent spalling resistance obtained by microstructure control techniques.—75-07591
Iketani, Akira See Ohkubo, Michio
Ikuhara, Yuichi; Pirouz, P.; Heuer, Arthur H.; Flynn, C. P.; Kubo, Y.
Characterization of V/Al_2O_3 interface.—75-01810
Ikuhara, Yuichi; Pirouz, P.; Yadavalli, S.; Flynn, C. P.
Structure of V-MgO and MgO-V interfaces.—75-09073
Ikuhara, Yuichi
Atomic structure of metal/ceramic interfaces.—75-07200; See also Ikuhara, Yumiko; Kusunoki, Michiko; Saito, Tomohiro; Sasaki, Yukichi; Shibata, Noriyoshi; Suzuki, Tetsuya; Zhou, Wei-Lie
Ikuhara, Yumi See Oobuchi, Takeshi
Ikuhara, Yumi; Cawley, James D.
Numerical simulation of aggregation in a magnetic colloid.—75-08997
Ikuhara, Yumiko; Suzuki, Toshiyuki; Michishita, Kazuo; Kubo, Yukio; Uno, Naoki; Ikuhara, Yuichi
Microstructures and mechanical properties of Bi-Sr-Ca-Cu-O/Ag superconductor composites.—75-08367
Ikuina, Kazuhiro See Utsumi, Kazuaki
Ikuina, Kazuhiro; Kimura, Mitsuru
Mutlilayer glass-ceramic substrate and method of fabricating the same.—75-07771
Ikuma, Yasuro; Shigemura, Takashi; Hirose, Takeshi
Temperature profile of anatase-TiO_2 powder compact during microwave heating.—75-09483
Ikuma, Yasuro; Tsubaki, Yoshihide
Oxygen isotope exchange reaction in diffusion coefficient measurements using gas phase analysis.—75-09516
Ikuma, Yasuro
Defect structure of pure and Sn-, Ca-doped In_2O_3.—75-09496
Ikuta, H.; Kishio, K.; Kitazawa, K.
Critical state models for flux-pinning-induced magnetostriction in type-II superconductors.—75-00779
Il'icheva, A. A. See Podzorova, L. I.
Il'in, A. A.; Pronkin, A. A.
Heat conductivity of LiF-NaF-Al$(PO_3)_3$ mixed alkali glasses.—75-02656
Il'in, A. P. See Prokof'ev, V. Yu.; Smirnov, N. N.; Yurchenko, E. N.
Il'in, A. P.; Shirokov, Yu. G.; Prokof'ev, V. Yu.
Mechanochemical activation of alumina.—75-06679
Il'in, A. Yu. See Mamykin, A. I.
Il'in, I. V. See Baranov, P. G.
Il'in, I. Yu. See Konakova, R. V.
Il'in, N. P.; Masterov, V. F.
Calculation of energy spectra of binary semiconductors doped with rare-earth elements.—75-02966
Il'in, V. I. See Musikhin, S. F.
Il'in, V. Yu. See Akimov, B. A.
Il'ina, G. G. See Boguslavskii, Yu. Ya.
Il'inskii, A. L. See Spiridonov, F. M.
Il'inskii, B. P.; Kochurov, I. F.; Alsuf'ev, Yu. N.
Mobile device for brick production.—75-08534
Il'inskii, S. Yu. See Averkiev, N. S.
Il'yashchuk, Yu. M.; Fedotov, A. K.
Charge relaxation in silicon at grain boundaries enriched with oxygen and carbon.—75-02979
Il'yashenko, I. N. See Ivanov, A. M.
Il'yashenko, I. N.; Strokan, N. B.
Effective carrier lifetime in tracks of α-particles during diffusion-drift transport in Si.—75-07857
Il'yasov, T. M.; Abbasova, R. F.
Nature of the reaction in the Eu-As-Te ternary system.—75-06284
Ila, D. See Maleki, H.
Ila, D.; Zimmerman, R. L.; Jenkins, G. M.
Controlled formation of buried layers of carbon.—75-01413
Ilashchuk, M. I. See Parfenyuk, O. A.
Iliescu, T. See Culea, E.
Ilioukha, Nicolai; Timofejeva, Valentina; Gorjavov, Gennadij
Refractory cements in the system (Ca, Sr, Ba)O-MgO-Al_2O_3-Cr_2O_3.—75-07653
Ilisavskii, Yu. V.; Yakhkind, E. Z.; Gol'tsev, A. V.;
D'yakonov, K. V.
Role of mechanical deformation in the acoustoelectrical effect in $YBa_2Cu_3O_{7-x}$ films.—75-05826
Ilonca, G. See Ciurchea, D.
Ilowski, J. See Chivukula, V.
Ilschner, B. See Barthel, K.; Blumm, M.; Delfosse, D.; Ding, X. M.; Dollmeier, K.; Merk, N.
Imaduddin, S.; Davidson, A. M.; Lad, R. J.
Heteroepitaxial growth of MgO films on NiO(100) single-crystal surfaces.—75-03044
Imagawa, H. See Katsumata, T.
Imagawa, Takao See Soeya, Susumu
Imai, A. See Terabe, K.
Imai, Isao See Iwakawa, Kazuhiro
Imai, Nobuhiko See Yoshimura, Yuji
Imai, Yoji; Watanabe, A.; Mukaida, Masakazu; Tsunoda, Tatsuo
Electrostatic potential and temperature distribution in case of a series of a parallel configuration of two thermoelectric conversion phases.—75-09545
Imaida, Y. See Inamura, S.; Nabeshima, Shigeyuki
Imaizumi, T.; Okazaki, H.; Yamamoto, H.
Undoped semiinsulating GaAs epitaxial layers and their characterization.—75-00630
Imamichi, T. See Tanaka, T.
Imamura, J. See Takeuchi, S.
Imamura, K. See Chiba, A.
Imamura, Koreyoshi See Masuda, Hiroaki
Imamura, Masato; Nakajima, Kiichi; Yanagisawa, Akira
Process for preparing a ceramic porous body.—75-03548
Imamura, P. See Shapiro, A. A.
Imanishi, Nobuyuki See Takeda, Yasuo
Imbert, P. See Garcin, C.
Imenkov, A. N. See Danilova, T. N.; Zegrya, G. G.
Imrich, K. J.; Chandler, G. T.
Materials performance in a high-level radioactive waste vitrification system.—75-08505
Imshennik, V. K. See Suzdalev, I. P.
Imthurn, George P.; Walker, Howard
Silicon to sapphire bond.—75-03549
Imura, Masaaki; Takamura, Hitoshi; Tanaka, Terumi; Homma, Motofumi; Okada, Masuo
Large magnetoresistance effect in isotropic polycrystalline perovskite-like La-AM-Mn-O (AM=K, Rb) ceramics.—75-08226
In, C.-B.; Kim, S.-P.; Chun, J.-S.
Corrosion behavior of TiN films obtained by plasma-assisted chemical vapor deposition.—75-04420
Inada, Hayato See Satoh, Munetake
Inada, Hiroshi See Nakamura, Takao
Inada, Hiroshi; Iiyama, Michitomo
Superconducting thin film formed of oxide superconductor material, superconducting current path, and superconducting device utilizing the superconducting thin film.—75-00922; Thin film of oxide superconductor possessing locally different crystal orientations and processes for preparing the same.—75-05889
Inada, Hiroshi; Nakamura, Takao; Iiyama, Michitomo
Method for manufacturing a superconducting device having a thin superconducting channel formed of oxide superconductor material.—75-05869; Superconducting device having an thin superconducting channel formed of oxide superconducting material.—75-00919
Inagaki, Masahiro See Nakayama, Akira
Inagaki, Michio See Udea, Midori
Inaguma, Y. See Nakamura, T.
Inal, O. T. See Bengisu, M.
Inami, Minoru See Koike, Hisashi
Inamo, Tatsuya See Takeda, Yasuo
Inamura, S.; Miyamoto, H.; Imaida, Y.
Formation and hot isostatic pressing of ZrO_2 solid solution in the system ZrO_2-Al_2O_3.—75-06611
Inazawa, Shinji See Nishio, Masanobu
Indacochea, J. E. See Xu, R.
Indenbaum, G. V. See Aksenov, A. A.
Indge, J. H.
Fine grinding, polishing with superabrasives.—75-02171
Indira, P. See Sreedhar, B.
Ing, J. L. See Zavadil, K. R.
Ingle, N. J. C. See Jones, A. R.
Ingle, N. K. See Gorsuch, G.
Ingletto, G. See Bettinelli, M.
Inglis, H. G.; Sceats, M. G.
Photoinduced dichroism in germanosilicate optical fibers.—75-04987
Ings, John B. See Belt, Roger F.
Iniguez, J. See Zazo, M.
Inniss, Daryl See Zhong, Qian
Ino, Takane See Mori, Y.
Inoue, Akihisa See Yamaguchi, Tadashi
Inoue, H.; Makishima, A.; Akasaka, Y.; Yasui, I.
Structures of alkali metasilicate glasses by diffraction experiments and molecular dynamics simulations.—75-07315
Inoue, K. See Watari, T.
Inoue, M.; Kominami, Hiroshi; Inui, Tomoyuki
Synthesis of large pore size and large pore volume aluminas by glycothermal treatment of aluminum alkoxide and subsequent calcination.—75-06809; Thermal decomposition of alkoxides in an inert organic solvent: novel method for the synthesis of homogeneous mullite precursor.—75-04256
Inoue, Masahiro See Kitayama, Hiroaki
Inoue, Minoru See Kosugi, Tatsuhiro
Inoue, Osamu; Matsutani, Nobuya; Kugimiya, Koichi; Ishii, Osamu; Aono, Yasuyuki
Oxide magnetic material.—75-08256
Inoue, Osamu; Sugaya, Yasuhiro; Matsutani, Nobuya; Kugimiya, Koichi
Control of nanostructures for soft magnetic materials.—75-00727
Inoue, S. See Bucko, D.
Inoue, S.; Kawami, H.; Yoshimura, M.; Yao, T.
Selective imaging of metal atoms in the semiconducting layered compound MoS_2 by STM/STS.—75-01930
Inoue, Shinichi See Takahashi, Kazuo
Inoue, Takeshi See Ohnishi, Osamu
Inoue, Tatsuya See Kagata, Hiroshi
Inoue, Yoshiaki See Sakata, Yusaku
Inoue, Yukihiko See Ohtani, Noritaka
Interrante, L. V.; Whitmarsh, C. W.; Sherwood, W.
Fabrication of SiC matrix composites by liquid phase infiltration with a polymeric precursor.—75-04036; Fabrication of SiC matrix composites using a liquid polycarbosilane as the matrix source.—75-04037

Inui, Saburo See Ota, Yoshio
Inui, T. See Yoshitake, T.
Inui, Takashi See Yao, Takeshi
Inui, Tomoyuki See Inoue, M.
Inukai, Eikichi See Abe, Yoshihiro; Kasuga, Toshihiro
Inushima, T. See Nakama, T.
Iny, O. See Barmatz, M.
Ioku, K. See Futagami, R. S.
Ioku, Koji See Yoshimura, Masahiro
Ioku, S. See Tsubakino, H.
Ionescu, H. M. See Guo, Y. C.; Ramer, R.
Ionescu, Savu Gheorghe See Faur, Maria
Iong, V. See Aktsipetrov, O. A.
Ionov, S. P.; Orlovskii, V. P.; Murav'ev, E. N.
Cluster model of the localized electron pairs in mixed valence metal oxides.—75-05736
Iordanova, R.; Dimitrov, V.; Dimitriev, Y.
Glass formation and structure of glasses in the V_2O_5-MoO_3-Bi_2O_3 system.—75-04901; Structure of V_2O_5-MoO_3-Fe_2O_3 glasses.—75-04934
Ioseliani, G. Z. See Andronikashvili, T. G.
Iratni, Aicha See Pach, Ladislav
Irie, A.; Iwama, M.; Oya, G.
Novel microwave-induced steps of intrinsic Josephson junctions in mesa-shaped BSCCO single crystals.—75-08387
Irie, Miki See Maeda, Hideaki
Irie, Takatoshi See Miyauchi, Nobuaki
Irisawa, Akinori; Kikkawa, Shinichi; Kanamaru, Fumikazu
Preparation and properties of new perovskite-like compounds in Ba-Pb-Cu-O system.—75-00849
Iriyama, Yasunori See Kiss, Takanobu
Irkakhodzhaeva, A. P. See Mukhamedzhanova, M. T.
Irkakhodzhaeva, A. P. See Sirazhiddinov, N. A.
Irons, Stephen H.; Klavins, P.; Liu, J. Z.; Lan, M. D.; Shelton, R. N.; Song, K.
Synthesis and properties of ytterbium-doped C_{60}.—75-01350
Irvin, K. Zh. See Nel'son, D. K.
Irvine, J. T. S. See Fletcher, J. G.
Irvine, J.
Anagama down under.—75-03605
Irvine, K. G. See Schaffer, William J.
Irwin, J. C. See Chrzanowski, J.
Irwin, R. W. See Lind, D. M.
Isabaev, S. M. See Muldagalieva, R. A.
Isabell, Thomas C.; Dravid, Vinayak P.; Hill, D. Norman
Crack-interface interactions in a tungsten yttria-stabilized zirconia directionally solidified eutectic.—75-00082
Isakov, I. F. See Rej, Donald J.
Isakova, O. Ya. See Zyryanova, V. N.
Isasi, J. See Belloch, J. M.
Isawa, Kazuyuki; Yamamoto, Ayako; Itoh, Makoto; Adachi, Seiji; Yamauchi, Hisao
(Hg,Pb)-Ba-Ca-Cu-O superconductor and method of manufacturing the same.—75-03428
Ischner, B. See Desmonts, N.
Iseki, Takayoshi See Kim, Jae-Yuk; Tong, Xiao-Hua
Ishakova, O. A. See Abakumova, R. A.
Ishchenko, S. S.; Novikova, T. I.; Pridatko, A. B.; Lebedev, E. V.
Combined hardening of an aqueous sodium silicate solution with polyisocyanate and epoxy resins.—75-06552
Ishibashi, Shoji See Kaneko, Hiroko
Ishida, Atsumu See Matsubara, Hideaki
Ishida, Atsumu; Matsubara, Hideaki; Furukawa, Katsuya; Miyayama, Masaru; Yanagida, Hiroaki
Computer simulation of percolation structure in composites.—75-08886
Ishida, Atsumu; Miyayama, Masaru; Yanagida, Hiroaki; Matsubara, Hideaki
Prediction of fracture in ceramic composites by measurement of electrical resistivity.—75-02086
Ishida, Atsumu; Miyayama, Masaru; Yanagida, Hiroaki
Electrical and mechanical properties in CaF_2/SiC whisker composites.—75-01478
Ishida, Eiichi See Ashizuka, Masahiro
Ishida, Hideki See Harada, Ryusuke; Sasaki, Kaori; Sugiyama, Noriyuki
Ishida, Shingo See Ishikawa, Makoto; Nanri, Hayato
Ishida, Y. See Kohyama, M.
Ishida, Yoichi See Ichinose, Hideki; Kizuka, Tokushi; Miyata, Noboru
Ishigaki, T. See Guo, J. Y.
Ishigaki, Takamasa See Okada, Katsuyuki
Ishihara, K. N. See De la Torre, S. D.
Ishihara, Shousaku See Tanei, Hirayoshi
Ishihara, Tatsumi See Mizuhara, Yukako
Ishihara, Tatsumi; Sato, Keiji; Takita, Yusaku
Electrophoretic deposition [EPD] of Y_2O_3-stabilized ZrO_2 electrolyte films in solid oxide fuel cells.—75-02910
Ishii, Akio See Mikami, Yorihito
Ishii, Chiaki See Enoki, Toshiaki
Ishii, Hideo See Fujino, Kousou; Ichinose, Hideki
Ishii, Keisuke; Ohki, Yashimichi; Nishikawa, Hiroyuki
Optical characterization of SiO_2 formed by plasma-enhanced chemical vapor deposition of tetraethoxysilane.—75-01321
Ishii, Koji See Nishio, Hideaki
Ishii, Osamu See Inoue, Osamu
Ishikawa, Hideto; Zhang, Yao; Uchida, Nozomu; Uematsu, Keizo
Quantitative evaluation of immersion liquid technique.—75-08697
Ishikawa, Kanzo See Miyamoto, Hiroki
Ishikawa, Makoto; Nanri, Hayato; Wakamatsu, Mitsuru; Watanabe, Koji; Takeuchi, Nobuyuki; Ishida, Shingo
High-temperature oxidation of SiC-based castable by mass spectrometric gas analysis.—75-07567; High-temperature oxidation of SiC-based monolithic refractories: I, Oxidation by FeO.—75-05098; II, Effect of B_4C on oxidation.—75-05099
Ishikawa, Shinji; Urano, Akira; Aikawa, Haruhiko; Hirose, Chizai; Kanamori, Hiroo; Saitoh, Masahide
Method for producing a glass thin film with controlling an oxide vapor of an additive.—75-07432
Ishikawa, T. See Nabetani, Y.
Ishikawa, Takashi; Watanabe, Naoyuki; Shibuya, M.; Hirokawa, Tetsuro
Mechanical properties and modeling of high-performance ceramic matrix composites.—75-04590
Ishikawa, Takkuya; Bowers, John E.
Band lineup and in-plane effective mass of InGaAsP or InGaAlAs on InP strained layer quantum well.—75-05249
Ishikawa, Terunobu; Niimi, Hideaki; Yoneda, Yasunobu
NTC thermistor composition based on barium titanate.—75-00716
Ishikawa, Toshiaki See Takabatake, Nobuyoshi; Tanaka, Hironao
Ishikawa, Yukari See Nomura, Kenji; Shibata, Noriyoshi
Ishikawa, Yukari; Shibata, Noriyoshi
Oxygen redistribution during low-energy oxygen implantation.—75-09003; Simultaneous Si molecular beam epitaxy and high-dose ion implantation.—75-09434
Ishimatsu, Hiroyuki See Yamada, Junji
Ishino, Toshihiro See Kondoh, Kei
Ishino, Toshihiro; Kida, Otojiro; Beppu, Yoshihisa
High zirconia fused cast refractories.—75-05155
Ishiyama, N. See Uchida, N.
Ishizaki, Junji; Kato, Yoshitsugu; Iwata, Misao
Friction properties of metal oxide-doped silicon nitride.—75-09638
Ishizaki, K. See Kuzjukevics, A.
Ishizaki, Kozo See Hamasaki, Toyohiro; Huybrechts, Ben; Onishi, Hitoshi; Saito, Naruki; Yanai, Tomohiro
Ishizaki, Kozo; Takata, Atsushi; Nanko, Makoto; Okumoto, Yoshihiro
Surface mass transport under high-pressure inert gas and hot isostatic process for producing porous materials.—75-09518
Ishizaki, M.; Murata, Hiroshige; Miyahara, K.; Sasa, Tadashi
Fabrication process and mechanical properties of SiC/SiC composites.—75-09307
Ishizaki, M.; Shioda, M.; Miyahara, K.; Sasa, Tadashi
Fabrication of advanced C/C composites by a hybrid process of CVI/liquid precursor impregnation.—75-04031
Ishizuka, Hiroshi See Chen, Chia-Fu
Ishizuka, Hiroya See Sasaki, Takeo
Ishizuka, T.; Okada, S.; Wakashima, K.
In situ measurement of through-the-thickness thermal conductivities in ceramic/metal composition-graded multilayers by means of thermography.—75-02491
Ishizuka, T.; Wakashima, K.
Post-consolidation cooling-induced distortion and residual stress in ceramic/metal composition-graded laminates.—75-02526
Isirikyan, A. A.; Kyurri, L.; Stekli, F.; Yakubov, T. S.
Localized adsorption of methane on rho-type zeolite.—75-06263
Iskender-Zade, Z. A. See Gasanova, M. Sh.
Islam, Abu S.; Craig, Kevin C.
Damage detection in composite structures using piezoelectric materials.—75-03220
Islam, M. N. See Ambia, M. G.
Islam, M. Saiful; Baetzold, Roger C.
Atomistic mechanisms of oxygen diffusion in $YBa_2Cu_3O_{7-x}$ and $YBa_2Cu_4O_8$.—75-05729
Islamov, S. A. See Zainabidinov, S. Z.
Ismailov, N. D. See Guseinov, E. K.
Ismailov, Sh. S. See Aliev, S. A.
Isobe, Toshihiro See Matsumoto, Osami
Isobe, Yasuhide See Kikuta, Koichi
Isoda, Hidenori See Uchiyama, Yasuo
Isoda, Takeshi See Funayama, O.; Sato, K.; Shimizu, Yasuo
Isoda, Takeshi; Yamamura, Takemi
Ceramic matrix composites by a preceramic polymer route.—75-03962
Isogai, Yuji; Miyayama, Masaru; Yanagida, Hiroaki
Piezoelectric actuator response to environmental humidity.—75-00686
Isoyama, Hirohumi See Kobayashi, Yuichi
Issa, M. A. See Hammad, A. M.
Isshiki, Yumiko See Higashitani, Ko
Istratov, A. A. See Vyvenko, O. F.
Istratov, A. A.; Vyvenko, O. F.
Deep levels in cadmium sulfide single crystals: a novel technique for the comparison of DLTS data.—75-02989
Isupov, V. A.
Features of solid solutions of layered $A_{m-1}Bi_2M_mO_{3m+3}$-type ferroelectrics.—75-05572; See also Ayazbaev, T.
Isupov, V. P.; Tarasov, K. A.; Chupakhina, L. E.; Mitrofanova, R. P.; Skvortsova, L. I.; Boldyrev, V. V.
Synthesis and thermal decomposition of intercalated compounds of aluminum hydroxide, $Li_2M(EDTA)\cdot 4Al(OH)_3\cdot 4H_2O$ (M=Co, Ni, Cu).—75-06800
Itagaki, Minehiro See Nakamura, Yoshifumi
Itatani, Kiyoshi See Aizawa, Mamoru; Hasegawa, Minoru
Ito, Hiroshige See Ohsaka, Shigeru
Ito, Isao See Miyajima, Shumpei
Ito, Kazuhiko See Kawamura, Sigeki
Ito, Kazuo See Wakita, Tamotsu
Ito, Kazutoshi See Unuma, Hidero
Ito, Masaaki See Ando, Minato
Ito, Masahiro See Iga, Atsushi
Ito, Shigeru See Takahashi, Hiroyuki
Ito, Shigeru; Yoshida, Kazuharu; Saito, Shinichi; Akashi, Kazuo
Nitriding of large-sized aluminum.—75-04121
Ito, Suketoshi See Fukuda, Koichiro
Ito, T. See Eimori, N.; Hatta, A.; Makita, H.
Ito, Takuji See Mizuno, Mineo
Ito, Toshio See Nakazawa, Tadahisa
Ito, Wataru See Miyajima, Shumpei; Yoshida, Yukihisa
Itoh, Akiyoshi See Nakagawa, Katsuji
Itoh, H.; Nakamura, T.; Iwahara, H.; Sakamoto, H.
Microstructural control of boundary region between CVD diamond film and cemented carbide substrate.—75-04357
Itoh, H.
Reactivity of boron in solid-state reaction and sintering for consolidation of boron compounds.—75-09049
Itoh, Hiromi; Kashihara, Keiichirou; Okudaira, Tomonori; Tsunemine, Yoshikazu; Ohno, Yoshikazu; Nishimura, Tadashi
Integration of BST thin film for DRAM fabrication.—75-05199
Itoh, Hiroshi; Abe, Takashi; Yamashita, Hitoshi; Yoshimura, Toshihiro; Hisanaga, Takeshi; Takebayashi, Takao
Fire-resistant glass and process for production thereof.—75-02746
Itoh, I.; Otoguru, Y.; Matubara, M.; Yamada, H.
Insert metal of Al-Sn alloy for diffusion bonding in the atmosphere.—75-02497
Itoh, K.; Miura, K.; Masuda, I.
Low-loss fluorozirco-aluminate glass fiber.—75-05026
Itoh, M. See Nakamura, T.
Itoh, Makoto See Isawa, Kazuyuki
Itoh, Masayoshi See Narisawa, Masaki
Itoh, N. See Kamada, O.
Itoh, Nobuyuki See Nakayama, Akira
Itoh, T. See Zhang, Q.
Itoh, Takao
Zircon ceramics prepared from hydrous zirconia and amorphous silica.—75-06832
Itoh, Toshihiro See Tuchiya, Toshiyuki
Itoh, Toshio; Sinclair, Robert
Nickel-mediated transformation of amorphous carbon to graphite.—75-01594
Itoh, Yukio See Toya, Eiichi
Itose, Syouichi See Matsumoto, Osami
Itoua, S.; Joachim, C.; Rousset, B.
Fabrication and AFM characterization of a coplanar tunnel junction with a less than 30-nm interelectrode gap.—75-03026
Itozaki, Hideo See Adachi, Akira; Harada, Keizo; Higaki, Kenjiro; Matsuura, Takashi; Nakanishi, Hidenori; Tanaka, Saburo
Itozaki, Hideo; Fujita, Nobuhiko; Okura, Kengo
Process for preparing a superconducting thin film.—75-05878
Itozaki, Hideo; Tanaka, Saburo; Fujita, Nobuhiko; Yazu, Shuji; Jodai, Tetsuji
Superconducting thin film and a method for preparing the same.—75-03441
Itozaki, Hideo; Tanaka, Saburou; Toyoda, Haruhisa; Hirano, Tetsuya; Haruta, Yasuhiro; Nomura, Masahiro
Multichannel high-T_c SQUID system and its application.—75-08375
Ivanchenko, I. V. See Bodnaruk, O. A.
Ivanchuk, R. D. See Garasim, V. I.
Ivankov, A. F. See Bessolov, V. N.
Ivannikova, N. V.; Kozeeva, L. P.; Naumov, N. G.; Romanenko, A. I.; Shaburova, V. P.
Growth of Bi-Sr-Ca-Cu-O superconducting crystals in the $Bi_2Sr_2CaCu_2O_y$-$BaBiO_3$ system.—75-05773
Ivanov, A. A. See Kirilenko, I. A.; Orlovskii, V. P.
Ivanov, A. M. See Lebedev, A. A.
Ivanov, A. M.; Il'yashenko, I. N.; Strokan, N. B.; Shmidt, B.
Question of the formation of structural defects due to the stopping of fast ions in silicon.—75-03144
Ivanov, A. S. See Shil'shtein, S. Sh.
Ivanov, D. A. See Val'yano, G. E.
Ivanov, E. M. See Yatsenko, A. V.
Ivanov, F. M.; Lyubarskaya, G. V.; Rozental, N. K.
Interaction of concrete aggregates with alkalis in cements and additives.—75-07161
Ivanov, G. A.; Grabov, V. M.
Physical properties of Bi semimetals.—75-03129
Ivanov, I. A. See Pashinkin, A. S.
Ivanov, I. See Djambazov, S.
Ivanov, P. A. See Danishevskii, A. M.
Ivanov, P. A.; Chelnokov, V. E.
Semiconducting silicon carbide: technology and devices (a review).—75-05472
Ivanov, P. A.; Panteleev, V. N.; Samsonova, T. P.; Chelnokov, V. E.
Surface states at the SiO_2-SiC interface studied by analysis of input admittance of MOS structure in a wide temperature range.—75-03178
Ivanov, R. M. See Gritsenko, V. A.
Ivanov, S. A. See Ponomarev, B. K.
Ivanov, S. M. See Grigor'eva, N. A.
Ivanov, S. N. See Popov, P. A.
Ivanov, S. N.; Egorov, G. V.
Heat capacity of $Y_xGd_{1-x}Al_3(BO_3)_4$ solid solutions.—75-06468
Ivanov, S. N.; Taranov, A. V.; Khazanov, E. N.
Diffusion of nonequilibrium phonons in ceramics based on corundum.—75-09499; Diffusional mobility of nonequilibrium phonons in nonideal crystals.—75-09501
Ivanov, S. V. See Ankudinov, A. V.; Dmitriev, A. P.; Greshnevikova, O. E.; Ledentsov, N. N.; Toropov, A. A.; Zhmerik, V. N.
Ivanov, S. V.; Ledentsov, N. N.; Maksimov, M. V.; Toropov, A. A.; Shubina, T. V.; Sorokin, S. V.
Luminescence of undoped and chlorine-doped $Zn_{1-x}Cd_xSe$ and $Zn_{1-x}Mg_xS_ySe_{1-y}$ layers grown by molecular beam epitaxy.—75-07956
Ivanov, V. P.; Karyev, L. G.; Fedorov, V. A.
Crack healing using an ion current in alkali halide crystals.—75-06189
Ivanov, V. V. See Chernyshev, E. A.
Ivanov, V. V.; Talanov, V. M.
Structural modeling of rhombohedrally distorted phases for $Cu_{1-x}Ni_xCr_2O_4$ solid solutions.—75-06373

Ivanov, V. V.; Tikchonovich, T. V.; Bashkirova, S. A.; Polyak, L. G.; Balagurova, N. M.; Chernyshev, E. A.
SiC fibers from modified polyorganosilanes: production, properties, and applications.—75-04209
Ivanov, Yu. F. See Dedkov, V. S.; Rej, Donald J.
Ivanov, Yu. L.; Churakov, G. V.; Ustinov, V. M.; Zhukov, A. E.; Egorov, A. Yu.
Magnetotransport and far ir emission in two-dimensional hole GaAs/AlGaAs structures.—75-03089
Ivanov, Yu. V. See Ravich, Yu. I.
Ivanov, Z. G. See Boikov, Yu. A.; Brorsson, G.; Kaplunenko, V. K.; Konstantinyan, K. I.; Nilsson, P. A.
Ivanov-Omskii, V. I.; Abaev, M. I.; Yastrebov, S. G.
Optical properties of amorphous carbon doped with copper.—75-01324
Ivanov-Omskii, V. I.; Frolova, G. S.
Detection of graphitelike clusters in DLC [diamondlike carbon] by intercalation of copper.—75-08652
Ivanov-Omskii, V. I.; Lodygin, A. B.; Yastrebov, S. G.; Chelnokov, V. E.
Formation of conductive network in diamondlike carbon [DLC] by intercalation of copper.—75-07731
Ivanov-Shits, A. K.; Verin, I. A.; Nakamura, O.; Fudzhieda, T.
Low-temperature anomaly of ionic conductivity in an $Na_{4+x}Fe^{3}P_2O_{8+x}F_{1-x}$ (x=0.5) superionic conductor.—75-05683
Ivanova, E. G. See Krupa, A. A.
Ivanova, E. N. See Bessergenev, V. G.
Ivanova, E.; Tsvetkova, M.
Surface modification of glass microspheres by carbon.—75-07403
Ivanova, G. N.; Kasiyan, V. A.; Nedeoglo, D. D.
Electrical and luminescent properties of Yb-doped *n*-ZnSe single crystals.—75-03011
Ivanova, I. I. See Vishnetskaya, M. V.
Ivanova, L. D. See Semenyuk, V. A.
Ivanova, L. D.; Brovikova, S. A.; Zussmann, G.; Rainskhaus, P.
Dependence of homogeneity of single crystals of $Bi_{0.5}Sb_{1.5}Te_3$ solid solutions on growth conditions.—75-05277
Ivanova, L. D.; Granatkina, Yu. V.
Properties of single crystals of solid solutions of Sb_2Te_3-Bi_2Te_3 systems.—75-05450
Ivanova, L. I. See Anshukova, N. V.
Ivanova, L. M. See Carlos, W. E.; Moore, W. J.
Ivanova, L. M.; Kop'ev, I. M.; Botvina, L.
Mechanical properties of polycrystalline cubic silicon carbide deposits.—75-07009
Ivanova, M. S. See Barnakov, Yu. A.
Ivanova, N. A.; Bernshein, L. G.; Mikhin, A. S.; Bezrodnyi, N. A.
Combined method of cement production at Sebryakovski Cement plant.—75-08515
Ivanova, N. Yu. See Kupriyanov, A. K.
Ivanova, T. S. See Kuznetsov, V. A.
Ivanova, Z. G. See Zhilinskaya, E. A.
Ivanovskaya, I. S. See Belyustin, A. A.; Roshchina, Yu. V.
Ivanovskii, A. L. See Medvedeva, N. I.
Ivanovskii, A. L.; Zhukovskii, V. M.
Chemical bonding in the tungstate $NaLa(WO_4)_2$.—75-09120
Ivanyutin, L. A.; Katsapov, F. M.; Rakhlei, S. Yu.; Tsyplenkov, I. N.
Photosensitivity of epitaxial *p*-GaAs/*n*-GaAs/*p*-Si structure.—75-05435
Ivaskevic, E. See Slizys, R.
Ivchenko, E. L. See Belousov, M. V.; Golub, L. E.
Ivchenko, E. L.; Kaminskii, A. Yu.
Optically detected anti-crossover of levels of localized excitons in semiconductors.—75-05411
Ives, Lewis K. See Xu, Hockin H. K.
Ivleva, T. I. See Nalbandyan, V. B.
Ivon, A. I. See Katkov, V. F.
Ivon, A. I.; Kolbunov, V. R.; Chernenko, I. M.
Vanadium dioxide ceramics.—75-09488
Iwabuchi, Mamoru See Kobayashi, Takeshi
Iwabuchi, Mamoru; Kobayashi, Takeshi
Growth and characterization of epitaxial $SrTiO_3$ thin films with prominent polarizability.—75-00336
Iwagoshi, T.; Gallagher, P. K.
Influence of oxygen partial pressure on the crystal growth and texture formation of some high-T_c superconductors.—75-03374
Iwahara, H. See Itoh, H.
Iwakawa, Kazuhiro; Imai, Isao; Sueyoshi, Koichi
Unburned spinel checker brick for glass furnace regenerators.—75-06014
Iwaki, Katsuhiro See Akane, Katsumasa
Iwama, M. See Irie, A.
Iwamoto, Mitsumisa See Kushida, Masahito
Iwamoto, Sakiko; Sano, Harunobu; Hamaji, Yukio; Tomono, Kunisaburo
Dielectric ceramic composition.—75-02949
Iwamoto, Takayuki See Hirata, Yoshihiro
Iwamoto, Y.; Matsubara, Hideaki; Brook, R. J.
Microstructural development of Si_3N_4 ceramics derived from polymer precursors.—75-01573; —75-09556
Iwamoto, Y.; Shin, S.-G.; Matsubara, Hideaki
Grain growth behavior of ceramics under the existence of a liquid phase.—75-09548
Iwamura, Ryoji See Okada, Kenichi
Iwanaga, Shoichi See Tanei, Hirayoshi
Iwasa, Mikio See Lim, Hun-Jin; Tanaka, Takahiro
Iwasaki, I. See Jang, J.-W.
Iwase, Hiroshi See Nozaki, Toshio
Iwase, Nobuo See Yasumoto, Takaaki
Iwashita, Tetsushi See Ota, Yoshio
Iwata, Hiroyuki See Endoh, Shigehisa
Iwata, Misao See Ishizaki, Junji; Shimakami, Seiji
Iwaya, Masaki; Hayashi, Kyohei; Matsuzaki, Hiroshi; Suematsu, Yoshirou
Ceramic composition for thermistor, thermistor element, and process for producing same.—75-05521
Iyer, A. N. See Lelovic, M.
Iyer, M. K. See Seager, R. D.
Iyer, R. M. See Sastry, P. V. P.
Iyer, S. Ramakrishna See Ponraj, R.
Iyogi, G.; Teramae, T.; Hamada, S.
Strength recovery of ball impacted ceramics by heat treatment.—75-04635
Iyogi, Kiyoshi See Yasumoto, Takaaki
Izaki, Kansei See Hirano, Takeshi
Izotov, A. D. See Podzorova, L. I.
Izumi, H. See Konishi, A.
Izumi, T. See Show, Y.
Izumitani, T. See Nageno, Y.
Izzatov, B. M. See Georgobiani, A. N.
Jaber, B. See Remiens, D.
Jaber, B.; Remiens, D.; Thierry, B.
Growth of cubic paraelectric perovskite La-modified $PbTiO_3$ thin films by rf magnetron sputtering.—75-08145
Jaccodine, Ralph J. See Huang, Jenn-Gwo
Jack, K. H.
Prospects for nitrogen ceramics in engine applications.—75-03709
Jackiewicz, J. See Glowacki, B. A.
Jackle, J. See Mauch, F.
Jackson, H. W.; Barmatz, M.; Wagner, P.
Steady-state temperature profile in a cylinder heated by microwaves.—75-01681
Jackson, Howard E. See Choo, Ahn Goo
Jackson, John E.; Nitta, Hideo; Shoichi, Katoh; Amano, Masahiko; Kurisu, Yasushi; Ohno, Keiichiro
Process for forming a refractory oxide coating.—75-01131
Jackson, M. J.; Barlow, N.; Mills, B.
Effect of bond composition on the strength of partially bonded vitrified ceramic abrasives.—75-06962
Jackson, T. B.; Limaye, S. Y.; Porter, W. D.
Effects of thermal cycling on the physical and mechanical properties of [NZP] ceramics.—75-01278
Jackson, T. B.; Porter, W. D.
Environmental microcracking of [NZP] type ceramics.—75-02047
Jackson, T. See Barnwell, P.
Jackson, W. E. See McCormick, T. L.
Jacob, K. Thomas See Pandit, S. Shashidhara
Jacob, K. Thomas; Seetharaman, Seshadri
Phase equilibria, oxygen potentials, and activities in the system Ni-Co-Si-O at 1373 K.—75-09026
Jacob, L. J.; Ray, A. S.
Strength characteristics of laminated glass.—75-00201
Jacoboni, Charles; Boulard, Brigitte; Perrot, Olivier
Vapor deposition method for depositing a film of fluorine-containing glass on a substrate.—75-05053
Jacobs, J.-P. See Brongersma, H. H.
Jacobs, Joshua See Morosin, B.
Jacobs, Joshua; Gillen, Kenneth T.; Cahill, Paul A.; Henderson, Craig C.; Rohlfing, Celeste M.
Theoretical and experimental investigations of fullerene derivatives—$C_{60}H_2$, $C_{60}H_4$, $C_{70}H_2$, and $C_{60}(CH_2)_2$.—75-01355
Jacobs, Stephen D. See Curnbo, Michael J.
Jacobs, T. L.; Spence, J. H.; Wagal, S. S.; Oien, H. J.
Improved wear of amorphic diamond-coated medical and dental implant substrates.—75-09641
Jacobs, W. P. J. H.; Van Santen, Rutger; Jobic, Herve
Inelastic neutron scattering study of NH_4 zeolites.—75-06244
Jacobsen, Claus J. H. See Dohrup, Jesper
Jacobsen, Torben K.; Brondsted, Poul
Influence of elastic anisotropy on stress concentrations around holes and notches in 2-D woven ceramic matrix composites.—75-04564
Jacobson, N. S.; Lee, Kang-N.; Yoshio, T.
Corrosion of mullite by molten salts.—75-06919
Jacobson, N. S.; Smialek, J. L.; Fox, D. S.; Opila, E. J.
Durability of silica-protected ceramics in combustion atmospheres.—75-04423
Jacobson, N. S.; Smialek, J. L.; Fox, D. S.
Molten salt corrosion of ceramics.—75-02003
Jacobsson, Harald; Holmen, G.
Collisional versus electronic sputtering of SiO_2.—75-03972
Jacoby, E. R. See Klein, L.
Jacquemier, Michel See Etienne, Frederic
Jacquemin, R. See Colbow, K. M.
Jacques, P.; Verbist, K.; Lapin, J.; Ryelandt, L.; Van Tendeloo, G.; Delannay, F.
Critical assessment of the process of growth of a $YBa_2Cu_3O_{7-\delta}$ [123] layer on Y_2BaCuO_5 [211].—75-08279
Jacques, S.; Guette, A.; Langlais, F.; Naslain, R.; Goujard, S.
High-temperature lifetime in air of SiC/C(B)/SiC microcomposites prepared by LPCVD.—75-04554
Jadaan, Osama M.; Powers, Lynn M.; Nemeth, Noel N.; Janosik, Lesley A.
Design of high-temperature ceramic components against fast fracture and time-dependent failure using CARES/LIFE.—75-00948
Jagannadham, K. See Fan, W. D.; Raghunathan, R.
Jagannadham, K.; Narayan, J.
Microstructure and properties of high-temperature superconducting materials[—review].—75-05797
Jahanmir, Said
Friction and Wear of Ceramics.—75-02164; See also Allor, Richard L.; Xu, Hockin H. K.
Jahn, R. See Glaubitt, W.
Jain, A. K.
World-class refractories.—75-07102
Jain, Dilip C.
Mullite.—75-06043
Jain, H. See Hsieh, C. H.; Huang, W. C.; Kamitsos, E. I.
Jain, V. See Cadoff, L. H.; Firstenberg, K.
Jain, V.; Palmer, Ronald A.
Ceramic Transactions, Volume 61: Environmental Issues and Waste Management Technologies in the Ceramic and Nuclear Industries.—75-02162
Jakimaviciute, D. See Lichusina, S.
Jaklovszky, J. See Sandu, V.
Jakobsen, Hans J. See Skibsted, Jergen
Jakobsen, Ulla Hjorth See Johansen, Vagn
Jakubik, Robert F. See Sang, Jing C.
Jakubowski, A. See Dmowski, K.
Jaleel, M. A. See Reddy, N. Kishan
James, Gilbert See Bert, Christophe
James, M. P. See Ciszek, M.
James, P. F. See Nolte, A. N.; Reaney, I.; Shi, Wei-Dong; Wu, J.
Jamet, J. F. See Lamicq, P. J.
Jamil, S. See Johnson, J.
Jamil, S.; Gordon, M. H.; Salamo, G. J.; Naseem, H. A.; Brown, W. D.; Malshe, A. P.
Laser processing of diamond substrates for multichip modules: II.—75-07947
Jamnik, Janez; Raj, Rishi
Space-charge-controlled diffusional creep: volume diffusion case.—75-01776
Jamting, A.; Ben-Nissan, B.; Ashcroft, I.; Swain, M. V.
Ultra-microindentation of sol-gel-derived zirconia films on stainless steel.—75-02107
Janas, Victor F. See Ting, Steven M.
Jancke, K. See Sepelak, Vladimir
Jancke, Karin See Komatowski, Jan
Janczuk, B.; Zdiennicka, A.
Components of surface free energy of quartz from contact angle measurements.—75-06187
Jandt, K. D.; McMaster, T. J.; McDonnell, D. G.; Blackmore, J. M.; Miles, M. J.
Scanning tunneling microscopy (STM) and scanning force microscopy (SFM) of liquid crystals and polymers.—75-01929
Janes, Sigmar See Clasen, Rolf
Janewicz, M.; Wasylak, J.; Bogusz, W.
Electric properties of PbO-Bi_2O_3-Ga_2O_3 glasses.—75-04955
Jang, C.-W. See Kim, D.-H.
Jang, Hyun-M. See Kim, You-Song
Jang, Hyun-M.; Cho, Mun-K.
Sol-gel processing and pyroelectric properties of highly oriented $Pb(Mg,Zn)_{1/3}Nb_{2/3}O_3$ [PMZN] thin films.—75-03258
Jang, Hyun-M.; Moon, Jong-H.
Correlation of densification kinetics of polycrystalline ceramics with colloid/interface variables.—75-01415
Jang, J.-W.; Iwasaki, I.; Gillis, H. J.; Weiblen, P. W.
Effect of corrosion-inhibitor-added deicing salts and salt substitutes on reinforcing steels: I, Influence of concentration.—75-04424; II, Influence of temperature and oxygen content.—75-04425
Jang, Joon-Hyuk; Lee, Jae-Hyung; Kim, Young-Min
Microstructure and mechanical properties of Mg-PSZ containing nanosized SiC particles.—75-09561
Jang, K.-S. See Lee, J.-H.
Jang, N. See Makita, H.
Jang, T.-S. See Lee, S.-W.
Janke, Dieter See Hufschmidt, Heike; Weyl, Axel
Janko, B. See Jong, J. M.
Jannerup, Hans Erik; Smidth, F. L.
Coprocessing of waste products.—75-00028; Emission of SO_2 and NO_x from cement kilns.—75-00036; Environmental technology for cement plants.—75-00038
Janosik, Lesley A. See Jadaan, Osama M.
Janovec, J. See Magula, V.
Jansen, Daniel C. See Gettu, Ravindra
Jansen, Frank; Krommenhoek, Steven
Thin-film deposition on inside surfaces by plasma-enhanced chemical vapor deposition.—75-04258
Jansen, J. B. H. See Titulaer, M. K.
Jansen, Martin See Baldus, H.-P.
Janssen, G. J. See Soppe, W. J.
Janssen, R. See Garcia, Daniel E.; Hotza, D.; Warrier, K. G. K.
Janssen, R.; Wendorff, J.; Claussen, N.
Fiber reinforcement of reaction-bonded oxide ceramics.—75-04042
Jantzen, Carol M.
Method for thermal processing alumina-enriched spinel single crystals.—75-01121
Janzen, E. See Bergman, J. P.; Tuominen, M.
Jao, S.-S. See Lan, S.-M.
Jaraiz, M. See Pelaz, Lourdes
Jaramillo, D. See Balmori, H.
Jardim, R. F. See Barbeta, V. B.; See Suzuki, P. A.
Jardim, R. F.; Westphal, C. H.; Cohenca, C. H.
Transport and magnetic properties of polycrystalline $Sm_{2-x}Ce_xCuO_{4-y}$ [0.15≤x<0.18].—75-03420
Jardine, A. Peter
Synthesis of thin-film ferroelectrics on Si and shape memory effect TiNi substrates.—75-03263
Jarh, O.; Sepe, A.; Lahajnar, G.; Koprivec, N.; Blinc, R.; Pintar, M. M.
Proton MR microimaging and relaxation of hydrating synthetic cement pastes.—75-00061
Jariabka, P. See Koudelka, L.
Jarque, Juan Carlos See Gimeno, Rosario
Jarrige, J. See Mullot, J.
Jarrold, M. F. See Ogura, A.
Jasiuk, I. See Ostoja-Starzewski, M.
Jasulaitiene, V. See Stakenas, A.
Jaussaud, C. See Riehl-Chudoba, M.
Javorniczky, J. S. See MacFarlane, D. R.
Jawaid, A. See Tuersley, I. P.
Jawed, Inam See Bailey, Alex E.
Jayachandran, M.; Chockalingam, M. J.; Lakshmanan, A. S.
Properties of Cd_2SnO_4 conducting powder for ohmic contacts.—75-02934
Jayachandran, M.; Juliana, M.; Lakshmanan, A. S.
Cd_2SnO_4 thick layers prepared by the squeezing and sintering technique.—75-06543
Jayaram, Vikram; Manna, Rampada; Kshetrapal,

Manjunath G.; Sarkar, Jaydeep; Biswas, Sanjay K.
Microstructure control and wear of Al_2O_3-SiC-(Al,Si) composites made by melt oxidation.—75-04603
Jayasankkar, C. K. See Devi, A. R.
Jayashankar, S.; Kaufman, Michael J.
Composite silicide/silicon carbide mechanical alloy.—75-06119; Effect of oxygen content on the superplastic behavior of $MoSi_2$/SiC composites.—75-09278
Jayasundere, N.; Smith, B. V.; Dunn, J. R.
Piezoelectric constant for binary piezoelectric 0-3 connectivity composites and the effect of mixed connectivity.—75-00688
Jean, Jau-Ho See Gupta, Tapan K.
Jedlinski, J. See Mishin, Yu M.
Jee, Young-A. See Suh, Jeong-Hun
Jeelani, S. See Mahfuz, H.
Jeffries, R. L. See Perera, D. S.
Jegoudez, J. See Sacuto, A.
Jendritza, Daniel J.
Large signal measurement technology for piezoelectric actuator materials.—75-05595
Jeng, Guang-kai D.; Mitchell, James W.; Seibles, Lawrence
Method for growing continuous diamond films.—75-03739
Jeng, S. M. See Yang, J.-M.
Jeng, Y.-L. See Wolfenstine, J.
Jeng, Y.-L.; Lavernia, E. J.
Processing of molybdenum disilicide[—review].—75-06747
Jenkins, Carolyn E. See Southworth, Paul
Jenkins, G. M. See Ila, D.; Maleki, H.
Jenkins, L. C. See Cheng, T. S.
Jenkins, M. G. See Lin, C.-K. J.; Ramulu, M.
Jenkins, R. See Huang, Sun-li
Jennett, Timothy A.; Harmsworth, Patrick D.; Martin, Dave; Ellison, Anthony W.
Process for the production of silicon nitride.—75-06139
Jennings, Hamlin M. See Day, P. S.; Kjellsen, Knut O.; Min, B. H.; Neubauer, C. M.; Rarick, Robert L.; Skamser, Daniel J.; Su, Z.; Thomas, Jeffrey J.; Yang, M.
Jennings, Richard A.; Greaves, Colin
Neutron powder diffraction study of $(Bi_{0.35}Cu_{0.65})YSr_2Cu_2O_7$.—75-06286
Jensen, D. G.
Enhanced toughness of a partially stabilized zirconia at elevated temperatures.—75-09631
Jensen, Eike; Shamamian, Vasgen A.; Butler, James E.
Optical characterization of low-pressure combustion growth of diamond.—75-09164
Jensen, James A.
Aluminum nitride from inorganic polymers.—75-06113; Polymer precursor for silicon carbide/aluminum nitride ceramics.—75-03746; Polymer precursors for aluminum nitride containing ceramics from polymeric precursors.—75-01183; Polymer precursors for aluminum nitride.—75-06134; See also Hinton, Jonathan W.
Jensen, Martin C. See Schultz, Richard A.
Jensen, Niels L.
Kiln car.—75-08747
Jeon, C.-H. See Park, D.-W.
Jeon, Jae-Ho See Song, In-Hyuck
Jeon, Jae-Ho; Kim, Joo-Seon; Kang, Suk-Joong L.; Yang, Myung-Seung
Atmosphere control of interface migration and its effect on dielectric property of CuO-infiltrated strontium titanate.—75-02892
Jeong, Kyung-Chai; Kim, Tae-Joon; Choi, Jong-Hyun; Park, Jin-Ho
Characteristics of AUC [ammonium uranyl carbonate] powder prepared with the waste AC [ammonium carbonate] solution.—75-08497
Jergel, M.; Gallardo, A. Conde; Guajardo, C. Falcony; Strbik, V.
Tl-based superconductors for high-current, high-field applications.—75-08442
Jesenak, K.
Laboratory device for sedimentation separation of powders.—75-03575
Jesson, D. E. See Pennycook, S. J.
Jessop, Paul E. See Boumerzoug, Mohamed
Jeulin, Dominique See Berdin, Clotilde
Jewell, John M. See Ruller, Jacqueline A.
Jewell, John M.; Friebele, E. Joseph; Aggarwal, Ishwar D.
Controlled crystallization and properties of zirconium fluoride-based glass-ceramics.—75-04887
Jewell, John M.; Harbison, Barry B.; Aggarwal, Ishwar D.; Bayya, Shyam S.
Germanate glass-ceramic.—75-07420
Jeyaderan, B.; Tohji, K.; Nakatsuka, K.
Structure analysis of coprecipitated $ZnFe_2O_4$ by extended X-ray absorption fine structure.—75-00760
Jha, A. K.; Mendiratta, R. G.
Lead-doped bismuth ceramics: superconducting properties and effect of particle size.—75-03377
Jha, A. See Baro, M. D.
Jha, R. K. See Choudhury, S. K.
Jhang, D.-L.; She, J.-H.
Hot isostatic pressing of silicon carbide based multiphase composed materials.—75-04068
Jhunjhunwala, R.; Sahu, M. M.; Padhi, P. C.
Superdense direct-bonded magnesia-chrome brick for AOD and OTBC applications.—75-07669
Jhuravleva, N. V. See Yurkov, A. L.
Ji, J. J.; Brungs, M. P.
Locating an oxygen probe for the measurement of oxygen activity in commercial glass melts.—75-00191
Ji, J.-T. See Jiang, Z.-S.
Ji, Shi-Dong See Hwang, Chii-Shyang
Ji, Y. See Liu, J.-C.
Ji, Y.; Yang, Z.-F.; Yuan, Q.-M.; Liu, J.-C.
Heat treatment of ZTM/SiC(p) composite.—75-04065
Jia, C. L. See Xiao, Y. G.
Jia, H. See Shinar, J.
Jia, J. J. See Carlisle, J. A.
Jia, J. See Gao, Y.
Jia, Meng-Dong; Noble, Richard D.; Falconer, John L.
Ceramic-zeolite composite membranes and use for separation of vapor/gas mixtures.—75-06083
Jia, N. See Bodet, R.
Jia, Q. X.; Zhou, D. S.; Wu, X. D.; Foltyn, S. R.; Tiwari, P.; Mitchell, T. E.
Characterization of $Ba_{0.5}Sr_{0.5}TiO_3$ [BSTO] thin-film capacitors produced by pulsed laser deposition.—75-05178
Jia, S.-C. See Pan, M.
Jia, S.-L. See Lan, Y.-C.
Jian, C. Y.; Hashida, Toshiyuki; Takahashi, H.; Shimoda, N.; Saito, M.
Accelerated testing method of ZrO_2-based FGM coating for gas turbine blades.—75-02434
Jian, Li; Wayman, C. Marvin
Domain boundary and domain switching in a ceramic rare-earth orthoniobate $LaNbO_4$.—75-03223
Jian, W.-B. See Chen, Su-Fen
Jiang, Bo See Zurcher, Peter
Jiang, Bo-Hong See Tu, Jin-Biao
Jiang, C.; Goto, T.; Hirai, T.
Morphology and preferred orientation of titanium nitride plates prepared by chemical vapor deposition.—75-06689
Jiang, D.-L. See Chen, Z.-M.; Huang, Z.-R.; Liu, Q.; Pan, Y.-B.; Zhou, Y.
Jiang, Da-Zhen See Shen, Jian-Ging
Jiang, G.-J. See Li, C.-L.
Jiang, H.-M. See Jiang, J.-F.
Jiang, H.-R. See Gao, Q.-J.
Jiang, J.-F.; Cai, Q.-Y.; Jiang, H.-M.; Tang, Y.-S.; Zhong, Z.-L.
High-performance complementary metal-oxide-superconductor field effect transistor (CMoSuFET) current-mode operational amplifier.—75-08336; Superconducting FET circuits for analogue VLSI signal processing.—75-08427
Jiang, L.-Z. See Chen, X.-Q.
Jiang, Ming-Xue; Ma, Ai-Qon; Ma, Xiang-Hong; Liu, Yu-Ying
Thermodynamical analysis of reactions of oxides with carbon in nitrogen atmosphere.—75-07681
Jiang, N.; Agius, B.; Hugon, M. C.
Radio-frequency bias effects on SiO_2 films deposited by distributed electron cyclotron resonance plasma-enhanced chemical vapor deposition.—75-01638
Jiang, N.; Buchanan, R. M.; Henn, F. E.
Aging phenomenon of stabilized bismuth oxides.—75-06861
Jiang, Pei-Xuan See Cao, Zhong
Jiang, Q. Y.; Subbarao, E. C.; Cross, L. Eric
Effect of composition and temperature on electric fatigue of La-doped lead zirconate titanate ceramics.—75-03002
Jiang, Qin See Chen, Ang
Jiang, Qing See Huo, Yong-Zhong; Zhang, Ying
Jiang, S. P.; Mutin, J. C.; Nonat, A.
Effect of fillers (fine particles) on the kinetics of cement hydration.—75-00032; Effect of Melment superplasticizer on C_3S hydration—from suspension to paste.—75-00034
Jiang, S.-S. See Huang, X.-R.
Jiang, W. N. See Tseng, M. Z.
Jiang, W. See Roy, D. M.
Jiang, X.; Huang, L.-P.; Fu, X.-R.
Processing and characterization of SiCw-AlN composites.—75-04179
Jiang, Xing-Xiang; Huang, Dong-Shen; Weng, Lu-Qian
Sintering characteristics of microfine zirconia powder.—75-06764
Jiang, Xiu-Guang See Zuo, F.
Jiang, Y.-Z.; Wei, P.; Wang, B.-R.
Inorganic polymer ceramics for heat insulation in diesel engines.—75-03652
Jiang, Z. See Hu, L.
Jiang, Z.-S.; Ge, X.; Ji, J.-T.
Magnetic properties of FeSi-SiO_2 granular films.—75-00747
Jiang, Z.-Z. See Zhang, Zong-Tao
Jiang, Z.-Z.; Zhang, Zong-Tao; Huang, Y.
Preparation and high-temperature strengthening of tetragonal zirconia-mullite whisker composites.—75-01615
Jih, Jyh-Ming See Huang, Jow-Lay
Jilbert, G. H.; Pickles, C. S. J.; Coad, E. J.; Field, J. E.
Diamond: an erosion-resistant aerospace material.—75-09125
Jimbo, Genji See Kamiya, Hidehiro
Jimbo, Tadayuki; Hironaka, Seiichiro
Tribological properties of oil-retaining porous silicon carbide.—75-09688
Jimenez, B. See Ricote, J.
Jimenez, F. See Alemany, C.
Jimenez, Ricardo See Torres-Martinez, Leticia M.
Jimenez-Becerril, Jaime See Valenzuela, Miguel A.
Jimenez-Melendo, M. See Bravo-Leon, A.
Jin, C. See Hettich, R. L.
Jin, F. See Mu, R.
Jin, H.; Guan, Z.-D.
High-temperature cyclic fatigue behavior of two kinds of ceramic composites.—75-04551
Jin, Hua See Wang, Rui-Ping
Jin, J. X.; Dou, S. X.; Grantham, C.; Liu, H. K.
Application of high-T_c superconducting $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ Ag-clad wires in a prototype fault current-limiter.—75-00772; Electrical behavior of high-T_c superconducting ceramic bulk shapes and their applications in current-limiting devices.—75-00797
Jin, Ji-Sun; Yoko, Toshinobu; Miyaji, Fumiaki
Neutron diffraction and solid-state MAS-NMR studies of the structure of Y-Al-Si-O-N oxynitride glasses.—75-02597
Jin, L. See Wang, B.-M.
Jin, Ming-Ji See Wang, Wei-Min
Jin, S. See Graebner, J. E.; Yang, J.
Jin, S.-T. See Choi, J.-Y.
Jin, S.; McCormack, M.; Tiefel, T. H.
Colossal magnetoresistance in La-Ca-Mn-O ferromagnetic thin films.—75-00726
Jin, S.; Zhu, W.; Graebner, T. E.
Techniques for diamond thinning and polishing by diffusional reactions with metals.—75-08543
Jin, Y. See Gorsuch, G.
Jin, Y.-P. See Wang, B.-M.
Jin, Z.-P. See Xia, C.-Q.
Jin, Z.-Z. See Bao, Yi-Wang; Zhang, G.-J.; Zhao, H.
Jin, Z.; Du, Y.
Reassessment of the ZrO_2-$YO_{1.5}$-MgO system.—75-03834
Jin, Zeng-Sun See Gu, Chang-Zhi; Ping, Huang-Fu; Zou, Guang-Tian
Jin, Zheng-Guo; Xu, Ting-Xian; Hu, Zong-Min; Gao, Shang-Tong; Wang, Wen-Qin; Liu, Zhi-Ping
Effects of chemical composition on microstructure and properties of mullite substrate ceramics.—75-09293
Jin, Zhi-Hao See Hao, Hong-Qi
Jing, T. W. See Lindsay, S. M.
Jing, Xi-Ping See Cruickshank, Karen M.
Jing, Z.; Whitten, J. L.
Theoretical studies of C(100) surface reconstruction and reaction with CH_2.—75-01967
Jisheng, E.; Stolarski, T. A.; Gawne, D. T.
Tribochemically assisted wear of silicon nitride ball.—75-09683; Wear behavior of alumina and SiAlON in line contact lubricated with diamond slurry.—75-09692
Jitsumori, Yasuaki; Yoshida, Tetsuro; Yamaguchi, Akira
Effect of starting materials characteristics on microstructures and properties of magnesia-carbon refractories.—75-07543
Jo, K.-H. See Kim, E.-S.
Jo, K.-H.; Kim, E.-S.; Yoon, K.-H.
Influence of synthesis methods on the dielectric properties of $(Ba_{0.2}Pb_{0.8})TiO_3$ ceramics.—75-06657
Jo, Y. M. See Hutchison, R. B.
Joachim, C. See Itoua, S.
Joardar, Abhijit; Agrawal, G. N.
Preparation and characterization of chrome-bearing high-aluminosilicate refractories.—75-07633
Job, Lenox S. See Xu, Hockin H. K.
Jobic, Herve See Jacobs, W. P. J. H.
Jodai, Tetsuji See Itozaki, Hideo; Sibata, Kenichiro; Yamamoto, Susumu
Joelson, Daniel
Anchor Glass chairman prods industry to expand R&D funding and marketing drive.—75-09703; Flat glass demand expected to grow in 1996.—75-09714; Glassman '96 focuses on the environment and industry progress.—75-09716
Joensson, M.; Kieback, M.
Highly porous sintered parts with a pore size gradient made by centrifugal powder metallurgy.—75-02489
Joeris, Pierre; Schmidt, Ingo; Benndorf, Carsten
Is it possible to deposit diamond in a microwave plasma CVD process without H_2.—75-09348
Johansen, Vagn; Thaulow, Niels; Jakobsen, Ulla Hjorth; Palbol, Lars
Heat-cured-induced expansion.—75-00040
Johansson, Ann-Sofie; Lu, Jun; Carisson, Jan-Otto
TEM investigation of CVD graphite on nickel.—75-04412
Johansson, Hans E.; Larsson, Bo V.
Silica sols, a process for the production of silica sols, and use of the sols.—75-03681
Johansson, Leena-Sisko See Fagerholm, Heidi
Johansson, M. See Maximov, I.
Johansson, T. See Lei, B. Q.
Johansson, T.; Bruckner-Foit, A.; Brandon, D. G.; Shafry, N.
Determination of parameters of CMC materials using slice compression tests.—75-03558
Johns, Herbert L.
Apparatus and process for manufacturing balls made of a ceramic material.—75-08551
Johnsen, William A. See Bar-On, Isa
Johnson, Bradley R.; Gulgun, Mehmet A.; Kriven, Waltraud M.
Chemically bonded ceramic processing of monocalcium aluminate.—75-03970; Chemically bonded ceramic matrix composites—densification and conversion to diffusion bonding.—75-03969
Johnson, D. Lynn See Day, P. S.; Skamser, Daniel J.; Su, Hung-Hai; Thomas, Jeffrey J.
Johnson, D. R. See Joslin, S. M.; Schulz, R. B.
Johnson, David L. See Stan, Mark A.
Johnson, David W., Jr. See Grader, Gideon S.
Johnson, Donald See Norwood, David
Johnson, J. N.; Hixson, R. S.; Gray, G. T., III
Shock wave compression and release of aluminum/ceramic composites.—75-01658
Johnson, J.; Malshe, A. P.; Callens, E.; Jamil, S.; Gordon, M. H.
Laser processing of diamond substrates for multichip modules: I.—75-07946
Johnson, John L.; German, Randall M.; Hens, Karl F.; Guiton, Theresa A.
Injection molding AlN for thermal management applications.—75-06659
Johnson, K. F. See Gao, F.
Johnson, K. H. See Mishra, K. C.
Johnson, M. B.; Pfister, M.; Alvarado, S. F.; Salemink, H. W. M.
Cross sectional scanning tunneling microscopy of III-V quantum structures.—75-00449
Johnson, M. G. See Frye, R. C.
Johnson, P. F. See Cho, S.-G.
Johnson, P. V. See Kwak, S. J.
Johnson, Randall L.
Talc.—75-06058
Johnson, Robert D. See Holl, Susan M.
Johnson, Sylvia M. See Blum, Yigal D.
Johnson, T. R. See Bates, J. K.
Johnson, W. L. See Bansal, C.
Johnson, William B.
Silicon carbide bodies and methods of making the same.—75-01193; See also Claar, Terry D.

Johnsson, Bjorn; Larsson, Anders G.; Sjolund, Ola
Carrier recombination in a periodically δ-doped multiple quantum well structure.—75-05255
Johnsson, Mats See Ahlen, Niklas
Johnston, D. C.; Borsa, F.; Cho, Jaephil
Phase diagram and phase separation in $La_{2-x}Sr_xCuO_{4+\delta}$.—75-03391
Johnston, David
Arc-induced fractures from lampmaking test equipment.—75-02625
Johnston, G. C.
Thin film coatings and the glass industry.—75-00223
Johnston, Gregory P. See Rej, Donald J.
Johnston, Gregory P.; Tiwari, P.; Rej, Donald J.
Preparation of diamondlike carbon films by high-intensity pulsed ion beam deposition.—75-01622
Johnston, Robert P. See Fouts, Richard E.
Joiner, D.
Tim Taunton's narrative figures.—75-02373
Jolivet, Jean Pierre See Pulcinelli, Sandra Helena
Jondo, T. K. See Jorda, J. L.
Jones, A. G. See Bate, L. D.
Jones, A. R.; Cardwell, D. A.; Ingle, N. J. C.
Correlation of transport and magnetic critical currents in melt-processed $YBa_2Cu_3O_{7-\delta}$ thick films.—75-00778
Jones, B.
Bead making.—75-02198
Jones, D. W.; Rizkalla, A. S.
Fracture toughness of Bioglass/ceramic systems.—75-04542
Jones, D.
Atmospheres.—75-02192
Jones, Edwin C.; Norton, David P.; Christen, David K.
Anomalous T^3 inverse Hall mobilities observed in $Sr_{1-x}Ca_xCuO_2$ and $Sr_{0.9}Nd_{0.1}CuO_2$ infinite layer thin films.—75-05725
Jones, F. J. See Coaker, B. M.
Jones, F. R. See Wu, J.
Jones, G. See Butterfield, J. W.
Jones, J. T.; Kiesow, P.
TQM concepts boost productivity at Lenox Inc.—75-02798
Jones, J. T.
GBC Materials [Latrobe, PA], job shop in the '90s.—75-04710; New emphasis on drying.—75-03528
Jones, K. S. See Bharatan, S.
Jones, L. E. See Hu, J. Q.
Jones, L. L.; Shaw, R. W.; Feigerle, C. S.
Gas phase diagnostics for CVD diamond growth.—75-08943
Jones, Lowell; Garcia, Ephrahim; Waites, Henry
Self-sensing control as applied to a PZT stack actuator used as a micropositioner.—75-03256
Jones, M. L. See Kibler, J. J.; Olmsted, B. L.
Jones, M.
Earthly aspect.—75-00018
Jones, R. See Rahbi, R.
Jones, Robert E., Jr. See Zurcher, Peter
Jones, Robert E., Jr.; Maniar, Papu D.
Method of forming a nonvolatile random access memory capacitor cell having a metal-oxide dielectric.—75-02952
Jones, Robert L.
India-stabilized zirconia coating for composites.—75-01170
Jones, S. A.; Burlitch, J. M.; Ustundag, E.; Yoo, J.; Zehnder, A. T.
Nickel-alumina composites—in situ synthesis by a displacement reaction, and mechanical properties.—75-02515
Jones, S. H. See Zybura, M. F.
Jones, S. M.; Friberg, S. E.; Farrington, G. C.
Charge transfer transitions of copper(II) in drying silicate xerogels.—75-07288
Jones, S. M.; Friberg, S. E.; Sjoblom, J.
Bioactive composite material produced by the sol-gel method.—75-06540
Jones, T. G. J. See Hughes, T. L.
Jones, W. K. See Zampino, M. A.
Jong, Anthony See Sawko, Paul M.
Jong, B. W.; Riley, W. D.
Synthesis and intercalation properties of orthorhombic litnium titanate.—75-02548
Jong, J. M.; Hayden, L. A.; Tripathi, V. K.
Impedance-loss profile characterization of interconnection structures.—75-00340
Jong, J. M.; Janko, B.; Tripathi, V. K.
Time domain characterization and circuit modeling of a multilayer ceramic package.—75-00383
Jongerius, M. J.; Bolt, R. J.; Sweep, N. A.
Blue second-harmonic generation in waveguides fabricated in undoped and scandium-doped $KTiOPO_4$.—75-06423
Joo, S.-H. See Shin, M.-K.
Jorand, Y. See Tuffe, S.
Jorda, J. L.; Jondo, T. K.; Abraham, R.
Thermodynamic and kinetic studies of the phase transitions in $Tl_2Ba_2CuO_{6+x}$.—75-03854
Jordan, V. See Hochholzer, M.
Jordery, S. See Baro, M. D.
Joseph, T. See Chen, Z.
Josepson, Juri See Aben, Hillar
Joshi, M. L.; Backhausen, J.; Mohr, P. J.
Experience with 100% oxygen-fuel firing of glass-melting furnaces.—75-08722; TV glass oxy-fuel conversion addresses both environmental and economic issues.—75-08742
Joshi, S. P. See Shah, D. K.
Joshi, V. C. See Pyare, Ram
Joslin, Debra L. See Lee, Woo-Y.
Joslin, S. M.; Johnson, D. R.; Oliver, B. F.; Noebe, R. D.; Whittenberger, J. D.
Containerless automated processing of single-crystal NiAl and intermetallic polyphase composites.—75-09245
Jou, J.-H.; Chou, S.-W.
Measurement of stress and mechanical properties of tungsten thin film.—75-04584
Jou, J.-H.; Chung, C.-S.
Stress relaxation study of aluminum/polymide bilayer thin films on substrate.—75-04638
Jou, Jyh-Shen See Kao, Chen-Feng
Joubert, J. C. See Tiburcio-Silver, A.
Joy, David C.
Field emission gun scanning electron microscope-high resolution at low beam energies.—75-00954
Ju, C. P. See Chen, J. D.; Lee, K.-J.
Juan, W. H. See Griffith, Michelle L.
Juang, Y.-D.; Hu, M.-L.; Tse, W.-S.
Temperature-dependent Raman scattering studies of $Li_{0.02}Na_{0.98}NbO_3$.—75-01966
Jubb, G. A. See Moore, M. A.
Juciene, V. See Pozela, J.
Judd, M.
Burnishing and dung firing.—75-02206
Judy, Jack H. See Hoshi, Youichi; Sin, Kyusik
Juengst, Stefan See Bastian, Hartmuth
Jukna, A. See Lisauskas, V.; Martunas, Z.
Juliana, M. See Jayachandran, M.
Juma, Kassim; Rogers, Norman; McKillen, Gerard
Thermal shock test for large ladle shrouds.—75-07679
Jun, B.-S. See Choi, T.-S.
Jun, S.-T.; Choi, G.-M.
Composition dependence of the electrical conductivity of *n-p* ceramic composite.—75-02898
Jung, E.
Filling of small, storey-high channels in reinforced masonry to give a sealed microstructure.—75-00243
Jung, G. See Ashkenazy, V. D.
Jung, Hyung-Jin See Kim, Tae-Song; Kucheiko, Sergey; Oh, Young-Jei; Yoo, Kwang-Soo
Jung, Hyung-Jin; Yoon, K.-H.; Kim, Dong-P.; Kim, E.-S.
Compositions of high frequency dielectric ceramics.—75-02948
Jung, R.
Developing optimal pressing.—75-05058
Jung, Sang-Jin; Nakamura, Yoshinobu; Kishimoto, Akira; Yanagida, Hiroaki
Modified CuO surface appropriate for selective CO gas sensing at CuO/ZnO heterocontact.—75-07977
Jung, Woo-Sik; Ahn, Sang-Kyeung
Preparation of aluminum nitride powder from a (hydroxo)(succinato)aluminum(III) complex.—75-06723
Jung, Yeon-Gil; Choi, Sung-Churl; Paik, Ungyu
Residual stress and fracture characteristics of zirconia/metal(Ni, SUS304) functionally gradient materials.—75-00129
Junge, K.
Data on moist air—drying technology.—75-05991; Possibilities and limits of fast firing in the brick and tile industry.—75-00248
Jungling, T.; Brombach, J.; Kieback, B.
Ceramic-metal functional gradient materials by sedimentation.—75-02442
Jurado, J. R. See Colomer, M. T.; Duram, P.; Villegas, M.
Jurcek, P.; Skacel, F.
Possibilities of potentiometric determination of potassium in some silicate raw materials.—75-03589
Jurcik, Benjamin; Philippe, Louis; Wayman, Steve; Ruiz, Roberto
Particulate emissions in oxy-fuel-fired glass furnaces.—75-06008
Jurcik, Benjamin; Schnepper, Carol
Geometric considerations for modeling oxy-fuel glass tanks.—75-08725
Jurgensen, Arthur R. See Resce, James L.
Juskenas, R. See Kurtinaitiene, M.; Narkevicius, A.
Justnes, H.; Meland, I.; Bjorgum, J. O.; Krane, J.
Mechanism of silica fume action in concrete studied by solid state ^{29}Si MAS NMR.—75-00264
Justo, A. See Ariles, M. A.; Sanchez-Soto, P. J.
Juve, D. See Lourdin, P.
Juzeliunas, E. See Slizys, R.
Jyoti, G. See Suresh, N.
Kabanov, V. O.; Podol'skaya, T. M.; Yanush, O. V.
Raman spectra and structure of the PbO-SiO_2 glasses.—75-07311
Kabos, Pavel See Truedson, John R.
Kabyshev, A. V.; Konusov, F. V.; Lopatin, V. V.; Petrusha, I. A.
Electrophysical properties of polycrystalline sphalerite boron nitride.—75-09142
Kabyshev, A. V.; Konusov, F. V.; Lopatin, V. V.
Mechanisms of the dielectric-semiconductor transition during ionic thermal treatment.—75-07967
Kachi, Naoki See Kanesaka, Hiroyuki
Kachlishvili, Z. S. See Dzhakeli, V. G.
Kachurin, G. A.; Tyschenko, I. E.; Tiis, S. A.; Plotnikov, A. E.
Effect of competing precipitation sites on distribution of nitrogen implanted in silicon under buried layer formation.—75-03001
Kaciulis, S. See Gaggiotti, G.
Kaczmarczyk, Alexander See Hatcher, Helen
Kaczmarek, M.; Solymar, L.; Pun, P.
Multicolor-pumped oscillator in photorefractive $BaTiO_3$.—75-06491
Kaczmarek, W. A.; Ninham, W. B.
Preparation of high-coercivity fine barium ferrite powder.—75-00756
Kademina, L. E.; Toropov, A. N.; Zhelnin, B. I.; Mel'nikova, O. V.
Phase reactions in samples of the CaO-TiO_2-H_2O system produced by the sol-gel method in highly alkaline media.—75-06705
Kadner, Martin See Brandau, Egbert
Kadomtseva, A. M. See Popov, Yu. F.; Vorob'ev, G. P.
Kadono, Kohei See Fukumi, Kohei
Kadota, Kenichi See Hatta, A.
Kadowaki, K. See Yuan, S. L.
Kadushkin, V. I. See Brandt, N. B.
Kadushkin, V. I. See Kul'bachinskii, V. A.
Kadushkin, V. I.; Kapaev, V. V.; Kucherenko, I. V.; Podlivaev, A. I.; Rudnev, I. A.; Sinchenko, A. A.
Peculiarities of *I-V* characteristic of an asymmetrical quantum-well GaAs/AlGaAs structure having boundary barriers.—75-03111
Kadushkin, V. I.; Shangina, E. L.
Photoluminescence of doped spaced superlattices of GaAs/Al,$Ga_{1-x}As$.—75-03126
Kadyrbaev, A. R. See Mikhailov, B. P.
Kadyrogly, Zafar L. See Guseinov, D. T.
Kadyshman, S. L. See Sigaev, V. N.
Kaestner, G.; Wagner, R.; Hilarius, V.
Nucleation of twins by grain coalescence during the sintering of $BaTiO_3$ ceramics.—75-03814
Kaga, Hisashi; Taya, Yoshihiro; Hamaguchi, Yoshikazu; Katayama, Hiroshi; Mukaida, Kenichi
Formation of Cu-Al_2O_3 composite particles by mechanofusion: a consideration on the formation relating to the effects of vacuum and temperature increase of particle surfaces.—75-06616
Kagan, D. M.; Feigelman, M. V.
Slow cooling dynamics of the Ising *p*-spin interaction spin-glass model.—75-09057
Kagan, H. See White, C.
Kagan, M. S. See Altukhov, I. V.
Kagan, V. D. See Drichko, I. L.
Kagan, V. D.; Suslov, A. V.
Kinetics of acoustic phonons in virtual ferroelectrics of $KTaO_3$.—75-05594
Kagata, Hiroshi; Inoue, Tatsuya; Kameyama, Ichiro; Kato, Junichi; Nishimoto, Keiji
Composition of dielectric ceramics.—75-05220; Dielectric ceramic compositions.—75-07759
Kagata, Hiroshi; Kato, Junichi; Nishimoto, Keiji
Dielectric ceramic compound.—75-07761
Kagawa, Yutaka; Goto, Ken
Early stage matrix cracking phenomena in fiber-reinforced brittle matrix composite.—75-02645
Kagawa, Yutaka; Yamada, T.
Tensile properties of optical fiber–glass matrix sensor-based composite.—75-04997
Kagawa, Yutaka
Quantitative analysis of closure stress-crack separation curve in grain bridge toughening of polycrystalline ceramics.—75-07026; See also Goto, Ken; Iba, Hisayoshi; Kogo, Yasuo; Liu, Yu-Fu; Mizuno, Mineo; Zhu, Shi-Jie
Kage, Akiko See Higashitani, Ko
Kagiya, Shoichi See Kondoh, Akihiro
Kagohashi, Y. See Takahashi, Minoru
Kahn, Manfred See Bashkansky, Mark; Wu, Carl C. M.
Kai, J.-J. See Shiao, J.-J.
Kaibe, H. T.; Okumura, T.; Okamoto, M. A.; Nishida, I. A.
Carrier gradient thermoelectric material of $Bi_2Te_{2.85}Se_{0.15}$ single crystal fabricated with Czochralski technique.—75-02969
Kaidalova, T. A. See Laptash, N. M.
Kaidanov, V. I. See Ageev, N. V.; Bagraev, N. T.
Kaieda, Yoshinari
Synthesis and application of intermetallic compounds produced by combustion synthesis process.—75-04867
Kaiser, A.; Berger, A.; Sporn, D.; Bertagnolli, H.
Lyothermal synthesis of nanocrystalline $BaTiO_3$ and TiO_2 powders.—75-01568
Kaiser, A.; Vassen, R.; Stover, D.
Thermal shock behavior of Si_3N_4/SiC composites.—75-09679
Kaiser, Debra L. See Robins, L. H.
Kaizu, Koichi See Ikeda, Kiyohiko
Kaji, Masaki See Uchimura, Hiroshi
Kaji, Mitsunari See Miyamoto, Hiroki
Kaji, Tetsuo See Ono, Yasushi
Kajiya, Tomomi See Hojo, Janichi
Kajiyoshi, Koji; Hamaji, Yukio; Tomono, Kunisaburo; Kasanami, Toru; Yoshimura, Masahiro
Microstructure of strontium titanate thin film grown by the hydrothermal-electrochemical method.—75-04370
Kakazei, N. G. See Bartnitskaya, T. S.
Kakibayashi, H.; Tsuneta, R.; Nagata, F.
Composition and strain analysis of semiconductor heterostructures using thickness fringes on TEM images.—75-00441
Kakihana, Masato See Arima, Momoko; Gogotsi, Yu. G.; Mazaki, Hiromasa; Yoshimura, Masahiro
Kakihana, Masato; Milanova, Maria M.; Arima, Momoko; Okubo, Toru; Yashima, Masatomo; Yoshimura, Masahiro
Polymerized complex route to synthesis of pure $Y_2Ti_2O_7$ at 750°C using yttrium titanium mixed metal citric acid complex.—75-04141
Kakihana, Masato; Nishio, Shigeru; Yashima, Masatomo; Mazaki, Hiromasa; Yasuoka, Hiroshi; Yoshimura, Masahiro
Synthesis of Ca-doped Y124 [$YBa_2Cu_3O_8$] superconductor by polymerized complex method followed by O_2-HIP technique and discussion of Ca site selectivity in the crystal structure.—75-00884
Kal'ko, O. A. See Morachevskii, A. G.
Kalantarova, Z. S.
Optical control by switching and the switch-off mechanism in AlAs-GaAs *p-n-i-n*$^+$ structures by the voltage pulse of positive polarity.—75-03102
Kalashnikov, A. A. See Voronina, L. I.
Kalawrytinos, G. See Sax, M.
Kalenik, V. I. See Gasan-Zade, S. G.
Kalevich, V. K.; Korenev, V. L.; Merkulov, I. A.
Nonequilibrium spin and spin flux in quantum films of GaAs-type semiconductors.—75-05403
Kalevich, V. K.; Zakharchenya, B. P.; Fedorova, O. M.
Strong anisotropy of the electron *g*-factor of conductivity in GaAs/AlGaAs quantum wells.—75-05486
Kalevich, V. K.; Zakharchenya, B. P.
Resonant optical cooling of a nuclear spin system in GaAs/AlGaAs quantum wells.—75-08046
Kalidindi, Surya R. See Brodkin, Dmitri

Kalinin, A. A. See Bublik, V. T.
Kalinin, V. B.
Crystal-chemical aspects of three types of cation mobility—dipole ordering, ionic conductivity, and cold nuclear synthesis in orthophosphates of $KTiOPO_4$, $Na_3M_2(PO_4)_3$ (M=Sc, Fe, Cr), $NaTh_2(PO_4)_3$, KD_2PO_4, and related compounds.—75-06195
Kalinin, V. V. See Bagaev, V. S.
Kalinin, Yu. E.; Minakov, Yu. D.
Structural relaxation and crossover effect for Young's modulus of amorphous $Fe_{81.5}V_{2.5}P_{16}$ and $Fe_{81.5}Mo_{2.5}P_{16}$ ferromagnetics.—75-03332
Kalinina, A. M.; Filipovich, V. N.
Metastable crystallization of glasses in the pseudobinary diopside-akermanite system.—75-02665
Kalinina, M. V. See Glushkova, V. B.
Kalinkin, A. M.; Antropova, O. V.; Shchur, T. E.
Solubility in the zirconium oxychloride–hafnium oxychloride–water system at 25 and 50°C.—75-06359
Kalinkina, L. I. See Rat'ko, A. I.
Kalinnikov, G. V. See Andrievskii, R. A.
Kalinnikov, V. T. See Palatnikov, M. N.
Kalinushkin, V. P. See Yur'ev, V. A.
Kaliteevskii, M. A.; Kavokin, A. V.
Effect of interband and exciton light absorption on the optical properties of Bragg reflectors.—75-05293
Kaliteevskii, M. A.
Double anticrossing of a localized optical mode and two exciton resonances in a semiconductor microcavity.—75-07837; See also Evstropov, V. V.
Kalkur, T. S.; Liang, S.; Lu, Y.; Chern, C. S.
Electrical characteristics of MOCVD deposited $Ba_{1-x}Sr_xTiO_3/YBa_2Cu_3O_{7-\delta}$ on $LaAlO_3$ substrate.—75-05190
Kall, Per-Olov; Nygren, Mats; Persson, Jeanette
Nonparabolic oxidation kinetics of advanced ceramics.—75-02006
Kaloyeros, Alain E. See Greenwald, Anton C.
Kalra, S. C. See Barua, P.
Kalyuzhnaya, G. A. See Boltaev, A. P.
Kam, Russel K. See Chan, Steven S.
Kamada, Akihiko See Sakai, Norio
Kamada, O.; Minemoto, H.; Itoh, N.
Magnetooptical properties of $(BiGdY)_3Fe_5O_{12}$ for optical magnetic field sensors.—75-03315
Kamada, T.; Takayama, R.; Fujii, S.; Deguchi, T.; Hirao, T.
Pyroelectric infrared sensors made of La-modified $PbTiO_3$ [PLT] thin films and their applications.—75-05631
Kamalasanan, M. N.; Kumar, N. Deepak; Chandra, Subhas
Structural and microstructural evolution of barium titanate thin films deposited by the sol-gel process.—75-01940
Kamarzin, A. A. See Solodovnikov, S. F.
Kamata, Kiichiro See Ikesue, Akio; Nishino, Junichi
Kamaya, Toshio See Kim, Jong-Hee
Kambe, M.; Arai, M.; Yoshida, K.; Uotani, M.
FGM compliant pad design for high-efficiency silicon germanium thermoelectric cell.—75-03029
Kambe, Shinsaku; Yasuoka, Hiroshi; Ueda, Yutaka
Anomalous long-time tail behavior of spin-spin correlation in the normal state of $Tl_2Ba_2CuO_x$.—75-05726
Kambulov, V. A.
Foundations for rotary kilns.—75-08724
Kameda, Tsuneji; Asayama, Masahiro; Suyama, Shoko
Ceramic matrix composite material.—75-08561
Kamehara, Nobuo See Yokoyama, Hiromitsu
Kamelin, V. V. See Koshcheev, O. P.
Kamenetskii, A. Yu. See Kamenetskii, Yu. L.
Kamenetskii, Yu. L.; Antonov, G. I.; Gladkaya, N. V.; Chukhal, P. A.; Kamenetskii, A. Yu.
Calculating the norms of specific consumption of periclase-chromite parts for repairs of the main roof and roofs of port ends and slag chambers of open-hearth and twin-bath furnaces.—75-05074
Kamenskikh, Irina A. See Belsky, Andrey N.
Kamentser, B.
Thick film technology sensors meet the challange of today's applications.—75-00382
Kameshima, Yoshikazu See Okada, Kiyoshi
Kameshima, Yoshikazu; Yasumori, Atsuo; Okada, Kiyoshi
Surface state analysis of wet ground silicon nitride powders by X-ray photoelectron spectroscopy.—75-01249
Kametani, Hiroshi See Sugiyama, Shunichi
Kameyama, Ichiro See Kagata, Hiroshi
Kamezaki, Akio See Ootsuka, Tadashi
Kamihara, Masaharu See Otsu, Satoshi
Kamihira, Kazushige See Goto, Kenjiro; Maiwa, Koji
Kamijoh, T.; Horikawa, H.; Matsui, Y.
Improved operation characteristics of long wavelength lasers using strained MQW active layers.—75-05340
Kamilov, I. K. See Aliev, Sh. M.; Daunov, M. I.
Kamilov, K. I. See Aliev, Sh. M.
Kamimura, Hiroshi
Energy bands, Fermi surface, and density of states in the superconducting state of $La_{2-x}Sr_xCuO_4$.—75-05766
Kamimura, Seiji; Watanabe, Kiyoshi; Kasai, Noboru; Seguchi, Tadao; Okamura, Kiyohito
Silicon nitride fiber synthesis from polycarbosilane fiber by radiation curing and pyrolysis under ammonia.—75-04215
Kaminskii, A. A.; Bagaev, S. N.; Grebe, D.; Eikhler, G.; Pavlyuk, A. A.; Kuznetsov, F. A.
Efficient multifrequency Stokes and anti-Stokes combinative parametric generation of rhombic $Gd_2(MoO_4)_3$ crystals.—75-08917
Kaminskii, A. A.; Nishioka, Kh.; Kubota, Yu.; Yeda, K.; Takuma, Kh.; Bagaev, S. N.
Appearance of nonlinear optical interactions in $KY(WO_4)_2$ and $KGd(WO_4)_2$ laser crystals.—75-09119
Kaminskii, A. A.; Pavlyuk, A. A.
New Pr-doped laser crystals of alkaline-earth rare-earth binary tungstate compounds.—75-08996
Kaminskii, A. Yu. See Ivchenko, E. L.; Reznitskii, A. N.
Kaminskii, V. V.; Vasil'ev, L. N.; Gornushkina, E. D.; Solov'ev, S. M.; Sosova, G. A.; Volodin, N. M.
Influence of gamma irradiation on electrical parameters of thin SmS films.—75-03058
Kamisawa, Akira See Nakamura, Takashi
Kamitsos, E. I. See Chryssikos, G. D.
Kamitsos, E. I.; Kapoutsis, J. A.; Jain, H.
Vibrational study of the role of trivalent ions in sodium trisilicate glass.—75-04939
Kamitubo, Kouichi See Nagano, Saburou
Kamiusuki, Toshiro See Monde, Takashi
Kamiya, Akira See Nakano, Kikuo
Kamiya, Hidehiro; Naito, Makio; Tsubaki, Junichiro; Jimbo, Genji
Creep failure process for fine powder beds by tensile loading.—75-06955
Kamiya, Hidehiro; Nakayama, Chiaki; Jimbo, Genji
High-pressure cold isostatic pressing of ultrafine oxide powders.—75-06635
Kamiya, Hidehiro; Suzuki, Hisao; Kato, Daisuke; Jimbo, Genji
Influence of viscous deformation at the contact point of primary particles on compaction of alkoxide-derived fine SiO_2 granules under ultrahigh isostatic pressure.—75-06999
Kamiya, Hidehiro; Suzuki, Hisao; Kobayashi, Masayuki; Mori, Shigekatsu; Horio, Masayuki; Jimbo, Genji
Densification of mullite precursor powders [cold] isostatically pressed of ultrahigh pressure.—75-01429
Kamiya, Kanichi See Nomura, Koichi; Yamamoto, Hideki
Kamiya, Kanichi; Yotani, Junko; Senba, Ryuji; Matsuoka, Jun; Nasu, Hiroyuki
Sol-gel preparation of alumina gels forming α-alumina around 500°C.—75-09447
Kamiya, N. See Yamada, K.
Kamiya, Yasushi See Ueta, Yoshihiro
Kammer, P. A. See Heath, G. R.
Kamo, A. See Funayama, O.
Kamo, Momoki; Kuwayama, Michihiro; Yoshida, Masakazu; Yamamoto, Takemi
Techniques in extension of campaign life for RH degasser vessel with oxygen top blowing equipment.—75-07672
Kamo, Tomoichi See Doi, Toshiya; Kumagai, Teruo; Nabatame, Toshihide
Kamo, Tomoichi; Takeuchi, Seizi; Matsuda, Shinpei; Soeta, Atsuko; Suzuki, Takaaki; Yoshida, Yutaka
$Tl_1(Ba_{1-x}Sr_x)_2Ca_2Cu_3O_y$ oxide superconductor and method of producing the same.—75-08495
Kamp, M.; Morsch, G.; Graber, J.
Te doping of GaAs using diethyl tellurium.—75-00612
Kamysheva, L. N.; Kosareva, O. A.; Drozhdin, S. N.; Golitsyna, O. M.
Pulsed switching in triglycine sulfate crystals with defects.—75-06855
Kamzin, A. S.; Grigor'ev, L. A.; Kamzin, S. A.
Effect of the number of magnetic couplings on the surface properties of antiferromagnetic Fe_3BO_6 crystals.—75-05666
Kamzin, S. A. See Kamzin, A. S.
Kamzina, L. S. See Korshunov, O. Yu.; Krainik, N. N.
Kamzina, L. S.; Krainik, N. N.; Korshunov, O. Yu.
Occurrence of large-scale inhomogeneous states during a phase transition induced by an electrical field in lead magnesium niobate crystals.—75-05614
Kan, Tehmau See Gray, Leonard W.
Kanai, Hideyuki See Harada, Kouichi; Sato, Yuichi
Kanai, Tsuneyuki See Kumagai, Teruo
Kanamaru, Fumikazu See Irisawa, Akinori
Kanamaru, Kuniaki See Iba, Hisayoshi
Kanamori, Hiroo See Ishikawa, Shinji
Kanarovskii, E. Yu. See Sinyavskii, E. P.
Kanatani, Toshio See Nabeshima, Shigeyuki
Kanaya, Osamu See Katsumata, Masaaki
Kanda, H. See Nazare, M. H.
Kandaurova, G. S.; Rusinov, A. A.
Phase diagrams of dynamic systems of magnetic domains.—75-05703
Kandaurova, G. S.; Sviderskii, A. E.
Large dynamic magnetic domains in a variable field with an axial symmetric gradient.—75-08225
Kandori, Toshio See Ukyo, Yoshio
Kanehisa, M. A. See Sacuto, A.
Kaneko, Hiroko; Kaneko, Keiji; Ihara, Hideo; Negishi, Akira; Ishibashi, Shoji
Method of producing compound oxide superconducting thin film.—75-05876
Kaneko, Katsumi See Enoki, Toshiaki
Kaneko, Keiji See Kaneko, Hiroko
Kaneko, Shoji See Fukui, Hiroshi; Murakami, Kenji
Kaneko, Shoji; Sugiyama, Susumu; Mazuka, Naoto; Murakami, Kenji; Yamada, Tamotsu
Preparation of Mn-containing mixed oxide thin films by a dip coating method using metal naphthenates.—75-01623
Kaneko, Toshiaki See Ouchi, Tatsuya
Kanemaru, Hiroshi See Ogino, Shinji
Kanert, O.; Schulz, H.; Albers, J.
NMR study of the cubic-tetragonal phase transition in $BaTiO_3$.—75-06290
Kanesaka, Hiroyuki; Kachi, Naoki
Catalysts for the purification of exhaust gas.—75-00150
Kaneshige, Toshihiko See Hamazaki, Yoshihisa
Kaneta, M. See Komiya, M.
Kaneyasu, Akira; Yamamoto, Shinichi; Watanabe, Takayuki
MgO raw material improved the hydration resistance.—75-07600
Kang, Beom-S. See Hyun, Sang-H.
Kang, C.-S. See Shiosaki, Tadashi
Kang, D.-H. See Yoon, K.-H.
Kang, D.-K. See Park, D.-W.
Kang, D.-S. See Kim, S.-H.
Kang, Dae-Whan; Li, Bai-Qin; Kim, Ki-Bum; Lee, Hwack-Joo
Characterization of diamond nucleation-enhancing layer formed during bias treatment on silicon.—75-09531
Kang, Eul-Son See Woo, Sang-Kuk
Kang, In-Ho; Komeya, K.; Meguro, T.; Naito, Makio; Hayakawa, Osamu
Effect of silicon nitride seeds addition on the particle size and the crystal form of resulting powder in carbothermal reduction-nitridation of silica.—75-09282
Kang, Jun-Yong; Huang, Qi-Sheng
Broad photoluminescence band in heavily Ge-doped GaAs grown by the liquid-encapsulated Czochralski technique.—75-00417
Kang, M.-K. See Zhu, X.-Q.
Kang, S. J. L. See Shin, Y.-S.
Kang, S. W. See Kim, H. D.
Kang, S. See Neudeck, P.
Kang, S.-G.; Kim, H.-G.; Seo, G.; Lee, S.-G.; Kim, D.-S.; Ryoo, K.-K.
Evaluation of LPDs [light point defects] on Si wafer surface.—75-09508
Kang, S.-H. See Selverian, J. H.
Kang, S.-H.; Selverian, J. H.; O'Neil, D. A.
Ceramic-metal joining for automotive ceramic engines.—75-02443
Kang, Sang-Gu See Lee, Jong-Pil
Kang, Seung-Gu; Lin, Hongy; Day, Delbert E.
Change in refractive index of a borosilicate glass fiber annealed below the glass transformation temperature.—75-07327
Kang, Suk-Joong L. See Jeon, Jae-Ho; Lee, Ho-Yong; Paek, Yeong-Kyeun; Suh, Jeong-Hun
Kang, Suk-Won See Kim, Hai-Doo
Kang, T.-W. See Woo, Y.-D.
Kang, Thae-Khapp; Kim, Sun-Jae
Variations in the electrical resistivity of Y_2O_3-doped ZrO_2 ceramics with microstructural design.—75-04416
Kang, W. P. See Gurbuz, Y.; Wur, D.
Kang, W. P.; Davidson, J. L.; Li, Q.; Xu, J.-F.; Kinser, D. L.; Kerns, D. V.
Patterned polycrystalline diamond microtip vacuum diode arrays.—75-08001
Kang, W. P.; Kim, C.-K.
Performance analysis of a new metal-insulator-semiconductor capacitor incorporated with Pt-SnO_x catalytic layers for the detection of O_2 and CO gases.—75-00562
Kang, Y. S.; Miyamoto, Y.
Prestress toughened $Al_2O_3/Cr_3C_2/Ni/Al_2O_3/Cr_3C_2$ with symmetric gradient structure.—75-02530
Kang, Young-Min See Kim, Sang-Sub
Kangas, M.
Northwest ceramics pioneers.—75-02315; Salty Dog Pottery: 20 years on.—75-02351
Kangasniemi, I. See Li, Pan-Jian
Kania, A. See Komandin, G. A.
Kaniuk, John A.; DiRuggiero, Crispino; Ratcliffe, Donald K.
Quick change crucible for vacuum melting furnace.—75-00278
Kaniuk, John See Childress, Gary
Kanka, B. See Reese, O.
Kanka, B.; Schneider, H.
Sintering mechanisms and microstructural development of coprecipitated mullite.—75-04222
Kannisto, M. See Laine, Richard M.
Kanno, Hiroshi See Nagaoka, Hitoshi
Kanno, R. See Konishi, A.; Takahashi, M.
Kanno, Y. See Gogotsi, Yu. G.
Kano, Fumiyoshi; Yamanaka, Takayuki; Yamamoto, Norio
Linewidth enhancement factor in InGaAsP/InP modulation-doped strained multiple quantum well lasers.—75-05362
Kano, Junya See Hidaka, Jusuke
Kantner, Robert C. See Newkirk, Marc S.
Kantor, E. L.; Petrovskaya, E. V.
Optimizing the capacity of mining operations in cement production.—75-08762; Pricing the extraction of minerals in cement industry.—75-07175
Kantser, V. G.; Malkova, N. M.
Anderson impurity in the symmetrical inverted semiconducting heterocontact.—75-05239
Kanunnikova, O. M.; Gil'mutdinov, F. Z.; Kozhevnikov, V. I.; Sorokina, M. F.
Effect of surface layer treatment of lead silicate glasses on their composition and structure.—75-07296
Kanzaki, Shuzo See Asayama, Masahiro; Brito, Manuel E.; Hirao, Kiyoshi; Nagaoka, Takaaki; Shigegaki, Yasuhiro; Watari, Koji; Yasuoka, Masaki
Kao, C.-H. See Chern, H.-L.; Chiu, Y.-D.
Kao, C.-H.; Dung, S.-L.; Lee, L.-C.
Effects of starting powder with various high-T_c phase contents on the expansion of Bi-Pb-Sr-Ca-Cu-O pellets.—75-05762
Kao, C.-H.; Dung, S.-L.; Wu, M.-K.
Formation of the high-T_c phase and retrograde densification of Bi-Pb-Sr-Ca-Cu-O pellets.—75-03371
Kao, C.-H.; Shiue, Y.-S.; Sheen, S. R.
Textured $YBa_2Cu_3O_{7-\delta}$ superconductor.—75-05848
Kao, Chen-Feng; Jou, Jyh-Shen
Preparation and characterization of fine La-Cr-Zr oxide ceramics by chemical coprecipitation at high temperatures.—75-09380
Kao, Chien-Teh See Dreifus, David L.
Kao, H.-W. See Yeh, C.-F.
Kao, Yi-Han See Wong, K.-W.
Kao, Yu-Hua; Hu, Yi; Zheng, Hai-Xing
Second harmonic generation in transparent barium borate glass-ceramics.—75-04993
Kapaev, V. V. See Aleshchenko, Yu. A.; Kadushkin, V. I.
Kaplan, F. S.; Shulik, I. G.; Alekseenko, L. S.; Orekhova, G. P.
Properties of slips of zirconia stabilized by oxides of rare-earth metals.—75-05122
Kaplan, J. C.; Gerhardt, R. A.
Effect of trace impurities on UV irradiation induced changes in aluminum nitride substrates.—75-01146

Kaplan, N. See Porath, D.
Kaplan, R. See Moore, W. J.
Kaplun, A. B.; Meshalkin, A. B.
Phase equilibria in the system barium metaborate–lead oxide.—75-09024
Kaplunenko, V. K.; Fischer, G. M.; Ivanov, Z. G.
Microwave testing of high-T_c-based direct current to a single flux quantum converter.—75-00833
Kapiyanskii, A. A.; Mel'nikov, M. B.; Feofilov, S. P.
Diffusion of nonequilibrium tera-Hertz acoustic phonons in dense crystalline ceramics based on α-Al_2O_3.—75-08908
Kapoor, Rakesh R.; Nagy, Bela G.; Bigelow, Louis K.
Brazing of diamond film to tungsten carbide.—75-07246; 75-07247
Kapoutsis, J. A. See Chryssikos, G. D.; Kamitsos, E. I.
Kaprielov, S. S.
Mechanisms of the formation of structures of cement block and concrete with additives of ultradispersed materials.—75-07166
Kaptelov, E. Yu. See Afanas'ev, V. P.
Kapuri, N.; Rai, K. N.; Upadhyaya, G. S.
Processing of mullite and its composites: II.—75-06748
Kaputskii, F. N. See Solov'eva, L. V.
Kar, S.; Lele, R. G.; Sanghi, R. K.
Continuous casting refractories with special reference to RSP [Rourkela Steel Plant, India] modernization.—75-07493
Kara, F.; Little, J. A.
Sintering behavior of precursor mullite powders and resultant microstructures.—75-09438
Karakas, Y.; Lee, W. E.
Processing and phase evolution in ZnO varistor prepared by oxide coprecipitation.—75-00581
Karakassides, M. A.; Kordas, G.; Mylonas, E.
Electron spin resonance study of the effect of thermal history on the structure of potassium silicate glasses.—75-04895
Karakchiev, L. G.; Lyakhov, N. Z.
Sol-gel state of hydrated zirconium dioxide.—75-06354; Structural formation in highly dispersed hydrated aluminum oxides.—75-06372
Karakus, Musa See Moore, Robert E.
Karakus, Musa; Moore, Robert E.
Postmortem study of glass-melting furnace refractories.—75-07632
Karandashev, S. A. See Bresler, M. S.
Karandikar, P. G. See Chou, T. W.
Karapetyan, G. O. See Belyaev, M. V.
Karas, G. A. See Dolgikh, S. G.
Karas, Pamela L. See DeLuca, John A.
Karaulov, A. G.; Piskun, T. V.
Experience in using zirconia refractories in linings of furnaces for the production of amorphous alloys.—75-05092
Karaulov, A. G.; Shlyakhova, T. M.; Akselrod, E. I.
Zirconia refractories.—75-05153
Karavaev, G. F.; Krivorotov, I. N.
Method of enveloping functions for description of electron states in microstructures with smooth variation of the potential at heterointerfaces.—75-07970
Karavaev, Yu. N.; Burmakin, E. I.
Effect of ferric oxide additives on the electrical conductivity of yttria-stabilized tetragonal zirconia solid electrolytes.—75-09132
Karavaev, Yu. N.; Martem'yanova, Z. S.; Zyryanov, V. G.
Effect of ferric oxide on the structure of solid solutions in the ZrO_2-Y_2O_3-Fe_2O_3 system.—75-06871
Karavanskii, V. A. See Belogorokhov, A. I.
Karavanskii, V. A.; Obraztsov, A. N.
Raman scattering and photoluminescence [PL] of porous silicon.—75-03147
Karazhanov, S. Zh. See Saidov, A. S.
Karbhari, V. M.
Simplified statistical analysis of constituent scaling in composites.—75-05976; See also Pitchumani, R.
Karczewski, G.; Hu, B.; Yin, A.
Deep electron states in chlorine-doped ZnSe films grown by molecular beam epitaxy.—75-02988
Kareiva, Aivaras; Karppinen, M.; Niinisto, Lauri
Sol-gel synthesis of superconducting $YBa_2Cu_4O_8$ using acetate and tartrate precursors.—75-05832
Karelin, S. S. See Parakhonskii, A. L.
Karetina, I. V. See Shubaeva, M. A.
Karetnikov, I. A. See Morozova, N. K.
Karev, M. E.; Velinskii, V. V.; Bannikov, O. L.
Olivine rocks of the Topchulskoe Deposit in Kuznetsk Ala Tau.—75-06044
Kargin, Yu. F.
Phase composition of $Bi_{12}MO_{20}$ and $Bi_4M_2O_{12}$ (M=Si, Ge, Ti) crystal surfaces during annealing in a vacuum.—75-06296; Phase relationships in the Bi_2O_3-CuO-GeO_2 system.—75-06309; See also Denisov, E. I.; Egorysheva, A. V.; Shimanskii, A. F.; Volkov, V. V.
Kargin, Yu. F.
Karhut, G. See Mosser, J.
Karihaloo, B. L. See Baker, G.; Lange-Kornbak, D.; Moller, Carsten V.; Thomsen, N. B.
Karimov, I. N. See Al'vares, Kh.
Kariya, Toshimitsu See Saito, Keishi
Kariyama, Michio; Taniguchi, Masaaki
Method of manufacturing laminated ceramic capacitors.—75-02953
Karja, Jaakko See Nevala, Hannu
Karklit, A. K. See Dolgikh, S. G.; Khodzhaev, T. Kh.
Karklit, A. K.; Katorgin, G. M.
High-alumina raw materials in Russia.—75-06035
Karlemo, T. See Linden, J.
Karmalkar, S. See Suresh, T. Balaji
Karmanenko, S. F. See Dedyk, A. I.; Nyakshev, K. F.
Karmarkar, Subhash D. See Divecha, Amarnath P.
Karnachev, A. S.; Moskvin, A. S.; Solov'ev, E. E.
Spin reorientation in $ErFeO_3$ during uniaxial compaction: NMR investigation.—75-08241
Karnaukhov, N. A. See Kurenkov, V. F.
Karnaukhov, Yu. P.; Sharova, V. V.
Features of structural formation and properties of alkali slag binders on liquid glass of microsilica.—75-07299
Karoto, S.; Wang, Z.; Fujino, K.
High-temperature creep of yttrium aluminum garnet single crystals.—75-06990
Karpei, A. L. See Akimov, A. I.
Karpenko, O. P.; Olk, C. H.; Yalisove, S. M.
Structural investigation of Fe silicide films grown by pulsed laser deposition.—75-01943
Karpets, M. V. See Khaenko, B. V.
Karpichenko; Efimenko, L. P.
Preparation and thermal stability of an Si+aluminoborosilicate glass composite.—75-07360
Karpinskaya, O. V. See Strakhov, V. I.; Udalov, Yu. P.
Karpov, A. V.; Kobyakov, V. P.; Chernomorskaya, E. A.
Dilatometry of nonstoichiometric titanium carbide in the order-disorder phase transition region.—75-06206
Karpov, S. V. See Agekyan, V. F.
Karpov, S. V.; Kraevskii, T.; Timofeev, K. V.
Raman scattering spectra and phase transition in a potassium lithium bisulfate crystal $[K_4LiH_3(SO_4)_4]$.—75-06332
Karpovich, L. M. See Akulovich, N. I.
Karppinen, M. See Kareiva, Aivaras; Linden, J.
Karppinen, M.; Fukuoka, A.; Niinisto, Lauri; Yamauchi, H.
Determination of oxygen content and metal valences in oxide superconductors by chemical methods.—75-08286
Karpur, Prasanna See Matikas, Theodore E.
Karr, Chris See Holroyd, Bill
Karumidze, G. S.; Shavelashvili, Sh. Sh.
Use of boron isotopes and neutron irradiation in preparing *p-n* junctions in diamond films.—75-08091
Karyagin, V. F. See Kevorkov, A. M.
Karyakin, N. V. See Chernorukov, N. G.
Karyev, L. G. See Ivanov, V. P.
Kasabov, I. See Staneva, N.
Kasahara, Shingo See Matsumoto, Akio
Kasai, H. See Bonevich, J. E.
Kasai, Kiyoto See Yamada, Junji
Kasai, Noboru See Kamimura, Seiji
Kasanami, Toru See Kajiyoshi, Koji
Kasaoka, Shigeaki See Sakata, Yusaku
Kasatkin, A. L. See Tarasov, V. F.
Kaschmitter, J. L. See Pekala, R. W.; Truher, Joel B.
Kaselouri, V.; Tzevelekos, K.; Parisakis, G.
Sintering capability of V_2O_5/Nb_2O_5 system treated by sol-gel technique.—75-09441
Kasenov, B. K. See Mustafin, E. S.; Oralova, A. T.
Kasenov, B. K.; Mukhanova, M. A.; Kasenova, Sh. B.; Mustafin, E. S.
Thermodynamic properties of alkaline-earth metal antimonates.—75-09092
Kasenov, B. K.; Mustafin, E. S.; Sarkulov, Zh. Kh.
Phase equilibria in the As_2O_3-ZnO system.—75-09015
Kasenova, Sh. B. See Kasenov, B. K.
Kaserman, Roberta
Mosaic challenges.—75-02303
Kashaev, A. A. See Rastsvetaeva, R. K.
Kashcheev, I. D. See Strelov, K. K.
Kashcheev, I. D.; Baryshnikov, G. P.
Development of a technology for producing molds on gypsum binder.—75-05081
Kashchieva, E.; Hinkov, P.; Dimitriev, Y.
Microaggregation processes in B_2O_3-TeO_2 glasses.—75-05027
Kashereninov, P. G.; Kichaev, A. V.; Tomasov, A. A.
Photoelectrical phenomena in structures based on high-resistivity crystals with interface semiconductor–thin insulating layer.—75-05428
Kashereninov, P. G.; Kichaev, A. V.; Yaroshetskii, I. D.
Photoelectrical effects in structures from semiconductor–thin dielectric layer interfaces in high-resistivity compensated crystals.—75-08010
Kashiba, Y.; Horibe, H.; Moriyasu, M.; Nakata, S.
Ceramic substrates with molybdenum-copper layered foil conductors for power hybrids.—75-00076
Kashihara, Keiichirou See Itoh, Hiromi
Kashimoto, Satoru See Sato, Mitsukuni
Kashkarov, V. M. See Mittova, I. Ya.
Kashkovskii, V. I. See Sychev, M. V.
Kashtanova, A. A. See Komratov, G. N.
Kashurnikov, V. A.
Paired correlations in large two-dimensional Cu-O clusters: new Monte Carlo nonlocalized trajectory algorithm.—75-08692
Kasimova, G. A. See Tagiev, B. G.
Kasiviswanathan, S.; Rangarajan, G.
Direct current magnetron sputtered In_2O_3 films as tunnel barriers.—75-05183
Kasiyan, A. I. See Balmush, I. I.
Kasiyan, V. A. See Ivanova, G. N.
Kasori, Mitsuo See Ueno, Fumio
Kasparov, K. N. See Gurin, V. S.
Kasper, N. V.; Akimov, A. I.; Bliznyuk, L. A.; Troyanchuk, I. O.
Memory effect of a shape in hexagonal manganites of $RMnO_3$ (R=Ho, Y).—75-05604
Kasper, N. V.; Troyanchuk, I. O.; Akimov, A. I.; Rubtsov, V. A.
Features of Jahn Teller phase transformation in rare-earth orthomanganites.—75-05671
Kasperovich, V. S. See Gabrielyan, V. T.; Grigor'eva, N. A.
Kasrai, M. See Li, Dien
Kass, M. D. See Caughman, J. B. O.
Kass, M. D.; Akerman, M. A.; Baity, F. W., Jr.; Caughman, J. B. O.; Forrester, S. C.; Lowden, Richard A.
Influence of microwave annealing on the mechanical properties of alumina tiles.—75-00289
Kass, R. See White, C.
Kassmann, Dean E.; Badgwell, Thomas A.
Theoretical analysis of diamond chemical vapor deposition in a rotating disk reactor.—75-08707
Kastal'skii, A. See Vorob'ev, L. E.
Kastening, B. See Guthmann, O.
Kasuga, Toshihiro See Abe, Yoshihiro; Ota, Yoshio
Kasuga, Toshihiro; Nakamura, Koichi; Inukai, Eikichi; Abe, Yoshihiro
Direct joining of BSCCO superconducting glass-ceramics using a flame-melting method.—75-03357
Kasuga, Toshihiro; Ota, Yoshio; Tsuji, Kenji; Abe, Yoshihiro
Preparation of high-strength calcium phosphate ceramics with low modulus of elasticity containing β-$Ca(PO_3)_2$ fibers.—75-06073
Kasugai, Katsura See Funahashi, Yoshio
Kasymdzhanov, M. A.; Kurbanov, S. S.; Khabibullaev, P. K.
Luminescence spectra of silica glasses [studied] by time-resolved technique.—75-02594
Kasymova, A. G. See Golubkov, A. V.
Kataeva, L. I.
Properties of cement with scorched rocks and concretes based on them.—75-07179
Katagiri, Gen See Sergo, Valter
Katagiri, Hiroshi; Ozeki, Hirofumi
Microwave dielectric ceramic composition and preparing method thereof.—75-05231; Microwave dielectric ceramic composition.—75-07769
Katagiri, Setsuo; Harada, Masahiro; Iitsuka, Shoji; Minami, Masamitsu
Influence of grain boundaries in fused ZrO_2 on the reaction with the mold powder.—75-07579
Kataoka, Hiruki See Takahashi, Hiroki
Kataoka, Minoru See Sasaki, Toshihisa
Katayama, Hiroshi See Kaga, Hisashi
Katayama, Masayuki See Kato, Akira
Katayama, Shingo; Yoshinaga, Ikuko; Nagai, Toru; Sugiyama, Masaaki
Synthesis of perovskite $Ba(Mg_{1/3}Ta_{2/3})O_3$ powder from Ba-Mg-Ta alkoxide precursor.—75-01713
Katayama, Shingo; Yoshinaga, Ikuko; Yamada, Noriko; Nagai, Toru
Low-temperature synthesis of $Ba(Mg_{1/3}Ta_{2/3})O_3$ ceramics from Ba-Mg-Ta alkoxide precursor.—75-05201
Katchanov, V. A. See Korzhik, M. V.
Katehi, L. P. B. See Drayton, R. F.
Katiyar, V. K.; Srivistava, S. L.; Singh, Janardan
Dielectric and piezoelectric properties of lead zirconate titanate doped with chromium oxide.—75-00647
Katkov, V. F.; Ivon, A. I.; Chernenko, I. M.
Microstructure and electrical properties of zinc oxide ceramics doped with B_2O_3.—75-09559
Katkov, V. F.; Tonkoshkur, A. S.; Chernenko, I. M.; Mysov, O. P.; Kolodyazhnyi, A. T.
Gas-sensitive properties of contacts of platinum oxide vanadium phosphate glass.—75-07339
Kato, A.; Nakamura, H.; Tamari, Nobuyuki; Tanaka, Takahiro; Kondo, I.
Usefulness of alumina-coated SiC whiskers in the preparation of whisker-reinforced alumina ceramics.—75-04268
Kato, A.; Nakamura, H.
Preparation and sintering of alumina-coated SiC whiskers and particles.—75-01618
Kato, Akira; Katayama, Masayuki; Mizutani, Atsushi
Satellite peak generation in the electroluminescence spectrum of ZnS:Sm grown by metallorganic chemical vapor deposition with Cl codoping.—75-00591
Kato, Chuzo See Ogawa, Makoto
Kato, Daisuke See Kamiya, Hidehiro
Kato, Etsuro See Hirano, Masanori; Kobayashi, Yuichi
Kato, Eturo; Hirano, Masanori; Kobayashi, Yuichi; Asoh, Keisuke; Mori, Makoto; Nakata, Masato
Preparation of monodisperse zirconia particles by thermal hydrolysis in highly concentrated solutions.—75-04159
Kato, Hideki See Funahashi, Yoshio
Kato, Junichi See Kagata, Hiroshi
Kato, K.
Wear mechanisms of ceramics.—75-09695; See also Terabe, K.
Kato, Kazuaki See Sugiyama, Osamu
Kato, Kazumi; Tsuge, Akira; Niihara, Koichi
Microstructure and crystallographic orientation of anatase coatings produced from chemically modified titanium tetraisopropoxide.—75-04363
Kato, R.; Hama, J.
First-principles calculation of the elastic stiffness tensor of aluminum nitride under high pressure.—75-03894
Kato, Rie; Kobashi, Koji
Diamond film electronic devices.—75-00394
Kato, Shigeo See Yamazaki, Hiraku
Kato, T. See Sasajima, Y.
Kato, Takashi See Ando, Minato
Kato, Tetsuro; Kusakabe, Takao; Kozuka, Hisao; Ohta, Shigetoshi
Cr_2O_3-based clinkers and Cr_2O_3-Al_2O_3-ZrO_2 refractories for sewage sludge melting furnace.—75-07500
Kato, Yoshitsugu See Ishizaki, Junji
Kato, Z. See Uchida, N.
Katoh, Katumi See Yoshimura, Toshimi
Katoh, Kenichi See Kiyohara, Masakatsu
Katoono, Tomoko; Tominaga, Hideki
Process for producing lithium niobate single crystal.—75-08188
Katorgin, G. M. See Karklit, A. K.
Katrich, G. A. See Trefilov, V. I.
Kats, S. S. See Romanov, A. A.
Katsapov, F. M. See Ivanyutin, L. A.
Katsavets, N. I. See Alferov, Zh. I.
Katsuki, H. See Furuta, S.; Ichinose, H.
Katsuki, Nobuharu See Katsumata, Masaaki
Katsuki, Takayo See Asida, Shyoji
Katsumata, Masaaki; Kanaya, Osamu; Katsuki, Nobuharu; Takami, Akihiro
Crystallized glass compositions for coating oxide-based ceramics.—75-03205

Katsumata, T.; Shibata, K.; Imagawa, H.
Lattice parameters and Curie temperature of sintered magnesium-doped lithium niobate.—75-00670
Katsumata, T.; Takashima, H.; Michino, T.
Nonstoichiometry in yttrium orthovanadate.—75-01899
Katsumoto, M. See Nakagawa, Zenbee
Katsuoka, Kyuji; Harumiya, Noriho; Hashizume, Tadahiro; Kitahara, Tadashi
Ceramic fiber yarn, and a method of, and a spinning machine for making the same.—75-08775
Katsuyama, Shigeru See Majima, Kazuhiko
Katsuyama, Shigeru; Yamamoto, Tetsuya; Majima, Kazuhiko; Nagai, Hiroshi
Preparation and characterization of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ single crystals.—75-00847
Katsuyama, Toshio; Matsumara, Hiroyoshi
Transmission loss characterization of telluride-based chalcogenide glass optical fibers.—75-00206; Light transmission characteristics of telluride-based chalcogenide glass for infrared fiber application.—75-04976
Kattamis, T. Z. See Fountzoulas, C. G.
Katti, K. S.; Sarikaya, Mehmet
Dynamic behavior of twins in $BaTiO_3$.—75-03225
Katz, Amnon; Bentur, A.
Mechanisms and processes leading to changes in time in the properties of CFRC [carbon fiber reinforced cement].—75-04821
Katz, J. See Freim, J.; McKittrick, J.
Katz, J.; Rees, D. E.
Quasi-optical gyrotron materials processing at Los Alamos.—75-00981
Katz, L.
Rise and fall of cast glaze.—75-02343
Katz, M. See Oron, M.
Katz, Milton; Fricke, Michele; Akers, Jama
Ken Ferguson's legacy.—75-04798
Katz, S.; Roth, M.; Golben, J.
Low-temperature thermoluminescence of cuprate high-temperature superconductors.—75-05789
Kauffman, Ralph E.; Prucha, Michael J.; Beck, James; Thakur, Randhir P. S.; Martin, Annette L.
Method for chemical vapor depositing a titanium nitride layer on a semiconductor wafer and method of annealing TiN films.—75-00635
Kauffman, Suzanne See Balaba, Willy M.
Kaufman, Michael J. See Jayashankar, S.
Kaul, A. R. See Fuflygin, V. N.; Molodyk, A. A.
Kaul, S. See Das, S. R.
Kaun, T. D.; Hash, M. C.; Simon, D. R.
Sulfide ceramics in molten salt electrolyte batteries.—75-02939
Kaurov, V. See Bykov, Yu.
Kavaliauskas, J.; Krivaite, G.; Galickas, A.; Simkiene, I.
Electric field dependence of exciton transitions in InGaAs/GaAs asymmetric step quantum wells.—75-07862
Kavanagh, Bob
Coat of many colors.—75-02858
Kavanagh, K. See McKittrick, J.
Kavokin, A. V. See Kaliteevskii, M. A.; Vladimirova, M. R.
Kavun, V. Ya. See Ignat'eva, L. N.
Kavun, V. Ya.; Lukiyanchuk, G. D.; Goncharuk, V. K.
Properties of fluorozirconate glasses containing gallium and indium trifluorides.—75-02679
Kawabata, Koji See Ueno, Satoru
Kawabata, Koji; Yoshimatsu, Hideyuki; Yabuki, Tatsumi; Osaka, Akiyoshi; Miura, Yoshinari
Selective reduction of nitrogen oxide with propylene on alumina-zirconia prepared from Al chelate compound and Zr alkoxide.—75-09428
Kawabata, Shoichi See Saitoh, Tsuyoshi
Kawabe, Hideaki; Hagiwara, Shozou; Kuga, Koji; Hamaguchi, Setsunori
Heat-insulating refractory material.—75-07697
Kawabe, Nozomu See Yamamoto, Susumu
Kawabe, Ushio See Tarutani, Yoshinobu
Kawaguchi, Goro; Nakanishi, Jiro; Otsuki, A.
Dependence of contact resistance on metal electronegativity for B-doped diamond films.—75-00307
Kawaguchi, Jun; Kobayashi, Hiroaki; Nakai, Hidemi
Heat-screening glass.—75-00226
Kawaguchi, Teruo
Large reflector telescope: manufacturing process of a 8 meter mirror blank.—75-05025
Kawaguchi, Yoshiaki See Yamade, Yoshiaki
Kawahara, Masakazu See Omori, M.
Kawahigashi, Satashi See Wakita, Tamotsu
Kawahigashi, Satashi; Yokoyama, Masayuki; Matsumura, Yoshihiro; Hiroki, Nobuyoshi
Cost reduction of VOD ladle.—75-07499
Kawai, Chihiro; Yamakawa, Akira
Coating of fine-grained silicon nitride whiskers on fiberlike silicon nitride.—75-01399
Kawai, Sumitomo
High-rate deposition of titanium silicides under high gas flow rate by chemical vapor deposition.—75-06636
Kawai, Takeshi; Hayakawa, Nobuhiro; Yamada, Tessho
Method of activating zirconia oxygen sensor.—75-00636
Kawakami, A. See Uzawa, Y.
Kawakami, Yasunobu See Higuchi, Yoshikatsu
Kawakubo, T.
Fatigue crack growth mechanisms in ceramics.—75-02050
Kawami, H. See Inoue, S.
Kawamoto, Hiroshi
Development of structural ceramic components for automobile applications.—75-00951; 75-08801; See also Kishimoto, H.; Lofaj, F.; Sakaida, Yoshihisa
Kawamoto, Y. See Konishi, A.; Takahashi, M.
Kawamoto, Yukari See Nagata, Fukue
Kawamura, H.
Design methodology of engine using ceramic components and thermos structure.—75-03694; See also Unno, Y.
Kawamura, Hirotoshi; Takusagawa, Nobuo; Taruta, Seiichi; Kitajima, Kunio
Occurrence of bimodal pore structure and leaching process in the preparation of porous glass from fluorine containing sodium borosilicate glass.—75-07391
Kawamura, K. See Sawaguchi, N.
Kawamura, Katsuyuki See Kim, Dae-Weon
Kawamura, Kazuro; Endo, Harumi
Density dependence of bending strength and Vickers hardness of mullite-silica and zirconia ceramics.—75-09613
Kawamura, Kenichi; Hosono, Hideo; Kawazoe, Hiroshi; Matsunami, Noriaki; Abe, Yoshihiro
Large enhancement of electrical conductivity in magnesium phosphate glasses by ion implantation of proton.—75-07345
Kawamura, M.; Matsuzaki, Y.; Fujioka, J.; Yamazaki, S.; Nishio, S.; Tada, E.
Fabrication of FGM for the electric insulation of fusion reactor components.—75-02476
Kawamura, Sigeki; Ito, Kazuhiko
Sheet ceramic package having electrically independent products units.—75-08114
Kawamura, Toshio See Kuwabara, Akio; Wakita, Tamotsu
Kawana, Atsuo See Ichimura, Hiroshi
Kawanabe, K. See Shimizu, Y.
Kawarada, H. See Takeuchi, S.
Kawarada, Motonobu; Kurihara, Kazuaki
Method and apparatus for vapor deposition of diamond film.—75-08587
Kawasaki, A. See Cherradi, N.; Li, Jing-Feng; Watanabe, R.
Kawasaki, A.; Watanabe, R.; Matsubara, T.
Fabrication of thermal barrier type of SiC-AlN/Mo FGM by hot isostatic pressing and its thermomechanical performance.—75-02478
Kawasaki, A.; Watanabe, R.
Thermal shock fracture mechanism of functionally gradient materials as studied by burner heating test.—75-02554
Kawasaki, Hitoshi See Ueno, Satoru
Kawasaki, Kenji See Narita, Takeshi
Kawasaki, Masahiro See Shibahara, Hiroyasu
Kawasaki, Masashi See Gonda, S.
Kawasaki, Masashi; Koinuma, H.; Yoshimoto, Mamoru
Atomic scale imaging of ceramic thin-film surfaces.—75-06862
Kawasaki, Mutsurou See Zhang, Yao
Kawasaki, S.; Yamanaka, T.
Elastic properties of monoclinic and orthorhombic ZrO_2.—75-03888
Kawasaki, Shinji; Okumura, Kiyoshi; Yoshioka, Katsuki
Method of producing electrically conductive ceramic film for interconnectors of solid oxide fuel cells.—75-00402
Kawasaki, T. See Watari, Fumio
Kawasaki, Toshiyuki; Terashima, Tokihiro; Suzuki, Saburo
Ac surface discharge on dielectric materials observed by advanced Pockels effect technique.—75-00299
Kawase, Akihiro See Sakamoto, Wataru
Kawashima, Shunichiro See Nitta, Tsuneharu
Kawashima, Tsuyoshi; Matsuzaki, Yoshio
Effect of particle-diameter ratio of YSZ to Ni on polarization of Ni/YSZ cermet anode.—75-07206
Kawata, H. See Suematsu, Hisayuki
Kawate, Yoshio See Masuda, Yoshi
Kawayama, Michihiro See Adachi, Keisuke
Kawazoe, H.; Ueda, N.; Un'no, H.
Generation of electron carriers in insulating thin films of $MgIn_2O_4$ spinel by Li^+ implantation.—75-00335
Kawazoe, Hiroshi See Kawamura, Kenichi
Kawazoe, Yoshiyuki See Esfarjani, Keivan; Gu, Bing-Lin
Kawazoe, Yoshiyuki; Gu, Bing-Lin; Van Schilfgaarde, Mark; Yu, Jing-Zhi; Ohno, Kaoru
Electronic properties and formation mechanism of metallocarbohedrenes.—75-01285
Kay, J. F.
Hydroxyapatite coatings for nonprecision implant placements.—75-00103
Kaya, B. See Gadaud, P.
Kaya, Hiroshi; Sato, Kiyoshi; Morozumi, Hiroki; Tezuka, A.; Aoki, Tomoko; Nakahara, Hirohiko
Method for producing ceramic products.—75-06094
Kaya, Noriyoshi; Tsujimoto, Hiroyuki; Sasabe, Shuji; Yoshikawa, Shinchi; Mazumder, M. K.
Simultaneous measurement of particle size and electrostatic charge by using the Laser Doppler method.—75-05978
Kayama, Kazuo
Laminated carrier film for use in ceramic green sheet.—75-08584
Kayama, Yasunari See Sano, Saburo
Kaysser, W. A. See Schulz, U.
Kazak, N. S. See Belyi, V. N.
Kazakevich, L. A.; Lugakov, P. F.
Effect of as-grown structural imperfections on defect formation in silicon under ambient treatment.—75-03000
Kazakos, Ann M.; Gilmore, Daniel R., III
Ceramic coating composition for a hybrid scavengeless development donor roll.—75-06077
Kazakov, G. T. See Vysotskii, S. L.
Kazakova, L. I. See Dubovskii, A. B.
Kazanbekov, R. G. See Kazanbekov, V. R.
Kazanbekov, V. R.; Gasanaliev, A. M.; Kazanbekov, R. G.
Liquidus surface of the sodium metavanadate–sodium pyrovanadate–sodium tungstate system.—75-06262
Kazanbekov, V. R.; Gasanaliev, A. M.; Kazanbekov, R. G.
Phase equilibria in the $NaVO_3$-Na_2WO_4-WO_3 system.—75-09022
Kazanin, M. M. See Golikova, O. A.
Kazannikova, T. P. See Baikova, L. G.
Kazanskii, A. G.; Yarkin, D. G.
Influence of prolonged illumination on the properties of a compensated a-Si:H.—75-07926
Kazarinov, R. F. See Andrekson, P. A.
Kazaryan, E. M. See Dzhotyan, A. P.
Kazaryan, Rosa A.; Behemyan, Lilit K.; Mirdjaferdjian, Aida Kh.
Using Armenian rock as a glass crystal material.—75-08768
Kazei, Z. A.; Kolmakova, N. P.
Magnetoelastic anomalies of thermal expansion of rare-earth vanadates, RVO_4.—75-06886; Quadrupole approximation in the theory on magnetoelasticity of rare-earth compounds: magnetoelastic contribution to thermal expansion of the rare-earth vanadates, RVO_4.—75-09178
Kazenas, E. K.; Bol'shikh, M. A.
Evaporation of SeO_2 and TeO_2 oxides.—75-08928
Kazenas, E. K.; Tagirov, V. K.
Evaporation thermodynamics of the FeO, CoO, NiO oxides.—75-08929
Kazimirov, V. P. See Sokol'skii, B. E.
Kazin, P. E. See Lennikov, V. V.
Kchikech, M.; Maglione, M.
Electronic and lattice excitations in $BaTiO_3$:La.—75-03890
Ke, C.-M. See Liang, Y.-H.
Kear, Bernard H.; Chang, Weng; Skandan, Ganesh; Hahn, Horst W.
Apparatus for making nanostructured ceramic powders and whiskers.—75-08552
Kear, Bernard H.; Strutt, P. R.
Nanostructures: the next generation of high-performance bulk materials and coatings.—75-06692
Keck, Steven D. See Aghajanian, Michael K.
Kecskes, Laszlo J.; Niiler, Andrus; Kottke, Thomas; Logan, Kathryn V.; Villalobos, Guillermo
Dynamic consolidation of combustion-synthesized alumina-titanium diboride composite ceramics.—75-09265
Kee, Robert J. See Hahn, D. W.
Kee, Robert J.; Ting, Ai-Li; Spence, Paul
Understanding and improving processing through interpreting and manipulating predictive models.—75-03601
Keeler, W. J.; Harrison, D. A.; Dubowski, J. J.
Substrate photoluminescence: an aid in the evaluation of pulsed laser evaporation and epitaxial growth of $Cd_{1-x}MnTe$ epilayers on (111)GaAs.—75-05491
Kegel, W. K. See Titulaer, M. K.
Keiffer, J. See Manalang, M. A.
Keimer, B.; Lynn, J. W.; Erwin, R. W.
Vortex structures in $YBa_2Cu_3O_7$.—75-00893
Keiser, James R. See Breder, Kristin
Keller, B. See Hauert, R.
Keller, Joseph See Smith, Peter A.
Keller, K. A. See Hay, Randall S.; Moore, E. H.
Keller, L.; Rey-Fessler, P.
Nondestructive characterization of hydroxyapatite-coated dental implants by XRD method.—75-01897
Keller, Teddy M.; Son, David Y.
High-temperature thermosets and ceramics derived from linear carborane-(siloxane or silane)-acetylene copolymers.—75-08831
Kellett, B. J. See Lin, Ching-Yao
Kellett, B. J.; Lin, Ching-Yao; Ravishankar, D. N.
Consolidation at constant flow rate and load to determine permeability and yield curve behavior.—75-08647
Kellett, B. J.; Yu, C.-Y.
Processing and tribology of alumina-graphite composites.—75-09664
Kelley, Kurtis C.
Ceramic adhesive having a sealed porosity.—75-07249; Ceramic adhesive.—75-06076
Kelly, A.
Design of a possible microstructure for high temperature service.—75-04312
Kelly, Georgina L. See Batchelor, Warren J.
Kelly, P. M.; Leach, C. A.; Rawlings, R. D.
Acoustic emission studies of fatigue-loaded siC platelet-reinforced Y-TZP.—75-05933
Kelly, Pamela Earnshaw
Raku sculpture.—75-02335
Kelly, T. F.; Camus, P. P.; Larson, D. J.; Holzman, L. M.
Atom probe microscopy and its future.—75-01791
Kelly, Thomas J. See Ravenhall, Richard
Kelly, Thomas J., III See Yasrebi, Mehrdad
Kelsall, G. H. See Zhu, Y. Y.
Kelsey, J.
Changing installation methods for refractory products.—75-03608
Kemmer, U. See Richter, H. G.
Kemmochi, Kiyoshi See Tsuda, Hiroshi
Kemp, William W. See Yasrebi, Mehrdad
Kempnik, V. I. See Garasim, V. I.
Kempnik, V. See Kuz'ma, M.
Kenan, Wilfred M.
Graphite, natural and synthetic.—75-06033
Kenane, M. See Benzeggagh, M. L.
Kenkare, Prashant U. See Ajuria, Sergio A.
Kenkre, V. M.; Endicott, M. R.; Glass, S. Jill; Hurd, Alan J.
Theoretical model for compaction of granular materials.—75-08708
Kennedy, Christopher R.
Reinforced ceramics via oxidation of molten metals.—75-04201; See also Kuszyk, Jack A.; Newkirk, Marc S.
Kennedy, E. J. See Bauer, M. L.
Kennedy, K. See Baker, K.
Kennedy, Murray J.
Commercialization of microwave processes.—75-01405
Kennerknecht, Steven
Ceramic core for investment casting and method for preparation of the same.—75-05154
Kenney, D.
Diane Kenney.—75-02235
Kent, Raymond C.; Tice, Terry N.; Welch, William C.
Method of applying a ceramic image to a complex ceramic article.—75-00296
Kentgens, A. P. M. See Pietersen, H. S.
Kenway, Philip R. See Kizler, Peter
Kera, Yoshiya See Kominami, Hiroshi
Keramidas, V. G. See Ramesh, R.; Simion, B. M.

Kerans, Ronald J.
Viability of oxide fiber coatings in ceramic composites for accommodation of misfit stresses.—75-04662
Kerch, Helen M. See Allen, Andrew J.; Smith, Peter A.
Kerdic, J. See Ellson, D. B.
Kerdic, J.; Ruys, A. J.; Sorrell, C. C.
Functionally gradient materials—hydroxyapatite-stainless steel composites.—75-00097
Kerimova, E. M. See Dzhabbarly, A. R.
Kerimova, T. G. See Guseinov, D. T.
Kerkar, Awdhoot V.
Manufacture of conical pore ceramics by electrophoretic deposition.—75-05922
Kerko, David J. See Claunch, Thomas C.
Kerko, David J.; Wedding, Brent M.
Optical filter glasses.—75-07434
Kern, R. S. See Benjamin, M. C.; Davis, Robert F.
Kern, William A.; McNallan, Michael J.; Tressler, Richard E.
Oxidation and corrosion of $SiC_{(particulate)}/Al/Al_2O_3$ composites in sodium silicate at elevated temperatures.—75-06926
Kernan, M. J. See Lin, Shu-Han
Kerner, Dieter See Deusser, Hans; Mangold, Helmut
Kerns, D. V. See Gurbuz, Y.; Kang, W. P.; Wur, D.
Kerr, James M. See Divecha, Amarnath P.
Kerr, John See Obhi, Jasvinder Singh
Kerrigan, Thomas
Generic deities.—75-07123
Kersten, Bart A. G.; Sjerps-Koomen, Lianda; Zandvliet, Harold J. W.; Blank, Dave H. A.
Investigation of the vicinal Ge(001) surface with STM.—75-00527
Kersting, R. See Averin, S. V.
Kertman, A. V. See Andreev, O. V.
Kesamanly, F. P. See Bodnar, I. V.
Kessler, H. See Pompe, W.
Kester, D. J. See Davis, Robert F.
Ketsko, V. A. See Gudilin, E. A.; Petrykin, V. V.
Keusseyan, R. L.; LaBranche, M. H.; Hang, K. W.
Thick film multilayer material systems for thermal cycle applications.—75-00381
Keuthen, M. See Lucke, J.
Kevorkijan, V. M.; Krizman, A.
Carbothermal synthesis of submicrometer β-SiC powder using double precursor reaction mixture.—75-01390
Kevorkjian, V. M.
Stabilization of fine SiC particles dispersed in a molten Al alloy: application to composite casting.—75-07231
Kevorkov, A. M.; Karyagin, V. F.; Munchaev, A. I.; Uyukin, E. M.; Bolotina, N. B.; Chernaya, T. S.
Y_2O_3 single crystals: growth, structure, and photoinduced effects.—75-06415
Khabarov, Yu. V. See Gulyaev, Yu. V.; Mokerov, V. G.
Khabibullaev, P. K. See Kasymdzhanov, M. A.
Khabibullin, I. G. See Man'ko, V. S.
Khachaturyan, A. G. See Wang, Yun-Zhi
Khadzhieva, Zh. M. See Shurdumov, G. K.
Khaenko, B. V. See Kukol, V. V.
Khaenko, B. V.; Vasilevskii, E. V.; Mikhailik, A. A.; Karpets, M. V.; Krainikov, A. V.
State and crystal structure of products of the interaction of SiC and SiO_2.—75-06370
Khaga, Kh. See Strukov, B. A.
Khaibullin, I. B. See Ibragimova, M. I.
Khaidarov, T. See Khidirov, I.
Khainakov, S. See Grafova, I.
Khairulin, R. A. See Glazov, V. M.; Stankus, S. V.
Khakimova, N. U. See Normatov, I. Sh.
Khakulov, Z. L. See Shurdumov, G. K.
Khalfin, V. B. See Alferov, Zh. I.
Khalil, S. A. See Elghandour, E. I.
Khalilev, V. D.; Vasilevskii, N. I.; Bogdanov, V. L.; Chekhovskii, V. G.
Glass formation, crystallization, and properties of glasses in some fluorophosphate systems based on orthophosphates and pyrophosphates.—75-02723
Khalilov, V. Kh.; Dorfman, G. A.; Danilov, E. B.; Guskov, M. I.; Ermakov, V. E.
Character mechanism of formation and transformation of point defects in type IV silica glass.—75-02703
Khalilova, Kh. Kh. See Alizade, Z. I.
Khaliullin, G. G. See Garif'yanov, N. N.
Khaliullin, M. I. See Altykis, M. G.
Khamfreis, K. D. See Braun, P. D.; Loginov, Yu. Yu.
Khamidova, B. See Gulyamov, G.
Khan, A. A.; Labbe, J. C.
Aluminum nitride-molybdenum ceramic matrix composites: characterization of ceramic-metal interface.—75-07199; Influence of molybdenum on thermal properties of CMCs.—75-06476
Khan, A. H.; Meese, J. M.; Stacy, T.; Charlson, E. M.; Charlson, E. J.; Zhao, G.
Electrical characterization of aluminum nitride films on silicon grown by chemical vapor deposition.—75-00090
Khan, A. H.; Odeh, M. F.; Meese, J. M.
Growth of oriented aluminum nitride films on silicon by chemical vapor deposition.—75-06631
Khan, I. See Barmatz, M.
Khan, M. Asif See Freitas, J. A. Jr.
Khan, M. Asif; Kuznia, J. N.; Krishnankutty, S.; Skogman, R. A.; Olson, D. T.; Schaff, W. J.
Electronic and optoelectronic devices based on GaN-AlGaN heterostructures.—75-00478
Khan, M. N. See Alnaser, W. E.
Khanaoka, T. See Bogdanchikova, N. E.
Khandkar, A. C. See Hartvigsen, J. J.
Khandkar, A. C.; Elangovan, S.; Hartvigsen, J. J.
Progress in planar SOFC science and technology.—75-02933
Khanin, Yu. N. See Anderson, T. G.
Khapalyuk, E. A. See Buzhinskii, S. A.; Pashchenko, V. P.
Khar'kov, A. A. See Panov, V. I.
Kharchenko, M. A. See Kurganskii, S. I.
Kharchenko, M. V. See Konnikov, S. G.
Kharitonov, V. D. See Bespyatykh, Yu. I.
Kharkhalis, L. Yu. See Bercha, D. M.
Kharlamov, V. S. See Ber, B. Ya.
Kharlanov, A. N. See Fionov, A. V.
Kharton, V. V. See Naumovich, E. N.
Khasanov, O. L.; Pokholkov, Yu. P.; Sokolov, V. M.; Dvilis, E. S.; Slosman, A. I.; Matrenin, S. V.
Ultrasonic compacting of zirconium ceramics from ultradispersed powders.—75-08545
Khasawinah, S. See Popovici, G.; Sung, T.
Khasawinah, S.; Popovici, G.; Farmer, J.; Sung, T.; Prelas, M. A.
Irradiation and annealing of ^{10}B-doped chemical vapor deposited diamond films.—75-08961
Khasbulatov, A. M.
Two-dimensional electron gas on the surface of $Cd_xHg_{1-x}Te$ near a gap-less narrow-gap phase transition.—75-08090
Khasgiwale, N. R.; Butler, E. P.; Tsakalakos, L.; Hensley, D.A.; Cannon, W. R.; Danforth, Stephen C.
Characterization of BN-rich layer on ammonia-treated Nextel 312 fibers.—75-04301; Characterization of pseudoporous SiC/C coatings on Nextel 440 and Nicalon fibers.—75-04302
Khashaba, U. A. See Abd Allah, M. H.
Khashimov, G. Kh. See Rasulov, R. Ya.
Khashitsume, T. See Bakhtizin, R. Z.
Khashke, V.
Basic principles for selecting terminals.—75-07137
Khassel't, K. See Aktsipetrov, O. A.
Khatchikian, Peter; Riebel, Ulrich; Krauter, Udo
Ultrasonic particle sizing.—75-05986
Khatri, Subhash C.; Koczak, Michael J.
Thick-section AS4-graphite/E-glass/PPS [poly(phenylene sulfide)] hybrid composites: I, Tensile behavior.—75-07048
Khatri, Subhash C.; Koczak, Michael J.
Thick-section AS4-graphite/E-glass/PPS [poly(phenylene sulfide)] hybrid composites: II, Flexural response.—75-07049
Khazanov, E. N. See Grigor'eva, N. A.; Ivanov, S. N.
Khe, A. S. See Vysotskii, S. L.
Khedr, Amal AbouBakr; ElBatal, Hatem AbdelRahman
Corrosion of zinc-containing cabal glasses by various leaching solutions.—75-02636
Kheifets, L. I. See Vertegel, A. A.
Khidirov, I.; Khaidarov, T.
Characteristics of titanium nitride elasticity in the homogeneity region studied by ultrasonic resonance.—75-06428
Khil'cher, B. See Kirpichnikova, L. F.
Khinkis, Mark J. See Olabin, Vladimir M.
Khirsa, A. A. See Skulachev, A. N.
Khitrova, G. B. See Baranov, P. G.
Khitrova, V. I. See Avilov, A. S.
Khizroev, S. See Zuo, F.
Khlebnikova, O. P. See Kurova, I. A.
Khlomov, V. S. See Petrova, L. I.
Khlopkin, M. N. See Syrykh, G. F.
Khlybov, E. P. See Afanas'eva, I. N.; Kuz'micheva, G. M.; Mitin, A. V.
Khlystov, A. S. See Sinyaev, V. A.
Khlyustikov, I. N. See Smirnov, A. I.
Khobotova, E. B.; Larin, V. I.
Recurrent phenomena during dissolution of copper in chloride solutions.—75-06339
Khodakovskii, I. L. See Gurevich, V. M.
Khodos, M. Ya. See Boeva, M. K.
Khodzhaev, K. Kh. See Kulikov, G. S.
Khodzhaev, T. Kh.; Valishev, R. Sh.; Karklit, A. K.; Dolgikh, S. G.
Refractories from kaolins of the Angrenskoe Deposit.—75-06051
Khokhlov, A. F. See Pavlov, D. A.
Kholiddinov, Kh. See Rasulov, R. Ya.
Kholin, Yu. V.; Mernyi, S. A.; Zaitsev, V. N.
Numerical analysis of energetic heterogeneity in complexing silicas.—75-08691
Kholkin, A. L. See Colla, E. L.; Muralt, Paul; Tagantsev, A. K.
Kholmovskii, E. G. See Elesin, V. F.
Kholodilov, A. N. See Kopylov, A. A.
Kholodnov, V. A.
Avalanche multiplication coefficients of carriers in *p-n* structures.—75-07789
Kholodnyak, D. V. See Vendik, I. B.
Khomenko, G. E. See Gogotsi, G. A.
Khomenkova, L. Yu. See Baran, N. P.
Khomich, A. V. See Polyakov, V. I.; Teremetskaya, I. G.
Khomich, A. V.; Perov, P. I.; Polyakov, V. I.; Teremetskaya, I. G.; Varnin, V. P.; Konov, V. I.
Polycrystalline CVD diamond films with optical properties close to those of type II diamonds.—75-09170
Khomich, A. V.; Perov, P. I.; Polyakov, V. I.; Teremetskaya, I. G.; Varnin, V. P.; Obraztsova, E. D.
Influence of post-deposition annealing and oxidation on structure and optical properties of CVD diamond films.—75-09339
Khomutov, V. V.; Lyashchenko, A. K.
Properties of hydrated salt compositions for synthesis of HTSC with Y, Ba, Cu components.—75-05820
Khomyakov, A. P. See Yamnova, N. A.
Khorak, Ya. See Kul'bachinskii, V. A.
Khoroshavin, L. B.; Perepelitsyn, V. A.; Sprygin, A. I.
Suggestions on resource-saving refractory technologies.—75-07668
Khoroshavin, L. B.
Structure of the production and use of magnesia refractories.—75-05145; See also Zubov, A. S.
Khoruzhnikov, S. E.; Robachevsky, A. M.; Segal, A. S.
Simulation of MOCVD-process for Y-Ba-Cu-O film production in stagnation zone reactor.—75-05830
Khorzhevskii, V. I. See Orlovskii, Yu. I.
Khosrovani, N. See Mary, T. A.
Khoviv, A. M. See Mittova, I. Ya.
Khramova, N. V. See Mozhaev, A. P.
Khramtsov, V. V. See Zamaraev, K. I.
Khramtsova, L. A. See Mudretsova, S. N.
Khrapov, V. S. See Sukhanov, M. A.
Khripach, V. I.
From the plant's history[—an AO Maltsovsky Portland Cement Co. presentation].—75-07150
Khristov, Ts. I. See Arkhipov, D. V.
Khristov, Ts. I.; Popovich, N. V.; Galaktionov, S. S.; Soshchin, N. P.
Preparation of zinc silicate luminophors by the sol-gel technique.—75-09402
Khrustalev, B. P. See Petrov, M. I.
Khrustalev, B. P.; Balaev, A. D.; Sosnin, V. M.
Superparamagnetism in nanoclustered films of Fe-SiO.—75-05715
Khrustalev, V. N.; Varfolomeev, M. B.; Shamrai, N. B.; Lindeman, S. V.; Struchkov, Yu. T.
Crystal structure of lithium perrhenate sesquihydrate.—75-06193
Khudonogov, G. I.
Thermal radiation treatment of all-ceramic dentures.—75-08544
Khusainov, M. G.
Indirect exchange of RKKI and magnetic states of ferromagnetic-superconducting superlattices.—75-08339
Khvam, I. M. See Gorshunov, A. G.; Grigor'ev, V. N.
Khvoshchev, S. S. See Shapoval, Yu. V.; Shubaeva, M. A.
Khvostov, V. V. See Babaev, V. G.
Kibble, K. A.; Turner, D.
Growth of indentation-induced flaws in RBSiC and RBSiC-TiB_2 composites under an applied stress.—75-04546
Kibis, O. V.
Influence of quantizing magnetic field on the energy spectrum of electrons in quasi-two-dimensional layers of multivalley semiconductors.—75-03062
Kibler, J. J.; DiPietro, S. G.
Analytical modeling in support of the development of fiber-reinforced ceramic composite materials for reheater burners.—75-03686
Kibler, J. J.; Jones, M. L.; Yen, C. F.
Nonlinear behavior model for SiC/SiC composites.—75-04382
Kicevic, D.; Gasic, M. M.; Markovic, D.
Statistical analysis of the influence of processing conditions on the properties of fused silica.—75-07370
Kichaev, A. V. See Kasherininov, P. G.
Kichigin, V. I. See Koshcheev, O. P.
Kida, E. See Morimoto, T.
Kida, Otojiro See Ishino, Toshihiro
Kidalov, V. V. See Georgobiani, A. N.
Kidner, S. See Taylor, C. A. III
Kieback, B. See Jungling, T.
Kieback, M. See Joensson, M.
Kieffer, J.
High-frequency structural relaxation in sodium silicates—a molecular dynamics study.—75-04903
Kielpinski, Andrea L. See Marra, James C.
Kielwein, Manfred See Olapinski, Hans
Kiely, C. J. See Ringnalda, J.
Kierstead, J. A.; Stoll, S. P.; Woody, C. L.
Light output and radiation damage in a lead tungstate crystal.—75-01764; Light output and radiation damage in a $YAlO_3$:Ce crystal.—75-01302
Kiesow, P. See Jones, J. T.
Kiessling, A. See Webb, D. J.
Kiggans, J. O. See Liu, K. C.; Nunn, S. D.
Kiguchi, Takanori; Urushihara, Wataru; Saiki, Atsushi; Shinozaki, Kazuo; Mizutani, Nobuyasu
Effect of stress and temperature of ferroelastic domain switching of partially stabilized zirconia pseudosingle crystals.—75-08132
Kihara, Junji See Yen, Bing-K.
Kihara, S. See Hanawa, T.
Kii, Toshie; Hiragushi, Keisuke; Yasui, Hiroshi; Makai, Kusuhiro
New corrosion testing method by X-ray transmission.—75-07609
Kiiko, V. S.; Zuev, M. G.
Luminescence of Eu^{3+} and Tb^{3+} ions in transparent beryllium ceramics.—75-06483
Kijima, Kazunori
Application of plasma flame to sintering: plasma sintering temperature of Y_2O_3-doped AlN.—75-07471; Effect of iron on nitriding rate of silicon.—75-09277
Kijima, Norihito See Shimono, Isao
Kijima, Takahiko See Hayashi, Shigeki
Kijimuta, Hitoshi; Saito, Masaaki; Yukawa, Yasumasa
Alumina sol-coated recording sheet.—75-08814
Kijkowska, R. See LeGeros, R. Z.
Kikkawa, Shinichi See Irisawa, Akinori
Kikoin, K. A.; Manakova, L. A.
Localized states of *3d* impurities in quantum wells and superlattices of type I.—75-03082
Kikuchi, Noboru See Dutta, Debasish
Kikuchi, Nobutaka See Narita, Takeshi
Kikuchi, S. See Kuwahara, H.
Kikuchi, S.; Kuwahara, H.; Urai, S.
Fabrication and mechanical properties of Cu/Ni and Ag/Ni superlaminates.—75-02472
Kikuchi, Yoshio
Connectors for optical communication cables composed from single-mode fibers.—75-05002
Kikukawa, M.; Sakaida, A.; Suzuki, Y.
Fracture mechanics fatigue tests and crack growth behaviors of ceramic materials up to very high temperatures.—75-02054
Kikuta, Koichi See Hirano, Shinichi; Sakamoto, Wataru
Kikuta, Koichi; Isobe, Yasuhide; Yogo, Toshinobu; Ono, Satomi; Hirano, Shinichi
Orientation control and laser-beam-assisted crystallization of sol-gel-derived, titanium-doped $LiNbO_3$ [LNT] thin films.—75-05616

Kikuta, Koichi; Tosa, Akifumi; Yogo, Toshinobu; Hirano, Shinichi
Hydrothermal synthesis of $PbTiO_3$ fine powder in alkali-free solution.—75-01532
Kilbride, I. P.; Barker, A. J.
Enhanced densification by seeding of extruded boehmite gels derived by hydrothermal decomposition of basic aluminum acetate.—75-01484
Kilner, J. A. See Li, Yu-Pu
Kim, B.-H. See Hyun, Seung-Min; Yi, S.-H.
Kim, B.-H.; Hong, K.
Synthesis of stable PZT sol using chelating agent and preparation of its thin film.—75-01719
Kim, B.-H.; Kim, Byung-Koan; Kim, Myong-Ho; Paik, Ungyu
Effect of $BaTiO_3$ dispersion on the properties of cast tapes in processing of multilayer ceramic capacitor (MLCC).—75-07724
Kim, B.-H.; Lee, K.-H.
Crystallization and sinterability of cordierite-based glass powders containing CeO_2.—75-04946
Kim, B.-K. See Lee, C.-D.; Song, J. H.
Kim, B.-N.; Kishi, Teruo
Estimation of fracture resistance of Al_2O_3 polycrystals from single-crystal values.—75-06974
Kim, B.-W. See Kim, D.-Y.
Kim, Baek-H.
Process for producing reaction-bonded silicon carbide refractory product.—75-07700; Reaction-bonded silicon carbide refractory product.—75-05158
Kim, Byung-Koan See Kim, B.-H.
Kim, Byung-Kook See Park, Jae-Hwan
Kim, Byung-Sub See Smart, Roger St. C.
Kim, C. Y.; Lee, E.; Chang, S.
Effects of P_2O_5 and CaF_2 on the hydroxyapatite layer formation in bioactive glasses.—75-00214
Kim, C.-H. See Her, J.
Kim, C.-K. See Kang, W. P.
Kim, C.-W. See Buechele, A. C.
Kim, C.-W.; Kim, S.-W.; Park, E.-B.; Yang, C.-J.
Magnetic shielding scheme around the T/D of the continuous casting foundry.—75-07596
Kim, Chan-Joong See Lee, Ho-Yong; Park, Hai-Woong; Vandewalle, N.
Kim, Chan-Joong; Kim, Ki-Baik; Park, Hai-Woong; Sung, Tae-Hyun; Kuk, Il-Hyun; Hong, Gye-Won
Microstructure of melt-textured Y-Ba-Cu-O oxides with CeO_2 addition and formation mechanism of the Ba-Cu-O platelet structure.—75-08365
Kim, Chan-Joong; McGinn, P. J.
Magnetization of oxygen-deficient YBCO domain prepared by melt texture processing.—75-05793
Kim, Chang-Eun See Lee, Jin-Ho
Kim, Chang-Jung See Yoo, I.-K.
Kim, Chang-Jung; Yoon, D.-S.; Lee, Joon-Sung
Electrical characteristics of (100), (111), and randomly aligned lead zirconate titanate thin films.—75-01283
Kim, Chang-Sam; Cheong, Deock-Soo
Stress analysis of Si_3N_4 swirl chamber during thermal fatigue test.—75-09674
Kim, Chong-Don See Hong, Kug-Sun
Kim, Chong-Hee See Kim, Tae-Song; Kim, Weon-Ju; Kim, Yoon-Chang; Lee, Seung-Kun; Park, Hong-Kyu; Suh, Jeong-Dae; Woo, Sang-Kuk
Kim, Chul-Woo See Park, Yang-Duk
Kim, D.-H.; Jang, C.-W.; Lee, K.-H.; Park, B.-H.
High-temperature wear test of silicon nitride ceramics.—75-03700
Kim, D.-R. See Park, D.-W.
Kim, D.-S. See Kang, S.-G.
Kim, D.-W.; Oh, K.-J.; Lim, C.-S.
Measurement of surface roughness parameters for cold-rolled steel sheet using lasers.—75-08683
Kim, D.-Y.; Byeon, T.-B.; Lee, J.-Y.; Kim, B.-W.; Shon, J.-G.
Effects of surface treatment of the magnetic properties of acicular iron fine particles.—75-08210
Kim, Dae-Weon; Enomoto, N.; Nakagawa, Zenbee; Kawamura, Katsuyuki
Molecular dynamic simulation in titanium dioxide polymorphs: rutile, brookite, and anatase.—75-03807
Kim, Deug-J. See Choi, M.-H.
Kim, Do-Hyeong See Lee, Seung-Kun
Kim, Do-Kyung See Hoke, Darren A.; Kim, Weon-Ju; Kim, Yoon-Chang; Park, Hong-Kyu
Kim, Doh-Yeon See Chae, Ki-Woong; Oh, Kyung-Sik; Park, Jong-Keuk; Shin, Seung-Doh
Kim, Dong-Hwan; Fahrenbruch, Alan L.; Lopez-Otero, Adolfo
Measurement and control of ion-doping-induced defects in cadmium telluride films.—75-05374
Kim, Dong-Joo; Choi, Doo-Jin
High-temperature corrosion resistance of chemically vapor deposited silicon carbide against hydrogen chloride and hydrogen gaseous environments.—75-01992
Kim, Dong-P. See Jung, Hyung-Jin
Kim, Dong-S. See Lee, Jung-H.
Kim, Dong-Sang See Roth, Ian
Kim, Dong-Sang; Hrma, Pavel R.; Palmer, Susan E.; Smith, Donald E.; Schweiger, Michael J.
Effect of B_2O_3, CaO, and Al_2O_3 on the chemical durability of silicate glasses for Hanford low-level waste immobilization.—75-03459
Kim, Dong-Sang; Peeler fDavid K.; Hrma, Pavel R.
Effect of crystallization on the chemical durability of simulated nuclear waste glasses.—75-03460
Kim, Dong-Won See Lee, Ki-Gang; Lee, Young-J.
Kim, Duk-Jun; Kim, Hwan
Preparation of highly concentrated alumina suspension through investigation of proton adsorption density.—75-09397
Kim, E.-S. See Jo, K.-H.; Jung, Hyung-Jin
Kim, E.-S.; Jo, K.-H.; Yoon, K.-H.
Dielectric properties of $Ba(Mg_{1/3}Ta_{2/3})O_3$ ceramics at microwave frequencies.—75-00318
Kim, Gyeung-Ho; Sarikaya, Mehmet
CBED procedure for determining local residual stresses from nanoscale areas in cermets.—75-01799
Kim, H. D.; Kang, S. W.
Alumina composites reinforced by plate-shaped aluminates—effect of platelet size on properties.—75-01374
Kim, H. See Kim, Y. J.; Lee, J.-K.
Kim, H.-C. See Yoon, S.-S.
Kim, H.-G. See Kang, S.-G.; Kim, Y.-H.
Kim, H.-K. See Lee, J.-H.; Lee, K.-H.
Kim, Hai-Doo See Ko, Jae-Woong
Kim, Hai-Doo; Lee, Im-Sik; Kang, Suk-Won
Formation of $NaMg_2Al_{15}O_{25}$ in an α-Al_2O_3 matrix and its effect on the mechanical properties of alumina.—75-06618
Kim, Hee-Joon See Liu, Yi-Jun
Kim, Ho-Gi See Bai, Kang; Chae, Su-Jin; Chung, Hoon-Taek; Lee, Seaung-Suk; Lee, Won-Jae
Kim, Ho-Sung See Oh, Kwang-Suk
Kim, Hong-Koo; Li, Cheng-Chung; Nykolak, G.
Photoluminescence and electrical properties of erbium-doped indium oxide films prepared by rf sputtering.—75-01328
Kim, Hong-Soo See Kim, Joon-Soo; Woo, Sang-Kuk
Kim, Hwan See Kim, Duk-Jun; Lee, Jong-Kook; Lee, Jong-Pil
Kim, Hyang-Wung; Kim, Jung-H.
Method of preparing nonglare glass.—75-00228
Kim, Hyo-Tae See You, In-Kyu
Kim, Hyoun-E. See Choi, Rino
Kim, Hyoun-E.; Moorhead, A. J.
Oxidation behavior and effects of oxidation on the strength of SiC whisker-reinforced alumina.—75-04436
Kim, Hyun-Jai See Kim, Joon-Han; Kucheiko, Sergey
Kim, Hyun-Min See Kokubo, Tadashi
Kim, In See Lee, Jeong-Seok
Kim, In-Tae See Hong, Kug-Sun; Park, Seung-Eek
Kim, J. B.; Kim, J. N.
Phase transition of new solid-solution crystal $Li_{0.7}Na_{0.3}NbO_3$.—75-00683
Kim, J. N. See Kim, J. B.
Kim, J. See Choi, J.-Y.
Kim, J.-M. See Lee, Y.-H.
Kim, J.-M.; Yoon, D.-S.; No, Kwang-Soo
Electrical properties of sol-gel-processed PLZT thin films.—75-05561
Kim, J.-W. See Lee, C.-D.
Kim, J.-Y. See Choi, J.-Y.
Kim, Jae-Yuk; Iseki, Takayoshi; Yano, Toyohiko
Pressureless sintering of dense Si_3N_4 and Si_3N_4/SiC composites with nitrate additives.—75-09406
Kim, Jeong-Du; Moon, Chan-Hong
Microcutting characteristics on the single-crystal diamond tool with edge radius using molecular dynamics.—75-08684
Kim, Jeong-Joo See Harmer, Martin P.
Kim, Jin-Yong; Hsu, Richard; Kumta, P. N.
Effect of incorporation of nitrogen on the structure and dielectric properties of modified oxide sol-precipitated borosilicate glasses and glass-ceramics.—75-02711
Kim, Jong-Hee; Tsurumi, Takaaki; Kamaya, Toshio
Growth of bismuth silicate films on Si and its dielectric properties.—75-05195
Kim, Jong-Sun; Yoon, K.-H.
Physical and electrical properties of MnO_2-doped $Pb(Zr_xTi_{1-x})O_3$ ceramics.—75-06499
Kim, Joo-Seon See Jeon, Jae-Ho
Kim, Joon-Han See Kim, Tae-Song
Kim, Joon-Han; Paik, Dong-Soo; Park, Chang-Yub; Kim, Tae-Song; Yoon, Seok-Jin; Kim, Hyun-Jai
Effect of yttrium doping on the ferroelectric fatigue and switching characteristics of $Pb(Zr_{0.65}Ti_{0.35})O_3$ thin films prepared by sol-gel processing.—75-05553
Kim, Joon-Soo; Kim, Hong-Soo; Kweon, Oh-Seong; Lee, Byung-Ha
Fabrication of semiconducting $BaTiO_3$ ceramics at lower sintering temperatures.—75-07885
Kim, Joong-Do See Pyung, Su-Il
Kim, Jung-Eun See Lee, Sang-Won
Kim, Jung-H. See Kim, Hyang-Wung
Kim, K.-H. See Ryu, B.-K.
Kim, K.-H.; Cha, K.-H.; Ryu, B.-K.; Park, H.-C.
Gas-sensing characteristics of doped SnO_2 thin films.—75-00334
Kim, K.-T. See Suh, J.
Kim, Ki-Baik See Kim, Chan-Joong; Park, Hai-Woong
Kim, Ki-Bum See Kang, Dae-Whan
Kim, Ki-Dong
Electrical conductivity in mixed alkali aluminosilicate melts.—75-04956
Kim, Kyu-Young See Lee, Hong-Kim
Kim, Kyung-W. See Lee, Kee-H.
Kim, M. J. See Carpenter, R. W.
Kim, Moo-Kyung See Lim, Hun-Jin
Kim, Myong-Ho See Kim, B.-H.
Kim, Myoung-Won See Dickinson, J. T.
Kim, N. A.; Nekrasov, I. Ya.
Kinetics of fornation of lanthanum and yttrium glasses at 1200°C and pO_2=2 kbar.—75-05024
Kim, Nam-Heun; Fun, Qian-Duan; Komeya, K.; Meguro, T.
Phase reaction and sintering behavior in the pseudoternary systen AlN-Y_2O_3-Al_2O_3.—75-09028
Kim, Nam-Kyeong; Yoon, Soon-Gil
Preparation and electrical properties of $SrTiO_3$ thin films by plasma-enhanced metallorganic chemical vapor deposition.—75-07744
Kim, Ran Y. See Dutton, Rollie E.
Kim, S.-H.; Lee, J.-H.; Kang, D.-S.; Cho, S.-H.
Flattening of dielectric constant by inhomogeneity control in $Ba(Ti_{1-x}Zr_xO_3)$ ceramics.—75-00333
Kim, S.-H.; Park, S.-K.; Chun, H.-D.; Ko, K.-S.; Lee, S.-K.
Development of effective reuse system of mixed wastewater from electroplating mill by electrodialysis.—75-08517
Kim, S.-H.
High-temperature fatigue fracture of Al_2O_3-33 vol% SiC_w.—75-02060; See also Park, J.-H.
Kim, S.-J.; Kim, T.-O.
Preparation of δ-FeOOH by coprecipitation method and its magnetic properties.—75-08237
Kim, S.-P. See In, C.-B.
Kim, S.-W. See Kim, C.-W.
Kim, S.-Y. See Yoon, S.-S.
Kim, Sang-Dong See Ohsawa, Shigenari
Kim, Sang-Sub; Kang, Young-Min; Baik, Sung-Gi
Microstructural model on the evolution of domain structure during processing of $PbTiO_3$ thin films on MgO(100) substrates.—75-03241; Sputter deposition of ferroelectric $PbTiO_3$ thin films on MgO(100) substrates.—75-00700
Kim, Seock-Sam See Cho, Seong-Jai
Kim, Seong-Yeon; Kim, Yuen-Shik
Preparation of high-temperature catalytic support from gibbsite: II, Properties of amorphous alumina [AA] as precursor of catalyst support.—75-09396
Kim, Song-Hee See Tai, Weon-Pil
Kim, Steve See Su, Hung-Hai
Kim, Suck-Bum See Lee, Ki-Gang
Kim, Sun-Jae See Kang, Thae-Khapp
Kim, T. J.; Mohler, E.; Grill, W.
Piezoelectric effect and ultrasonic attenuation near T_c in single-crystal $YBa_2Cu_3O_{7-\delta}$ superconductors.—75-03393
Kim, T.-O. See Kim, S.-J.
Kim, T.-W. See Woo, Y.-D.
Kim, Tae-Joon See Jeong, Kyung-Chai
Kim, Tae-Song See Kim, Joon-Han
Kim, Tae-Song; Kim, Chong-Hee; Oh, Myung-Hwan
Effect of buffer layers on the structural and electrical properties of (Ba,Sr)TiO_3 thin films deposited on indium tin oxide coated glass substrate by using an rf magnetron sputtering method.—75-01448; Structural and electrical properties of rf magnetron-sputtered $Ba_{1-x}Sr_xTiO_3$ thin films on indium tin oxide coated glass substrate.—75-03928
Kim, Tae-Song; Kim, Joon-Han; Lee, Jeon-Kook; Jung, Hyung-Jin
Influences of sol-gel-derived thin $Pb(Zr_{0.52}Ti_{0.48})O_3$ layers as a buffer on rf-sputtered $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films.—75-05591
Kim, Tae-Woo See Park, Sang-Whan
Kim, Weon-Hyo See Kim, You-Song
Kim, Weon-Ju; Kim, Do-Kyung; Kim, Chong-Hee
Morphological effect of second phase on the thermal conductivity of AlN ceramics.—75-04378
Kim, Weon-Ju; Moon, Young-Tae; Kim, Chong-Hee
Coating of yttria precursor on AlN powder by in situ precipitation.—75-06551
Kim, Woo-Sang See Sohn, Kee-Sun
Kim, Y. J.; Wara, N. M.; Velamakanni, B. V.; Francis, Lorraine F.
Microstructure development in particulate ceramic coatings.—75-01887
Kim, Y. J.; Yoo, Y. S.; Kim, H.
Diffusion bonding interface structure of yttria-stabilized zirconia.—75-04313
Kim, Y. O. See Schwander, P.
Kim, Y.-H.; Kim, H.-G.
Effect of Bi_2O_3 on the microstructure and electrical conductivity of ZrO_2-Y_2O_3 ceramics.—75-03885
Kim, Y.-W.; Mei, D. H.; Lubben, D.
Epitaxial $(GaAs)_{1-x}(Si_2)_x$ metastable alloys on GaAs(001) and $(GaAs)_{1-x}(Si_2)_x$/GaAs strained-layer superlattices: crystal growth, spinodal decomposition, and antiphase domains.—75-00485
Kim, Yeong-Kyoo; Kirkpatrick, R. James; Cygan, Randall T.
^{133}Cs NMR study of Cs reaction with clay minerals.—75-03445
Kim, Yeong-Woo; Park, Hong-Chae; Oh, Ki-Dong
Effect of AlN addition on the thermal conductivity of sintered Al_2O_3.—75-09268; Mechanical properties of Al_2O_3-AlN particulate composite.—75-09650
Kim, Yeong-Wook See Kushida, Toshimoto
Kim, Yong-S. See Lee, Jung-H.
Kim, Yoo-Teak See Lee, Ki-Gang
Kim, Yoon-Chang See Lee, Seung-Kun
Kim, Yoon-Chang; Koh, Sang-Cheol; Kim, Do-Kyung; Kim, Chong-Hee
Effect of microwave heating on the sintering of silicon nitride doped with Al_2O_3 and Y_2O_3.—75-01458
Kim, Yoon-Ho See Park, Yung; You, In-Kyu
Kim, Yoon-Kee; Hunt, William D.; Hickernell, Frederick S.
Surface acoustic wave properties of ZnO films on {001}-cut <110>-propagating GaAs substrates.—75-03176
Kim, Yoon-Kee; Hunt, William D.; Liu, Yong-Sheng
Velocity surface measurements for ZnO films over {001}-cut GaAs.—75-00633
Kim, You-Song; Jang, Hyun-M.
Sol-gel technology for ferroelectric thin films.—75-00699
Kim, You-Song; Kim, Weon-Hyo; Heo, Jong
Third-order optical nonlinearity of TeO_2-PbO-GeO_2 glasses.—75-05000
Kim, Young-June; Lee, See-Hyung; Noh, Ti-Wi
Infrared properties of barium borate glasses: application of the generalized Lyddane-Sachs-Teller relation.—75-04972
Kim, Young-Min See Jang, Joon-Hyuk
Kim, Young-Wook See Cho, Kyeong-Sik
Kim, Yu-Hwan; Bae, Seong-Youl
Characteristics of alumina prepared by hydrolysis of Al alkoxide.—75-09236
Kim, Yuen-Shik See Kim, Seong-Yeon
Kimari, Suman; Singh, A. K.; Srivastava, O. N.
Special $AgNO_3$-induced formation of $YBa_2Cu_4O_8$ thin films through spray pyrolysis.—75-08414

Kiminami, Ruth H. G. A. See Mariano, Walter A.
Kimoto, Takeshi See Tsutsui, Naoki
Kimoto, Tsunenobu See Matsunami, Hiroyuki
Kimoto, Tsunenobu; Matsunami, Hiroyuki
Nucleation and step motion in chemical vapor deposition of SiC on 6H-SiC{0001} faces.—75-00357; Surface kinetics of adatoms in vapor phase epitaxial growth of SiC on 6H-SiC {0001} vicinal surfaces.—75-03845
Kimura, Atsushi See Park, Jin-Joo
Kimura, H.; Numazawa, T.; Sato, M.
Rare-earth distribution behavior and lattice parameter changes on rare-earth-substituted garnet single crystals.—75-06336
Kimura, Hiroshi; Matsui, Toshiyuki; Suzuki, Takeshi; Mukae, Kazuo; Ohi, Akihiko
Superconducting device structure with Pr-Ba-Cu-O barrier layer.—75-03440
Kimura, Hisamichi See Liu, Yi-Jun
Kimura, Kazumi See Onoda, Hajime
Kimura, Kazuo See Fujii, Jun; Yano, Keiichi
Kimura, Koji See Takeuchi, Yukihisa
Kimura, Kunio See Nakamura, Kenichi
Kimura, Mitsuru See Ikuina, Kazuhiro
Kimura, Osamu
Residual thermal stresses in multilayer electronic ceramic devices.—75-00130
Kimura, Shigeyuki; Sasaki, Hitoshi; Terashima, Kazutaka
Properties of Si melt near melting point.—75-03140
Kimura, Shiushichi See Ohsawa, Shigenari
Kimura, Shoichi See Koike, Junichi; Lin, Dah-Cheng; Shinmi, Akio
Kimura, Toshio See Hiroshima, Takuya
Kimura, Toshio; Kuroda, Yukinori; Lee, Ho-Sung
Effect of phase transformation on the sintering of lead barium metaniobate solid solutions.—75-03789
Kimura, Toshio; Yamaguchi, Takashi
Effects of inclusions on the densification of ceramic composites.—75-01471
Kimura, Yoshitsugu; Shima, Masayuki
Fracture mechanics approach to ceramic wear.—75-04538
Kinash, Yu. E. See Sirotyuk, S. V.
Kinder, V. A. See Efremenkov, V. V.
Kinduris, A. See Bondarenka, V.
Kindyak, A. S. See Gremenok, V. F.
Kindyak, V. V. See Gremenok, V. F.
King, A. H. See Chen, Fred Y.; Wang, J.-Y.
King, Bruce See Liu, Yin
King, H. W. See Payzant, E. A.
King, H. W.; Pho, L.; Walker, P. A.; Dasgupta, Sankar; Wang, Z.
Effect of temperature on the structure and properties of $MoSi_2$-6 mol% Y_2O_3 partially stabilized ZrO_2 composites.—75-09286
King, Kathy; Cox, Jeff
Wood firing in Jamaica.—75-02382
King, Peter
Architectural ceramics workshop in Costa Rica.—75-04787
King, Terence A. See Leigh, David A.; Li, Xiao-Chun
King, W. A.; Shelby, J. E.
Strontium calcium aluminate glasses.—75-07401
Kingery, W. David See Yokoi, Hitoshi
Kingma, Kathleen; Hemley, Russell J.
Raman spectroscopy study of microcrystalline silica.—75-03832
Kingon, Angus I. See Chow, Alice F.; Dat, R.
Kingsley, J. J.; Schilling, C. H.; Adair, James H.
Ceramic Transactions, Volume 62: Science, Technology, and Commercialization of Powder Synthesis and Shape Forming Processes.—75-04768
Kingston, P. W. See Tribe, T. S.
Kinkela, John F.
Establishing regulatory compliance in a new plant.—75-02129
Kinloch, A. J. See Gilchrist, M. D.
Kinoshita, Hiroyoshi See Yoshino, Kenji
Kinoshita, Kyoichi; Yamada, Tomoaki
Method for preparing copper oxide superconductor containing carbonate radicals.—75-03432
Kinouchi, Shinichi See Egawa, Kunihiko
Kinser, D. L. See Kang, W. P.; Wur, D.
Kinsman, E. M.
Richard Aerni.—75-02341
Kinsman, K. See McKittrick, J.
Kinsman, Karin M.; Dupon, Ryan W.; McCrum, Martha L.; Mazeika, Linas; Chu, Amy S.
High strength porcelain and method therefor.—75-05170
Kinugasa, Masanori; Tsubomoto, Naoto; Kobayashi, Osamu
Process for preparing fine powder of perovskite-type compound.—75-03676
Kiosse, G. A. See Kirpichnikova, L. F.
Kiprianov, A. A.
Conductivity of surface layers of sodium aluminosilicate glass treated with aqueous solutions.—75-07330
Kipshidze, G. D. See Drichko, I. L.; Drozdov, S. V.
Kir'yakov, N. V.; Borshch, V. N.; Morozov, Yu. G.; Grigoryan, E. A.
Kinetics of the oxygen release in vacuum from $YBa_2Cu_3O_{6.92-x}$ ceramics (x=0–0.54).—75-08351
Kiragushi, Keisuke See Yu, Jing-Kun
Kirby, Paul B. See Obhi, Jasvinder Singh
Kireenko, M. F. See Baikova, L. G.
Kireev, V. A. See Valyaev, V. V.
Kireeva, E. V. See Arbuzova, T. I.
Kirichenko, O. A.; Poluboyarov, V. A.
Sintering of mechanically activated χ-alumina.—75-06765
Kirichenko, V. N. See Bessergenev, V. G.
Kirilenko, I. A.; Ivanov, A. A.; Kudinov, I. B.
Glass formation in the $Al_2(SO_4)_3$-H_2O system.—75-07301
Kirillov, S. N. See Zhuchkov, B. S.
Kirillova, M. M. See Ustinov, V. V.
Kirillova, S. I. See Venger, E. F.
Kirillova, S. I.; Primachenko, V. E.; Chernobai, V. A.
System of fast surface electron states on the real surface of germanium.—75-08076
Kiritsa, V. L. See Babich, V. M.
Kirk, N. B.; Wood, J. V.
Glass polishing.—75-00215
Kirkendall, Gregory S.
Lightweight ceramic abrasive media.—75-02172
Kirkinskii, V. A. See Kuryaeva, R. G.
Kirkland, T. P. See Wereszczak, Andrew A.
Kirkpatrick, R. James See Cong, Xian-Dong; Kim, Yeong-Kyoo
Kirkpatrick, R. James; Cong, Xian-Dong
Introduction to ^{27}Al and ^{29}Si NMR spectroscopy of cements and concretes.—75-00049
Kirovskaya, I. A.
Surface properties of crystals of $Cd_xHg_{1-x}Te$ solid solutions.—75-08069
Kirpa, V. I. See Mil'man, I. I.; Ogorodnikov, I. N.
Kirpichnikova, L. F.; Petrashko, A.; Polomska, M.; Kiosse, G. A.; Khil'cher, B.; Andreev, E. F.
Low-temperature phase transition in $(CH_3)_2NH_2Ga(SO_4)_2{\cdot}6H_2O$ crystals.—75-08975
Kirsanov, N. A. See Bazuev, G. V.
Kiryukhin, A. A. See Voron'ko, Yu. K.
Kisailus, David See Shih, Wei-Heng
Kisara, K.; Chen, L.; Sudo, T.; Sakuranaka, N.; Niino, M.
Measurement system for thermoelectric properties of gradually segmented composite elements over a large temperature span.—75-03578
Kiselev, A. A.; Moiseev, L. V.
Zeeman splitting of heavy holes states in A_3B_5 and A_2B_6 heterostructures.—75-08096
Kiselev, I. A. See Ryzhov, V. A.
Kiselev, M. R. See Epikhin, A. N.
Kiselev, N. I. See Babkin, E. V.; Petrakovskii, G. A.
Kiselev, N. N. See Zemskov, V. S.
Kiseleva, G. V. See Smirnov, S. V.
Kiseleva, N. N. See Zemskov, V. S.
Kiseleva, N. N.; Kravchenko, N. V.; Petukhov, V. V.
Database system for the properties of ternary inorganic compounds (IBM PC version).—75-08650
Kishi, Hiroshi; Shizuno, Hisamitsu; Kusumi, Shinya; Saito, Hiroshi
Ceramic capacitor and method for fabricating the same.—75-02944
Kishi, Hiroshi; Yamaoka, Nobutatsu
Multilayer ceramic capacitors with nickel electrodes.—75-00355
Kishi, Kazushi See Hojo, Junichi
Kishi, Teruo See Enoki, Manabu; Kim, B.-N.; Tsuda, Hiroshi; Yamade, Yoshiaki
Kishi, Yukio
Ceramic mirrors and method of manufacturing same.—75-07412
Kishimoto, Akira See Jung, Sang-Jin; Motohira, Naobumi
Kishimoto, H.; Ueno, A.; Kawamoto, Hiroshi
Crack propagation behavior and mechanism of a sintered silicon nitride under cyclic load.—75-02030
Kishimoto, M.; Sakurai, Y.; Ajima, T.
Magnetooptical properties of Ba ferrite particulate media.—75-00749
Kishio, K. See Ikuta, H.
Kishioka, Akira See Aizawa, Mamoru; Hasegawa, Minoru
Kishishita, Hiroyuki; Hatanaka, Yukio; Ueda, Yukinori
Method of providing a sintered ceramic body having a concave portion.—75-00403; Variable capacitor.—75-00411
Kishkin, V. A. See Dailov, A. A.
Kishore, K. Nanda See Muralidhar, M.; Satyavathi, S.
Kisielowski, C. See Schwander, P.
Kislovskaya, T. M. See Andreev, O. V.
Kisoda, K. See Nakashima, S.
Kiss, L. F. See Serfoso, G.
Kiss, Takanobu; Matsumara, Tatsuya; Iriyama, Yasunori; Enpuku, Keiji; Takeo, Masakatsu
Flux flow characteristics of step-edge junctions made of $YBa_2Cu_3O_{7-\delta}$ thin films.—75-08326
Kistenmacher, T. J. See Bryden, W. A.; Miragliotta, J. A.; Wickenden, A. Estes; Wickenden, D. K.; See Yang, Pei-Chun
Kistenmacher, T. J.; Ecelberger, S. A.; Bryden, W. A.
Buffer layer thickness and the properties of InN thin films on AlN-seeded (00.1)sapphire and (111)silicon.—75-00418
Kita, H. See Tseng, W. J.; Unno, Y.
Kitabatake, M. See Show, Y.
Kitabayashi, Hiroyuki See Shikata, Shinichi
Kitagawa, Isayoshi See Komeya, K.
Kitagawa, Kuniyuki See Shin, Woo-Suck
Kitaguchi, S.
Forming of functionally gradient materials for thermal stress relaxation by low pressure spraying technique.—75-04854; See also Kumakawa, A.
Kitahara, Tadashi See Katsuoka, Kyuji
Kitai, Tsuneo See Tanaka, Masato
Kitajima, Kunio See Fukase, Munehiko; Kawamura, Hirotoshi
Kitajima, M. See Nakamura, K. G.
Kitakami, Osamu See Sakurai, Tomoaki
Kitami, Takashi See Mori, Hidetsugu
Kitamura, Kenji
Crystal growth of nonstoichiometric oxide materials using double-crucible CZ [Czochralski] method.—75-03983
Kitamura, M. See Holma, M.
Kitano, Shuhei See Narisawa, Masaki
Kitayama, Azuyasu
Method of manufacturing hollow ceramic rolling elements.—75-08608
Kitayama, Hiroaki; Inoue, Masahiro; Niihara, Koichi
Effects of adsorbed species on microstructure and mechanical properties of Al_2O_3.—75-02044
Kitayama, M. See Powers, J. D.
Kitayama, M.; Pask, Joseph A.
Formation and control of agglomerates in alumina powder.—75-06610
Kitazawa, K. See Ikuta, H.
Kito, Masaru See Andoh, Hiroya
Kittaka, Toshihiko See Hase, Kiyoshi
Kityk, I. V. See Dutsyak, I. S.
Kityk, I. V.; Fenchak, V. Yu.; Grabar, A. A.; Slivka, V. Yu.
Band structure and optical spectra of the ferroelectric semiconductor $Sn_2P_2Se_6$.—75-02965; 75-05250
Kiuchi, Kazumasa See Nagata, Hirotoshi
Kiuila, I. G. See Sytnik, R. D.
Kiwada, Takashi See Ichikawa, Kenji
Kiyak, B. R. See Degoda, V. Ya.
Kiyan, V. I. See Polokhlivets, E. K.
Kiyohara, Masakatsu; Katoh, Kenichi; Nagata, Kunihiro
Impurity doping effect on piezoelectricity and strain induced by electric field in piezoelectric ceramics.—75-08148
Kiyohara, P. K. See De Souza Santos, H.
Kizhappali, R. See Annen, M. J.
Kizler, Peter; He, Jun; Clarke, David R.; Kenway, Philip R.
Structural relaxation around substitutional Cr^{3+} ions in sapphire.—75-02100
Kizuka, Tokushi; Ichinose, Hideki; Ishida, Yoichi
Structure and mechanical properties of nanocrystalline Ag/MgO composites.—75-06519
Kjellsen, Knut O.; Jennings, Hamlin M.
Observations of microcracking in cement paste upon drying and rewetting by environmental scanning electron microscopy.—75-04825
Klad'ko, V. P. See Glinchuk, K. D.
Klaeson, T. See Boikov, Yu. A.
Klaffke, Dieter See Krell, Andreas
Klages, Claus-Peter See Schaefer, Lothar
Klamut, J. See Ciszek, M.
Klassen, N. V.; Negrii, V. D.; Prokopenko, V. M.; Sinitsyn, V. V.; Solov'ev, A. V.; Shmurak, S. Z.
Spectral characteristics of cubic and orthorhombic modifications of PbF_2.—75-09062
Klassen, N. V.
Dependence of scintillators optical properties on intrinsic structural defects.—75-01749; See also Alov, D. L.; Bazhenov, A. V.; Egorov, V. K.; Shmyt'ko, Ivan
Klassen, Robert D.
Cold process for hydroxyapatite coatings.—75-06085
Klavins, P. See Irons, Stephen H.
Klee, Mareike See Hoffmann, S.
Klee, Mareike; Mackens, Uwe; Hermann, Wilhelm; Batheit, Erich
Structural and electrical characterization of PZT and PLZT films grown on spin-on-processed conductive oxide electrodes.—75-05642
Kleebe, H.-J.; Braue, W.; Luxem, W.
Densification studies of SRBSN [sintered reaction-bonded Si_3N_4] with unstabilized zirconia by means of dilatometry and electron microscopy.—75-04311
Kleebe, H.-J.; Braue, W.; Schmidt, Hans; Pezzotti, Giuseppe; Ziegler, G.
Transmission electron microscopy of microstructures in ceramic materials.—75-09581
Kleebe, H.-J.; Cinibulk, Michael K.; Tanaka, I.; Bruley, J.; Vetrano, J. S.; Ruhle, Manfred
High-resolution electron microscopy studies on silicon nitride ceramics.—75-04339
Kleebe, H.-J.; Hilz, Gabriela; Ziegler, G.
Transmission electron microscopy and electron energy loss spectroscopy characterization of glass phase in sol-gel-derived mullite.—75-09580
Kleebe, H.-J.; Schmidt, Hans; Ziegler, G.
Effect of Si_3N_4 powder surface chemistry on densification and secondary phase distribution.—75-01463
Kleebe, H.-J.
Internal interfaces in silicon nitride studied by high-resolution electron microscopy.—75-01879; See also Dressler, Wolfgang; Linner, Britta; Pezzotti, Giuseppe; Tanaka, I.; Ziegler, G.
Kleefisch, M. S. See Balachandran, U.
Kleemann, W. See Bianchi, U.
Klein, Benjamin See Meng, Bin-Shen
Klein, L.; Jacoby, E. R.; Tsameret, A.
Unidirectional pinning in irradiated $Bi_2Sr_2CaCu_2O_8$.—75-03424
Klein, Lisa C. See Pope, Edward J. A.; Tahan, Danielle M.
Klein, V. See Rosenberg, M.
Klein-Douwel, R. J. H.; Spaanjaars, J. J. L.; Ter Meulen, J. J.
Correlations between the density distributions of C_2, CH, and OH and the growth of diamond in an oxyacetylene flame measured by LIF [laser-induced fluorescence].—75-09247
Kleiner, Richard N. See Ritland, Marcus A.
Kleinsasser, A. W. See Delin, K. A.
Kleinschmit, Peter See Mangold, Helmut
Kleitz, M. See Muccillo, E. N. S.
Klemberg-Sapieha, J. E. See Reinke, P.
Klemm, H. See Herrmann, M.
Klemm, H.; Tangermann, Katja; Schubert, Christian; Hermel, Waldemar
Influence of molybdenum silicide additions on high-temperature oxidation resistance of silicon nitride materials.—75-06653
Klemptner, Lori J. See Hodge, James D.
Kleppa, O. J. See Zhu, Hui
Klestov, S. A. See Voronkova, V. I.
Klevtsov, A. N. See Dantsiger, A. Ya.; Gavrilyachenko, S. V.; Razumovskaya, O. N.; Reznichenko, L. A.
Klevtsov, P. V. See Solodovnikov, S. F.
Klibanov, L. See Rusman, I.
Kliem, H. See Schatteburg, S.
Klimenko, V. I. See Bulanyi, M. F.
Klimin, S. L. See Belyantsev, A. M.
Klimko, S. A. See Gabriclyan, V. T.
Klimov, L. A. See Antsiferov, V. N.
Klimov, V. V. See Trefilov, V. I.
Klimov, V. V.; Didkovskaya, O. S.; Savenkova, G. E.;

Venevtsev, Yu. N.
Piezoceramics with a different purpose.—75-05620
Klimov, Yu. A. See Maslovskii, F. V.
Klimova, I. P.; Voronkova, V. I.; Yanovskii, V. K.
New compounds of $AB_xW_{1-x}O_9$ with hexagonal tungsten bronze type structure.—75-05611
Klinkova, L. A.; Nikolaichik, V. I.; Zorina, L. V.;
Barkovskii, N. V.; Fedotov, V. K.; Zver'kov, S. A.
New homologous series of $Ba_mBi_{m+n}O_y$ (m=1, 2,...; n=0, 1, 2,...).—75-08993
Klisuvski, D. See Radev, D. D.
Klochai, I. F. See Pashchenko, V. P.
Klockenbrink, R. See Bakin, A.
Klosova, Elena See Balek, Vladimir
Klotz, H.-D. See Mach, R.
Klucakova, Martina
Impregnation/densification of carbon-carbon composites.—75-09332
Kluenkov, E. B. See Drozdov, Yu. N.
Klug, T.; Bruckner, R.
Preparation of C fiber borosilicate glass composites: influence of the fiber distribution on mechanical properties.—75-05035; Preparation of C fiber borosilicate glass composites: influence of the fiber type of mechanical properties.—75-05036
Klushin, A. M. See Kunkel, G.
Klyachkin, L. E. See Bagraev, N. T.
Klypych, O. L. See Kuz'ma, Yu. B.
Klyuchnik, I. A. See Polokhlivets, E. K.
Klyuev, V. A. See Zakharov, N. A.
Klyui, N. I. See Romanyuk, B. N.; Semenovich, V. A.
Klyui, N. I.; Litovchenko, V. G.; Frolov, S. I.; Semenovich, V. A.; Gorban, A. P.; Kostylyov, V. P.
Improvement of solar cell [SC] efficiency and stability by deposition of [diamondlike carbon] DLC films.—75-09334
Klyukanov, A. A. See Vavilov, V. S.
Knapp, Randy O.
Low-temperature lead-free glaze for alumina ceramics.—75-07717
Knauf, O. See Bohner, R.
Knauss, L. A. See Toulouse, J.
Knauss, Richard J.
Refractory mix and shapes made therefrom.—75-00279
Knechtel, Heimo
New kiln technology.—75-06005
Knechtel, M. See Sternitzke, M.
Knechtel, M.; Prielipp, H.; Claussen, N.; Rodel, Jurgen
Metal-reinforced ceramics.—75-02504
Kneer, E. A. See Teowee, G.
Knell, Timothy A.; Burkhart, III
Thermoplastic/thermoset table coatings or inks for glass ceramic and other hard surfaces.—75-00298
Knight, Diane S.; White, William B.
Raman linewidths in rare-earth sesquisulfide solid solutions.—75-03830
Knipping, U. See Spence, J. C. H.
Knisevskaya, L. See Burneika, I.
Knizek, K. See Hudakova, N.; Nevriva, M.
Knoll, W. See Lawall, R.
Knorozok, L. M. See Brodovoi, A. V.
Knotek, O.; Loffler, F.; Barimani, C.; Brand, J.
Parameter optimization for the arc-ADLC-deposition process.—75-00975
Knowles, J. C.
Development of hydroxyapatite with enhanced mechanical properties: effect of high glass additions on mechanical properties and phase stability of sintered hydroxyapatite.—75-01434; See also Abrahams, Isaac
Knowles, Kevin M. See Kumar, Atul; See Turan, Servet
Knozinger, Helmut See Beutel, Tilman
Knudsen, Arne K. See Fawcett, Timothy G.
Knyazev, S. A. See Korsukov, V. E.
Ko, Dong-Geun; Oesterreicher, Hans
Anamolous phenomenology in nickel-substituted cuprates.—75-00770
Ko, Edmond See Brodsky, Colin J.
Ko, Ensei See Chen, Chia-Fu
Ko, Jae-Woong; Lee, Soo-Young; Kim, Hai-Doo
Fabrication of $Bi_2Sr_2CaCu_2O_y$/Ag superconducting tape using a screen-printing method.—75-05767
Ko, K.-S. See Kim, S.-H.
Ko, Kai-Li See Lai, Chung-Ping
Ko, S.-Y.; Haw, L.-G.
Temperature and frequency dependence of multiphonon absorption in halide glasses.—75-02692
Ko, Y.-C. See Chan, Chen-Feng; Hung, Yung-Hsiung
Koba, S. See Hakuraku, Y.
Kobashi, Koji See Kato, Rie
Kobayashi, H. See Wu, K. T.
Kobayashi, Hideo; Todoroki, Akira; Nakamura, Haruo
Fracture toughness determination of SiC/SiC fabric composites.—75-04539
Kobayashi, Hiroaki See Kawaguchi, Jun
Kobayashi, Hisashi See Brown, John T.
Kobayashi, Kazuo See Uchiyama, Yasuo
Kobayashi, Keiji; Mizushima, Ichiro
OH-related capacitance-voltage recovery effect in MOS capacitors passivated by PbO-B_2O_3-SiO_2-GeO_2 glasses—the effects of OH content.—75-05031
Kobayashi, Keiji; Sasaki, H.
Olt-related capacitance-voltage recovery effect in metal oxide semiconductor capacitors passivated by ZnO-B_2O_3-P_2O_5-SiO glasses: I, The effects of MgO content.—75-05409
Kobayashi, Keiji
Exposure to water vapor of MOS capacitors passivated with PbO-based glasses.—75-07729; Optical, thermomechanical, and MOS properties of ZnO- and PbO-based glasses.—75-04986; Viscous flow of ZnF_2-PbF_2-SiO_2-B_2O_3-GeO_2 glasses and their application to MOS capacitors.—75-07748
Kobayashi, M. See Suzuki, T.
Kobayashi, Masayoshi See Akazawa, Toshiyuki
Kobayashi, Masayuki See Kamiya, Hidehiro
Kobayashi, Naoaki See Sato, Tatsuya
Kobayashi, Naoya See Masada, Keizo
Kobayashi, Naoya; Fukuhara, Minoru; Doi, Akira; Takada, Toshio; Takada, Jun; Ikeda, Yasunori
Formation of the Pb-rich 2212 phase.—75-00807
Kobayashi, Norikazu See Enoki, Toshiaki
Kobayashi, Osamu See Kinugasa, Masanori
Kobayashi, T. See Takeuchi, S.; Wadayama, T.
Kobayashi, Takeshi See Iwabuchi, Mamoru
Kobayashi, Takeshi; Ariki, Takuya; Iwabuchi, Mamoru
Analytical studies on multiple delta doping in diamond thin films for efficient hole excitation and conductivity enhancement.—75-01379
Kobayashi, W. T. See Boillet, J.
Kobayashi, Y.; Ohiva, O.; Satoh, T.
Compositions for strengthening porcelain bodies in alumina-feldspar-kaolin system.—75-00282
Kobayashi, Yoshimasa; Li, Jing-Feng; Watanabe, R.
Synthesis of SiC-AlN ceramic alloys from Si, C, and AlN powder premixture by reaction HIP sintering and their mechanical properties.—75-09477
Kobayashi, Yosuke See Sato, Mitsukuni
Kobayashi, Yuichi See Kato, Eturo
Kobayashi, Yuichi; Hirai, Toshio; Ohira, Osamu; Isoyama, Hirohumi; Kato, Etsuro
Measurement of bending strength using specimens cut from commercially produced high-strength porcelains.—75-08680
Kobelev, N. N. See Epanchintsev, O. G.
Kobelev, Yu. A. See Belyantsev, A. M.
Koberle, H.; Muhlratzer, A.; Sygulla, D.; Handrick, K.
Complex components from ceramic matrix composites.—75-01143
Kobertz, D. See Peck, D. H.
Koblischka, M. R.
Flux distributions of superconductors in the presence of structural defects.—75-08325; See also Van Dalen, A. J. J.
Koblitz, K.
Designing for an Italian factory.—75-02234
Kobune, Masafumi; Fujii, Satoshi; Asada, Ken
Preparation of Mn-modified tetragonal PZT ceramics and their pyroelectric properties.—75-08166
Kobyakov, V. P. See Karpov, A. V.
Kobzar, Yu. F. See Buinovskii, A. S.
Koc, Rasit; Folmer, Jeffrey S.
Synthesis of titanium carbide powders using carbon-coated titanium dioxide precursor.—75-09479
Koch, C. A. See Ravi, K. V.
Koch, Dietmar; Grathwohl, G.
S-curve behavior and temperature increase of ceramic matrix composites during fatigue testing.—75-04623
Koch, Freimut J. See Dias, Francisco J.
Koch, Roger H. See Chaudhari, Praveen
Kochegarov, Yu. V. See Vorob'ev, L. E.
Kochendorfer, R.; Krenkel, W.
CMC intake ramp for hypersonic propulsion systems.—75-03693
Kochetov, O. A. See Brounshtein, B. I.
Kochkarov, Zh. A.; Trunin, A. S.
Prediction of the phase complex of quaternary reciprocal systems of Na, K||F, CO_3, $MoO_4(WO_4)$.—75-09042
Kochnev, I. V. See Alferov, Zh. I.; Sobolev, M. M.
Kochsiek, D.; Prummer, R.; Brunold, A.
Explosive reaction pressing of intermetallic compounds from stoichiometric powder mixtures.—75-01493
Kochurov, I. F. See Il'inskii, B. P.
Koczak, Michael J. See Khatri, Subhash C.
Koda, Yuzo See Saito, Keishi
Kodaira, Kohei See Nishiwaki, Shiro
Kodama, Akira; Watabe, Yoshimi; Ueda, Massashi
Plasma CVD process for forming amorphous silicon thin film.—75-03212
Kodama, Hiroyuki See Ueki, Mitsuo
Kodama, R. H.; Seaman, C. L.; Berkowitz, A. E.
Low-temperature magnetic relaxation of organic-coated $NiFe_2O_4$ particles.—75-03301
Kodama, Yasuharu See Sakaguchi, Shuji
Kodera, Kaseki See Oobuchi, Takeshi
Kodera, Y. See Yamada, T.
Koehl, Franz See Scholz, Christoph
Koen, E. F. See De Bruin, D. W.
Koerner, W. See Wang, P.
Koetke, J. See Danger, T.
Kofman, R. See Cheyssac, P.
Koga, K.
Silicon nitride materials for heat engine applications.—75-03720
Kogai, Masao See Funahashi, Yoshio
Kogame, Toshihiko See Yamamoto, Shinya
Kogan, V. E. See Pronkin, A. A.
Koganei, Hirosada See Hirano, Shinichi
Kogler, R. See Heera, V.
Kogo, Yasuo; Hatta, Hiroshi; Yarii, Toshio
Oxidation behavior of SiC-coated carbon/carbon composites.—75-04440
Kogo, Yasuo; Kagawa, Yutaka; Hatta, Hiroshi
Experimental verification of the shielding effect in zirconia.—75-06976
Kogure, Kei; Sines, George; Lavin, J. Gerard
Creep behavior of a pitch-based carbon filament.—75-02032
Koh, Michael T. K.; Singh, Rajiv K.; Clark, David E.
Temperature distribution considerations during microwave heating of ceramics.—75-01727
Koh, Sang-Cheol See Kim, Yoon-Chang
Kohan, Adrian F. See Tepesch, Patrick D.
Kohiki, Shigemi; Nishitani, Mikihiko; Negami, Takayuki
Uv photoelectron yield spectroscopy of chalcopyrite structure Cu-In-Se thin films.—75-05512
Kohinata, Masayoshi; Toriumi, Makoto; Tanaka, Hirokazu; Yoshida, Hideaki
Method for joining ceramic sintered bodies.—75-03740
Kohl, H. See Mayer, J.
Kohl, R. See Muller, C.
Kohler, R. See Neumann, N.
Kohli, Jeffrey T.
Faraday effect in lanthanide-doped oxide glasses.—75-04964
Kohli, Markus See Muralt, Paul
Kohlstedt, H. See Xiao, Y. G.
Kohno, K. See Sammes, N. M.
Kohno, Yoshiaki
Process engineering of multilayered ceramic capacitors.—75-05208; See also Takaoka, Tatsuru
Kohtoku, Yasuhiko See Waku, Yoshiharu
Kohyama, M.; Ichinose, Hideki; Ishida, Y.; Nakanose, M.
Energies and atomic structures of grain boundaries in diamond—comparison with grain boundaries in silicon.—75-01847
Kohyama, M.; Yamamoto, R.
Tight-binding study of the #8{211} σ=3 grain boundary in cubic silicon carbide.—75-00621
Kohyama, Norihiko See Tateyama, Hiroshi
Koide, Akira
Lithium niobate crystal wafer, process for the preparation of the same, and method for the evaluation thereof.—75-03266
Koike, Hisashi; Fukuoka, Morinao; Kurasawa, Yuko; Inami, Minoru; Yamane, Masayuki
Solution doping of sol-gel bodies to make graded index glass articles.—75-02748
Koike, Jun; Ieki, Hideharu
Zinc oxide piezoelectric crystal film.—75-00722
Koike, Junichi See Shinmi, Akio
Koike, Junichi; Kimura, Shoichi
Mechanism of nitridation of silicon powder in a fluidized-bed reactor.—75-01570
Koike, Masashi See Numata, Hideaki
Koinkar, Vilas N. See Bhushan, Bharat
Koinuma, H. See Asakawa, T.; Gonda, S.; Kawasaki, Masashi
Koishi, Masayuki See Murakami, Hiroshi
Koiwa, Kaoru See Yasumoto, Takaaki
Koizumi, M. See Niino, M.
Kojima, Hironao; Tanaka, I.
Superconductive oxide single crystal and manufacturing method thereof.—75-03443
Kojima, K. See Furuhashi, H.; Tsuneoka, T.
Kojima, Takao See Matsuzaki, Hiroshi
Kojo, H. See Van Dalen, A. J. J.
Kojo, Katsuhiko See Fukushima, Hideko; Nakahara, Yuichi
Kojuharoff, Victor I.
Synthesis of high-temperature superconducting thin films in microwave field.—75-03413
Kokabi, Hamid Reza See Akiyama, Morito
Kokh, F. See Belyakov, L. V.
Kokhanchik, L. S. See Volkov, V. T.
Kokhanovskii, V. V.; Borich, O. E.
Nonequilibrium low-solubility solid phase in the $K_4P_2O_7$-$Sr(NO_3)_2$-H_2O system.—75-06291
Kokhanovskii, V. V.
Low-solubility compounds in the $K_4P_2O_7$-$Zn(NO_3)_2$-H_2O system.—75-06264
Kokin, S. M. See Vereshchagin, I. K.
Kokini, K. See Takeuchi, Y. R.
Kokini, K.; Takeuchi, Y. R.
Initiation of surface cracks in multilayer ceramic thermal barrier coatings under thermal loads.—75-04569
Kokorin, V. V. See Chernenko, V. A.
Koksharov, A. G.; Koksharova, I. U.; Fotiev, A. A.
Electrode properties of oxide vanadium bronzes of $M_xY_2O_5$ type, where M is Na, Mg, Ca, Cu, Al, and Fe.—75-06460
Koksharova, I. U. See Koksharov, A. G.
Kokubo, Tadashi See Cho, Sung-Baek; Yoshihara, S.; Zhang, Xu
Kokubo, Tadashi; Miyaji, Fumiaki; Kim, Hyun-Min; Nakamura, Takashi
Spontaneous formation of bonelike apatite layer on chemically treated titanium metals.—75-02545
Kokubun, Makoto; Nanba, Noriyuki; Nagata, Kunihiro
Properties of $(Tl)_{1-x}Pb_xSr_2Ca_{2.05}Cu_{3.2}O_y$.—75-00853
Kokunov, Yu. V.; Gorbunova, Yu. E.; Ershova, M. M.; Mikhailov, Yu. N.; Buslaev, Yu. A.
Fluorocomplex compound $Na_2Pb(SnF_3)_2(NO_3)_2{\cdot}2H_2O$ with lone pairs of tin(II) and lead(II).—75-06231
Kol'tsov, V. B. See Glazov, V. M.
Kol'tsova, T. N. See Shaplygin, I. S.
Kol'tsova, T. N.; Nipan, G. D.; Orekhov, Yu. F.; Tishchenko, E. A.; Vedernikov, N. F.
Structural and magnetic investigations of $YBa_2Cu_3O_{7-\delta}$.—75-08420
Kolar, D. See Ceh, M.; Hrovat, M.; Malic, Barbara; Recnik, Aleksander; Shimanskij, A. F.; Suvorov, D.
Kolar, Frantisek; Svitilova, Jaroslava
Microporous membranes based on carbonizates of phenol formaldehyde resins.—75-09361
Kolaska, H. See Gerdes, T.
Kolawa, E. See Bachli, A.; Chen, J. S.
Kolawa, E.; Lowry, L.; Herman, M.; Lee, K.
Transmission lines for high frequency and high density packaging.—75-00145
Kolay, R. K. See Mondal, P. K.
Kolaya, L. E.; Duquette, D. J.; Hudson, J. B.
Stability of $MoSi_2$ films in vacuum and oxidizing atmospheres.—75-03927
Kolb, Theodore R. See Ghosh, Syamal K.
Kolbunov, V. R. See Ivon, A. I.
Kolchanova, N. M. See Danilova, T. N.
Kolchin, A. A. See Alov, D. L.
Kolchin, V. V. See Semirikov, I. S.
Kolen'ko, A. V. See Sinel'nik, M. D.
Kolesnichenko, V. G. See Brodovoi, A. V.
Kolesnikov, L. M. See Primachenko, V. V.
Kolesov, A. V. See Ignatyuk, V. A.
Kolesov, E. V. See Smirnova, E. G.
Kolkailah, F. A. See Elghandour, E. I.
Kolle, Harald See Freimuth, Herbert

Kolmakova, E. I. See Titova, K. V.
Kolmakova, N. P. See Kazei, Z. A.; Krynetskii, I. B.
Kolmakova, N. P.; Krynetskii, I. B.
Anomalous nature of magnetostriction of $R_2Cu_2O_5$ (R=Dy, Ho).—75-05655
Kolobkov, V. P. See Gur'ev, N. V.
Kolobova, V. I.; Kuyan, S. V.; Zlenko, V. Ya.
Nature of cracks emerging in glass insulators in the course of manufacturing 2RMG plugs.—75-02670
Kolodyazhnyi, A. T. See Katkov, V. F.
Kolomoets, V. V. See Gorin, A. E.
Kolontaeva, T. V. See Levitskii, I. A.
Kolosov, O. See Gruverman, A.
Kolotov, O. S.; Krasnozhon, A. P.; Pogozhev, V. A.
Mechanism of the 90° pulsed magnetization of iron borate single crystals.—75-09160
Kolousek, David See Kovanda, F.
Komandin, G. A. See Voitsekhovskii, V. V.
Komandin, G. A.; Pettselt, Ya.; Volkov, A. A.; Voitsekhovskii, V. V.; Kania, A.
Dielectric properties of silver tantalates in the infrared range.—75-06203
Komanduri, R. See Bang, K.
Komar, V. K. See Zagoruiko, Yu. A.
Komarneni, Sridhar See Ma, Wei-Ping; Pach, Ladislav
Komarneni, Sridhar; Menon, V. C.; Li, Qing-Hua; Roy, Rustum; Ainger, F.
Microwave-hydrothermal processing of $BiFeO_3$ and $CsAl_2PO_6$.—75-04112
Komarneni, Sridhar; Menon, V. C.; Li, Qing-Hua
Synthesis of ceramic powders by novel microwave-hydrothermal processing.—75-04242
Komarov, A. N. See Rizvanova, N. G.
Komarov, A. V. See Morozova, L. V.
Komarov, F. F. See Borzdov, V. M.
Komarov, V. F. See Chaliyan, A. G.
Komarov, V. S. See Rat'ko, A. I.
Komatsu, Michio See Hirai, Toshiharu
Komatsu, Michiyasu; Shirai, Takao
Aluminum nitride sintered body and method for manufacturing the same.—75-08816
Komatsu, Michiyasu
High thermal conductive silicon nitride sintered body and method of producing the same.—75-03733
Komatsu, Shojiro See Okada, Katsuyuki
Komatsu, T. See Matusita, K.; Nitta, A.
Komatsu, T.; Kuken, Y.; Sato, R.; Sa, Matusita K.
Controlled grain orientation at the surface of $Bi_2Sr_2CaCu_2O_x$ superconducting glass-ceramics.—75-03349
Komeya, K. See Hotta, N.; Kang, In-Ho; Kim, Nam-Heun; Meguro, T.; Watanabe, T.
Komeya, K.; Kitagawa, Isayoshi; Meguro, T.
Effect of Ca compound addition on synthesis of AlN powder by carbothermal reduction-nitridation method.—75-01449; 75-01450
Komeya, K.; Meguro, T.; Urabe, K.
Post-reaction sintering of silicon nitride ceramics.—75-04144
Komin, V. V. See Alferov, Zh. I.
Kominami, Hiroshi See Inoue, M.
Kominami, Hiroshi; Matsuo, Kentarou; Kera, Yoshiya
Crystallization and transformation of aluminum orthophosphates in organic solvent containing a small amount of water.—75-06196
Kominami, Masanobu See Nakashima, Hiroshi
Komisarchik, M. Sh. See Orlov, Yu. F.
Komissarova, L. N. See Golubina, L. V.; Spiridonov, F. M.
Komiya, M.; Matsuda, K.; Kaneta, M.
Experimental and analytical study on thermocracking of alumina ceramic ring in a mechanical seal.—75-04517
Komiyama, Hiroshi See Liu, Yi-Jun
Komiyama, Takeshi See Kuwabara, Mitsuo
Kommrusch, Richard S. See Agahi-Kesheh, Darioush; Huang, Rong-Fong
Kompan, M. E.; Shabanov, I. Yu.; Beklemyshin, V. I.; Gontar, V. M.; Makhonin, I. I.
Primary luminescence of porous silicon.—75-08026
Kompan, M. E.; Shabanov, I. Yu.
Mechanism of self-formation of nanodimensional structures of porous silicon under currentless etching in water.—75-05377
Kompan, T. A.; Samsonov, V. M.
Thermal expansion of sodium bismuth tungstate single crystals.—75-06912
Komratov, G. N. See Chausskaya, I. D.
Komratov, G. N.; Kashtanova, A. A.; Bloshenko, V. N.
Corrosion resistance of porous binary titanium and chromium carbides.—75-06920
Komvopoulos, K.; Wei, B.; Anders, S.
Surface modification of magnetic recording heads by plasma immersion ion implantation and deposition.—75-01690
Kon'kov, O. I. See Babaev, A. A.; Golikova, O. A.
Kon, Junichi See Kusunoki, Michiko
Konaga, Tomomi See Taguchi, Tomoyuki
Konakahara, Takeo See Monde, Takashi
Konakov, V. G. See Zhabrev, V. A.
Konakova, R. V. See Breza, Yu.
Konakova, R. V.; Il'in, I. Yu.; Milenin, V. V.; Prokopenko, I. V.; Prima, N. A.; Slutskii, M. I.
Mobility of Ga inclusions in GaAs as a possible mechanism of degradation.—75-07972
Konczykowska, A. See Zuberek, W. M.
Kondakov, V. M. See Buinovskii, A. S.
Kondakova, O. A. See Zyubin, A. S.
Kondo, Akihiko See Higashitani, Ko
Kondo, I. See Kato, A.
Kondo, K. See Meguro, T.
Kondo, Kenichi; Hirai, Hisako; Oda, Hideaki
Magnetic properties of nanocrystalline magnets fabricated by the shock compaction technique.—75-05687
Kondo, Kenichi; Kukino, Satoru; Hirai, Hisako
Shock compaction of nanosized diamond powder, as examined by microstructural analysis.—75-01657
Kondo, M. See Mizutani, Nobuyasu
Kondo, Toshiharu See Matsubara, Hideaki
Kondo, Toshihiko See Terayama, Satoshi
Kondo, Yoshihito See Onishi, Hitoshi
Kondoh, Akihiro; Murakami, Masato; Takaichi, Hiroshi; Koshizuka, N.; Tanaka, Shoji; Kagiya, Shoichi
Production of oxide superconductors having large magnetic levitation force.—75-05882
Kondoh, Isao See Tamari, Nobuyuki; Tanaka, Takahiro
Kondoh, Kei; Sakai, Kohzo; Ishino, Toshihiro; Abe, Hiroshi
Mutual interaction of the development of glass and refractories technology.—75-09729
Kondoh, Kei
Towards perfectly parallel and flat sheet and plate glass surfaces.—75-05045
Kondoh, Shinji See Murayama, Akihiro
Kondos, Pericles A.; Subramanian, R. Shankar; Cole, Robert; Weinberg, Michael C.
Dissolution of rising helium bubbles in a soda-lime-silica glass melt.—75-05995
Kondrashov, P. E.; Smirnov, I. S.; Novoselova, E. G.; Baranov, A. M.; Sleptsov, V. V.
Multilayer interference structures for X-ray mirrors based on carbon films.—75-08807
Kondratiev, D. M.; Korzhik, M. V.; Pavlenko, V. B.
Scintillation mechanism in Gd-based crystals doped with RE^{3+} ions.—75-01338
Kondrishin, U. I. See Kuz'ma, Yu. B.
Konenkamp, R.; Erxmeyer, J.; Weidinger, A.
Photocarrier generation in fullerene films.—75-01327
Konenkova, E. V. See Bessolov, V. N.
Koneshova, T. I. See Maslennikova, G. N.
Koneshova, T. I.; Eremin, K. V.; Novotortsev, V. M.
Phase relations and magnetic properties of tellurides in the Cr-Te system.—75-09030
Koneshova, T. I.; Filatov, A. V.; Novotortsev, V. M.
Physicochemical and magnetic properties of iron solid solutions in chromium telluride, Cr_1Te_4.—75-06501
Kong, Dou-Yol See Kwon, Young-Soo
Kong, H. S. See Wang, S.
Kong, W.; Solanki, R.
Effect of ultraviolet radiation on a ZnS:Tb thin film electroluminescent device.—75-05299
Kong, Zhi-Shuang See Wang, Tian-Di
Konig, Ralf
Raising the temperature of the green ware in order to reduce the risk of cracks during the drying process.—75-05065
Konishi, A. See Qui, J.
Konishi, A.; Izumi, H.; Kanno, R.; Kawamoto, Y.
Physicochemical properties of ZrF_4-BaF_2-LnF_3 glasses (Ln=Y or rare-earth elements).—75-02676
Konishi, Eiichiro See Nakashima, Hirohisa
Konishi, Hajime See Shimono, Isao
Konishi, Masahiro See Sugimoto, Makoto
Konishi, Masaya; Hayashi, Kunihiko; Enomoto, Youichi; Tanaka, Shoji; Yamada, Yasuji; Ohtsu, Kanshi
Method of producing an oxide superconductor single-crystal film.—75-08474
Konnikov, S. G. See Brunkov, P. N.; Zelenin, V. V.
Konnikov, S. G.; Lipovskii, A. A.; Nikonorov, N. V.; Sitnikova, A. A.; Kharchenko, M. V.
Silicate glasses doped with CdS-CdSe microcrystals and resulting optical waveguides.—75-02741
Kononenko, T. V. See Ralchenko, V. G.
Kononova, G. N.; Redzhepov, B. A.
Solubility in the $B(OH)_3$-$MgSO_4$-$FeSO_4$-H_2O systems at 25 and 90°C and the $B(OH)_3$-$MgSO_4$-$Fe(SO_4)_3$-H_2O system at 25°C.—75-09061
Kononyuk, I. F. See Tolochko, S. P.
Konov, V. I. See Ageev, V. P.; Khomich, A. V.; Pimenov, S. M.
Konovalov, V. M.; Luginina, I. G.
Deformation of cements with increased magnesium oxide content with changes in hardening conditions.—75-07142
Konstantinov, A. O. See Kordina, O.
Konstantinov, G. M. See Bogosova, Ya. B.
Konstantinov, G. M.; Bogosova, Ya. B.
Effect of evaporation of lead oxide on the crystalline structure and properties of ferroelectrics based on PZT.—75-08130
Konstantinov, L. See Marinov, M.
Konstantinov, O. V. See Bychkovskii, D. N.; Dymnikov, V. D.; Gol'berg, Yu. A.
Konstantinov, P. P. See Alekseeva, G. T.; Svechnikova, T. E.
Konstantinova, A. F.; Gorbenko, G. N.; Korostel, L. A.
Determination of the nonstoichiometry of $YAlO_3$ crystals.—75-08904
Konstantinova, E. A. See Yarkin, D. G.
Konstantinova, G. V. See Abakumova, R. A.
Konstantinova, T. E. See Alekseenko, V. I.
Konstantinyan, K. I.; Mashtakov, A. D.; Ovsyannikov, G. A.; Ramos, D.; Ivanov, Z. G.
Microwave response of the Josephson junction in YBCO on a substrate with a small step.—75-08369
Kontkiewicz, Andrzej M. See Kontkiewicz, Anna
Kontkiewicz, Anna; Kontkiewicz, Andrzej M.; Sen, Sidhartha; Wesolowski, Marek; Lagowski, Jacek; Edelman, Piotr
Porous silicon luminescence study by imaging methods—relationship to pore dimensions.—75-00576
Kontorovich, E. L. See Vlasov, Yu. A.
Kontoulis, I.; Etikos, C. P.; Steele, B. C.
Oxygen ion conductivity in $Ba_3In_{3-x}Zr_xO_{7.5+x/2}$ (x=0.7-1.3).—75-05203
Kontoyannis, C. G.; Orkoula, M.
Quantitative determination of the cubic, tetragonal, and monoclinic phases in partially stabilized zirconias by [vibrational] Raman spectroscopy.—75-06329
Konusov, F. V. See Kabyshev, A. V.
Konya, Yoshiharu See Fukuhira, Masanori; Fukuoka, Hirofumi
Kooner, S.; Campaniello, J. J.; Pickering, S.; Bullock, E.
Fiber-reinforced ceramic matrix composite fabrication by electrophoretic infiltration.—75-04043
Kop'ev, I. M. See Ivanova, L. M.
Kop'ev, P. S. See Alferov, Zh. I.; Ankudinov, A. V.; Greshnevikova, O. E.; Ledentsov, N. N.; Ustinov, V. M.
Kopaev, Yu. V. See Aleshchenko, Yu. A.; Belyavskii, V. I.
Kopelevich, G. A.; Tikhodeev, S. G.; Gippius, N. A.
Phonon wind and exciton transport in Cu_2O semiconductors.—75-08007
Kopishinskaya, E. P. See Vlasenko, A. I.
Kopp, C.; Mittag, K.; Hausner, H.
Oxidation of SiC-TiC composites.—75-06930
Koppang, Richard; Moyeda, David; Donaldson, Lesley
Glass furnace NO_x control with gas reburn.—75-05997
Kopplin, Kara Joyce
Controlling product design, foundry practices, and enamel plant processes to improve cast iron and porcelain enamel compatibility.—75-00080
Koprivec, N. See Jarh, O.
Kopylov, A. A.; Mintairov, A. M.; Kholodilov, A. N.
Infrared reflection and optical phonons in epitaxial layers of $In_xGa_{1-x}As/GaAs$ solid solutions.—75-07932
Kopylov, S. M. See Denotkin, V. L.
Kopylova, S. Yu. See Panchenko, T. V.
Kordas, G.; Frischat, Gunther-Heinz
Multifrequency EPR spectroscopy and MNDO [molecular neglect diatomic orbital] calculations for the interpretation of the Si-CN^- defect center detected in oxynitride glasses for the first time.—75-07353
Kordas, G.
n(=1,2,3) dimensional, FT-EPR spectroscopy and MNDO [molecular neglect differential overlap] calculations for the interpretation of the HC_1 center detected in silicate glasses.—75-07281; See also Karakassides, M. A.
Kordina, O. See Bergman, J. P.
Kordina, O.; Henry, A.; Hallin, C.; Glass, R. C.; Konstantinov, A. O.; Hemmingsson, C.
CVD growth of low-doped 6H-SiC epitaxial films.—75-00451
Korenaga, Takashi See Hosoi, Kazuyuki
Korenev, V. L. See Dzhioev, R. I.; Kalevich, V. K.
Koriyama, Shinichi See Wada, Takahiro
Koriyama, Shinichi; Ikemachi, Takaaki; Yamauchi, Hisao
Copper oxide superconductor, a process for its production, and a copper complex used therein.—75-08455
Korkishko, Yu. N. See Gan'shin, V. A.
Korkishko, Yu. N.; Fedorov, V. A.
Optical properties and crystalline structure of annealed proton-exchanged waveguides in $LiNbO_3$.—75-08155; Proton-exchanged waveguides in lithium tantalate crystals: I, Method of determining the crystal lattice parameters of nonstressed $H_xLi_{1-x}TaO_3$ solid solutions.—75-09043; II, Crystal structure and optical properties.—75-09044
Kornatowski, Jan; Finger, Gerd; Jancke, Karin
Group behavior of SAPO-11 molecular sieves containing various metals (Mg, Zn, Mn or Cd, Ni, Cr).—75-06880
Kornetov, V. N. See Ognev, A. N.
Korneyev, A. E. See Epanchintsev, O. G.
Kornienko, L. A. See Kuznetsova, T. L.
Kornienko, L. S.; Stupina, V. I.; Chernov, P. V.
Color centers produced by γ-irradiation and seeding of the samarium-, terbium-, and erbium-doped aluminosilicate optical fibers.—75-02576
Kornilov, V. V.; Kostyaev, R. A.; Maksimov, B. N.; Mel'nichenko, B. A.; Fedorova, T. E.
Fluorination of organic compounds of cobalt trifluoride (review).—75-09311
Kornyushkin, N. A.; Valisheva, N. A.; Kovchavtsev, A. P.; Kuryshev, G. L.
Influence of interface properties and deep levels in the band gap on capacitance-voltage characteristics of InAs-based metal-insulator-semiconductor structures.—75-07924
Korobova, N. E.; Antipov, Yu. V.; Korul'kin, M. Yu.
Zirconia-based structural materials under conditions of flame-initiated pyrolysis of hydrocarbons.—75-07695
Korol'kov, V. I. See Zhebulev, I. A.
Korol'kov, V. I.; Orlov, N. Yu.; Rozhkov, A. V.; Soldatenkov, F. Yu.; Stepanova, M. N.
Current and time dependence of the residual voltage of the photon-injection pulse switches [PIPS].—75-02984
Korol, A. N.
Nonmonotonic dependence on the barrier width of the tunnel transparency of disordered superlattices containing impurity centers in barriers.—75-05406
Korolev, A. E. See Shapovalov, V. P.
Korolev, A. V. See Gaviko, V. S.
Korolev, D. A. See Vayankin, V. Ya.
Korolev, K. A. See Altukhov, I. V.
Koroleva, L. I.; Lukina, L. N.; Mikheev, M. G.; Odintsov, A. G.; Saifullaeva, D. A.
Magnetic and electrical properties of new thiospinels containing Fe, Cr, and Sn.—75-05370
Koroleva, L. I.; Mashaev, M. Kh.; Odintsov, A. G.; Saifullaeva, D. A.
Possibility of the existence of quasi-particles in antiferromagnetic semiconducting solid solutions of $x CoCr_2S_4$-$(1-x)CuCr_{1.5}Sb_{0.5}S_4$ (x=0.25, 0.5).—75-05443
Korostel, L. A. See Konstantinova, A. F.
Korostelin, Yu. V. See Kozlovskii, V. I.
Korotchenkov, O. A.
Identification of point defects localized near the semiconductor interface by acoustic wave perturbation.—75-07915
Koroteeva, V. I. See Borovik, N. P.
Korotkov, V. A. See Bruk, L. I.
Korotkova, N. Yu. See Sidorkin, A. S.
Korotoushenko, K. G. See Ralchenko, V. G.
Korovkin, A. M. See Zamoryanskaya, M. V.
Korsakov, V. G. See Sychev, Maks M.
Korshak, A. N. See Vagidov, N. Z.

Korshunov, F. P. See Bykovskii, V. A.

Korshunov, O. Yu. See Kamzina, L. S.

Korshunov, O. Yu.; Krainik, N. N.; Kamzina, L. S.; Flerova, S. A.
Evolution of large-scale inhomogeneities during the ferroelectric phase transition in $BaTiO_3$ crystals doped by trivalent bismuth.—75-08138

Korsukov, V. E.; Knyazev, S. A.; Luk'yanenko, A. S.; Nazarov, R. R.; Obidov, B. A.; Stepin, E. V.
Origin of fracture in the surface layers of Ge and Si single crystals.—75-09657

Korsunskaya, N. E. See Baran, N. P.; Borkovskaya, L. V.; Drozdova, I. A.

Kortel, A. A. See Andronova, R. A.; Kuznetsov, G. I.

Korthuis, V. See Mary, T. A.

Kortov, V. S. See Mazurenko, V. G.; Mil'man, I. I.

Koru, C. See Goren, S. D.

Korul'kin, M. Yu. See Korobova, N. E.

Korunnyi, V. N. See Berezhnoi, A. A.

Korwin, D. M.; Pye, L. D.
Photosensitivity in a silica-based sol-gel glass.—75-04988

Korytkova, E. N. See Nesterchuk, N. I.

Korzhik, M. V. See Kondratiev, D. M.

Korzhik, M. V.; Pavlenko, V. B.; Katchanov, V. A.; Peigneux, Jean-Pierre; Poulet, Maurice
Scintillation mechanism in $PbWO_4$ crystals.—75-01339

Korzhinskaya, V. S.; Nekrasov, I. Ya.
Stability of $ZrSiO_4$-SiO_2-ZrO_2 assemblage in carbonate solutions at temperatures of 200–400°C and pressure of 1 kbar.—75-08766

Korzhuev, M. A.
Mechanical properties of Bi_2Te_3<Cu> single crystals close to the *p-n* transition.—75-07964; See also Svechnikova, T. E.

Kosacki, Igor See Aoki, Makoto

Kosaka, Katsushi See Sato, Mitsukuni

Kosanovic, C. See Tonejc, A.

Kosanovic, K. See Tonejc, A.

Kosarev, A. I See Feoktistov, N. A.

Kosareva, O. A. See Kamysheva, L. N.

Kosec, Marija See Malic, Barbara

Kosenko, V. G. See Protasova, L. G.

Koshcheev, O. P.; Kichigin, V. I.; Antsiferov, V. N.; Gabdrakhmanova, R. M.; Kamelin, V. V.
Electroprecipitation of copper onto highly porous cellular electrodes for electrolytes with decreased concentration of copper ions.—75-08924

Koshelev, O. G. See Morozova, V. A.

Koshiba, S.; Nakamura, Y.; Tsuchiya, M.
Surface diffusion processes in molecular beam epitaxial growth of GaAs and AlAs as studied on GaAs(001)-(111)B facet structures.—75-01778

Koshioka, M. See Takada, J.

Koshizuka, N. See Gu, G. D.; Kondoh, Akihiro; Murakami, Masato; Oyama, Terutsugu

Koshy, J. See Thomas, J. K.

Koshy, J.; Kumar, K. S.; Yadava, Y. P.; Damodaran, A. D.
Effect of silver volume fraction on Bi (2223) phase in $Bi_{1.5}Pb_{0.5}Sr_2Ca_2Cu_3O_x$-Ag composite processed in air.—75-03361

Kosinski, S. G. See Greene, B. I.

Kosmynin, A. S. See Garkushin, I. K.

Kosmynin, A. S.; Slobodin, B. V.; Balashov, V. L.; Garkushin, I. K.; Fotiev, A. A.; Trunin, A. S.
Phase equilibria in the CaO-SrO-CuO system (≥70 mol% CuO).—75-06303

Kosogov, A. O. See Alferov, Zh. I.

Kostenok, O. M. See Bol'shakova, N. V.

Kostikov, V. I. See Kravetskii, G. A.

Kostin, I. V.; Osipov, E. B.; Osipova, N. A.; Sorokina, N. O.
Role of the excited state in piezoelectroscopic properties of an Sn_A acceptor in GaAs.—75-03154

Kostin, V. A. See Sinel'nik, M. D.

Kostishin, V. G.; Letyuk, L. M.
Effect of treatment in the corona discharge on the form of the hysteresis loop of Bi-containing iron garnet epitaxial films.—75-08209

Kostishko, B. M. See Orlov, A. M.

Kostjuhin, Igor M. See Sotirchos, Stratis V.

Kostoglod, N. Yu. See Sychev, M. V.

Kostritskii, S. M.; Novomlintsev, A. V.
Compositional inhomogeneity of imperfect near-surface layers in $LiNbO_3$ single crystals.—75-08885

Kostuch, Jacek A.; Hearle, Jonathan A.
Porous ceramic granules.—75-01130

Kostyaev, R. A. See Kornilov, V. V.

Kostylyov, V. P. See Klyui, N. I.

Kostyuk, V. Kh. See Panchenko, T. V.

Kosugi, Tatsuhiro; Saka, Mitsuru; Matsumoto, Akio; Inoue, Minoru; Nogami, Toshiaki; Naotsuka, Takazi
Slip-casting method for manufacturing ceramic articles.—75-07718

Kosyakov, V. I. See Shestakov, V. A.

Kosygina, M. A. See Vorflusev, V. P.

Kosyuk, L. M.; Odynets, L. L.
Polarization processes in the anodic tantalum oxides.—75-06320

Kotacska, Lawrence H.; Brown, John T.; Cooper, Timothy J.
Dynamic gas/oxy superstructure refractory testing.—75-07532

Kotani, Toshihiro See Torii, Yasuko

Kotel'nikova, Z. A.
Synchronous synthesis of primary and secondary inclusions in quartz.—75-09455

Koteles, Emil S. See Agahi, Farid

Kotera, K. See Hotta, N.; Watanabe, T.

Kotkov, A. P. See Devyatykh, G. G.; Moiseev, A. N.

Kotlyarevskii, M. B. See Georgobiani, A. N.

Kotomin, E.; Millers, D.; Grigorjeva, L.; Eglitis, R.
Kinetics of excitonic luminescence in mixed silver halides.—75-00531

Kotov, G. I. See Sysoev, B. I.

Kotov, I. A. See Romanov, O. V.

Kotov, S. V. See Bormontov, E. N.

Kots, E. A. See Gromozova, I. K.

Kottke, Thomas See Kecskes, Laszlo J.

Kotula, P. G.; Carter, C. Barry; Norton, M. G.
Surface morphology of pulsed laser-deposited aluminum nitride thin films.—75-06381

Kotun, Margaret E. See Leone, Edgar A.

Koudelka, L.; Hovsk, J.; Jariabka, P.
Morphology of polycrystalline ZnO and its physical properties.—75-03908

Kougiya, M. V.; Belyaeva, V. I.
Rare-earth elements in cement production materials.—75-07180

Kouichirou, Honda; Nakanishi, Toshiro
Influence of Ni impurities at the Si-SiO_2 interface on the metal-oxide-semiconductor characteristics.—75-03061

Koumoto, Kunihito See Fusamae, Hidenori; Lin, Hong; Ohta, Hiromichi; Seo, Won-Seon; Shin, Woo-Suck; Tokiai, Takeo

Koumoto, Kunihito; Sheppard, L. M.; Matsubara, Hideaki
Ceramic Transactions, Volume 71: Mass and Charge Transport in Ceramics.—75-09740

Kountouros, P. See Schwenk, R.

Kouptsidis, S. See Bewilogua, K.

Koura, Toshiaki See Yashima, Masatomo

Kouris, Demitris; Meisner, Mark
Residual stresses in unidirectional composites with closely spaced fibers.—75-02090

Kousaka, Shoji See Tanaka, Kouichi

Kousaka, Yasuo See Endo, Yoshiyuki

Kousaka, Yasuo; Endo, Yoshiyuki
Liquid bridge adhesion force and dispersion of aggregate particles.—75-06261

Kouta, Hikaru; Kuwano, Yasuhiko; Suda, Katsumi
High-temperature powder X-ray diffraction study of barium metaborate BaB_2O_4.—75-06240

Kouta, Hikaru; Manako, Shoko
Method of growing single crystal of ∫-barium borate.—75-06837

Koutsky, J. A. See Sung, Y. M.

Kouvel, J. S. See Friedman, G.

Kov'ev, E. K. See Polyakov, S. N.

Kovach, Christopher S. See Wang, Ya-Xin

Kovacic, Larry; Crowder, Stephen V.; Brow, Richard K.; Bencoe, Denise N.
Designing aluminum sealing glasses for manufacturability.—75-00211

Koval'chuk, M. V. See Zheludeva, S. I.

Koval'chuk, V. B. See Babich, V. M.

Koval, A. V. See Raevskii, S. D.

Kovalenko, A. V.; Borisenko, N. D.
Conductivity type of ZnS_xSe_{1-x} crystals and deep trapping centers in them.—75-05263

Kovalenko, A. V.; Mekekechko, A. Yu.
ZnSe grown on GaAs by laser-assisted vapor phase epitaxy.—75-03202

Kovalenko, M. G. See Dailov, A. A.

Kovalenko, V. F.; Litvinova, M. B.; Shepel, L. G.
Internal stresses in semiinsulating gallium arsenide single crystals.—75-05354

Kovalenko, Yu. A.; Lyakhov, N. Z.; Simakova, N. A.
Kinetics of dehydration of lithium sulfate monohydrates [LSM] studied by conducting scanning calorimetry [CSC].—75-05953

Kovalets, M. A. See Nikonyuk, E. S.

Kovalev, D. I. See Averbukh, B. Ya.; Belyakov, L. V.

Kovalev, L. E. See Bruk, L. I.

Kovalev, O. V.
Effect of anisotropy on the formation of incommensurate magnetic structures of Cr_2BeO_4.—75-08662; Incommensurate magnetic structures in a crystal with two systems of equivalent positions: Cr_2BeO_4.—75-08955

Kovaleva, I. S. See Kuznetsova, I. Ya.

Kovaleva, I. S.; Kuznetsova, I. Ya.; Novototsev, V. M.
Deviations from mercury chalcochromite, $HgCr_2Se_4$, stoichiometry.—75-07827

Kovalevskaya, Yu. A. See Bessergenev, V. G.

Kovalgin, A. Yu. See Aleksandrov, S. E.

Kovalyuk, M. Z. See Kulbachinskii, V. A.

Kovalyuk, Z. D. See Savitskii, P. I.

Kovanda, F.; Kolousek, David; Seidl, V.; Prochazkova, E.; Obsasnikova, J.
Utilization of synthetic phillipsite as a means for decreasing the concentration of ammonium ions in waste waters.—75-03537

Kovanda, F.; Kusa, Helena; Kolousek, David
Ion exchange between NH_4^+-saturated zeolites and essential cations of the soil solution (K^+, Na^+, Ca^{2+}, and Mg^{2+}).—75-08959

Kovar, Desiderio; Readey, Michael J.
Grain size distributions and strength variability of high-purity alumina.—75-02055

Kovar, Vladimir See Pach, Ladislav

Kovba, M. L. See Monaenkova, A. S.; Mudretsova, S. N.; Tarasov, I. V.

Kovchavtsev, A. P. See Kornyushkin, N. A.

Kovel, M. S. See Viktorov, V. V.

Koverda, V. P. See Skokov, V. N.

Kovner, V. S.; Mints, R. G.
Normal domains in large multifilamentary composite superconductors.—75-03384

Kovtyukhova, N. I.; Chuiko, A. A.
Production of carbon-metal and graphite-metal composites from oxidized graphites.—75-07227

Kovylyaev, V. V. See Andrievskaya, Elena R.

Kowalak, A. D. See Ma, Chao-Ying

Kowalski, K. See Adam, F.; Dupre, B.

Kowalski, K.; Nowotny, J.; Rekas, M.
Effect of nonstoichiometry on the semiconducting properties of CoO.—75-00464

Kowbel, W. See Tsou, H. T.

Kowbel, W.; Bruce, C. A.; Withers, J. C.; Ransone, P. O.
Functionally gradient SiC coatings produced by chemical vapor reaction.—75-04052

Kowbel, W.; Gao, F.; Withers, J. C.
Enhanced thermal conductivity of CVD SiC via beryllium and boron dopings.—75-04024

Kowbel, W.; Kyriacou, C.; Gao, F.; Bruce, C. A.; Withers, J. C.
Properties of SiC-SiC composites produced using CVR converted graphite cloth to SiC cloth.—75-04188

Koya, T. See Nagamoto, H.

Koyama, Seiichi See Saito, Yasuo

Koyama, Takashi; Nishiyama, Akio; Niihara, Koichi
Effect of liquid-forming additives on the microstructure of particulate-reinforced Al_2O_3 ceramics.—75-09542

Koyama, Toshiyuki; Hayashi, Shigeo; Yasumori, Atsuo; Okada, Kiyoshi
Contribution of microstructure to the toughness of mullite/zirconia composites.—75-02027

Koyanagi, A.; Hayashibara, M.
Evaluation of conversion efficiency of tandem thermoelectric devices.—75-03891

Koyanagi, M. See Hirayama, F.

Koyasu, Sumie See Hirahara, Seiichi

Koyasu, Tsuguo See Hirahara, Seiichi

Kozeeva, L. P. See Ivannivkova, N. V.

Kozhemyakin, V. A. See Surzhikov, A. P.

Kozhenkov, V. Yu. See Elizarova, N. V.

Kozhevatkin, S. G. See Nedospasova, T. A.

Kozhevnikov, V. I. See Kanunnikova, O. M.

Kozhevnikov, V. L. See Patrakeev, M. V.

Kozhina, E. L.; Shultz, M. M.
Thermodynamic properties of alkali germanate melts containing lithium and sodium oxides.—75-02694

Koziol, Dennis R. See Ghosh, Syamal K.

Kozlov, A. I. See Sobolev, V. V.

Kozlov, G. V. See Sanditov, D. S.; Smelyanskaya, E. N.

Kozlovskii, S. I.
Silicon double-collector strain transistor with accelerating base electric field.—75-05475

Kozlovskii, V. I.; Korostelin, Yu. V.; Krysa, A. B.; Skasyrskii, Ya. K.; Popov, Yu. M.
Formation of hydrogen-containing complexes in ZnTe single crystals annealed in H plasma and their decomposition under high-energy electron irradiation.—75-05324

Kozlovskii, V. I.; Korostelin, Yu. V.
Thermodynamic analysis of growth conditions of $Zn_{1-x}Cd_xSe$ solid solution single crystals.—75-08083

Kozlovskii, V. I.; Krysa, A. B.; Kuznetsov, P. I.
Hydrogen passivation of dislocations in ZnCdSe/GaAs heterostructures.—75-07911

Kozlovskii, V. V. See Didik, V. A.; Zakharenkov, L. F.

Kozub, V. I. See Agrinskaya, N. V.

Kozuka, Hiromitsu See Ohyama, Masashi; Zhao, Gao-Ling

Kozuka, Hisao See Kato, Tetsuro; Nakajima, Eiichi

Kozyrev, S. P.; Pyrkov, V. N.; Vodop'yanov, L. K.
Nature of the lattice mode of 137 cm^{-1} in an $Hg_{1-x}Cd_xTe$ melt. Modeled calculation of ir-active lattice vibrations for CuAu-1-type ordered structure and partially ordered structures based on it in $A_{1-x}B_xC$ melts.—75-05394

Kozyrin, V. A.; Gun'ko, Yu. L.; Mikhalenko, M. G.
Features of cathodic reduction of zinc oxide in alkali zincate solutions.—75-06606

Kraak, V. See Butko, N. B.

Kraan, M. J. See Groen, W. A.

Kraevskii, S. L.; Solinov, V. F.; Zyabnev, A. M.; Abdrashitova, E. I.
Optical and ESR spectra of the uv-induced defects in the glasses containing cadmium and zinc oxides.—75-02600

Kraevskii, T. See Karpov, S. V.

Krahn, Wolfgang See Schat, Bralt R.

Krahn, Wolfgang; Ernst, Johannes; Drabent, Claudia
Densely sintered, tabular ceramic parts of aluminum oxide having improved thermal shock resistance.—75-08573

Krainik, N. N. See Kamzina, L. S.; Korshunov, O. Yu.

Krainik, N. N.; Kamzina, L. S.
Processes of over-polarization in lead magnesium niobate—a ferroelectric with a broad phase transition.—75-05627

Krainikov, A. V. See Khaenko, B. V.

Krainsky, I. L. See Mearini, G. T.

Krajewski, A. See Toriyama, Motohiro

Krajewski, A.; Mazzinghi, P.
Reflectivity of ceramic materials for laser-cavity mirrors.—75-06509

Krakowski, L.
$1200 studio.—75-02175

Kramar, G. P. See Afanas'ev, V. P.

Kramer, D. E. See Manalang, M. A.

Kramer, Edward J. See Cahn, Robert W.

Kramer, M. J. See Meyer, Mitchell K.

Kramp, Jean See Frodin, James E.

Krane, J. See Justnes, H.

Kranzmann, Axel See Weddigen, Gert

Krasavin, L. S. See Antropov, V. M.

Krasheninnikov, A. V. See Elesin, V. F.

Krasil'nikov, A. S.; Mamsurova, L. G.; Pukhov, K. K.; Trusevich, N. G.; Shcherbakova, L. G.
Inverse magnetization of fine-grained HTSC.—75-08349

Krasil'nikov, V. N. See Bazuev, G. V.

Krasil'nikova, N. A. See Bogomolova, L. D.

Kraskovskaya, V. V. See Medvedeva, N. I.

Krasnenko, T. I. See Zolotukhina, L. V.

Krasnodemskii, V. P. See Mikityuk, V. I.

Krasnosvobodtsev, S. I.; Maresov, A. G.; Obraztsov, A. N.; Pirogov, V. G.; Snigirev, O. V.
Influence of YBCO film constants on the properties of an HTSC dc SQUID.—75-08344

Krasnov, A. N. See Vaksman, Yu. F.

Krasnozhon, A. P. See Kolotov, O. S.

Krauter, Udo See Khatchikian, Peter

Krauze, S. See Butko, N. B.
Kravchenko, A. A. See Avdeev, S. P.
Kravchenko, E. A. See Grebinnik, V. G.
Kravchenko, K. O. See Volokobinskii, Yu. M.
Kravchenko, N. V. See Kiseleva, N. N.
Kravchenko, V. Ya.
Photoluminescence spectra in plastically deformed [Ge and Si] semiconductors and electronic states in split dislocations.—75-08018
Kravetskii, G. A.; Anikin, L. T.; Demin, A. V.; Butyrin, G. M.
Adhesive bonding of carbon and ceramic materials.—75-04418
Kravetskii, G. A.; Kostikov, V. I.; Demin, A. V.; Rodionova, V. V.
Antioxidative protective coatings for carbon materials.—75-03687
Krebs, Hans-Ulrich See Geyer, Ulrich
Krebs, J. J.; Lind, D. M.; Lochner, E.
Magnetic and crystallographic properties of molecular beam epitaxially grown Fe_3O_4/NiO superlattices and Fe_3O_4 films.—75-03302
Krebs, Rudolf
Demands on unshaped refractories in the next decade.—75-09709
Kregzhde, V. See Babonas, G.-Yu.
Kreichbaum, G. W. See MacZura, G.
Kreider, K. G.; Burgess, D. R. F., Jr.; Tarlov, M. J.; Gillen, G.; Wight, S.; Lareau, R.
Laser-transformed SiC thin films.—75-00533
Kreider, K. G.; Tarlov, M. J.; Robins, L. H.; Marinenko, R. B.; Smith, D. T.
Ion-beam-assisted sputtered carbon nitride films.—75-09347
Kreiner, Roswitha
Porcelain, porcelain batch composition, and method for the manufacture of the porcelain.—75-05172
Krekels, T. See Van Tendeloo, G.
Krell, Andreas; Blank, Paul; Wagner, Eckhard; Bartels, Gunter
Advances in the grinding efficiency of sintered alumina abrasives.—75-02170
Krell, Andreas; Blank, Paul
Sintered alumina—hard and strong like hot-pressed Al_2O_3/TiC composites.—75-01662
Krell, Andreas; Klaffke, Dieter
Effects of grain size and humidity on fretting wear in fine-grained alumina, Al_2O_3/TiC, and zirconia.—75-04504
Krell, Andreas; Teresiak, Angelika; Schlafer, Dietrich
Grain-size-dependent residual microstresses in submicron Al_2O_3 and ZrO_2.—75-09640
Kremkova, G. N. See Gladkaya, I. S.
Krempl, Peter W.; Wallnofer, Wolfgang
Piezoelectric crystal element.—75-03271
Krenev, Yu. L. See Sanin, V. N.
Krenkel, W. See Kochendorfer, R.
Kresge, Charles T. See Chang, Clarence D.
Kreshchuk, A. M. See Drichko, I. L.
Kreshchuk, A. M.; Novikov, S. V.; Savel'ev, I. G.
Effect of a strong electric field on the properties of nonequilibrium two-dimensional electron gas in nonideal structures.—75-07842
Kreshchuk, A. M.; Novikov, S. V.; Savel'ev, I. G.
Quenching of persistent photoconductivity by electric pulses.—75-08035
Kretser, Yu. L. See Gol'tsman, B. M.
Krey, S. See David, B.
Krichevtsov, B. B.; Pavlov, V. V.; Pisarev, R. V.; Zhigunov, D. I.
Temperature behavior of optical anisotropy in R_2CuO_4 (R=La, Nd) crystals.—75-06523
Krick, J. T. See Yount, J. T.
Krieg, E. J. See Brockmeyer, J. W.
Kriegel, R.; Toepfer, J.; Preuss, N.
Flame pyrolysis: a preparation route for ultrafine powders of metastable β-$SrMnO_3$ and $NiMn_2O_4$.—75-06609
Krieger, Bernard
Commercialization—steps to successful applications and scaleup: May 1, 1995.—75-02118
Kriegesmann, J. See Di Giampaolo, A. R.
Kriegsmann, G. A.
Mathematical models of microwave heating: bistability and thermal runaway.—75-01569
Krigel, V. G. See Denotkin, V. L.
Krisch, K. S.; Sodini, C. G.
Suppression of interface-state generation in reoxidized nitrided oxide gate dielectrics.—75-00378
Krishna Murthy, G. G.; Elliott, J. F.
Fundamental processes in bath smelting: reactions of iron oxides with Fe-C melts.—75-02819
Krishna Pillai, P. See Sivakumar, S.
Krishna, B. Gopala See Sekhar, M. Chandra
Krishna, B. Gopala; Chandra, G. Ravi; Suryanarayana, S. V.
Potassium substitution in the $Bi_2Sr_2CaCu_2O_y$ superconductor.—75-05815
Krishna, N. V. S. See Das, K. N.; Sen, S.
Krishna, N. V. S.; Roy, S. K. C.; Das, K. N.; Ghosh, K. S.
Optimizing heating schedules: a model study.—75-07622
Krishnamurthy, R. See Gowri, S.; Senthil Kumar, S. B.; Somakumar, T.
Krishnankutty, S. See Khan, M. Asif
Krishnaraj, P. See Lelovic, M.
Krishnarao, R. V.; Godkhindi, M. M.; Chakraborty, M.
Formation of SiC whiskers from compacts of raw rice husks.—75-06619
Kristaliov, L. V. See Golovkin, B. G.
Kristallov, L. V.; Golovkin, B. G.
Synthesis and properties of vanadates of $M_5V_3O_{10}$ (M=K, Rb, Cs, Tl).—75-06520
Kristen, Klaus See Nass, Peter
Kristianpoller, N. See Oster, L.
Kristoffersson, A.; Laarz, E.; Carlsson, Roger; Lundberg, R.
Filament winding of SiC_{fiber}/Si_3N_4 composites—process and control of fiber distribution.—75-04324
Krivaite, G. See Kavaliauskas, J.
Krivandina, E. A. See Sobolev, B. P.
Krivandina, E.A. Institute of Crystallography, Moscow, Russia See Sobolev, B. P.
Krivanek, Ondrej L.; Kundmann, Michael K.; Bourrat, X.
Elemental mapping by energy-filtered electron microscopy.—75-01846
Krivelevich, S. A.; Krylov, P. N.; Yusupov, I. Z.
Diffusion of group III and group V elements in silicon during short heat treatments.—75-09498
Kriven, Waltraud M. See Cherian, Isaac K.; Gulgun, Mehmet A.; Huang, C. M.; Johnson, Bradley R.
Krivoborodov, Yu. R. See Entin, Z. B.
Krivorotov, I. N. See Karavaev, G. F.
Krivosheev, I. A. See Grebinnik, V. G.
Krizman, A. See Kevorkijan, V. M.
Kroeger, D. M. See Williams, R. K.
Krol, D. M. See Greene, B. I.
Krolenko, O. V. See Mittova, I. Ya.
Kroll, W. J. See Gurary, A. I.
Krommenhoek, Steven See Jansen, Frank
Kroner, Walter See Lerch, Klaus
Kropotov, G. I. See Golubev, V. G.
Kross, B. See Zorn, C.
Krost, A. See Wolf, T.
Krot, N. N. See Grigor'ev, M. S.
Kroupa, J. L. See Moore, E. H.
Krstic, Vladimir D. See Mulla, M. A.
Krstic, Vladimir D.; Vlajic, Milan
Making of sintered silicon carbide bodies.—75-06124
Krstic, Vladimir D.; Zhang, Lan-Yin
High toughness carbide ceramics by slip casting and method thereof.—75-03734
Kruchinina, M. V. See Golovkin, B. G.
Krueger, Susan See Allen, Andrew J.
Krug, Eugene
Impregnated ceramic core and method of making same.—75-05156
Kruger, Keith L. See Bowman, Keith J.; Zimmerman, Michael H.
Kruger, R. See Farok, H. M.
Kruglov, V. S. See Toropov, N. I.
Krum, Alvin L.; Campbell, William T.
Direct bonding of copper composites to ceramics.—75-07260
Krumme, J. P. See David, B.
Kruner, H. See Heinrich, J. G.; Herrmann, M.
Krupa, A. A.; Mikhailenko, V. A.; Ivanova, E. G.
Selecting ceramic bodies for the production of large-scale structural items.—75-07454
Krupanidhi, S. B. See Rao, G. Mohan
Krupennikov, D. N. See Dneprovskii, V. S.
Krupenskii, V. I.
Oxidation of aldose by palladium nitrate.—75-06929
Krupka, Mario
SIGRABOND-CC [carbon fiber-reinforced carbon]—examples of use in the glass industry.—75-08810
Krupke, William F. See Payne, Stephen A.
Kruse, C. See Finnis, M. W.
Krut'ko, N. P. See Ul'yanova, T. M.
Krutzner-Brezynski, Bettina See Hauck, D.
Kruzelecky, R. V.; Qiu, C.; Thompson, D. A.
Strain-induced electrically active stoichiometric defects in $InAs_yP_{1-y}$ deposited onto (100)InP by gas source molecular beam epitaxy.—75-00603
Kruzhalov, A. V. See Gorbunov, S. V.; Ogorodnikov, I. N.
Kryder, M. H. See Azevedo, A.
Krylov, A. V. See Val'yano, G. E.
Krylov, I. O. See Epikhin, A. N.
Krylov, N. I. See Ananichev, V. A.
Krylov, P. N. See Krivelevich, S. A.
Krylov, S.O. See Ordan'yan, S. S.
Krylova, A. V. See Epikhin, A. N.
Krynetskii, I. B. See Kolmakova, N. P.
Krynetskii, I. B.; Kolmakova, N. P.; Sinitsyn, E. V.
Anomalous thermal expansion of Ising magnets in the low-temp. region.—75-08193
Krynetskii, I. B.; Matveev, V. M.; Matveev, V. V.
Angular momentum of an Ising antiferromagnet of $DyAlO_3$ during metamagnetic phase transitions.—75-05654
Krysa, A. B. See Kozlovskii, V. I.
Kryuchkov, Yu. N.
Equipment for fine crushing of ceramic materials (review).—75-08521; Improvement of the stack design for firing faience and porcelain ware.—75-08729; Improving the design and technology of molds for ceramic articles.—75-08530; See also Garmash, E. P.
Kryukov, E. V. See Teplov, M. A.
Kryzhalov, A. V. See Gorbunov, S. V.
Kryzhanowsky, I. I.; Petcheritsyn, I. M.; Mikhailov, M. D.
Photostructural transformations in amorphous and polycrystalline As_4S_4 films.—75-02602
Kshetrapal, Manjunath G. See Jayaram, Vikram
Ksie, I. Kh.; Germanenko, I. N.; Voronin, V. F.; Gaponenko, S. V.
Photodegradation of porous silicon luminescence under pulse excitation.—75-03117
Kuang, S.; Lukas, H. L.; Hoffmann, Michael J.; Petzow, G.
Thermodynamic calculation of the MgO-Y_2O_3-SiO_2 system.—75-03855
Kuang, X.-M.; Mao, M.-H.; Liang, H.-Z.; Hu, S.-Q.; Li, S.-H.; Yu, D.-C.
Preparation of special-shaped γ-AlOOH γ-Al_2O_3 ultrafine powders by hydrothermal reaction method.—75-04170
Kuberkar, D. G. See Bhalodia, J. A.
Kubler, Jakob J. See Quinn, G. D.; Vogt, Ulrich
Kubler, Jakob J.; Woodtli, Jarmila; Berroth, Karl
Fractography used with lifetime prediction tests on commercial grades of alumina and silicon carbide.—75-04533
Kubo, Kohei See Kusui, Jun
Kubo, Koichi See Yamamoto, Kiyoshi
Kubo, S. See Tanabe, K.
Kubo, Y. See Ikuhara, Yuichi
Kubo, Yoshikazu See Wakita, Tamotsu
Kubo, Yukio See Ikuhara, Yumiko; Kusunoki, Michiko
Kubota, A. See Wada, Satoshi
Kubota, Hiroyuki See Nakamura, Kazutaka
Kubota, Takeshi See Shikata, Kunihide
Kubota, Yu. See Kaminskii, A. A.
Kuchaeva, S. K. See Mikirticheva, G. A.
Kucheiko, Sergey; Choi, Ji-Won; Kim, Hyun-Jai; Jung, Hyung-Jin
Microwave dielectric properties of $CaTiO_3$-$Ca(Al_{1/2}Ta_{1/2})O_3$ ceramics.—75-07739
Kucherenko, I. V. See Kadushkin, V. I.
Kucherenko, S. S.; Ryvkin, B. S.; Shik, A. Ya.
Separate transport of electrons and holes through the system of undoped quantum wells.—75-03159
Kucheryavaya, E. S. See Mansfel'd, G. D.
Kuchinskii, V. I. See Sobolev, M. M.
Kuchma, N. I. See Nikonyuk, E. S.
Kudasov, Yu. B.
Metal-insulator transition in a magnetic field.—75-08983
Kudelin, D. P. See Vorob'ev, A. F.
Kudesia, R.; Vuong, K. D.; Shen, C. Q.; Leone, A.; Williams, J. A. A.; Wang, X. W.
Oxide ceramic films for electronic applications—atmospheric rf plasma technique.—75-01090
Kudinov, A. V.; Kusraev, Yu. G.; Yakimovich, V. N.
Polarized luminescence of CdMnTe in the external magnetic field.—75-05440
Kudinov, I. B. See Kirilenko, I. A.
Kudoyarova, V. Kh. See Golikova, O. A.; Terukov, E. I.; Zhilinskaya, E. A.
Kudoyarova, V. Kh.; Aver'yanov, V. L.; Chernyshev, A. V.; Tsolov, M. B.
Electrophysical properties of a-C:H films which are likely to be applied for making protective coatings of electrophotographic information carriers.—75-03018
Kudryashov, A. A. See Dvoryankin, V. F.
Kudryashov, V. N. See Chumarev, V. M.
Kudryavtsev, I. A. See Greshnevikova, O. E.
Kudryavtsev, Yu. P. See Babaev, V. G.
Kudyakov, S. V. See Gorbunov, S. V.
Kudyba, A. See Hintzen, H. T.
Kudymov, A. N. See Smirnov, B. I.
Kudzin, A. Yu. See Sidorkin, A. S.
Kudzin, A. Yu.; Sadovskaya, L. Ya.; Sokolyanskii, G. Kh.
Charge carrier transfer in Bi_2TeO_5 crystals.—75-06429
Kuech, T. F. See Nayak, S.; Redwing, J. M.; Ryan, J. M.
Kuftin, A. See Bykov, Yu.
Kuga, Koji See Kawabe, Hideaki
Kuga, Masaaki See Nabeshima, Shigeyuki
Kugel, V. D.; Rosenman, G.; Angert, N.
Domain inversion in $KTiOPO_4$ crystal near the Curie point.—75-01826
Kugimiya, Koichi See Inoue, Osamu; Okuyama, Kojiro; Yokotani, Yoichiro
Kuharuangrong, Sutin; Schulze, Walter A.
Characterization of $Bi_{0.5}Na_{0.5}TiO_3$-$PbTiO_3$ dielectric materials.—75-02896
Kuhn-Heinrich, B.; Ossau, W.; Bangert, E.
Zeeman pattern of semimagnetic (CdMn)Te/(CdMg)Te quantum wells in in-plane magnetic fields.—75-05519
Kuhni, M. See Bar, Ludwig R.
Kuk, Il-Hyun See Kim, Chan-Joong; Park, Hai-Woong
Kuken, Y. See Komatsu, T.
Kukharskaya, N. F. See Dmitriev, S. G.
Kukhlevskii, O. P. See Petrakovskaya, E. A.
Kukino, Satoru See Kondo, Kenichi
Kukol, V. V.; Khaenko, B. V.; Gnitetskii, O. A.
Existence and regular arrangement of metal vacancies in ordered modification of titanium carbide.—75-06227
Kukuch, Bruce J.; Bloom, Theodore A.
Use of sulfates in eliminating loose oxides on the unenameled steel surface.—75-00146
Kukuev, V. I. See Tutov, E. A.
Kukuev, V. I.; Sorokina, E. A.; Tomashpol'skii, Yu. Ya.; Malygin, M. V.; Surovtsev, I. S.; Lesovoi, M. V.
Precipitation of SnO_2 films with set grain size.—75-06711
Kul'bachinskii, V. A. See Brandt, N. B.
Kul'bachinskii, V. A.; Chaika, A. N.; Dashevskii, Z. M.; Lostak, P.; Khorak, Ya.
Effect of Shubnikov-de Haas and energy spectra of $In_xSb_{2-x}Te_3$ solid solutions.—75-05295
Kul'bachinskii, V. A.; Kytin, V. G.; De Visser, A.; Zvonkov, B. N.; Babushkina, T. S.; Malkina, I. G.
Electron mobility in doped modulated structures of $In_xGa_{1-x}As$/GaAs multiple quantum wells.—75-05312
Kul'bachinskii, V. A.; Kytin, V. G.; Kadushkin, V. I.; Senichkin, A. P.
Anisotropy of the transport features in structures with δ-Sn quantum wells on vicinal faces of GaAs.—75-05240
Kul'bachinskii, V. A.; Mar'yanchuk, P. D.; Churilov, I. A.
Electrical and magnetic properties of diluted magnetic $Hg_{1-x}Mn_xTe_{1-y}Se_y$ semiconductors.—75-05304
Kulagina, T. N. See Zhernov, A. P.
Kulakov, V. M. See Teterin, Yu. A.
Kulbachinskii, V. A.; Kovalyuk, M. Z.; Pyrlya, M. N.
Electrophysical properties of *p*- and *n*-type InSe intercalated with Li and Ba.—75-00481
Kuleev, I. G.; Lyapilin, I. I.; Tsidil'kovskii, I. M.
Temperature dependence of electron mobility in HgSe:Fe in a model of strongly correlated coulomb liquids.—75-05499
Kuleshova, A. V. See Mosin, Yu. M.
Kulig, M. See Sahling, O.
Kulik, A. S. See Antonov, G. I.
Kulik, J.; Lifshitz, Y.; Lempert, G. D.
Electron energy loss spectroscopy of mass selected ion beam deposited diamondlike carbon.—75-01841

Kulikov, A. I.
Passivation and strengthening of mold parts for molding ceramic plates.—75-09374
Kulikov, A. P.; Ignat'eva, L. N.; Nakadzima, T.; Merkulov, E. B.; Overchuk, E. I.
EXAFS spectroscopic study of the structure of fluorozirconate glasses.—75-07298
Kulikov, G. S.; Chichikalyuk, Yu. A.; Yusupova, Sh. A.
Influence of manganese on the diffusion distribution of nickel in silicon.—75-03059
Kulikov, G. S.; Khodzhaev, K. Kh.
Effect of phosphorus doping on tin diffusion in a-Si:H films.—75-03007
Kulikov, G. S.; Malkovich, R. Sh.
Interaction of atomic and electron-hole subsystems and role of point defects during diffusion in semiconductors.—75-03065
Kulikov, O. L.
Method of increasing strength of porous ceramic brick.—75-07449; New method of preparing lightweight keramzit.—75-07171
Kulinsky, L. See Powers, J. D.
Kulinsky, L.; Powers, J. D.; Glaeser, A. M.
Effects of controlled-geometry sinusoidal perturbations on the morphological evolution of pore channels in sapphire.—75-01835
Kulkarni, Ajit R. See Gupta, Surya Mohan
Kulkarni, D. K.; Prakash, C. S.
Structural and magnetic properties of $CaAl_4Fe_8O_{19}$.—75-05712
Kulkarni, K. R. See Bhattacharya, B.
Kulkarni, S. B. See Pawar, S. H.
Kulkarni, V. N. See Majumder, S. B.
Kullmer, Iris See Lang, Christoph
Kulnis, W. J., Jr.; Unertl, W. N.
Thermal stage for nanoscale structure studies with the scanning force microscope.—75-01045
Kulpa, Alina; Troczynski, Tom
Oxidation of TiB_2 powders below 900°C.—75-02011
Kulwicki, Bernard M. See Summerfelt, Scott R.; Tsu, Robert
Kulyutkina, T. F. See Maronchuk, I. E.
Kumagai, Kazuo See Nishimura, Kozo
Kumagai, Masato See Udagawa, Etsuro
Kumagai, Teruo; Kanai, Tsuneyuki; Soeta, Atsuko; Suzuki, Takaaki; Higashiyama, Kazutoshi; Kamo, Tomoichi
Oxide high-temperature superconducting material, method of preparing same, and superconducting wires.—75-08478
Kumagawa, Masashi See Sano, Makoto
Kumakawa, A.; Sasaki, M.; Takahashi, M.; Aoyama, K.; Hyakubu, T.; Hamatani, H.
Testing of actively cooled functionally gradient materials under high heat flux conditions.—75-02551
Kumakawa, A.; Takahashi, M.; Sasaki, M.; Togawa, M.; Kitaguchi, S.; Nishimori, H.
Damage evaluation of functionally gradient materials caused by cyclic thermal shock.—75-02450
Kumakura, S. See Morimoto, T.
Kumar, A. See Das, R.
Kumar, Atul; Knowles, Kevin M.
Effect of oxidation heat treatments on the mechanical behavior of an Si-C-O fiber-reinforced magnesium aluminosilicate.—75-06967; Mechanism of interface formation in a silicon carbide fiber-reinforced magnesium aluminosilicate.—75-04105; Oxidation behavior of an Si-C-O fiber-reinforced magnesium aluminosilicate.—75-06927
Kumar, Atul; Oppici, Maria A.; Fox, Alan G.; Wang, Shaio-Wen
Effects of hot corrosion on the microstructure of a silicon carbide fiber-reinforced calcium aluminosilicate.—75-04426
Kumar, B.; Chen, Christina H.
Magnetic properties of materials in the $CaO-P_2O_5-Fe_2O_3$ system.—75-03905
Kumar, B.; Srivistava, G. P.
Dispersion observed in electrical properties of titanium-substituted lithium ferrites.—75-03285
Kumar, C. Sunil See Balagopal, N.
Kumar, C. Sunil; Balagopal, N.; Damodaran, A. D.; Warrier, K. G. K.
Processing and densification of ceria-zirconia ceramic through extrusion of ceramic-polymer mixture.—75-04180
Kumar, C. Sunil; Balagopal, N.; Pai, B. C.
Injection molding of ceria-zirconia powder mixtures using an aqueous {hydroxy propyl methyl cellulose} HPMC-PVA binder system.—75-01551
Kumar, Devendra See Parkash, O.
Kumar, Dhananjay; Sharon, M.; Apte, P. R.
Silver doping and its influence on the oxygenation during in situ growth of $YBa_2Cu_3O_{7-\delta}$ films.—75-00863
Kumar, G. S. See Singh, R. S.
Kumar, Jayant See Bihari, Bipin
Kumar, K. S. See Koshy, J.; Rahman, S.
Kumar, Kaplesh; Petrovich, Anthony
Synthesis process for advanced ceramics.—75-08633
Kumar, Krishnankutty-Nair P.; Tranto, Janne; Nair, Balagopal N.
Effect of sintering atmosphere on the pore-structure stability of cerium-doped nanostructured alumina.—75-01465
Kumar, Mukesh See Choo, Ahn Goo
Kumar, N. Deepak See Kamalasanan, M. N.
Kumar, P. See Potter, B. G. Jr.
Kumar, Promod See Shah, Dinesh O.
Kumar, R. V.; Fray, D. J.; Williams, H. W.; Mission, A.; Evetts, J. E.
Novel approach in the melt texturing of $YBa_2Cu_3O_{7-y}$.—75-03385
Kumar, R. See Moreno, W.
Kumar, S. Satish See Suresh, T. Balaji
Kumar, S. Suresh See Mukherjee, B.
Kumar, S. V. K. Kiran See Das, S. Durga
Kumar, Sanjay See Das, S. K.
Kumar, Satyendra See Cherian, Kuruvilla A.
Kumar, Sunil; Tansley, T. L.
Elemental composition and microstructure of reactively sputtered carbon nitride thin films.—75-01845
Kumar, Susmit; Singh, Raj N.
Fracture criteria for piezoelectric ceramics—comment[—correction].—75-05584; Fracture criteria for piezoelectric ceramics[—comment].—75-03233
Kumar, Viswanathan; Marimuthu, Ramadoss; Patil, Shashikumar; Ohya, Yutaka; Takahashi, Y.
Simple system for the preparation of submicrometer lead titanate powders by the sol-gel method.—75-09433
Kumaria, Shashwat; Singh, Raj N.; Gupta, Vijay
Effect of interfacial shear strength on crack-fiber interaction behavior in ceramic matrix composites.—75-02039
Kumata, Fumio See Takahashi, Kazuo
Kumekov, M. E. See Vasil'ev, V. A.
Kumenkov, S. E. See Voronko, A. I.
Kumta, P. N. See Gallet, D.; Kim, Jin-Yong; Sriram, M. A.
Kumta, P. N.; Rohrer, Gregory S.; Balachandran, U.
Ceramic Transactions, Volume 65: Role of Ceramics in Advanced Electrochemical Systems.—75-04771
Kun'kova, Z. E. See Golik, L. L.
Kundmann, Michael K. See Krivanek, Ondrej L.
Kundrotas, J. See Asmontas, S.
Kundrotas, P. J. See Tornau, E. E.
Kung, H. See Butt, Darryl P.; Castro, R. G.
Kung, P. See Sun, C. J.
Kung, P.; Sun, C. J.; Saxler, A.
Crystallography of epitaxial growth of wurtzite-type thin films on sapphire substrates.—75-01215
Kung, Steve
Conversion coatings on silicon carbide.—75-01161
Kunishinge, A. See Fukuda, K.
Kunitsyn, A. E. See Bert, N. A.
Kunitsyn, A. E.; Novikov, S. V.; Chaldyshev, V. V.; Panek, M.; Pashkevich, R.; Pashkevich, B.
Photoluminescence [PL] characterization of GaAs layers grown from Ga-Bi solutions.—75-05430
Kunka, Marilyn K. See MacZura, George
Kunkel, G.; Ono, R. H.; Klushin, A. M.
Millimeter-wave radiation from arrays of high-T_c Jospehson junctions.—75-08370
Kunoo, Kazuo See Hojo, Janichi
Kunzel, H. See Hase, A.
Kunzler, J. V. See Haetinger, C.
Kuo, C.-T. See Huang, Tzer-Hsiang
Kuo, Chu K. See Nicholson, Patrick S.
Kuo, Fan-Jian See Huang, Jow-Lay
Kuo, J. L.; Bourell, D. L.
Sintering behavior of sol-gel synthesized alumina and alumina-8 vol% zirconia composite.—75-09439
Kuo, S. C.; Kuo, S. P.
Monte Carlo simulation of electron behavior in an electron cyclotron resonance microwave discharge using circular TM_{11} mode fields.—75-08686
Kuo, S. P. See Kuo, S. C.
Kuo, W.-K.; Ling, Y.-C.
Effects of monosubstituting chelating agents on $BaTiO_3$ prepared by the sol-gel process.—75-06593
Kuper, Gerhild; Peitz, Bettina; Winter, Ines; Hormes, Josef; Schneider, H.; Schmucker, Martin
Aluminum *K*-edge absorption (XANES) studies of noncrystalline mullite precursors.—75-03763
Kupriyanov, A. K.; Ivanova, N. Yu.; Kupriyanov, D. A.
Ultrafine and exchange fields in $Gd_{1-x}Lu_xFe_2$ compounds.—75-08250
Kupriyanov, D. A. See Kupriyanov, A. K.
Kupriyanov, L. Yu.
Electrical conductivity and gas sensitivity of sintered zinc oxide films in saturated steam.—75-09137
Kupriyanov, M. Yu. See Polyakov, S. N.
Kurano, Masatoshi See Ootsuka, Tadashi
Kurasawa, Yuko See Koike, Hisashi
Kurashima, K. See Bando, Y.
Kurashina, Seiji See Nakagawa, Katsuji
Kurashina, Yukinobu See Taki, Chihiro
Kurayoshi, Kazumi See Tsutsui, Naoki
Kurbanmagomedov, K. D. See Verdiev, N. N.
Kurbanov, K. R. See Ugai, Ya. A.
Kurbanov, S. S. See Kasymdzhanov, M. A.
Kurbanova, R. D. See Alidzhanov, M. A.
Kurbatov, V. A. See Aslanov, G. A.; Boltaev, A. P.
Kurbatova, G. I.; Tagantsev, D. K.; Filippov, B. V.
Calculation of concentration, density, and stress fields in glass upon ion exchange: statement of the problem.—75-07325
Kurbatskaya, E. M. See Kurbatskii, M. N.
Kurbatskii, M. N.; Shemetov, V. V.; Kurbatskaya, E. M.; Rybakov, V. S.; Mokshin, E. D.
Determining the content of natural radionuclides in raw materials and ceramic articles.—75-08500
Kurbjuhn, M. See Stolten, D.
Kurdyudov, D. A. See Bagnich, S. A.
Kurenkov, V. F.; Gerkin, R. V.; Karnaukhov, N. A.
Hydrolysis of polyacrylamide by sodium silicate.—75-06639
Kurganskii, S. I.; Kharchenko, M. A.; Dubrovskii, O. I.; Bugakov, A. M.; Domashevskaya, E. P.
Effect of oxygen vacancies on the X-ray emission spectra of Y-Ba-Cu-O thin films.—75-05755
Kurian, J. See Thomas, J. K.
Kuribayashi, Hideyuki See Taguchi, Tomoyuki
Kurihara, Kazuaki See Kawarada, Motonobu
Kurihara, L. K. See Bruce, R. W.
Kurihara, N. See Tanji, H.
Kuriki, Yasunori See Yumura, Motoo
Kurilovich, N. F. See Soshnikov, L. E.
Kurina, L. N. See Vodyankin, A. Yu.
Kurisu, Yasushi See Jackson, John E.
Kurita, Hisashi See Sakai, Motoosugu
Kurita, Satoru See Toda, Kenji
Kuriyaki, H. See Zheng, X.-G.
Kuriyama, Nobuya See Morimoto, Shigeki
Kurkin, M. I. See Bogdanova, Kh. G.
Kurkjian, Charles R. See Zhong, Qian
Kurman, P. V. See Mardilovich, A. A.
Kurmashev, Sh. D. See Gradoboev, A. A.
Kuroda, Kanzuyuki See Saito, Yasuo
Kuroda, Yukinori See Kimura, Toshio
Kuroiwa, T. See Mikami, N.
Kuroiwa, T.; Honda, T.; Watarai, H.; Mikami, N.; Horikawa, T.; Makita, T.
Conduction mechanism of $SrTiO_3$ thin films by rf sputtering.—75-00641
Kuroki, H. See Nakamura, K. G.
Kuroki, Yoshiaki See Matsuzaki, Hiroshi
Kurono, Nobuhisa See Shintani, Yoshitomo
Kurosawa, Hideyuki See Yamane, Hisanori
Kurova, I. A.; Meleshko, N. V.; Larina, E. V.; Khlebnikova, O. P.; Gromadin, A. L.
Effect of high-temperature annealing on the electrical and photoelectrical properties of phosphorus-doped a-Si:H films.—75-07848
Kurova, I. A.; Miroshnik, O. N.; Ormont, N. N.
Influence of high-temperature annealing on electrical properties of compensated *a*-Si:H films containing boron and phosphorus.—75-07923
Kurtinaitiene, M.; Juskenas, R.
Phase changes and properties of electroless Ni-P-TiN composite coatings after their thermal treatment.—75-09007
Kurtz, A. D. See Shor, J. S.
Kurtz, S. R. See Siegal, M. P.
Kurumchin, E. Kh. See Gorelov, V. P.
Kurusu, Toshirou
Metal nitride oxide semiconductor device.—75-08105
Kurwayama, Yuji See Mizusaki, Junichiro
Kuryaeva, R. G.; Kirkinskii, V. A.
Refractive index of SiO_2 glass at hydrostatic pressures up to 5 GPa.—75-02682
Kuryleva, E. F. See Smirnova, E. I.
Kuryshev, G. L. See Kornyushkin, N. A.
Kusa, Helena See Kovanda, F.
Kusakabe, Katsuki See Maeda, Hideaki; Ohya, Nobutaka
Kusakabe, Takao See Kato, Tetsuro
Kusano, Yoshihiro See Niinae, Toshinobu; Takada, Jun
Kusano, Yoshihiro; Nanba, Tokuro; Takada, Jun; Ikeda, Yasunori; Takano, Mikio
Effect of heating atmosphere on segregation and dissolution of the Pb compound in the Bi-2223 phase.—75-00789
Kushchenko, A. V. See Babkina, L. A.
Kushida, Masahito; Iwamoto, Mitsumisa; Ueno, Nobuo
Dielectric loss tan δ of metal-insulator-metal and metal-insulator-metal-insulator-metal junctions with polyimide Langmuir-Blodgett [LB] films.—75-02901
Kushida, Toshimoto; Kim, Yeong-Wook
Detection of ionic mobility of $YBa_2Cu_3O_{7-\delta}$ by means of the phase-sensitive rejection filtering technique.—75-03354
Kushner, Burton A. See Dorfman, Mitchell R.
Kushnirenko, V. I. See Torchinskaya, T. V.
Kuske, Peter See Lerch, Klaus
Kusner, R. E. See Lamouri, A.
Kusnetsov, M. See Shebanov, L.
Kusraev, Yu. G. See Kudinov, A. V.
Kussmaul, R. See Pintschovius, L.
Kusuhara, Hiroyuki See Torii, Yasuko
Kusui, Jun; Nagase, Fumiaki; Tanaka, Akiei; Kubo, Kohei; Yokote, Takamasa
Aluminum matrix composite powder.—75-00149
Kusumi, Shinji See Funahashi, Ryoji
Kusumi, Shinya See Kishi, Hiroshi
Kusunoki, Masanobu See Andoh, Hiroya
Kusunoki, Michiko; Ikuhara, Yuichi; Kon, Junichi
Carbon nanocapsules grown on carbon fibers.—75-09526
Kusunoki, Michiko; Yonemitsu, Kyoko; Sasaki, Yukichi; Ikuhara, Yuichi; Kubo, Yukio
Estimation of diffusion coefficients for zirconia.—75-01755
Kusz, B. See Gazda, M.
Kuszyk, Jack A.; Biel, John P.
Aluminum nitride refractory materials and methods for making the same.—75-07696
Kuszyk, Jack A.; Kennedy, Christopher R.; Ballario, Ralph R.; Shumaker, Craig B.; Van Voorhees, Eric J.
Ceramic composite and methods of making the same.—75-00151
Kutasov, V. A. See Alekseeva, G. T.
Kutenko, O. A. See Zubekhin, A. P.
Kuttel, O. M. See Schaller, E.
Kutty, K. V. Govindan; Asuvathraman, R.; Mathews, C. K.
Effect of variation in framework composition on the thermal expansivity of NZP phases.—75-01834
Kutty, K. V. Govindan; Rajagopalan, S.; Mathews, C. K.
Thermal expansion behavior of some rare-earth oxide pyrochlores.—75-01968
Kutty, T. R. N. See Padmini, P.
Kutty, T. R. N.; Ravi, V.
Current-limiting property of *n*-$BaTiO_3$ ceramics.—75-05270
Kutub, A. A.
Electrical conductivity studies of sodium tetraborate glasses containing copper.—75-04959
Kuwabara, Akio; Hoteiya, Michinori; Miki, Takashi; Ogiso, Yuzo; Kawamura, Toshio; Fushimi, Tetsuro
Development of recycling technology for slide gate plate.—75-07526
Kuwabara, Akio; Miki, Takashi; Kawamura, Toshio; Fushimi, Tetsuro
Repair technology for slide gate plates.—75-05130
Kuwabara, Katsumi See Lin, Hong
Kuwabara, M.
Positive temperature coefficient of resistivity effect in undoped barium titanate ceramics.—75-00577
Kuwabara, Makoto See Shimooka, Hirokazu
Kuwabara, Makoto; Morimo, Kenichiro; Matsunaga, Tatsuya
Single-grain boundaries in PTC resistors.—75-03164

Kuwabara, Mitsuo; Ikegami, Kiyoshi; Yoshida, Teruaki; Takahashi, Koji; Harada, Tamotsu; Komiyama, Takeshi
Molded ceramic articles.—75-03546
Kuwabara, T.; Matsumoto, A.; Sakurada, O.; Hashiba, M.; Nurishi, Y.
Microstructure of an icicle-like spinel grown at the $MgO/MgAl_2O_4$ interface in the dense and coarse MgO–fine Al_2O_3 powder system.—75-09567
Kuwahara, H. See Kikuchi, S.
Kuwahara, H.; Kikuchi, S.; Urai, S.
Properties and structure of Cu/Co superlaminates prepared by electroplating and repeated rolling.—75-04390
Kuwahara, Hiroshi See Sugiyama, Osamu
Kuwano, Hiroki See Sugimoto, Iwao
Kuwano, Yasuhiko See Kouta, Hikaru
Kuwayama, Michihiro See Kamo, Momoki
Kuwayama, Yuji See Mizusaki, Junichiro
Kuyan, S. V. See Kolobova, V. I.
Kuz'ma, M.; Potsyask, M.; Sheregii, E.; Kempnik, V.; Farina, M.; Tsyakh, R.
Effect of mercury segregation in $Cd_xHg_{1-x}Te$ [x=0.2] under [YAG:Nd^{3+}] laser pulse annealing.—75-03005
Kuz'ma, Yu. B. See Mikhalenko, S. I.; Orishchin, S. V.
Kuz'ma, Yu. B.; Orishchin, S. V.; Kondrishin, U. I.; Klypych, O. L.
Ni-Ge-P system.—75-06289
Kuz'menko, V. G. See Sokol'skii, B. E.
Kuz'michev, N. D.; Vasyutin, M. A.; Golovashkin, A. I.; Levchenko, I. S.
I-V characteristics of $YBa_2Cu_3O_{7-x}$ single crystals near T_c analyzed with a modulated procedure.—75-05722
Kuz'micheva, G. M. See Afanas'eva, I. N.; Mitin, A. V.
Kuz'micheva, G. M.; Luparev, V. V.; Khlybov, E. P.
Synthesis and X-ray diffraction study of the phases (A1/2, A)CuO_2 (A1/2=Sr and Ba; A=Ca, Sr, and Ln) [Ln=rare-earth metals].—75-08435
Kuz'min, A. R. See Voshchilova, R. M.
Kuz'min, G. N. See Purevdorzh, D.
Kuz'min, M. D. See Bartolome, F.
Kuz'mina, I. P. See Nikitenko, V. A.
Kuz'mina, N. A. See Rusakov, V. S.
Kuz'mina, N. E. See Palkina, K. K.
Kuz, Zdenko See Hanni, Robert; Meyer, Willi
Kuzaev, V. N. See Al'perovich, V. L.
Kuzgibekova, Kh. See Muldagalieva, R. A.
Kuzjukevics, A.; Ishizaki, K.
Formation of yttrium aluminates in the presence of TiN.—75-01509
Kuznetsov, A. N. See Lebedev, A. A.
Kuznetsov, A. N.; Lebedev, A. A.; Rastegaeva, M. G.; Rogachev, N. A.; Terukov, E. I.; Shcheglov, M. P.
Heteroepitaxial growth of SiC epilayers on AlN/Al_2O_3 substrates.—75-03045
Kuznetsov, A. V.; Zav'yalov, S. A.; Grigor'ev, E. I.; Trakhtenberg, L. I.
Interaction of ozone with surface electron-donor centers of magnesium and titanium oxides.—75-08957
Kuznetsov, F. A. See Kaminskii, A. A.
Kuznetsov, G. F.
X-ray diffraction identification of plastic deformation and quantitative measurements of high density dislocations in single-crystalline layers of heteroepitaxial systems with mismatch of lattice spacing.—75-08713
Kuznetsov, G. I. See Gropyanov, V. M.
Kuznetsov, G. I.; Kortel, A. A.; Tarakanchikov, G. A.
New developments in the field of technologies and equipment for refractories production.—75-07610
Kuznetsov, M. L.; Medvedev, Yu. N.; Zaitsev, B. E.; Lokshin, B. V.; Spiridonov, F. M.
Complexes of anhydrous lanthanide nitrates with dianthipyrilphenylmethane and dianthipyrilphenylpropylmethane.—75-06186
Kuznetsov, M. V.; Morozov, Yu. G.; Nersesyan, M. D.; Ignat'eva, T. I.
Self-propagating high-temperature synthesis of Na-containing high-T_c superconductors.—75-05828
Kuznetsov, M. V.; Morozov, Yu. G.; Nersesyan, M. D.
Self-propagating high-temperature synthesis [SHS] of alkali metal cuprates.—75-05911
Kuznetsov, P. I. See Kozlovskii, V. I.
Kuznetsov, S. V. See Bykov, V. N.
Kuznetsov, V. A.; Lipson, A. G.; Saunin, E. I.; Gromov, V. V.; Ivanova, T. S.
Thermal effects in KH_2PO_4 and KD_2PO_4 crystals in ferroelectric phase transitions.—75-09204
Kuznetsov, V. A.; Lipson, A. G.; Saunin, E. I.; Ivanova, T. S.
Contribution of domain wall energies to the heat of the ferroelectric phase transition in KH_2PO_4 and KD_2PO_4 crystals.—75-08888
Kuznetsov, V. L.
System Sn-Te: critical evaluation and optimization of data on the thermodynamic properties and phase diagrams.—75-09083
Kuznetsov, V. M. See Zhmerik, V. N.
Kuznetsov, V. V. See Vendik, I. B.
Kuznetsova, A. I. See Avetikyan, G. B.
Kuznetsova, I. V. See Chezhina, N. V.; Ugai, A. Ya.
Kuznetsova, I. Ya. See Kovaleva, I. S.
Kuznetsova, I. Ya.; Kovaleva, I. S.; Fedorov, V. A.
Glass formation in the ternary $ZnBr_2$-$HgBr_2$-CsBr system.—75-07302
Kuznetsova, T. A. See Asotskii, V. V.; Gas'kov, A. M.; Morozova, N. V.
Kuznetsova, T. L.; Zakamennykh, T. M.; Zasorina, L. V.; Kornienko, L. A.
Ecological problems due to the use of organic binders in the production of fibrous heat-insulating materials.—75-07533
Kuznetsova, T. V.
Modern concepts of the process of formation of portland cement clinker.—75-07168
Kuznetzov, A. V. See Givargizov, E. I.
Kuznia, J. N. See Khan, M. Asif
Kvam, Eric P.
Interactions of dislocations and antiphase (inversion) domain boundaries in III-V/IV heteroepitaxy.—75-03066
Kvardakov, V. V.; Somenkov, V. A.
Effect of a magnetic field on the anomalous transmission of X-rays in the α-Fe_2O_3 crystal.—75-08199
Kvartalov, D. B. See Gudilin, E. A.
Kvasman, N. M. See Primachenko, V. V.
Kveder, V. V. See Bagraev, N. T.
Kwak, S. J.; Monroe, A. Kimberley; Johnson, P. V.; Mutsuddy, B. C.
Approach in relating torque rheometer and capillary viscosity data of ceramic/polymer mixes.—75-08637
Kwan, Stephen; La Rosa-Thompson, Judy; Grutzeck, Michael W.
Structures and phase relations of aluminum-substituted calcium silicate hydrate.—75-03844
Kwapulinski, J. See Molak, A.
Kweon, Oh-Seong See Kim, Joon-Soo
Kweon, Y.-G. See Park, J.-H.
Kwiatkowski, Stephen L.; Mickelson, Alan R.
Nearly cut-off modes caused by diffusion in lithium niobate.—75-01769
Kwo, J. See Hou, Shang-Y.
Kwon, H.-C. See Lee, Y.-H.
Kwon, H.-J.; Shin, J.-Y.; Oh, J.-H.
Microwave absorbing and resonance phenomena of Y-type hexagonal ferrite microwave absorbers.—75-03319
Kwon, S.-H. See Han, Kyoung-Ran
Kwon, Young-Soo; Kong, Dou-Yol; Hino, Taro
Electromotive force generation in metal-insulator-metal structures of Langmuir-Blodgett [LB] films.—75-02909
Kwong, Kyei-Sing See Bennett, James P.
Kyazimzade, R. Z.
Ground impurity states of substitutional silver atoms in $Ge_{1-x}Si_x$ crystals.—75-03038; Hall factor of electrons in $Ge_{1-x}Si_x$ crystals when phonon scattering and scattering due to alloy disorder are dominant.—75-03042; See also Azhdarov, G. Kh.
Kyazym-Zade, A. G.
Mott transition criterion in flat lattices.—75-05389
Kyd, G. O. See Duffy, J. A.
Kynast, U. See Ronda, C. R.
Kyoda, Hideharu See Hirata, Yoshihiro
Kyriacou, C. See Kowbel, W.
Kyrlov, I. P.
Low-frequency pendulum for studying vortex lattice melting.—75-08355
Kytin, V. G. See Brandt, N. B.; Kul'bachinskii, V. A.
Kyurri, L. See Isirikyan, A. A.
Kyutt, R. N.; Argunova, T. S.
Determining structural parameters of YBaCuO thin films by high-resolution X-ray diffractometry.—75-08288
L'Esperance, G. See Simoneau, M.
La Rosa-Thompson, Judy See Kwan, Stephen
Laarz, E. See Kristoffersson, A.
Labardi, M. See Ceresara, L.
Labardi, M.; Allegrini, M.; Leccabue, F.
Scanning force and friction microscopy of ferroelectric $Pb(Zr,Ti)O_3$ thin films.—75-05635
Labbe, J. C. See Amadeh, A.; Khan, A. A.
Labbe, J. C.; Laimeche, A.
Behavior of aluminum nitride in the iron and steel industry.—75-07481
Labeau, M. See Tiburcio-Silver, A.
Labeyrie, G. See Besikoi, C.
Labinskaya, N. G. See Akimov, G. Ya.; Storozh, V. V.
Labitzke, H. See Schubert, H.
Labo, M. See Gas'kov, A. M.
LaBranche, M. H. See Keusseyan, R. L.
Labutin, O. A. See Denotkin, V. L.
Lacelle, C. See Rao, T. Sudersena
Lacey, James A. See Chaudhari, Praveen
Lacey, John
Measurement and control in the refractories sector.—75-05104
Lacher, Manfred See Freimuth, Herbert
Lachman, Irwin M. See Cunningham, George M.
Lachowski, Eric E. See Cruickshank, Karen M.; Sourie, A.
Lackey, W. J. See Chung, Yong S.; Moss, T. S.; Vaidyaraman, S.
Lackner, Klaus S. See Butt, Darryl P.
Lacom, W. See Degischer, H. P.
Lacour, C. See Bermejo, Edelio
LaCourse, Brian C. See Amarakoon, Vasantha R. W.
LaCourse, Brian C.; Amarakoon, Vasantha R. W.
Characterization of the firing schedule for positive temperature coefficient of resistance $BaTiO_3$.—75-00431
LaCourse, Brian C.; Hernandez, Oscar; Amarakoon, Vasantha R. W.
PTCR thermistors- reproducibility achieved via sol-gel synthesis.—75-00369
LaCourse, William C.; Mason, Walter; Malot, Vadim
Structural implications of elastic properties, fracture toughness, and fracture surface energies of R_2O-Al_2O_3-SiO_2 glasses.—75-02688
Lad, R. J. See Imaduddin, S.; Yu, Y.
Lade, Hartmut See Bachmann, Peter K.
Ladeveze, P.; Gasser, A.; Allix, O.
Damage mechanisms modeling for ceramic composites.—75-04482
Ladeveze, P.
Modeling and simulation of the mechanical behavior of CMCs.—75-04605
Ladnorg, U.; Schon, H. J.
Steiger blending plant: processed clays from Meissen.—75-00987
Ladnorg, U.
Standard methods of clay mining.—75-01071
Ladouceur, F.; Love, J. D.; Senden, T. J.
Effect of sidewall roughness in buried channel waveguides.—75-03009
LaFave, J. M. See Li, Victor C.
Lafleurielle, M.; Dhalenne, G.; Millot, F.; Revcolevschi, A.
Oxidation of CoO into Co_3O_4 in CoO-ZrO_2(CaO) and $Co_{1-x}Ni_xO$-ZrO_2(CaO) lamellar eutectic structures.—75-04443
Lafyatis, Davis S. See Foley, Henry C.
Lagain, Georges L.; Sohier, Bernard P. C.; Varela, Danilo
Part made from ceramic composite having a metallic coating, process for producing same, and powder composition used.—75-00166
Lagally, M. G. See Nayak, S.
Lagerlof, K. P. D. See McClellan, K. J.
Lagoudas, Dimitrius C.; Bo, Zhong-He
Cylindrical bending of composite plates with piezoelectric and SMA [shape memory alloy] layers.—75-03219
Lagowski, Jacek See Kontkiewicz, Anna
LaGraff, John R.; Cruickshank, Brandon J.; Gewirth, Andrew A.
In situ observation of oxide monolayer formation on copper solid-liquid interfaces.—75-01997
Laguerie, Claude; Biscans, Beatrice; Gabas, Nadine
Crystallization and crystallizing processes to produce controlled-properties solid particles.—75-05895
Lagunov, V. A.; Sinani, A. B.
Computer modeling of the crystallization of 2-D anharmonic glasses.—75-08645
Lagunova, T. S. See Mikhailova, M. P.; Voronina, T. I.
Laha, S. N.
Demand of refractories in Saudi Arabia and technoeconomic feasibility for setting up a refractory plant.—75-07504
Lahajnar, G. See Jarh, O.
Lahiri, Krishano See Shi, Dong-Lu
Lahiri, S. P. See Sengupta, U.
Lahres, Michael See Muller-Hummel, Peter
Lai, Chung-Ping; Fu, Chen-Tsu; Duann, Jia-Ruey; Li, Ai-Kang; Ko, Kai-Li
Chromium carbide based ceramics composite block gauge.—75-06117
Lai, Guan-Ren See Farabaugh, E. N.
Lai, J.-Y. See Li, C.-L.
Lai, Kafai; Campbell, Joe C.
Design of a tunable GaAs/AlGaAs multiple quantum well resonant cavity photodetector.—75-05279
Lai, L.-S. See Liu, H.-S.
Lai, M. O. See Qin, C.-D.
Lai, T.-R. See Zheng, Y.-S.
Lai, T.-R.; Guo, J.-K.; Yan, D.-S.; Swain, M. V.
R-curve and fracture of carbon fibers/fused quartz composite.—75-04446
Lai, T.-R.; Lu, Z.-L.; Zhu, G.-Q.
Statistical criterion of characterization on failure and damage of ceramic materials after thermal shock.—75-04631
Laibowitz, R. B. See Chaudhari, Praveen; Mai, Q. Y.
Laiho, R. See Yu, Tao
Laimeche, A. See Amadeh, A.; Labbe, J. C.
Laine, Richard M. See Bickmore, Clint R.; Liu, Yin
Laine, Richard M.; Zhang, Z.-F.; Chew, K. W.; Kannisto, M.; Scotto, C.
Synthesis and processing of silicon carbide fibers—state-of-the-art.—75-01701
Laisheva, L. V. See Baikov, Yu. M.
Laitfutt, P. See Gorbachev, N. S.
Lajnef, M.; Taibi, H.; Legrand, A. P.; Hommel, H.
Characterization by ^{29}Si NMR of silica fume [SF].—75-01079
Lakeenkov, V. M. See Belov, A. G.
Lakeman, Charles D. E. See Tani, Toshihiko
Lakew, B. See Brasunas, J. C.
Lakhtin, A. A. See Patrakeev, M. V.
Lakki, A.; Schaller, R.
Anelastic relaxation associated with the intergranular phase in silicon nitride and zirconia ceramics.—75-04450
Lakshmanan, A. S. See Jayachandran, M.
Lakshmikumar, S. T.; Rastogi, A. C.
Plasma-assisted two-stage selenization process for the preparation of selenide semiconductor thin films using elemental selenium vapor.—75-00573
Lakshminarayanan, R.; Shetty, D. K.; Cutler, Raymond A.
Toughening of layered ceramic composites with residual surface compression.—75-02105
Lal, Lal Ji See Pyare, Ram
Lal, Ravindra B.; Zhang, Hong-Wu; Batra, Ashok K.; Chang, Jiann-Min
Growth of crystals for infrared detectors and second harmonic generation devices.—75-03039
Laletin, V. M. See Bokhan, Yu. I.
Lam, R. N. See Zhang, Z.
LaMaire, Susan J. See Lewis, David A.
Lamar, D. J. See Sundaram, S. K.
Lamb, R. N. See Pigram, P. J.; Zhang, Z.
Lambi, J. N. See Taylor, D. M.
Lambrecht, W. R. L.
Electronic structure of diamond, silicon carbide, and the group-III nitrides.—75-00479; See also Albanesi, E. A.
Lambropoulos, John C.; Xu, Su; Fang, Tong
Constitutive law for the densification of fused silica, with applications in polishing and microgrinding.—75-02704
Lambson, W. A. See Farok, H. M.
Lamicq, P. J.; Jamet, J. F.
Thermostructural CMCs—an overview of the French experience.—75-03723
Lamirand, Joseph See Scholes, Addison B.
Lamkin, Michael A. See Campos-Loriz, Diego
Lamon, J. See Bodet, R.; Droillard, Christine; Guillaumat, L.; Lissart, N.; Rebillat, F.
Lamon, J.; Thommeret, B.
Numerical simulation of the nonlinear stress-strain behavior of SiC/SiC composites.—75-04612

Lamonova, E. E. See Gogotsi, G. A.
Lamouri, A.; Mearini, G. T.; Wang, Ya-Xin; Kusner, R. E.
Electron emission observations from as-grown and vacuum-coated chemical vapor deposited diamond.—75-07871
Lamouroux, F. See Steen, M.
Lamp, Tom See Liu, Sam
Lamparter, H. Pannes See Uhlig, Harald
Lampe, Uwe See Lohwasser, Werner
Lampert, Geraldine
Boron.—75-06024
Lan, M. D. See Irons, Stephen H.
Lan, S.-M.; Leu, J.-C.; Wu, J.-S.; Jao, S.-S.
Optimized epitaxial growth of GaAs:Si single-heterojunction infrared emitting diodes [SH-IREDs].—75-03107
Lan, Y.-C.; Che, G.-C; Jia, S.-L.; Wu, F.; Dong, C.; Chen, H.
Effects of composition, synthesis conditions, oxygen content, and F doping on superconductivity and structure for R-substituted Bi-2201.—75-08301
Lanagan, M. T. See Dorris, Stephen E.; Fang, Y.
Lancin, M. See Ponthieu, C.
Lancin, M.; Ponthieu, C.; Marhic, C.
SIMS, EDX, EELS, AES, XPS study of interphases in Nicalon fiber–LAS glass matrix composites: I, Composition of the interphases.—75-06350
Lanckbeen, A.; Duvigneaud, P. H.; Diko, P.
Effect of zinc and iron on the (micro-) structure and copper charge excess of the YBaCuO superconductor.—75-05760
Lancto, Robert See Sengupta, Louise
Landau, Uziel See Martin, Heidi B.; Wang, Ya-Xin
Landgraf, G.
Ultraviolet drying in ceramic decoration technology.—75-04804
Landini, Dennis J. See Sonuparlak, Birol
Landis, E. C.; Shah, S. P.
Influence of microcracking on the mechanical behavior of cement based materials.—75-02410
Landolt, D. See Bonhote, C.
Landron, C.
In situ characterization of ceramic fine powders produced by a nebulization process.—75-04341; Phase transition investigation of zirconia by synchrotron radiation.—75-09035
Lane, B. See Tsang, K.
Lane, P. A.; Shinar, J.
Photoluminescence-detected magnetic resonance (PLDMR) study of C_{70} films, glasses, and photopolymerized and oxidized fullerenes.—75-01329
Lanford, William A. See Agarwal, Anand
Lang, Christoph; Kullmer, Iris; Bock, Joachim
Process for producing tubular parts of high-T_c superconductor material.—75-05880
Lang, D. P. See Shinar, J.
Langdon, Terence G. See Xia, Ke-Nong
Lange, David A. See Xin, Yun-Biao
Lange, David A.; Ouyang, C.; Shah, S. P.
Behavior of cement-based matrices reinforced by randomly dispersed microfibers.—75-04807
Lange, F.; Mortel, H.; Rudert, V.
Properties of mortars containing fine-ground cements.—75-02419
Lange, Fred F. See Balmer, Mari Lou; Cutler, Willard A.; Franks, George V.; Hillman, Craig; Honeyman-Colvin, Paul; Oechsner, Matthias; Polli, Andrew D.; Tu, Wen-Chiang; Yanez, Joseph A.
Lange, Fred F.; Luther, E. P.
Colloidal processing of structurally reliable Si_3N_4.—75-03973
Lange, H. See Woetting, G.
Lange, P.
17th Fletcher Challenge Award.—75-02176
Lange, Rudiger See Thome, Roland
Lange-Kornbak, D.; Karihaloo, B. L.
Design of concrete mixes for minimum brittleness.—75-04811
Langel, Walter; Parrinello, Michele
Hydrolysis at stepped MgO surfaces.—75-06241
Langer, Ezhi M.; Ryskin, A. I.
Vibronic coupling during intracenter transitions in transition metal impurity ions in semiconductors.—75-03197
Langer, Hans-Joachim See Helke, Gunter
Langford, S. C. See Dickinson, J. T.
Langgartner, J. See Degischer, H. P.
Langguth, J. See Faber, M.
Langlais, F. See Jacques, S.; Racault, C.
Langley, G. John See Taylor, Roger
Langlois, P.; Robbes, D.; Sing, M. Lam-Chok
Superconducting fast microbolometers operating below their critical temperature.—75-00872
Langlois, R. G. See Boness, R. J.
Langman, M. D. See Vaidyaraman, S.
Langowski, Mari H. See Li, Hong
Langowski, Mari H. See Sullivan, G. K.
Langrana, Noshir See Agarwala, Mukesh K.
Languell, M. L.; Davidson, J. L.; Wert, J. J.; George, M. A.; Collins, W. E.; Burger, A.
Effects of friction and wear on PECVD diamond films.—75-01837
Lankford, James, Jr. See Blanchard, Cheryl R.; Wood, Charles D. III
Lannon, J. M., Jr.; Gold, J. S.; Stinespring, C. D.
Surface studies relevant to the initial stages of diamond nucleation.—75-01961
Lanskaya, O. G. See Sredin, V. G.
Lantto, V. See Frantti, J.
Laou, E. See Denes, G.
Laoui, T. See Van der Biest, O.; Vleugels, J.; Zhou, Y.
Lapeika, V. See Pipinys, P.
Lapiano-Smith, D. A. See Terminello, L. J.
Lapidus, M. A. See Garkavi, M. S.
Lapihuska, C. See Storey, T.
Lapin, J. See Jacques, P.
Lapina, O. B. See Molchanov, V. V.
Lapinskas, S. See Tornau, E. E.
Lapis, N. D. See Zhabrev, V. A.
Laplante, S.; Ajersch, F.; Legros, N.
Extrusion of AlSi/SiC_p composite alloys in the semisolid state.—75-04851
Lapraz, D. See Bindi, R.
Laptash, N. M.; Kaidalova, T. A.
Solid-phase interaction of fluorapatite with ammonium hydrogen difluoride.—75-09058
Laptev, V. I.; Bokii, G. B.
Crystallographic aspect of selective absorption and emission of ultraviolet radiation in MgO crystals.—75-08900
Lara, Victor H. See Valenzuela, Miguel A.
Lara-Curizo, E. See Rebillat, F.; Ferber, M. K.
Lara-Curzio, E.; Ferber, M. K.
Evolution of internal stresses in composites during creep.—75-04516; Methodology for the determination of the interfacial properties of brittle matrix composites.—75-05963
Larbalestier, D. C. See Parrell, J. A.
Larbot, Andre See Varnier, Olivier
Lare, P. J. See Sahay, V.
Lareau, R. See Kreider, K. G.
Large, A. C. See Shepherd, D. P.
Larin, V. I. See Khobotova, E. B.
Larina, E. V. See Kurova, I. A.
Larionov, A. L. See Eremin, I. M.
Larionov, I. I. See Ryzhov, V. A.
Larionov, S. V. See Bessergenev, V. G.
Larionova, T. V. See Gonchukova, N. O.
Larionova, T. V.; Tolochko, O. V.; Zhuravlev, A. S.
Onset of crystallization and appearance of brittleness in the $Fe_{77}Ni_1Si_9B_{13}$ and $Fe_{39}Ni_{39}Si_9B_{13}$ metallic glasses.—75-02672
Larionova, V. A. See Germanenko, A. V.
Larker, H. T.; Adlerborn, J. E.; Lundberg, R.
HIPed silicon nitride turbine wheel development.—75-03701
Larker, R.; Beckman, T.
Compositional gradation between silicon nitride and superalloys using Si_3N_4/TiN CMC and TiN/Ni MMC layers.—75-02447
Larker, R.; Wei, L.-Y.; Loberg, B.
AEM investigation of ceramic/Incoloy 909 diffusional reactions after joining by HIP.—75-06838
Larkin, I. A. See Anderson, T. G.
Larkin, J. J. See Leigh, W. B.
Larmie, Henry A.
Abrasive grain having rare earth oxide therein.—75-07114; Method for making abrasive grain containing alumina and ceria.—75-00012
Larose, S. See Azad, A. M.
Larpkiattaworn, Siriporn See Ritland, Marc A.
Larrue, D.; Zarycky, J.; Canva, M.
Impregnated ORMOSIL matrices for efficient solid-state optical gain media.—75-05339
Larsen, Neil
Emma Luna.—75-04792
Larsen, P. K.; Dormans, G. J. M.; Taylor, D. J.
Ferroelectric properties and fatigue of $PbZr_{0.51}Ti_{0.49}O_3$ thin films of varying thickness: blocking layer model.—75-00661
Larson, D. J. See Kelly, T. F.
Larson, Richard I.; Flaherty, Thomas J., III; Becker, William R.; Chilton, Michael R.
Process to reclaim UO_2 scrap powder.—75-08624
Larson, Steven L. See Hartig, Klaus W.
Larsson, Anders G. See Johnsson, Bjorn
Larsson, Bo V. See Johansson, Hans E.
Laryushkina, Yu. A. See Ershov, V. A.
LaSalvia, Jerry C. See Hoke, Darren A.
Lascialfari, A. See Corti, M.
Lashbrook, James A., Jr.; Holm, Alan R.; Coston, Kent R.
Ceramic heat exchanger design.—75-08557
Lashkarev, G. V. See Asotskii, V. V.
Latella, B. A.; O'Connor, B. H.; Stead, R. J.
Development of high-alumina ceramics using ALCOA A13 alumina.—75-01433
Latha, K. See Ravinder, D.
Lathabai, Srinivasarao; Hay, David G.; Wagner, Florian; Claussen, N.
Reaction-bonded mullite/zirconia composites.—75-01645
Latishenka, A. See Chesnis, A.
Latypov, Z. M.; Fitseva, R. G.; Chekunkov, V. V.
$LiYF_4$-$2CaF_2$·$5YF_3$ join of the LiF-CaF_2-YF_3 ternary system.—75-08972
Lau, Kei-May See Agahi, Farid
Lau, S. P.; Marshall, J. M.; Dyer, T. E.; Hepburn, A. R.; Davies, J. F.
Blue light electroluminescence from doped μc-SiC prepared by excimer (ArF) laser crystallization.—75-01141
Lau, Sai-Kwing See Srinivasan, G.
Lau, Sai-Kwing; McMurtry, Carl H.
Aluminum nitride-coated silicon carbide fiber.—75-08819
Lau, Sai-Kwing; Ohnsorg, Roger W.; Calandra, Salvatore J.
Ceramic fiber-reinforced composite articles and their production.—75-01104
Lau, W. M. See Huang, L. J.
Lau, W. M.; Huang, L. J.; Bello, I.
Modification of surface band bending of diamond by low energy argon and carbon ion bombardment.—75-06490
Laudat, J. See Pissis, P.
Lauder, A. J.; Roesch, J. C.; Montesano, M. J.
Diamond metal matrix composites as an electronic packaging material.—75-00087
Lauf, R. J. See Felten, J. J.
Laughlin, Cynthia Faircloth
Texas pennypincher moves kiln Egyptian style.—75-02368
Laughlin, D. E. See Eppler, W. R.; Wong, B. Y.
Laulicht, I. See Pomyalov, A. V.
Launsby, R. G. See Green, T. J.
Laurent, C. See Canet, P.
Lauret, H.; Hammou, A.
Localization of oxygen cathodic reduction zone at lanthanum manganite/zirconia interface.—75-07736
Lauria, J.
49th Scripps Annual.—75-02182
Laurich, Juergen O.; Van Garsal, Doris
Test methods for calcium aluminate cements.—75-07673
Laurinavicius, A. See Burneika, I.
Lavenlere, Jean-Paul See Castillon, Roger
Lavernia, E. J. See Jeng, Y.-L.; Wolfenstine, J.
Lavin, J. Gerard See Kogure, Kei
Lavizina, O. V.
Calculation of dipole moments and crystal field parameters in $TmBa_2Cu_3O_6$.—75-06168
Lavrencic-Stangar, U. See Orel, B.
Lavrinenko, S. D. See Arzhavitin, V. M.
Lavrischev, S. V. See Pimenov, S. M.
Lavrushina, S. S. See Mittova, I. Ya.
Law, Chung K. See Makino, A.
Law, H. H.; Rossiter, P. L.; Simon, G. P.; Unsworth, J.
Structural hysteresis phenomenon in poling and thermal depoling of PZT ceramics.—75-00701
Lawall, R.; Knoll, W.
Mica as a waveguiding support for investigating ultrathin layers.—75-01032
Lawanier, Jean-Pierre; Meen, James K.; Elthon, Don
10 kbar phase equilibria in the Y-Ba-Cu oxide system at 950°C.—75-00767
Lawn, Brian R. See Fischer-Cripps, Anthony C.; Liu, Hai-Yan; Pajares, Antonia; Wuttiphan, Sataporn
Lawrence, Robert W. See Bedson, Janet
Layendecker, Richard A.
Design for manufacturability—what, when & how.—75-02123
Layne, Charles H.
Physical properties of grate enamel systems.—75-00116
Lazarev, D. A. See Pleshakov, I. V.
Lazarev, V. B. See Galagovets, I. V.; Podzorova, L. I.
Lazzarini, L. See Li, Yuan
Le Caer, G. See Begin-Colin, S.
Le Gall, H. See Braik, Y.
Le Gall, M.; Lesage, B.; Bernardini, J.
Self-diffusion in α-Al_2O_3: I, Aluminum diffusion in single crystals.—75-04290
Le Luyer, Y. See Berthereau, A.
Le Mercier, Thierry; Bermejo, Edelio; Quarton, M.
Electrical conductivity of rutile single crystals after heating by pulsed laser.—75-06452
Le Rolland, B. L. See Tarrida, M.
Le Roy, Philippe See Venaille, Christophe
Le, Tan See Cho, Jae-Kyong
Le, Thien-Nga; Hutchison, J. L.; Derby, B.
In situ HREM observation of the oxidation of nickel thin foils.—75-04431
Le, Tkhai-Lai See Agekyan, V. F.
Leach, Bill; Wheeler, Hal; Busch, Trent
Polyacrylate developments in sanitary ware slurries.—75-02882
Leach, Bill; Wheeler, Hal; Lynne, Brad
Pressure casting rate analysis using a baroid filter press.—75-03593; Pressure casting rates.—75-06744
Leach, C. A. See Kelly, P. M.
Leader, Sandra
James Lovera.—75-07126
Leake, J.
Quality and ISO certification.—75-04733
Leapman, R. D. See Newbury, Dale E.
Leapman, R. D.; Sun, S.; Hunt, J. A.; Andrews, S. B.
EELS imaging of biological materials.—75-01829
Leatherman, Gary L.; Batdorf, James A.
Crucible materials for the plasma treatment of radioactive waste.—75-08499
Lebedev, A. A.; Andreev, A. N.; Mal'tsev, A. A.; Rastegaeva, M. G.; Savkina, N. C.; Chelnokov, V. E.
Development and investigation of epitaxial diffusion of 6H-SiC *p-n* structures.—75-02996
Lebedev, A. A.; Anikin, M. M.; Kuznetsov, A. N.; Rastegaeva, M. G.; Savkina, N. S.; Syrkin, A. L.
6H-SiC field effect transistor with Schottky diode gate.—75-02958
Lebedev, A. A.; Ivanov, A. M.; Remenyuk, A. D.; Rud, Yu. V.
Influence of α-irradiation on the photoluminescence of porous silicon.—75-07921
Lebedev, A. A.; Poletaev, N. K.
Deep centers and electroluminescence of boron-doped 4H-SiC *p-n* structures.—75-07818
Lebedev, A. A.
Use of deep level transient spectroscopy for investigation of SiC *p-n* structure parameters.—75-08092; See also Andreev, A. N.; Astrova, E. V.; Kuznetsov, A. N.; Strel'chuk, A. M.
Lebedev, A. O. See Tsaregorodtsev, A. M.
Lebedev, A. O.; Pichugin, I. G.; Dolotov, N. I.
Mechanism of the growth process and structural characteristics of epitaxial layers of gallium nitride produced by the chloride-hydride method.—75-06678
Lebedev, A. V. See Toropov, A. A.
Lebedev, E. V. See Ishchenko, S. S.
Lebedev, M. V. See Bessolov, V. N.
Lebedev, N. F.; Grishpun, E. M.
Interaction between specialized sciences and refractory and metallurgical enterprises undergoing reconstruction.—75-09723
Lebedev, N. G. See Litinskii, A. O.
Lebedev, V. B. See Drozdov, S. V.
Lebedeva, M. P. See Belov, V. T.
Lebentsov, N. N. See Tsyrlin, G. E.
LeBlanc, Bruce W. See Toure, Abron S.
LeBoy, J. S. See Luo, J. S.
Leccabue, F. See Labardi, M.
Leckie, F. A. See Cocks, A. C. F.
Leclercq, D. See Acosta, S.; Belot, V.
Lecompte, J. P. See Mullot, J.; Pouget, M.
Lecoq, P.
Progress on scintillator research by the Crystal Clear collaboration.—75-02143; See also Auffray, E.; Dafinei, I.; Nikl, M.

Lecourtier, J. See Masse, S.

Ledentsov, N. N. See Ivanov, S. V.; Wang, P. D.; Zhmerik, V. N.

Ledentsov, N. N.; Ivanov, S. V.; Maksimov, V. M.; Sedova, I. V.; Tabatadze, I. G.; Kop'ev, P. S.
Luminescence of localized electron-hole pairs in the range of the fundamental absorption of Zn(S,Se)-(Zn,Cd)Se structures having quantum wells.—75-05369

Ledentsov, N. N.; Maksimov, M. V.; Tsyrlin, G. E.; Petrov, V. N.; Gur'yanov, G. M.
Luminescence properties of InAs quantum dots on vicinal GaAs(100) surface.—75-03088

LeDuc, H. G. See Bin, M.; Gaidis, M. C.

Lee, Alfred E. See Simon, Randy W.

Lee, B. I. See Chou, Kuo-Tung

Lee, B.-G. See Shin, Y.-S.

Lee, Burtrand I; Pope, Edward J. A.
Chemical Processing of Ceramics.—75-02163

Lee, Byong-Taek See Pezzotti, Giuseppe

Lee, Byong-Taek; Hiraga, K.; Shindo, D.
Microstructure of pressureless sintered Al_2O_3-24 vol% ZrO_2 composite studied by high-resolution electron microscopy.—75-06900

Lee, Byong-Taek; Pezzotti, Giuseppe; Hiraga, K.
Microstructure and fracture behavior of SiC platelet-reinforced Si_3N_4 matrix composites.—75-04602

Lee, Byung-Ha See Kim, Joon-Soo

Lee, Byung-Kyo See Park, Jun-Hong

Lee, Byung-Lee See Baik, Nam-Seok

Lee, C.-D.; Kim, B.-K.; Kim, J.-W.
Structural properties of ZnSe on GaAs grown by atomic layer epitaxy.—75-00605

Lee, C.-H. See Hsiao, T.-F.; Huang, S.-G.

Lee, Chang-Yop See Chae, Hee-Baik

Lee, Chi-H. See Bhanthumnavin, V.

Lee, Chih-Kung See Flechsig, Karl A.

Lee, Choong-Kheng; Tan, Meow-Peng; West, Anthony R.
Ge-doped bismuth vanadate solid electrolytes: synthesis, phase diagram, and electrical properties.—75-06237

Lee, Chung-Kook; Berta, Y.; Speyer, R. F.
Effect of Na_2O additions in the crystallization of barium ferrite from a BaO-B_2O_3-Fe_2O_3 glass.—75-00213

Lee, Chung-Kook; Speyer, R. F.
Glass formation and crystallization of barium ferrite in the Na_2O-BaO-Fe_2O_3-SiO_2 system.—75-03294

Lee, D. F.; Partsinevelos, C. S.; Presswood, R. G., Jr.
Melt texturing of preferentially aligned $YBa_2Cu_3O_y$ superconductor by a seeded directional solidification method.—75-00827

Lee, D.-S. See Song, J. H.

Lee, Dae-Hee See Park, Jun-Hong

Lee, Dong-Gu See Gilbert, Donald R.

Lee, Dong-Gu; Harkness, S. D.; Singh, Rajiv K.
Excimer laser planarization of diamond films.—75-00489

Lee, E. See Kim, C. Y.

Lee, Farn-Jeng See Ma, Yue-Chu

Lee, Gregory S. See Simon, Randy W.

Lee, H. K. See Levon, K.

Lee, Ho-Soon See Lee, Hong-Lim

Lee, Ho-Sung See Kimura, Toshio

Lee, Ho-Yong See Paek, Yeong-Kyeun

Lee, Ho-Yong; Kang, Suk-Joong L.
Discontinuous dissolution of spinel precipitates in the Al_2O_3-Fe_2O_3 system.—75-03785

Lee, Ho-Yong; Kim, Chan-Joong; Hong, Gye-Won
Formation of pores and Y_2BaCuO_5-free regions during melt processing of $Y_{1.6}Ba_{2.3}Cu_{3.3}O_y$.—75-08144

Lee, Ho-Yong; Rhee, Young-Woo; Kang, Suk-Joong L.
Discontinuous dissolution and grain boundary migration in Al_2O_3-Fe_2O_3 by oxygen partial pressure change.—75-04315

Lee, Hong-Kim; Kim, Kyu-Young
Synthesis of Al_2O_3-coated SiC composite powder.—75-06802

Lee, Hong-Lim See Song, Tae-Ho

Lee, Hong-Lim; Hong, Gi-Gon
Properties of Al_2O_3-15 vol% ZrO_2 ceramics prepared by precipitation.—75-04617

Lee, Hong-Lim; Lee, Ho-Soon
Preparation of Al_2O_3-TiO_2 nanocomposite powder.—75-06720

Lee, Hong-Lim; Lee, Hyung-Min
Effect of SiC on the mechanical properties of 3Y-TZP/SiC composites.—75-06968

Lee, Hong-Lim; Lim, Hun-Jin
Surface characterization of Si_3N_4 and ∫-SiAlON powders.—75-06379

Lee, Hun-Sik See Baik, Nam-Seok

Lee, Hwack-Joo See Kang, Dae-Whan

Lee, Hwan-Chul; Lee, Jai-Young
Effects of sputtering pressure and nitrogen concentration of the preferred orientation of AlN thin films.—75-03792

Lee, Hyo-Jin See Lee, Ki-Gang

Lee, Hyung-Min See Lee, Hong-Lim

Lee, I.; Covino, J.
Sol-gel synthesis of monoclinic phase of barium aluminosilicate ceramics.—75-06772

Lee, Il-Zoo
Friction and adhesion of silica fibers.—75-06986

Lee, Im-Sik See Kim, Hai-Doo

Lee, J. B.; Chen, Z.; Allen, M. G.; Rohatgi, A.
Hybrid microsystem using a high voltage solar cell array as a power supply.—75-00509

Lee, J. L.; Silcox, John
Electron microscopy studies and image simulation of the $YBa_2Cu_3O_{7-y}$/BaF_2 interface.—75-03364

Lee, J. See Baker, K.

Lee, J.-H. See Cho, S.-Y.; Kim, S.-H.; Shin, M.-K.

Lee, J.-H.; Jang, K.-S.; Shin, C.-S.
Structural and optical properties in ZnTe/GaAs strained heterostructures grown by temperature-gradient vapor transport deposition.—75-03171

Lee, J.-H.; Lee, K.-H.; Kim, H.-K.
Retarding effects of cement mortar setting.—75-07181

Lee, J.-K. See Chung, Il-Sub; Lee, Wan-In

Lee, J.-K.; Kim, H.
Surface crack initiation in 2Y-TZP ceramics by low-temperature aging.—75-04643

Lee, J.-L.; Pan, Y.-T.
Modeling the formation potential of intragranular acicular ferrite in welding microstructure.—75-03320

Lee, J.-M. See Song, J. H.

Lee, J.-S. See Lee, Wan-In

Lee, J.-Y. See Chang, U.-C.; Her, P.-S.; Kim, D.-Y.

Lee, Jae-Hak See Moon, Hwan-Seong

Lee, Jae-Hyung See Jang, Joon-Hyuk

Lee, Jae-K. See Eun, Kwang-Y.

Lee, Jae-Suk See Moon, Hwan-Seong

Lee, Jai-Chan See Yoon, Soon-Gil

Lee, Jai-Young See Lee, Hwan-Chul

Lee, Jeon-Kook See Kim, Tae-Song

Lee, Jeong-Seok; Kim, In; Choe, Byung-Doo
Carbon doping and growth rate reduction by CCl_4 during metallorganic chemical vapor deposition of GaAs.—75-01389

Lee, Jeong-Yong See Paek, Yeong-Kyeun

Lee, Jin-Ho; Park, Hoon; Kim, Chang-Eun
Synthesis of hydroxyapatite powders by homogeneous precipitation method and their thermal changes.—75-09470

Lee, Jong-Kook See Lee, Jong-Pil

Lee, Jong-Kook; Kim, Hwan
Microstructural development of the isothermal phase transformation during aging at 250°C in 2Y-TZP ceramics.—75-06890

Lee, Jong-Pil; Lee, Jong-Kook; Kang, Sang-Gu; Kim, Hwan
Synthesis of $Pb(Mg_{1/3}Nb_{2/3})O_3$ powder by solvent evaporation and its dielectric property.—75-08175

Lee, Joon-Sung See Kim, Chang-Jung

Lee, June-Gunn See Cho, Kyeong-Sik

Lee, June-Key See Chung, Chee-Won

Lee, Jung-H.; Choo, Woong-K.; Kim, Yong-S.
Depth-dependent lattice parameter variation and stress-induced magnetic anisotropy of ultrathin $Dy_3BiFe_4GaO_{12}$ garnet films deposited on the glass substrate by pyrolysis.—75-05661

Lee, Jung-H.; Kim, Dong-S.; Lee, Young-H.; Farouk, Bakhtier
Deposition and characterization of [diamondlike carbon] DLC/SiO_2 nanocomposite prepared by ion-assisted PECVD.—75-09253

Lee, Jung-H.; Kim, Dong-S.; Lee, Young-H.
Effect of ion bombardment on the structure and properties of PECVD Sioxygen.—75-04004

Lee, Jung-June; Park, Jong-Gwan; Oh, Tae-Sung
Effects of WO_3 addition on the microwave dielectric properties of $Zr_{0.8}Sn_{0.2}TiO_4$ [ZST] ceramics.—75-07725

Lee, K. H. See Hirschfeld, D. A.

Lee, K. J.; Tien, T. Y.; Gulari, E.
Sol to gel reaction in the K_2O-Al_2O_3-SiO_2 system.—75-06352

Lee, K. R.; Sundaram, K. B.; Malocha, D. C.
Deposition parameters of silicon nitride films prepared by a silane nitrogen plasma-enhanced chemical vapor deposition process.—75-03988

Lee, K. See Kolawa, E.

Lee, K.-C. See Hsieh, W.-T.

Lee, K.-H. See Kim, B.-H.; Kim, D.-H.; Lee, J.-H.

Lee, K.-H.; Park, P.-H.; Chang, C.-W.; Chang, J.-H.; Kim, H.-K.
Development of Skid Brick for pickling process.—75-07444

Lee, K.-J.; Wu, H.-D.; Chen, C.-I.; Ju, C. P.
Wear of graphite and PAN-pitch carbon-carbon composites.—75-04665

Lee, K.-Y.; Ludema, K. C.
Fatigue wear mechanism of alumina-based ceramics under synchronized cyclic normal and tangential loads.—75-09635

Lee, Kang-N. See Jacobson, N. S.

Lee, Kang-N.; Miller, Robert A.
Oxidation behavior of mullite-coated SiC and SiC/SiC composites under thermal cycling between room temperature and 1200–1400°C.—75-04439

Lee, Kee-H.; Kim, Kyung-W.
Effects of humidity and sliding speed on the wear properties of Si_3N_4 ceramics.—75-04506

Lee, Ki-Gang; Lee, Hyo-Jin; Park, Cheon-Joo; Kim, Dong-Won; Kim, Yoo-Teak; Kim, Suck-Bum
Plasticity enhancement of coal fry ash-clay bodies.—75-08736

Lee, Ki-Y. See Lim, Byung-C.

Lee, Ki-Yong; Case, Eldon D.; Asmussen, J.; Siegel, Marvin
Sintering of alumina ceramics in a single-mode cavity under automated control.—75-01665

Lee, Kie-Jin See Lee, Sang-Min

Lee, Kwang-Hee; Choi, Se-Young
Characterization and bactericidal effect of Na_2O-Al_2O_3-SiO_2 glass system by $Na^+1/2Ag^+$ ion exchange.—75-07287

Lee, Kyoung-Ho; Hirschfeld, D. A.; Brown, Jesse J.
In situ whisker-reinforced $AlPO_4$-modified ∫-eucryptite glass-ceramic: I, Morphology and crystallization kinetics.—75-02590

Lee, Kyoung-Ho
Effects of titania whisker precipitation on wear property of the glass-ceramic.—75-07333; See also Oh, Yoon-Seok

Lee, Kyu-Won See Park, Hai-Woong

Lee, L. Jong-Ren See Aoki, Makoto

Lee, L.-C. See Kao, C.-H.

Lee, L.
Leslie Lee.—75-02285

Lee, Lang-Luen; Tsai, Dah-Shyang
Ion clustering and crystallization of sol-gel-derived erbium silicate glass.—75-02592

Lee, M.-K.; Yeh, M.-Y.; Guo, S.-J.
Nitrogen-doped ZnSe with selenium-rich growth by low-pressure organometallic chemical vapor deposition.—75-03100

Lee, N.-E. See Xiao, H.-Z.

Lee, P. C. Y.; Wang, Ji
Vibrations of AT-cut quartz strips of narrow width and finite length.—75-03862

Lee, R. See Moreno, W.

Lee, Robert H. See Ben-Zeitun, Ahmed E.

Lee, S. J.; Proudfoot, I.
Optimization of continuous casting refractory materials and designs.—75-07619

Lee, S. R. See Strane, J. W.

Lee, S. Y. See McNallan, Michael J.

Lee, S. Z.; Zum Gahr, K.-H.
Laser-induced surface alloying of Al_2O_3 ceramics with ZrO_2-TiO_2 powders.—75-04092

Lee, S.-C. See Chang, Y.-B.

Lee, S.-D. See Shin, M.-K.

Lee, S.-F. See Wu, H.-Y.

Lee, S.-G. See Kang, S.-G.

Lee, S.-K. See Kim, S.-H.

Lee, S.-L. See Wu, H.-Y.

Lee, S.-W. See Hsu, Stephen M.

Lee, S.-W.; Jang, T.-S.; Aum, H.-S.
Effect of Al_2O_3 and Y_2O_3 on machining of silicon nitride.—75-09267

Lee, Sang-Min See Sung, Gun-Yong

Lee, Sang-Min; Park, Jae-Hong; Park, Gwang-Seo; Lee, Kie-Jin
Inhomogeneous Josephson junction array model in HTSC granular bridges.—75-08346

Lee, Sang-Won; Ryoo, Kun-Sang; Kim, Jung-Eun
Structure and radiative properties of aluminophosphate glasses.—75-04933

Lee, Seaung-Suk; Kim, Ho-Gi
Electrical characterization of PLT thin films by LP-MOCVD.—75-05557

Lee, See-Hyung See Kim, Young-June

Lee, Seung-Kun; Kim, Do-Hyeong; Kim, Chong-Hee
Fabrication of TiB_2/TiC composites by the directional reaction of Ti with B_4C.—75-06605

Lee, Seung-Kun; Kim, Yoon-Chang; Kim, Chong-Hee
Microstructural development and mechanical properties of pressureless-sintered SiC with platelike grains using Al_2O_3-Y_2O_3 additives.—75-06889

Lee, Soo-Min See Baik, Sung-Gi

Lee, Soo-Young See Ko, Jae-Woong

Lee, Sung-Hak See Sohn, Kee-Sun

Lee, Sylvia L. See Flechsig, Karl A.

Lee, Tae-Kun See Oh, Kwang-Suk

Lee, W. E. See Fernandes, T. R. C.; Glendenning, Malcolm D.; Guillard, F. J. A.; Karakas, Y.; Miao, X.; Nolte, A. N.; Pathumarak, S.; Reaney, I.

Lee, W. T. See Bi, Xiang-Xin

Lee, W.-K. See Nowick, A. S.

Lee, Wan-In See Chung, Chee-Won

Lee, Wan-In; Lee, J.-K.; Lee, J.-S.; Yoo, I.-K.
Preparation and electrical properties of high-quality PZT thin films on RuO_x electrode.—75-05626

Lee, Wei-Chang See Chung, S.-L.

Lee, Won H.
Nonmagnetic ceramic substrate material.—75-08781

Lee, Won-Jae See Chae, Su-Jin

Lee, Won-Jae; Kim, Ho-Gi
Electrical properties of barium strontium titanate (BST) thin films deposited on various Pt-base electrodes.—75-05191

Lee, Woo-Y. See Bae, Yong-W.

Lee, Woo-Y.; Cooley, Kevin M.; Berndt, Christopher C.; Joslin, Debra L.; Stinton, D. P.
High-temperature chemical stability of plasma-sprayed $Ca_{0.5}Sr_{0.5}Zr_4P_6O_{24}$ [CS50] coatings on Nicalon/SiC ceramic matrix composite and Ni-based superalloy substrates.—75-09148

Lee, Woo-Y.; More, K. L.; Stinton, D. P.; Bae, Yong-W.
Characterization of Si_3N_4 coated with chemically vapor deposited mullite after Na_2SO_4-induced corrosion.—75-06866

Lee, Woo-Y.; Stinton, D. P.; Berndt, Christopher C.; Erdogan, Fazil; Lee, Yi-Der; Mutasim, Z.
Concept of functionally graded materials for advanced thermal barrier coating applications.—75-07202

Lee, Woo-Y.; Stinton, D. P.; Joslin, Debra L.
Interaction of low-expansion NZP ceramics with Na_2SO_4 at 1000°C.—75-01874

Lee, Wook-Seong; Baik, Young-Joon; Eun, Kwang-Y.
Method for the deposition of diamond film by high density direct current glow discharge.—75-06126

Lee, Y.-H.; Kwon, H.-C.; Kim, J.-M.; Park, Y.-K.; Park, J.-C.
Integrated planar gradiometer based on a double relaxation oscillation SQUID [DROS].—75-08347

Lee, Y.-S. See Hsieh, S.-W.

Lee, Y.-Y.; Wu, L.; Chang, J.-S.
Domain structure in modified lead titanate ferroelectrics.—75-03224

Lee, Yi-Der See Lee, Woo-Y.

Lee, Yih-Shing; Liao, Kao-Shiang; Tseng, Tseung-Yuen
Microstructure and crystal phases of praseodymium oxides in zinc oxide varistor ceramics.—75-05385

Lee, Yong-Keun; Choi, Se-Young
Characterization and preparation of glass-ceramics in the system Fe_2O_3-CaO-SiO_2: II.—75-07328; Crystallization and properties of Fe_2O_3-CaO-SiO_2 glasses.—75-02640

Lee, Yoon-Bok See Park, Hong-Chae

Lee, Young-H. See Lee, Jung-H.

Lee, Young-J.; Park, Chong-Ook; Kim, Dong-Won
Effects of deposition temperature on the interfacial properties of SiH_4 reduced blanket tungsten on TiN glue layer.—75-03791

Lee, Yu-Chen
Effect of manganese oxide on the corrosion behavior of alumina-silica-graphite shroud nozzle in continuous casting.—75-07536

Lee, Yu-Chi See Wu, Tsung-Ming

Leers, Dieter See Bachmann, Peter K.

Leese, Samuel M.; Maguire, Sam G.
Effects of organics in casting slips.—75-09295
Lefebvre, F. See Dion, I.
Lefebvre, J. E. See Gryba, T.
Lefki, K.; Dormans, G. J. M.
Measurement of piezoelectric coefficients of ferroelectric thin films.—75-00672
Leger, J. M.; Haines, J.; Blanzat, B.
Materials potentially harder than diamond: quenchable high-pressure phases of transition metal dioxides.—75-06070
LeGeros, J. P. See LeGeros, R. Z.
LeGeros, J. P.; LeGeros, R. Z.; Burgess, A.; Edwards, B.; Zitelli, J.
X-ray diffraction method for the quantitative characterization of calcium phosphate coatings.—75-01977
LeGeros, R. Z. See LeGeros, J. P.
LeGeros, R. Z.; Zheng, R.; Kijkowska, R.; Fan, D.; LeGeros, J. P.
Variations in composition and crystallinity of hydroxyapatite (HAp) preparations.—75-01098
Legin, A. V.; Baidakov, D. L.; Vlasov, Yu. G.
CuI-PbI_2-As_2Se_3 thin films prepared by chemical deposition.—75-07379; Chalcogenide films: electric conductivity and preparation by chemical deposition.—75-02702
Legkikh, N. V. See Rokeakh, A. I.
Legoshin, G. M.; Shulov, S. Ya.
Method for evaluating ecological danger of heat engineering objects in the building materials industry.—75-08731
Legoshin, G. M.
Prospects of strengthening thin and superthin glasses.—75-07399
Legrand, A. P. See Lajnef, M.
Legros, N. See Laplante, S.
Legros, R. See Daran, E.
Lehigh, Mitchell D. See Cherian, Isaac K.
Lehman, D.
Laser-engraved surfaces.—75-02284; Side firing—where the life is.—75-02356
Lehman, Richard L.; El-Rahaiby, Said K.; Wachtman, John B., Jr.
Handbook on Continuous Fiber-Reinforced Ceramic Matrix Composites.—75-04777
Lehman, Richard L.
International standards for lead and cadmium release from ceramic foodware surfaces.—75-04714
Lehmann, J. See Betz, T.
Lehr, Beverlee; Marrone, Sandy
Modular inquiries.—75-02300
Lehto, Michael A. See Limaye, S. Y.
Lei, B. Q. See Li, W. B.
Lei, B. Q.; Lindback, T.; Johansson, T.; Warren, R.
Mechanisms and kinetics of nitridation in silicon powder compacts.—75-04107
Lei, T.-C. See Lin, G.-Y.; Zhu, W.-Z.
Lei, T.-C.; Ge, Q.-L.; Zhou, Y.; Wang, S.-H.
Microstructure and fracture behavior of an Al_2O_3-ZrO_2-SiCw ceramic composite.—75-04600
Lei, T.-S. See Chen, C.-M.; Chiu, Y.-D.
Lei, X.-L. See Wang, X.-F.
Leichtfried, G. See Martinz, H.-P.
Leiderman, A. Yu. See Saidov, A. S.
Leigh, David A.; Wade, Frances; King, Terence A.; West, David; Bahra, Gurmit S.
Improved second harmonic generation from Langmuir-Blodgett films of an azacrown ether fullerene derivative.—75-00512
Leigh, H. David See Figueiredo, Aloyso O.
Leigh, W. B.; Larkin, J. J.; Harris, M. T.
Characterization of Czochralski- and hydrothermal-grown $Bi_{12}SiO_{20}$.—75-01016
Leinenweber, Kurt; Wang, Yan-Bin; Yagi, Takehiko
Unquenchable perovskite phase of $MgGeO_3$ and comparison with $MgSiO_3$ perovskite.—75-03861
Leininger, J. See Barrera, T. P.
Leiro, J. A. See Batirev, I. G.
Leitch, A. W. See Alberts, V.
Leite, E. R. See Boillet, J.; Cerri, Jose Alberto
Leite, E. R.; Cerqueira, Marinalva; Perazoli, Lenig A.; Nasar, Ricardo S.; Longo, E.; Varela, J. A.
Mechanism of phase formation in $Pb(Zr_xTi_{1-x})O_3$ synthesized by a partial oxalate method.—75-03240
Leite, E. R.; Sousa, C. M. G.; Longo, E.; Varela, J. A.
Influence of polymerization on the synthesis of $SrTiO_3$: I, Characteristics of the polymeric precursors and their thermal decomposition.—75-04080
Leite, E. R.; Varela, J. A.; Longo, E.; Paskocimas, C. A.
Influence of polymerization on the synthesis of $SrTiO_3$: II, Particle and agglomerate morphologies.—75-04081
Leite, Neila F. See Corat, Evaldo J.
Lejus, A. M. See Malecki, A.
Leksono, M. W.; Qiu, C. H.; Melton, W.; Pankove, J. I.
Infrared luminescence from MOCVD GaN.—75-00518
Lelait, L. See Alperine, S.
Lele, R. G. See Kar, S.
Lelovic, M.; Krishnaraj, P.; Eror, N. G.; Iyer, A. N.; Balachandran, U.
Transport critical current density above 10^5 A cm^{-2} at 77 K in $Bi_{1.8}Pb_{0.4}Sr_2Ca_{2.2}Cu_3O_x$ superconducting tapes made by the Ag wire-in-tube method.—75-08443
Lemaitre, Jacques See Bohner, Marc
Lemanov, V. V. See Gol'tsman, B. M.
Lemanov, V. V.; Smirnova, E. P.; Tarakanov, E. A.
Phase diagram of the $BaTiO_3$-$SrTiO_3$ system.—75-06298
Lemanov, V. V.; Zaitseva, N. V.; Smirnova, E. P.; Syrnikov, P. P.
Phase transitions in $BaTiO_3$-$KTaO_3$ solid solutions.—75-05204
Lemelson, Jerome H.
Apparatus and method for forming diamond coating.—75-08550; Methods for forming artificial diamond.—75-06132
Lemen, Don J. See Taylor, Thomas A.
Lemercier, H. See Rouxel, T.
LeMercier, Thierry; Quarton, M.; Fontaine, M.-F.
Near-surface defects created by 355-nm laser irradiation of rutile.—75-01768
Lemmer, O. See Leyendecker, T.
Lemoine, Christine; Gilbert, Bernard; Michaux, Bernard
Synthesis of barium titanate by the sol-gel process.—75-06803
Lemoine, P.; Ferraris, M.; Salvo, M.; Montorsi, M.
Fracture characterization of silicon-joined ceramic matrix composites.—75-04537
Lemons, J. E.
Development of ASTM standards for bioceramics.—75-02125
Lemons, Jim
Diatomite.—75-06028
Lempereur, Simon See Duperray, Ferard
Lempert, G. D. See Kulik, J.
Lempicki, A. See Wojtowicz, A. J.
Lenahan, P. M. See Conley, John F. Jr.; Yount, J. T.
Lenander, Anders See Ljungberg, Bjorn
Lences, Z.; Bellosi, A.
Crystallization and densification of ultrafine Si/C/N powders.—75-01418
Lences, Z.
Influence of Cr, Fe, Ni, and Ti additives on the nitridation kinetics of silicon powder compacts.—75-04078; See also Licko, T.; Sajgalik, P.
Lencka, Malgorzata M. See Eckert, James O. Jr.
Lengel, G. See Wilkins, R.
Lenk, Reinhard
Hot molding of ceramics.—75-01526
Lennikov, V. V. See Grigorashev, D. I.
Lennikov, V. V.; Kazin, P. E.; Putlyaev, V. I.; Tret'yakov, Yu. D.; Yansen, M.
Influence of magnesium oxide on the properties of a high-temperature superconductor of $Bi_2Sr_2CaCu_2O_{8+x}$ synthesized by melt methods.—75-08342
Leonard, Susanne R.
New approach to joint research and development: determining the potential for a partnership between the glass industry and the federal government.—75-07089
Leone, A. See Kudesia, R.
Leone, Edgar A.; Curran, Sean; Kotun, Margaret E.; Carrasquillo, Gilbert; Van Weeren, Remco; Danforth, Stephen C.
Solid-state ^{29}Si NMR analysis of amorphous silicon nitride powder.—75-01242
Leonelli, C. See Barbieri, Luisa; De Oliveira, Antonio Pedro Novaes; Generali, E.; Siligardi, C.
Leonhardt, A. See Endler, I.
Leoni, M. See Delfrate, M. Alvazzi
Leonidov, I. A. See Patrakeev, M. V.
Leonov, V. G. See Afonina, G. A.; Mosin, Yu. M.
Leont'ev, V. G.; Bryukvin, V. A.
Foaming, macrokinetics, and mechanism of carbothermal reduction of iron zinc-containing oxide melts.—75-09312
Leonyuk, L. I. See Arakcheeva, A. V.; Babonas, G.-Yu.
Leonyuk, L. I.; Babonas, G.-Yu.
Features of growth and properties of Tb-doped Y-123-type single crystals.—75-08320
Leonyuk, N. I. See Stefanovich, S. Yu.
Leoten, Zh. See Smirnov, D. V.
Lepin, A. A.
Electrically heated glass.—75-07383
Lepkova, D. See Djambazov, S.
Lepkova, D.; Yoleva, A.; Pavlova, L.; Surnev, B.
Insulation AlON ceramics.—75-07734
Lepnev, L. S. See Tagiev, B. G.
Leppavuori, Seppo See Zhang, Hong-Xue
Lerch, Klaus; Buxbaum, Gunter
Pure-colored iron oxide direct red pigments, a process for their production, and their use.—75-00297
Lerch, Klaus; Kuske, Peter; Kroner, Walter; Buxbaum, Gunter
Red ceramic molded bodies as well as processes for their production.—75-00255
Lerch, Martin
Nitridation of zirconia.—75-09369
Leroux, P. See Berriche, R.
Leroux, Roland See Nass, Peter
Lesage, B. See Le Gall, M.
Lesaicherre, Pierre-Yves; Yamamichi, Shintaro; Takemura, Koichi; Yamaguchi, Hiromu; Tokashiki, Ken; Miyasaka, Yoichi
Gbit-scale DRAM stacked capacitor with ECR MOCVD $SrTiO_3$ over RIE patterned RuO_2/TiN storage nodes.—75-05194
Leshchinskaya, E. S. See Georgobiani, A. N.
Leshchinsky, A.
Guide for evaluation of concrete structures prior to rehabilitation.—75-02409
Leshchuk, R. E.; Nosenko, A. E.; Grytsiv, M. Ya.; Chykhrii, S. I.
Structure and optical properties of $Ca_3Ga_2Ge_4O_{14}$ thin films.—75-09192
Lesher, Charles E. See Mishra, Rajiv S.
Lesher, H. D. See Newkirk, Marc S.
Lesne, P. M. See Chaboche, J. L.
Lesnikov, V. P. See Tikhov, S. V.
Lesnikovich, A. I. See Selevich, A. F.
Lesnikovich, K. A. See Trofimenko, N. E.
Lesovoi, M. V. See Kukuev, V. I.
Lessing, Paul A.
Method for manufacturing whisker preforms and composites.—75-06125
Leszczynski, M.; Suski, T.; Teisseyre, H.
Thermal expansion of gallium nitride.—75-00618
Letellier, M. See Delville, A.
Lettington, A. H. See Butter, R. S.
Letullier, P.; Debray, K.; Martin, E.; Quenisset, J. M.; Heintz, J. M.
Processing and flexural behavior of alumina multilayer structures.—75-04181
Letyuk, L. M. See Kostishin, V. G.
Leu, J.-C. See Lan, S.-M.
Leung, P. See Chivukula, V.
Leung, Roger Y.; Gonczy, Stephen T.
Ceramic fiber-reinforced silicon carboxide composite.—75-06079; Method of preparing fiber-reinforced glass composites.—75-07376
Leung, Roger Y.; Nebo, Jon F.; Gonczy, Stephen T.
Silicon oxycarbonitride by pyrolysis of polycyclosiloxanes in ammonia.—75-03944
Leung, Roger Y.; Stranford, Gerald T.; Gonczy, Stephen T.
High flexural strength ceramic fiber-reinforced silicon carboxide composite.—75-06089; 75-07428
Leung, S. H. F. See Aldridge, L. P.; Carter, M. L.; Stewart, M. W. A.
Leung, S.; Mehrtens, E. G.; Stevens, G. T.
High-temperature mechanical and fracture properties of an Al_2O_3/SiC_w ceramic matrix composite.—75-06992
Leupold, Hermann; Vermeer, Gijsbert
Jari Brazilian calcined bauxite—production and application in high-alumina refractories: MSL Minerais SA.—75-07586
Leusenko, A. A. See Govor, G. A.
Levashov, E.
Peculiarities of structure and properties formation of diamond-containing functional gradient materials in the SHS regime.—75-02520
Levchenko, G. G. See D'yakonov, V. P.
Levchenko, G. G.; D'yakonov, V. P.; Markovich, V. I.; Fita, I. M.
Anomalous behavior of paramagnetic susceptibility of $GdBaCuO_{6.2}$ single crystals in a magnetic field.—75-08192
Levchenko, G. G.; D'yakonov, V. P.; Zubov, E. E.; Markovich, V. I.; Fita, I. M.
Magnetic transformations in $GdBaCuO_{6.2}$ single crystals below 20 K. Determination of spin interactions of Gd^{3+} ions.—75-05691
Levchenko, I. S. See Kuz'michev, N. D.
Levchenkov, O. A. See Rizvanova, N. G.
Levi, Carlos G. See Polli, Andrew D.
Levichev, S. A.
Surface tension of aqueous solutions of chromium sulfate and sodium dodecylsulfate solutions.—75-07041; See also Lobacheva, O. L.
Levin, A. A.; Shepelev, Yu. F.; Smolin, Yu. I.; Bush, A. A.
Modulation of $Bi_4Sr_4CaCu_3O_{14+x}$ superconductor structures.—75-08374
Levin, E.
Keiko Fukazawa and Joan Takayama-Ogawa—a confluence of American and Japanese cultures.—75-02280
Levin, K. See Si, Qi-Miao
Levin, Marc N.; Maslovsky, Vladimir M.
Relaxation processes induced in Si-SiO_2 systems by ionizing radiation and pulsed magnetic field treating.—75-05462
Levinshtein, M. E.; Rumyantsev, S. L.
Use of band-to-band illumination to determine local level parameters in the noise spectroscopy technique.—75-05988
Levinskii, Yu. V.; Petrov, A. P.; Vasil'eva, I. P.
Preparation of titanium carbonitride powders from titanium alloy chips.—75-06740
Levinskii, Yu. V.; Petrov, A. P.
Production of wear-resistant materials based on "chipped" titanium diboride.—75-06753
Levitin, R. Z. See Baran, M.
Levitskii, I. A.; Biryuk, T. V.
Ceramic pigments of the brown spectrum based on galvanic slime.—75-02851
Levitskii, I. A.; Biryuk, V. A.
Colored nonfritted glazes from available raw materials for facade ceramics.—75-02859
Levitskii, I. A.; Gailevich, S. A.; Kolontaeva, T. V.
High-melting opacified glazes for household ceramics.—75-07708
Levon, K.; Weng, D.; Mao, J.; Lee, H. K.; Tour, James M.; Schrivens, W. A.
Stratification of fullerenes.—75-01244
Levoni, G.
Safety of machinery in the ceramic and building brick industries.—75-04746
Levshin, N. L. See Avilov, A. S.
Levush, B. See Birman, Amnon; Martin, L. P.
Levy, Moises; Li, Zheng-Xiao; Sarma, Bimal K.
Ultrasonic determination of the superconducting energy gap in domain boundaries of melt-textured $YBa_2Cu_3O_7$.—75-05856
Lewing, P.
China paint—the ultimate in low fire.—75-02216
Lewinsohn, Charles A. See Morscher, Gregory N.
Lewis, D. B. See Pugh, A. C.
Lewis, D., III See Bruce, R. W.
Lewis, David A.; LaMaire, Susan J.; Viehbeck, Alfred
Microwave processing of polyimide thin films for electronics.—75-00352
Lewis, David A.
World Congress on Microwave Processing.—75-02154
Lewis, I. R. See Zhou, En-Hong
Lewis, J. A. See Desai, P. G.; Wegmann, M. R.
Lewis, J. A.; Blackman, Kimberly A.; Ogden, Andrea L.; Payne, James A.; Francis, Lorraine F.
Rheological property and stress development during drying of tape-cast ceramic layers.—75-09184
Lewis, J. A.; Boyer, M. A.
Effects of an organotitanate cross-linking additive on the processing and properties of macro-defect-free cement.—75-02402
Lewis, J. A.; Galler, Michael A.; Bentz, Dale P.
Computer simulations of binder removal from 2-D and 3-D model particulate bodies.—75-03978

Lewis, J. A.; Ogden, Andrea L.
Rheological behavior of polymer-stabilized ceramic suspensions—role of the "free" polymer species.—75-01650

Lewis, M. A.; Verma, S.; Ackerman, J. P.
Effect of different glasses in glass-bonded zeolite.—75-03462

Lewis, M. H.; Butler, E. G.; Marquis, P. M.
Ceramic materials for gas turbine applications.—75-03689

Lewis, M. H.; Cain, M. G.; Doleman, P.; Razzell, A. G.; Gent, J.
Development of interfaces in oxide and silicate matrix composites.—75-03992

Lewis, M. H.; Daniel, A. M.; Cain, M. G.
Interface characterization using an SEM-based microindentor.—75-03574

Lewis, M. H.
Crystallization of grain boundary phases in silicon nitride and SiAlON ceramics.—75-03780; Microstructural design of Si_3N_4 and SiAlON ceramics in relation to combined mechanical and environmental behavior.—75-01883; See also Cain, M. G.; Daniel, A. M.; Plucknett, K. P.; Sutherland, S.; West, Grant

Lewis, Michael
Glass container reuse: refillables hold opportunity for glass industry.—75-07076

Lewis, R. K. See Fletcher, A. C.

Lewis, Wesley A., Jr.
Variables encountered in the dry pressing of technical ceramics.—75-04273

Lewry, A. J.; Williamson, J.
Setting of gypsum plaster: I. The hydration of calcium sulfate hemihydrate.—75-04831; II. The development of microstructure and strength.—75-04832

Ley, L. See Teuschler, T.

Leyendecker, T.; Lemmer, O.; Esser, S.; Frank, M.
Wear mechanism of diamond-coated cutting tools.—75-09693

Leysen, R. See Luyten, J.

Lezal, Dimitrij; Pedlikova, Jitka; Gurovic, Jan; Vogt, Rudolf
Preparation of chalcogenide glasses in chlorine reactive atmosphere.—75-07396

Lhermitte-Sebire, I.; Vicens, J.; Chermant, J. L.
Transmission electron microscopy and high resolution electron microscopy studies of structural defects induced in 6H α-SiC single crystals irradiated by swift Xe ions.—75-06914

Li, Ai-Kang See Fu, Chen-Tsu; Lai, Chung-Ping

Li, B.-S. See Cai, J.; Liu, G.-J.; Shi, J.-L.

Li, Bai-Qin See Kang, Dae-Whan

Li, C.-L.; Yang, L.-C.; Cheng, H.-M.; Jiang, G.-J.; Lai, J.-Y.
Synthesis of functional copolymer of 4-methyl-1-pentene via organoborane.—75-04243

Li, C.-M. See Lu, F.-X.

Li, C.-Q. See Shen, J.-Q.

Li, Cheng-Chung See Kim, Hong-Koo

Li, Chien-Wei; Behi, Mohammad; Yamanis, Jean
Monolithic silicon nitride having high fracture toughness.—75-03745

Li, Chien-Wei
Stress-rupture-resistant sintered silicon nitride.—75-08851

Li, Chu-Rong See Liu, Mei-Dong

Li, D. Y. See Low, I. M.; Skala, R. D.

Li, D. Y.; Wang, H.; Mackinnon, C. W.; Low, I. M.; Davis, R. L.
X-ray powder diffraction data for high-T_c superconductor $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ (2223).—75-00895

Li, D.-H. See Wang, W.-X.

Li, D.-X. See Dai, J.-Y.

Li, Dien; Bancroft, G. M.; Kasrai, M.
X-ray absorption spectroscopy of SiO_2 polymorphs: the structural characterization of opal.—75-03864

Li, Dong See Lin, Shu-Han

Li, En-De See Xu, Shi-Jiang

Li, F. See Colin, C.

Li, Feng-Ying See Gu, Hui-Cheng

Li, Fu-Ming See Ren, Zhong-Min

Li, Guang-Ming; Nogami, Masayuki
Preparation and optical properties of sol-gel-derived ZnSe crystallites doped in glass films.—75-00219

Li, Guang-Wei See Shi, S.-Z.

Li, H. M. See Radhakrishnan, K.

Li, H.-L.; Wang, Z.-D.; Wu, D.-D.
Fracture behavior of alumina composites toughened by chromium particles.—75-02483

Li, H.-P.
New innovation in powder metallurgy—self-propagating high-temperature synthesis (SHS).—75-03584

Li, H.-R. See Li, W.-S.

Li, H.-X.; Sun, W.-Y.; Yan, D.-S.; Tien, T. Y.
Fabrication and mechanical properties of α/12-SiAlON-12H multiphase ceramics.—75-04030

Li, H.; Huang, L.-P.; Fu, X.-R.
Preparation of nanometric SiC-Si_3N_4 composite powders.—75-04163

Li, Hong; Langowski, Mari H.; Hrma, Pavel R.
Segregation of sulfate and phosphate in the vitrification of high-level wastes.—75-03494

Li, Hong; Tomozawa, Minoru; Lou, Victor K.
Effects of nitrogen and carbon ion implantation on devitrification of silica glass.—75-05009

Li, Hong; Tomozawa, Minoru
Chemical durability of simulated nuclear waste glasses containing water.—75-03451; Mechanical strength increase of abraded silica glass by high pressure water vapor treatment.—75-04980

Li, J.-B. See Huang, Y.

Li, J.-C.; Ross, D. K.
Dynamical scaling for spinodal decomposition—a small angle neutron scattering study of porous Vycor glass with fractal properties.—75-04951

Li, J.-G.
Wetting of ceramic materials by liquid silicon, aluminum, and metallic melts containing titanium and other reactive elements—a review.—75-04275

Li, J.-S.; Sinclair, Robert; Rosenblum, S. S.; Hayashi, H.
Interface reaction enhanced epitaxial growth of barium ferrite magnetic thin films.—75-03298

Li, J.-T.; Xia, Y.-L.; Ge, C.-C.
Synthesis of Si_3N_4-based composite powders by SHS process.—75-04247

Li, J.-X.; Wu, J.-Q.; Wei, S.-L.
Mechanochemical treatment of zircon sand and $ZrSiO_4$ amorphization at ordinary temperature.—75-04108

Li, J.; Li, X.-H.; Lu, F.-Y.
Erasure of photorefractive gratings in barium titanate.—75-01289

Li, J.; Zhu, J.-S.; Xu, X.-F.
Dependence of dissipation on magnetic field orientation in high-T_c superconductor ceramics.—75-03352

Li, Ji-Ping See Loboda, Mark J.

Li, Jia-Zhi See Luo, Hong-Jie

Li, Jian-Bao; Huang, Y.; Xie, Z.-P.
Microwave interaction with ceramics and its application to spinodal decomposition.—75-09363

Li, Jian-Guo; Hausner, H.
Reactive wetting in the liquid-silicon/solid-carbon system.—75-04199

Li, Jian-Guo
Observations on wetting in the Bi_2O_3-ZnO system.—75-06903

Li, Jian-Xi See Feng, Pei-Zhi

Li, Jie-Fang See Tani, Toshihiko; Viehland, Dwight; Yuan, Li-Jian

Li, Jing-Feng See Kobayashi, Yoshimasa

Li, Jing-Feng; Nishimo, Noriyuki; Kawasaki, A.; Watanabe, R.
Development of diamond tools for superprecision machining with compositionally graded layers from silicon carbide shank to diamond chip.—75-01144

Li, Jing-Feng; Watanabe, R.; Zhang, Bo-Ping; Asami, Katsuhiko; Hashimoto, Koji
X-ray photoelectron spectroscopy investigation on the low-temperature degradation of 2 mol% Y_2O_3-ZrO_2 ceramics.—75-09108

Li, Jun See Ulrich, Richard

Li, Ling See Cao, Zhong

Li, Long-Xing See Shi, S.-Z.

Li, M. See Wang, M.

Li, M.-S. See Li, Y.-S.

Li, M.-Z. See Wu, F.-Y.; Zhuang, H.-R.

Li, M.; Guiu, F.
Microstructure and thermal stability of a glass-coated SiC/SiC composite.—75-09563

Li, M.; Reece, M. J.; Guiu, F.
Fatigue fracture behavior of gas pressure sintered silicon nitride.—75-04526

Li, Meng-Li; Beale, Guy O.; Tian, Yong-Lai
Automatic control during microwave heating of ceramics.—75-01010

Li, Ming; Sakai, Mototsugu
Mixed-mode fracture of ceramics in asymmetric four-point bending: effect of crack-face grain interlocking/bridging.—75-09656

Li, Nan
Sintering and Materials: Proceedings of the Sixth International Symposium on the Science and Technology of Sintering.—75-04782; See also Li, Ya-Wei; Liang, Y.-H.

Li, P.-X. See Wang, B.-M.

Li, Pan-Jian; Kangasniemi, I.; De Groot, K.
Apatite crystallization from metastable calcium phosphate solution on sol-gel prepared silica.—75-06159

Li, Q. See Kang, W. P.

Li, Qi See Ma, Wen-Hui

Li, Qing See Gu, Mu

Li, Qing-Hua See Komarneni, Sridhar

Li, Ru-Kang
$(BaTiO_3)_m(Gd,Ce)_3Cu_2O_7$: a new homologous series of layered cuprates containing various layers of perovskite units.—75-06148

Li, S.-C. See Zheng, G.-L.

Li, S.-C.; Chang, X.-F.; Liu, S.-K.
Microstructure of ZA-12 alloy/ZnOw composite.—75-02510

Li, S.-H. See Kuang, X.-M.

Li, S.; Chang, X.
Shear and trace-wear behavior of ZA-12 alloy/ZnO_w composite.—75-02544

Li, Shao-Ping; Bhalla, A. S.; Newnham, Robert E.; Cross, L. Eric; Huang, Chi-Yuen
90° domain reversal in $Pb(Zr_xTi_{1-x})O_3$ ceramics.—75-03215

Li, T. K. See Hirschfeld, D. A.

Li, T. K.; Hirschfeld, D. A.; Brown, Jesse J.
$(Ca_{1-x}Mg_x)Zr_4(PO_4)_6$ [CMZP] and ZrP_2O_7 coatings and foams.—75-01259; In situ NZP type whisker growth.—75-01536

Li, T.-F. See Chen, Q.-F.

Li, T.-S. See Zhong, X.-C.

Li, T.; Brook, R. J.; Derby, B.
Reaction bonding of Cr_2O_3 ceramics.—75-01642

Li, Ting See Ruoff, Arthur L.

Li, Victor C. See Maalej, Mohamed; Wu, Hwai-Chung

Li, Victor C.; Mishra, Dhanada K.; Naaman, A. E.; Wight, J. K.; LaFave, J. M.; Wu, Hwai-Chung
Shear behavior of engineered cementitious composites.—75-02424

Li, Victor C.; Wu, Hwai-Chung; Chan, Yin-Wen
Effect of plasma treatment of polyethylene fibers on interface and cementitious composite properties.—75-02399

Li, Victor C.; Wu, Hwai-Chung; Maalej, Mohamed; Mishra, Dhanada K.; Hashida, Toshiyuki
Tensile behavior of cement-based composites with random discontinuous steel fibers.—75-00070

Li, W. B.; Lei, B. Q.; Lindback, T.
Stresses developed in reaction-bonded ceramics.—75-04640

Li, W.-C. See Zhong, W.-B.; Zhong, X.-C.

Li, W.-H. See Hsieh, W.-T.; Wu, S.-Y.

Li, W.-L. See Zhuang, H.-R.

Li, W.-L.; Zhuang, H.-R.; Fu, X.-R.
Silicon nitride swirl lower chamber fabricated by gas pressure sintering.—75-03721

Li, W.-S.; Li, Y.-G.; Li, H.-R.; Teng, X.-H.; Lu, H.; Chen, H.
Aluminum titanate ceramics and their application in exhaust pipes for engines.—75-03641

Li, W.-X. See Tao, S.-P.

Li, W.-Y.; Sorensen, O. T.
In situ synthesis of Al_2O_3 matrix SiC composite powders.—75-01537

Li, Wen-Chao See Zhuang, You-Qing

Li, Wen-Chao; Wang, Jian; Li, Xing-Kang; Chou, Guo-Zhi
Application of the quasi-paraboloidal regulations of intermediate compounds in ceramic ternary systems.—75-08871

Li, Weng-Fang; Meng, Ji-Long; Du, Shan-Yi
Stiffness and strength of transformation toughening ceramics with misoriented microcracks.—75-07032

Li, X. S.; Low, I. M.; Perera, D. S.
Dynamic cutting forces during machining with ceramic cutting tools.—75-00953

Li, X. S.; Low, I. M.
Evaluation of advanced alumina-based ceramic tool inserts when machining high-tensile steel.—75-04850

Li, X. See Lin, D. L.

Li, X.-H. See Li, J.

Li, X.-R. See Wang, X.-G.

Li, X.-S. See Ran, J.-G.

Li, Xian-Yi See Ignatiev, Alex

Li, Xiang-Qing See Zhao, Jun-Guo

Li, Xiao-Chun; King, Terence A.; Pallikari-Viras
Characteristics of composites based on PMMA-modified gel silica glasses.—75-06427

Li, Xiao-Rui See Bao, Yi-Wang

Li, Xing-Kang See Li, Wen-Chao

Li, Xue-Ping See Zhou, Xiao-Wen

Li, Y. Z.; Harmer, Martin P.; Chou, Y. T.
Fracture features in fused quartz with laser-induced internal flaws.—75-06981

Li, Y. See Gu, P.-Z.; Shi, Y.-X.

Li, Y.-G. See Li, W.-S.

Li, Y.-P. See Zhang, G.-J.

Li, Y.-S.; Chang, S.-C.; Li, M.-S.; Shih, W.-C.; Ma, C.-C. M.
Toughness and fracture properties of thermoplastic-toughened epoxy resin.—75-04656

Li, Y.; Qi, G.-Y.
Refractories usage in nickel smelting furnaces in China.—75-02835

Li, Y.; Sheng, Zheng-Zhi; Chen, Nan
Liquid-phase-assisted synthesis of single thallium layer superconductors.—75-00815

Li, Ya-Li; Liang, Yong; Hu, Zhuang-Qi
Formation and characterization of α-Si_3N_4 whiskers from laser-synthesized nanoamorphous Si-N-C powders.—75-04049; In situ formation and characterization of α-Si_3N_4 whiskers from nanoamorphous Si-N-C powders.—75-04075; Properties and structural characterization of the laser-synthesized nanocomposite Si-N-C powders.—75-03918

Li, Ya-Li; Liang, Yong; Zheng, Fen
Laser synthesis of ultrafine Si_3N_4-SiC powders from hexamethyldisilazane.—75-06671

Li, Ya-Wei; Li, Nan; He, Ping-Xian; Yuan, R.-Z.
Preparation of aluminum oxynitride by carbothermal reduction of aluminum oxide in a flowing N_2 atmosphere.—75-06724

Li, Yan-Rong; Yang, Bang-Chao
Doping of the Bi-Sr-Ca-Cu-O system with V_B elements and the effect on $Bi_2Sr_2Ca_2Cu_1O_x$ phase formation.—75-03359

Li, Yang; Zhao, Zhong-Xian; Wang, Yun-Bo
Atomic position and electronic field gradient of Fe dopant in Y-124 superconductor.—75-00773

Li, Yin-Tai See He, Yong-Feng; Wang, Tian-Ming

Li, Yong-Qing See Lu, Bao-Long

Li, Yong-Quan
Properties of MgO-Al_2O_3 spinel clinkers synthesized in China.—75-07637

Li, Yu-Bao; De Groot, K.; De Wijn, J.
Morphology and composition of nanograde calcium phosphate needlelike crystals formed by simple hydrothermal treatment.—75-03810

Li, Yu-Fen See Ren, Zhong-Min

Li, Yu-Pu; Kilner, J. A.; Tate, T. J.
^2H trapping in $YBa_2Cu_3O_{7-\delta}$/$LaAlO_3$<100> samples under $^2H^+$ irradiation.—75-00766

Li, Yuan; Lazzarini, L.; Giling, L. J.
Sublattice location of GaAs grown on Ge.—75-00609

Li, Z. G. See Liu, J.

Li, Z. See Foster, C. M.

Li, Z.-G. See He, J.-Z.; Sun, G.-C.

Li, Z.; Tanihata, K.; Miyamoto, Y.
Elaboration of symmetric functionally gradient materials of the Al_2O_3/TiC/Ni/TiC/Al_2O_3 system.—75-02463

Li, Zhan-Ming; Dion, Michel; Zou, Yao
Approximate *k-p* theory for optical gain of strained InGaAsP quantum well lasers.—75-05244

Li, Zhao-Qian See Ai, Xing

Li, Zheng-Xiao See Levy, Moises

Li, Zhong See Tay, Beng-Kang

Liakhov, G. L. See Bertolotti, M.

Lian, P.-F. See Guo, Y.; Wu, Y.-W.

Lian, Wen-Ting; Yi, Lu-Zhi; Xu, Zhi-Hong
Proton conductor of $SrCe_{0.95}Ln_{0.05}$ (Ln=Eu, Sm, Ho, Tm).—75-05211

Lian, Ying-Wu; Dou, S. X.; Zhang, Jia-Sen
Variation of mechanism transition wavelength of self-pumped phase conjugation with Ce content in $BaTiO_3$:Ce crystals.—75-06403

Liang, B. See Huang, Z.-R.
Liang, Dong See Tokura, Hitoshi
Liang, H.-Z. See Kuang, X.-M.
Liang, H.
Failure mechanism of single-crystal alumina in machining.—75-09633
Liang, Jing-Kui See Chen, Xiao-Long
Liang, K.-M.; Gu, K.-F.
Driving force for cracking by indentation in ceramics containing transformable particles.—75-06961
Liang, M.-K.; Ling, Y.-C.
Applications of TXRF in submicron VLSI.—75-04295; Microstructural dependence of sputtering temperature in magnetron sputtered Al-Si-Cu films.—75-02507
Liang, S. See Kalkur, T. S.
Liang, S.; Ray-Chaudhuri, A. K.; Ng, W.; Cerrina, F.
Microstructural imaging of localized chemical reactions using valence photoelectrons.—75-01885
Liang, Y. See Carroll, D. L.; Chambers, S. A.; Mercer, T. W.; Zhao, X.-Q.
Liang, Y.-H.; Li, Nan; Wang, X.-T.; Geng, X.-M.; Ke, C.-M.
Composition, microstructure, and application of bauxite based on mineral separation.—75-02810
Liang, Y.; Carroll, D. L.; Bonnell, D. A.
Morphology of Cu clusters on $SrTiO_3(001)$ at initial stages of metal film growth.—75-04379
Liang, Yong See Li, Ya-Li
Liao, De-Dui; Lin, Yih-Shung
Integrated circuit with a titanium nitride contact barrier having oxygen stuffed grain boundaries.—75-08103
Liao, Kao-Shiang See Lee, Yih-Shing
Liao, X.-L. See Lu, F.-X.
Liao, Z.-H. See Gu, P.-Z.
Liaw, Hang M. See Evans, Keenan L.
Liaw, P. K. See Hsu, D. K.; Matlin, W. M.; Miller, J. H.; Shanmugham, S.
Liaw, U.-H. See Su, Y.-K.
Liberant, L. M. See Belov, A. G.
Liberatore, Michael See Chung, Yong-Chae
Liberatore, Michael; Wuensch, B. J.
Oxygen self-diffusion in MgO grain boundaries.—75-04286
Liberman, A. B.; Tsarevskii, S. S.; Zyuzin, N. A.
Photoinduced structural transition in $Pb_{0.2}Sn_{0.8}S$ single crystals.—75-08014
Liberman, A. M. See Efremenkov, V. V.
Liberman, Z. A. See Solodukha, A. M.
Licht, T. See Meier, J.
Lichtenwalner, D. J. See Dat, R.
Lichusina, S. See Simkunaite, D.
Lichusina, S.; Jakimaviciute, D.; Steponavicius, A.
Electrodeposition of Cu in acidic $CuSO_4$ solutions containing sulfite-accelerating additive: II. Effect of sulfite ions on the voltammetric behavior of Cu/Cu^{2+} system at initial Pt electrode.—75-08918
Licko, T.; Lences, Z.
Silicon nitride ceramics.—75-04214
Liddell, K. See Perera, D. S.
Liden, Eva See Bergstrom, Lennart; Lyckfeldt, O.
Lieberman, Pamela D. See Deevi, S. C.
Lietz, Arthur A.; Peterson, John R.; Schlett, Paul E.
Erosion-resistant, ceramic fiber lining.—75-08576
Liew, S.-C. See Feng, Z.-C.
Lifshitz, Y. See Kulik, J.
Ligachev, V. A.
Phonon fluctuations and effect of pseudodoping in inhomogeneous amorphous semiconductors: III. Optical and thermal excitation of charge carriers with regard to fluctuations of phonon fields.—75-08006
Lightfoot, A. See Rhine, Wendell E.
Lightfoot, Philip; Thomson, Jamie B.; Little, Fiona J.
Ab initio determination of crystal structures by X-ray powder diffraction: structure of $Li_{29}Zr_9Nb_3O_{40}$.—75-06149
Lii, Tom See Zurcher, Peter
Likhachev, V. A.
Structure of glass.—75-07314
Likoshva, A. V. See Bulanyi, M. F.
Liliental-Weber, Z. See Newman, N.
Lilius, K. R. See Gasik, M. M.
Lillierud, Karl Peter; Szostak, Rosemarie
Two members of the ABC-D6R family of zeolites: zeolite phi and Linde D.—75-06074
Lim, Byung-C.; Hong, Yoo-S.; Lee, Ki-Y.; Park, Tae-H.
Sealing glass compositions using ceramic composite filler.—75-07275
Lim, C.-S. See Han, Kyoung-Ran; Kim, D.-W.
Lim, Dae-Soon See Oh, Yoon-Seok
Lim, H. See Her, J.
Lim, Hun-Jin See Lee, Hong-Lim
Lim, Hun-Jin; Cho, Duk-Ho; Kim, Moo-Kyung; Han, Sang-Mi; Iwasa, Mikio
Evaluation of mechanical properties for alumina ceramics.—75-09632
Lim, Jin-Ho See Fujii, Yoshihiro
Lim, P. K. See Gaspari, F.
Lima, L. F. C.; Godoy, A. L. E.; Muccillo, E. N. S.
Temperature dependence of the internal friction and modulus change in Y_2O_3- and MgO-doped ZrO_2 polycrystals.—75-03932
Limasova, T. I. See Yukhin, Yu. M.
Limaye, S. Y. See Jackson, T. B.
Limaye, S. Y.; Coors, Doug; Lehto, Michael A.
Finite element analysis of metal casting around low expansion ceramic materials.—75-01292
Limaye, Santosh Y. See Breval, Else
Limonov, M. F. See Baikov, Yu. M.
Limonov, M. F.; Mirgorodskii, A. P.
Phonon anharmonism and structural instability of the $YBa_2Cu_3O_7$ crystalline lattice during hydrostatic compression.—75-08395
Lin'kova, E. R. See Aleshkin, V. Ya.
Lin, B. See Yu, A.-B.
Lin, C.-C.
Unsaturated polyester/cement/sand composite: II. Mechanical properties and applications.—75-02429
Lin, C.-J.
Coloring of SUS304 stainless steel by current pulse method and characteristic properties of the colored film.—75-03974
Lin, C.-K. J.; Jenkins, M. G.; Ferber, M. K.
Cyclic fatigue of hot isostatically pressed silicon nitride at elevated temperatures.—75-06956
Lin, C.-Y.; McShane, H. B.; Rawlings, R. D.
Fracture behavior of silicon carbide/aluminum-2124 alloy functionally graded materials.—75-02484
Lin, Ching-Yao See Kellett, B. J.
Lin, Ching-Yao; Kellett, B. J.
In situ liquid pressure measurements using a hypodermic needle: constant rate pressure casting.—75-03570
Lin, Chun-I. See Chen, Hsi-Huei
Lin, D. L.; Liu, Z. D.; Li, X.; George, Thomas F.
Subsurface overheating of targets in laser deposition of superconducting films.—75-03410
Lin, Dah-Cheng; Kimura, Shoichi
Kinetics of silicon monoxide ammonolysis for nanophase silicon nitride synthesis.—75-08966
Lin, Edmond C. Y. See Das Chaklader, Asoke C.
Lin, G.-Y.; Lei, T.-C.; Wang, S.-X.; Zhou, Y.
Comparison of K_{Ic} values for ZrO_2-SiCw composites obtained by using SENB and IM methods.—75-04460
Lin, He See Ignatiev, Alex
Lin, Hong-Ming See Hsu, Chi-Ming
Lin, Hong; Seo, Won-Seon; Kuwabara, Katsumi; Koumoto, Kunihito
Crystallization of hydroxyapatite under Langmuir monolayers.—75-08899
Lin, Hongy See Kang, Seung-Gu
Lin, Hua-Tay See Becher, Paul F.
Lin, Hua-Tay; Alexander, Kathleen B.; Becher, Paul F.
Grain size effect on creep deformation of alumina-silicon carbide composites.—75-04545
Lin, Hua-Tay; Becher, Paul F.; Tortorelli, P. F.
Elevated temperature static fatigue of a Nicalon fiber-reinforced SiC composite.—75-04509
Lin, Hua-Tay; Breder, Kristin
Creep deformation in an alumina-silicon carbide composite produced via a directed metal oxidation [DIMOX] process.—75-06954
Lin, I-Nan See Cheng, Hsiu-Fung; Ho, Jang-Cheng
Lin, J.-C.
Applicability of general soft metallic molds applied to gravity mold casting in high temperature melt.—75-03953
Lin, J.-S. See Miyamoto, Y.; Su, Y.-L.
Lin, Jane-Chyi See Yeh, T.-S.
Lin, Jian See Chen, Jing; Ho, Kuok-San
Lin, Jian; Chen, Jing; Ho, Kuok-San; Rabson, Thomas A.
Lithium niobate thin films deposited on silicon substrates and their SAW applications.—75-05599
Lin, Jong-Kai See Evans, Keenan L.
Lin, Li-Jiaun See Chen, Chien-Jen; Liu, Dean-Mo
Lin, Ming-Cherng See Tuan, Wei-Hsing
Lin, R. Y. See Ting, J.-M.
Lin, R.-W.; Su, Y.-H.; Chen, Y.-M.; Tsao, C.-Y. A.
Comparison of structures and properties between spray and conventional cast Pn-Sn alloys.—75-03874
Lin, Ran-Jin
Sputtering apparatus for making high-temperature superconducting oxide films.—75-03438
Lin, S. T. Paul; German, Randall M.
Influence of powder loading and binder additive on the properties of alumina injection-molding blends.—75-06655; Interaction between binder and powder in injection molding of alumina.—75-06660
Lin, Shiow-Hwa; Sverdrup, Lawrence H.
Electron-beam-activated diamond devices.—75-07875
Lin, Shu-Han; Feldman, Bernard J.; Bodart, J. R.; Bork, V. P.; Kernan, M. J.; Fedders, P. A.
Deuteron magnetic resonance and infrared absorption studies of structure and dynamics in amorphous hydrogenated carbon and carbon nitride.—75-01822
Lin, Shu-Han; Feldman, Bernard J.; Li, Dong; Chung, Yip-Wah; Wong, Ming-Show; Sproul, William D.
Hardness measurements on anode- and cathode-mounted, plasma-deposited amorphous hydrogenated carbon.—75-02057
Lin, Sin-Lung See Hwang, Chii-Shyang
Lin, T.-Y. See Chiu, K.-C.
Lin, Tain-Tsair; Hon, M.-H.
Growth of multistar CVD β-SiC and SiC/TiC composites.—75-09324
Lin, Tze-Pin; Cooper, G. A.; Hood, M.
Measurement of the fracture toughness of polycrystalline diamond using the double-torsion test.—75-07001
Lin, W. See Yang, J.-M.
Lin, W.-K.; Chang, Y.-H.
Behavior of PbO in the two-stage sintering of PLZT ceramics.—75-03954
Lin, X.-L. See Su, X.-Y.
Lin, X.; Hadjipanayis, G. C.; Shah, S. I.
Magnetic and structural properties of Co/CoO bilayers.—75-03903
Lin, X.; Murthy, A. S.; Hadjipanayis, G. C.
Magnetic and structural properties of Fe-FeO bilayers.—75-00744
Lin, Y. P. See Woo, O. T.
Lin, Y.-L. See Chen, R.-P.; Gao, Yuan-Cai
Lin, Y.-T. See Bor, H.-J.; Chang, J.-C.
Lin, Yih-Shung See Liao, De-Dui
Lin, Ying-Chun; Gan, Der-Shin; Shen, Pou-Yan
Microstructure of zirconia-(Mn Zn ferrite) composites.—75-04372; Phase transformation of ZrO_2 in MnZn ferrite under magnetic field.—75-00755
Lin, Yuan See Zhou, Xiao-Wen
Lin, Yun-Mei See Zhang, Yao-Kai
Lin, Z.-D. See Gao, Q.-J.; Shen, D.-H.
Lin, Zhang-Da See Chen, Yan; Yang, Jie
Lin, Zhang-Da; Yang, Jie; Feng, Kean; Chen, Yan
Heteroepitaxy of diamond film on silicon.—75-09549
Lin, Zu-Xiang See Tian, Shun-Bao
Lincot, D. See Guillen, C.
Lind, D. M. See Krebs, J. J.
Lind, D. M.; Borchers, J. A.; Irwin, R. W.
Interplay between crystalline and magnetic ordering in Fe_3O_4/NiO superlattices.—75-00741
Lindback, T. See Babushkin, Oleg; Lei, B. Q.; Li, W. B.
Lindeman, S. V. See Khrustalev, V. N.
Linden, J.; Lippmaa, M.; Karlemo, T.; Karppinen, M.; Niinisto, Lauri
$Pb_2Sr_2Y_{1-x}Eu_xCu_3O_{8+\delta}$ [x=0, 0.25, 0.5, 0.75, 1] system by ^{151}Mossbauer resonance and X-ray diffraction.—75-09006
Linderoth, S.; Hendriksen, P. V.; Bodker, F.
Spin casting in maghemite particles.—75-03331
Linderoth, S.; Pedersen, Michael S.
Fe-Al_2O_3 nanocomposite prepared by high-energy ball milling.—75-03292
Lindgren, M. See Danerud, M.
Lindner, A. See Liu, Q.
Lindner, Alan W. See Goetz, Martin
Lindqvist, O. See Chen, J.; Ibanez, A.
Lindsay, S. M.; Pan, J.; Jing, T. W.
STM studies at electrochemically controlled interfaces.—75-01937
Ling, C.-H.
Trap generation at Si/SiO_2 interface of submicrometer metal-oxide-semiconductor transistors by 4.9-eV ultraviolet radiation.—75-00626; See also Choi, W.-K.
Ling, H. C. See Chang, D. D.
Ling, J.-R.
Improving practice for engineering ceramics X-ray testing technique.—75-03569; See also Ellingson, W. A.
Ling, Y.-C. See Kuo, W.-K.; Liang, M.-K.
Lingle, Philip J. See Hartig, Klaus W.
Lingunis, E. H. See Tang, Y.
Link, G. See Feher, L.
Linner, Britta; Guggenberger, Michael A.; Huttinger, K. J.; Kleebe, H.-J.
Chemical vapor deposition of silicon nitride filaments from silicon subhydrides and ammonia.—75-09241; Silicon nitride filaments from silicon and ammonia.—75-01661
Linnikov, O. D.
Kinetics and mechanism of surface nucleation of calcium sulfate during its crystallization on the heat exchange surface.—75-06251; Kinetics of surface crystallization of calcium sulfate in a temperature gradient.—75-06254
Lintula, P.
Performance of water-lubricated ceramics in triboapplications—mechanical seals and journal bearings.—75-09659
Lintz, Timothy S.; Paddock, Ralph W.
Inorganic ceramic paper, its method of manufacture, and articles produced therefrom.—75-01115
Lipko, A. L. See Evstropov, V. V.
Lipovskii, A. A. See Dneprovskii, V. S.; Konnikov, S. G.
Lipowitz, Jonathan See Atwell, William H.
Lippmaa, M. See Linden, J.
Lipson, A. G. See Kuznetsov, V. A.
Lipson, A. G.; Lyakhov, B. F.; Sakov, D. M.
Electrophysical properties of impurity phases of deuterium (hydrogen) and neutron emissions in Pd/PdO heterostructures.—75-09141
Lipson, A. G.; Sakov, D. M.; Lyakhov, B. F.; Saunin, E. I.; Deryagin, B. V.
Generation of products of nuclear DD synthesis in high-temperature $YBa_2Cu_3O_{7-x}D_y$ superconductors near the superconducting phase transition.—75-08327
Lira, J. See Di Giampaolo, A. R.
Lis, J. See Pampuch, R.; Stobierski, L.
Lis, J.; Pampuch, R.; Stobierski, L.; Faryna, M.
Preparation and properties of new structural ceramics in the system of Ti-Si-C.—75-09386
Lis, J.; Pampuch, R.; Stobierski, L.
Specific aspects of sintering of powders prepared by combustion method (SHS).—75-01679
Lisauskas, V.; Butkute, R.; Dapkus, L.; Jukna, A.; Vengalis, V.
Preparation of epitaxial indium tin oxide films on ZrO_2 substrates by magnetron sputtering.—75-09393
Lischka, K. See Ploz, W. M.
Lishchinskii, I. M. See Freik, D. M.
Lisichkin, G. V. See Fadeev, A. Yu.
Lisicka-Skrzek, E.; Coyne, W.
Effect of nitridation on the electrical properties of W:Ti resistors.—75-03006
Liska, Marek See Antalik, Jozef; Nagy, L. T.
Liska, Marek; Hatalova, Beata
Structure of MD [molecular dynamics] simulated calcium aluminosilicate systems.—75-09071
Liska, Marek; Strecko, J.
Computer calculation of the phase diagrams of silicate systems: II. Regression treatment for systems containing incongruently melting compounds.—75-03775
Liska, Marek; Stubna, Igor; Antalik, Jozef; Perichta, Peter
Structural relaxation with viscous flow followed by thermodilatometry.—75-05982
Liska, Timothy J. See Peterson, George T.
Lisnevskaya, I. V. See Lupeiko, T. G.
Lisogurskaya, O. F. See Artem'ev, Yu. M.
Lissart, N.; Lamon, J.
Damage and failure in model unidirectional CVI composites.—75-04480
Litinskii, A. O.; Lebedev, N. G.
Calculations of reactions of H_2O and NH_3 molecules with the surface of modified aluminosilicates and ZnO crystal.—75-06171

Litovchenko, V. G. See Klyui, N. I.; Romanyuk, B. N.; Semenovich, V. A.

Litovsky, Efim; Shapiro, Michael; Shavit, Arthur
Gas pressure and temperature dependences of thermal conductivity of porous ceramic materials: II, Refractories and ceramics with porosity exceeding 30%.—75-03897

Litster, J. See Cherian, Kuruvilla A.

Little, Fiona J. See Lightfoot, Philip

Little, J. A. See Kara, F.

Little, J. R. See Walker, D.

Litvina, A. D. See Zaitsev, A. I.

Litvinenko, K. L. See Gorshunov, A. G.

Litvinenko, V. L. See Grigor'ev, V. N.

Litvinova, M. B. See Kovalenko, V. F.

Lityushkin, V. V. See Sivko, A. P.

Liu, A.; Myers, A. F.; Camphausen, S. M.; McClure, M. T.; Cuomo, J. J.; Hren, J. J.
Crystalline and amorphous diamond coatings on silicon field emitters.—75-07815

Liu, C. C.; Wu, Q.
Microfabricated and micromachined chemical and gas sensor developments.—75-00543

Liu, C.-L. See Liu, N.

Liu, C.-S.; Wu, J.-M.; Chen, C.-J.
Effect of Er_2O_3 addition on microstructure and physical properties of Mn-Zn ferrites for high-power use.—75-03288

Liu, Chung-Hsin; Hwang, Wen-Shin
Role of the addition of $Pb(Li_{1/4}Fe_{1/4}W_{1/2})O_3$ in the low-temperature sintering and dielectric characteristics of $Pb(Mg_{1/3}Nb_{2/3})O_3$ ceramics.—75-08170

Liu, D.-W. See Chen, D.-G.

Liu, Dean-Mo; Chen, Chien-Jen; Lin, Li-Jiaun
Thermal conduction behavior in polycrystalline $(Sr_{1-x}K_{2x})Zr_4(PO_4)_6$ ceramic.—75-01357

Liu, Dean-Mo; Chou, Hsien-Ming; Wu, J.-D.
Plasma-sprayed hydroxyapatite coating: effect of different calcium phosphate ceramics.—75-02525

Liu, Dean-Mo; Chou, Hsien-Ming
Formation of a new bioactive glass-ceramic.—75-03648

Liu, Dean-Mo; Fu, Chen-Tsu
Heat conduction in ionic polycrystalline nanocomposites.—75-05196

Liu, Dean-Mo
Sintering of $(Ca_{1-x}Mg_x)Zr_4(PO_4)_6$ [x=0, 0.1, and 0.4] ceramics.—75-04223; Thermal diffusivity, specific heat, and thermal conductivity of $(Ca_{1-x}Mg_x)Zr_4(PO_4)_6$ ceramic.—75-03935; See also Chen, Chien-Jen; Shu, Kuen-Ming

Liu, Don-Hang See Yen, Bi-Ming

Liu, Feng-Hai See Xie, Shi-Zhong

Liu, G. K.; Loong, C.-K.; Trouw, F.
Spectroscopic studies of magnetic transitions in $TbPO_4$.—75-03839

Liu, G.-J.; Li, B.-S.; Zhuang, H.-R.; Ma, L.-T.; Guo, J.-K.
BN/RBSN composite materials.—75-03871

Liu, Gang See Zhou, Li-Qiu

Liu, Gui-Chun See Gao, Yuan-Cai

Liu, H. C. See Steele, A. G.

Liu, H. K. See Bhasale, R.; Dou, S. X.; Guo, Y. C.; Jin, J. X.; Vo, N. V.; Wang, R. K.; Yavuz, M.

Liu, H.-S. See Chen, S.-K.

Liu, H.-S.; Lai, L.-S.; Chin, T.-S.
High-strength castable bioactive glass-ceramics.—75-03650

Liu, Hai-Yan See Hsu, Stephen M.

Liu, Hai-Yan; Hsu, Stephen M.
Fracture behavior of multilayer silicon nitride/boron nitride ceramics.—75-06980; Modeling of microfracture-induced wear and wear transition in sliding of polycrystalline ceramics.—75-04606

Liu, Hai-Yan; Lawn, Brian R.; Hsu, Stephen M.
Hertzian contact response of tailored silicon nitride multilayers.—75-04549

Liu, Herng See Bertolet, D. C.

Liu, J. R. See Cui, X. T.

Liu, J. Z. See Irons, Stephen H.

Liu, J.-C. See Ji, Y.

Liu, J.-C.; Yang, Z.-F.; Yuan, Q.-M.; Ji, Y.
Effects of heat treatment on mechanical properties of mullite/ZrO_2/SiC composites.—75-04505

Liu, J.-H. See Wang, J.-X.; Xing, Shou-Wei

Liu, J.-J. See Hwang, C.-L.

Liu, J.-M. See Liu, Z.-G.

Liu, J.-P.; Shen, B.; Zheng, Y.-S.
Silicon carbide piston/cylinder for uncooled diesel engine.—75-03714

Liu, J.-Z. See Cao, L.-X.

Liu, J.; Li, Z. G.; Wan, H.; Tsoukatos, A.; Hadjipanayis, G. C.
Nanoanalytical characterization of granular Ag-Fe films with giant magnetoresistance.—75-00752

Liu, Jay G. See Wilcox, David L.

Liu, Ji-Fu; Wu, Hou-Zheng; Tan, J.-Q.; Zhu, Xuan-Hui
Preparation of MgO-ZrO_2 ultrafine powder by freeze drying.—75-09400

Liu, Jian See Bai, Pei-Guang

Liu, Jian-Lin See Shi, Yi

Liu, John Y. See Hunter, Orville

Liu, K. C.; Stevens, C. O.; Brinkman, C. R.; More, K. L.; Kiggans, J. O.; Tiegs, T. N.
Enhancement of creep resistance of a sintered Si_3N_4 ceramic by microwave annealing.—75-04512

Liu, Kun; Chu, J.-H.; Tang, D.-Y.
Composition and temperature dependence of the refractive index in $Hg_{1-x}Cd_xTe$.—75-00442

Liu, Kuo-Shung See Chang, Horng-Yi; Cheng, Hsiu-Fung; Ho, Jang-Cheng

Liu, L. See Friedman, G.; Gangopadhyay, S.

Liu, L.; Borst, W.; Palsule, C.; Gangopadhyay, S.
Modified fast analog technique for determining luminescence decay times of scintillators.—75-01311

Liu, Li-Chi; Risbud, Subhash H.
Real-time hot-stage high-voltage transmission electron microscopy precipitation of CdS nanocrystals in glasses: experiment and theoretical analysis.—75-00221

Liu, Li-Xun See Huang, Yu-Dong

Liu, Lin See Ding, Xing-Zhao

Liu, Mei-Dong; He, En-Pei; Wang, Pei-Ying; Rao, Yun-Hua; Zeng, Yike; Li, Chu-Rong
Preparation of lead-based perovskite structure ferroelectric thin films by sol-gel method and the properties of the films.—75-08165

Liu, Mei-Lin See Guan, Jie; Hu, Hong-Xing; Rauch, William L.

Liu, N.; Liu, C.-L.; Hu, Z.-H.; Cui, K.
Microstructure and mechanical properties of Ti(C,N) based cermets.—75-02509

Liu, P. C. See Ravindrarajah, R. S.

Liu, Paul K. T.; Wu, Jeffrey C.
Method for forming metal-oxide-modified porous ceramic membranes.—75-01116

Liu, Q.; Lindner, A.; Scheffer, F.
X-ray diffraction characterization of highly strained InAs and GaAs layer on InP grown by metallorganic vapor-phase epitaxy.—75-05517

Liu, Q.; Wen, S.-L.; She, J.-H.; Jiang, D.-L.
Microstructures of SiC/Si_3N_4 layer ceramics.—75-04376

Liu, Q.; Yan, D.-S.; Wen, S.-L.; Wang, H.
Grain boundary configuration in SiAlON ceramics.—75-04327

Liu, S.-H. See Wang, W.-X.

Liu, S.-K. See Li, S.-C.

Liu, Sam; Lamp, Tom; Reinhardt, Kitt; Severt, Clarence
Thermally stable metallizations on polycrystalline diamond films.—75-07234

Liu, Shih-Yu See Huang, Zhen-Kun

Liu, Shu-Jie See Chen, Li-Fu

Liu, T.; Cook, P.; Fraser, R.; Mason, B.
Thermal shock behavior of carbon anode materials.—75-02104

Liu, T.; Mai, Y.-W.; Swain, M. V.
Effects of grain size and specimen geometry on the transformation and R-curve behavior of 9Ce-TZP ceramics.—75-06971

Liu, T.; Mason, B.; Edwards, L.
Mechanical behavior and thermal shock parameters of carbon anode materials.—75-02072

Liu, W. See Yang, Pei-Chun

Liu, W.-S. See Ge, C.-C.

Liu, W.-Y.; Wang, H.-J.
Wear resistance of ZTM ceramics.—75-04667

Liu, X. See Chan, J. S.; Newman, N.

Liu, X.-G. See Weng, Jie

Liu, X.; Zhou, Y.; Shang, B.
Effect of oxides on the sintering process and the hydration resistance of CaO clinkers.—75-07540

Liu, Xiang-Na See Zhang, Rong

Liu, Xin-Tian; Hou, Tie-Cui
Improvements in hydration resistance of CaO clinkers.—75-00046

Liu, Xiu-Yun; Zhang, Beng-Gen
Applied technology of roller of stainless steel, fiber-reinforced castable.—75-07476; Porous mullite aggregate and lightweight castable.—75-07631

Liu, Y.-P. See Aoki, Makoto

Liu, Y.-P.; Majid, I.; Vander Sande, J. B.
High resolution electron microscopy and computer simulation studies of the atomic structure of tilt boundaries in TiO_2.—75-04335

Liu, Yi-Jun; Kim, Hee-Joon; Egashira, Yasuyuki; Kimura, Hisamichi; Komiyama, Hiroshi
Using simultaneous deposition and rapid growth to produce nanostructured composite films of AlN/TiN by chemical vapor deposition.—75-04270

Liu, Yi-Jun; Kim, Hee-Joon; Takeuchi, Takashi; Egashira, Yasuyuki; Kimura, Hisamichi; Komiyama, Hiroshi
Suppressing the formation of cone structures in chemical-vapor-deposited aluminum nitride/titanium nitride films.—75-04233

Liu, Yi-Min; Phule, Pradeep P.
Nucleation- or growth-controlled orientation development in chemically derived ferroelectric lead zirconate titanate $(Pb(Zr_xTi_{1-x})O_3$, x=0.4) thin films.—75-00679

Liu, Yin; Zhang, Z.-F.; King, Bruce; Halloran, J. W.; Laine, Richard M.
Synthesis of yttrium aluminum garnet from yttrium and aluminum isobutyrate precursors.—75-01724

Liu, Yong-Sheng See Kim, Yoon-Kee

Liu, Yu-Fu; Kagawa, Yutaka
Detailed analysis of debonding and frictional sliding in fiber-reinforced brittle matrix composites.—75-04487

Liu, Yu-Ying See Jiang, Ming-Xue

Liu, Z. D. See Lin, D. L.

Liu, Z.-C. See Wang, W.-X.

Liu, Z.-G.; Liu, J.-M.; Ming, N.-B.
Epitaxial growth of $RbTiOPO_4$ films on $KTiOPO_4$ substrates by excimer laser ablation technique.—75-01485

Liu, Z.-T. See Zhang, G.-F.

Liu, Z.-X. See Wei, C.-D.

Liu, Z.; Gelinas, M. P.; Coombe, R. D.
II-VI compound thin-film deposition by resonant laser sputtering.—75-05338

Liu, Zhi-Ping See Jin, Zheng-Guo

Livage, Jacques See Chatry, M.; Guzman, Guillermo

Liverko, V. N. See Baryshnikov, Yu. Yu.; See Devyatykh, G. G.

Livi, R. P. See Fritzen, C. L.

Livshits, V. Ya. See Belyaev, M. V.; Startsev, Yu. K.

Livshits, V. Ya.; Nakhapetyan, R. A.; Startsev, Yu. K.
Change in the refractive index of a two-alkali aluminosilicate glass upon K_{glass}^{+}-Na_{melt}^{+} exchange in the glass transition range.—75-02629

Livshits, V. Ya.; Ovcharenko, N. V.; Potalitsyn, M. G.
Elastic properties and cohesive energy of glasses in the R_2O-TeO_2 system.—75-02650

Ljungberg, Bjorn; Lenander, Anders
Oxide-coated cutting tool.—75-07270

Llewellyn, R.; Hurtubise, G.
Use of ceramics and cermets for wear protection applications in the oil sands industry.—75-09689

Llorca, J. See Sanchez-Herencia, A. J.

Lloyd, D. J. See Elomari, S.

Lloyd, Isabel K. See Benedetto, J. M.; Hill, Michael D.

Lo, S. H. J. See Hua, Wen-Jun

Lo, W. See Spence, J. C. H.

Lo, Wai; Zheng, D. N.; Glowacki, B. A.
Texturing and texture-induced intergranular critical state anisotropy of superconducting $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ ceramics.—75-05849

Lobacheva, O. L.; Levichev, S. A.
Surface tension of aqueous solutions of sodium dodecylsulfate with salt additives.—75-09075

Loberg, B. See Grishin, A.; Larker, R.

Loboda, Mark J.; Li, Ji-Ping; Stecki, Andrew J.; Yuan, Chong
Method of forming crystalline silicon carbide coatings at low temperatures.—75-01176

Loboda, Mark J.
Method of forming crystalline silicon carbide coatings.—75-06128

Lobov, I. D. See Ustinov, V. V.

Locatelli, M. R.; Nakashima, K.; Dalgleish, B. J.; Tomsia, A. P.; Glaeser, A. M.
Transient liquid-phase bonding of alumina using microdesigned Ni-based interlayers.—75-00143

Lochet, N. See Boncoeur, M.

Lochhead, M. J.; Bray, K. L.
Spectroscopic characterization of doped sol-gel silica gels and glasses: evidence of inner sphere complexation of europium(III).—75-04928

Lochner, E. See Krebs, J. J.

Locker, Robert J.; Sawyer, Constance B.
Method of making cordierite bodies.—75-01124

Lockwood, D. J. See Woo, O. T.

Lockwood, S. See Garino, T.; Potter, B. G. Jr.

Lodding, A. R. See Schultz, R. L.

Lodygin, A. B. See Ivanov-Omskii, V. I.

Loegel, B. See Berling, D.

Loehman, Ronald E.; Ewsuk, Kevin G.; Tomsia, A. P.
Synthesis of Al_2O_3-Al composites by reactive metal penetration.—75-00139

Loehman, Ronald E.
Structure, formation, and stability of oxynitride glasses.—75-02690; See also Fahrenholtz, William G.; Gao, Y.

Lofaj, F.; Okada, A.; Usami, H.; Kawamoto, Hiroshi
Cavitation mechanisms during tensile creep of an advanced silicon nitride.—75-09606

Loffler, F. See Knotek, O.

Logan, Kathryn V. See Kecskes, Laszlo J.

Logan, Kathryn V.; Munir, Z. A.; Spriggs, Richard M.
Ceramic Transactions, Volume 79: Advanced Synthesis and Processing of Composites and Advanced Ceramics, II.—75-09742

Loges, Peter G. See Greenwald, Anton C.

Loginaov, Yu. Yu.; Lu, G.
Recovery of structural perfection of CdTe and ZnTe bombarded by low-energy ions as a result of subthreshold electron irradiation.—75-05460

Loginov, A. Yu. See Filimonov, Igor N.; Nguen, Van Tuen; Vishnetskaya, M. V.

Loginov, P. V. See Sidorkin, A. S.

Loginov, V. M. See Barshchevskii, B. U.

Loginov, Yu. Yu. See Braun, P. D.

Loginov, Yu. Yu.; Braun, P. D.; D'yurouz, K.; Alnadzhar, A. A.
Dopant precipitation in post-growth phosphorus-doped CdTe.—75-05284

Loginov, Yu. Yu.; Braun, P. D.; Khamfreis, K. D.
Defect formation in ZnTe and (Cd, Zn)Te epitaxial layers grown on (001)GaAs.—75-07819; Effect of doping impurities on the formation of structural defects in CdTe irradiated by electrons and ions.—75-07846; Formation of structural defects in heteroepitaxial layers of CdTe and CdZnTe grown on GaAs.—75-07897

Loginov, Yu. Yu.; Braun, P. D.
Dopant precipitation in CdTe doped with Ga and Cl.—75-05283; Impurity precipitation in CdTe doped with indium after annealing and [I$^+$] ion and electron irradiation.—75-07918

Logoudice, Peter J. See Palmer, Alfredo T.

Lograsso, B. K. See Goel, H.

Logunov, M. V. See Randoshkin, V. V.

Logvinenko, A. T. See Zyryanova, V. N.

Loh, Sow W. See Zhang, Jian G.

Lohle, J.; Mattenberger, K.; Vogt, O.
Scaling of the volume pinning force in superconducting wires and tapes based on $Bi_2Sr_2CaCu_2O_x$.—75-00861

Lohrengel, Joachim; Rasper, Manfred; Geotti-Bianchini, F.; De Riu, Luca
Angular emissivity at room temperature and spectral reflectance at near normal incidence of float glass, borosilicate glass, and glass-ceramics.—75-07323

Lohwasser, Werner; Gerblinger, Josef; Lampe, Uwe
Effect of grain size of sputtered cerium oxide films on their electrical and kinetic behavior at high temperatures.—75-01455

Lojkowski, W.; Palosz, B.
Solidification of grain boundaries with increasing temperature.—75-04400

Lojkowski, W.
Criteria for misfit localization at interfaces.—75-04278

Lok, J. G. S. See Gantmakher, V. F.

Lokberg, Ole J. See Malmo, Jan T.

Lokk, E. G. See Vashkovskii, A. V.

Lokshin, B. V. See Kuznetsov, M. L.

Lombard, J. H.; Huang, Rong-Fong
Improved adhesion strength of precious metal conductors on microwave ceramics.—75-00667
Lombardi, Thomas E. See Casey, Jon A.
Lombardo, Christopher A.
Effect of ball clays on tile body formulations.—75-02770; Optimizing throughput in tile plants.—75-02786; See also Bougher, A. K.
Lomonosov, V. A. See Tolochko, S. P.
Lomonova, E. E. See Gogotsi, G. A.
Lomovskoi, V. A.; Bartenev, G. M.; Sinitsyna, G. M.
Effect of composition of rubidium borate glasses on relaxation properties.—75-04953
Lomovskoi, V. A.; Bartenev, G. M.
Effect of composition of potassium borate glasses on relaxation properties.—75-04952
Lomovskoi, V. A.
Features of the relaxation α-process in vitreous B_2O_3.—75-04966; See also Bartenev, G. M.
Loney, N. W.
Shifting-order-type kinetics may explain diethylsilane pyrolysis to silicon carbide deposition.—75-06346
Long, Cheri L.; Becker, Marcie; Gervens, Lynn
Mudflat Studio [Somerville, MA]: 25 years of community claywork.—75-07129
Long, Cheri L.
Potters of San Vicente de Nicoya[, Guanacaste, Costa Rica].—75-02332
Long, G. J. See Mogus-Milankovic, A.
Long, Gabrielle G. See Allen, Andrew J.; Wiederhorn, Sheldon M.
Long, James P. See Pehrsson, Pehr E.
Long, Robert J.
Enamel modifications required for premilled materials: increased suppler responsibility.—75-00093
Longo, E. See Boillet, J.; Cerri, Jose Alberto; Leite, E. R.
Lonnberg, B.; Lundstrom, T.
Determination of grain size and lattice distortions in ground $YBa_2Cu_3O_7$.—75-05744
Lonnberg, B.
Characterization of milled Si_3N_4 powder using X-ray peak broadening and surface area analysis.—75-06179
Loo, C. E. See Dukino, R. D.
Looi, H.-C. See Yue, C.-Y.
Look, D. C.; Fang, Z.-Q.; Yamamoto, H.
Deep traps in molecular beam epitaxial GaAs grown at low temperatures.—75-00452
Look, Jee-Loon See Wilcox, David L.
Loong, C.-K. See Ellison, A. J. G.; Liu, G. K.
Loong, C.-K.; Richardson, James W., III; Suzuki, Suguru; Ozawa, Masakuni
Crystal phase and phonon densities of states [DOS] of β1/2-SiAlON ceramics, $Si_{6-z}Al_zO_zN_{8-z}$ ($0 \le z \le 4$).—75-08890
Loong, Kok H. See Savaloni, H.
Loos, P. J. See Griffin, A. J. Jr.; McNally, R. L.
Lopatin, P. B. See Elyutin, A. V.
Lopatin, V. V. See Dedkov, V. S.; Kabyshev, A. V.
Lopatina, E. V. See Sigaev, V. N.
Lopatko, N. N.; Mikhailov, G. G.; Archugov, S. A.
Phase equilibria in the Fe-Si-V-O system.—75-09018; Phase equilibria in the V_2O_3-SiO_2 system.—75-09025
Lopato, L. M. See Andrievskaya, Elena R.
Loper, A. See Pan, Z.
Lopes, J. C. See Nazare, M. H.
Lopez Garcia, Alberto R. See Rivas, Patricia C.
Lopez, F. A. See Alonso, M.
Lopez, J. M. Porto See Castro, M. S.
Lopez, M. L. See Belloch, J. M.; Gonzalez, C.
Lopez, M. L.; Veiga, M. L.; Pico, Carlos
Cation ordering in distorted perovskites $(MLa)(MgTe)O_6$, M=Na, K.—75-06173
Lopez, O. A. See Hoghooghi, B.; Shea, L. E.
Lopez-Otero, Adolfo See Kim, Dong-Hwan
Lopez-Peinado, A. J. See Rojas-Cervantes, M. L.
Lopez-Quintela, M. Arturo See Mahia, J.
Lopukhin, A. A. See Vlasova, E. O.
Lorenz, A.
Heavy clay preparation turned "fine."—75-05061
Lorenzelli, Vincenzo See Baraton, M. I.; Ramis, Gianguido
Lorenzo, A.; Bausa, L. E.; Sole, J. Garcia
Optical characterization of Ho^{3+} ions in $LiNbO_3$ and in $LiNbO_3$:MgO crystals.—75-06293
Lorenzo, Joseph P. See Stadler, Bethanie J. H.
Lorenzo, M. P. See Goni, S.
Lorenzo, P.; Goni, S.; Hernandez, S.; Guerrero, A.
Effect of fly ashes with high total alkali content on the alkalinity of the pore solution of hydrated portland cement paste.—75-00033
Loseva, G. V. See Petrakovskii, G. A.; Vorotynov, A. M.
Loseva, S. M. See Morozova, V. A.
Loshkareva, N. N. See Sukhorukov, Yu. P.
Loshkareva, N. N.; Sukhorukov, Yu. P.; Gizhevskii, B. A.; Arbuzov, V. L.; Naumov, S. V.; Samokhvalov, A. A.
Absorption spectra of CuO single crystals irradiated by electrons.—75-06152
Lostak, P. See Kul'bachinskii, V. A.
Lothian, J. R. See Pearton, S. J.
Lotov, V. A.; Alekseev, Yu. I.
Parameter for the evaluation of sintering of ceramic materials.—75-03532
Lou, Victor K. See Li, Hong
Loubnin, E. N. See Pimenov, S. M.
Louis, E. See Alonso, A.
Lourdin, P.; Juve, D.; Treheux, D.
Nickel–alumina bonds: mechanical properties related to interfacial chemistry.—75-07222
Love, J. D. See Ladouceur, F.
Lovern, J. E.; Stolarski, T. A.
Lubrication of silicon nitride sliding contact.—75-04098
Low, I. M. See Grace, A.; Li, D. Y.; Li, X. S.; Mohazzab, G.; Skala, R. D.
Low, I. M.; Mohazzab, G.; Skala, R. D.
Epoxy-modified $YBa_2Cu_3O_{7-x}$ (123) superconductors with improved strength and fracture toughness.—75-00801
Low, I. M.; Skala, R. D.; Li, D. Y.
Assessment of residual strains in mullite/zirconia-toughened alumina composites using X-ray diffraction.—75-06942
Low, I. M.; Skala, R. D.; Perera, D. S.
Fracture properties of layered mullite/zirconia-toughened alumina composites.—75-06983
Low, I. M.; Wang, H.; Skala, R. D.
Mechanical properties of pure and epoxy-modified $(Bi,Pb)_2Sr_2Ca_2Cu_{10+x}$ (2223) superconductors.—75-00825
Lowden, Richard A. See Kass, M. D.; Miller, J. H.; Wang, Hong-Yu; Webb, James E.
Lowe, J. Alan See Faguy, Peter W.
Lowndes, D. H. See Pedraza, A. J.
Lowry, L. See Kolawa, E.
Loyalka, S. K. See Yaparpalvi, R.
Loza, S. A. See Grigorashev, D. I.
Lozano, L. See Magro, C.
Lozovskaya, I. M.; Morozova, M. Yu.; Popovich, N. V.
Preparing vitreous coatings on metals by the sol-gel method.—75-07225
Lozykowski, H. J.; Alshawa, A. K.; Brown, I.
Kinetics and quenching mechanisms of photoluminescence in Yb-doped InP.—75-00530
Lu, Bao-Long; Wang, Y.-Z.; Li, Yong-Qing
High-order resonance structures in an Nd-doped glass microsphere.—75-04970
Lu, C.-F.; Chen, C.
Mechanical properties of laser welded T-300 maraging steel.—75-04592
Lu, D.-F.; Chen, S.-F.; Chen, K.
Preparation of SiC platelet by a mechanical process.—75-04167
Lu, F.-H.; Franke, P.; Nichols, C. S.
Monte Carlo simulation of cation diffusion via vacancies in quasi-binary spinel solid solutions involving multiple types of cation-vacancy exchanges.—75-01765
Lu, F.-X. See Chen, D.-G.
Lu, F.-X.; Li, C.-M.; Wang, J.-J.; Liao, X.-L.; Zhou, Y.-L.; Lu, H.-B.
Effect of laser irradiation on adhesion strength of diamond films on WC-6 wt%/Co hard metal substrate.—75-07205
Lu, F.-Y. See Li, J.
Lu, G. Q. See Pei, Benyan
Lu, G. See Loginaov, Yu. Yu.
Lu, Guo-Quan; Bang, Jaecheol; Choe, Joon-Won; Calata, Jesus N.
Densification behavior of metal and dielectric films on rigid substrates.—75-01425
Lu, H. See Li, W.-S.; Shen, D.-H.
Lu, H.-B. See Lu, F.-X.
Lu, H.; Blaauw, C.; Maritan, C.
Performance of 1.3 μm ridge waveguide distributed feedback lasers fabricated by one-step metallorganic chemical vapor deposition.—75-03114
Lu, J.-H. See Yeh, C.-F.
Lu, Jun See Johansson, Ann-Sofie
Lu, Kun-Quan See Wang, Yu-Ren
Lu, L.; Wu, J.; Lu, R.; Gao, X.
Design and experimental investigation of ceramic combustion chamber in diesel engines.—75-03516
Lu, M. See Badi, N.; Bousetta, A.; Zhao, S.-T.
Lu, P. See Cosandey, F.
Lu, Qi-Wei See Huang, Yu-Dong
Lu, R. See Lu, L.; Xiao, J.
Lu, Su-Jen See Wei, Wen-Cheng J.
Lu, Tai-Jing; Dai, Yi-Sheng; Ding, X.-Z.
Microwave dielectric resonance of a fluoride glass.—75-02668
Lu, Tian-Jian
Crack branching in all-oxide ceramic composites.—75-02028; See also Gong, H.
Lu, Weier See Rohrer, Gregory S.
Lu, Weier; Rohrer, Gregory S.
Experimental and simulated scanning tunneling microscopy of the cleaved $Rb_{1/3}WO_3(0001)$ surface.—75-01849
Lu, Xian-Yi See Gu, Chang-Zhi; Ping, Huang-Fu
Lu, Y. See Kalkur, T. S.
Lu, Yi; Sah, Chih-Tang
Two pathways of positive oxide charge buildup during electron tunneling into silicon dioxide film.—75-00386
Lu, Yung-Cheng See Butt, Darryl P.
Lu, Z.-L. See Lai, T.-R.; Shi, J.-L.
Lu, Zheng; Xiao, Min
Observation of localized domain reversal of iron-doped potassium niobate ($Fe:KNbO_3$) single crystal.—75-00680
Lubben, D. See Dudney, N. J.; Kim, Y.-W.
Lubben, D.; Modine, F. A.
Mechanisms of enhanced ionic conduction at interfaces in ceramics.—75-02916
Lubbers, K. See Martinz, H.-P.
Lubitz, Karl; Preu, Gabriele; Cramer, Dieter
Method for producing a piezoceramic.—75-00714
Lubitz, P.; Rubinstein, M.; Chrisey, D. B.
Effect of surface layers on ferromagnetic resonance in thin Fe films: Ni, Co, Si, and $YBa_2Cu_3O_{7-\delta}$.—75-03289
Lubman, G. U. See Arakcheeva, A. V.
Lubnin, E. N.; Mikhailova, G. N.; Prokhorov, A. M.; Seferov, A. S.; Troitskii, A. V.; Davlat'yan, T. A.
Effect of transport superconducting current on the critical currents of Bi(2212) wires in silver sheath.—75-08300
Lubyshev, D. I. See Bert, N. A.
Luca, Constantin; Maracine, Luana; Popescu, Veronica
Photoelectrochemical behavior of the TiO_2 semiconductor electrodes obtained by thermal oxidation of the titanium foils.—75-03123
Luca, Constantin; Maracine, Luana; Popescu, Veronica
Stabilization of the *n*-GaAs photoanode using the Te^{2-}/Te_2^{-2} redox couple.—75-03170
Lucchini, E. See Sbaizero, O.
Luce, M. See Musset, E.
Luce, M.; Herlin, N.; Musset, E.
Laser synthesis of nanometer silica powders.—75-04090
Luchinin, A. See Bykov, Yu.
Luciani, C.
Worker's compensation.—75-04767
Lucke, J. See Ziegler, G.
Lucke, J.; Keuthen, M.; Ziegler, G.
Development of new silazanes for infiltration/pyrolysis processing of composites.—75-01435
Lucke, R.
Optimized binder burnout—more than just a time factor.—75-06006
Ludanova, O. V. See Vlasov, A. S.
Ludema, K. C.
Designing for effective use of "debris" in wearing systems: with an illustration from ceramic wear.—75-09614; See also Lee, K.-Y.
Ludenbach, G.; Peters, P. W. M.
Influence of heat treatment temperature on room temperature and high temperature tensile strength of unidirectional carbon fiber reinforced carbon.—75-04568
Luders, K. See Baenitz, M.
Ludwig, A. See Berg, G.
Luecke, W. E. See Wiederhorn, Sheldon M.
Luecke, W. E.; French, Jonathan D.
Sources of strain-measurement error in flag-based extensometry.—75-03597
Lugakov, P. F. See Kazakevich, L. A.
Luginina, I. G. See Konovalov, V. M.
Luginina, I. G.; Shurupova, S. V.
Changes in chemical and phase composition of materials when firing in kilns.—75-08718
Lugli, Stefano
Less noise in the factory.—75-09725
Luhrmann, B. See Winkler, H. P.
Luhrsen, Ernst See Bruckner, Raimund
Lui, W. See Wolter, S. D.
Lui, Wayne See Seki, Shunji
Luk'yanenko, A. S. See Korsukov, V. E.
Luk'yanenko, V. I. See Vlasenko, A. I.
Luk'yanova, L. N. See Alekseeva, G. T.
Luk'yanova, N. V. See Aliev, G. N.
Lukacs, Alexander, III See Hinton, Jonathan W.
Lukacs, Alexander, III; Matsumoto, Roger L. K.
Reaction injection molding of silicon nitride ceramics having crystallized grain boundary phases.—75-08628
Lukas, H. L. See Kuang, S.
Lukashevich, M. G. See Podoksik, E. E.
Lukashevich, P. G.
Function of spatial distribution of nonequilibrium electron-hole pairs in direct-gap semiconductors under one-photon excitation.—75-03033; Shape of the emission spectrum of electron-hole plasma in direct gap semiconductors under one-photon excitation.—75-05473
Lukashin, A. V. See Vertegel, A. A.
Lukin, E. S. See Yurkov, A. L.
Lukin, N. V. See Bazuev, G. V.
Lukin, S. V. See Bormontov, E. N.
Lukina, L. N. See Koroleva, L. I.
Lukina, M. M. See Popov, Yu. F.
Lukiyanchuk, G. D. See Kavun, V. Ya.
Lumpkin, G. R. See Vance, E. R.
Lun'kova, O. N. See Tikhomolova, K. P.
Lundberg, Nils; Ostling, M.
Cobalt silicide ohmic contacts to 6H-SiC.—75-00436
Lundberg, R. See Kristoffersson, A.; Larker, H. T.
Lundberg, R.; Eckerbom, Lena
Design and processing of all-oxide composites.—75-03989
Lundstrom, T. See Lonnberg, B.
Lungnes, O. See Baranov, P. G.
Lunin, R. A. See Brandt, N. B.
Lunin, V. V. See Chernavskii, P. A.
Lunina, E. V. See Fionov, A. V.
Luo, H.-L. See Han, D.-H.
Luo, Hong-Jie; Li, Jia-Zhi; Gao, Li-Ming
Chemical composition and microstructure study for the proto-porcelain glaze.—75-07120
Luo, J. S. See Bakel, A. J.; Ellison, A. J. G.
Luo, J. S.; Dorris, Stephen E.; Fischer, A. K.; LeBoy, J. S.; Maroni, V. A.; Feng, Y.
Mode of lead addition and its effects on phase formation and microstructure development in $Ag/(Bi, Pb)_2Sr_2Ca_2Cu_3O_x$ composite conductors.—75-08371
Luo, W.-W. See Huang, Y.-R.
Luo, X.-T.; Zhang, L.-T.; Xu, Y.-D.; Chen, L.-F.; Zhou, W.-C.
Microstructure, properties, and toughening mechanisms of in situ toughened silicon nitride.—75-04373
Luo, Z.-P. See Pan, M.
Luparev, V. V. See Kuz'micheva, G. M.
Lupei, A.; Lupei, V.; Grecu, S.
Crystal field levels of Tm^{3+} in gadolinium gallium garnet.—75-01208
Lupei, V. See Lupei, A.
Lupeiko, T. G.; Lisnevskaya, I. V.; Chkheidze, M. D.; Zhyagintsev, B. I.
Layered magnetoelectric composites based on nickel ferrite and lead zirconate titanate materials.—75-05681
Lupi, S. See Calvani, P.
Luptak, K. A. See Russell, Stephen W.
Luspin, Y. See Hauret, G.
Luther, E. P. See Lange, Fred F.
Luthi, Thomas See Woodtli, Jarmila
Luthier, Roland See Muralt, Paul
Luthje, H. See Bewilogua, K.
Luthra, Krishan L.
Theoretical aspects of the oxidation of silica-forming ceramics.—75-02016
Luthy, W. See Tosin, P.

Lutken, Henry A. See Rees, William S., Jr.
Lutton, P. P. See Payten, W. M.
Lutz, Norbert See Hornberger, Helga
Lutze, Werner; Ewing, Rodney C.
Glass and ceramic waste forms—applications and materials properties.—75-03467
Lux, P. See Brunet, F.
Luxem, W. See Kleebe, H.-J.
Luyten, J. See Persoons, R. M.
Luyten, J.; Vercauteren, S.; De Wilde, A.; Smolders, C.; Leysen, R.
Sol-gel preparation of mesoporous Al_2O_3 and TiO_2 membranes.—75-01674
Lyakhov, A. S. See Gurin, V. S.; Selevich, A. F.
Lyakhov, B. F. See Lipson, A. G.
Lyakhov, N. Z. See Grigor'eva, T. F.
Lyakhov, N. Z. See Karakchiev, L. G.
Lyakhov, N. Z. See Kovalenko, Yu. A.
Lyakhovich, V. V.
Rutiles from diamond-bearing rocks.—75-08765
Lyamin, V. N.
High time for reconstruction.—75-07154
Lyapilin, I. I. See Kuleev, I. G.
Lyapin, V. G. See Milenin, V. V.
Lyashchenko, A. K. See Bandurkin, G. A.
Lyashchenko, A. K. See Khomutov, V. V.
Lyckfeldt, O.; Liden, Eva; Carlsson, Roger
Processing of thermal insulation materials with controlled porosity.—75-01911
Lygin, V. I.
Vibrational spectra of surface hydrides of high-temperature aluminum oxide forms.—75-09105
Lykasov, A. A. See Sudarikov, M. V.
Lykasov, A. A.; Popova, T. V.
Conditions for occurrence of ternary compounds of the FeO-Fe_2O_3-CaO system.—75-06188
Lynch, Anne T. See Sneddon, Larry G.
Lynch, Christopher S.; Evans, Anthony G.
Effect of off-axis loading on the tensile behavior of a ceramic matrix composite.—75-09623
Lynn, J. W. See Keimer, B.
Lynn, K. G. See Asoka-Kumar, P.
Lynne, Brad See Leach, Bill
Lyon, Hylan B. See Vandersande, Jan W.
Lyons, M. See White, C. T.
Lysenko, V. A.
Thermodynamic calculation of the yttrium-oxygen phase diagram.—75-09089
Lysenko, V. G. See Gorshunov, A. G.; Grigor'ev, V. N.
Lyubarskaya, G. V. See Ivanov, F. M.
Lyubchenko, A. V. See Vlasenko, A. I.
Lyubchev, L.; Markovska, I.; Davarska, C.; Belcheva, D.
Phenomena at the corundum matrix/fiber interface.—75-09036
Lyubimov, S. L. See Churagulov, B. R.
Lyutikov, R. A. See Andrievskii, R. A.
Ma, Ai-Qon See Jiang, Ming-Xue
Ma, C. Y. See Rabkin, E.
Ma, C.-C. M. See Chao, H.-T.; Li, Y.-S.
Ma, Chao-Ying; Kowalak, A. D.; Sung, Chang-Mo
TEM study of the Pt-Ru bimetallic catalyst formation.—75-01965
Ma, D.-J. See Miao, H.-Z.
Ma, Da-An See Zhu, Ren-Yuan
Ma, Fu-Ding See Dong, Da-Kui
Ma, J.-F. See Shen, J.-Q.
Ma, Jun See Shen, Jian-Ging
Ma, L.-T. See Guo, J.-K.; Liu, G.-J.; Song, Y.-J.; Wu, F.-Y.; Zhuang, H.-R.
Ma, Q. Y.; Dosanjh, P.; Entin, I.
Properties of $Ca_{1-x}Sr_xCuO_2$ infinite layer films grown by laser ablation deposition.—75-05819
Ma, Wan-Li See Faguy, Peter W.
Ma, Wei-Ping; Brown, Paul W.; Komarneni, Sridhar
Sequestration of cesium and strontium by tobermorite synthesized from fly ashes.—75-03495
Ma, Wen-Hui; Li, Qi; Chen, Yan-Feng; Yu, Tao; Ming, Nai-Ben
Microstructure and epitaxial characteristics of $PbTiO_3$ ferroelectric thin film on NaCl by MOCVD.—75-05606
Ma, X.-Q. See Chen, Q.-F.
Ma, Xiang-Hong See Jiang, Ming-Xue
Ma, Xue-Ming See Ding, Xing-Zhao
Ma, Ya-Lu; Zhang, Guo-Liang; Wang, Shu-Qiang; Tan, J.-Q.; Zhu, Xuan-Hui
Micrograined (Y,Mg)-PSZ/$MgAl_2O_4$ ceramics prepared by wet chemical method.—75-09360
Ma, Yan-Zhang See Meng, Jin-Fang
Ma, Ying-Ren
Oxygen-sensitive behavior of yellow lead oxide [studied] by defect chemistry.—75-01326
Ma, Yue-Chu; Lee, Farn-Jeng; Bowman, Keith J.
Deformation textures in hot-worked polyphase ceramics.—75-06959
Ma, Zheng-Hua See Wu, Qi-Sheng
Maalej, Mohamed See Li, Victor C.
Maalej, Mohamed; Hashida, Toshiyuki; Li, Victor C.
Effect of fiber volume fraction on the off-crack-plane fracture energy in strain-hardening engineered cementitious composites [ECC's].—75-00031
Maas, R. R. See Scagnetti, P. A.
Mabuchi, Takeshi See Suzuki, Masaharu
MacDonald, Alister; Paul, Phillip
White fused alumina and zirconia manufactured by AFM [Australian Fused Materials], Western Australia.—75-07694
MacDonald, J. B. See Tribe, T. S.
MacDonald, William D. See Apte, Prasad S.
Macedo, P. B. See Matlack, K. S.
MacFarlane, D. R.; Newman, P. J.; Javorniczky, J. S.; Booth, D. J.; Boganov, V.
Active glasses for the near-infrared.—75-00177
Macfarlane, J. C. See Hao, L.
Mach, R.; Klotz, H.-D.; Suhrke, K.-D.; Drost, H.; Oleszak, F.; Olschewski, C.
Plasma synthesis of nanoscaled Si_3N_4, SiC, and Si_3N_4-SiC composite powders.—75-01606
Machida, Minoru; Ikeshima, Koichi
Ceramic honeycomb structural body.—75-08559
Machida, Minoru; Yamada, Toshio; Ichikawa, Yukihito
Ceramic honeycomb structural body and catalyst comprising the same.—75-08558
Machida, T.; Miyata, H.; Usami, S.; Ohta, H.
Fatigue behavior of structural ceramics at elevated temperatures.—75-02049
Machinaga, Osamu See Suzuki, Eisuke
Machingawata, N. C.; Broadbent, C. P.
Incorporation of arsenic in silicate slags as a disposal option.—75-03521
Mackens, Uwe See Klee, Mareike
Mackenzie, J. D. See Barrera, T. P.; Xu, Yu-Huan
Mackenzie, J. D.; Abernathy, C. R.; Pearton, S. J.; Wilson, R. G.
AlN grown by metallorganic molecular beam epitaxy.—75-03951
MacKenzie, K. J. D.; Gainsford, G. J.; Ryan, M. J.
Rietveld refinement of the crystal structures of the yttrium silicon oxynitrides $Y_2Si_3N_4O_3$ (N-melilite) and $Y_4Si_2O_7N_2$ (J-phase).—75-09053
MacKenzie, K. J. D.; Hartman, J. Stephen; Okada, Kiyoshi
MAS NMR evidence for the presence of silicon in the alumina spinel from thermally transformed kaolinite.—75-08978
MacKenzie, K. J. D.; Meinhold, R. H.; Brown, I. W. M.
Effect of reaction atmosphere on the early stage of carbothermal reduction of kaolinite: an XRD, ^{29}Si and ^{27}Al MAS NMR study.—75-06211
Mackenzie, K. J. D.; Meinhold, R. H.; White, G. V.
Carbothermal formation of ∫1/2-SiAlON from kaolinite and halloysite studied by ^{29}Si and ^{27}Al solid-state MAS NMR.—75-06172
Mackenzie, K. J. D.; Meinhold, R. H.
Glass-bonded ceramic material from chrysotile.—75-06627; Role of additives in the sintering of silicon nitride studied by multinuclear solid-state MAS NMR.—75-01240; Role of additives in the sintering of silicon nitride: a ^{29}Si, ^{25}Mg, and ^{89}Y MAS NMR and X-ray diffraction study.—75-06341
Mackin, T. J.; Perry, K. E.; Epstein, J. S.; Cady, C.; Evans, Anthony G.
Strain fields and damage around notches in ceramic matrix composites.—75-02098
Mackin, T. J.
Experimental and theoretical investigation of stick-slip, steady-state, and roughness dominated sliding in fiber-reinforced composites.—75-04518
Mackinnon, C. W. See Li, D. Y.
Mackle, K. M. See Claridge, R. F. C.
Macklin, William J. See Neat, Robin J.
Macko, D. See Hudakova, N.
Mackrodt, W. C. See Fincham, David
MacZura, G.; Madono, M.; Kreichbaum, G. W.; Sewell, B.
Low-moisture regular corundum/spinel castables with superior properties.—75-07589
MacZura, George; Moody, Kenneth J.; Anderson, Edward M.; Kunka, Marilyn K.
Alumina.—75-06016
Madar, R. See Pons, M.
Maddux, J. R. See Dumin, D. J.
Mader, W. See Ichinose, Hideki; Recnik, Aleksander
Madola
Barcelona's Castilla Fountain.—75-02197
Madon, M. See Tarrida, M.
Madono, M. See MacZura, G.
Madsen, L. L. See Viswanathan, Ravi
Maeda, Eizo See Udagawa, Etsuro
Maeda, H. See Tsubakino, H.
Maeda, Hideaki See Ohya, Nobutaka
Maeda, Hideaki; Irie, Miki; Ohtsubo, Kyo; Ohya, Nobutaka; Kusakabe, Katsuki; Morooka, Shigeharu
Preparation of highly oriented diamond thin film by microwave plasma-assisted chemical vapor deposition [MPCVD].—75-09398
Maeda, Katsuhiko See Ariyoshi, Kisaburo
Maeda, Kazuo See Mikami, Yorihito
Maeda, Takashi See Shimoo, Toshio
Maeder, Thomas See Muralt, Paul
Maekawa, M. See Sadamura, H.
Maekawa, S.; Ohishi, T.
Evaluation of SiO_2 thin films prepared by the sol-gel method using photoirradiation.—75-03892
Maekawa, Takashi See Shimada, Ken; Yamashita, Hiroshi
Maesono, Akikazu; Tye, Ronald P.
Use of modified ac calorimetry to measure the thermal properties of CVD diamond.—75-08711
Maevskii, V. M. See Ustinov, V. V.
Maffei, N. See Chen, H.
Magataev, V. K.; Glushkov, V. F.; Gladkii, V. V.
Features of the electrical properties connected with reorganization of domain structure in Rb_2ZnCl_4 ferroelectrics.—75-08141
Magee, P.
Ceramic variability and production—a case study in pre-Islamic Southeast Arabia.—75-00014
Mager, E. L. See Govor, G. A.
Mager, Siegfried; Niffka, Heinrich
Spray drying.—75-06780
Magerl, F.; Schneider, G. A.; Petzow, G.
Crack initiation and crack growth in ceramics and glass under thermal stress.—75-06950
Maggion, R.; Tinet, D.; Faugere, A. M.; Damme, H. V.
Surface relaxation and surface area measurements in soft and hardened tricalcic silicate pastes.—75-01694
Maglic, S. See Williams, S. M.
Maglione, M. See Kchikech, M.
Magnusson, K. O.; Wiklund, S.
Interface formation of Bi on ceramic ZnO: a simple model varistor grain boundary.—75-00523
Magro, C.; Heintz, J. M.; Hudakova, N.; Etourneau, J.; Cardinaud, C.; Turban, G.
Surface and grain boundary modifications of $YBa_2Cu_3O_{7-\delta}$ ceramics by plasma-enhanced fluorination.—75-00875
Magro, C.; Tressaud, A.; Hudakova, N.
Plasma-enhanced fluorination of $YBa_2Cu_3O_{7-\delta}$ ceramics: II. Interaction mechanisms between the reactive species and the materials.—75-05814
Magro, C.; Tressaud, A.; Lozano, L.
Plasma-enhanced fluorination of $YBa_2Cu_3O_{7-\delta}$ ceramics: I. Improvement of the superconducting properties.—75-05813
Maguire, Sam G. See Leese, Samuel M.
Magula, V.; Janovec, J.
Effect of short-time high-temperature annealing on kinetics of carbidic reactions in 2.7Cr-0.6Mo-0.3V [wt%] steel.—75-02817
Mah, T. See Moore, E. H.
Mahadev, V.; Melloch, M. R.; Woodall, J. M.
Effects of dopants on arsenic precipitation in GaAs deposited at low temperatures.—75-02902
Mahajan, Y. R. See Mukherjee, B.
Mahdi, M. See Zhang, L.
Mahesh, R.; Vijayaraghavan, R.; Rao, C. N.
Simple double-layer cuprates: 60 K superconductivity in a lanthanum barium strontium copper oxide.—75-05829
Mahfuz, H.; Ahsan Mian, A. K. M.; Vaidya, U. K.; Brown, T.; Jeelani, S.
Prediction of the fiber-matrix interface failure due to longitudinal tensile loading using finite element methods.—75-03590
Mahia, J. See Mira, J.
Mahia, J.; Vazquez-Vazquez, C.; Basadre-Pampin, M. Isabel; Mira, J.; Rivas, J.; Lopez-Quintela, M. Arturo
Sol-gel synthesis of fine Gd_2CuO_4 particles: influence of synthesis variables.—75-01675
Mahia, J.; Vazquez-Vazquez, C.; Mira, J.
Dependence of the magnetic properties of $Gd_{2-x}Ce_xCuO_4$, $0 \le x \le 0.15$, on their particle size.—75-03353
Mahmood, S. See Childs, T. H. C.
Mahonin, S. I. See Bazhenov, A. V.
Mai, Q. Y.; Hong, S. H.; Miller, J. R.; Sun, J. Z.; Gallagher, W. J.; Laibowitz, R. B.
High-T_c SQUIDs fabricated by inhibiting ion implantation.—75-08330
Mai, Y.-W. See Bushby, A. J.; Liu, T.; Zhou, Li-Min
Mai, Z.-H.; Dai, D.-Y.; Wang, R.-L.
Characterization of $GdBa_2Cu_3O_{7-x}$ superconducting thin films by a new optical interference fringe method.—75-05735
Maier, H. R. See Michaeli, N.
Maier, J.; Rabenau, Albrecht; Murugaraj, Pandijan
High-T_c superconductor and process for preparing it.—75-00904
Maier, J.
Interfaces of ionically conducting materials—electrochemical properties.—75-04347; See also Denk, Ingrid; Saito, Y.
Maiken, Eric B.; Taborek, Peter
Hard, amorphous carbon deposited from a fullerene discharge.—75-09326
Mainer, K. See Torchinskaya, T. V.
Maiorova, A. F. See Mudretsova, S. N.
Maiorova, E. V. See Azarov, G. M.
Maire, J. F. See Chaboche, J. L.
Maiti, C. K. See Ray, S. K.
Maiti, H. S. See Saha, D.
Maitland, G. See Fordham, E.
Maitra, A. K.; Phani, K. K.
Ultrasonic evaluation of elastic parameters of sintered powder compacts.—75-05985
Maitra, S. See Mitra, N. K.
Maity, A. K. See Saha, S. K.
Maiwa, Hiroshi See Okazaki, Kiyoshi
Maiwa, Koji See Goto, Kenjiro
Maiwa, Koji; Honda, Kinichi; Kamihira, Kazushige; Goto, Kenjiro; Fujii, Tadayuki
Effects of impurity contents of the starting materials of $YBa_2Cu_3O_x$ on superconducting characteristics. –75-00795
Maiya, P. S. See Balachandran, U.
Majetich, Sara; Newbury, Jennifer; Newbury, Dale E.
Determination of the number of molecules bonded to a CdSe nanocrystalline surface.—75-01821
Majewski, S. See Zorn, C.
Majid, I. See Liu, Y.-P.
Majima, Kazuhiko See Katsuyama, Shigeru
Majima, Kazuhiko; Ozawa, Yoshinori; Katsuyama, Shigeru; Nagai, Hiroshi
Effect of MG [mechanical grinding] on the preparation of Mn-Zn ferrites and Ni-Zn ferrites with fine grains.—75-01457
Majling, Jan See Galusek, Dusan
Major, R. W.; Werner, A. E.; Wilson, C. B.; Modine, F. A.
Polarization relaxation in zinc oxide varistors from 77 K to 450 K.—75-00362
Major, R. W.; Werner, A. E.; Wilson, C. B.
Polarization currents in zinc oxide varistors from 77 to 450 K.—75-00574
Majorowski, S.; Hlavacek, V.; Puszynski, J. A.
Ceramic armor materials derived from combustion synthesized powders.—75-08797
Majumdar, S. D. See Narayanan, S.
Majumder, S. B.; Agrawal, D. C.; Mohapatra, Y. N.; Kulkarni, V. N.
Perovskite phase formation in sol-gel-derived $Pb(Zr_xTi_{1-x})O_3$ thin films.—75-05618
Mak, V. T.; Ebragim, A. M.
Influence of gamma radiation on photoelectrical properties of thin cadmium thiogallate films.—75-09151
Mak, V. T.; Ebragim, A. M.
Nature of intrinsic defects in $CdGa_2S_4$ polycrystalline films.—75-05393

Mak, V. T.
Dependence of dark conductivity of CdS single crystals on the energy of bombarding electrons.—75-07821
Makabe, Toshiji See Takahashi, Kazuo
Makai, Kusuhiro See Kii, Toshie
Makarenko, V. A. See Gurtovoi, V. L.
Makarov, N. M. See Fisher, L. M.
Makarov, R. I.
Optimization of control over glass founding in regenerative bath furnaces.—75-03624
Makarov, S. D. See Shur, V. Ya.
Makarov, V. I. See Razumovskaya, O. N.
Makarov, V.; Trontelj, M.
Novel varistor material based on tungsten oxide.—75-05202
Makarova, Marina A.; Zholobenko, Vladimir L.; Al-Ghefalli, Khalid N.
Bronsted acid sites in zeolites. FTIR study of molecular hydrogen as a probe for acidity testing.—75-06167
Makeev, Yu. A. See Sukhanov, M. A.
Makeeva, N. N. See Domashevskaya, E. P.
Makhambetova, U. K. See Estemesov, Z. A.
Makhin, A. V. See Voshchilova, R. M.
Makhnev, A. A. See Ustinov, V. V.
Makhnii, E. V. See Berezovskii, M. M.
Makhnii, E. V.; Mel'nik, V. V.
Properties of ZnSe crystals doped with phosphorus.—75-05451
Makhnil, V. P. See Berezovskii, M. M.
Makhnil, V. P.; Mel'nik, V. V.
Photoelectrical characteristics of Ni-ZnSe contacts.—75-03120
Makhonin, I. I. See Kompan, M. E.
Makhonina, E. V. See Elizarova, N. V.; Pervov, V. S.
Maki, Iwao See Fukuda, Koichiro
Makihara, C.; Ikeda, K.; Wada, H.; Sawa, Y.; Tanahashi, S.
Multifunctional ceramic substrates and packages for telecommunication applications.—75-00354
Makihara, Masaki
Glass melting under microgravity.—75-05014
Makin, Stephen B. See Cameron, Ian V.
Makino, A. See Araki, N.
Makino, A.; Law, Chung K.
Self-propagating high-temperature synthesis flammable range and dominant parameters for synthesizing several ceramics and intermetallic compounds under heat-loss condition.—75-09429
Makishima, A. See Inoue, H.; Morita, K.
Makita, H. See Hatta, A.
Makita, H.; Yara, T.; Jang, N.; Nishimura, K.; Hatta, A.; Ito, T.
Seeding with purified ultrafine diamond particles for diamond synthesis by CVD.—75-09426
Makita, T. See Kuroiwa, T.; Mikami, N.
Makogonenko, V. N. See Paranchich, S. Yu.
Makovicky, Emil See He, Chang-Ling
Makovkin, A. I. See Anzheurov, N. M.
Makowiecki, Daniel M.; Holt, Joseph B.
Reactive multilayer synthesis of hard ceramic foils and films.—75-08629
Maksareva, O. V.
Ecology and cement production.—75-07144
Maksimchuk, I. N. See Trefilov, V. I.
Maksimov, B. A. See Grigor'eva, N. B.
Maksimov, B. A.; Solans, Kh.; Dudka, A. P.; Genkina, E. A.; Badria-Font, M.; Buchinskaya, I. I.
Fluorite-matrix-based $Ba_4R_3F_{17}$ (R=Y, Yb) crystal structure. Ordering of cations and features of the anionic motif.—75-08938
Maksimov, B. N. See Kornilov, V. V.
Maksimov, M. V. See Brunkov, P. N.; Ivanov, S. V.; Ledentsov, N. N.; Zhmerik, V. N.
Maksimov, Maksim See Zlatanov, Zahari
Maksimov, V. M. See Ledentsov, N. N.
Maksimov, V. N. See Gromozova, I. K.
Maksimova, N. M. See Svechnikova, T. E.
Maksimova, N. V. See Alekseeva, G. T.
Mal'khanov, S. E.
Defect formation in silicon exposed to proton bombardment.—75-02990
Mal'tsev, A. A. See Danishevskii, A. M.; Lebedev, A. A.
Malandrino, G.; Condorelli, G. G.; Fragala, I. L.; Granozio, F. Miletto; Scotti di Uccio, U.; Valentino, M.
Reproducible synthesis by metallorganic chemical vapor deposition and thallium vapor diffusion of oriented thin-film $Tl_{1+x}Ba_2Ca_2Cu_3O_{9+x}$: intergrowth of $TlBa_2Ca_2Cu_3O_9$ and $Tl_2Ba_2Ca_2Cu_3O_{10}$ structures.—75-08408
Malashevich, L. N. See Rat'ko, A. I.
Malats i Riera, A. See Yamegni-Noubeyo, J. C.
Malaviya, S. K. See Singh, K. K.
Malchow, R. See White, C.
Malecki, A.; Lejus, A. M.; Viana, B.
Spectroscopic studies of the kinetics of devitrification of Nd^{3+}-doped glasses in the akermanite-gehlenite system.—75-04930
Maleki, H.; Ila, D.; Holland, L. R.; Zimmerman, R. L.; Jenkins, G. M.
Process dependence of orientation of ribbonlike aromatic molecules in glassy carbon.—75-01910
Malghan, Subhas G. See Hackley, Vincent A.; Ramakrishnan, Vijay
Malghan, Subhas G.; Premachandran, R. S.; Pei, P. T.
Mechanistic understanding of silicon nitride dispersion using cationic and anionic polyelectrolytes.—75-06270
Malhi, Satwinder
Lateral power MOSFET structure using silicon carbide.—75-08104; Silicon carbide wafer bonded to a silicon wafer.—75-03214
Malhotra, L. K. See Chandra, Sharat
Malhotra, Ripudaman See Wu, Hui-Jung
Malic, Barbara; Kosec, Marija; Kolar, D.
Morphology and cold compaction behavior of alkoxide-derived $Pb(Zr_{0.5}Ti_{0.5})O_3$ powders.—75-01312
Malikova, L. V. See Bruk, L. I.
Malinovskii, Yu. A. See Vigdorchik, A. G.
Malinovskii, Yu. A.; Panina, Z. V.
X-ray study of chromium- and boron-doped synthetic $Ca_2Al(AlSi)O_7$ gehlenites.—75-09111
Malishevskii, V. F. See Govor, G. A.
Maliwat, E. See Bowman, R. G.
Malkina, I. G. See Aleshkin, V. Ya.; Kul'bachinskii, V. A.; Mintairov, A. M.
Malkov, A. A. See Dolgushev, N. V.
Malkov, S. A. See Andriesh, A. M.
Malkova, A. S. See Pashinkin, A. S.
Malkova, N. M. See Kantser, V. G.
Malkovich, R. Sh. See Didik, V. A.; Gornushkina, E. D.; Kulikov, G. S.
Mallick, K. K. See Bhattacharya, A. K.
Malm, T. D.
Ceramics in Northern Ireland—more there than the troubles.—75-02211
Malmgren, R.
Brazeless ceramic-to-metal bond for use in implantable devices.—75-07245; More glaze calculations software.—75-02302; NCECA GlazeBase—an international database of glazes.—75-02878
Malmo, Jan T.; Lokberg, Ole J.
TV holography at high temperatures—in situ observations of the oxidation of advanced materials.—75-01048
Malocha, D. C. See Lee, K. R.
Malone, J. R.; Newsom, Michael L.
Opportunities and obstacles, challenges and changes in the glass container industry.—75-02137
Malot, Vadim See LaCourse, William C.
Malovitskii, Yu. N.; Medovoi, A. I.; Skabelkin, A. V.
Measurement of thermo-emf of piezoelectric lanthanum sulfide.—75-05603
Malpica, F. See Tremante, A.
Malshe, A. P. See Jamil, S.; Johnson, J.; Molian, P. A.; Ulrich, Richard
Malshe, A. P.; Naseem, H. A.; Brown, W. D.; Schaper, L. W.
Recent advances in diamond-based multichip modules (MCMs).—75-08040
Malta, D. P. See Humphreys, T. P.
Malta, D. P.; Posthill, J. B.; Humphreys, T. P.; Thomas, R. E.; Fountain, G. G.; Rudder, Ronald A.
Exposure of diamond to atomic hydrogen—secondary electron emission and conductivity effects.—75-01850
Malta, Dean M. See Dreifus, David L.
Maltass, E. See Zampino, M. A.
Malygin, A. A. See Dolgushev, N. V.
Malygin, M. V. See Kukuev, V. I.
Malyshev, A. V.; Merkulov, I. A.; Rodina, A. V.
Ground-state wavefunctions of a noncoulomb acceptor in diamondlike semiconductors.—75-07902
Malyshev, M. N. See Dedyk, A. I.
Malysheva, N. E. See Zheludeva, S. I.
Malysheva, S. I. See Panova, T. I.
Malyuchkov, O. T. See Anshukova, N. V.
Malyutenko, V. K. See Bolgov, S. S.
Mamadalimov, A. T.; Onarkulov, K. E.; Parpiev, T. K.
Effect of γ-radiation on kinetic coefficients of $Pb_{1-x}Sn_xTe$ films.—75-07840
Mamaev, Yu. A. See Petrov, V. N.
Mamedov, K. N. See Azhdarov, G. Kh.
Mamedov, T. N. See Grebinnik, V. G.
Mamedov, Z. G. See Sultanov, G. D.
Mamontova, M. Yu. See Gora, E. A.
Mamsurova, L. G. See Krasil'nikov, A. S.
Mamsurova, L. G.; Pigal'skii, K. S.; Sakun, V. P.; Shcherbakova, L. G.
Structure and dynamics of the vortical lattice near the surface of the YBaCuO single crystal.—75-08423
Mamutin, V. V.
Possibility of controlling growth mechanisms of HTSC films by molecular beam epitaxy.—75-08398
Mamykin, A. A. See Mamykin, A. I.
Mamykin, A. I.; Il'in, A. Yu.; Moshnikov, V. A.; Mokrousov, N. E.; Mamykin, A. A.; Pershin, A. I.
Surface structure of porous silicon studied by a nuclear magnetic resonance method.—75-05495
Man'ko, V. S.; Andreev, V. A.; Chashchin, S. P.; Khabibullin, I. G.; Zakirova, E. A.
Compositional coatings with lead sulfide matrices for photoconducting layers.—75-02980
Man, P. P. See Hepp, M. A.
Manako, Shoko See Kouta, Hikaru
Manakova, L. A. See Kikoin, K. A.
Manalang, M. A.; Bergstrom, D. B.; Kramer, D. E.; Keiffer, J.
Elementary diffusive displacements of modifier cations in network structures.—75-04282
Manbeck, H. B. See Puri, Virendra M.
Manchester, Ann
Rich Hepp's Robledo Mountain Pottery.—75-07131
Mandal, H. See Sun, W.-Y.; Zhuang, H.-R.
Mandal, H.; Cheng, Y.-B.; Thompson, D. P.
α-SiAlON ceramics with a crystalline melilite grain-boundary phase.—75-04293
Mandal, H.; Thompson, D. P.; Sun, W. Y.; Ekstrom, Thommy
Mechanical property control of rare-earth oxide densified α-∫ SiAlON composites by α+∫-SiAlON transformation.—75-04102
Mandal, H.; Thompson, D. P.
Vacuum heat treatment of nitrogen ceramics.—75-04271
Mandal, J. B. See Bandyopadhyay, B.
Mandal, K. D. See Parkash, O.
Mandal, P.; Poddar, A.; Das, S.
Excess conductivity analysis of the $Bi_2Cr_2Ca_{1-x}Y_xCu_2O_{8+y}$ system: an estimation of interlayer coupling strength.—75-03368
Mandal, S. K.; Singh, K.; Bahadur, D.
Transformation studies of M- to W-type hexaferrite in $BaFe_{12-2x}Co_{3x}O_{19}$.—75-05718
Mandal, S.; Hazra, S.; Ghosh, A.
Glass formation in the PbO-Fe_2O_3 system with high PbO content.—75-05013
Mandaville, E.
Pigeon castles in Saudi Arabia.—75-02329
Mandel, V. E. See Tyurin, A. V.
Mandelis, A. See Vanniasinkam, J.
Mandell, John F. See Dannemann, Kathryn A.
Maney, J. P. See Palmer, R. H.
Manfredini, T. See Andreola, F.; Barbieri, Luisa; De Oliveira, Antonio Pedro Novaes; Generali, E.; Monari, G.
Manfredini, U. See Hollerl, N.
Mangialardi, Teresa See Pezzotti, Giuseppe
Mangold, Helmut; Hartmann, Werner; Kleinschmit, Peter; Kerner, Dieter; Rudolph, Thomas
Silicon-aluminum mixed oxide.—75-01136
Mani, T. V. See Varma, H. K.
Mani, T. V.; Damodaran, A. D.; Warrier, K. G. K.
Zone melting-refining in Bi-Pb-Sr-Ca-Cu-O superconductor prepared through the sol-gel method.—75-05865
Manian, Papu D. See Jones, Robert E. Jr.
Manivannan, P.; Subramanyam, A.
Electrical characterization of electron beam evaporated indium tin oxide/indium phosphide junctions.—75-00469
Manivannan, V. See Gopalakrishnan, J.
Mankos, Peter See Pach, Ladislav
Mann, S. See Giles, R.
Manna, Rampada See Jayaram, Vikram
Manne, S. See Giles, R.
Mannhart, J.
High-T_c transistors.—75-08334
Mannheimer, Walter A. See Nobrega, Maria Cecilia S.
Manning, G. See Sung, T.
Manoharan, S. Sundar; Vasanthacharya, N. Y.; Hegde, M. S.
Ferromagnetic $La_{0.6}Pb_{0.4}MnO_3$ thin films with giant magnetoresistance at 300 K.—75-00662
Mansfel'd, G. D.; Bezdelkin, V. V.; Freik, A. D.; Kucheryavaya, E. S.
Absorption of acoustic waves in langasite single crystals.—75-06151
Mansingh, A. See Sayer, M.
Mansour, I. See Caccavale, F.
Mansour, S. A. See Peterson, C. R.; Zaki, M. I.
Mansuripur, M. See Teowee, G.
Mansurova, E. P. See Adylov, G. T.
Mantas, P. Q. See Baptista, Joao L.
Mantese, Joseph V. See Catalan, Antonio B.
Manthiram, A. See Nanjundaswamy, K. S.
Manthiram, A.; Dananjay, A.; Tsang, C.
New synthesis route to electrode materials for rechargeable lithium batteries.—75-02923
Mantini, Michael J. See Rudder, Ronald A.
Mantyla, T. A.; Niemi, K.; Vuoristo, P.
Abrasive and erosive wear of thermally sprayed ceramic and cermet coatings.—75-09603
Manukhin, A. V. See Elyutin, A. V.
Mao, J. See Levon, K.
Mao, Li-Min; Stewart, Ogie; Reck, Gene P.; Proscia, James W.
Visualization of atmospheric pressure chemical vapor deposition and powder spray pyrolysis by laser light scattering.—75-03604
Mao, M.-H. See Kuang, X.-M.
Maqsood, Asghari See Ali, Zahida; Awan, M. S.; Maqsood, Muhammad
Maqsood, Muhammad See Ali, Zahida; Awan, M. S.
Maqsood, Muhammad; Arshad, Muhammad; Zafarullah, Muhammad; Maqsood, Asghari
Low-temperature thermal conductivity measurement apparatus: design assembly, calibration, and measurement on (Y123, Bi2223) superconductors.—75-08679
Mar'evich, V. P. See Chumarev, V. M.
Mar'yanchuk, P. D. See Kul'bachinskii, V. A.
Maracine, Luana See Luca, Constantin
Marakhovka, I. I. See Milekhin, A. G.
Marakov, V. O.; Trontelj, M.
Sintering and electrical conductivity of doped WO_3.—75-08056
Maramzin, V. Yu. See Garif'yanov, N. N.
Marasinghe, G. K. See Mogus-Milankovic, A.
Marazuev, Yu. A. See Brik, A. B.
Marcelli, S.
Thermocouple, the heart of the kiln.—75-03632
Marchenko, V. M.
Photoinduced transformations of oxygen-deficient centers in silica and germanosilicate glasses.—75-02674
Marchishin, I. V. See Dem'yanenko, M. A.
Marchywka, Mike See Pehrsson, Pehr E.
Marco, Jorge See Gimeno, Rosario
Marcuccilli, F. See Gilot, P.
Marcus, B. See Fayette, L.
Marcus, H. L. See Freeman, M. M.
Marcus, M. A. See Huang, W. C.
Mardezhov, A. S. See Svitashev, K. K.
Mardilovich, A. A.; Kurman, P. V.; Govyadinov, A. N.; Mardilovich, I. P.; Ermilova, M. M.; Orekhova, N. V.
Gas permeability of anodized alumina membranes with a palladium-ruthenium alloy layer.—75-09144
Mardilovich, I. P. See Mardilovich, A. A.
Mardirosova, I. V. See Savenkova, M. A.
Mardirosova, I. V.; Vassel, N. P.; Savenkova, M. A.
$Ga(PO_3)_3$-$RbPO_3$ system.—75-08942
Marella, M.; Molinas, B.; Fabris, B. Burtet
Spiral growth in sol-gel $YBa_2Cu_3O_{7-\delta}$ microspheres.—75-06779; Spiral growth mechanisms in partially melted bulk $YBa_2Cu_3O_{7-\delta}$.—75-05833

Marenkin, S. F. See Morozova, V. A.
Marenkova, I. N.; Nikonenko, E. A.
Heat treatment of ilmenite concentrates.—75-06034
Maresov, A. G. See Krasnosvobodtsev, S. I.
Margaritondo, G. See Almeras, P.
Marghosian, V. See Golestani-Fard, F.
Marghussian, V. K.; Yekta, B. Eftekhari
Glazes for single fast-fired wall tiles containing iron slag.—75-00288; Single fast-fired wall tiles containing Iranian iron slags.—75-00254
Margiani, N. G. See Voron'ko, Yu. K.
Margrave, John L. See Pan, Chen-Yu
Margulies, D. T.; Parker, F. T.; Berkowitz, A. E.
Magnetic anomalies in single-crystal Fe_3O_4 thin films.—75-03304
Margulis, V. A. See Geiler, V. A.
Marhic, C. See Lancin, M.; Ponthieu, C.
Maria, J. P. See Nunn, S. D.
Mariani, A.; Villa, P. L.
Preparation of YBCO-Ag composites with low carbon contents by a wet method.—75-05445
Mariano, Walter A.; Kiminami, Ruth H. G. A.
Effect of chemical composition on the sintering of mullite powders obtained by γ-Al_2O_3 and kaolin.—75-01451
Maricocchi, Antonio F. See Bruce, Robert W.
Marie, A. See McKelvy, M.
Marimuthu, Ramadoss See Kumar, Viswanathan
Marinelli, M.; Milani, E.; Montuori, M.
Compositional and spectroscopic study of the growth of diamond films from several gaseous mixtures.—75-01816
Marinelli, W. J. See Oakes, D. B.
Marinenko, R. B. See Kreider, K. G.
Marinkovic, S.; Stankovic, S.; Dekanski, A.
Adhesion of diamond coatings synthesized by oxygen-acetylene flame CVD on tungsten carbide.—75-09213
Marinov, M. See Mihailova, B.
Marinov, M.; Zotov, N.; Mihailova, B.; Nikolov, J.; Konstantinov, L.
Effect of disorder on the Raman spectra of glasses.—75-02583
Maris, Humphrey J. See Morath, Christopher J.
Maritan, C. See Lu, H.
Mariwala, Ravindra K. See Foley, Henry C.
Markam, T. L. See Bedekar, R. N.
Marker, Alexander J.
Cladding glass-ceramic for use in high-powered lasers.—75-08099
Markevich, I. V. See Baran, N. P.; Borkovskaya, L. V.; Drozdova, I. A.
Markevich, V. P.; Murin, L. I.
Features of initial generation kinetics of thermal donors in hydrogenated Si(O) crystals.—75-08933; Hydrogen-containing center with negative-*U* properties in silicon.—75-07913
Markgraf, Steven A. See Tsai, Tse-Lun
Markgraf, Steven A.; Furukawa, Yasunori; Sato, Masayoshi
Top-seeded solution growth of borate crystals for nonlinear optical applications.—75-04260
Markin, Yu. V. See Dmitriev, S. G.
Markovic, D. See Kicevic, D.
Markovich, V. I. See Baran, M.; D'yakonov, V. P.; Levchenko, G. G.
Markovska, I. See Lyubchev, L.
Markowski, Kelley A. See Pan, Ming-Jen
Markowski, Kelley A.; Park, Seung-Eek; Yoshikawa, Shoko; Cross, L. Eric
Effect of compositional variations in the lead lanthanum zirconate stannate titanate system on electrical properties.—75-08129
Marks, L. D. See Vuchic, B. V.
Markunas, Robert J. See Rudder, Ronald A.
Marnier, G. See Boulanger, B.
Maroncelli, M.; Tarquini, P.; Bossaglia, E.
Dry grinding.—75-03518
Maronchuk, I. E.; Shutov, S. V.; Kulyutkina, T. F.
Growth of epitaxial layers of gallium arsenide from solution in molten bismuth.—75-09323
Maroni, V. A. See Dorris, Stephen E.; Luo, J. S.
Marple, B. R. See Allaire, F.; Tuffe, S.
Marple, B. R.; Tuffe, S.
Smoothly varying composition profiles by graded casting.—75-09446
Marquis, P. M. See Lewis, M. H.; Wang, J.
Marquis, Peter
Enhancing the strength of bioceramics.—75-06973
Marra, James C. See Pecoraro, G. A.
Marra, James C.; Congdon, James W.; Kielpinski, Andrea L.; Schumacher, R. F.; Applewhite-Ramsey, Amy; Etheridge, John
Corrosion assessment of refractory materials for waste vitrification.—75-08498
Marra, James C.; Overcamp, Thomas J.; Erich, Donald L.
Melter component performance during surrogate low-level mixed waste vitrification campaigns.—75-08506
Marra, James C.; Plodinec, M. John; Taylor, Theodore D.
Glass composition development for high sodium content nuclear waste.—75-03468
Marrone, Sandy See Lehr, Beverlee
Marrow, T. J.; Roberts, S. G.
Toughening mechanisms in the high temperature fracture of high purity alumina.—75-07052
Marsh, E. R. See Scagnetti, P. A.
Marshall, A.; Shields, T. C.; Abell, J. S.
Compositional and structural study of the phase $BaZr_{1-x}Cu_xO_{3-x}$.—75-03348
Marshall, Christopher D. See Payne, Stephen A.
Marshall, David B. See Cox, Brian N.; Griffin, E. Alair; Morgan, Peter E. D.; Mumm, Daniel R.
Marshall, J. M. See Lau, S. P.
Marsil, I. M. See Organova, N. I.
Marsmann, H. See Heinrich, T.
Martem'yanov, N. A.; Tamm, V. Kh.; Obrosov, V. P.; Martem'yanova, Z. S.
Electrical and magnetic properties of $Li_{3-x}Ni_xN$ and $Li_{3-x}Co_xN$ solid solutions.—75-06450
Martem'yanova, Z. S. See Karavaev, Yu. N.; Martem'yanov, N. A.
Martin, A.; Puente, I.; Sanchez, J. M.; Elizalde, M. R.; Martinez, J. M.; Fuentes, M.
Failure mechanisms in CAS/SiC composite as a function of the strain rate.—75-04523
Martin, Annette L. See Kauffman, Ralph E.
Martin, B. See Martin, E.
Martin, C. A. See Talmy, I. G.
Martin, Dave See Jennett, Timothy A.
Martin, E. See Letullier, P.
Martin, E.; Martin, B.
Following anagama tradition.—75-02252
Martin, Eric A. See Stadler, Bethanie J. H.
Martin, Heidi B.; Argoitia, Alberto; Angus, John C.; Anderson, Alfred B.; Landau, Uziel
Boron-doped diamond electrodes for electrochemical applications.—75-08795
Martin, Joaquin; Mosquera, Maria J.; Merello, Rosario
New method for performing capillary absorption test.—75-05967
Martin, L. P. See Birman, Amnon
Martin, L. P.; Dadon, David; Gershon, D.; Levush, B.; Carmel, Y.; Rosen, Moshe
Characterization of microwave-processed ZnO.—75-01804
Martin, L. P.; Dadon, David; Rosen, Moshe; Gershon, D.; Birman, Amnon; Levush, B.
Ultrasonic and dielectric characterization of microwave-sintered and conventionally sintered zinc oxide.—75-09582
Martin, L. P.; Dadon, David; Rosen, Moshe
Evaluation of ultrasonically determined elasticity-porosity relations in zinc oxide.—75-03562
Martin, M. J.; Bravo, D.; Sole, R.
Thermal reduction of $KTiOPO_4$ single crystals.—75-01251
Martin, P. M. See Williams, R. K.
Martin, P. See Wang, X.
Martin, Patrick See Belsky, Andrey N.
Martin, Philippe; Guizard, Stephane; Petit, Guillaume
Temperature effects in the multiphonon photoemission of laser-irradiated α-SiO_2.—75-01353
Martin, R. I. See Brown, Paul W.
Martin, Robert F. See Vali, Hojatollah
Martin, S. J. See Cernosek, R. W.
Martin, Steve W. See Cho, Jaephil
Martin, Steve W.; Cho, Jaephil; Polewik, Tamara; Bhowmik, Siddhartha
Density of $x$$Na_2S$-$(1-x)B_2S_3$ (x=0 to 0.8) glasses: correlation with short-range order.—75-00183
Martin, Steven C. See Blakely, Keith A.
Martin, T.; Schroeder, D.
Reliability analysis of LTCC MCM's utilizing silver conduntives.—75-00371
Martin, W. See Scholz, H.
Martin-Aranda, R. M. See Rojas-Cervantes, M. L.
Martin-Calle, Serge; Clavaud, Bernard; Gauche, Jean-Pierre
Simple method for quick evaluation of thermal conductivity data and predictions of their gap with those of actual monolithic linings.—75-07659
Martinac, V. See Petric, N.
Martinez, D. See Castro, J.
Martinez, J. L. See Romero, G. L.
Martinez, J. M. See Martin, A.
Martinez, Jorge A. See Rivas, Patricia C.
Martinez-Fernandez, Julian See Gomez-Garcia, Diego; Morscher, Gregory N.
Martino, Pamela L. See Carter, Thomas M.
Martins, C. S.; Steen, M.; Bressers, J.; Rosa, L. G.
Mechanical performance of a commercial silicon nitride preexposed to a sulphidizing atmosphere at high temperature.—75-04588
Martins, C. S.; Steen, M.; Rosa, L. G.
Evaluation of strength, toughness, and subcritical crack extension of a commercial HP-Si_3N_4 exposed to a sulfidizing environment.—75-06975
Martinson, Scott D. See Albin, Sacharia
Martinu, L. See Berriche, R.; Reinke, P.
Martinz, H.-P.; Leichtfried, G.; Wilhartitz, P.; Disam, J.; Lubbers, K.
Interaction of molybdenum with molten glasses.—75-07304
Martirosyan, U. M. See Arutyunyan, V. V.
Marton, Frederic C.; Cohen, Ronald E.
Prediction of a high-pressure phase transition in Al_2O_3.—75-03824
Martorell, I. See Partlow, W. D.
Martunas, Z.; Vengalis, B.; Tvardauskas, H.; Jukna, A.; Pyragas, V.
Nonlinear electrical properties of thick $Bi_2Sr_2CaCu_2O_8$ films investigated by two frequency mixing method.—75-08385
Marty, A. See Vassent, J. L.
Marty, Christian See Campion, Isabelle M. M.
Martynov, A. F. See Randoshkin, V. V.
Martynov, V. N.
Luminescence and photoconductivity of highly pure cadmium selenide.—75-05367; See also Vlasova, E. O.
Martz, S. W. See Tressler, Richard E.
Marushkin, K. N.; Nipan, G. D.
New look at the nature of 1-2-3 polymorphism.—75-05801
Marushkin, K. N.
Phase relations in the systems HfO_2-Y_2O_3 and ZrO_2-Y_2O_3: represenation with p-T-x phase diagrams.—75-09033
Maruyama, K.; Sasaki, G.; Endo, S.
Formation of ZnO films by CO_2 laser evaporation at atmospheric pressure on glass and organic substrates.—75-06623
Maruyama, Kouichi See Shinmi, Akio
Maruyama, Toshiro; Morishita, Tomonori
Indium nitride thin films prepared by radio-frequency reactive sputtering.—75-01538
Maruyama, Yutaka See Esfarjani, Keivan; Gu, Bing-Lin
Marvin, O. B. See Teplov, M. A.
Mary, T. A.; Korthuis, V.; Khosrovani, N.; Sleight, A. W.
Isotropic materials with low or negative thermal expansion.—75-01880
Maryakhin, A. V. See Vysotskii, S. L.
Maryska, Martin See Matousek, Josef
Masada, Keizo; Kobayashi, Naoya; Doi, Akira; Takada, Toshio; Takada, Jun; Ikeda, Yasunori
Change of the Bi-2223 phase by repeat of mechanical grinding and heat treatment [at 850°C in air].—75-00775
Masaki, N. M. See Nakamura, A.
Masaki, S.; Moriya, K.; Yamamura, T.; Shibuya, M.; Ohnabe, H.
Development of Si-Ti-C-O fiber-reinforced SiC composites by chemical vapor infiltration and polymer impregnation & pyrolysis.—75-03994
Mascher, Peter See Boumerzoug, Mohamed
Maschio, S.; Bachiorrini, A.; Farne, G.
Thermodilatometric behavior of pure and doped $ZrTiO_4$-SnO_2.—75-06530
Masciarelli, Guglielmo See Fuso, F.
Mase, Hiroshi See Ushida, Yoshihisa
Mashaev, M. Kh. See Koroleva, L. I.
Mashchenko, A. G. See Belyi, V. N.
Masherova, N. P. See Trofimenko, N. E.
Mashimo, T.; Tashiro, S.
Synthesis of the WC-type tantalum nitride by mechanical alloying.—75-06818
Mashir, Yu. I.
Formation and segregation of copper, cadmium, and silver chlorides in photochromic glass.—75-02588
Mashkov, I. V. See Baranov, P. G.
Mashovets, D. V. See Smirnov, D. V.
Mashtakov, A. D. See Konstantinyan, K. I.
Maskell, W. C. See Benammar, M.
Maslenikov, A. V. See Rizvanova, N. G.
Maslennikova, G. N. See Shevchenko, V. Ya.
Maslennikova, G. N.; Platov, Yu. T.; Koneshova, T. I.
Formation processes of aluminosilicate ceramics with mineralizer additives.—75-06624
Masloboev, V. A. See Palkina, K. K.
Masloboev, Yu. P.; Selishchev, S. V.; Tereshchenko, S. A.
Semiconductor depth structure reconstruction by using photoluminescence spectra.—75-03158
Maslovskii, F. V.; Klimov, Yu. A.; Samsonov, N. S.
Changes induced in the electrical properties of Si-SiO_2 systems by pulsed magnetic fields.—75-05257
Maslovsky, Vladimir M. See Levin, Marc N.
Maso, J. C. See Ollivier, J. P.
Mason, B. See Liu, T.
Mason, Thomas O. See Coverdale, R. T.; Wu, Yue
Mason, Walter See LaCourse, William C.
Masounave, J. See Elomari, S.
Massa, V. See Yakubovich, O. V.
Massazza, F.
Cement production and use in Italy.—75-02390
Masse, F. See De Lorgeril, J.
Masse, S.; Zanni, H.; Lecourtier, J.; Roussel, J. C.; Rivereau, A.
^{29}Si solid state NMR study of tricalcium silicate and cement hydration at high temperature.—75-00258
Massiot, D. See Bessada, C.; Cote, B.; Coutures, J. P.; Parot-Rajaona, Tiana
Massiot, D.; Cote, B.; Taulelle, F.; Coutures, J. P.
^{27}Al MAS NMR of crystalline and amorphous materials.—75-01367
Masson, I. See Choux, S.
Masson, O. See Guinebretiere, R.
Massuda, Mona See Brown, Steve A.
Masterov, V. F. See Il'in, N. P.
Masterov, V. F. See Zegrya, G. G.
Masterov, V. F.; Nasredinov, F. S.; Nemov, S. A.; Seregin, P. P.
Identification of one- and two-electron impurity centers in semiconductors by Mossbauer spectroscopy.—75-07914; One- and two-electron exchange between neutral and ionized impurity centers on semiconductors by Mossbauer spectroscopy.—75-07988
Masterov, V. F.; Nasredinov, F. S.; Patrina, I. B.; Prixod'ko, O. A.; Sagatov, M. A.; Seregin, P. P.
Surroundings of Cu(1) sites in tetragonal lattices of $Y_{1-x}Ca_xBa_{2-x}La_xCu_3O_{6+\delta}$.—75-05841
Masterov, V. F.; Nasredinov, F. S.; Seregin, P. P.
Nuclear quadrupole interaction in high-temperature superconductors based on copper oxide metals (review).—75-05806
Masters, P. J.
Slumping earthenware in a sodium vapor atmosphere.—75-00294
Masuda, Hiroaki See Gotoh, Kuniaki
Masuda, Hiroaki; Matsusaka, Shuji; Imamura, Koreyoshi
New method for measurement of powder characteristics based on reentrainment phenomena.—75-05966
Masuda, I. See Itoh, K.
Masuda, Kaoru See Endoh, Shigehisa
Masuda, M. See Matsui, M.
Masuda, Takato See Shibuta, Nobuhiro
Masuda, Tsuguya See Sasaki, Kaori
Masuda, Yoshi; Shibutani, Kazuyuki; Ogawa, Rikuro; Kawate, Yoshio; Hara, Naohiro
Preparation of 2212-Ag laminated superconducting wires.—75-00850
Masuda, Yuichi See Abe, Yoshihiro
Masumi, Taizo
Superconductive optoelectronic devices with the basic substance Bi_2O_3 of conductive-conjugate photoconductivity.—75-05886

Masumori, Hideo See Takeuchi, Yukihisa
Masumoto, Tsuyoshi See Yamaguchi, Tadashi
Masut, R. A. See Singh, A.; Tran, C. A.; Watkins, S. P.
Masuyama, Shinichiro See Takagi, Nobuoki
Mataev, M. M. See Oralova, A. T.
Matar, S. A.; Edirisinghe, M. J.; Evans, J. R. G.; Twizell, E. H.
Diffusion of degradation products in ceramic moldings during pyrolysis: effect of geometry.—75-04280
Matar, S. See Demazeau, G.
Matar, S.; Eyert, V.; Sticht, J.
Band theoretical investigation of substituted CrO_2 within the local density approximation.—75-00723
Matar, S.; Gonnet, V.; Demazeau, G.
Electronic structure of cubic boron nitride within the local density approximation.—75-06219
Matayoshi, Tomoya See Sano, Saburo
Mateik, G. D. See Freik, D. M.
Matej, Jiri; Freivolt, Stefan; Hulinsky, Vaclav
Corrosion of molybdenum electrodes in lead glass melts: I. Reaction products and effect of alkalis.—75-06918
Mateshvili, N. Yu. See Dzhakeli, V. G.
Mathews, C. K. See Kutty, K. V. Govindan
Mathewson, Brian B. See Cawley, James D.
Mathieu, Alain; Bayoux, J. P.; Falaschi, Jean-Pierre; Vialle, Michel
Aging of aluminous cement in LCC.—75-07460
Mathieu, Jean Claude See Bennour, Fatima
Mathis, M. D.; Agrawal, Dinesh K.; Roy, Rustum; Plovnick, Ross H.; Hutcheon, R. M.
Microwave synthesis of aluminum titanate in air and nitrogen.—75-01583
Mathis, M. D.; Agrawal, Dinesh K.; Roy, Rustum; Plovnick, Ross H.
Microwave synthesis of SiAlONs.—75-01585
Mathur, A. B. See Banerjee, S. K.
Mathur, M. K. See Goll, A. K.
Mathur, N. N. See Singh, K. K.
Matijevic, Egon
Uniform inorganic colloid dispersions. Achievements and challenges.—75-06825; See also Nishikawa, Shuichi
Matikas, Theodore E.; Karpur, Prasanna; Dutton, Rollie E.
Damage assessment of fiber/matrix interface in ceramic matrix composites using elastic stress waves.—75-03554
Matje, P. See Nass, R.
Matkovskii, A. O. See Vasilechko, L. O.
Matlack, K. S.; Hojaji, H.; Fu, S. S.; Pegg, I. L.; Macedo, P. B.
Vitrification of radioactive Fernald wastes with the continuously fed Duramelter 100.—75-03504
Matlack, K. S.; Hojaji, H.; Fu, S. S.; Pegg, I. L.
Vitrification of low-level waste streams that contain large amounts of fluorides.—75-03503
Matlin, W. M. See Starr, T. L.; Stinton, D. P.
Matlin, W. M.; Stinton, D. P.; Besmann, T. M.; Liaw, P. K.
Optimization of bundle infiltration in the forced chemical vapor infiltration (FCVI) process.—75-04127
Matlin, W. M.; Stinton, D. P.; Besmann, T. M.
Development of a two-step, forced chemical vapor infiltration process.—75-03990
Matousek, Josef; Maryska, Martin; Helebrant, Ales
Cation concentration profiles in float glass surfaces during corrosion in aqueous solutions.—75-07285
Matov, O. R.; Meshkov, O. F.; Polishuk, O. V.; Popov, V. V.
Theory of electromagnetic radiation of 2-D magnetoplasmon and cyclotron oscillations in a semiconducting heterostructure with periodic shields.—75-08079
Matrenin, S. V. See Khasanov, O. L.
Matsak, P. I. See Demidova, Zh. N.
Matsak, Z. A. See Demidova, Zh. N.
Computational modeling of mass transfer for ceramic microstructure.—75-09533
Matsubara, Hideaki; Furukawa, Katsuya; Brook, R. J.
Computer simulation of grain growth under the existence of liquid phase.—75-09534
Matsubara, Hideaki; Ishida, Atsumu
Self-monitoring function in ceramic based materials.—75-09667
Matsubara, Hideaki; Kondo, Toshiharu
Computer simulation software to assist material design.—75-09706
Matsubara, Hideaki
Theoretical studies on sintering and grain growth in ceramic materials.—75-09485; See also Ishida, Atsumu; Iwamoto, Y.; Koumoto, Kunihito; Yamada, T.
Matsubara, Hideaki; Brook, R. J.
Matsubara, Ichiro See Funahashi, Ryoji
Matsubara, K. See Tajima, Y.
Matsubara, Masahito See Yamada, Kazuo
Matsubara, T. See Kawasaki, A.
Matsubayashi, Shigeharu See Takashi, Minoru
Matsuda, K. See Komiya, M.
Matsuda, O. See Watari, T.
Matsuda, Shinpei See Doi, Toshiya; Kamo, Tomoichi; Nabatame, Toshihide
Matsuda, Shoichi See Morita, Mitsuru
Matsuda, T. See Bonevich, J. E.
Matsui, Jin-Joo See Yoshimura, Masashi
Matsui, Kunio; Saihi, Kazuhiro
Effects of impurities on the hydration of magnesia clinkers.—75-07545
Matsui, M.; Masuda, M.
Fracture behavior of silicon nitride at elevated temperatures.—75-04536
Matsui, Taijiro See Yamada, Junji
Matsui, Toshiyuki See Kimura, Hiroshi
Matsui, Y. See Kamijoh, T.; Miki, T.
Matsukevich, V. G. See Podoksik, E. E.
Matsumara, Hiroyoshi See Katsuyama, Toshio
Matsumara, Tatsuya See Kiss, Takanobu
Matsumoto, A. See Kuwabara, T.
Matsumoto, Akio See Kosugi, Tatsuhiro
Matsumoto, Akio; Kasahara, Shingo; Misumi, Yoshifumi; Yamashita, Yoshinori
Mold for pressure cast molding a ceramic article formed from an open cell porous material.—75-08610
Matsumoto, Itsuo; Furui, Yuji; Tsuchimoto, Yoshihiro
Method and device for forming a glass product.—75-08749
Matsumoto, Masashi See Yamada, Kazuo
Matsumoto, Mitsunori See Morisako, Akimitsu
Matsumoto, N. See Namegaya, T.
Matsumoto, Osami; Isobe, Toshihiro; Itose, Syouichi
Refractory for use in casting operations.—75-07701
Matsumoto, Roger L. K. See Lukacs, Alexander III
Matsumoto, Seiichiro See Okada, Katsuyuki
Matsumoto, Takashi See Sogabe, Toshiaki
Matsumura, Hiroyoshi See Katsuyama, Toshio
Matsumura, Sowjun See Yoshikawa, Itsuji
Matsumura, Yoshihiro See Kawahigashi, Satashi
Matsunaga, Hirokazu See Shimakami, Seiji
Matsunaga, Tatsuya See Kuwabara, Makoto
Matsunami, Hiroyuki See Kimoto, Tsunenobu
Matsunami, Hiroyuki; Kimoto, Tsunenobu
Nucleation and step dynamics in SiC epitaxial growth.—75-00554
Matsunami, Noriaki See Kawamura, Kenichi; Sato, Koichi
Matsunuma, Kenji See Yamamoto, Takehisa
Matsuo, K. See Ohkuma, K.
Matsuo, Kentarou See Kominami, Hiroshi
Matsuo, Shuitsu See Shintani, Yoshitomo
Matsuo, T. See Ichikawa, M.
Matsuo, Yohtaro See Miyata, Noboru; Ohsawa, Shigenari
Matsuoka, Jun See Kamiya, Kanichi; Yamamoto, Hideki
Matsuoka, Morito; Hoshino, Koichi; Ono, Kenichi
Low-temperature epitaxial growth of $BaTiO_3$ films by radio-frequency-mode electron cyclotron resonance sputtering.—75-01564
Matsusaka, Shuji See Masuda, Hiroaki
Matsushima, Yasushi See Yoshino, Kenji
Matsushita, Kenichi
Internal friction in ceria ceramics doped with alkali-earth metal oxides.—75-04573
Matsushita, N.; Noma, K.; Nakagawa, S.
Preparation and magnetic properties of BaM films with excellent crystallinity by Xe sputtering.—75-03327; Preparation of Co-Zn ferrite films at low substrate temperature by plasma-free dc sputtering for magnetic recording media.—75-03328
Matsushita, Toru See Tomoshige, Ryuichi
Matsutani, Nobuya See Aoyama, Tatsuji; Inoue, Osamu
Matsuura, Takahiro See Nakahata, Seiji
Matsuura, Takashi See Tanaka, Saburo
Matsuura, Takashi; Harada, Keizo; Nakanishi, Hidenori; Itozaki, Hideo
Superconducting thin film of compound oxide and a process of preparing the same.—75-00923
Matsuura, Takashi; Higaki, Kenjiro; Itozaki, Hideo
Microwave component of compound oxide superconductor having crystal orientation for reducing electromagnetic field penetration.—75-08475
Matsuura, Takashi; Itozaki, Hideo
Planar SQUID of oxide superconductor.—75-03435
Matsuwaka, Shuichi See Akane, Katsumasa
Matsuwaka, Shuichi; Morishita, Masahiro
Semigasification-type refuse incinerator.—75-08541
Matsuyama, I. See Susa, K.
Matsuyama, K.; Ohyama, T.; Asada, H.
Successive Bloch line write operation in a 1-μm bubble material.—75-03333
Matsuyama, Tatsushi See Yamamoto, Hideo
Matsuzaki, Hiroshi See Iwaya, Masaki
Matsuzaki, Hiroshi; Kuroki, Yoshiaki; Kojima, Takao
Ceramic heater for oxygen sensor of the type having oxygen ion conductive tube of solid electrolyte.—75-03666
Matsuzaki, Y. See Kawamura, M.
Matsuzaki, Yoshio See Kawashima, Tsuyoshi
Mattenberger, K. See Lohle, J.
Matthai, C. C.; Moran, G. J.; Morrison, I.
Computer simulation of Si and C atoms on SiC surfaces.—75-00444
Matthee, T. See Bardal, A.
Matthews, F. L. See Gilchrist, M. D.
Matthews, S. J. See Tomlinson, W. J.
Mattioli, P. See Bonetti, E.
Mattos, Ubajara See Noronha, Reinaldo Tito Teixeira
Mattox, Douglas M.
Glassy binder system for ceramic substrates, thick films, and the like.—75-00400
Mattson, Stephanie M.
Glass compositions and fibers therefrom.—75-07421; See also Rapp, Charles F.
Matubara, M. See Itoh, I.
Matukas, J. See Palenskis, V.
Matukas, J.; Palenskis, V.
Metal–gallium arsenide contact low-frequency noise during various treatments of the semiconductor substrate surface.—75-07968
Matulionis, E. See Ragalevicius, R.
Matumoto, Takeshi See Umezaki, Hiroshi
Matuoka, Hiroshi See Sawada, Yasushi
Matusita, K.; Ohkubo, K.; Sato, R.; Komatsu, T.
Chemical reaction of platinum with PbO-SiO_2 melt under direct current electrolysis.—75-07289
Matuso, K. See Ochiai, Y.
Matveev, B. A. See Bresler, M. S.
Matveev, O. A.; Terent'ev, A. I.
Features in growing CdTe crystals from melt.—75-03028
Matveev, V. M. See Krynetskii, I. B.
Matveev, V. N. See Volkov, V. T.
Matveev, V. V. See Krynetskii, I. B.; Suzdalev, I. P.
Matyna, L. I. See Georgobiani, A. N.
Matyunin, Yu. I. See Demin, A. V.
Matyunin, Yu. I.; Demin, A. V.; Teteria, E. G.
Behavior of uranium, plutonium, and radiogenic americium upon vitrification of model high-level liquid wastes.—75-03448
Matyyasik, S. See Shaldin, Yu. V.
Mauch, F.; Jackle, J.
Thermoviscoelastic theory of freezing of stress and strain in a symmetrically cooled infinite glass plate.—75-02695
Maumus, Jean-Pierre See Delage, Andre
Maupas, H. See Gourbilleau, F.
Maupas, H.; Chermant, J. L.; Hillel, R.
Effect of nanoscale microstructures on the mechanical behavior of silicon carbon-titanium carbon composites.—75-02042
Maupas, H.; Chermant, J. L.
Creep behavior of a 0-90° SiC_f-MLAS composite.—75-04471
Maupin, G. D. See Hess, N. J.
Mavlyanov, Kh. Yu. See Golikova, O. A.
Mavlyanov, R. See Andreev, A. A.
Maximilien, Sandrine See Ambroise, J.
Maximov, I.; Deppert, K.; Montelius, L.; Samuelson, L.; Gray, S.; Johansson, M.
Characterization of InP/GaInAs nanometer-sized columns produced by aerosol deposition and plasma etching.—75-00426
Maximuk, Alexander B. See Olabin, Vladimir M.
May, C. See Hill, R. G.
May, P. W. See Ashfold, M. N. R.
Mayer, E. See Van Dijen, F. K.
Mayer, G. T. See Bannister, M. J.
Mayer, G. T.; Bannister, M. J.; Goss, M. F.; Urbani, C.; White, A.
Thermal shock testing of advanced refractory ceramics.—75-00274
Mayer, J. W. See Russell, S. W.
Mayer, J. See Cheng, T. T.; Hauert, R.; Pan, Xiao-Qing; Polli, Andrew D.
Mayer, J.; Giblin, F.; Henderson, J.; Emmerich, W. D.
Thermal analysis, a tool for materials testing.—75-03600
Mayer, J.; Plitzko, J.; Steinbach, F.; Kohl, H.
Interfaces in ceramics [investigated] by electron spectroscopic imaging.—75-03524
Mayer, S. T. See Pekala, R. W.
Mayer, T. M.; Chason, E.; Howard, A. J.
Roughening instability and ion-induced viscous relaxation of SiO_2 surfaces.—75-01241
Mayo, Merrilea J. See Chen, Da-Jiang; Seidensticker, John R.
Mayor, A. E.; Cheng, Y.-B.; Trigg, M. B.
Preparation of Ca α-SiAlON ceramics by pressureless sintering.—75-01621
Mayr, Walter See Opitz, Joachim F. A.
Mazaki, Hiromasa See Kakihana, Masato
Mazaki, Hiromasa; Yasuoka, Hiroshi; Kakihana, Masato; Yoshimura, Masahiro
Complex susceptibilities of Co-doped $YBa_2Cu_3O_{7-\delta}$ synthesized by the polymerized complex method: II.—75-00776
Maze, Gwendael; Poulain, M.; Carre, Jean-Yves; Soufiane, Abdelouhed; Messaddeq, Younes
Fluorinated glasses.—75-07418
Mazeika, Linas See Kinsman, Karin M.
Mazer, James J.; Walther, John V.
Dissolution kinetics of silica glass as a function of pH between 40° and 85°C.—75-02644
Mazhevskii, A. See Bokov, V. A.
Mazo, G. N. See Mozhaev, A. P.
Mazovko, A. V. See Bodnar, I. T.
Mazuka, Naoto See Kaneko, Shoji
Mazumder, Jyoti See Chen, Xiang-Li
Mazumder, M. K. See Kaya, Noriyoshi
Mazurenko, A. M. See Akimov, A. I.
Mazurenko, E. A. See Grafov, A. V.
Mazurenko, E. A.; Grafov, A. V.
Design of metals coordination compounds precursors for MOCVD synthesis of functionally gradient materials.—75-02452
Mazurenko, V. G.; Vainshtein, I. A.; Kortov, V. S.; Varaksin, A. N.
Additive oscillating modes in MgO-Fe^{2+} and MgO-Fe^{3+} crystals.—75-08863
Mazzetti, P. See Puica, I.
Mazzinghi, P. See Krajewski, A.
McAlwee, Gerald S. See Wood, Charles D. III
McBride, J. R.; Hass, K. C.; Poindexter, B. D.
Raman and X-ray studies of $Ce_{1-y}RE_yO_{2-y/2}$, where RE=La, Pr, Nd, Eu, Ge, and Tb.—75-01920
McCabe, S. L. See Darwin, D.
McCabe, T. J. See Carr, K. E.
McCallum, J. C. See Simpson, T. W.
McCartney, M. R. See Smith, David J.
McCarty, K. F. See Hahn, D. W.
McCauley, James W. See Greenhut, Victor A.
McCauley, Ronald A.
Corrosion [of refractories]: a review of some fundamentals.—75-07494; See also Wang, H. M.
McCauley, Thomas S.; Vohra, Yogesh K.
High-temperature diamond film deposition on a natural diamond anvil.—75-09330
McCay, Mary H. See Dahotre, Narendra B.
McCay, T. Dwayne See Dahotre, Narendra B.
McClellan, K. J.; Xiao, S.-Q.; Lagerlof, K. P. D.
Determination of the structure of the cubic phase in high-ZrO_2 Y_2O_3-ZrO_2 alloys by convergent-beam electron diffraction.—75-03784
McClung, R. W. See Brinkman, C. R.
McClure, M. T. See Bergman, L.; Liu, A.
McClurg, Gary
Fluorspar.—75-06031
McColgan, P. See Birkby, I.
McConnachie, J. M. See Miller, G. P.
McCormack, M. See Jin, S.

McCormick, Paul G. See Ding, Jun

McCormick, T. L.; Jackson, W. E.; Nemanich, R. J.
Strain and impurity content of synthetic diamond crystals.—75-01344

McCracken, Derek J.; Haigh, Mike
Lithium minerals.—75-06038

McCracken, William H.
Andalusite.—75-06018

McCreedy, D. E. See Hess, N. J.

McCrum, Martha L. See Kinsman, Karin M.

McDermott, Gregory A. See Blum, Yigal D.

McDevitt, John W. See Peterson, George T.

McDonald, D.; Pfeifer, D. W.
Use of supplementary cementing materials to increase the resistance to chloride ion penetration of concretes cured at elevated temperatures.—75-02430

McDonald, D.; Sherman, M.
Properties of silica fume concrete and mortar.—75-02420

McDonald, D.
Durability of concrete incorporating high volumes of fly ash from sources in the U.S.—75-02398; See also Chivukula, V.

McDonnell, D. G. See Jandt, K. D.

McDougall, J.; Hollis, D. B.; Payne, M. J. P.
Spectroscopic properties of Er^{3+} in fluorozirconate, germanate, tellurite, and phosphate glasses.—75-07368

McEndarfer, E.
Old and new in Jingdezhen.—75-02316

McEvoy, A. J. See Van Herle, J.

McFadden, R. S. See Carboy, J.

McGahan, William A.; Woollam, John A.
Optical characterization and modeling of amorphous hydrogenated carbon films.—75-01319

McGahay, Vincent; Tomozawa, Minoru
Effect of water on phase separation of sodium silicate glasses.—75-05008

McGarry, D. See Djuricic, B.

McGee, Robert L. See Yalvac, Selim

McGhee, Michael L. See Flechsig, Karl A.

McGibbon, A. J. See McGibbon, M. M.; Pennycook, S. J.

McGibbon, M. M.; Browning, N. D.; McGibbon, A. J.; Chisholm, M. F.; Pennycook, S. J.
Direct determination of grain boundary atomic structure in $SrTiO_3$.—75-04314

McGill, T. C. See Feenstra, R. M.

McGinn, P. J. See Kim, Chan-Joong

McGinnis, S.
Susan Gamble—Rio de Mi Corazon.—75-02364

McGowan, W. M. See Gao, F.

McHale, Anna E.; Roth, Robert S.
Phase Equilibria Diagrams: Volume XII.—75-04779

McHargue, C. J. See Bentley, Jim

Mchedlov-Petrossyan, O. P. See Chernyavski, V. L.

McIntyre, A. D.; Sorrell, C. C.
New England [New South Wales, Australia] sapphire industry.—75-02135

McIntyre, D. S. See Griswold, E. M.; Sayer, M.

McIntyre, D. S.; Sayer, M.; Weaver, L.; Griswold, E. M.; Chivukula, V.
Electrical characterization of PZT on rapid thermally annealed ruthenium oxide electrodes.—75-05558

McIntyre, Don A. See Hunter, Orville

McIntyre, P. C. See Simpson, T. W.

McKelvy, M.; Sidorov, M.; Marie, A.; Sharma, R.; Glaunsinger, W. S.
In situ dynamic high-resolution transmission electron microscopy investigation of guest-layer behavior during deintercalation of mercury titanium disulfide.—75-01869

McKernan, S. See Bentley, Jim

McKillen, Gerard See Juma, Kassim

McKinstry, Kevin D. See Truedson, John R.

McKittrick, J. See Freim, J.; Hoghooghi, B.; Shea, L. E.

McKittrick, J.; Hoghooghi, B.; Dubbelday, W.; Kavanagh, K.; Kinsman, K.; Shea, L. E.
Particle size effects in YAG:Cr phosphors.—75-01903

McKittrick, J.; Tunaboylu, B.; Katz, J.
Microwave and conventional sintering of rapidly solidified Al_2O_3-ZrO_2 powders.—75-06685

McLane, G. See Flemish, J. R.

McLaren, Malcolm G.
Necessity for establishment of international standards for powders.—75-07088

McLaughlin, J. C. See Starr, T. L.

McLaughlin, Jerry C. See Weaver, Billy L.

McMann, F. C.
NO_x emissions—an overview.—75-03623

McMaster, Mark C.; Hsu, Wen L.; Coltrin, Michael E.
Experimental measurements and numerical simulations of the gas composition in a hot-filament-assisted diamond chemical vapor deposition reactor.—75-01022

McMaster, T. J. See Jandt, K. D.

McMeeking, Robert M. See Bouvard, D.; Casagranda, Albert; Evans, Anthony G.

McMillan, P. F.; Angell, C. Austen; Grande, Tor; Holloway, John R.
Methods of making nitride glasses.—75-05051; Nitride glasses and methods of making same.—75-07433

McMillan, P. F.
Infrared and Raman spectroscopy applied to cement chemistry—complementary with NMR techniques.—75-00048; See also Cote, B.; Poe, B. T.

McMillan, S. M.; Brook, R. J.
Synthesis of silicon carbide ceramics at low temperatures.—75-01716

McMurtry, Carl H. See Lau, Sai-Kwing

McNallan, Michael J. See Kern, William A.

McNallan, Michael J.; Lee, S. Y.; Hsu, P. P.
Oxidation of silicon-based ceramics in the presence of alkali halides.—75-02010

McNally, R. L.; Brotzen, F. R.; Griffin, A. J., Jr.; Loos, P. J.; Barrera, E. V.
Electronics application for fullerenes.—75-01147

McNamara, K. M.; Williams, Bradley E.; Gleason, K. K.
Identification of defects and impurities in chemical vapor deposited diamond through infrared spectroscopy.—75-01758

McNeely, Shirley See Radca, Tom

McRae, L.
Fire and light—combining ceramic and photographic processes.—75-02249

McShane, H. B. See Lin, C.-Y.

McVeety, Thomas; Clifford, David G.
Ceramic filter with a transmission zero.—75-00390

McWard, T. H.; Vorburger, T. V.; Fu, J.
Methods divergence between measurements of micrometer and submicrometer surface features.—75-03580

McWhinnie, H.
New look at some old glazes.—75-02311

McWilliams, B.
Hawaiian functional forms.—75-02267

Meaden, G. See Ashfold, M. N. R.

Meads, R. E. See Hamichi, M.

Mearini, G. T. See Lamouri, A.

Mearini, G. T.; Krainsky, I. L.; Dayton, J. A., Jr.
High-emission CsI-coated diamond dynodes for an electron multiplier.—75-07906

Meason, John See Sheng, Zheng-Zhi

Mebes, M. P. See Teowee, G.

McCartney, M. L. See Shapiro, A. A.

Mecholsky, J. J., Jr.
Fractography, fracture mechanics, and fractal geometry: an integration.—75-04534; See also Chen, Z.

Medda, M. P.; Musinu, A.; Piccaluga, G.; Pinna, G.
X-ray structural investigation on sodium borate samples prepared by the sol-gel method.—75-02619

Medici, M.; Casolari, C.
Dry glazing.—75-02768

Medler, A. See Sinnadurai, N.

Medlin, D. L. See Friedmann, T. A.

Medlin, D. L.; Friedmann, T. A.; Mirkarimi, P. B.
Microstructure of cubic boron nitride thin films grown by ion-assisted pulsed laser deposition.—75-01889

Medlin, Michael W. See Schreiber, Henry D.

Medovoi, A. I. See Arkhipov, M. A.; Malovitskii, Yu. N.

Medrano, C.; Zgonik, M.; Sonderer, N.
Photorefractive effect in Cu- and Ni-doped $KNbO_3$ in the visible and near-infrared.—75-01331

Medvedev, B. K. See Dmitriev, S. G.

Medvedev, B. S. See Protsenko, A. V.

Medvedev, Yu. N. See Kuznetsov, M. L.

Medvedeva, L. I. See Nalbandyan, V. B.

Medvedeva, N. I.; Gertner, Zh. V.; Kraskovskaya, V. V.; Zhukovskii, V. M.; Ivanovskii, A. L.; Shveikin, G. P.
Electron properties of 3C-SiC containing structural defects.—75-06847

Medvedovski, E.
Low-temperature sintering of ceramics for the production of low-voltage insulators.—75-07737

Medwick, P. A.; Fischer, H. E.; Pohl, R. O.
Thermal conductivity and specific heat of boron carbides.—75-03934

Medzhidov, G. A. See Grincheshen, I. N.

Meeks, E. See Hahn, D. W.

Meen, James K. See Geny, Joel; George, Etienne; Lawanier, Jean-Pierre

Meese, J. M. See Khan, A. H.; Popovici, G.

Meguro, T. See Hotta, N.; Kang, In-Ho; Kim, Nam-Heun; Komeya, K.; Watanabe, T.

Meguro, T.; Abe, Y.; Komeya, K.; Sasamoto, T.; Yokoyama, T.; Kondo, K.
Preparation and electrical properties of sintered $Mn_{2-x}Co_{2x}Ni_{1-x}O_4$ ($0 \le x \le 1$) spinel-type oxides.—75-01614

Mehbod, M. See Ye, M.

Mehdaoui, A. See Berling, D.

Mehrotra, Pankaj K.; Ahuja, Deepak P.; Brooks, Holly S.
Group IVB boride based cutting tools for machining group IVB based materials.—75-01168

Mehrotra, Pankaj K.; Billman, Elizabeth R.; North, Bernard
Cutting tool.—75-07259

Mehrotra, Pankaj K.; Nixon, Robert D.
Silicon nitride ceramic and cutting tool made thereof.—75-08843

Mehrotra, Pankaj K.
Wear mechanisms in ceramic cutting tools.—75-09694

Mehrtens, E. G. See Leung, S.

Mehta, Prabhjot; Clausing, R. E.; Heatherly, L.; Thundat, T.; Feigerle, C. S.
Surface structure of HFCVD [hot filament-assisted CVD] diamond films.—75-09579

Mei, D. H. See Kim, Y.-W.

Mei, Jun See Chen, Yan

Meier, G. H. See Pettit, F. S.

Meier, J.; Forkel-Wirth, D.; Licht, T.; Reislohner, U.;

Uhrmacher, M.; Witthuhn, W.
Perturbed-angular-correlation spectroscopy on indium and cadmium complexes in silicon carbide.—75-00563

Meier, S. M.; Gupta, D. K.
Evolution of thermal barrier coatings in gas turbine engine applications.—75-07072

Meijerink, J. See Brinkman, H. W.

Meikhail, M. S. See El-Damrawi, G. M.

Meilunas, R. J.; Tobin, A.
Comparative study of nucleation enhancement techniques for plasma CVD of diamond thin films.—75-01407

Meinhold, R. H. See MacKenzie, K. J. D.

Meisner, Mark See Kouris, Demitris

Meitzner, George D.; Migone, Ruben A.; Mykytka, William J.
Noble metal/Zn-Al_2O_3 reforming catalysts with enhanced reforming performance (C-2714).—75-07268

Mekekechko, A. Yu. See Kovalenko, A. V.

Mekhonoshin, A. A. See Rokeakh, A. I.

Mekhrabov, A. O. See Safarov, M. G.

Mekhtieva, S. A. See Zargarova, M. I.

Mel'nichenko, B. A. See Kornilov, V. V.

Mel'nichuk, A. V.; Mel'nichuk, L. Yu.; Pasechnik, Yu. A.
Effect of anisotropy on the dispersion dependences of surface plasmon-phonon polaritons of zinc oxide.—75-09130

Mel'nichuk, L. Yu. See Mel'nichuk, A. V.

Mel'nichuk, S. V. See Yuriichuk, I. N.

Mel'nichuk, S. V.; Savchuk, A. I.; Trifonenko, D. N.
Intracenter transitions in the Faraday effect of Co-containing semimagnetic semiconductors.—75-07940

Mel'nik, N. N. See Aleshchenko, Yu. A.; Sidorov, N. V.

Mel'nik, V. V. See Makhnii, E. V.; Makhnii, V. P.

Mel'nik, Yu. P. See Gorodetskii, D. A.; Nel'son, D. K.

Mel'nikov, A. S.
Viscous mobility of two-dimensional vortexes in layered superconducting structures.—75-08446

Mel'nikov, A. V.; Moiseev, Yu. N.; Murzina, T. V.
Structure of porous silicon studied by second harmonic generation method and atomic force microscopy.—75-08704

Mel'nikov, D. V. See Elesin, V. F.

Mel'nikov, M. B. See Kaplyanskii, A. A.

Mel'nikov, O. K. See Yakubovich, O. V.

Mel'nikov, V. L. See Degtyarenko, N. N.

Mel'nikova, O. V. See Kademina, L. E.; Strakhov, V. I.; Udalov, Yu. P.

Mel'nikova, S. V.; Vasil'ev, A. D.; Voronov, V. N.; Bobina, A. F.
X-ray and optical studies of $Cs_xRb_{1-x}LiSO_4$ solid solutions.—75-06408

Mel'tser, B. Ya. See Dmitriev, A. P.

Meland, I. See Justnes, H.

Melant, Renee M. See Miller, Kelly T.

Melbourne, W. H. See Calderone, I.

Melchakov, E. N. See Gusev, Yu. I.

Melekh, B. T. See Shelykh, A. I.

Meleshko, N. V. See Kurova, I. A.

Melikhov, I. V. See Chaliyan, A. G.

Melikova, Z. D. See Zargarova, M. I.

Mellen, Neal J. See Davis, Kenneth L.

Melloch, M. R. See Mahadev, V.; Sheppard, S. T.

Melloch, M. R.; Woodall, J. M.; Harmon, E. S.; Otsuka, N.; Pollak, Fred H.; Nolte, D. D.
Low-temperature grown III-V materials.—75-05366

Melnick, B. M.; Gregory, J.; Paz de Araujo, C. A.
Characterization of an *n*-channel 1T [transistor]–1C [capacitor] nonvolatile memory cell using ferroelectric $SrBi_2Ta_2O_9$ as the capacitor dielectric.—75-05537

Melnick, Paul J.; Mennella, Anthony J., Jr.; Meyer, Herman P.
Low profile metal-ceramic-metal packaging.—75-03206

Melnik, O. V. See Grafov, A. V.

Melnikov, A. A.; Denisenko, A. V.; Zaitsev, A. M.; Fahrner, W. R.; Varichenko, V. S.
High-temperature light-emitting diodes on insulating diamonds.—75-07908

Melton, Louise
Contempo-baroque majolica—the art of Simona Alexandrov.—75-02226

Melton, W. See Leksono, M. W.

Meltsner, K. J. See Carr, K. E.

Men'shenin, V. V.; Turov, E. A.
Elastic anharmonism in magnetoelectric tetragonal antiferromagnets.—75-08211

Men'shikov, A. Z. See Dorofeev, Yu. A.

Men, Shu-Chun See Shi, S.-Z.

Menchhofer, Paul
Casting of particle-based hollow shapes.—75-00992

Mendeleev, V. Ya.; Skovorod'ko, S. N.
Remote laser tester of the surface roughness of articles.—75-03595

Mendheim, Jurgen
Firing technology for refractories in the 21st century.—75-07553

Mendiratta, R. G. See Jha, A. K.

Mendonca, M. H.; Nunes, M. R.; Costa, F. M. A.
Spinel solid solution $Co_2Ru_{1-x}Fe_xO_4$.—75-05710

Menetrier, M. See Rao, K. J.

Meng, A.-T. See Gan, Y.-X.

Meng, Bin-Shen; Booske, John H.; Cooper, Reid F.; Klein, Benjamin
Measurements of the complex permittivity of low loss ceramics at microwave frequencies and over large temperature ranges.—75-01030; Microwave absorption in ionic crystalline ceramics with various concentrations of point defects.—75-01228

Meng, Ji-Long See Li, Weng-Fang

Meng, Jin-Fang; Zou, Guang-Tian; Cui, Qi-Liang
Raman scattering from $PbTiO_3$ of various grain sizes at high hydrostatic pressures.—75-03831; Raman spectra and pressure-induced phase transition in nanocrystalline $PbZrO_3$.—75-06333

Meng, Jin-Fang; Zou, Guang-Tian; Ma, Yan-Zhang
Temperature-induced phase transition and morphotropic phase boundary in the nanocrystalline $Pb_{1-x}Sr_xTiO_3$ system.—75-03850

Meng, Qiang See Gu, Chang-Zhi

Meng, R. L. See Chen, F.

Meng, W. J.; Perry, T. A.
Strain effects in epitaxial GaN grown on AlN-buffered Si(111).—75-00602

Meng, W. J.; Sell, J. A.; Perry, T. A.
Growth of aluminum nitride thin films on Si(111) and Si(001): structural characteristics and development of intrinsic stresses.—75-06881

Meng, Zhong-Yan See Zhu, Xin-Hua

Meng-Burany, S. See Chrzanowski, J.

Mennella, Anthony J., Jr. See Melnick, Paul J.

Menningen, K. L. See Toyoda, H.

Menon, V. C. See Komarneni, Sridhar

Mercer, D. J. See Payten, W. M.

Mercer, Gary D. See Ravenhall, Richard

Mercer, T. W. See Carroll, D. L.

Mercer, T. W.; Carroll, D. L.; Liang, Y.
Photoinduced scanning tunneling microscopy of insulating diamond films.—75-02925
Meredov, M. M. See Slobodchikov, S. V.
Merello, Rosario See Martin, Joaquin
Mergler, Kurt Wilhelm See Baucke, Friedrich G. K.
Merivale, Charles
Use of zinc selenite in glass manufacture.—75-05046
Merk, N. See Ding, X. M.
Merk, N.; Ding, X. M.; Ilschner, B.
Detailed microstructural study of electroplated metal matrix composites for gradient hard coatings.—75-02453
Merkin, A. P.; Bagdasarov, A. S.; Artomasov, B. A.; Ustimenko, O. V.
Phosphogypsum-based foam plaster.—75-07172
Merkle, K. L. See Vuchic, B. V.
Merkulov, A. V. See Aleksandrov, O. V.; Antipov, V. G.; Ber, B. Ya.; Cheng, T. S.
Merkulov, E. B. See Ignatyuk, V. A.; Kulikov, A. P.
Merkulov, E. B.; Goncharuk, V. K.; Stepanov, S. A.
Glass formation in SnF_2-ZrF_4-BaF_2-GaF_3.—75-02722
Merkulov, I. A. See Kalevich, V. K.; Malyshev, A. V.
Merli, P. G. See Cheyssac, P.
Mermoux, M. See Fayette, L.
Mernyi, S. A. See Kholin, Yu. V.
Mersali, B.; Ghirardi, F.; Brandon, J.
Low-loss fiber-matched diluted multiple quantum well waveguides.—75-03085
Merzhanov, A. G. See Avakyan, P. B.; Pityulin, A. N.
Merzhanov, A. G.; Pityulin, A. N.
Self-propagating high-temperature synthesis in the production of functionally gradient material.—75-02542
Meshalkin, A. B.
Choice of flux for growth of lithium triborate single crystals.—75-06184; See also Kaplun, A. B.
Meshalkin, A. V.; Potolkov, N. A.
Selective and decorative chemical etching of epitaxial layers of $Al_xGa_{1-x}As$/GaAs in iron(III) salt solutions.—75-05467
Meshkov, O. F. See Matov, O. R.
Meshram, R. N. See Bedekar, R. N.
Messaddeq, Younes See Maze, Gwendael
Messenger, Mark
Interplay of craft and wit: conceptual functional vessels by Eric Van Eimeren.—75-07125
Messer, P. F. See Anwar, M. Y.; Shareef, M. Y.
Messier, D. R.
High-modulus glasses and glass fibers.—75-00189
Messing, Gary L. See Nordahl, C. Scott; Puri, Virendra M.
Mestres, N. See Ruiz, A.
Metcalfe, B. L. See Donald, I. W.
Metcalfe, Mark S.; Dixon, Alan
Preparation of mixed powders.—75-08782
Methven, C. M. See Hughes, T. L.
Metlay, Daniel
Evolving role of engineered barriers in disposing of commercial high-level radioactive waste.—75-03465
Metselaar, R. See Hintzen, H. T.; Vrolijk, J. W. G. A.
Metzger, Claus See Frolow, Peter
Metzger, H. See Rothfuss, H.
Metzger, Todd See Roth, Ian
Metzl, R. See Aggarwal, M. D.
Meunier, Pierre See Etienne, Frederic
Meurk, Anders See Bergstrom, Lennart
Meyer, B. K. See Hofmann, D. M.; Volm, D.; Wetzel, C.
Meyer, F. See Eizenberg, M.
Meyer, George R.
Method of forming a chlorinated silicon nitride barrier layer.—75-03209
Meyer, Herman P. See Melnick, Paul J.
Meyer, J. See Schubert, H.
Meyer, Jurgen See Deusser, Hans
Meyer, Mitchell K.; Akinc, Mufit; Kramer, M. J.
Oxidation resistance and compressive creep behavior of boron-doped Mo_5Si_3.—75-09658
Meyer, Mitchell K.; Akinc, Mufit
Isothermal oxidation behavior of Mo-Si-B intermetallics at 1450°C.—75-09594; Oxidation behavior of boron-modified Mo_5Si_3 at 800–1300°C.—75-04438
Meyer, R. See Hollfelder, M.
Meyer, Willi; Kuz, Zdenko; Huber, Robert; Pilskaer, Ove P.
Glassware forming machine.—75-07426
Meyers, Dennis M. See Wang, Yucong
Meyers, Marc A. See Hoke, Darren A.
Mezdrogina, M. M. See Ataev, Zh.; Terukov, E. I.
Mi, B. See Pan, R.
Mi, Y.; Schaller, R.; Benoit, W.
Oxygen relaxation spectrum in $YBa_2Cu_3O_{6+x}$ at high temperature.—75-03390
Miao, H.-Z.; Cui, G.-W.; Qi, L.-H.; Yang, S.-H.; Ma, D.-J.
Pressureless sintering of silicon nitride ceramics doped with MgO and Nd_2O_3.—75-04178
Miao, X.; Lee, W. E.; Rainforth, W. M.
Pressureless sintering of zirconia-SiC platelet composites.—75-01631
Michael, Gunther See Deusser, Hans
Michael, Keith W. See Chandra, Grish; Haluska, Loren A.
Michaeli, N.; Aneziris, C.; Pfaff, E. M.; Maier, H. R.
Cycling pressure during cold isostatic pressing.—75-01419
Michaelides, A. See Panagopoulos, C.
Michalske, Terry A.; Smith, William L.; Houston, Jack E.
Role of structural relaxation in the fracture of vitreous silica.—75-02091
Michaux, Bernard See Lemoine, Christine
Michel, Gunter See Muller, Eberhard
Michel, J. P. See Choux, S.
Michelet, P.
Magotteaux-Slegten-Sturtevant optimized cement grinding system.—75-00053
Micheli, Adolph L. See Catalan, Antonio B.
Michell, Winfried See Olapinski, Hans
Michenaud, J.-P. See Gillot, C.
Michino, T. See Katsumata, T.
Michishita, Kazuo See Ikuhara, Yumiko
Michiura, Nobuhiko See Higuchi, Yukio
Mickelson, Alan R. See Kwiatkowski, Stephen L.
Mickevicius, S. See Bondarenka, V.
Midgley, P. A. See Steeds, J. W.
Miecinskas, P. See Simkunaite, D.
Mieda, Akihiko See Ogi, Katsumi
Mieno, M. See Guo, J. Y.
Mieville, R. L. See Balachandran, U.
Miftakhov, T. T. See Garkushin, I. K.
Migachev, S. A. See Mironov, S. P.
Migal, V. P. See Dolgikh, S. G.; Zagoruiko, Yu. A.
Miglionico, C. J. See Fishbine, B. H.
Migliori, A. See Cheyssac, P.
Migone, Ruben A. See Meitzner, George D.
Mihailescu, I. N.; Chitica, N.; Teodorescu, V. S.
Direct carbide synthesis by multiphase excimer laser treatment of Ti samples in ambient CH_4 gas at superatmospheric pressure.—75-01442
Mihailova, B. See Marinov, M.
Mihailova, B.; Zotov, N.; Marinov, M.
Vibrational spectra of rings in silicate glasses.—75-04938
Mihajlov, Andjelka See Djuric, Mirjana
Mihara, Kenjiro See Niimi, Hideaki
Mihara, Shyuzo See Sekino, Tohru
Mihara, Takashi; Yoshimori, Hiroyuki; Watanabe, Hitoshi; Paz de Araujo, C. A.
Depolarization characteristics of ferroelectric $Pb(Zr_{0.4}Ti_{0.6})O_3$ and $SrBi_2Ta_2O_9$ thin films.—75-05544
Mii, Yoshiaki See Ootsuka, Tadashi
Miida, R.; Tanaka, M.; Arashi, H.
Electron diffraction and microscope studies of zirconium oxides stabilized by several metal oxides.—75-06217
Mikami, N. See Kuroiwa, T.
Mikami, N.; Horikawa, T.; Makita, T.; Sato, K.; Kuroiwa, T.; Honda, T.
Dielectric properties of $(Ba,Sr)TiO_3$ films by rf sputtering.—75-00317
Mikami, Yorihito; Harada, Shigemi; Maeda, Kazuo; Ishii, Akio
Development of a large-capacity flame gunning repair system for plain carbon steelmaking BOFs.—75-07514
Mikazuki, Yoshinobu See Gotoh, Yoshihiro
Mikeska, Kurt R. See Bennison, Stephen J.
Mikeska, Kurt R.; Schaefer, Daniel T.
Method for reducing shrinkage during firing of ceramic bodies.—75-05925
Mikhailenko, V. A. See Krupa, A. A.
Mikhailichenko, A. I. See Bushuev, N. N.; Epikhin, A. N.
Mikhailik, A. A. See Khaenko, B. V.
Mikhailik, V. B. See Voloshinovskii, A. S.
Mikhailin, Vitaly V. See Belsky, Andrey N.
Mikhailina, N. A. See Podzorova, L. I.
Mikhailov, B. P.; Kadyrbaev, A. R.
Change of structure of high-temp. superconductor core of compositional conductor after melting and crystallization.—75-05734
Mikhailov, G. G. See Lopatko, N. N.
Mikhailov, I. F. See Baranov, A. M.
Mikhailov, M. D. See Kryzhanowsky, I. I.
Mikhailov, S. G. See Volkov, V. V.
Mikhailov, V. V. See Akimov, A. I.
Mikhailov, Yu. N. See Kokunov, Yu. V.
Mikhailova, G. N. See Lubnin, E. N.
Mikhailova, M. P. See Moiseev, K. D.; Voronina, T. I.
Mikhailova, M. P.; Andreev, I. A.; Voronina, T. I.; Lagunova, T. S.; Moiseev, K. D.; Yakovlev, Yu. P.
Type II GaInAsSb/InAs heterojunctions.—75-03194
Mikhailova, M. P.; Zegrya, G. G.; Moiseev, K. D.; Timchenko, I. N.; Yakovlev, Yu. P.
Electroluminescence due to localized carriers in type II broken-gap *p*-GaInAsSb/*p*-InAs single heterojunctions.—75-03013
Mikhalenko, M. G. See Kozyrin, V. A.
Mikhalenko, S. I.; Chaban, N. F.; Kuz'ma, Yu. B.
New borides of $LnMo_3B_7$ (Ln=Tb, Dy, Ho, Er, Tm) with the YMo_3B_7 structure.—75-08992
Mikheev, M. G. See Koroleva, L. I.
Mikhin, A. S. See Ivanova, N. A.
Mikhrin, S. B. See Aibazov, I. F.
Miki, T.; Matsui, Y.; Teraoki, Y.
Point defects and thermoelectric properties of iron disilicide ceramics sintered with SiH_4 plasma-processed micrograins.—75-01333
Miki, Takashi See Kuwabara, Akio
Mikirticheva, G. A.; Shitova, V. I.; Petrova, M. A.; Novikova, A. S.; Kuchaeva, S. K.; Grabovenko, L. Yu.
Phase diagram of the $Zn_2P_2O_7$-$Li_4P_2O_7$ system.—75-06301
Mikityuk, V. I. See Garasim, V. I.
Mikityuk, V. I.; Zayachuk, D. M.; Starik, P. M.; Garasim, V. I.; Krasnodemskii, V. P.
Effect of gadolinium on the properties of IV-VI crystals grown from melt.—75-05291
Mikkola, Paul H. See Wang, Yucong
Mikulasek, P.; Dolecek, P.; Rambousek, V.; Cakl, J.; Seda, H.
Testing of microfiltration ceramic membranes.—75-03662
Mikulenok, A. V. See Obraztsov, A. N.
Mil'man, I. I.; Kortov, V. S.; Kirpa, V. I.
Temperature quenching in luminescence of anion-defective α-Al_2O_3 crystals.—75-06859
Mil'man, I. I.; Kortov, V. S.
Anomalously long phosphorescence of BeO:Li ceramics.—75-08870
Mil'vidskaya, A. G. See Bert, N. A.
Mil'vidskii, M. G. See Bert, N. A.; Bublik, V. T.
Milanesi, C. A.; Batic, O. R.
Alkali-carbonate reaction.—75-03762
Milani, E. See Marinelli, M.
Milanova, Maria M. See Kakihana, Masato
Milea, I. See Culea, E.
Mileham, R. D. See Story, P. R.
Milekhin, A. G.; Pusep, Yu A.; Yanovskii, Yu. A.; Marakhovka, I. I.
Ir Fourier spectroscopy of GaAs/AlAs heterostructures with double quantum wells.—75-07942
Milenin, V. V. See Breza, Yu.; Konakova, R. V.
Milenin, V. V.; Lyapin, V. G.; Naumovets, A. A.
Features of the chemical rearrangement of interphase boundaries of metal-GaAs in the presence of a second component of metallization.—75-07211
Miles, M. J. See Jandt, K. D.
Milestone, N. B. See Mucalo, M. R.
Milia, F. See Papavassiliou, G.
Milius, D. L. See Zhang, Y.-L.
Miljkovic, L. See Papavassiliou, G.
Milkovich, Stephen A. See Felisberto, Cynthia N.
Mill, B. V. See Baran, M.; Belokoneva, E. L.; Popov, P. A.
Millar, A. See Buck, E. C.
Miller, A. C. See Hsieh, C. H.
Miller, Brian J. See Adhihetty, Indira
Miller, D. See Gaidis, M. C.
Miller, Doyle See Norwood, David
Miller, G. P.; Bureten, M. A.; Swirczewski, J. W.; McConnachie, J. M.
Reactivity of C_{60} in fuming sulfuric and chlorosulfonic acids.—75-01647
Miller, Gary A. See French, Jonathan D.
Miller, J. H.; Lowden, Richard A.; Liaw, P. K.
Fiber coatings and the fracture behavior of a continuous fiber ceramic composite.—75-04529
Miller, J. R. See Mai, Q. Y.
Miller, Kelly T.; Melant, Renee M.; Zukoski, Charles F.
Comparison of the compressive yield response of aggregated suspensions: pressure filtration, centrifugation, and osmotic consolidation.—75-08883
Miller, L. L. See Corti, M.
Miller, M. See Peck, D. H.
Miller, Robert A. See Lee, Kang-N.
Millers, D. See Kotomin, E.
Milliken, C. See Hartvigsen, J. J.
Millini, R.; Gagliardi, M. F.; Piro, G.
Structure, stoichiometry, and phase purity of strontium-doped lanthanum manganite powders.—75-06376
Millini, R.; Gagliardi, M. F.
Physicochemical characterization of NiO/YSZ powders prepared by the citrate route.—75-06502
Millot, F. See Lafleurielle, M.
Mills, B. See Jackson, M. J.
Mills, Lynne K. See Fawcett, Timothy G.
Mills, William
Steatite diary: I, Technical ceramics: the early years [618 AD through the 1930s].—75-02149; II, Technical ceramics—the World War II years.—75-04753; III, Technical ceramics: the years after World War II.—75-04754
Milman, Victor See Winkler, Bjorn
Milne, S. J. See Chewasatn, S.; Tu, Y.-L.
Milonjic, Slobodan K. See Cerovic, Ljiljana S.
Milosevic, Olivera B.; Mirkovic, Mirjana K.; Uskokovic, Dragan P.
Characteristics and formation mechanism of $BaTiO_3$ powders prepared by twin-fluid and ultrasonic spray pyrolysis methods.—75-03963
Milthorpe, B. K. See Ruys, A. J.; Wei, M.
Milun, M. See Pivac, B.
Milyaev, I. M. See Belova, V. M.
Milyaev, M. A. See Vlasov, K. B.
Min'kov, G. M. See Germanenko, A. V.
Min, B. H.; Erwin, L.; Jennings, Hamlin M.
Rheological behavior of fresh cement paste as measured by squeeze flow.—75-02422
Minakov, Yu. D. See Kalinin, Yu. E.
Minakova, R. A. See Grinev, B. V.
Minakuchi, Hiroyoshi See Iba, Hisayoshi
Minami, Masamitsu See Katagiri, Setsuo
Minami, Tsutomu See Hirai, Koichi
Minato, Kunio
VVS [Veitsch-Venete-Stirring] system, new bottom-blowing technique for electric furnace.—75-05151; See also Yamamura, Takashi
Mindak, William R. See Hight, Susan C.
Minder, J. See Baker, K.
Mindess, S. See Banthia, N.
Mindess, S.; Chen, L.; Morgan, D. R.
Determination of the first-crack strength and flexural toughness of steel fiber-reinforced concrete.—75-02395
Mindlina, N. A. See Val'yano, G. E.
Minemoto, H. See Kamada, O.
Mineur, N. See Vandewalle, N.
Ming, N.-B. See Liu, Z.-G.
Ming, Nai-Ben See Ma, Wen-Hui
Minin, V. I. See Ustinov, V. V.
Minina, N. Ya. See Butko, N. B.
Mininni, Robert See Clark, Terence; Cruse, Richard
Miniscalco, W. J. See Quimby, R. S.
Minjolle, Louis See Baumard, J. F.
Minnear, William P. See Bruce, Robert W.
Mino, Tadahiro See Nakayama, Susumu
Mintairov, A. M. See Kopylov, A. A.
Mintairov, A. M.; Zvonkov, B. N.; Babushkina, T. S.; Malkina, I. G.; Saf'yanov, Yu. N.
Optical phonons in spontaneously ordered InGaP solid solutions.—75-07994
Mintmire, J. W. See Robertson, D. H.; Streitz, F. H.; White, C. T.
Mints, R. G. See Kovner, V. S.
Mintyanskii, I. V. See Savitskii, P. I.
Miomandre, F. See Boncoeur, M.
Miotello, Antonio; Guzman, Luis
Nitrogen implantation induced enhanced adhesion of amorphous SiC films deposited on stainless steel and Cu.—75-01595

Mira, J. See Mahia, J.

Mira, J.; Castro, J.; Mahia, J.
Relaxation of dc magnetization of Gd_2CuO_4.—75-05707

Mira, J.; Castro, J.; Rivas, J.
Magnetic susceptibility studies in Gd_2CuO_4 below 300 K.—75-01307

Miragliotta, J. A. See Wickenden, D. K.

Miragliotta, J. A.; Bryden, W. A.; Kistenmacher, T. J.; Wickenden, D. K.
Tunable second-harmonic studies of GaN films near the fundamental band edge.—75-00627

Miranda-Martinez, M. See Wootton, A.

Mirazapour, S.; Rozati, S. M.; Takwale, M. G.
Influence of different process parameters on physical properties of fluorine doped indium oxide thin films.—75-06650

Mirdjaferdjian, Aida Kh. See Kazaryan, Rosa A.

Mirgorodskii, A. P. See Baikov, Yu. M.; Limonov, M. F.

Miriyala, N. See Hsu, D. K.

Mirkarimi, P. B. See Friedmann, T. A.; Medlin, D. L.

Mirkovic, Mirjana K. See Milosevic, Olivera B.

Mirlin, D. N.; Sirenko, A. A.; Planel, R.
Resonance Raman scattering by interfacial phonons in the magnetic field in GaAs/AlAs superlattice.—75-03151; 75-05463

Mirlin, D. N.; Zakharchenya, B. P.; Reshina, I. I.; Rodina, A. V.; Sapega, V. F.; Sirenko, A. A.
Hot luminescence and electron-phonon interaction in structures with quantum wells.—75-07910

Mironov, I. A. See Gusev, Yu. I.

Mironov, S. P. See Akhmadullin, I. Sh.

Mironov, S. P.; Akhmadullin, I. Sh.; Golenishchev-Kutuzov, V. A.; Migachev, S. A.
Optical absorption band of bipolarons in $LiNbO_3$.—75-08999

Miroshnik, O. N. See Kurova, I. A.

Mirouh, K. See Fergag, M.

Mirsagatov, Sh. A.; Aitbaev, B. U.; Rubinov, V. M.
Photodetectors with a controlled spectrum of photosensitivity.—75-08693

Mirzoev, R. A.; Stepanova, N. I.; Styrov, M. I.
Mathematical model of the quasi-stationary process of porous oxidation of metals without chemical dissolution of the oxide.—75-06925

Mirzoeva, R. D. See Sadygov, F. M.

Mischler, Denis See Venaille, Christophe

Mishima, Hiroyuki See Nagano, M.

Mishima, M. See Walls, P. A.

Mishin, A. M. See Skulachev, A. N.

Mishin, Yu M.; Borchardt, G.; Wegener, W.; Jedlinski, J.
Evaluation of oxygen tracer diffusion profiles in two-stage oxidation experiments.—75-01990

Mishina, E. D. See Aktsipetrov, O. A.

Mishra, A. K. See Roy, P. K.

Mishra, A.; Pecoraro, G. A.; Cleary, T. A.
Bubbling potential of molybdenum and tungsten and their alloys in soda-lime-silica glasses.—75-07284

Mishra, B. K.
Ball charge dynamics in a planetary mill.—75-05894

Mishra, B. R. See Mukherjee, B.

Mishra, Dhanada K. See Li, Victor C.; Wu, Hwai-Chung

Mishra, K. C.; Johnson, K. H.
Electronic structure and associated optical properties of $LaPO_4$:Ce.—75-01842

Mishra, Rajiv S. See Schneider, J. A.

Mishra, Rajiv S.; Lesher, Charles E.; Mukherjee, Amiya K.
High-pressure sintering of nanocrystalline γ-Al_2O_3.—75-09328

Mishra, S. K. See Pathak, L. C.

Mishra, S. K.; Zhang, Z.; Satpathy, S.
Verwey transition in magnetite: mean-field solution of the three-band model.—75-00763

Mishra, Sabyasachi; Mukhopadhyaya, S.
New trends in refractory pressing technology.—75-07613

Mishra, Sabyasachi; Panda, Arun; Mukhopadhyaya, S.
New trends in refractory pressing technology.—75-07614

Misirli, Z. See Baykara, T.

Misiuk, A. See Romanyuk, B. N.

Misra, Chanakya See Fishkis, Maya

Misra, M. K. See Wu, K. T.

Misra, Susama; Padhi, H. C.
Preparation and characterization of $(Bi_2S_3)_{1-x}(CdS)_x$ solid solution thin films.—75-00579

Mission, A. See Kumar, R. V.

Misson, H. See Charruau, S.

Missous, M. See O'Hagan, S.

Missous, M.; O'Hagan, S.
Nonstoichiometry and dopants related phenomena in low temperature GaAs grown by molecular beam epitaxy.—75-05408

Misumi, Yoshifumi See Matsumoto, Akio

Misurkin, I. A. See Chugreev, A. L.

Miszenti, Giorgio S.
Method for the preparation of precursors for superconductors and compounds thus obtained.—75-08470

Mital, S. K. See Murthy, P. L. N.

Mitberg, E. B. See Patrakeev, M. V.

Mitchel, W. C. See Evwaraye, A. O.

Mitchell, Brian S. See Fondeur, Fernando

Mitchell, I. V. See Simpson, T. W.

Mitchell, J. T. See Anderson, N. C.

Mitchell, James W. See Jeng, Guang-kai D.

Mitchell, P. J. See Fincham, David

Mitchell, Stephen C. See Ravenhall, Richard

Mitchell, T. E. See Fernandes, T. R. C.; Jia, Q. X.; Reimanis, Ivar E.; Yan, M.

Miteva, S. See Nurgaliev, T.

Mitin, A. V.; Kuz'micheva, G. M.; Murashov, V. V.; Khlybov, E. P.
Features of the dielectric-metal transition in the Ln-Ba-Cu-O and Ln-Sr-Nb-O (Ln=La, Nd, Gd, Dy, Tm, Lu) systems.—75-07730

Mitin, B. S. See Galakhov, A. V.

Mitin, O. B. See Bercha, D. M.

Mitin, V. V. See Vagidov, N. Z.

Mitomo, M. See Brito, Manuel E.

Mitomo, Mamoru; Hirosaki, Naoto; Ando, Motohide
β-silicon nitride sintered body.—75-06112

Mitomo, Mamoru
Crack sensing intelligent materials.—75-06106; See also Hirotsuru, Hideki

Mitose, K.; Echigoya, Junichi; Taya, M.
Structure of hot-pressed Ag-BiPbSrCaCuO composites.—75-05837

Mitra, N. K.; Maitra, S.; Roy, K.
Mixed hydroxide hydrogel in the ternary system ZrO_2-Al_2O_3-SiO_2: I, Kinetics of thermal dehydration in the synthetic hydrogel.—75-03806

Mitra, N. K.; Samanta, A.; Parya, T. K.
Effect of Y_2O_3 on the sintering behavior of coprecipitated ZrO_2-SiO_2 hydrogel.—75-06589

Mitra, S. K. See Ghosh, B.; Ghosh, K. S.; Padhy, B. P.

Mitrofanov, A. P. See Nyakshev, K. F.

Mitrofanov, V. Ya.; Pashchenko, V. P.; Prokopenko, V. K.; Fishman, A. Ya.; Shemyakov, A. A.
NMR spectrum of Cu^{2+} Jahn-Teller ions in ferrospinels.—75-05699

Mitrofanova, R. P. See Isupov, V. P.

Mitskyavichyus, S. See Bondarenka, V.

Mitsuda, Takeshi See Sasaki, Kaori

Mitsui, Yoshiyuki See Urano, Toshio

Mitsuoka, Katsuya See Soeya, Susumu

Mittag, K. See Kopp, C.

Mittova, I. Ya.; Khoviv, A. M.; Dubov, S. I.; Nazarenko, I. N.
Influence of mid-ir range laser radiation on the formation of silicon/silica heterostructures.—75-05348

Mittova, I. Ya.; Lavrushina, S. S.; Pshestanchik, V. R.; Krolenko, O. V.
Effect of ammonium nitrate on the thermal oxidation of gallium arsenide in a humid oxygen atmosphere.—75-07844

Mittova, I. Ya.; Soshnikov, I. M.; Terekhov, V. A.; Kashkarov, V. M.; Bovgerd, V. A.
Thermal oxidation of indium phosphide in the presence of S_2Cl_2.—75-05502

Mittova, I. Ya.; Tomina, E. V.; Anpilogova, G. Yu.
Oxidation of GaAs in the presence of $CeCl_3$.—75-05413

Mityugova, V. N. See Grishin, I. A.

Miu, D. See Sandu, V.

Miura, K. See Itoh, K.

Miura, Kazuhiro See Nakamura, Yoshifumi

Miura, Kazunori See Okamoto, Naoyuki

Miura, M.; Hongoh, H.; Yogo, Toshinobu
Formation of platelike lanthanum-β-aluminate crystal in Ce-TZP matrix.—75-06234

Miura, Norio See Ando, Masami; Yoo, Do-Joon

Miura, S.; Yoshitake, T.; Tsuge, H.
Properties of shielded microstrip line resonators made from double-sided $Y_1Ba_2Cu_3O_x$ films.—75-00855

Miura, Sadahiko See Hidaka, Mutsuo

Miura, Sadahiko; Hattori, Wataru; Satoh, Tetsuro; Hidaka, Mutsuo; Tahara, Shuichi; Tsai, J. S.
Properties of a YBCO/insulator/YBCO trilayer and its application to a multilayer Josephson junction.—75-08402

Miura, Takeshi See Shima, Akihiro

Miura, Yoshinari See Chen, Dan-Ping; Kawabata, Koji

Miyagawa, Naomichi See Endo, Tadashi

Miyagawa, Nobuo; Ando, Mitsuru; Takahashi, Shigeaki; Yamauchi, Noriaki
Application of β-Al_2O_3 to immersion nozzle for continuous casting of stainless steel.—75-05073

Miyahara, K. See Ishizaki, M.

Miyaji, Fumiaki See Cho, Sung-Baek; Jin, Ji-Sun; Kokubo, Tadashi; Zhang, Xu

Miyaji, Fumiaki; Fujimine, Satoshi; Yoko, Toshinobu; Sakka, Sumio
Electrical properties of nonconventional Bi-Ba-Cu-O glasses.—75-04960

Miyajima, M. See Hirano, T.

Miyajima, Shumpei; Ito, Wataru; Hashimoto, Misao; Ito, Isao
Ceramic-coated metal sheet.—75-00152

Miyajima, T.; Yamauchi, Y.; Ohji, T.
High-temperature *R*-curve behavior and failure mechanisms of in situ toughened composites.—75-04550

Miyajima, Tatsuya; Omata, Takahisa; Ikawa, Hiroyuki
Electrical transport properties and electronic structure of $La_{2-x}Sr_xCoO_4$ [0≤x≤1.2].—75-09138

Miyake, Masaya See Nishioka, Takao

Miyake, Shojiro See Murakawa, Masao

Miyamoto, H. See Inamura, S.

Miyamoto, Hiroki; Ohta, Michinosuke; Ishikawa, Kanzo; Sukeda, Yoshihiko; Kaji, Mitsunari
Adsorptive honeycomb-shaped ceramic structure and method for its production.—75-08547

Miyamoto, Hitoshi See Satake, Tokuki

Miyamoto, Katsuyoshi See Morita, Mitsuru

Miyamoto, Kazuyo See Shiono, Takeshi

Miyamoto, Masaki See Yamana, K.

Miyamoto, S. See Schutzmann, J.

Miyamoto, Shinichi See Arima, Yuusuke

Miyamoto, Y.; Lin, J.-S.; Tanihata, K.; Moriguchi, H.; Ikegaya, Akihiko; Nomura, T.
Various ceramic/metal graded structures and functions tailored by SHS/HIP.—75-07237

Miyamoto, Y.
Science and technology in composite materials—functionally gradient materials.—75-04865; See also Kang, Y. S.; Li, Z.

Miyamoto, Yukinobu See Saito, Katsuaki

Miyamura, Masao See Murayama, Akihiro

Miyanaga, Hiroaki See Sugimoto, Masunori

Miyanami, Kei See Satoh, Munetake

Miyasaka, Yoichi See Lesaicherre, Pierre-Yves

Miyashita, Motoharu See Shima, Akihiro

Miyata, H. See Machida, T.

Miyata, Koichi See Saito, Kimitsugu

Miyata, Noboru See Shiogai, Tatsuya; Yoshida, Hideto

Miyata, Noboru; Ishida, Yoichi; Shiogai, Tatsuya; Matsuo, Yohtaro
Effect of characteristics of compressive deformation of ceramic granules on CIP compaction behavior and sinterability: II, The effect of characteristics of ceramic granules on density graduation in CIP compact.—75-09618

Miyata, T. See Otsuka, A.

Miyatake, Takayuki See Wada, Takahiro

Miyauchi, Masahiko See Nakayama, Akira

Miyauchi, Masahiro; Nose, Tetsuro; Okumura, Naoki
Mechanism for crack formation of Mn-Zn ferrites in the heating stage.—75-02076

Miyauchi, Nobuaki; Irie, Takatoshi
Method for making multilayer ceramic packages.—75-07764

Miyayama, Masaru See Hikita, Kazuyasu; Ishida, Atsumu; Isogai, Yuji; Motohira, Naobumi; Okubo, Atsushi; Shin, Byoung-Chul; Traversa, Enrico

Miyazaki, H. See Terabe, K.

Miyazaki, Kazuhide See Akiyama, Morito

Miyazawa, Hajime See Hotta, Katsuyoshi

Miyazawa, K. See Higuchi, K.; Torng, S.

Miyoshi, Kazuhisa
Wear-resistant, self-lubricating surfaces of diamond coatings.—75-09697

Mizobe, Arito See Ouchi, Tatsuya

Mizuhara, Yukako; Noguchi, Masao; Ishihara, Tatsumi; Takita, Yusaku
Effects of various reducing agents on the synthesis of Si_3N_4 whiskers from diatomaceous earth.—75-01476

Mizukami, Fujio See Nishide, Toshikazu

Mizumoto, Tetsuya
Optical waveguide-type bistable devices.—75-04985

Mizuno, K. See Tajima, Y.

Mizuno, Koichi See Adachi, Hideaki; Ichikawa, Yo

Mizuno, Koichi; Higashino, Hidetaka; Setsune, Kentaro
Bi-Sr-Ca-Cu-O superconductor junction through a Bi-Sr-Cu-O barrier layer.—75-08452; Heterodyne mixing with a sandwich-type Josephson junction using a Bi-based high-T_c oxide superconductor.—75-08328

Mizuno, Mineo; Nagano, Yasuo; Usami, H.; Ito, Takuji; Kagawa, Yutaka
Effect of specimen shape on fracture toughness and effective fracture energy in SiC-SiC composite.—75-09627

Mizuno, Mineo; Okuda, Hiroshi
VAMAS round robin on fracture toughness of silicon nitride.—75-09690

Mizuno, Mineo; Zhu, Shi-Jie; Nagano, Yasuo; Sakaida, Yoshihisa; Kagawa, Yutaka; Watanabe, Makoto
Cyclic fatigue behavior of SiC/SiC composites at room and high temperatures.—75-09611

Mizuno, Mineo
Present circumstances of international standardization activities on flexural strength.—75-09730; See also Zhu, Shi-Jie

Mizuno, Y.; Ikeda, M.; Yoshida, A.
Application of lead alkali-silicate bonding glass to ferrite heads.—75-05656

Mizusaki, Junichiro; Tsuchiya, Soji; Waragai, Katsunori; Tagawa, Hiroaki; Arai, Yoshihide; Kuwayama, Yuji
Simple mathematical model for the electrical conductivity of highly porous ceramics.—75-01341; [—reply].—75-09186

Mizushima, Ichiro See Kobayashi, Keiji

Mizushima, T. See Nakama, T.

Mizushima, Takanori See Ohji, Nobuyuki

Mizushima, Yasuyuki; Hori, M.
Properties of alumina aerogels prepared under different conditions.—75-06505

Mizuta, Yasutoshi See Ikeda, Yasushi

Mizutani, Atsushi See Kato, Akira

Mizutani, Nobuyasu See Che, Sheng-Lei; Fujii, Yoshihiro; Furakawa, Yukiko; Hioki, Tsuyoshi; Kiguchi, Takanori; Shinozaki, Kazuo; Sida, Masato

Mizutani, Nobuyasu; Ogihara, T.; Kondo, M.
Slip casting and sintering of monodispersed TiO_2 particles.—75-06769

Mladenov, G. M. See Gueroguiev, Y. M.

Mnatsakanov, T. T.; Pomortseva, L. I.; Shuman, V. B.; Guk, E. G.
Parameters characteristic of electron-hole scattering in semiconductors under low level of charge carrier injection.—75-03109

Mnatsakanov, T. T.; Shuman, V. B.
Evaluation of influence of high injection level on photovoltaic effect in p^+-n-n^+ structures with vertical p-n junctions.—75-07881

Mo, Chi-Mei; Zhang, Li-De; Yao, Xiao-Hui
Fluorescence associated with Fe^{3+} ions in nanostructured Al_2O_3.—75-01294

Mo, S. See Spence, J. C. H.

Mo, Shang-Di; Ching, Wai-Yim; French, R. H.
Electronic structure of a near $\Sigma 11$ a-axis tilt grain boundary in α-Al_2O_3.—75-04322

Mobasher, Barzin See Gettu, Ravindra

MoberlyChan, Warren J. See Cao, Joe J.

Mocellin, A. See Begin-Colin, S.; Bowen, P.; Genevrier, Marc

Mochida, Norio See Sekiya, Takao

Mochida, T. See Nishi, Y.

Mochiji, Kozo See Ogawa, Taro

Mochizuki, Hideyo See Ono, Satomi

Modine, F. A. See Lubben, D.; Major, R. W.

Moeckli, P. See Cherradi, N.

Moeggenborg, Kevin J.; Reed, Peter E.
Polymeric binders for enhancing green strength of pressed ceramics.—75-08613

Moeggenborg, Kevin J.
Springback in dry pressing: time, additive, and processing effects.—75-04228

Moffatt, Dawne M.; Neubauer, Dean V.
Glasses for flat panel display.—75-07424
Moffatt, J. E.; Plumbridge, W. J.; Hermann, R.
High-temperature crack annealing effects on fracture toughness of alumina and alumina-SiC composite.—75-06989
Mogus-Milankovic, A.; Day, Delbert E.; Long, G. J.; Marasinghe, G. K.
Structural and magnetic properties of Fe_2O_3-P_2O_5-Na_2O glasses: I. Oxygen heat treatment.—75-07371
Mogutnov, B. M. See Zaitsev, A. I.
Mohacek, V. See Music, S.
Mohammed, S. B. See Choudhury, S. K.
Mohan, T. R. R. See Reddy, J. Janardhana
Mohanty, B. K. See Roy, P. K.
Mohanty, Bishnu Charanarabinda See Nayak, Bijan Bihari
Mohapatra, Y. N. See Majumder, S. B.
Mohazzab, G. See Low, I. M.
Mohazzab, G.; Low, I. M.
Semiconducting properties of epoxy-modified $YBa_2Cu_3O_{7-x}$ (123) superconductors.—75-00862; Superconducting properties of epoxy-modified $YBa_2Cu_3O_{7-x}$ (123) composites.—75-00873
Mohler, E. See Kim, T. J.
Mohler, Rick L.; White, William B.
Influence of structural order on the luminescence of oxide spinels: manganese-activated spinels.—75-01224
Mohr, P. J. See Joshi, M. L.
Mohr, R. K. See Gan, H.
Mohr, R. K.; Djordjevic, Z. B.; Wang, E.; Buechele, A. C.; Xing, S. B.; Wagner, W.
High-temperature corrosion resistance of glass refractories and electrodes.—75-09592
Mohrbacher, H. See Van der Biest, O.
Moine, B. See Pedrini, C.
Moisa, Simona See Vasiliu, F.
Moiseev, A. N. See Devyatykh, G. G.
Moiseev, A. N.; Kotkov, A. P.; Golubev, A. V.; Gerasimenko, V. V.; Suchkov, A. I.
Properties of $Cd_xHg_{1-x}Te$ epitaxial layers prepared by metallorganic chemical vapor deposition.—75-08028
Moiseev, G. K.; Batolin, N. A.
Dependence of standard formation enthalpies of related quasi-binary inorganic compounds on the relative size of their molecules.—75-09250
Moiseev, K. D. See Mikhailova, M. P.; Voronina, T. I.
Moiseev, K. D.; Mikhailova, M. P.; Ershov, O. G.; Yakovlev, Yu. P.
Tunnel-injection laser based on type II broken gap *p*-GaInAsSb/*p*-InAs single heterojunctions.—75-08089
Moiseev, L. V. See Kiselev, A. A.
Moiseev, N. V. See Bolgar, A. S.
Moiseev, Yu. N. See Mel'nikov, A. V.
Moizes, B. B. See Surzhikov, A. P.
Mokerov, V. G. See Dmitriev, S. G.; Gulyaev, Yu. V.
Mokerov, V. G.; Fedorov, Yu. V.; Guk, A. V.; Khabarov, Yu. V.
Optical properties of two-dimensional electron gas in the AlGaAs/GaAs heterostructures.—75-07997
Mokhosoev, M. V. See Shurdumov, G. K.
Mokhov, E. N. See Ballandovich, V. S.; Baranov, P. G.; Girka, A. I.; Volm, D.; Wetzel, C.
Mokrousov, N. E. See Mamykin, A. I.
Mokrushin, A. N.; Vovk, A. I.
Effectiveness of superplasticizers depending on the amount of alkali in portland cement.—75-07146
Mokrushin, A. N.
Principles for establishing concrete compositions under fast hardening conditions.—75-07176
Mokshin, E. D. See Kurbatskii, M. N.
Molak, A.; Pawelczyk, M.; Kwapulinski, J.
Changes in structure and electric properties of $NaNbO_3$ induced by Mn dopant.—75-03872
Molarius, J. M. See Pischow, K. A.
Molchadskii, A.; Yankauskene, R.-D.; Yushkenas, R.; Sudavichyus, A.
Formation of lead sulfate in the $Pb|PbSO_4|H_2SO_4|PbO_2|Pb$ system and its electrochemical properties when used as a Pb electrode.—75-06465; Formation of lead sulfate in the $Pb|PbSO_4|H_2SO_4|PbO_2|Pb$ system and its electrochemical properties when used as a Pb-Sb electrode.—75-06466
Molchanov, M. V. See Yashina, L. V.
Molchanov, V. N. See Simonov, V. I.; Voronkova, V. I.
Molchanov, V. V.; Plyasova, L. M.; Goldin, V. V.; Lapina, O. B.; Zaikovskii, V. I.
New compounds in the MoO_3-V_2O_5 system.—75-06693
Molchanova, R. A. See Razumovskaya, O. N.
Molev, V. I. See Sigaev, V. N.
Molev, V. M. See Nedospasova, T. A.
Molian, P. A.; Windholz, Richard; Malshe, A. P.; Salamo, G. J.; Naseem, H. A.; Brown, W. D.
Femtosecond laser processing of CVD diamond.—75-09309
Molian, P. A.
Laser physicochemical vapor deposition of cubic boron nitride thin films.—75-06669
Molinaro, J.
Jatun Molino—a pottery village in the Ecuadorian Amazon basin.—75-02274
Molinaro, James S. See Grant, Robert H.
Molinas, B. See Marella, M.
Mollah, S.; Chakraborty, A. K.; Chakraborty, S.
Dielectric relaxation and behavior in Li-doped semiconducting Bi-Sr-Ca-Cu-O glasses.—75-04950
Moller, Carsten V.; Andreasen, Jens H.; Karihaloo, B. L.
Improved endurance limit of zirconia ceramics by overloading.—75-06993
Moller, Carsten V.; Karihaloo, B. L.
Arrest of fatigue cracks in transformation-toughened ceramics.—75-04452
Moller, Preben J.
Copper and nickel ultrathin films on metal oxide crystal surfaces.—75-01414
Mollot, F. See Vignaud, D.
Molnar, R. J.; Moustakas, T. D.
Growth of gallium nitride by electron cyclotron resonance plasma-assisted molecular beam epitaxy: the role of charged species.—75-01518
Molochko, A. P. See Bodnar, I. V.
Molodkin, A. K. See Bogatov, Yu. E.
Molodyk, A. A.; Gorbenko, O. Yu.; Kaul, A. R.
Kinetics of vapor phase deposition of oxides from rare-earth dipivaloylmethanates.—75-09350
Molokov, V. F. See Rumyantseva, I. A.
Moloney, Veronique M. B.; Parris, David; Edirisinghe, M. J.
Rheology of zirconia suspensions in a nonpolar organic medium.—75-01654
Moltgen, Paul; Gallmann, Wolfgang
Abrasive material based on zirconium corundum, a process for its production, and its use.—75-07115
Monaenkova, A. S.; Popova, A. A.; Tiflova, L. A.; Zaitseva, N. V.; Kovba, M. L.
Standard enthalpy of formation of $BaCu_{1+x}O_{2+x}$.—75-09450
Monari, G.; Manfredini, T.
Coloring effects of synthetic inorganic cobalt pigments in fast-fired porcelainized tiles.—75-02860
Mondal, P. K.; Mukherjee, S. N.; Banerjee, G.; Kolay, R. K.; Sahu, M. M.
Microporous refractory materials for high-temperature applications.—75-07602
Mondal, S. K. See Ray, K. K.
Monde, Takashi; Kamiusuki, Toshiro; Nakayama, Nobuyuki; Nemoto, Fujito; Yoko, Toshinobu; Konakahara, Takeo
Thermal decomposition of branched polyfluoroalkylsilane coated on silica gels.—75-09086
Mones, A. See Drozdyk, L.
Monfort, Eliseo See Morena, Arnaldo
Moniz, Gary A. See Helble, Joseph J.
Monot, I. See Delamare, M. P.; Osterstock, F.; Wang, J.
Monozon, B. S.; Zhilich, A. G.
Interband multiphoton absorption in superlattices.—75-05352
Monroe, A. Kimberley See Kwak, S. J.
Monroe, S. L. See Glass, S. Jill
Monros, G. See Tena, M. A.
Montanari, G. C.; Ghinello, I.; Gherardi, L.; Caracino, P.
Characterization of monofilamentary and multifilamentary 2223-BSCCO tapes by magnetic loss measurements.—75-08270
Montanaro, L. See Pagliolico, S.
Montanaro, L.; Bachiorrini, A.
Influence of some pollutants on the durability of cordierite filters for diesel cars.—75-03703
Montanaro, L.; Ferroni, Luca; Pagliolico, S.; Swain, M. V.; Bell, Trevor J.
Influence of calcination temperature on the microstructure and mechanical properties of a gel-derived and sintered 3 mol% Y-TZP material.—75-04077
Montanaro, L.; Saracco, G.
Influence of some precursors on the physicochemical characteristics of transition aluminas for the preparation of ceramic catalytic filters.—75-04082
Montelius, L. See Maximov, I.
Montenero, Angelo See Dimitrov, V.; Traversa, Enrico
Montes, M. See Gil, A.
Montesano, M. J. See Lauder, A. J.
Montesperelli, Giampiero See Traversa, Enrico
Montgomery, Frederick C.; Streckert, Holger H.
Braze for silicon carbide bodies.—75-02564
Monthioux, M. See Coustumer, P. L.
Monties, J.-R. See Dion, I.
Montioux, M.; Delverdier, O.
Thermal behavior of (organosilicon) polymer-derived ceramics: V, Main facts and trends.—75-09196
Montorsi, M. A.; Delorenzo, R.; Verne, E.
Cordierite-cerium(IV) oxide system—microstructure and properties.—75-04309
Montorsi, M. See Lemoine, P.
Montross, C. S.
Stress in alkali-earth-doped lanthanum chromites from oxygen potential gradients.—75-05212
Montuori, M. See Marinelli, M.
Moody, Kenneth J. See MacZura, George
Moody, N. R. See Angelo, J. E.
Mook, H. A. See Yethiraj, M.
Moon, C. See Chiba, A.
Moon, Chan-Hong See Kim, Jeong-Du
Moon, Hwan-Seong; Lee, Jae-Suk; Han, Sung-Wook; Park, Jong-Wan; Lee, Jae-Hak; Yang, Seung-Kee
Effect of deposition temperature on dielectric properties of PECVD Ta_2O_5 thin film.—75-04001
Moon, Jong-H. See Jang, Hyun-M.
Moon, Young-Tae See Kim, Weon-Ju; Park, Hong-Kyu
Moore, D. T.
Congress and science & engineering funding.—75-02120
Moore, D. See Barlow, F.
Moore, Daniel J. See Scott, Craig J.
Moore, E. H.; Folsom, C. A.; Keller, K. A.; Mah, T.
Mechanical properties of 3-D ceramic matrix composites.—75-03654
Moore, E. H.; Shamsundar, S.; Kroupa, J. L.
Optimization of the fugitive coating thickness in pressure-infiltrated mullite alumina composites.—75-04128
Moore, J. A. See Goel, H.
Moore, J. See Yiin, T.
Moore, M. A.; Alexander, I. C.; Jubb, G. A.; Brown, R. C.
High-temperature thermal insulation wools: their benefits, hazard, and future.—75-09719
Moore, R. J. See Glass, S. Jill
Moore, Robert E. See Karakus, Musa
Moore, Robert E.; Karakus, Musa
Cathodoluminescence microscopy—a technique uniquely suited to the solution of refractory wear problems.—75-00259
Moore, Robert E.; Smith, Jeffrey D.; Headrick, William L., Jr.; Sander, Todd P.
Monolithic dewatering theory testing and practice: new challenges.—75-05109
Moore, Robert E.; Smith, Jeffrey D.; Karakus, Musa
Magnesia-graphite-metal bricks subjected to thermal gradient.—75-07593
Moore, W. J.; Kaplan, R.; Freitas, J. A., Jr.; Altaiskii, Yu. M.; Zuev, V. L.; Ivanova, L. M.
Properties of crystalline 3C-SiC grown from methyl trichlorosilane.—75-00582
Moore, William H. See Barbeau, Marianne T.
Moorhead, A. J. See Kim, Hyoun-E.
Morachevskii, A. G.; Kal'ko, O. A.; Vaisgant, Z. I.
Reduction of lead(II) and (IV) oxides by carbon in solid phase.—75-09052
Morales, B. See Camet, E.
Moran, G. J. See Matthai, C. C.
Moran, P. D.; Bartlett, J. R.; Woolfrey, J. L.; Bowmaker, G. A.; Cooney, R. P.
Formation of nanosized titania particles in AOT microemulsions.—75-01508
Morasca, S. See Pozzi, F.
Morassut, P. See Aldridge, L. P.
Morath, Christopher J.; Maris, Humphrey J.; Cuomo, J. J.
Picosecond optical studies of amorphous diamond and diamondlike carbon: thermal conductivity and longitudinal sound velocity.—75-01332
Mordike, B. L. See Osterstock, F.
More, K. L. See Bae, Yong-W.; Lee, Woo-Y.; Liu, K. C.; Shanmugham, S.
Moreau, A.; Taheri, F.
Elastic moduli measurements of composite ceramics at high temperatures using laser ultrasonics.—75-05943
Moreland, John See Thomson, R. E.
Morelli, Donald T. See Uher, Ctirad
Morelli, M. R.; Brook, R. J.
Combustion synthesis of $LaCrO_3$ powders.—75-01403
Morena, Arnaldo; Enrique, Jose Emilio; Bou, Encarna; Monfort, Eliseo
Sludge reuse in glazes and engobes.—75-05066
Moreno, L. C. See Gordillo, G.
Moreno, M. A. See Bandis, Christos
Moreno, M. M. See Plano, M. A.
Moreno, R. See Belmonte, M.; Castanho, S. M.; Cordoba, G.; Farinas, J. C.
Moreno, W.; Lee, R.; Saini, N.; Kumar, R.
Laser induced vertical vias for programmable MCMs.—75-00345
Morgan, D. R. See Mindess, S.
Morgan, David L.; Cukan, Vladimir
Production of carbides and nitrides.—75-08839
Morgan, David W.; Wedding, Brent M.
Amber photochromic glasses.—75-07408
Morgan, Peter E. D.; Marshall, David B.
Ceramic composites having a weak bond material selected from monazites and xenotimes.—75-08556
Morgan, S. H. See Pan, Z.
Morgensen, Gurli See Dohrup, Jesper
Morgenthaler, K. D.; Buhl, H.
Ceramics for engines.—75-03691
Mori, H.; Sakurai, Y.; Nakamura, M.; Toyama, S.
Formation of gradient composites by using the filtration mechanism of binary particulate mixture.—75-02482
Mori, Hidetsugu; Kitami, Takashi; Sakata, Hironobu
Electrical conductivity of V_2O_5-Sb_2O_3-TeO_2 glasses.—75-04957
Mori, Hiroshi See Yamada, Kazuhiro
Mori, Jisaku See Otani, Yoshio
Mori, Junichiro; Toritani, Yasunobu; Tanaka, Seijiro
Development of alumina-magnesia castable for steel ladle.—75-07516
Mori, Junichiro
Filtering beer by ceramics.—75-06067
Mori, Makoto See Kato, Eturo
Mori, Shigekatsu See Kamiya, Hidehiro
Mori, T. See Furuya, M.
Mori, Toshiyuki; Yamamura, Hiroshi; Saito, Syoshichi
Preparation of an alkali element-doped CeO_2-Sm_2O_3 system and its operation properties as the electrolyte in planar solid oxide fuel cells.—75-07745
Mori, Y. See Eimori, N.
Mori, Y.; Ino, Takane; Tokura, Hitoshi; Yoshikawa, Masanori
Micromachining of CVD diamond films using a focused ion beam.—75-08533
Moricca, S. See Drennan, J.; Perera, D. S.
Morigami, Yoshihiro See Taguchi, Tomoyuki
Moriguchi, H. See Miyamoto, Y.
Morii, Akira See Umezaki, Hiroshi
Morii, Hiroshi See Azumi, Takeshi
Morimo, Kenichiro See Kuwabara, Makoto
Morimoto, S. See Sasajima, Y.
Morimoto, Shigeki; Kuriyama, Nobuya
Effect of TiO_2, ZrO_2, and P_2O_5 on the crystallization of SiO_2-Al_2O_3-MgO-CaO-N_2O glass system.—75-07297
Morimoto, T.; Murakami, K.; Kida, E.; Kumakura, S.; Wakasugi, K.; Shimamori, T.
Performance of chromia and picrochromite refractories developed for the HYCOL coal gasification pilot plant reactor.—75-07626
Morimoto, Takeshi See Tomonaga, Hiroyuki
Morin, C. D. See Batamack, P.
Morin, Francois; Denos, Yves; Trudel, Gaetan
Oxygen diffusivity in cation-defective lanthanum manganite.—75-04285
Morinaga, Kenji See Nageno, Y.; Takebe, Hiromichi
Morineau, Roger See Guzman, Guillermo
Morisaki, Yasutoshi See Gotoh, Yoshihiro
Morisako, Akimitsu; Nakanishi, Hiroaki; Matsumoto, Mitsunori
Low-temperature deposition of hexagonal ferrite films by sputtering.—75-03300

Morishita, Masahiro See Matsuwaka, Shuichi
Morishita, Tadataka See Oishi, Akira; Yoshida, Yukihisa
Morishita, Tomohiro; Ueda, Hiroshi; Endo, Yasuhiko
Ceramics binder mixture and binding method.—75-08566
Morishita, Tomonori See Maruyama, Toshiro
Morita, Akihiro; Fujiwara, Hideaki
New granular mold powder.—75-05114
Morita, K.; Suganuma, A.; Makishima, A.
Effect of MnO, CaO, and nitrogen on the alkaline durability of soda-lime silicate glasses.—75-05007
Morita, K.; Tsurekawa, S.; Nakashima, H.; Yoshinaga, H.
Grain boundary structures in covalent-bonded ceramics.—75-01855
Morita, Kousaku See Tanei, Hirayoshi
Morita, Mitsuru; Miyamoto, Katsuyoshi; Murakami, Masato; Matsuda, Shoichi
$REBa_2Cu_3O_{7-x}$-type oxide superconductive material having high critical current density and process for preparation thereof.—75-08485
Moriwaki, Masahiro See Fujii, Yoji
Moriya, K. See Masaki, S.
Moriya, Yoichi See Yamade, Yoshiaki
Moriyama, Minoru; Aoki, Hiroo
Fabrication and mechanical properties of TiB_2-TiN_xC_y composites by reaction sintering of B_4C and TiN powders.—75-09304
Moriyasu, M. See Kashiba, Y.
Morizane, Tetsuya See Otani, Yoshio
Morkoc, H.; Strite, S.; Gao, G. B.
Large-band-gap SiC, III-V nitride, and II-VI ZnSe-based semiconductor device technologies.—75-00532
Morokov, Yu. N. See Gritsenko, V. A.
Morooka, Shigeharu See Maeda, Hideaki; Ohya, Nobutaka
Morosin, B.; Jacobs, Joshua; Henderson, Craig C.; Schirber, James E.
Stoichiometrically controlled solid-state synthesis and crystal growth of $C_{60}H_2$.—75-01682
Moroz, A. A. See Viktorov, V. V.
Moroz, G. K. See Golubev, V. G.
Moroz, I. Kh.
Features of structure formation and atomistic aspect of the interpretation of solid phase reactions in porcelain.—75-07706
Moroz, T. T.; Samoilenko, Z. A.
Reversible structural relaxation and thermal stability of amorphous $Fe_{40}Ni_{40}P_{14}B_6$ alloys.—75-09181
Morozenko, Ya. V. See Safaraliev, G. K.
Morozov, S. V. See Anderson, T. G.
Morozov, V. A. See Vlasova, E. O.
Morozov, Yu. G. See Kir'yakov, N. V.; Kuznetsov, M. V.
Morozova, L. V. See Popov, V. P.
Morozova, L. V.; Komarov, A. V.
Synthesis and study of solid solutions based on cadmium oxide in the CdO-In_2O_3 system.—75-08074
Morozova, M. Yu. See Lozovskaya, I. M.
Morozova, N. K.; Nazarova, L. D.; Butnev, K. N.
Change of intrinsic defect structure of CdS(ZnSe) during doping with O and Te isoelectronic impurities.—75-07798
Morozova, N. K.; Nazarova, L. D.; Karetnikov, I. A.; Galstyan, V. G.; Gal'chinetskii, L. P.; Ryzhikov, V. D.
Oxygen in the ZnSe:Te luminescence.—75-03108
Morozova, N. V.; Gas'kov, A. M.; Kuznetsova, T. A.; Putilin, F. N.; Rumyantseva, M. N.; Shtanov, V. I.
Deposition of polycrystalline SnO_2 and SnO_2(CuO) films by laser ablation.—75-07823
Morozova, V. A.; Semenenya, T. V.; Loseva, S. M.; Kosheiev, O. G.; Marenkin, S. F.; Raukhman, A. M.
Determination of $CdAs_2$ band structure parameters by the optical transparency and photoconductivity methods.—75-02994; Optical transitions in perfect undoped $CdAs_2$ single crystals at the edge of fundamental absorption and in the impurity region.—75-09001
Morozumi, H. See Sato, K.
Morozumi, Hiroki See Kaya, Hiroshi
Morrell, R.
Standardized guidelines for fractography of advanced ceramics—a view from Europe.—75-04629
Morrell, Roger See Reece, M. J.
Morris, Debra L. See Barrall, Jeffery L.
Morris, Donald E.
Method of producing highly oxidized superconductors containing barium, copper, and a third metal.—75-08255
Morris, H. D. See Oriosky, S. D.
Morris, P. A. See Mullejans, Harald
Morris, R. C. See Golecki, I.
Morrish, A. H. See Zhou, X. Z.
Morrison, I. See Matthai, C. C.
Morrison, P. W. See Bergman, L.
Morrison, P. W.; Somashekhar, A.; Glass, J. T.; Prater, J. T.
Nucleation enhancement and growth of diamond films using an enclosed combustion flame.—75-01600
Morrone, A. A. See Sacks, Michael D.
Morsch, G. See Kamp, M.
Morscher, Gregory N. See DiCarlo, J. A.; Fernandez, Julian Martinez
Morscher, Gregory N.; Lewinsohn, Charles A.; Bakis, Charles E.; Tressler, Richard E.; Wagner, Timothy
Comparison of bend stress relaxation and tensile creep of CVD SiC fibers.—75-02024
Morscher, Gregory N.; Martinez-Fernandez, Julian; Purdy, Mark J.
Determination of interfacial properties using a single-fiber microcomposite test.—75-03557
Morse, D. E. See Giles, R.
Morse, James See Munn, Robin W.
Morse, Theodore F. See Helble, Joseph J.
Mort, Paul R.; Riman, Richard E.
Hierarchically ordered particle mixtures by thermally triggered granulation.—75-05902
Mortel, H.
Byproducts of various industries as raw material for lightweight brick (block).—75-02755; See also Lange, F.; Wagner, A.
Mortimer, B. See Bhatti, A. R.
Moryashov, A. M. See Babaev, V. G.
Moschik, Erich
Orthodontic device with a ceramic tooth attachment.—75-03674
Moscuzza, E. See Ferraris, B. F.
Moseev, N. V.
Atomistic modeling of migration properties of oxygen in $Bi_2Sr_2CaCu_2O_8$.—75-08265; Atomistic modeling of point defects in $Bi_2Sr_2CaCu_2O_8$.—75-05730
Moseichuk, A. G.
Experimental modeling of planar nonuniform surface carrier generation in MIS structures.—75-07883
Moser, C.
Ron Nagle—recent work.—75-02348
Moses, W. W. See Derenzo, S. E.; Sobolev, B. P.
Moshchenko, I. N. See Gufan, Yu. M.
Moshegov, N. T. See Akhmetov, V. D.
Moshnikov, V. A. See Mamykin, A. I.; Voshchilova, R. M.
Mosin, Yu. M.; Kuleshova, A. V.; Charikova, O. G.
Effect of die material in molding equipment on deformation of plastic ceramic mixtures.—75-09619
Mosin, Yu. M.; Leonov, V. G.
Properties of thermoplastic mixtures for forming ceramics by extrusion.—75-03920
Mosin, Yu. M.; Vorob'eva, V. V.
Special features of the evaluation of the pore structure of ceramic filtering materials.—75-05141
Mosina, G. N. See Balashova, E. V.
Moskalenko, V. V. See Bulgakov, A. A.
Moskalets, N. B. See Batalin, B. S.
Moskvin, A. S. See Karnachev, A. S.; Sukhorukov, Yu. P.
Mosqueira, J.; Pomar, A.; Veira, J. A.
Resistivity peak anomaly in $Y_1Ba_2Cu_3O_{7-\delta}$ crystals and nonuniform distributed critical temperature inhomogeneities.—75-00859
Mosquera, Maria J. See Martin, Joaquin
Moss, T. S.; Lackey, W. J.; Freeman, G. B.
Chemical vapor deposition of dispersed phase composites in the B-Si-C-H-Cl-Ar system.—75-03968
Mossbrucker, J.; Grotjohn, T. A.
Determination of the preferred crystal orientation of diamond films using polarized Raman spectra.—75-08905
Mosser, J.; Karhut, G.; Hammerer, W.
New refractories for modern ladle lining.—75-07612
Mosser, J.; Petio, Franz-Adolf
Recent trends in refractory lining of dc furnaces.—75-07645
Mosser, J.; Siegl, Walter M.
High-lime gunning mixes for BOF and EAF.—75-07564
Mostaghaci, Hamid
International standards in fine ceramics ISO/TC 206.—75-07084
Mosunov, A. V. See Stefanovich, S. Yu.
Motakef, S. See Teowee, G.
Motoc, C. See Constantinescu, F.
Motohira, Naobumi; Okamoto, Hideaki; Nakamura, Yoshinobu; Kishimoto, Akira; Miyayama, Masaru; Yanagida, Hiroaki
Single crystal growth and electrical properties of lanthanum- and gadolinium-doped $BaTiO_3$.—75-08055
Motornyi, A. V. See Yarmarkin, V. K.
Motowidlo, Leszek; Haldar, Pradeep
Method for manufacturing high-T_c superconductor coils.—75-00907
Motskus, Z. See Rozovskii, G.
Mottiwala, A. See Rapoport, N.
Moudgil, Brij M. See Singh, Rajiv K.
Mougin, S. See Rebillat, F.
Mouhamath, B.; Takeda, N.
Effects of carbon coatings on SiC (Nicalon)-Pyrex composites.—75-02713
Mountain, William L. See Butcher, Kenneth R.
Mountziaris, T. J. See Gorsuch, G.
Moure, C. See Duram, P.; Villegas, M.
Moustafa, Y. M. See Doweidar, H.
Moustakas, T. D. See Molnar, R. J.
Mowrey, R. C. See White, C. T.
Moy, Aaron M. See Pearah, Paul J.
Moy, David See Niu, Chun-Ming
Moy, Walter See Wu, Carl C. M.
Moya, E. G.
Aspects of grain-boundary diffusion in oxides.—75-01742
Moya, J. S.
Layered ceramics.—75-09353; See also Belmonte, M.; Sanchez-Herencia, A. J.; Steier, Hanns P.
??
Moyeda, David See Koppang, Richard
Moyer, John R.
Phase diagram for mullite-SiF_4.—75-01231
Moyer, John R.
Phase diagram for the SiF_4 join in the system SiO_2-Al_2O_3-SiF_4.—75-09010
Moyer, M. D. See Bandis, Christos; Plano, M. A.
Moyle, M.
Fifth Annual California Conference.—75-02248
Moynihan, Cornelius T.
Electrical relaxation in glasses and melts with large concentrations of mobile ions.—75-04962
Moysan, Stephen R., III; Sugg, Rolin W.
Article having a protective coating simulating brass.—75-07240
Mozhaev, A. P.; Chrnyaev, Serge V.
Oxygen diffusion in $YBa_2Cu_3O_{6+x}$ ceramics.—75-05809
Mozhaev, A. P.; Mazo, G. N.; Galkin, A. A.; Khramova, N. V.
Phase stability and oxygen diffusion in $RBa_2Cu_3O_{6+x}$ (R=Y or Nd).—75-08394
Mozol, P. E. See Vlasenko, A. I.
Mroz, Thomas J.
Aluminum nitride.—75-06017; See also Breder, Kristin
Mu, R.; Henderson, D. O.; Jin, F.
Structural investigation of $NaNO_3$ nanophase confined in porous silica.—75-01246
Mucalo, M. R.; Milestone, N. B.; Vickridge, I. C.
Preparation of ceramic coatings from preceramic precursors: I, SiC and Si_3N_4/Si_2N_2O coatings on alumina substrates.—75-06727
Muccillo, E. N. S. See Lima, L. F. C.
Muccillo, E. N. S.; Kleitz, M.
Impedance spectroscopy of Mg-partially stabilized zirconia and cubic phase decomposition.—75-08951
Mucklich, F.; Ohser, J.; Hartmann, S.; Petzow, G.
3-D characterization of sintered microstructures with prismatic grains—a precondition for microstructural modeling of Si_3N_4 ceramics.—75-04294
Muddle, B. C. See Edwards, D. P.; Gao, L.; Hannink, R. H. J.; Hewett, C. L.; Waalib-Singh, N. K.
Mudretsova, S. N.; Kovba, M. L.; Skolis, Yu. Ya.;
Gorbacheva, M. V.; Khramtsova, L. A.; Maiorova, A. F.
Thermal transformations of mercury superconductor $HgBa_2CuO_{4+\delta}$ and its precursor Ba_2CuO_{3+y}.—75-05852
Mueller, Carl A. See Graf, Volker
Mueller, Ulrich; Hoelderich, Wolfgang; Schaefer, Hans D.; Eiden, Ulrich; Woessner, Norbert
Fixing large zeolite and zeolite-like molecular sieve crystals on moldings.—75-01111
Mueller-Warmuth, W. See Van Wuellen, L.
Mugachev, S. A. See Akhmadullin, I. Sh.
Muhlhoff, A. See Rost, A.
Muhlratzer, A. See Koberle, H.
Mujumdar, Arun S. See Gong, Zhen-Xiang
Mukae, Kazuo See Kimura, Hiroshi
Mukai, Hidehito See Sato, Kenichi; Shibuta, Nobuhiro
Mukai, Hidehito; Sato, Kenichi; Shibuta, Nobuhiro
Method of preparing oxide superconducting wire.—75-05874
Mukaida, Kenichi See Kaga, Hisashi
Mukaida, M. See Chen, L.
Mukaida, Masakazu See Imai, Yoji
Mukashev, B. N. See Abdullin, Kh. A.
Mukerji, J. See Chakrabarti, O. P.
Mukhamedshin, I. R. See Teplov, M. A.
Mukhamedzhanova, M. T.; Irkakhodzhaeva, A. P.
Slag waste in the production of glass crystallite.—75-07400
Mukhanova, M. A. See Kasenov, B. K.
Mukherjee, Amiya K. See Mishra, Rajiv S.; Schneider, J. A.
Mukherjee, B.; Banerjee, G.; Chakraborty, A.; Mahajan, Y. R.; Mishra, B. R.; Kumar, S. Suresh
Special steel pouring through fully partially stabilized zirconia.—75-07666
Mukherjee, B.; Das, S. K.; Das, K.; Biswas, J. R.; Ghosh, A.; Banerjee, G.
Development of zircomullite aggregates from beach sand.—75-07530
Mukherjee, K. See Yoo, J. M.
Mukherjee, M. L.; Ghatak, S. K.
X-ray photoemission study of $Fe_{40}Ni_{40}B_{20}$ metallic glass.—75-06412
Mukherjee, P. S. See Simon, A.
Mukherjee, S. N. See Mondal, P. K.
Mukherjee, Sampad See Phani, K. K.
Mukherjee, T. See Ghosh, K. S.
Mukhin, S. V. See Nikitenko, V. A.
Mukhopadhyay, A. K. See Bushby, A. J.
Mukhopadhyay, Gautam See Ostling, Daniel
Mukhopadhyay, M. S. See Nandi, P.; Tiwari, L.
Mukhopadhyay, Malay See Mukhopadhyay, Manjari
Mukhopadhyay, Manjari; Mukhopadhyay, Malay
Proven and probable use of/role of polymers in ceramics, refractories in particular.—75-07639
Mukhopadhyay, S. K. See Banerjee, L. N.
Mukhopadhyaya, S. See Mishra, Sabyasachi
Mukhtarova, N. N. See Tashmetov, M. Yu.
Mukoed, G. M. See Petrakovskii, G. A.
Mukunda, P. G. See Pathak, L. C.
Mukundan, P. See Sivakumar, S.; Warrier, K. G. K.
Mukundan, R.; Davies, P. K.; Worrell, Wayne
Preparation and characterization of new mixed conducting oxides based on $BaCe_{1-x}Gd_xO_{3-x/2}$ [0<x<0.2].—75-02929
Mulag, V. N. See Reddy, N. Kishan; Reddy, M. Bhagarantha
Muldagalieva, R. A.; Kuzgibekova, Kh.; Isabaev, S. M.
Heat capacity and thermodynamic functions of copper orthothioarsenate.—75-08945
Mulla, M. A.; Krstic, Vladimir D.
Pressureless sintering of β-SiC with Al_2O_3 additions.—75-06745
Mullejans, Harald See French, R. H.
Mullejans, Harald; Bruley, J.; French, R. H.; Morris, P. A.
Quantitative electronic structure analysis of α-Al_2O_3 using spatially resolved valence electron energy loss spectra.—75-01915
Muller, C.; Gottschling, S.; Kohl, R.; Tomandl, G.
ZrO_2 ultrafiltration membranes processed by the sol-gel route.—75-01741
Muller, D.; Rettel, A.; Gessner, W.; Bayoux, J. P.; Capmas, A.
Progress in the ^{27}Al MAS NMR spectroscopy monitoring the hydration of calcium aluminate cements.—75-00060
Muller, David A.; Tzou, Yujiun; Raj, Rishi; Silcox, John
Electronic structure and bonding at interfaces between CVD diamond and silicon.—75-01843
Muller, Eberhard; Oestreich, Christiane; Popp, Uta; Michel, Gunter; Staupendahl, Gisbert; Henneberg, Karl-Heinz
Characterization of nanocrystalline oxide powders prepared by CO_2 laser evaporation.—75-06864
Muller, F. See Schubert, G.
Muller, I. S. See Buechele, A. C.
Muller, J.; Thust, H.; Drue, K. H.
RF design considerations for passive elements in LTCC.—75-01041
Muller, Ralf; Reinsch, Stefan; Pannhorst, Wolfgang
Nucleation at cordierite glass surfaces: kinetic aspects.—75-07308
Muller, Wolfgang
Eco-audit order and development of environmental management systems.—75-07067

Muller-Hummel, Peter; Lahres, Michael
In situ temperature measurement on diamond-coated tools: a new instrument for optimizing cutting processes.—75-08674
Muller-Simon, Hayo See Baucke, Friedrich G. K.
Mullins, M. See Sinnadurai, N.
Mullot, J.; Lecompte, J. P.; Jarrige, J.
Binder burnout of aluminum nitride tape casting with YF_3 and Y_2O_3 additives.—75-01386
Mulone, R. See Bowen, P.
Mulpuri, R. See Doppalapudi, D.
Mulvihill, Maureen L.; Cross, L. Eric; Uchino, Kenji
Low-temperature observation of relaxor ferroelectric domains in lead zinc niobate.—75-00671
Mumm, Daniel R.; Marshall, David B.; Griffin, Alair; Griffin, Curtis W.; Turner, Colleen S.
Hardness variations in multilayered ZrO_2-Al_2O_3 composites.—75-04548
Munakata, Fumio See Hirosaki, Naoto
Munch, Wolfram See Denk, Ingrid
Munchaev, A. I. See Kevorkov, A. M.
Mundt, P. R.; Taylor, Theodore D.
Annealing of massive vitreous waste forms.—75-03446
Munir, Z. A. See Feng, Ai-Guo; Logan, Kathryn V.; Shon, I. J.
Munn, Daniel R. See Griffin, E. Alair
Munn, Robin W.; Gingerich, Richard G. W.; Morse, James
Europium-doped yttrium oxide phosphor.—75-08577
Munoz-Paez, Adela; Alba, Maria Delores; Castro, Miguel Angel
Geometric structures of lanthanide ions within layered clays as determined by EXAFS: from the Lu(III) hydrate to the disilicate.—75-03798
Munoz-Yague See Daran, E.
Munro, R. G.; Chen, H.
Reference relations for the evaluation of the materials properties of orthorhombic $YBa_2Cu_3O_x$ superconductors.—75-03397; [—correction].—75-08407
Munroe, P. R. See Xia, J. A.
Munz, D. See Fett, Theo; Zhu, S.
Munz, D.; Yang, Y. Y.
Effect of graded interlayer in a ceramic-metal joint on stress distribution and failure probability.—75-02457
Murai, Teruyuki See Yamamoto, Susumu
Murakami, H. See Torii, Y.
Murakami, Hiroshi; Watanabe, Yasuto; Sakatani, Naoko; Koishi, Masayuki
Catalyst for exhaust gas purification.—75-07248
Murakami, K. See Hanawa, T.; Morimoto, T.
Murakami, Kenji See Kaneko, Shoji
Murakami, Kenji; Yagi, Isao; Kaneko, Shoji
Oriented growth of tin oxide thin films on glass substrates by spray pyrolysis of organotin compounds.—75-09373
Murakami, Kiyoshi See Urano, Toshio
Murakami, Masato See Kondoh, Akihiro; Morita, Mitsuru; Oyama, Terutsugu; Van Dalen, A. J. J.
Murakami, Masato; Oyama, Terutsugu; Fujimoto, Hiroyuki; Koshizuka, N.; Shiohara, Yu; Tanaka, Shoji
Process for preparing oxide superconductor.—75-00915
Murakami, Masato; Takaichi, Hiroshi; Sakai, Naomichi
Method of joining Y-based oxide superconductors.—75-08471
Murakami, Masato; Yoo, Sang-Im; Sakai, Naomichi; Takaichi, Hiroshi; Higuchi, T.; Tanaka, Shoji
Superconductor and method of producing same.—75-08491
Murakami, T. See Takeuchi, S.
Murakami, Y. See Suematsu, Hisayuki; Tonouchi, M.
Murakami, Y.; Tsuchiya, S.; Yahikozawa, K.
Preparation of ultrafine RuO_2 and IrO_2 particles by a sol-gel process.—75-06742
Murakami, Yoshikazu See Goodman, Thomas W.
Murakami, Yoshio; Shiota, Takaaki; Shingyouji, Takayuki
Effect of oxidation ambient on the dielectric breakdown characteristics of thermal oxide films of silicon.—75-00324
Murakata, Tadahiro See Sato, Shimio
Murakawa, Masao See Hotta, Katsuyoshi; Takeuchi, S.; Zhou, Wei-Lie
Murakawa, Masao; Watanabe, Shuichi; Miyake, Shojiro
Tribological properties of cBN films fabricated by the reactive ion plating method and modified by ion implantation.—75-09687
Muraki, Naoki See Pezzotti, Giuseppe; Sergo, Valter
Muralidhar, M.; Kishore, K. Nanda; Satyavathi, S.
Ac and dc susceptibility studies on silver-doped BPSCCO (2223) superconductors.—75-05724
Muralidharan, B. G.; Agrawal, D. C.
Freeze-formed ceramic fibers: effect of preaging the gel.—75-06625
Muralt, Paul; Kholkin, A. L.; Kohli, Markus; Maeder, Thomas; Brooks, Keith G.; Luthier, Roland
Fabrication and characterization of PZT thin films for micromotors.—75-05568
Muranevich, E. See Cohen, S.
Muraoka, Mikio; Abe, Hiroyuki
Subcritical crack growth in silica optical fibers in a wide range of crack velocities.—75-00203
Murashov, S. V. See Glebov, L. B.
Murashov, V. A. See Vorob'ev, G. P.
Murashov, V. V. See Mitin, A. V.
Murashova, E. V.; Chudinova, N. N.
Synthesis and crystal structures of cesium and manganese(II,III) double cyclophosphates with $Cs_3Mn_3^{II}Mn^{III}(P_6O_{18})_2$, $CsMn^{II}Mn^{III}P_6O_{18}$-I, and $CsMn^{II}Mn^{III}P_6O_{18}$-II compositions.—75-09077
Murashova, E. V.; Chudinova, N. N.
Synthesis of $CsM^{II}M^{III}P_6O_{18}$ cyclohexaphosphates with M^{II}=Mg, Co, Zn, or Mn and M^{III}=Al, Ga, V, or Fe. The crystal structure of $CsZnVP_6O_{18}$.—75-09469
Murat, Denis See Besson, Jean-Louis
Murat, Michel See Balek, Vladimir
Murata, Hiroshige See Ishizaki, M.
Murata, Takahiro See Takebe, Hiromichi
Murata, Yutaka See Ono, Yasushi
Muratova, V. I. See Givargizov, E. I.
Murav'ev, E. N. See Ionov, S. P.
Murav'eva, G. P. See Grigorashev, D. I.; Gudilin, E. A.; Oleinikov, P. N.
Muravskii, B. S. See Baryshev, M. G.
Murawski, L.; Barczynski, R. J.; Trzebiatowski, K.
Internal friction in Bi-Sr-Ca-Cu-O glasses.—75-03376
Murayama, Akihiro; Miyamura, Masao; Kondoh, Shinji
Magnetic and structural properties of $CoNiPt(SiO_2)$ alloy films for high-density longitudinal recording.—75-00743
Murayama, Norimitsu See Sakaguchi, Shuji
Murin, D. I. See Yur'ev, V. A.
Murin, I. V. See Zhuchkov, B. S.
Murin, L. I. See Markevich, V. P.
Murnick, Daniel E.
Localized surface glazing of ceramic articles.—75-00295
Muroi, T. See Ando, M.
Murphy, Arthur T. See Goodman, Thomas W.
Murphy, B. R.; Courtney, T. H.
Synthesis of Cu-NbC nanocomposites by mechanical alloying.—75-02549
Murphy, B. R.; Predebon, W. W.; Pletka, Bruce J.
Fracture toughness of a high-strength alumina: compact tension vs indentation fracture techniques.—75-06984
Murphy, C.
Fire in the woods.—75-02250
Murray, C. A. See Ogura, A.
Murray, Paul E.
Thermal strain and viscous flow of glass films.—75-01360
Murthy, A. S. See Lin, X.
Murthy, P. L. N.; Mital, S. K.
Computational simulation of high-temperature ceramic matrix composites behavior.—75-03553
Murugaraj, Pandijan See Maier, J.
Murzina, T. V. See Aktsipetrov, O. A.; Mel'nikov, A. V.
Musaeva, N. N. See Tagiev, B. G.
Mushnikov, N. V. See Gaviko, V. S.
Music, S.; Gotic, M.; Popovic, S.; Furic, K.; Mohacek, V.
Structural properties of lead vanadate glasses containing La^{3+} or Fe^{3+} ions.—75-02611
Music, S.; Popovic, S.; Ristic, M.; Sepiol, B.
Chemical and structural properties of the system Fe_2O_3-Nd_2O_3.—75-04303
Musikhin, S. F. See Nemov, S. A.
Musikhin, S. F.; Bakueva, L. G.; Il'in, V. I.; Rabizo, O. V.; Sharonova, L. V.
Fibonacci superlattices of PbS-C type produced by pulsed laser ablation: optical and electrical properties.—75-03030
Musil, J. See Alaya, M.
Musinu, A. See Medda, M. P.
Musket, R. G.; Tesar, A. A.; Daley, R. S.
Hydrogen content of polished glass surfaces using forward recoil spectroscopy.—75-04904
Musset, E. See Luce, M.
Musset, E.; Cauchetier, M.; Luce, M.; Herlin, N.; Bouissou, S.; Dhalluin, C.
Evolution of the structure of Si/C/N nanocomposite powders formed by laser-aerosol interaction.—75-01488
Mustafaev, N. M. See Zargarova, M. I.
Mustafaeva, S. N.; Asadov, M. M.; Ramazanzade, V. A.
Dielectric properties and ac conductivity of $TlInS_2$ single crystals.—75-07833; Modification of photocurrent spectra of $TlInS_2$ single crystals during intercalation.—75-05387
Mustafin, D. I. See Vorob'ev, A. F.
Mustafin, E. S. See Kasenov, B. K.; Oralova, A. T.
Mustafin, E. S.; Oralova, A. T.; Kasenov, B. K.
X-ray and thermodynamic study of $DySrMn_2O_{5.5}$.—75-06410
Mutasim, Z. See Lee, Woo-Y.
Muthu, D. V. See Asif, S. A. Syed; Nagarajan, V. S.
Muthupari, S.; Prabakar, S.; Rao, K. J.
Chemical basis of the structural modification in sodium borovanadate glasses: thermal and spectroscopic studies.—75-04884
Mutin, J. C. See Jiang, S. P.
Mutlu, R. H. See Gencer, A.
Muto, Hiroyuki See Sakai, Mototsugu
Mutoh, H. See Okada, Kiyoshi
Mutsuddy, B. C. See Kwak, S. J.
Mutsuddy, B. C.; Ford, Renee G.
Ceramic Injection Molding.—75-07103
Muzychka, A. V. See Chumachenko, A. V.
Myagkov, V. G.; Zhigalov, V. S.; Zharkov, S. M.
Fractal oxidation of amorphous iron films.—75-09591
Myasnikov, I. A.
Role of singlet oxygen absorbed on quartz and transition metal oxides in the formation of ozone holes.—75-09055
Myasnikova, T. P. See Gakh, S. G.
Myers, A. F. See Liu, A.
Myers, J. D.
Evolutionary developments in laser glass.—75-05318
Myers, R. N. See Tofe, A. J.
Myhre, Bjorn See
Alumina-based castables with very low contents of hydraulic compound: I, The effect of binder and particle size distribution on flow and set.—75-07464; II, Strength and high-temperature reactions of no-cement castables with hydraulic alumina and microsilica.—75-07465
Myhre, Bjorn
Particle size distribution and its relevance in refractory castables.—75-07625; See also Sandberg, Bjorn
Mykytka, William J. See Meitzner, George D.
Mylonas, E. See Karakassides, M. A.
Mysov, O. P. See Katkov, V. F.
Na, J.-G.; Han, D.-H.; Zhao, J.-G.
Mossbauer effect study on the acicular cobalt ferrite particles.—75-00750
Naaman, A. E. See Chu, Tun-Jen; Li, Victor C.; Najm, H.
Nabatame, Toshihide; Saito, Yukio; Aihara, Katsuzo; Kamo, Tomoichi; Matsuda, Shinpei
Superconducting properties of (1223) and (2223) phases in Tl-Ba-Ca-Cu-O thin films.—75-08429
Naberezhnov, A. A. See Vakhrushev, S. B.
Nabeshima, Shigeyuki; Suzuki, Hajime; Imaida, Y.; Kanatani, Toshio; Kuga, Masaaki
Improvement in refractory of top and bottom blowing converter (K-BOP) at Chiba No. 1 steelmaking shop.—75-07573
Nabetani, Y.; Ishikawa, T.; Noda, S.
Initial growth stage and optical properties of a three-dimensional InAs structure on GaAs.—75-00520
Nabialek, A. See Baran, M.
Nachtegaal, G. H. See Pietersen, H. S.
Nachtigal, C. L.
Closed-loop control of flow rate for dry bulk solids.—75-00945; Multi-ingredient proportioning for dry bulk solids.—75-00970
Nadi, R. See Dolez, P.
Naefe, H. See Bannenberg, N.
Naem, A. A.; Deen, J.; Chee, L. Y.
Temperature effects on the resistivity of polycrystalline silicon titanium salicide.—75-00613
Naessens, G. See Ye, M.
Nafidi, A. See Suryanarayanan, R.
Naga, S. M.; Ahmed Farag, I. S.; Ibrahim, D. M.
Chromium-zircon pigment.—75-02855
Naga, S. R. See Elghandour, E. I.
Nagae, Masahiro See Takada, Jun
Nagae, S.; Otsuka, Y.
Effect of sizing agent on corrosion of glass fibers in water.—75-04954
Nagahama, Mutsuhisa See Tamura, Hideki
Nagai, Hiroshi See Katsuyama, Shigeru; Majima, Kazuhiko
Nagai, S. See Seino, Y.
Nagai, Toru See Katayama, Shingo
Nagakubo, M.; Suzuki, H.; Idogaki, T.; Hattori, T.
Structures of bonding interface by forming hydrogen bridges.—75-04409
Nagamoto, H.; Tanaka, H.; Koya, T.
Resistivity control by solid-state reaction of perovskite-type oxides.—75-02935
Nagano, M. See Ichinose, H.
Nagano, M.; Nagao, Toshiharu; Urasaki, Takashi; Mishima, Hiroyuki; Ichinose, H.
Addition of metals into rf plasma for diamond synthesis.—75-07197
Nagano, Saburou; Tateno, Shuichi; Kamitubo, Kouichi; Tajima, Kenichi; Nakanishi, Masahito
Composite ceramic sintered material.—75-06118
Nagano, Seido; Tsukiji, Masaru; Ando, Koichi
Mechanism of leakage current through the nanoscale SiO_2 layer.—75-06487
Nagano, Takayuki; Wakai, Fumihiro
Diffusion bonding of Al_2O_3/TiC composite.—75-06845; Relationship between surface roughness and bonding strength in superplastic diffusion bonding.—75-01648
Nagano, Y. See Shimada, Y.
Nagano, Yasuo See Awaji, H.; Mizuno, Mineo; Zhu, Shi-Jie
Nagao, Toshiharu See Nagano, M.
Nagaoka, Hitoshi; Kanno, Hiroshi
Method for forming titanium nitride film and vessel coated by same.—75-02569
Nagaoka, Takaaki See Hirao, Kiyoshi
Nagaoka, Takaaki; Yasuoka, Masaki; Hirao, Kiyoshi; Kanzaki, Shuzo
Effects of additives on sintering and mechanical properties of alumina.—75-04015
Nagarajan, V. S. See Hsu, Stephen M.
Nagarajan, V. S.; Muthu, D. V.; Asif, S. A. Syed
Raman spectroscopic studies of phase trasnformations induced by a notch cut on a 3Y-TZP sample.—75-06334
Nagasaka, Takashi; Ontani, Yuji; Saitou, Mitsuhiro
Ceramic multilayer wiring board.—75-02946
Nagasawa, Shuichi See Numata, Hideaki
Nagase, Fumiaki See Kusui, Jun
Nagashima, Kazurou See Asada, Eiichi
Nagata, F. See Kakibayashi, H.
Nagata, Fukue; Yokogawa, Yoshiyuki; Toriyama, Motohiro; Kawamoto, Yukari; Suzuki, Takahiro; Nishizawa, Kaori; Nagae, Hajime
Method for production of platelike hydroxyapatite.—75-01119
Nagata, Hirotoshi See Takahashi, Hiroki
Nagata, Hirotoshi; Kiuchi, Kazumasa; Saito, Tsutomu
Thermal drift as a source of output instabilities in Ti:$LiNbO_3$ optical modulators.—75-01731
Nagata, Hirotoshi; Kiuchi, Kazumasa; Shimotsu, Shinichi
Estimation of direct current bias and drift of Ti:$LiNbO_3$ optical modulators.—75-00659
Nagata, Kunihiro See Kiyohara, Masakatsu; Kokubun, Makoto
Nagata, Masayuki See Yokota, Minoru
Nagata, Shoichi See Shimono, Isao
Nagelberg, Alan S. See Rapp, Robert A.
Nageno, Y.; Takebe, Hiromichi; Morinaga, Kenji; Izumitani, T.
Effect of modifier ions on fluorescence and absorption of Eu^{3+} in alkali and alkaline-earth silicate glasses.—75-02647
Naghash, A. R.; Prokopovich, S. A.; Sorrell, C. C.
Wear resistance of alumina-based ceramics.—75-02108
Nagornyi, P. G. See Geifman, I. N.
Nagoya, Toshio See Hiraiwa, Mana Yasui
Nagy, Bela G.
Laser finishing and measurement of diamond surface roughness.—75-08586; See also Kapoor, Rakesh R.
Nagy, L. T.; Tunega, Daniel; Liska, Marek
Calculation of Henry's constants of adsorption of noble gases on idealized surface of talc.—75-03766
Nair, B. G.; Cooper, Reid F.; Almquist, J. N.; Plesha, M. E.
High-temperature flow of SiC continuous fiber–glass-ceramic matrix composites—the effect of interface/interphase ductility.—75-04553

Nair, Balagopal N. See Kumar, Krishnankutty-Nair P.
Nair, K. M.; Shukla, V. N.
Ceramic Transactions, Volume 68: Hybrid Microelectronic Materials.—75-04774
Nair, M. R. See Sivakumar, S.
Nair, Nathan; Bhalla, A. S.; Roy, Rustum
Inorganic lead compounds in electroceramics and glasses.—75-02132; Scientific, regulatory, and socioeconomic analysis of inorganic lead compounds—focus on electroceramics and glasses.—75-04748
Naito, Kazunari See Yoshida, Hideto
Naito, Makio See Kamiya, Hidehiro; Kang, In-Ho
Najafabadi, Reza See Battaile, Corbett C.
Najm, H. See Chu, Tun-Jen
Najm, H.; Naaman, A. E.; Chu, Tun-Jen; Robertson, R. E.
Effects of poly(vinyl alcohol) on fiber cement interfaces: I, Bond stress–slip response.—75-02403
Nakada, M. See Nakamura, A.
Nakada, T. See Shiraishi, M.
Nakadzima, T. See Kulikov, A. P.
Nakagawa, Katsuji; Kurashina, Seiji; Itoh, Akiyoshi
Uniaxial anisotropy of double-layered garnet films and magnetooptical recording characteristics.—75-03339
Nakagawa, Kenji See Narita, Takeshi
Nakagawa, M. See Saito, Y.
Nakagawa, Manabu; Shibata, Masatoshi
Method and apparatus for manufacturing glass bottles.—75-08748
Nakagawa, S. See Matsushita, N.
Nakagawa, Zenbee; Enomoto, N.; Katsumoto, M.
Effect of ultrasound on ripening of aluminogels.—75-06587
Nakagawa, Zenbee
Expansion behavior of powder compacts during spinel formation.—75-09547; See also Kim, Dae-Weon; Sugawara, T.
Nakahara, Hirohiko See Funayama, O.; Kaya, Hiroshi; Shimizu, Yasuo
Nakahara, Sumio See Dickinson, J. T.
Nakahara, Yuichi; Kojo, Katsuhiko
Cermet alloy.—75-04873
Nakahata, Hideaki See Shikata, Shinichi
Nakahata, Seiji; Matsuura, Takahiro; Sogabe, Kouichi; Yamakawa, Akira
Aluminum nitride sintered body and method of producing the same.—75-08817; 75-08818; Analysis of Ti compound particle distribution in AlN-matrix composites.—75-01786; Method for preparing an aluminum nitride sintered body.—75-02951
Nakahira, Atsushi See Hussain, M.; Niihara, Koichi; Nishijima, A.; Ohji, T.; Suzuki, Yoshikazu; Xu, Yueping; Yamazaki, Keiichi
Nakahira, Kenji See Hayakawa, Osamu
Nakai, Hidemi See Kawaguchi, Jun
Nakaishi, Katsuya; Yasutomi, Rokuro
Rheological study on the thixotropic flow: effect of time scale on flow type measurement.—75-02793
Nakajima, Akira See Suzuki, Ryou
Nakajima, Eiichi; Tsuchiya, Yoshiki; Tokunaga, Kozo; Ohta, Shigetoshi; Honda, Toru; Kozuka, Hisao
Relationship between the ovality of a cement kiln and the wear rate of refractories.—75-06009
Nakajima, Hitoshi See Yokoyama, Akinori
Nakajima, Kiichi See Imamura, Masato
Nakajima, Toshio See Sekino, Tohru
Nakama, T.; Inushima, T.; Ogasawara, A.; Mizushima, T.; Suzuki, S.; Shiraishi, T.
Capacitance-voltage characteristics of diamond/silicon MIS structures.—75-07796
Nakamichi, Isao
Effect of grain boundary structure and segregation on electrical resistivity in aluminum.—75-01275
Nakamura, A. See Shiraishi, M.
Nakamura, A.; Masaki, N. M.; Nakada, M.; Saeki, M.; Tomimoto, K.; Akimitsu, J.
Solid-state reactions and some physical properties of reduced europium niobates Eu_3NbO_x ($0.5 \le x \le 2$).—75-09059
Nakamura, H. See Chen, J.; Kato, A.
Nakamura, Haruo See Kobayashi, Hideo
Nakamura, K. G.; Kuroki, H.; Kitajima, M.
Multiphoton ionization detection of an SiO molecule formed by O_2 oxidation of a silicon surface.—75-00548
Nakamura, Kazutaka; Kubota, Hiroyuki; Yoneda, Yasunobu; Nakayama, Akinori; Tominaga, Tohru; Ushiro, Tomoaki
Ceramic resistor wherein a resistance film is embedded.—75-00391
Nakamura, Kenichi; Kimura, Kunio; Numoto, Hironao; Terashima, Tetsuo
Ceramic sheet with catalyst and its manufacturing method.—75-08563
Nakamura, Koichi See Abe, Yoshihiro; Kasuga, Toshihiro
Nakamura, Kozo
Method for production of thin oxide superconducting film and substrate for production of the film.—75-00908
Nakamura, M. See Mori, H.
Nakamura, Makoto See Ichikawa, Kenji; Iida, Eishi
Nakamura, Masahiko See Taira, Hatsuo
Nakamura, O. See Ivanov-Shits, A. K.; Saito, Y.
Nakamura, Rie See Nishimura, Kozo; Tachibana, Takeshi
Nakamura, Ryosuke See Ichikawa, Kenji; Iida, Eishi; Yamamura, Takashi
Nakamura, S. See Yamana, K.; Zhang, Z.
Nakamura, Seiichirou See Odani, Niro
Nakamura, Shuji; Takashi, Mukai; Senoh, Masayuki
High-brightness InGaN/AlGaN double heterostructure blue-green light-emitting diodes.—75-00507
Nakamura, Shuji
InGaN/AlGaN double heterostructure blue LEDs.—75-00519
Nakamura, Simesu See Furusawa, Toshiaki
Nakamura, T. See Itoh, H.
Nakamura, T.; Itoh, M.; Inaguma, Y.
Single-crystal growth of complex oxides by floating zone method.—75-06762
Nakamura, Tadashi See Nishihara, Akira; Yoshihara, S.
Nakamura, Takao See Inada, Hiroshi; Tanaka, So
Nakamura, Takao; Iiyama, Michitomo; Inada, Hiroshi
Method for manufacturing a superconducting device having an extremely thin superconducting channel.—75-08468; Method for manufacturing a superconducting device having an extremely thin superconducting channel formed of oxide superconductor material.—75-08467; Superconducting device having a reduced thickness of oxide superconducting layer.—75-03439; Superconducting device having an extremely short superconducting channel formed of extremely thin oxide superconductor film.—75-05884; Superconducting device having an extremely thin superconducting channel formed of oxide superconductor material.—75-08487; Superconducting multilayer interconnection formed of *a*-axis and *c*-axis oriented oxide superconductor materials.—75-00921
Nakamura, Takao; Iiyama, Michitomo
Method for manufacturing three-terminal oxide superconducting devices.—75-08469
Nakamura, Takashi See Cho, Sung-Baek; Kokubo, Tadashi
Nakamura, Takashi; Nakao, Yuichi; Kamisawa, Akira; Takasu, Hidemi
Electrical properties of PZT thin films for memory application.—75-05560
Nakamura, Y. See Koshiba, S.
Nakamura, Yoshifumi; Bessho, Yoshihiro; Yuhaku, Satoru; Hakotani, Yasuhiko; Itagaki, Minehiro; Miura, Kazuhiro
Ceramic substrate and manufacturing method thereof.—75-08565
Nakamura, Yoshinobu See Jung, Sang-Jin; Motohira, Naobumi
Nakamura, Yoshiyuki See Arima, Momoko
Nakanishi, Hidenori See Harada, Keizo; Matsuura, Takashi
Nakanishi, Hidenori; Tanaka, Saburo; Itozaki, Hideo; Yazu, Shuji
Device for forming a compound oxide superconductor thin film.—75-05867
Nakanishi, Hiroaki See Morisako, Akimitsu
Nakanishi, Jiro See Kawaguchi, Goro
Nakanishi, Jiro; Otsuki. A.; Oku, T.
Formation of ohmic contacts to *p*-type diamond using carbide-forming metals.—75-00492
Nakanishi, Kazuki See Cho, Sung-Baek
Nakanishi, Masahito See Nagano, Saburou; Tanaka, Kouichi
Nakanishi, Masatsugu; Yokoishi, Syoji
Water-repellent glass and process for producing the same.—75-00231
Nakanishi, Toshiro See Kouichirou, Honda
Nakano, J. See Fujii, K.
Nakano, Junichi See Yamamoto, Misuo
Nakano, K.; Sasaki, K.; Saka, H.; Fujikura, M.; Ichikawa, Hiroshi
SiC and Si_3N_4 matrix composites according to the hot-pressing route.—75-04208
Nakano, Kikuo; Kamiya, Akira
Method for producing ceramics reinforced with three-dimensional fibers.—75-08599
Nakano, Minoru; Uchino, Katsuya
Coated cemented carbides.—75-07256
Nakano, S. See Bando, Y.
Nakano, Satoko See Sugimoto, Iwao
Nakanose, M. See Kohyama, M.
Nakanose, M.; Ichinose, Hideki
Morphology of diamond plate grown in the C-H-O system.—75-08988
Nakao, A. See Hakuraku, Y.
Nakao, Jun See Taira, Hatsuo
Nakao, Setsuo See Shimizu-Iwayama, Tsutomu
Nakao, Yuichi See Nakamura, Takashi
Nakashiba, K. See Narisawa, Masaki
Nakashima, H. See Morita, K.
Nakashima, Hirohisa; Sudo, Shiataro; Takahashi, Tatsuhito; Konishi, Eiichiro
Application of self-flow type castable refractories in NKK.—75-07472
Nakashima, Hiroshi; Suga, Toshiyuki; Wakabayashi, Hideaki; Kominami, Masanobu
Effect of segmentation of conductive coatings on the radio wave reflection from solar control sheet glass.—75-07331
Nakashima, K. See Locatelli, M. R.
Nakashima, Michifumi See Yokoyama, Yoichi
Nakashima, S.; Kisoda, K.; Gauthier, J.-P.
Raman determination of structures of long-period SiC polytypes.—75-01921
Nakashima, S.; Ohta, H.; Hangyo, M.
Phonon Raman scattering in disordered silicon carbides.—75-03822
Nakasu, K. See Hamano, A.
Nakata, Masato See Kato, Eturo
Nakata, S. See Kashiba, Y.
Nakatsuka, K. See Jeyaderan, B.
Nakatsukasa, Masayuki See Asakura, Hideo; Fujiwara, Teiichi
Nakaya, Kenichi See Shiosaki, Tadashi
Nakayama, Akinori See Nakamura, Kazutaka
Nakayama, Akira; Nambu, Shinji; Inagaki, Masahiro; Miyauchi, Masahiko; Itoh, Nobuyuki
Dielectric dispersion of polycrystalline aluminum nitride at microwave frequencies.—75-02900
Nakayama, Atsuko See Enoki, Toshiaki
Nakayama, Chiaki See Ando, Masami; Kamiya, Hidehiro
Nakayama, H. See Tanaka, T.
Nakayama, Nobuyuki See Monde, Takashi
Nakayama, Susumu See Shiranita, Akira
Nakayama, Susumu; Ichimori, Terumitsu; Mino, Tadahiro; Sakamoto, Masatomi
Yttria-stabilized zirconia: I, Thermal stability of B_2O_3-Al_2O_3-SiO_2 added Y-TZP.—75-06534
Nakayama, Susumu; Sadaoka, Yoshihiko
Preparation of an $Na_3Zr_2Si_2PO_{12}$–sodium aluminosilicate composite and its application as a solid-state electrochemical CO_2 gas sensor.—75-05206
Nakayama, Yoshikatsu See Sakai, Norio
Nakayama, Yoshikazu See Fritzsche, H.
Nakayama, Yoshinori See Sawada, Yasushi
Nakayasu, Tetsuo; Yamada, Tetsuo; Tanaka, I.; Adachi, Hirohiko; Goto, Seichi
Electronic structures of Ln^{3+} α-SiAlONs with correlations to solubility and solution effects.—75-08923
Nakazawa, Tadahisa; Ogawa, Masahide; Abe, Kiyoshi; Suzuki, Kazuhiko; Tokita, Takashi; Ito, Toshio
Amorphous silica or silica-alumina spherical particles and process for preparation thereof.—75-03665
Nakhapetyan, R. A.
Effect of quenching a rod on the properties of a gradient-index image translator.—75-09281; Features of structural relaxation of glass in Na^+-Li^+ ion exchange.—75-02653; See also Livshits, V. Ya.; Startsev, Yu. K.
Nalbandyan, V. B.; Medvedeva, L. I.; Ivleva, T. I.
Ternary oxides of sodium, scandium, and titanium.—75-06387
Naldrett, D. See Gorbachev, N. S.
Namba, Takemi See Sakata, Yusaku
Nambu, Shinji See Nakayama, Akira
Namegaya, T.; Matsumoto, N.; Yamanaka, N.
Effects of well number in 1.3-μm GaInAsP/InP GRIN-SCH strained layer quantum well lasers.—75-05303
Namikawa, Hiroshi See Yamamoto, Kazunao
Nan, Ce-Wen; Clarke, David R.
Effect of variations in grain size and grain boundary barrier heights on the current-voltage characteristics of ZnO varistors.—75-07856; Piezoelectric moduli of piezoelectric ceramics.—75-08159
Nan, Ce-Wen
Effective medium theory of piezoelectric composites.—75-00652; Product property between thermal expansion and piezoelectricity in piezoelectric composites: pyroelectricity.—75-05628
Nan, Li See Zhu, Bo-Quan
Nanataki, Tsutomu See Abe, Masahiro; Takeuchi, Yukihisa
Nanataki, Tsutomu; Shibata, Kazuyoshi
Partially stabilized zirconia and its application to electronical device.—75-00407
Nanba, Makoto See Hamazaki, Yoshihisa
Nanba, Noriyuki See Kokubun, Makoto
Nanba, Tokuro See Chen, Dan-Ping; Kusano, Yoshihiro; Takada, Jun
Nandakumar, K.; Philip, J.
Calorimetric investigations on As-Te-Se and Ge-As-Se glasses.—75-04882
Nandedkar, A. S.; Ganapathi, L.
Defects in superconductor thin films.—75-03351
Nandi, P. See Tiwari, L.
Nandi, P.; Tiwari, L.; Mukhopadhyay, M. S.
Micronized α-Al_2O_3 in zero-cement castables.—75-07601
Nanjundaswamy, K. S.; Manthiram, A.; Goodenough, John B.
Thallium solubility range in $Tl_{2-x}Ba_2Ca_{n-1}Cu_nO_{2n+4-x}$ superconductors.—75-05850
Nanko, Makoto See Ishizaki, Kozo
Nannetti, C. A. See Casadio, S.
Nanni, A. See Dolan, C. W.
Nanni, L. See Delfrate, M. Alvazzi
Nanri, Hayato See Ishikawa, Makoto
Nanri, Hayato; Wakamatsu, Mitsuru; Ishida, Shingo; Takeuchi, Nobuyuki
Oxidation behavior of porous SiC at high temperatures.—75-09596
Nantoh, Masashi; Hasegawa, Tetsuya; Yamaguchi, Wataru
Cryogenic scanning tunneling microscopy/spectroscopy on the (001) surfaces of $YBa_2Cu_3O_x$ epitaxial thin films.—75-00780
Naotsuka, Takazi See Kosugi, Tatsuhiro
Naoumidis, A. See Schwenk, R.
Narasimhan, D. See Golecki, I.
Narasimhan, Sundaram L.; Caird, Stephen B.; Rigamonti, Flavio A.
Titanium nitride coated valve and method for making.—75-02572
Narayan, J. See Fan, W. D.; Jagannadham, K.; Raghunathan, R.
Narayan, J.; Raghunathan, R.; Chowdhury, R.
Mechanism of combustion synthesis of silicon carbide.—75-04104
Narayanan, Arjun See Hartman, J. Stephen
Narayanan, S.; Vajifdar, P. P.; Banawalikar, D. G.; Majumdar, S. D.
Development of new generation easy-to-use castable.—75-07524
Narayanasamy, K. See Gowri, S.
Narciso, F. J.; Rodriguez-Reinoso, F.
Synthesis of β-SiAlON from clays: effect of starting materials.—75-06801
Narcy, B.; Guillet, F.; Ravel, F.; David, P.
Characterizations of carbon-carbon composites elaborated by a rapid densification process.—75-03966
Nardi, Richard A. See Bruce, Robert W.
Narimanov, E. E.
Influence of the surface scattering on the thin semiconductor film conductivity in a high magnetic field in quantum limit.—75-03063
Narisawa, Masaki; Nakashiba, K.; Okamura, Kiyohito
Effect of rapid heat treatments on electrical properties of polymer-derived ceramic fibers.—75-04008
Narisawa, Masaki; Kitano, Shuhei; Okamura, Kiyohito; Itoh, Masayoshi
Synthesis of silicon carbide fiber from blended precursor of organosilicon polymers.—75-01717
Narita, Takeshi; Kikuchi, Nobutaka; Kawasaki, Kenji;

Ozaki, Yoshiharu
Preparation and characterization of phenol resin coatings containing silicon.—75-09381
Narita, Takeshi; Nakagawa, Kenji; Kawasaki, Kenji; Ozaki, Yoshiharu
Synthesis of porous barium titanate using emulsification techniques.—75-09475
Narkevicius, A.; Juskenas, R.; Bucinskiene, D.
Resistibility and structure of Zn-Co coatings.—75-09600
Narkowicz, R. See Brazis, R.
Narkulov, N. See Bakhadyrkhanov, M. K.
Narula, Chaitanya K.
Ceramic Precursor Technology and Its Applications.—75-02155
Narushima, Takayuki See Goto, Takashi
Narymbetov, B. Zh. See Novomlinskii, L. A.
Nasar, Ricardo S. See Leite, E. R.
Nascimento, George C. See De Souza, Ricardo E.
Naseem, H. A. See Beera, R. A.; Jamil, S.; Malshe, A. P.; Molian, P. A.
Nashchekina, O. N. See Rogacheva, E. I.
Nashimoto, Keiichi
Metal-alkoxide-derived oriented and epitaxial ferroelectric thin films.—75-00673
Naslain, R.; Demazeau, G.; Reig, P.
Phyllosiloxides: new layered oxides as potential interphase materials.—75-09167
Naslain, R.
Concept of layered interphases in SiC/SiC.—75-03876; Interphases in ceramic matrix composites.—75-09346; See also Chollon, G.; Evans, Anthony G.; Hemida, A. Tazi; Jacques, S.; Racault, C.
Nasr, L. A. E. See Papavassiliou, G.
Nasredinov, F. S. See Masterov, V. F.; Nemov, S. A.
Nass, Peter; Becker, Otmar; Kristen, Klaus; Weinberg, Waldemar; Borens, Manfred; Leroux, Roland
Process for the production of decorative glass-ceramic articles.—75-07436
Nass, R. See Aslan, M.; Schmidt, H.
Nass, R.; Albayrak, S.; Aslan, M.; Schmidt, H.
Colloidal processing and sintering of nanoscale TiN.—75-01401
Nass, R.; Aslan, M.; Nonninger, R.; Schmidt, H.; Matje, P.
New processing techniques for the production of pressureless sintered SiC parts.—75-01593
Nassiopoulos, A. G. See Revva, P.
Nastasi, Michael See Simpson, T. W.; Yu, N.
Nasu, Hiroyuki See Kamiya, Kanichi; Nomura, Koichi; Yamamoto, Hideki
Nasu, Takakuni See Suzuki, Suguru
Nasunjilegal, B. See Yang, Fu-Ming
Natarajan, Govindarajan See Casey, Jon A.
Natarajan, K. N.
Biobeneficiation of bauxite for refractory applications.—75-07483
Natz, R. Nathan; Cho, Kyu
Fracture toughness estimation by fractographic analysis of tensile specimens.—75-04540
Naumov, A. Yu. See Permogorov, S. A.
Naumov, N. G. See Ivannivkova, N. V.; See Solodovnikov, S. F.
Naumov, S. V. See Biglin, N. A.; Loshkareva, N. N.; Shchennikov, V. V.; ; Solin, N. I.
Naumova, I. I.; Gliko, O. A.
$LiNbO_3$ single crystals with periodic modulation of domain structure.—75-08969
Naumovets, A. A. See Milenin, V. V.
Naumovich, E. N.; Kharton, V. V.; Skilkov, S. A.; Samokhval, V. V.
Physicochemical properties of $(Bi_{1-x}Pb_x)_{1-y}Y_yO_{1.5}$ (x=0.1, 0.32; y=0–0.25) ionic conductors.—75-07742
Nava, Juan C. See Schmutzler, Hans J.
Navrotsky, Alexandra
Physics and Chemistry of Earth Materials.—75-02167; See also Fritsch, Sophie; Sen, Sabyasachi
Nawa, Masahiro See Yamazaki, Keiichi
Nawa, Masahiro; Sekino, Tohru; Niihara, Koichi
Fabrication and mechanical behavior of Al_2O_3/Mo nanocomposites.—75-04852
Nawaz, M. B.
Densification behavior of silicone-infiltrated alumina.—75-06439
Nayak, Bijan Bihari; Mohanty, Bishnu Charanarabinda; Singh, Saroj Kumar
Synthesis of silicon carbide from rice husk in a dc arc plasma reactor.—75-04248
Nayak, D. K.; Park, J. S.; Woo, J. C. S.
Interface properties of thin oxides grown on strained Ge_xSi_{1-x} layer.—75-00524
Nayak, S.; Redwing, J. M.; Kuech, T. F.; Savage, D. E.; Lagally, M. G.
Interfacial roughness in GaAs/AlGaAs multilayers—influence of controlled impurity addition.—75-00525
Nayak, Ullal V. See Flechsig, Karl A.
Nazare, M. H.; Lopes, J. C.; Kanda, H.
Nickel-related absorption lines in high-pressure synthetic diamond.—75-01895
Nazarenco, I.; Cojocaru, L. N.; Duliu, O. G.
Nonstoichiomeric Cr_2O_3 raw material for photoconducting system A_2B_6—a-Cr_2O_3.—75-00553
Nazarenko, I. N. See Mittova, I. Ya.
Nazarenko, T. Yu. See Nikolenko, Yu. M.
Nazarov, N. See Evstropov, V. V.; Zhilyaev, Yu. V.
Nazarov, R. R. See Korsukov, V. E.
Nazarova, L. D. See Morozova, N. K.
Neal, Graham S.; Smith, Mark E.; Trigg, M. B.
Solid-state NMR examination of the formation of β-SiAlON by carbothermal reduction and nitridation of halloysite clay.—75-06357
Neal, Graham S.; Trigg, M. B.; Constable, D.; Dorin, R.; Frazer, E. J.; Vecchio-Sadus, A.
Inert anodes for the smelting of aluminum.—75-01539
Neat, Robin J.; Macklin, William J.
Titanium dioxide-based material.—75-05232
Nebe, U. See Elstner, I.
Nebo, Jon F. See Leung, Roger Y.
Nechaev, A. V.
Expanding the assortment of articles in the current production of fine ceramics.—75-07446
Nechushkin, A. Yu. See Airapetov, G. A.
Nedeoglo, D. D. See Ivanova, G. N.
Nedkov, I. See Nurgaliev, T.
Nedkov, I.; Veneva, A.
Alkali metal impurities' influence on the magnetic and electrical properties of YBCO.—75-03342
Nedoshovenko, E. G. See Tver'yanovich, Yu. S.
Nedospasova, T. A.; Kozhevatkin, S. G.; Artamonova, M. V.; Molev, V. M.
Optical glass with refractive index of 1.75 and high specific refraction for spectacle optics.—75-07309
Nedosvitii, V. P. See Antonov, G. I.
Neducin, Radmila Marinkovic See Djuric, Mirjana
Needes, C. See Drozdyk, L.
Neethling, J. H. See Alberts, V.
Neethling, J. H.; Alberts, V.
Multiple twinning in GaAs epitaxial layers grown on Si(001) and Si(111).—75-05391
Nefedov, E. I. See Neganov, V. A.
Nefedova, L. S. See Entin, Z. B.
Neff, H. See Semchinova, O.
Negami, Takayuki See Kohiki, Shigemi
Neganov, V. A.; Nefedov, E. I.; Uvarov, V. G.
Soliton solutions in theory of slot waveguide transmission lines with nonlinear ferroelectric films.—75-05639
Negas, Taki; Davies, P. K.
Influence of chemistry and processing on the electrical properties of $Ba_{6-3x}Ln_{8+2x}Ti_{18}O_{54}$ solid solutions.—75-00341
Negas, Taki; Yeager, Glenn J.
Dielectric ceramic compositions.—75-07760
Negishi, Akira See Kaneko, Hiroko
Negley, G. H. See Schaffer, William J.
Negril, V. D. See Egorov, V. K.; See Klassen, N. V.
Nehring, Vincent W.
Nonconductive aluminum oxide-titanium carbide (Al_2O_3-TiC) thin film computer head substrate, method of making same, and slider element incorporating same.—75-00406
Neilsen, M. See Findeisen, E.
Neiman, A. Ya.; Animitsa, I. E.; Gorodetskaya, I. E.
Transport of multivalent metals in reactions of V_2O_5 and Nb_2O_5 with rare-earth metal oxides.—75-09522
Neklyudova, T. L. See Barshchevskii, B. U.
Nekrashevich, E. M. See Ryzhkovskii, V. M.
Nekrasov, I. Ya. See Kim, N. A.; Korzhinskaya, V. S.
Nekrasov, M. Yu. See Akimov, B. A.
Nekrasov, O. V. See Popov, A. E.; Ugai, Ya. A.
Nekrasov, V. Yu. See Greshnevikova, O. E.
Nekvasil, B. See Valiev, U. V.
Nel'son, D. K.; Mel'nik, Yu. V.; Sel'kin, A. V.; Yakobson, M. A.; Dmitriev, V. A.; Irvin, K. Zh.
Optical studies of the exciton spectra in epitaxial GaN films.—75-09000
Nel'son, D. K.; Razbirin, B. S.; Starukhin, A. N.; Chugreev, A. V.; Panfilov, A. G.
Selective laser spectroscopy of localized excitons in solid solutions of $GaSe_{1-x}S_x$.—75-05469
Nellis, W. J. See Freim, J.
Nelson, Bryan R. See Chen, En-Sheng
Nelson, E. See Rajesh, G.
Nelson, M. A. See Duvierre, G.
Nelson, Warren A.; Schaeffer, Jon C.; Raghuraman, Srinivasan
Thermal barrier coating system for titanium aluminides.—75-00168
Nemanich, R. J. See Baumann, Peter K.; Benjamin, M. C.; Bergman, L.; McCormick, T. L.
Nemanich, R. J.; Baumann, Peter K.; Van der Weide, J.
Diamond negative electron affinity [NEA] surfaces, structures, and devices.—75-07830
Nemec, L.
Analysis and modeling of glass melting.—75-02700
Nemeth, Noel N. See Jadaan, Osama M.; Salem, Jonathan A.
Nemilov, S. V.
Correlation of crystallization character of glass melts with the temperature dependence of their viscosity and the degree of spatial structural connectiveness.—75-02635; Genesis of the vitreous state: effect of pressure on the thermodynamic properties of glasses and their structure.—75-02589
Nemoto, Fujito See Monde, Takashi
Nemov, S. A. See Masterov, V. F.; Ravich, Yu. I.; Zykov, V. A.
Nemov, S. A.; Musikhin, S. F.; Parfen'ev, R. V.; Svetlov, V. N.; Popov, D. N.; Proshin, V. I.
Effect of Ge additives on the distribution of components and the superconducting transition in $Sn_{1-x}Pb_xTe$:In films.—75-08295
Nemov, S. A.; Musikhin, S. F.; Popov, D. I.; Proshin, V. I.; Shamshur, D. V.
Superconducting and electrophysical properties of thin films of $Sn_{1-x}Ge_xTe$:In solid solutions.—75-08424
Nemov, S. A.; Musikhin, S. F.; Proshin, V. I.
Effect of In dopants on the electrophysical properties of $Sn_{0.9}Ge_{0.1}Te$ thin films fabricated by laser evaporation.—75-07849
Nemov, S. A.; Nasredinov, F. S.; Parfen'ev, R. V.; Zhitinskaya, M. K.; Chernyaev, A. V.; Shamshur, D. V.
Effect of Sn additives on electrophysical properties and the superconducting transition in $(PbTe)_{0.95}(PbS)_{0.05}$:Tl.—75-08298
Nemov, S. A.; Nasredinov, F.S.; Parfen'ev, R. V.; Ravich, Yu. I.; Chernyaev, A. V.; Shamshur, D. V.
Impurity electron states of Tl and Sn atoms in a $(PbTe)_{0.9}(PbS)_{0.1}$ solid solution.—75-08953
Nemov, S. A.; Proshin, V. I.; Abaidulina, T. G.
Effect of quasi-local In states influence on defect formation in PbTe.—75-07853
Nenasheva, E. A. See Yanovskaya, M. I.
Nenov, Toshko G.; Yordanov, Stefcho
Ceramic Sensors.—75-07104
Nepochatykh, Yu. I. See Dan'shin, N. K.
Nersesyan, M. D. See Avakyan, P. B.; Kuznetsov, M. V.
Neshpor, A. V. See Neshpor, V. S.
Neshpor, V. S.; Zaitsev, G. P.; Slavina, L. Ya.; Nigovskii, A. N.; Treskovskii, V. V.; Neshpor, A. V.
Physicomechanical characteristics of superhard polycrystalline materials.—75-07630
Nesmelova, I. M. See Zonshain, E. M.
Nesterchuk, N. I.; Korytkova, E. N.; Pivovarova, L. N.; Romanov, D. P.; Grebenshchikov, R. G.
Decomposition of Y-Ba cuprates in solutions of alkaline halogenides with increased temperature and pressure.—75-05742
Nesterenko, V. F. See Epanchintsev, O. G.
Nesterova, Z. V. See Aleksandrov, I. V.
Nestor, E. See Ramesh, R.
Nesvizhskii, A. I. See Belousov, M. V.
Neto, Carlos Pagliosa See Noronha, Reinaldo Tito Teixeira
Netravali, A. N. See Curtin, W. A.
Nettleship, Ian See Cherian, Isaac K.
Netzer, F. P. See Ofner, H.
Neubauer, C. M.; Jennings, Hamlin M.; Garboczi, E. J.
Three-phase model of the elastic and shrinkage properties of mortar.—75-04836
Neubauer, Dean V. See Moffatt, Dawne M.
Neudeck, P.; Kang, S.; Petit, J.
Measurement of n-type dry thermally oxidized 6H-SiC metal-oxide-semiconductor diodes by quasi-static and high-frequency capacitance versus voltage and capacitance transient techniques.—75-03090
Neugebauer, Constantine A. See Paik, Kyung-W.
Neugebauer, Jorg; Van de Walle, Chris G.
Native defects and impurities in cubic and wurtzite GaN.—75-01766
Neumann, N.; Kohler, R.; Gottfried-Gottfried, R.; Hess, N.
Pyroelectric sensors and arrays based on P(VDF/TrFE) copolymer films.—75-05632
Neumann, P.; Zum Gahr, K.-H.
Influence of liquid media on oscillating sliding wear of cordierite glass and cordierite ceramic.—75-04971
Neurgaonkar, R. R. See Eknoyan, O.; Huang, W. H.
Neuschutz, Dieter See Delhaes, Christof
Nevala, Hannu; Karja, Jaakko; Harkki, Jouko
Experiences of different tundish lining materials in continuous casting.—75-07549
Nevernov, Igor; Dubrovsky, Timothy; Nevernova, Irina
Silanated graphite surface [observed] with scanning tunneling microscopy.—75-04396
Nevernova, Irina See Nevernov, Igor
Nevriva, M.; Knizek, K.; Pollert, E.
Determination of phase diagram cuts in the $BiO_{1.5}$-SrO-CaO-CuO system.—75-08287
Nevskaya, E. Yu. See Gorichev, I. G.
Newbury, D.
Decorating in a changing world—SGCD [Society of Glass and Ceramic Decorators] '94.—75-02230
Newbury, Dale E. See Majetich, Sara
Newbury, Dale E.; Leapman, R. D.
Trace analysis of nanoscale materials by analytical electron microscopy.—75-01971
Newbury, Jennifer See Majetich, Sara
Newcomb, S. A. See Tressler, Richard E.
Newhouse, Mark A. See Borrelli, N. F.
Newkirk, Marc S. See Hinton, Jonathan W.; Rapp, Robert A.
Newkirk, Marc S.; Gesing, Adam J.; Rocazella, Michael A.; Kennedy, Christopher R.; Frydrych, Daniel J.; Wolffe, Robert A.
Production of ceramic and ceramic-metal composite articles with surface coatings.—75-08625
Newkirk, Marc S.; Kantner, Robert C.
Set up for making shaped ceramic composites with the use of a barrier means and articles produced thereby.—75-00167
Newkirk, Marc S.; Urquhart, Andrew W.; Lesher, H. D.
Inverse shape replication method of making ceramic composite articles.—75-08582
Newkirk, Marc S.; Urquhart, Andrew W.
Method of armoring a vehicle with an antiballistic material.—75-00164
Newkirk, Marc S.; Zwicker, Harry R.; Urquhart, Andrew W.; Lesher, Harold D.; Claar, Terry D.; Aghajanian, Michael K.; Biel, John P.
Methods of making composite aluminum nitride ceramic articles having embedded filler.—75-01180
Newman, D. M. See Carey, R.
Newman, Harvey B. See Zhu, Ren-Yuan
Newman, Harvey B.; Gratta, Giorgio; Zhu, Ren-Yuan
Crystal detectors in particle physics.—75-01018
Newman, N. See Chan, J. S.
Newman, N.; Fu, T. C.; Liu, X.; Liliental-Weber, Z.; Rubin, M.; Chan, J. S.
Fundamental materials-issues involved in the growth of GaN by molecular beam epitaxy.—75-00495
Newman, P. J. See MacFarlane, D. R.
Newman, Wyatt S. See Cawley, James D.
Newnham, Robert E. See Li, Shao-Ping
Newnham, Robert E.; Ruschau, Gregory R.
Smart electroceramics.—75-09735
Newsom, Michael L.
Making Title V permits simpler, more comprehensive, and flexible: I.—75-09726; Research, planning, and teamwork facilitate completion of Title V permit applications: II.—75-09733; Title V permits in the glass industry: making them simple, comprehensive, and flexible.—75-07097; See also Malone, J. R.

Newsom, R. A. See Applewhite-Ramsey, Amy

Newton, A.; Georgallides, C.; Ansell, M. P.
Geometrical model for a two-layer woven composite reinforcement fabric.—75-06875

Newton, Clay See Glass, S. Jill

Newton, R. C. See Zhu, Hui; Schultz, R. L.

Neymark, S.
Residential tile.—75-02340; Tiles of Ohio.—75-02372

Neyts, K. A.; Corlatan, D.; De Visschere, P.
Observation and simulation of space-charge effects and hysteresis in ZnS:Mn ac thin film electroluminescent devices.—75-00556

Nezir, S. See Gencer, A.

Nezu, Kikuo See Yu, Tien-Kuei

Ng, W. See Liang, S.

Nghiem, Anh See Ajuria, Sergio A.

Ngo, Eric See Sengupta, Louise

Nguen, Van Tuen; Loginov, A. Yu.
Formation of the ionic states of coating palladium in catalysts based on zirconium oxide.—75-06621

Nguyen, Can See Peterson, George T.

Nguyen, H. See Villani, A.

Nguyen, N. B.
Power hybrid packaging technique remains the packaging tecnique of choice for high power density circuits.—75-00363

Nguyen, R. See Zeidler, J. R.

Nguyen, Son V. See Carl, Dan

Nguyen, Son V.; Dobuzinsky, David M.; Dopp, Douglas J.; Harmon, David L.
Fluorinated silicon nitride films.—75-06122

Nguyen, Tue See Carl, Dan

Nguyen, Viet-X. See Dorothy, Robert G.

Nguyen, Vinh Q. See Sanghera, J. S.

Ni, Heng-Fei; Bi, Xiang-Xin; Stencel, John M.
TEM studies on the morphology, size distribution, and structure of nanocrystalline iron particles using a Formvar embedded preparation technique.—75-01964

Nichii, S. V. See Bodnaruk, O. A.

Nicholas, Michael G. See Peteves, Stathis S.

Nichols, C. S. See Lu, F.-H.

Nichols, F. A. See Erch, R. A.

Nichols, Walter A. See Deevi, S. C.

Nicholson, E. D. See Ashfold, M. N. R.

Nicholson, J. W. See Akinmade, A. O.

Nicholson, Patrick S. See Sarkar, Partho

Nicholson, Patrick S.; Sarkar, Partho; Datta, Someswar
Producing ceramic laminate composites by EPD.—75-08540

Nicholson, Patrick S.; Sarkar, Partho
Ceramic/ceramic laminates by electrophoretic deposition: potentially strong, tough ceramics.—75-09235; Electrophoretic deposition of ceramics.—75-01481

Nicholson, Patrick S.; Tan, Aichun; Kuo, Chu K.
Method of forming a single crystal film of sodium-beta-alumina.—75-01122

Nickel, Hubertus See Peck, D. H.

Nickel, Hubertus; Forthmann, R.
Hot gas corrosion of structural ceramics.—75-01996

Nickel, K. G.
Multiple law modeling for the oxidation of advanced ceramics and a model-independent figure of merit.—75-02004; See also Schneider, G. A.

Nickles, A. S.; Ramesh, R.; White, R. M.; Hailer, E. E.
Laser ablation deposited PZT thin films for piezoelectric microsensors and microactuators.—75-05596

Nicoara, G.
Integrated ferrite-dielectric ceramic structure for microwave devices.—75-00522

Nicolaides, Christakis P.
Aluminosilicate catalyst, a process for the manufacture thereof, and a process for the skeletal isomerization of linear olefins.—75-07238

Nicolau, P. See Popescu, M.; Segarceanu, T.

Nicolet, M.-A. See Bachli, A.; Chen, J. S.

Nieh, T. G. See Chou, T. C.

Niel, E. See Yue, B.

Niemi, K. See Mantyla, T. A.

Nietfeld, G. See Woetting, G.

Nieto, E. See Colomer, M. T.

Niffka, Heinrich See Mager, Siegfried

Niftiev, G. M. See Niftiev, N. N.

Niftiev, N. N.; Rustamov, A. G.; Tagiev, O. B.
Photoconductivity of $MnIn_2S_4$ single crystals.—75-05424

Niftiev, N. N.; Tagiev, O. B.; Niftiev, G. M.
Photoconductivity of $MnGaInS_4$ single crystals.—75-08009

Nightingale, S. A. See Ciacchi, F. T.; Prout, M.

Nigovskii, A. N. See Neshpor, V. S.

Nii, Keita
Silicon carbide thin film circuit element and method of manufacturing the same.—75-08116

Niihara, Koichi; Unal, N.; Nakahira, Atsushi
Mechanical properties of (Y-TZP)-alumina-silicon carbide nanocomposites and the phase stability of Y-TZP particles in it.—75-07007

Niihara, Koichi
Sintered composite boron carbide body and production process thereof.—75-01199; See also Chae, Ki-Woong; Choa, Y. H.; Hirano, Takeshi; Hussain, M.; Hwang, H. J.; Kato, Kazumi; Kitayama, Hiroaki; Koyama, Takashi; Nawa, Masahiro; Nishijima, A.; Ohji,; T.; Pan, Xiao-Qing; Pezzotti, Giuseppe; Sekino, Tohru; Suzuki, Yoshikazu; Xu, Yueping; Yamazaki, Keiichi; Yoshimura, Masashi

Niiler, Andrus See Kecskes, Laszlo J.

Niimi, Hideaki See Ishikawa, Terunobu

Niimi, Hideaki; Mihara, Kenjiro; Takaoka, Yuichi
Semiconductor ceramic device having a ceramic element with negative temperature coefficient of resistance.—75-08112

Niinae, Toshinobu See Ikeda, Yasunori

Niinae, Toshinobu; Kusano, Yoshihiro; Takada, Jun; Ikeda, Yasunori; Bando, Yoshichika
Precipitation of the Pb compound from Pb-substituted Bi-2201 phase—comparison of precipitation behavior in the 2201 and the 2223 phase.—75-00845

Niinisto, Lauri See Fan, Wang; Kareiva, Aivaras; Karppinen, M.; Linden, J.

Niino, Hiroyuki See Yumura, Motoo

Niino, M. See Chen, L.; Kisara, K.

Niino, M.; Koizumi, M.
Projected research on high-efficiency energy conversion materials.—75-02535

Nikaido, Tomoki See Suzuki, Masaharu

Nikiforova, I. O. See Baraban, A. P.

Nikishin, S. A. See Antipov, V. G.

Nikishin, Yu. A. See Buchel'nikov, V. D.

Nikitenko, A. V.
Long-term prediction of the activity of an enameling plant.—75-02874

Nikitenko, V. A.; Mukhin, S. V.; Kuz'mina, I. P.; Galstyan, V. G.; Stoyukhin, S. G.
Synthesis and properties of ZnO(Li) crystals.—75-06521

Nikitidis, Michail S.; Hosseini-Ashrafi, M. E.; Tuzun, Ugur; Spyrou, Nicholas M.
Tomographic measurements of granular flows in gases and in liquids.—75-05984

Nikitin, S. A. See Anreenko, A. S.

Nikitin, S. E. See Boborykina, E. N.

Nikitina, E. A. See Aleshina, L. A.

Nikitina, Z. K. See Rosolovskii, V. Ya.

Nikl, M.; Nitsch, K.; Dafinei, I.; Lecoq, P.; Pazzi, G. P.; Fabeni, P.
Photoluminescence and scintillation properties of Pb^{2+}-based quantum dots in CsCl host crystal.—75-00567

Nikles, David E.; Parker, Martin R.; Crook, Elizabeth M.
Coercivity enhancement in γ-Fe_2O_3 by surface treatment with phosphate ions.—75-03283

Nikolaev, A. E. See Yaroslavtsev, A. B.

Nikolaev, A. N. See Rumyantseva, I. A.

Nikolaev, A. V. See Patrakeev, M. V.

Nikolaeva, R. B.; Pashkov, G. L.; Saikova, S. V.
Reactivity of products of the interaction of zinc oxide with zinc and copper(II) salt solutions.—75-09050

Nikolaichik, V. I. See Klinkova, L. A.

Nikolas, Douglas G. See Yasrebi, Mehrdad

Nikolenko, Yu. M.; Tsvetnikov, A. K.; Nazarenko, T. Yu.; Ziatdinov, A. M.
X-ray photoelectron spectroscopy study of graphite-based oxygen- and oxygen-fluorine-containing compounds.—75-09109

Nikolic, L.; Radonjic, L.
Effect of drying control chemical additives [DCCA] in sol-gel-glass monolith processing.—75-02709

Nikolopoulos, P.; Agathopoulos, S.; Tsoga, A.
Method for the calculation of interfacial energies in Al_2O_3 and ZrO_2/liquid-metal and liquid-alloy systems.—75-05960

Nikolov, J. I. See Calka, A.

Nikolov, J. See Marinov, M.

Nikonenko, E. A. See Belokonova, N. A.; Marenkova, I. N.

Nikonorov, N. V. See Konnikov, S. G.

Nikonyuk, E. S.; Shlyaxhovyi, V. L.; Zakharuk, Z. I.; Kovalets, M. A.; Kuchma, N. I.
Self-cleaning in *p*-CdTe crystals during heat treatment.—75-05470

Nikulin, A. A. See Aktsipetrov, O. A.

Nikulin, E. I.; Stepanov, Yu. P.
Superconducting transition temperature and energy gap in $YBa_2Cu_3O_{6+x}$ superconductors, where x=0.41–0.88.—75-08432

Nikulin, E. I.
Determination of HTSC energy gaps during resistance measurements of the interface with a normal metal.—75-05745

Niles, Lance C. See Chen, H. Daniel

Nilsson, Hans-Erik See Frojdh, Christer

Nilsson, P. A.; Ivanov, Z. G.; Olsson, H. K.
Bicrystal junctions and superconducting quantum interference devices in $YBa_2Cu_3O_7$ thin films.—75-03344

Nilsson, S. See Wetzel, C.

Nimaeva, E. N. See Bazarova, Zh. G.

Ning, X. J. See Chien, F. R.

Ning, X. J.; Pirouz, P.
Kink and crack interfaces in deformed 6H-SiC single crystals.—75-03075

Ning, X.-S. See Pan, W.-X.

Ninham, W. B. See Kaczmarek, W. A.

Nino, Masayuki
Origin and evolution of functionally gradient materials.—75-04862

Ninomiya, Susumu See Harman, Alang Kasim

Nipan, G. D. See Kol'tsova, T. N.; See Marushkin, K. N.

Nishi, Koichi; Hosokawa, Kiyohiro; Uto, Shigetoshi
Phosphate-bonded castable.—75-07629

Nishi, Masaaki See Takahishi, Tatsuhito

Nishi, Y.; Mochida, T.; Oguri, K.
Effect of antimony addition on sintering time to achieve 100 K of T_c of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_x$.—75-05749

Nishida, Hiroyuki See Takebe, Hiromichi

Nishida, I. A. See Kaibe, H. T.

Nishida, K. See Asayama, Masahiro

Nishida, M. See Chiba, A.

Nishida, Toshihiko See Pezzotti, Giuseppe; Sergo, Valter

Nishide, Toshikazu; Shinoda, Makoto; Mizukami, Fujio
—75-06417

Nishihara, Akira; Nakamura, Tadashi; Ajimura, Hideshi; Yoshizumi, Motohiko
Process for producing a highly crystalline, fine α-alumina powder.—75-01132

Nishiinoue, Tsuyoshi See Agira, Katsuhiko

Nishijima, A.; Nakahira, Atsushi; Niihara, Koichi; Okada, T.
Applicability of ceramics for cryogenic use.—75-01074

Nishikawa, Hiroyuki See Ishii, Keisuke

Nishikawa, Kenichi See Sugimoto, Makoto

Nishikawa, Masami See Yokoyama, Yoichi

Nishikawa, Shuichi; Matijevic, Egon
Preparation of monodispersed spherical silica-alumina particles by hydrolysis of mixed alkoxides.—75-04160

Nishikawa, T.; Gao, T.; Hibi, M.
Heat transmission during thermal shock testing of ceramics.—75-06469

Nishikawa, Tomozo See Shiono, Takeshi

Nishimo, Noriyuki See Li, Jing-Feng

Nishimori, H. See Kumakawa, A.

Nishimoto, Dick See Ramer, O. Glenn

Nishimoto, Keiji See Kagata, Hiroshi

Nishimura, Akitoshi See Fukuda, Yukio

Nishimura, Hirochika See Fukui, Hiroshi

Nishimura, K. See Makita, H.

Nishimura, Kazuhito See Chen, Chia-Fu

Nishimura, Kozo See Tachibana, Takeshi

Nishimura, Kozo; Kumagai, Kazuo; Nakamura, Rie
Metal/intrinsic semiconductor/semiconductor field effect transistor fabricated from polycrystalline diamond films.—75-00541

Nishimura, N. See Yoshihara, S.

Nishimura, Tadashi See Itoh, Hiromi

Nishimura, Toshiyuki See Hirotsuru, Hideki

Nishina, Toshizumi
Advancement for ISO 9000 registration.—75-09701

Nishino, Junichi; Ohshio, Shigeo; Kamata, Kiichiro
Preparation of zinc oxide films by low-pressure chemical vapor deposition method.—75-04174

Nishino, Junichi; Ohshio, Shigeo; Saitoh, H.; Kamata, Kiichiro
Tin dioxide films prepared by a rapid chemical vapor deposition method.—75-04259

Nishio, Hideaki See Hoshiyama, Yasuhiro

Nishio, Hideaki; Sato, Mitsukuni; Yamamoto, Kenji; Ishii, Koji
Cartridge-type SGV system adapted to automation.—75-07487

Nishio, Hideaki; Tsukamoto, N.; Yamamoto, Kenji; Taniguchi, Tadao
Quick change system for submerged entry nozzles.—75-05124

Nishio, Masanobu; Sawada, Kazuo; Inazawa, Shinji; Yamada, Kouichi
Ceramic insulated electrical conductor wire and method for manufacturing such a wire.—75-05217

Nishio, S. See Kawamura, M.

Nishio, Shigeru See Kakihana, Masato

Nishio, T.; Fujiki, Y.
Phase transformation kinetics of precursor gel to α-alumina.—75-06310

Nishioka, Kh. See Kaminskii, A. A.

Nishioka, M. See Yanagisawa, K.

Nishioka, Takao See Yamamoto, Takehisa

Nishioka, Takao; Tanaka, Yoshio; Yamakawa, Akira; Miyake, Masaya
Grindability of various silicon nitride ceramics.—75-09321; Mechanism of mirror finish grinding of silicon nitride ceramics.—75-09359

Nishioka, Takao; Yamakawa, Akira; Higuchi, Matsuo; Ukegawa, Harutoshi
Zirconia vane for rotary compressors.—75-08790

Nishitani, Mikihiko See Kohiki, Shigemi

Nishiwaki, Shiro; Takahashi, Junichi; Kodaira, Kohei
Synthesis and phase transition of ferroelectric $Sr_{0.2}Ba_{0.8}Nb_2O_6$ with V_2O_5 addition [1 mol%].—75-08174

Nishiyama, Akio See Koyama, Takashi; Sasaki, Takeo

Nishiyama, Haruo See Aizawa, Masanobu

Nishiyama, Hideaki See Asakura, Hideo

Nishiyama, Katsuhiro; Taguchi, Keisuke; Ohdaira, Tsuneo; Abe, Masahiko; Tashiro, Kenji; Suzuki, Tatsuya
Graphite solid-state lubricant generating low coefficient of friction at high temperatures.—75-01148

Nishiyama, Ryuji See Ouchi, Tatsuya

Nishizawa, H. See Futagami, R. S.

Nishizawa, Kaori See Nagata, Fukue

Niska, J. See Grishin, A.

Nistratov, Yu. A. See Organova, N. I.

Nita, P. See Constantinescu, F.

Nitsch, K. See Nikl, M.

Nitsche, R.; Tippelt, G.; Amthauer, G.
Kinetics and thermodynamics of intracrystalline Fe-Ga distribution in $Y_3(Fe,Ga)_5O_{12}$.—75-06252

Nitta, A.; Ono, T.; Komatsu, T.
Interface reactions between glass melts containing transition metal oxides and ferrites.—75-04907

Nitta, Hideo See Jackson, John E.

Nitta, Junsaku See Akazaki, Tatsushi

Nitta, Tsuneharu; Kawashima, Shunichiro
Smart/intelligent sensors.—75-00698

Niu, Chun-Ming; Moy, David
Preparation and characterization of SiC nanofibrils.—75-09382

Niu, Hiromi See Fukushima, Noburu

Niwa, Koichi
Interfaces in ceramic substrates.—75-01876; See also Yokoyama, Hiromitsu

Nix, Roger M. See Wu, Yuan-Min

Nixon, D. A. See Tope, W. G.

Nixon, Robert D. See Mehrotra, Pankaj K.

Nizamiev, I. R. See Bogdanova, Kh. G.

No, Kwang-Soo See Kim, J.-M.

No, Kwang-Soo; Yoon, D.-S.; Shin, Woo-Suck
Effects of Y_2BaCuO_5 on the directional growth of $YBa_2Cu_3O_x$ superconductor.—75-05763

Noble, Richard D. See Jia, Meng-Dong

Nobrega, Maria Cecilia S.; Mannheimer, Walter A.
Varistor performance of ZnO-based ceramics related to their densification and structural development.—75-03196

Noda, S. See Nabetani, Y.

Noebe, R. D. See Joslin, S. M.

Noga, J.
Refractory recycling developments.—75-02837

Nogaj, Carl D. See Bowman, Keith J.
Nogami, Masayuki See Abe, Yoshihiro; Li, Guang-Ming
Nogami, Masayuki; Hayakawa, Naoya; Sugioka, Naoya; Abe, Yoshihiro
Formation of Sm^{2+} ions in sol-gel-derived glasses of the system Na_2O-Al_2O_3-SiO_2.—75-02654
Nogami, Toshiaki See Kosugi, Tatsuhiro
Noguchi, Masao See Mizuhara, Yukako
Noguchi, T. See Uzawa, Y.
Nogueira, M. See Carvalho, M. G.
Noh, Ti-Wi See Kim, Young-June
Noi, Kelichi; Ueno, Iwao; Ogoshi, Yoichi; Wakahata, Yasuo
Method for producing ceramic parts.—75-08106
Nojiri, Shigehiro See Yoshimura, Toshimi
Nolle, E. L.; Prokhorov, A. M.; Shchelev, M. Ya.
Photoelement with a photocathode based on an $In_{0.53}Ga_{0.47}As$/InP/Ag heterostructure with Schottky barrier for the spectral range of 0.97–1.7 μm.—75-08011
Nolte, A. N.; James, P. F.; Lee, W. E.
Preparation, characterization, and crystallization of calcium silicate glasses derived from melt and sol-gel routes.—75-00220
Nolte, D. D. See Melloch, M. R.
Noma, Hideaki See Tateyama, Hiroshi
Noma, K. See Matsushita, N.
Noma, Tatsuo See Wada, Satoshi
Nomura, Kenji; Ishikawa, Yukari; Shibata, Noriyoshi
Crystallinity of AlN film deposited by reactive sputtering method: effects of residual water vapor.—75-08896
Nomura, Koichi; Takasuka, Yutaka; Kamiya, Kanichi; Nasu, Hiroyuki
Preparation of NbN fibers by nitridation of sol-gel-derived Nb_2O_5 fibers.—75-04164
Nomura, Masahiro See Itozaki, Hideo
Nomura, Osamu See Hoshiyama, Yasuhiro; Ichikawa, Kenji; Iida, Eishi; Taki, Chihiro; Yamamura, Takashi
Nomura, Satoru See Sugiyama, Tomio
Nomura, T. See Miyamoto, Y.
Nomura, Takeshi See Igarashi, Katsuhiko
Nonaka, Kazuhiro See Akiyama, Morito
Nonaka, Kazuhiro; Akiyama, Morito; Takase, Akira; Baba, Toshiyuki; Yamamoto, Keisuke; Hiraoka, Makoto
Photovoltaic effect in ferroelectric ceramics with various defects.—75-08158
Nonaka, Kazuhiro; Takase, Akira; Watanabe, Tadahiko; Yoshida, Hisayoshi
Effects of heat treatments on photostriction in PLZT ceramics.—75-00653
Nonaka, Masashi See Hotta, Tadashi
Nonami, Toru; Tsutsumi, Sadami
Hydration and hardening of CaO-MgO-SiO_2 cement as biomaterial.—75-07157; Preparation of press-formable CaO-MgO-SiO_2-TiO_2-Ag_2O glass for dental crown.—75-08769
Nonat, A. See Jiang, S. P.
Nonninger, R. See Aslan, M.; Nass, R.
Norby, Truls See Raeder, Henrik
Nord-Varhaug, Katrin
TEM investigation of impurity phases and the penetration of liquid aluminum in hot isostatically pressed TiB_2 compacts.—75-04413
Nordahl, C. Scott; Messing, Gary L.
Transformation and densification of nanocrystalline θ-alumina during sinter forging.—75-09099
Nordberg, L. O. See Wen, S.-L.
Nordell, Nils See Yang, Jin-Wei
Nordine, Paul C. See Wallenberger, Frederick T.
Nordlander, Johan
Crucible and method for its use.—75-07258
Nordquist, K. J. See Palmour, John W.
Norman, A. G. See Seong, Tae-Yeon
Norman, Jeffrey B.; Hong, John H.; Chang, Tallis Y.
Accurate measurements of the frequency dependence of photorefractive grating formation in $Bi_{12}SiO_{20}$.—75-01260
Normatov, I. Sh.; Khakimova, N. U.; Shermatov, N.
Effect of aluminum hydride on the synthesis of CdI_2 from CdS and I_2 initiated by hydrogen.—75-09269
Noronha, Reinaldo Tito Teixeira; Mattos, Ubajara; De Jesus, Reynaldo Pereira; Neto, Carlos Pagliosa; Da Silva, Sidiney Nascimento; Pandolfelli, V. C.
Finite element anlysis applied to thermomechanical performance of ceramic anchors.—75-07552
Norose, Susumu See Furusawa, Toshiaki
North, Bernard See Mehrotra, Pankaj K.
Nortman, L. P. See Thomas, M. E.
Norton, David P. See Jones, Edwin C.
Norton, M. G. See Kotula, P. G.
Norwood, David; Worobey, Walter; Peterson, David; Sweet, Jim; Johnson, Donald; Miller, Doyle
Thin-film circuit fabrication on diamond substrates for high-power applications.—75-08086
Nosaka, Y. See Aizawa, M.
Nosaki, Katsutoshi See Yamaguchi, Tadashi
Nose, Tetsuro See Miyauchi, Masahiro
Nosenko, A. E. See Leshchuk, R. E.
Nosenko, S. V. See Volkov, V. T.
Nosolev, I. K. See Alekseenko, V. I.
Notis, M. R. See Bruley, J.
Noudem, J. G. See Berling, D.
Noufi, R. See Schwerdtfeger, C. R.
Novak, Richard E. See Grant, Robert H.
Novgorodskii, E. E. See Shirokov, V. A.
Novich, B. E.; Adams, R. W.
Design and fabrication of metal matrix composites for microwave and millimeter wave integrated circuit packages.—75-00085
Novich, B. E.
Cost-effective fabrication technology for high-performance ceramic heat engine components.—75-03515; Fabrication of advanced ceramic substrates for multichip module applications.—75-01494
Novikov, A. F.
Spectrochemical studies of mesoporous silicate glasses.—75-02608
Novikov, S. V. See Ber, B. Ya.; Cheng, T. S.; Drozdov, S. V.; Kreshchuk, A. M.; Kunitsyn, A. E.
Novikov, V. L. See Gropyanov, V. M.
Novikov, V. P. See Solov'eva, L. V.
Novikova, A. S. See Mikirticheva, G. A.
Novikova, N. N. See Zheludeva, S. I.
Novikova, T. I. See Ishchenko, S. S.
Novomlinskii, L. A.; Narymbetov, B. Zh.; Zver'kov, S. A.; Shekhtman, V. Sh.; Bush, A. A.; Romanov, B. N.
X-ray diffraction investigation of highly defective $Bi_4Sr_4CaCu_3O_y$ single crystals.—75-05863
Novomlintsev, A. V. See Kostritskii, S. M.
Novoselova, E. G. See Kondrashov, P. E.
Novotny, Vlad J. See Holl, Susan M.
Novotnyi, V. See Startsev, Yu. K.
Novototrtsev, V. M. See Koneshova, T. I.; Kovaleva, I. S.; Shabunina, G. G.
Novozhilov, M. A. See Fuflygin, V. N.
Nowakowski, Marilyn J.; Vohs, John M.; Bonnell, D. A.
Nanometer-scale structures resulting from graphite oxidation.—75-02005
Nowick, A. S.; Fu, S. Q.; Lee, W.-K.
Dielectric relaxation of paired defects in perovskite-type oxides.—75-05180
Nowka, Werner B.
Reconstructing the Augsburg Kachelofen.—75-04800
Nowotny, J.; Radecka, M.; Rekas, M.
Semiconducting properties of TiO_2.—75-00594
Nowotny, J.; Rekas, M.
Defect structure, electrical properties, and transport in barium titanate: II, Consistency requirements between defect models and crystal properties.—75-03878; III, Electrical conductivity, thermopower, and transport in single crystalline $BaTiO_3$.—75-03877; IV, Thermopower of polycrystalline $BaTiO_3$ within the *n-p* transition range.—75-03880; V, Work function.—75-03881; VI, General defect model.—75-03882; VII, Chemical diffusion in Nb-doped $BaTiO_3$.—75-03883; Effect of Nb on the gas/solid equilibration kinetics of $BaTiO_3$.—75-00323; Transport in $BaTiO_3$.—75-00385
Nowotny, J.
Defect structure, electrical properties, and transport in barium titanate: I, Introductory remarks.—75-03877; Interface properties of oxide ceramic materials.—75-01298; Nonstoichiometry and related properties of ceramic interfaces.—75-01898; Surface electrical properties of ionic solids.—75-01348; Trends of research on ceramic interfaces.—75-01972; See also Adam, F.; Begg, Bruce D.; Bernasik, A.; Choi, C. H.; Dupre, B.; Kowalski, K.; Yamana, K.; Zhang, Z.
Nozaki, Ayumi See Egawa, Kunihiko
Nozaki, Hidetaka See Takeda, Yasuo
Nozaki, Hitoshi See Takahashi, Kazuo
Nozaki, Toshio; Ohiwa, Seigo; Iwase, Hiroshi; Oguni, Masanori
Aluminum nitride powder capable of forming colored sintered body and process for preparing same.—75-06114
Nozawa, Kazumi See Sasagawa, Yukio
Nozdrin, Yu. N. See Drozdov, Yu. N.
Nufer, Robert W. See Felisberto, Cynthia N.
Nugent, K. A. See Butler, D. J.
Nugent, K. W. See Gurarie, V. N.
Nulf, L. E. See Calhoun, C. L. Jr.
Numaguchi, Kazuhiko See Shibahara, Hiroyasu
Numata, Hideaki; Nagasawa, Shuichi; Kolke, Masashi; Tahara, Shuichi
Fabrication technology for a high-density Josephson LSI using an electron cyclotron resonance etching technique and a bias-sputtering planarization.—75-08524
Numata, Ken See Fukuda, Yukio
Numazawa, T. See Kimura, H.
Numoto, Hironao See Nakamura, Kenichi
Nunes, M. R. See Mendonca, M. H.
Nunez-Regueiro, M. D.; Nunez-Regueiro, M.
Folding CuO_2 planes into fullerene-like clusters.—75-06232
Nunez-Regueiro, M. See Nunez-Regueiro, M. D.
Nunn, S. D.; Kiggans, J. O.; Simpson, R. E., II; Maria, J. P.
Gel casting of silicon compositions for SRBSN [sintered reaction-bonded Si_3N_4].—75-04055
Nuprienok, I. S.; Shibko, A. N.
Effect of combined treatment on the oxidation of thin titanium films.—75-09587
Nuprienok, I. S.; Shibko, A. N.
Oxidation of titanium films as a function of the wavelength of incident uv radiation.—75-09598
Nurgaliev, B. Z. See Oralova, A. T.
Nurgaliev, T.; Miteva, S.; Nedkov, I.
Na doping effect on the magnetic properties of the YBCO ceramics.—75-00835
Nurishi, Y. See Kuwabara, T.
Nurmikko, A. V.; Gunshor, R. L.
Blue-green emitters in wide-gap II-VI quantum-confined structures.—75-05253
Nutt, Steven R. See Brennan, John J.; Chien, F. R.; Sheldon, Brian W.; Sun, Ellen Y.
Nyakshev, K. F.; Mitrofanov, A. P.; Chakalov, R. A.; Karmanenko, S. F.
Distribution of components in metal oxide superconducting films produced by magnetron sputtering.—75-08291
Nyberg, Brita See Bergstrom, Lennart
Nyberg, Brita; Eklund, Lars; Carlstrom, Elis; Carlsson, Roger
Automated image analysis for morphology measurements and quantification of whisker and powder materials.—75-01795
Nygren, Mats See Ahlen, Niklas; Kall, Per-Olov; Shen, Z.-J.; Westin, Gunnar
Nykolak, G. See Bruce, A. J.; Kim, Hong-Koo
O'Barr, R. See Salling, C.
O'Brien, Brian A. See Hollitt, Michael J.
O'Brien, R. W. See Hunter, R. J.
O'Brien, W. J. See Sheu, Tzer-Shin
O'Byrne, Liam See Corson, David N.
O'Clair, Chester R. See Duclos, Steven J.
O'Connor, B. H. See Carter, J.; Latella, B. A.
O'Connor, Kevin N. See Peterson, George T.
O'Connor, R.
U.S. auto industry helps British glassmaker improve earnings.—75-04763
O'Day, Michelina See Sengupta, Louise
O'Donnell, R. G. See Hay, David G.
O'Donnell, R. G.; Yousuff, M.; Bannister, M. J.
Densification of Mg-PSZ.—75-01427
O'Donnell, W. See Perfecto, E. D.
O'Hagan, S. See Missous, M.
O'Hagan, S.; Missous, M.
Effect of As_4/Ga flux ratio on electrical and optical properties of low-temperature GaAs grown by molecular beam epitaxy.—75-02999
O'Keefe, M. A.; Downing, K. H.; Wenk, H.-R.; Hu, Mei-Sheng
3-D imaging of crystals at atomic resolution.—75-01781
O'Neil, D. A. See Kang, S.-H.; Selverian, J. H.
O'Reilly, E. P. See Silver, M.
O'Reilly, J. M. See Perchak, Dennis R.
O'Reilly, J. W. See Cao, G.
O'Sullivan, D. See Song, Y.-J.
O'Sullivan, Timothy C. See Flechsig, Karl A.
Oakes, D. B.; Marinelli, W. J.
High rate finishing of polycrystalline diamond films with hyperthermal oxygen atoms.—75-08528
Ober, Joyce A.
Strontium.—75-06057
Oberacker, R. See Geyer, A.; Weiss, S.
Oberacker, R.; Grathwohl, G.
High-temperature-resistance silicon nitride ceramics by optimized two-step gas pressure sintering.—75-04067
Obhi, Jasvinder Singh; Bland, Tracey A.; Patel, Anil; Kirby, Paul B.; Kerr, John
Integration of sol-gel-derived PZT with SOS [Si on sapphire] technology.—75-05592
Obidov, B. A. See Korsukov, V. E.
Obolenskii, Michail A. See Uvarov, Victor N.
Obolenskii, S. V.; Pavlov, G. P.
Influence of neutron and cosmic irradiations on the characteristics of Schottky gate field effect transistor.—75-03060
Oborina, M. A. See Azarov, G. M.
Obradors, X. See Perez, F.
Obraztsov, A. N. See Karavanskii, V. A.; Krasnosvobodtsev, S. I.
Obraztsov, A. N.; Gomanyuk, A. A.; Mikulenok, A. V.
Terra, F. S.
Influence of surface potential on Raman scattering in indium phosphide.—75-05349
Obraztsova, E. D. See Khomich, A. V.; Ralchenko, V. G.
Obrosov, V. P. See Martem'yanov, N. A.
Obryadina, A. A. See Barnakov, Yu. A.
Obsasnikova, J. See Kovanda, F.
Obstler, Mimi
Out of the Earth Into the Fire: A Course in Ceramic Materials for the Studio Potter.—75-02166
Ocana, M. See Pecharroman, C.
Occella, Enea
Asbestos in bulk materials [analyzed] by X-ray diffraction: influence of grinding methods on the result.—75-06160
Occhiuzzi, Manlio See Pepe, Franco
Ochi, A. See Furuya, M.
Ochiai, Isao See Ogawa, Taro
Ochiai, Y.; Matuso, K.; Ohshima, R.; Ohte, A.
Application of monolithic lining for the steel ladle at Kakogawa Works [Japan].—75-07470
Ochieng, Okot Aleksandr See Bogatov, Yu. E.
Oda, Hideaki See Kondo, Kenichi
Oda, K.; Yoshio, T.
Hydrothermal corrosion of mullite powder.—75-06924
Oda, Kiichi See Sano, Saburo
Oda, Steven J. See Clark, David E.; Tinga, Wayne R.
Odani, Niro See Teruuchi, Kiyohiro
Odani, Niro; Yoshimura, Hironori; Osada, Akira; Tanaka, Tetsuya; Nakamura, Seiichirou
Cermet cutting tool and process for producing the same.—75-00153
Odawara, Osamu
Combustion synthesis technology for metal-ceramic composite production.—75-04845
Odeh, M. F. See Khan, A. H.
Oden, Magnus; Ericsson, Torsten
Near-surface deformation in alumina–silicon carbide whisker composite due to surface machining.—75-07017
Odintsov, A. G. See Koroleva, L. I.
Odler, Ivan See Vanis, Peter
Odnoblyudov, M. A.; Pakhomov, A. A.
D^- center binding energy in a quantum dot.—75-02955
Odrinskii, A. P. See Vyvenko, O. F.
Odulov, S. G.; Sturman, B. I.
Combining orthogonally polarized waves in barium titanate through parametric scattering.—75-08881
Odynets, L. L. See Kosyuk, L. M.
Odynets, L. L.; Pergament, A. L.; Stefanovich, G. B.; Chudnovskii, F. A.
Mechanism of phase formation in metal-oxide-metal thin-film structures with transition metal oxides.—75-04859
Oechsner, Matthias; Hillman, Craig; Lange, Fred F.
Crack bifurcation in laminar ceramic composites.—75-06948
Oesterreicher, Hans
Redox response model for partly substituted cuprates.—75-00858; See also Ko, Dong-Geun
Oestreich, Christiane See Muller, Eberhard
Offtserova, N. V. See Safaraliev, G. K.

Ofner, H.; Shapira, Y.; Netzer, F. P.
Evolution of the In oxide/Si(111) interface: analysis by electron spectroscopies.—75-00488
Ogale, S. B. See Deshpande, S. K.
Ogasawara, A. See Nakama, T.
Ogasawara, T.; Hori, T.; Okada, A.
Threshold stress intensity for oxidative crack healing in sintered silicon nitride.—75-06937
Ogasawara, Tsuneharu; Rangel de Figueiredo Teixeira, Ana Maria
Thermodynamic analysis of the hydrothermal synthesis of the $Mn_{0.5}Zn_{0.5}Fe_2O_4$ ferrite.—75-03337
Ogata, Kiyoshi; Chubaci, Jose Fernando Diniz; Fujimoto, Fuminori
Properties of carbon nitride films with composition ratio C/N=0.5–3 prepared by the ion and vapor deposition method.—75-01334
Ogata, Masanori See Ichikawa, Kenji; Yamamura, Takashi
Ogata, Nobuaki See Ono, Takehiko
Ogawa, Makoto; Takahashi, Masaru; Kato, Chuzo
Oriented microporous films of tetramethylammonium pillared saponite.—75-06904
Ogawa, Masahide See Nakazawa, Tadahisa
Ogawa, Naoyuki; Sakai, Takenobu; Hirabayashi, Izumi
Rare earth oxide superconducting material and process for producing the same.—75-00916
Ogawa, Rikuro See Masuda, Yoshi
Ogawa, T.
Fatigue crack growth of monolithic and composite ceramics.—75-02051; See also Chen, J.
Ogawa, Taro; Mochiji, Kozo; Ochiai, Isao
Low temperature synchrotron radiation excited etching of silicon dioxide with surface hexafluoride adsorption.—75-00534
Ogawa, Toshio
Preparation and evaluation of ferroelectric thin films.—75-00690
Ogbuji, Linus U. J. T.
Oxidation process in silicon nitride.—75-02012
Ogden, Andrea L. See Lewis, J. A.
Ogenko, V. M. See Budennaya, L. D.
Ogi, Katsumi; Soyama, Nobuyuki; Mieda, Akihiko
Method of controlling crystal orientation of PZT and PLZT thin films on platinum substrates.—75-03268
Ogihara, T. See Mizutani, Nobuyasu
Ogino, Shinji; Urushidani, Tatsuo; Kanemaru, Hiroshi
Silicon carbide electronic device manufacturing method.—75-08841
Oginskis, A. K. See Chesnis, A.
Ogiso, Koji See Sakamoto, Wataru
Ogiso, Yuzo See Kuwabara, Akio
Ognev, A. N.; Kornetov, V. N.; Dmitriev, V. A.
Phase composition of bismuth oxide and bismuth germanate films produced by reactive cathodic sputtering.—75-06297
Ogorodnikov, I. N.; Kirpa, V. I.; Kruzhalov, A. V.
Spontaneous emission of BeO and fluctuated reconstruction of the structure: II, Ceramics.—75-09063
Ogoshi, Yoichi See Noi, Keiichi
Oguchi, Yukio See Tsuchiay, Ichiro
Oguni, Masanori See Nozaki, Toshio
Ogura, A.; Honea, E. C.; Murray, C. A.; Raghavachari, K.; Sprenger, W. O.; Jarrold, M. F.
Raman spectroscopy of size-selected, matrix isolated Si clusters.—75-01925
Ogura, Daisuke See Ohtaki, Michitaka
Oguri, K. See Ando, M.; Nishi, Y.
Ogushi, T. See Hakuraku, Y.
Oh, Chang-Seob See Byoun, Young-Seog
Oh, J.-H. See Kwon, H.-J.
Oh, K.-J. See Kim, D.-W.
Oh, Ki-Dong See Kim, Yeong-Woo; Park, Hong-Chae
Oh, Kwang-Suk; Park, Bong-Mo; Chung, Su-Jin; Lee, Tae-Kun; Park, Byung-Kyu; Kim, Ho-Sung
Crystal growth and phase transition of piezoelectric $KAlSiO_4$.—75-08122
Oh, Kyung-Sik; Kim, Doh-Yeon; Cho, Seong-Jai
Generation of cracklike voids during sintering of Al_2O_3-$10ZrO_2$ ceramics and their prevention by presintering with low pressure (2 MPa).—75-04544
Oh, Myung-Hwan See Kim, Tae-Song
Oh, Paul S.
Development of fiber optic cabling technology.—75-00950; Fiberoptic cables pave road to new technology.—75-02716
Oh, Seh-Min; Park, Yang-Duk
Analysis of densification process of carbon/carbon composites.—75-01378
Oh, Tae-Sung See Lee, Jung-June
Oh, Yoon-Seok; Lim, Dae-Soon; Lee, Kyoung-Ho
Effect of impurities in grain boundary phases on wear behavior of Si_3N_4.—75-09621
Oh, Young-Jei; Shim, In-Bo; Jung, Hyung-Jin
Effects of additives on magnetic properties of sheet Sr-Ba ferrite magnets.—75-00732
Ohama, Y.
Handbook of Polymer-Modified Concrete and Mortars: Properties and Process Technology.—75-07108; See also Banthia, N.
Ohara, Manabu See Yoshida, Tsuyoshi
Ohba, Yoko; Rikitoku, Tatsuo; Tsurumi, Takaaki; Daimon, Masaki
Precipitation of lead zirconate titanate powders under hydrothermal conditions.—75-08163
Ohchi, Shoichi See Ariyoshi, Kisaburo
Ohdaira, Tsuneo See Nishiyama, Katsuhiro
Ohfuji, T. See Echigoya, Junichi
Ohgaki, Mitsuaki See Horie, Michikazu
Ohgoshi, Masahiro; Fujita, Mitsuhiro; Hironaka, Seiichiro
Friction and wear mechanism of zirconia in unlubricated sliding contact.—75-09318
Ohhashi, Kentaro See Takabatake, Nobuyoshi; Tanaka, Hironao
Ohi, Akihiko See Kimura, Hiroshi
Ohira, Osamu See Kobayashi, Yuichi
Ohishi, Katsuyoshi See Ueno, Fumio
Ohishi, T. See Maekawa, S.
Ohiva, O. See Kobayashi, Y.
Ohiwa, Seigo See Nozaki, Toshio
Ohji, Nobuyuki; Enomoto, Nobuhito; Mizushima, Takanori
Ni incorporated into anodic porous alumina formed on an Al wire.—75-06696
Ohji, T. See Miyajima, T.
Ohji, T.; Hirano, Takeshi; Nakahira, Atsushi; Niihara, Koichi
Particle/matrix interface and its role in creep inhibition in alumina/silicon carbide nanocomposites.—75-02084
Ohji, T.
Tensile creep rupture and subcritical crack growth of silicon nitride.—75-04648
Ohkawa, Tihiro; Elsner, Frederick H.
Fabrication of fiber-reinforced composites.—75-05920
Ohki, Yashimichi See Ishii, Keisuke
Ohkubo, K. See Matusita, K.
Ohkubo, Michio; Ijchi, Tetsuro; Iketani, Akira
980-nm aluminum-free InGaAs/InGaAsP/InGaP GRIN-SCH SL-QW lasers.—75-05234
Ohkuma, K.; Genma, N.; Ohte, A.; Ohshima, R.; Matsuo, K.
Refractories technology for continuous recycle operation of tundish.—75-07652
Ohkura, Kengo See Torii, Yasuko
Ohkura, Kengo; Sato, Kenichi
Multifilamentary oxide superconducting wire and coil formed by the same.—75-08476
Ohlberg, Douglas A. A.; Ren, James; Williams, R. Stanley
Characterization of pulsed supersonic CVD system for diamond growth.—75-00943
Ohnabe, H. See Masaki, S.
Ohnishi, Keiji See Hayakawa, Masanori
Ohnishi, Osamu; Inoue, Takeshi
Piezoelectric ceramic transformer.—75-03270
Ohno, Kaoru See Esfarjani, Keivan; Gu, Bing-Lin; Kawazoe, Yoshiyuki
Ohno, Keiichiro See Jackson, John E.
Ohno, Yoshikazu See Itoh, Hiromi
Ohnsorg, Roger W. See Lau, Sai-Kwing
Ohnuki, Y. See Ori, T.
Ohsaka, Shigeru; Takahashi, Hideo; Shinohara, Nobuhiro; Okumiya, Masataro; Ito, Hiroshige; Uematsu, Keizo
Microstructure of alumina ceramics made by injection molding.—75-09566
Ohsawa, Shigenari; Wada, Osamu; Kim, Sang-Dong; Yasuda, Kouichi; Matsuo, Yohtaro; Kimura, Shiushichi
Sintering of hBN using polysilazane.—75-01667
Ohser, J. See Mucklich, F.
Ohshima, R. See Ochiai, Y.; Ohkuma, K.
Ohshima, Satoshi See Yumura, Motoo
Ohshio, Shigeo See Nishino, Junichi
Ohsumi, Shuzo See Sugiyama, Osamu
Ohta, H. See Machida, T.; Nakashima, S.
Ohta, Hiromichi; Seo, Won-Seon; Koumoto, Kunihito
Thermoelectric properties of homologous compounds in the ZnO-In_2O_3 system.—75-05505
Ohta, Michinosuke See Miyamoto, Hiroki
Ohta, Shigetoshi See Kato, Tetsuro; Nakajima, Eiichi
Ohtake, Masatoshi See Sugiyama, Osamu
Ohtaki, Michitaka; Ogura, Daisuke; Eguchi, Koichi
High-temperature thermoelectric properties of In_2O_3-based mixed oxides and their applicability to thermoelectric power generation.—75-06473
Ohtani, A.; Stevens, K. S.; Beresford, R.
Growth and characterization of GaN on Si(111).—75-00501
Ohtani, Noritaka; Inoue, Yukihiko; Sugai, Mikio
Synthesis of yttrium-stabilized zirconium oxide from metal ion-containing interpolymer complex—interpolymer coprecipitation method.—75-09482
Ohte, A. See Ochiai, Y.; Ohkuma, K.
Ohtsu, Kanshi See Konishi, Masaya
Ohtsubo, Hideki See Waku, Yoshiharu
Ohtsubo, Kyo See Maeda, Hideaki
Ohtsubo, Shinji
Ceramic parts having small hole(s) and method of manufacturing the same.—75-08562; Method of manufacturing hollow ceramic part with hole therein.—75-05926
Ohtsuka, Atsushi See Sekiya, Takao
Ohtsuki, Chikara See Zhang, Xu
Ohuchi, Fumio S. See Hu, Xiao
Ohue, Michio See Saito, Katsuaki
Ohwaki, Junichi See Wang, Yu-Hu
Ohya, Hitoshi See Endoh, Shigehisa
Ohya, Nobutaka See Maeda, Hideaki
Ohya, Nobutaka; Maeda, Hideaki; Kusakabe, Katsuki; Morooka, Shigeharu
Enhancement of diamond growth under uv irradiation.—75-09299
Ohya, Yutaka See Kumar, Viswanathan
Ohya, Yutaka; Saiki, H.; Takahashi, Y.
Preparation of transparent, electrically conducting ZnO film from zinc acetate and alkoxide.—75-06741
Ohya, Yutaka; Saiki, H.; Tanaka, Toshimasa; Takahashi, Y.
Microstructure of TiO_2 and ZnO films fabricated by the sol-gel method.—75-04371
Ohyama, Masashi; Kozuka, Hiromitsu; Yoko, Toshinobu; Sakka, Sumio
Preparation of ZnO films with preferential orientation by sol-gel method.—75-09403
Ohyama, T. See Matsuyama, K.
Ohyanagi, Manshi
Materials bonding by combustion synthesis.—75-04858
Oien, H. J. See Jacobs, T. L.
Oikawa, Hiroshi See Shinmi, Akio
Oishi, Akira; Morishita, Tadataka
a-axis superconductor on a yttrium oxide film.—75-00899
Ojamae, Lars See Edvardsson, Sverker
Oji, T. See Asayama, Masahiro
Ojima, Tomohiro See Yoshida, Tsuyoshi
Okabe, Masanori See Higuchi, Yoshikatsu
Okabe, N. See Ichikawa, M.; Tanaka, T.
Okabe, N.; Hirata, H.
High-temperature fatigue properties for some types of SiC and Si_3N_4 and the unified strength estimation method.—75-02061
Okada, A. See Lofaj, F.; Ogasawara, T.
Okada, Akihide See Okada, Jun
Okada, Atsumasa See Fujimori, Tetsuo
Okada, Jun; Okada, Akihide
Catalysts for emission control of aldehyde.—75-01102
Okada, Katsuyuki; Komatsu, Shojiro; Ishigaki, Takamasa; Matsumoto, Seiichiro
Fabrication of diamond and diamondlike carbon by low-pressure inductively coupled plasma CVD.—75-04034
Okada, Kazuki; Sakuma, T.
Grain growth kinetics in ZrO_2-dispersed Al_2O_3 ceramics.—75-01856; Tensile ductility in zirconia-dispersed alumina at high temperatures.—75-02102
Okada, Kenichi; Takagi, Masahiro; Hasegawa, Hiroshi; Iwamura, Ryoji
Method of and apparatus for producing multilayer ceramic board.—75-05227
Okada, Kiyoshi See Ban, Takayuki; Kameshima, Yoshikazu; Koyama, Toshiyuki; MacKenzie, K. J. D.; Taruta, Seiichi
Okada, Kiyoshi; Kameshima, Yoshikazu; Mutoh, H.
Preparation of Y-TZP/Al_2O_3 whisker preform by an in situ method.—75-06743
Okada, Masakatsu See Wakino, Kikuo
Okada, Masuo See Imura, Masaaki; Yoshikawa, Itsuji
Okada, Morihiro; Yoshikawa, Kiyoshi; Yamamoto, Yasushi; Toku, Hisayuki
Process for coating diamondlike carbon film and coated thin strip.—75-06137
Okada, S. See Ishizuka, T.
Okada, T. See Nishijima, A.
Okajima, Kenichi See Adachi, Akira
Okamoto, H. See Watanabe, K.
Okamoto, Hideaki See Motohira, Naobumi
Okamoto, Hideho
Functionally gradient structures in biological composites.—75-06068
Okamoto, Hisato See Tsuchinari, Akihiro
Okamoto, Kengo See Yoshimura, Masahiro
Okamoto, M. A. See Kaibe, H. T.
Okamoto, Naoyuki; Miura, Kazunori
Ceramic base and metallic member assembly.—75-07250
Okamoto, T. See Pan, W.-X.
Okamoto, Yasunori See Hayashi, Kunio; Shiono, Takeshi
Okamoto, Yusuke See Akimune, Yoshio; Hirosaki, Naoto
Okamura, Kiyohito See Ichikawa, Hiroshi; Kamimura, Seiji; Narisawa, Masaki; Shimoo, Toshio; Sugimoto, Masaki
Okane, I. See Fukumoto, M.
Okano, H. See Watanabe, Makoto
Okawa, Yoshihiro; Hirahara, Seiichiro; Fujikawa, Nobuyoshi
Dielectric ceramic composition for high-frequency applications.—75-07758
Okayasu, Masanobu See Fukuda, Mitsuo
Okazaki, H. See Imaizumi, T.
Okazaki, Kiyoshi; Maiwa, Hiroshi; Ichinose, Noboru
Preparation of (Pb, La)TiO_3 thin films by multiple cathode sputtering.—75-00691
Okazaki, Kiyoshi
Reliability of ceramic capacitor, past, present, and future.—75-00372
Oki, Yasuyuki See Shimada, Ken
Okinaka, Hideyuki See Iga, Atsushi
Okitsu, Yoshitaka See Takagi, Yasuo
Okorokov, D. K. See Dneprovskii, V. S.
Okroshvili, I. T. See Gufan, Yu. M.
Oksengendler, B. L. See Yunusov, M. S.
Oku, Masato See Yoshida, Kazuaki
Oku, T. See Nakanishi, Jiro
Oku, Y. See Hussain, M.
Okubo, A. See Omori, M.
Okubo, Atsushi; Miyayama, Masaru; Yanagida, Hiroaki
Effect of oxygen gas concentration in the heat-treatment atmosphere and high-voltage pulse application on the electrical properties of carbon fibers.—75-07852
Okubo, Toru See Kakihana, Masato
Okuda, Hiroshi See Mizuno, Mineo
Okudaira, Tomonori See Itoh, Hiromi
Okumiya, Masataro See Ohsaka, Shigeru
Okumoto, Yoshihiro See Ishizaki, Kozo
Okumura, Hisatake See Ando, Mitsuru
Okumura, Kiyoshi See Kawasaki, Shinji
Okumura, Naoki See Miyauchi, Masahiro
Okumura, T. See Kaibe, H. T.
Okumura, Tomohiro See Agira, Katsuhiko
Okunev, V. D. See Samoilenko, Z. A.
Okunev, V. D.; Pafomov, N. N.; Iguchi, I.; Svistunov, V. M.
Appearance of metastability and structural diversity in $Bi_{1.8}Pb_{0.2}Sr_2Ca_2Cu_3O_{10+\delta}$ films during amorphous state–crystal phase transitions.—75-08262
Okuneva, N. M. See Vakhrushev, S. B.
Okuneva, N. R. See Zubekhin, S. A.
Okuno, Akiyasu See Suzuki, Junichiro
Okura, Kengo See Itozaki, Hideo
Okuyama, Kikuo See Tamaki, Shinkichi
Okuyama, Kikuo; Seto, Takafumi; Shimada, Manabu
Size dependence of properties of superconducting Bi-Ca-Sr-Cu-O fine particles prepared by a spray pyrolysis method.—75-03403
Okuyama, Kojiro; Yokotani, Yoichiro; Kugimiya, Koichi
Dielectric ceramic compositions and dielectric resonators.—75-05222
Okuyama, Masahiko; Yamagiwa, Katsuya
Hydroxyapatite coating with EDTA chelate compound.—75-03651

Okuzumi, Fuminori; Yoshikawa, Masanori
Applications for precision cutting of sharpening CVD diamond film.—75-08512
Ol'kin, Yu. V. See Selin, A. A.
Ol'shevskaya, O. P. See Vashuk, V. V.
Olabin, Vladimir M.; Pioro, Leonard S.; Maximuk, Alexander B.; Khinkis, Mark J.; Abbasi, Hamid A.
Submerged combustion furnace for glass melts.—75-06010
Oladipo, M. O. A. See Adeleye, S. A.
Olagnon, C. See Sudreau, F.
Olander, Donald R. See Wang, Wei-E.
Olapinski, Hans; Michell, Winfried; Kielwein, Manfred; Simmich, Hans-Erich; Ziegelbauer, Helmut
Ceramic filter element for tangential flow filtration of liquids and gases.—75-06080
Olazcuaga, R. See Berthereau, A.
Olbert, Blain H.; Schenck, Steven R.
Properties of aluminosilicate fiberboard.—75-03919
Olde Scholtenhuis, R. J. See Boutz, M. M. R.
Oleinik, S. P. See Georgobiani, A. N.
Oleinikov, N. N. See Churagulov, B. R.; Grigorashev, D. I.; Gudilin, E. A.; Oleinikov, P.; Petrykin, V. V.; Tret'yakov, Yu. D.; Vertegel, A. A.
Oleinikov, P. N.; Murav'eva, G. P.; Oleinikov, N. N.
Effect of the real structure of hematite on the kinetics of ferrite formation in the Li_2O-Fe_2O_3 system.—75-08208
Olekhnovich, N. M. See Salak, A. N.
Olekhnovich, N. M.; Zhabko, T. E.; Salak, A. N.; Shilin, A. D.
Structural and dielectric properties of $PbGeO_3$-$PbZrO_3$ metastable solid solutions with perovskite structure.—75-09190
Olekseyuk, I. D.; Parasyuk, O. V.
CdSe-Ga_2Se_3-GeSe$_2$ system.—75-06174
Oleszak, F. See Mach, R.
Olin, H. See Alarco, J. A.
Oliveira, F. A. Costa; Edwards, R. A. H.; Fordham, R. J.; De Wit, J. H. W.
Factors limiting the application of silicon nitride ceramics in sulfur-containing environments of low oxygen potential at high temperatures.—75-01991
Oliver, B. F. See Joslin, S. M.
Oliveri, Giovanni See Rossi, Pier Francesco
Oliveria, Manuel See Stadler, Bethanie J. H.
Olivieri, G. See Bassanetti, A.
Olk, C. H. See Karpenko, O. P.
Ollivier, J. P.; Maso, J. C.; Bourdette, B.
Interfacial transition zone in concrete.—75-02412
Olmsted, B. L.; Jones, M. L.
Enhanced luminescence from rare-earth-doped thin films.—75-00484
Olry, P. See Chollon, G.
Olschewski, C. See Mach, R.
Olson, D. S. See Ravi, K. V.
Olson, D. T. See Khan, M. Asif
Olson, E. See Boikov, Yu. A.
Olson, K. M.; Smith, G. L.
Product consistency testing of three reference glasses in stainless steel and Teflon vessels.—75-03488
Olsson, E. See Brorsson, G.; Hussey, B. W.; Stjerna, B.
Olsson, H. K. See Nilsson, P. A.
Olsson, M. See Erickson, L. C.; Hogmark, S.
Olsson, N. A. See Andrekson, P. A.
Olsson, P.-O.; Ekstrom, Thommy
Si_3N_2O-ZrO_2 composites prepared by hot isostatic pressing.—75-09432
Olssonn, M. See Finot, M.
Olszyna, A.; Edirisinghe, M. J.; Ralph, B.; Dutta, K. K.
Effect of local variations in density in monolithic ceramic bodies.—75-04005
Omata, Takahisa See Miyajima, Tatsuya
Omori, M. See Zhang, L.-M.
Omori, M.; Hirai, Toshio
Mixed oxide composite ceramics and method of producing the same.—75-03673
Omori, M.; Kawahara, Masakazu; Sakai, H.; Okubo, A.; Hirai, Toshio
Preparation of ZrO_2(3Y)/SUS(410) functionally gradient plasma material by thermal gradient sintering.—75-00120
Omori, M.; Sakai, H.; Hirai, Toshio; Kawahara, Masakazu; Tokita, M.
Preparation and properties of ZrO_2(3Y)/Ni FGM.—75-02527
Omori, M.; Sakai, H.; Okubo, A.; Hirai, Toshio
Functionally gradient materials from Al and polyimide.—75-02485; Preparation of stainless steel/ZrO_2(3Y) functionally gradient material.—75-02528
Omote, Koji See Yokoyama, Hiromitsu
Onarkulov, K. E.
Influence of uniaxial deformation on the conductivity and photoconductivity of PbS films.—75-07930; See also Mamadalimov, A. T.
Ong, C. K. See Gong, H.
Onishchenko, E. E. See Bagaev, V. S.
Onishi, Hitoshi; Kondo, Yoshihito; Yamamoto, Shin; Tsukuda, Akira; Ishizaki, Kozo
Fabrication of porous cast iron bonded diamond grinding wheels and their evaluation to grind hard-to-grind ceramics.—75-08523
Onitsuka, Hidenori See Endo, Yoshiyuki
Ono, Kenichi See Matsuoka, Morito
Ono, R. H. See Kunkel, G.
Ono, Satomi See Kikuta, Koichi
Ono, Satomi; Mochizuki, Hideyo; Hirano, Shinichi
Preparation and characterization of amorphous $LiNbO_3$ powders from completely hydrolyzed metal alkoxides.—75-07743
Ono, Satomi; Takeo, Takashi; Hirano, Shinichi
Processing of highly oriented $LiNbO_3$ films for waveguides from aqueous solution.—75-03252
Ono, T. See Nitta, A.
Ono, Takehiko; Ogata, Nobuaki
Raman band shifts of γ-Bi_2MoO_6 and α-$Bi_2Mo_3O_{12}$ exchanged with ^{18}O tracer at active sites for reoxidation.—75-06330
Ono, Takuro See Sakamoto, Satoshi
Ono, Yasushi See Sakamoto, Satoshi
Ono, Yasushi; Sakamoto, Satoshi; Murata, Yutaka; Kaji, Tetsuo; Endo, Yasuhiko
Monolithic refractory powder mixture.—75-07699
Onoda, Hajime; Ota, Hiroshi; Kimura, Kazumi; Utsunomiya, Akira; Shimoyama, Masaru
Process for producing synthetic quartz glass powder.—75-08621
Onodera, A. See Strukov, B. A.
Onopko, D. E.; Bagraev, N. T.; Ryskin, A. I.
Chemical binding and structural distortions in silicon doped with nontransition elements.—75-07806
Onopko, D. E.; Bagraev, N. T.; Ryskin, A. I.
Chemical bond and reconstructed state of impurity centers in semiconductors.—75-05260
Onopko, D. E.; Ryskin, A. I.
Reconstructed impurity centers in II-VI compounds.—75-08043
Onozawa, Masahiro
Optical glass.—75-05052
Ontani, Yuji See Nagasaka, Takashi
Onushchenko, A. A.; Petrovskii, G. T.; Shepilov, M. P.
New approaches to preparation of ensemble of semiconductor nanocrystals with narrow size distribution.—75-05396
Oobuchi, Takeshi; Fukui, Takehisa; Yamada, Tatsuya; Ikuhara, Yumi; Kodera, Kaseki
Preparation of SOFC electrode powders by the aerosol flow pyrolysis method and characteristics of the electrodes.—75-08537
Oota, Jirou See Hidaka, Akio
Ootsuka, Tadashi; Hamano, Kenya; Kurano, Masatoshi; Mii, Yoshiaki; Kamezaki, Akio
Effect of ZrO_2 and Cr_2O_3 addition on softening and sintering of Al_2O_3-SiO_2 glass.—75-07382
Ootsuka, Tadashi; Hamano, Kenya; Tsutsumi, Kenji; Kurano, Masatoshi
Crystallization of Al_2O_3-SiO_2 glass fiber and effect of ZrO_2 and Cr_2O_3 additions on the crystallization.—75-08898
Opaleichuk, L. S.; Romanova, V. I.
Increasing the turnover of saggers for firing ceramic articles.—75-02822
Opeka, M. M. See Talmy, I. G.
Openov, L. A. See Elesin, V. F.
Opila, E. J. See Jacobson, N. S.
Opitz, Joachim F. A.; Mayr, Walter
Dense silica coatings on ceramic powder particles.—75-01423
Opitz, V.; Vega, B.
Nitrogen oxides control in bismuth nitrate synthesis.—75-04123
Oppermann, Dean A. See Crimp, Melissa J.
Oppici, Maria A. See Kumar, Atul
Oprea, A. See Goldenblum, A.
Oprea, G.
Advanced refractory castables.—75-07458
Oralova, A. T. See Mustafin, E. S.
Oralova, A. T.; Kasenov, B. K.; Mataev, M. M.; Nurgaliev, B. Z.
Thermodynamic functions of $LnSrMn_2O_{5.5}$ (Ln=La, Nd, Gd, Ho, Er, Lu) in the interval of 298.15–673 K.—75-09090
Oralova, A. T.; Mustafin, E. S.; Kasenov, B. K.
Heat capacity and thermodynamic functions of $LaCaMn_2O_{5.5}$ in the range 298–673 K.—75-08947
Ordan'yan, S. S. See Udalov, Yu. P.
Ordan'yan, S. S.; Kryiov, S.O.; Stepanenko, E. K.; Tsielin, U. A.
Special features of structure formation in sintering ultradisperse powders of TiN-AlN compositions.—75-05140
Orekhov, Yu. F. See Kol'tsova, T. N.; Shaplygin, I. S.
Orekhova, G. P. See Kaplan, F. S.
Orekhova, N. V. See Mardilovich, A. A.
Orel, B.; Lavrencic-Stangar, U.; Crnjak-Orel, Z.
Structural and FTIR spectroscopic studies of gel-xerogel-oxide transitions of SnO_2 and SnO_2:Sb powders and dip-coated films prepared via inorganic sol-gel route.—75-06371
Organova, N. I.; Marsil, I. M.; Rozhdestvenskaya, I. V.;
Zakharov, N. D.; Nistratov, Yu. A.; Borisovskii, S. B.
Two-phase K-Na feldspar from Sikhote-Alin and the structure of its K component.—75-08767
Ori, T.; Shibuya, H.; Ohnuki, Y.; Utsunomiya, J.; Iida, S.
Development of polymide substrate for Gb/s-class MCM-DAC.—75-00313
Oriosky, S. D.; Morris, H. D.
Quartz rotation (rate) sensor—theory of operation, construction and applications for a rotation sensor.—75-01040
Orishchin, S. V. See Kuz'ma, Yu. B.
Orishchin, S. V.; Kuz'ma, Yu. B.
New phosphide of $Ni_5Ge_2P_3$ and its structure.—75-06288
Orkoula, M. See Kontoyannis, C. G.
Orletskii, I. G. See Gavaleshko, N. P.
Orlinskii, S. B. See Vikhnin, V. S.
Orlov, A. M.; Kostishko, B. M.; Skvortsov, A. A.
Effect of diffusion processes on the contact melting of metallization layers of multilayered Si-$Si_x(Ge_x)$-Al structures.—75-09504
Orlov, A. V. See Gurarie, V. N.
Orlov, D. A. See Terekhov, A. S.
Orlov, N. Yu. See Korol'kov, V. I.
Orlov, Yu. F.; Komisarchik, M. Sh.
Chemical dissolution of cadmium selenide and telluride single crystals in bromine ethanol solutions.—75-07807
Orlova, N. S. See Bodnar, I. V.
Orlova, T. S. See Smirnov, B. I.; Zakrevskii, V. A.
Orlova, T. S.; Adrian, G.; Adrian, Kh.; Smirnov, B. I.; Shpeizman, V. V.
Physicomechanical properties of single-crystal $YBa_2Cu_3O_{7-x}$ HTSC films.—75-08397
Orlovskii, V. P. See Ionov, S. P.; Rodicheva, G. V.; Zakharov, N. A.
Orlovskii, V. P.; Zakharov, N. A.; Ivanov, A. A.
Structural transition and dielectric characteristics of high-purity calcium hydroxyapatite.—75-09191
Orlovskii, Yu. I.; Semchenkov, A. S.; Bigun, G. G.
Modeling the properties of concrete on gypsumless cement with a complex chemical additive.—75-07167
Orlovskii, Yu. I.; Semchenkov, A. S.; Khorzhevskii, V. I.
Concrete and articles based on S-containing industrial wastes.—75-07140
Ormont, N. N. See Kurova, I. A.
Oron, M.; Katz, M.; Zussman, A.
Bragg reflection in periodically segmented $KTiOPO_4$ waveguides.—75-01263
Orr, M. N. See Rawn, C. J.
Ortogni, Joseph
How to manufacture glass-forming molds.—75-07387
Ortona, A. See Casadio, S.
Orudzhev, N. M. See Safarov, M. G.
Orumwense, F. F. O.
Ceramic properties of electrical porcelain containing alumina.—75-02894
Os'kina, T. E.; Tret'yakov, Yu. D.
Filamentary superconducting Bi-Sr-Ca-Cu-O crystals: self-organization, growth, and modification of properties.—75-08323
Osada, Akira See Odani, Niro
Osaka, Akiyoshi See Chen, Dan-Ping; Kawabata, Koji
Osakada, A. See Hamano, A.
Osbaeck, Bjarne See He, Chang-Ling
Osborg, Per Arne See Raeder, Henrik
Osborne, Danny H. See Affatigato, Maria
Osborne, Z. A. See Weinberg, Michael C.
Oseroff, S.; Cheong, S.-W.; Fondado, A.
Spin-Peierls transition in $CuGeO_3$: electron paramagnetic resonance study.—75-03841
Osetskii, Yu. G. See Panchenko, T. V.
Osina, T. I. See Boltaev, A. P.
Osipov, E. B. See Kostin, I. V.
Osipov, G. T. See Al'perovich, I. A.
Osipova, E. V. See Guk, V. G.
Osipova, L. Ya. See Demidova, Zh. N.
Osipova, N. A. See Kostin, I. V.
Osiyemi, S. O. See Gilchrist, M. D.
Osmani, H. See Hamidouche, M.
Osotov, V. I. See Shchennikov, V. V.
Ossau, W. See Kuhn-Heinrich, B.
Ostapenko, S. S. See Buyanova, I. A.
Ostapov, S. E. See Bodnaruk, O. A.
Oster, L.; Weiss, D.; Kristianpoller, N.
Photostimulated thermoluminescence in C-doped α-Al_2O_3 crystals.—75-03913
Osterheld, Thomas H. See Allendorf, Mark D.
Osterheld, Thomas H.; Allendorf, Mark D.
Decomposition of methyltrichlorosilane [MTS] in hydrogen and helium.—75-03986
Osterstock, F.; Monot, I.; Desgardin, G.; Mordike, B. L.
Influence of grain size on the toughness and thermal shock resistance of polycrystalline $YBa_2Cu_3O_{7-\delta}$.—75-08341
Osthover, C. See Xiao, Y. G.
Ostling, Daniel; Rosen, Arne; Apell, Peter; Mukhopadhyay, Gautam
Plasmons in C_{60}, carbon onions, and carbon tubes.—75-01907
Ostling, M. See Lundberg, Nils; Zetterling, Carl-Mikael
Ostoja-Starzewski, M.; Jasiuk, I.; Wang, W.; Schulte, J.
Functionally graded interphases: meso-continuum concept and effective properties.—75-03895
Ostorero, J.; Escorne, M.; Pecheron-Guegan, A.
$Dy_3Fe_5O_{12}$ garnet thin films grown from sputtering of metallic targets.—75-03286
Ostorero, J.; Guillot, M.
Anisotropy of the magnetic and magnetooptic properties of HoIG:Al single crystals (low and high magnetic field).—75-03278
Ostrander, Steven P. See Stangle, Gregory C.
Ostroumov, N. N.; Sokolov, A. I.
Fluctuation shift of T_c and width of the critical field in high-temperature superconductors.—75-05769
Ostrovlyanchik, E. S.; Prostyakov, N. N.
Technical equipment and problems of ecology.—75-07191
Ostrovlyanchik, V. Yu.
How is the oldest cement plant in Russia today.—75-07156
Ostrovoi, D. Yu. See Gogotsi, G. A.
Ostrovskii, L. A. See Belyantsev, A. M.
Oswald, Christian See Clasen, Rolf
Oswald, Kurt D. See Gordon, Michael W.
Ota, Hiroshi See Onoda, Hajime
Ota, Isao See Arai, Kunio
Ota, Kenichi See Pezzotti, Giuseppe
Ota, T. See Takahashi, Minoru; Unuma, Hidero
Ota, T.; Takahashi, Minoru; Hibi, Toshiyuki; Ozawa, Masakuni; Suzuki, Suguru; Hikichi, Yasuo
Biomimetic process for producing SiC wood.—75-01387
Ota, T.; Yamai, I.; Suzuki, H.
Thermal expansion of nepheline solid solutions in the system $Na_{1-2x}Ca_xAlSiO_4$.—75-06527
Ota, Yoshio See Kasuga, Toshihiro
Ota, Yoshio; Inui, Saburo; Iwashita, Tetsushi; Kasuga, Toshihiro; Abe, Yoshihiro
Preparation conditions for aragonite whiskers by carbonation process.—75-09388; Preparation of CaF_2 fibers.—75-09390
Otaigbe, Joshua U. See Fink, Kimberly S.
Otani, Yoshio; Emi, Hitoshi; Morizane, Tetsuya; Mori, Jisaku
Removal of fine particles from water surface by pulse air jets.—75-06758
Otero, A. See Baro, M. D.
Otoguru, Y. See Itoh, I.
Otroshchenko, L. P. See Grigor'eva, N. B.
Otsu, Satoshi; Yamane, Fumikazu; Kamihara, Masaharu
Piezoelectric ceramic composition.—75-08184

Otsuka, A.; Miyata, T.; Sugawara, H.; Yoo, S. K.; Suzuki, T.
Crack growth characteristics of silicon nitride and alumina—the dependence on crack extension and load cycling.—75-02029
Otsuka, Jun; Iio, Satoshi; Tajima, Y.
Method for manufacturing an aluminum oxide sintered body.—75-07265
Otsuka, N. See Melloch, M. R.; Patil, A. N.
Otsuka, Nozomu See Taruta, Seiichi
Otsuka, Y. See Nagae, S.
Otsuki, A. See Kawaguchi, Goro; Nakanishi, Jiro
Otsuki, Kazutaka See Yasui, Kanji
Ott, Albert See Bruckner, Raimund
Ott, Jack J. See Pyzik, Aleksander J.
Ottavi, Laurent See Pastor, Henri
Ottonello, L. See Beales, T. P.
Ou, K.-C. See Hou, C.-K.
Ouammou, A.; Pena, O.; Carel, C.
Bulk and microscopic characterization of bismuth cuprate (2212) tin composites.—75-00774
Ouchi, Tatsuya; Mizobe, Arito; Kaneko, Toshiaki; Hara, Shuichi; Yamamoto, Masaki; Nishiyama, Ryuji
Development and application of directional type plug for ladle.—75-07510
Ougazzaden, A. See Ponchet, A.
Ourmazd, A. See Schwander, P.
Ouyang, C. See Betterman, L. R.; Lange, David A.
Ouyang, Jia; Zhang, Ying; He, Hua-Hui
Measurement of the Faraday effect of garnet film in alternating magnetic fields.—75-03316
Ovanesyan, K. L.; Petrosyan, A. G.; Shirinyan, G. O.
Etching figure of $CaNdAlO_4$ single crystals.—75-06601
Ovcharenko, N. V. See Livshits, V. Ya.
Ovchinnikov, S. G. See Avramov, P. V.
Ovchinnikov, S. G.; Avramov, P. V.
Appearance of the effects of strong electron correlations in X-ray and X-ray electron spectra of copper of high-temperature superconductors.—75-05727
Ovchinnikov, S. G.
Change of magnetic and superconducting properties of layered cuprates with substitution of copper by zinc and nickel.—75-08269; Effect of antiferromagnetic ordering on band structure of La_2CuO_4.—75-08201
Ovenston, A.; Sprinceana, D.; Walls, J. R.
Effect of frequency on the electrical characteristics of tin-antimony-oxide mixtures.—75-05184
Overcamp, Thomas J. See Marra, James C.; Resce, James L.
Overchuk, E. I. See Kulikov, A. P.
Ovsyankin, V. V. See Abramova, I. N.
Ovsyannikov, G. A. See Konstantinyan, K. I.
Ovsyannikova, O. P. See Bolyasnikova, L. S.
Ovsyuk, V. N.; Vasil'ev, V. V.; Zakhar'yash, T. I.;
Remesnik, V. G.; Studenikin, S. A.; Suslyakov, A. O.
Planar photodiodes based on epitaxial $Cd_xHg_{1-x}Te$ layers grown by the molecular beam epitaxy method.—75-08022
Ovtchinnikov, A. See Asonen, Harry
Owen, A. J.
Refractories industry in Europe.—75-02833
Owen, D. M.; Chokshi, A. H.
Constant stress tensile creep behavior of a superplastic zirconia-alumina composite.—75-06946
Owens, Dean P.; Ruppel, Irving B.
Porous silicon carbide.—75-03747
Owens, Joseph N. See Virga, Kathleen
Owens, M. S. See Troilo, L. M.
Owers, W. R. See Barris, G. C.; Brown, I. W. M.; White, G. V.
Oya, G. See Irie, A.
Oyama, Terutsugu See Murakami, Masato
Oyama, Terutsugu; Murakami, Masato; Koshizuka, N.; Tanaka, Shoji
Process for producing oxide superconductor.—75-05879
Ozaki, Shunji; Adachi, Sadao
Optical constants of ZnS_xSe_{1-x} ternary alloys.—75-03910
Ozaki, Yoshiharu See Narita, Takeshi
Ozanam, F. See Chazalviel, J.-N.
Ozawa, K. See Sakka, Yoshio
Ozawa, K.; Sakka, Yoshio; Amano, Muneyuki
Preparation of $LiSbO_3$ thin films from metal alkoxides.—75-09399
Ozawa, M.; Hasegawa, H.
Mechanical relaxation of 4 wt% Y_2O_3-ZrO_2 tetragonal single crystals.—75-07012
Ozawa, Masakuni See Loong, C.-K.; Ota, T.; Suzuki, Suguru
Ozawa, Takeshi See Doi, Toshiya
Ozawa, Yoshinori See Majima, Kazuhiko
Ozeki, H. See Ando, M.
Ozeki, Hirofumi See Katagiri, Hiroshi
Ozen, G. See Xu, Wu
Ozerskii, B. I. See Gogotsi, G. A.
Ozogul, O. See Gencer, A.
Ozturk, M. See Erdogan, Fazil
Pach, Ladislav; Iratni, Aicha; Kovar, Vladimir; Mankos, Peter; Komarneni, Sridhar
Sintering of diphasic mullite gel.—75-09056
Padalia, B. D. See Suba, K.
Padalko, A. G.; Pashkova, O. N.; Shevchenko, V. Ya.;
Steblevskii, A. V.
Electric and photoelectric properties of doped $InSb/Al_2O_3$ thin layers at 300 K.—75-07861
Paddock, Ralph W. See Lintz, Timothy S.
Padgett, Deborah McWatters
Valuable offerings—the ceramic sculpture of Indira Freitas-Johnson.—75-02377
Padhee, B. K. See Agrawal, K. C.
Padhi, B. K.; Patel, M.
Improved alumina fibers using sisal fiber substrates.—75-09333
Padhi, B. K.; Patnaik, C.
Development of Si_2N_2O, Si_3N_4, and SiC ceramic materials using rice husk.—75-03993
Padhi, H. C. See Misra, Susama
Padhi, P. C. See Jhunjhunwala, R.
Padhi, P. C.; Idicula, Segi P.
Advances in magnesia carbon refractories.—75-07459
Padhy, B. P.; Panda, B. K.; Pal, P. G.; Mitra, S. K.; Swaminathan, K. S.
Development of silica bricks of modern coke ovens.—75-07529
Padmanabhan, Ramaswamy See Adhihetty, Indira
Padmini, P.; Kutty, T. R. N.
Influence of Bi^{3+} ions in enhancing the magnitude of positive temperature coefficients of resistance in n-$BaTiO_3$ ceramics.—75-03054; Wet chemical syntheses of ultrafine multicomponent ceramic powders through gel to crystallite conversion.—75-06829
Padture, N. P. See Chen, Ching-Fong; Wuttiphan, Sataporn
Paek, Yeong-Kyeun; Lee, Ho-Yong; Kang, Suk-Joong L.
Direction of liquid film migration induced by chromic oxide in alumina–anorthite.—75-09539
Paek, Yeong-Kyeun; Lee, Ho-Yong; Lee, Jeong-Yong; Kang, Suk-Joong L.
Interface instability in alumina under chemical inequilibrium.—75-08958
Pafomov, N. N. See Okunev, V. D.; Samoilenko, Z. A.
Paganelli, Mariano See Burzacchini, Bruno
Pagano, Nicholas J. See Dutton, Rollie E.
Page, C. H. See Parulekar, R. S.
Page, R. A. See Schwab, S. T.
Page, T. F. See Hainsworth, S. V.
Pagliolico, S. See Montanaro, L.
Pagliolico, S.; Montanaro, L.; Swain, M. V.
Influence of calcination on the reactivity of gel-derived Y-TZP powders—compaction, sdintering, and mrechanical behavior.—75-01540
Pai, B. C. See Kumar, C. Sunil
Pai, Chul-Hoon See Song, Tae-Ho
Pai, Chul-Hoon; Song, Tae-Ho
Thermoelectric properties of Fe-Si alloys—effects of oxidation and SiO_2 dispersion.—75-09208
Paik, Dong-Soo See Kim, Joon-Han
Paik, Kyung-W.; Neugebauer, Constantine A.
Direct bonding of copper to aluminum nitride substrates—75-00156
Paik, Ungyu See Jung, Yeon Gil; Kim, B.-H.
Pailler, R. See Chollon, G.; Hemida, A. Tazi
Paine, D. C. See Caragianis-Broadbridge, C.
Paithankar, Dilip Y.; Talbot, Julian; Andres, Ronald P.
Molecular dynamics simulation of the elastic deformation of nanometer diameter metal clusters.—75-02079
Pajares, Antonia See Fischer-Cripps, Anthony C.
Pajares, Antonia; Wei, Lan-Hua; Lawn, Brian R.; Berndt, Christopher C.
Contact damage in plasma-sprayed alumina-based coatings.—75-04846
Pak, Ch. See Bakhtizin, R. Z.
Pak, P. E. See Bresler, M. S.
Pak, Sung-S.; Tolley, Archie N.
Method of making a ceramic tube.—75-08600; Water-soluble preceramic polymers and methods of their production.—75-03684
Pakhnutov, I. A. See Shardakov, N. T.
Pakhomov, A. A. See Odnoblyudov, M. A.
Pakhomov, A. A.; Yassievich, I. N.
Multiphonon carrier capture in deep centers in quantum wells.—75-03095
Pakkanen, Tapani A. See Hukka, Terttu I.
Pal'tiel, L. R.; Burkat, T. M.; Dobychin, D. P.
Structure of the polished surface of silica and silicate glasses from adsorption studies.—75-02615
Pal, H. See Pathak, G. M.
Pal, M.; Saha, S. K.; Chakravorty, D.
Relaxation studies on V_2O_5-TeO_2 glasses using heterogeneous conductor model.—75-04991
Pal, P. G. See Ghosh, B.; Padhy, B. P.
Pal, Uday B. See Yuan, Shi
Pal-Borbely, Gabriella See Beyer, Herman K.
Palacin, M. R.; Bassas, J.; Rodriguez-Carvajal, J.
Formation and reduction of a mixed three-dimensional perovskite of copper and titanium.—75-01506
Palatnikov, M. N. See Sidorov, N. V.
Palatnikov, M. N.; Sandler, V. A.; Serebryakov, Yu. A.;
Sidorov, N. V.; Kalinnikov, V. T.
Features of dielectric and spectral characteristics of polydomain lithium tantalate [LT] single crystals.—75-05570
Palbol, Lars See Johansen, Vagn
Palco, S.; Rigaud, M.
Refractory ceramic fiber composites and high-emissivity materials for energy savings in the industry: a state-of-the-art review.—75-05128
Palenskis, V. See Matukas, J.
Palenskis, V.; Matukas, J.; Pestininkas, T.
Modeling of electrical characteristics of the metal–gallium arsenide contact.—75-07974
Palenskis, V.; Matukas, J.; Smetona, S.
Influence of the semiconductor substrate surface treatment on electrical characteristics of the metal–gallium arsenide contact.—75-07929
Palis, P. See Ferl, Kh.
Palkina, K. K.; Kuz'mina, N. E.; Sazhenkov, A. Yu.;
Masloboev, V. A.
Structure of $La_3Cs_{15}P_{24}O_{72}{\cdot}6H_2O$ crystals.—75-06375
Pallikari-Viras, See Li, Xiao-Chun
Palmer, Alfredo T.; Logoudice, Peter J.; Cowley, Jorge
Comparison of sizing results obtained with electrolyte volume displacement laser light scattering instrumentation.—75-03551
Palmer, David C. See Downs, R. T.
Palmer, David C.; Finger, Larry W.
Pressure-induced phase transition in cristobalite: an X-ray powder diffraction study to 4.4 GPa.—75-03826
Palmer, Jim See Ulrich, Richard
Palmer, R. H.; Reed, D. J.; Adlam, E. J.; Maney, J. P.
High power rf package using aluminum nitride ceramic.—75-01150
Palmer, Ronald A.
History of radioactive waste—how did we get here.—75-03471; See also Jain, V.
Palmer, Susan E. See Kim, Dong-Sang
Palmier, J. F. See Regi, F. X.
Palmiter, T. V. See Simpson, James C.
Palmour, John W.; Carter, C. H., Jr.; Weitzel, C. E.; Nordquist, K. J.
High-power and high-frequency silicon carbide devices.—75-00508
Palmour, John W.
Power MOSFET in silicon carbide.—75-08109; See also Schaffer, William J.
Palosz, B. See Lojkowski, W.
Paloura, E. C. See Ginoudi, A.
Palsule, C. See Gangopadhyay, S.; Liu, L.; Shen, J. M.
Paltchik, A. See Belyakov, V.
Pampuch, R. See Lis, J.; Stobierski, L.
Pampuch, R.; Stobierski, L.; Lis, J.
SHS powders—the present and future.—75-01660
Pan, Chen-Yu; Margrave, John L.; Hauge, Robert H.
Quantitative in situ growth measurements of chlorine-activated homoepitaxial diamond CVD.—75-01637
Pan, G.-G. See Dai, X.-M.
Pan, J. See Lindsay, S. M.
Pan, J.-H. See Shen, J.-Q.
Pan, M.; Qiu, F.-X.; Jia, S.-C.; Shao, G.-Q.; Luo, Z.-P.; Hsu, Z.-Y.
Phase decomposition of 8 wt% yttria-stabilized zirconia coatings at high temperature.—75-04134
Pan, Ming-Jen; Park, Seung-Eek; Park, Colin W.;
Markowski, Kelley A.; Yoshikawa, Shoko; Randall, Clive A.
Superoxidation and electrochemical reactions during switching in $Pb(Zr,Ti)O_3$ ceramics.—75-08173
Pan, R.; Mi, B.; Wypych, Peter W.
Pneumatic conveying characteristics of fine and granular bulk solids.—75-05907
Pan, Shang-Xin
China steel and refractories industries.—75-09705
Pan, Tsung-Yu See Crosbie, Gary M.
Pan, V. M. See Tarasov, V. F.
Pan, W.-X.; Okamoto, T.; Ning, X.-S.
Joining of Al plasma-sprayed Si_3N_4 ceramics.—75-02499
Pan, Wei-Cai See Wang, Tian-Di
Pan, Xiao-Qing; Gu, Hui; Van Weeren, Remco; Danforth, Stephen C.; Cannon, R. M.; Ruhle, Manfred
Grain-boundary microstructure and chemistry of a hot isostatically pressed high-purity silicon nitride.—75-06879
Pan, Xiao-Qing; Mayer, J.; Ruhle, Manfred; Niihara, Koichi
Silicon nitride based ceramic nanocomposites.—75-04397
Pan, Xiao-Qing
Atomistic structure of silicon nitride/silicate glass interfaces.—75-07283; See also Wang, Chong-Min
Pan, Y.-B.; Tan, S.-H.; Jiang, D.-L.; Wang, J.-H.
Pressureless sintering of AlN-SiC-based multiphase ceramics.—75-04177
Pan, Y.-T. See Lee, J.-L.
Pan, Yi; Baptista, Joao L.
Chemical instability of silicon carbide in the presence of transition metals.—75-06180
Pan, Z.; Dyer, K.; Loper, A.; Morgan, S. H.
Infrared to visible upconversion in Er^{3+}-doped lead germanate glasses.—75-04973
Pan, Z.; Henderson, D. O.; Morgan, S. H.
Raman investigation of lead haloborate glasses.—75-02603; Vibrational spectra of bismuth silicate glasses and hydrogen-induced reduction effects.—75-04937
Panagopoulos, C.; Fasoula, E.; Michaelides, A.
Abrasive wear of borosilicate glass.—75-04942
Panasyugin, A. S. See Rat'ko, A. I.
Panchekha, A. P. See Averkov, Yu. O.
Panchenko, A. I. See Airapetov, G. A.
Panchenko, T. V.; Kopylova, S. Yu.; Osetskii, Yu. G.
Limited absorption in $Bi_{12}SiO_{20}$ crystals.—75-06481
Panchenko, T. V.; Kostyuk, V. Kh.; Kopylova, S. Yu.
Local centers in $Bi_{12}SiO_{20}$ crystals with nonstoichiometric composition.—75-09511
Panchuk, O. E. See Fochuk, P. M.
Panchuk, O. O. See Tomashik, V. N.
Panchula, Martin L.; Akinc, Mufit
Morphology of lanthanum carbonate particles prepared by homogeneous precipitation.—75-09571
Panda, Arun See Mishra, Sabyasachi
Panda, B. K. See Padhy, B. P.
Panda, J. D.
Development and performance of improved quality magnesia chrome refractory in AOD converter.—75-07513
Panda, R. K. See Suryanarayana, K. V.
Panda, Siddhartha See Pratsinis, Sotiris E.
Pandey, R. K. See Raina, K. K.; Sunkara, S. S.
Pandey, R. K.; Guo, Ru-Yan
Ceramic Transactions, Volume 60: Crystal Growth of Novel Electronic Materials.—75-02161
Pandey, Venkateshwar
Electric steelmaking and refractories.—75-07547
Pandit, S. Shashidhara; Jacob, K. Thomas
Phase relations in the system CaO-SiO_2-ZrO_2 at 1573 K.—75-03818
Pandolfelli, V. C. See Noronha, Reinaldo Tito Teixeira
Pandolfelli, V. C.; Salvini, V. R.; Rodrigues, J. A.; Hubner, H.; Wolf, C.
Thermomechanical properties of alumina refractories containing a fused mullite-zirconia aggregate.—75-07683
Panek, M. See Kunitsyn, A. E.
Panek, Z.
Liquid-phase sintering of chemically unstable silicon carbide–lithium/magnesium aluminosilicate–titania composites.—75-06672

Panevchik, V. V. See Akimov, A. I.

Panfilov, A. G. See Nel'son, D. K.

Panfilova, L. V.; Polyakov, E. V.; Egorov, Yu. V.; Shindel'man, A. V.
Sorption behavior of barium sulfate colloids in the system $BaCl_2$-Na_2SO_4-H_2O cation exchanger.—75-06777

Pang, B. See Guo, Xin

Pang, S. W. See Griffith, Michelle L.

Panich, A. E. See Surovyak, Z.

Panichkin, I. Yu.; Chenakin, S. P.
Formation of complex ions during sputtering of multicomponent oxides.—75-09314

Panina, Z. V. See Malinovskii, Yu. A.

Paniscu, C. See Rezlescu, Nicolae

Pankina, G. V. See Chernavskii, P. A.

Pankov, G. A. See Galakhov, A. V.

Pankova, N. A.; Paryushkina, O. V.
Possible replacement of raw materials in continuous production of glass articles.—75-07394

Pankove, J. I. See Leksono, M. W.

Pankrats, A. I. See Petrakovskii, G. A.

Pankrats, A. I.; Petrakovskii, G. A.; Sablina, K. A.
Microwave resonance absorption in antiferromagnetic Bi_2CuO_4.—75-05695

Pannhorst, Wolfgang See Muller, Ralf

Panov, V. I.; Khar'kov, A. A.
Formation of radiation defects in binary compounds.—75-07896

Panova, T. I.; Malysheva, S. I.; Drozdova, I. A.; Glushkova, V. B.
Sol-gel synthesis of ZrO_2 solid solutions with Y_2O_3.—75-06773

Pansart, J.-P. See Chipaux, R.

Pantano, C. G. See D'Souza, A.; Singh, Anant K.

Panteleev, L. A. See Gusev, Yu. I.

Panteleev, V. N. See Ivanov, P. A.

Pantyukhina, M. I. See Podkorytov, A. L.

Panysheva, E. I.; Tunimanova, I. V.
Role of fluorine ions in the polychromatic process.—75-07366

Papadimitriou, L. See Serfoso, G.

Papaefthymiou, Georgia C.
Nanostructural studies by Mossbauer spectroscopy.—75-01892

Papageorgiou, D. See Van Wuellen, L.

Papalambros, Panos See Dutta, Debasish

Papavassiliou, G.; Milia, F.; Fardis, M.; Nasr, L. A. E.; Miljkovic, L.; Chaniotakis, E.
^1H NMR investigation of the influence of SO_3 on the hydration process of white cement.—75-00022

Papentsev, M. I. See Sobolev, M. M.

Papp, John F.
Chromite.—75-06025

Pappas, D. P.; Harris, V. G.; Hoff, H. A.; Watena, G. L.; Glesener, J. W.
Growth of single-crystal copper films on diamond using fcc iron seed layers.—75-01520

Paracchini, Luigi See Ferraris, M.

Parakhonskii, A. L.; Feklisova, O. V.; Karelin, S. S.; Yarykin, N. A.
Consecutive transformation of gold-containing complexes in *n*-type silicon under saturation by atomic hydrogen.—75-07812

Paramasivam, P. See Tan, K.-H.

Paramzina, S. E. See Belyankina, N. B.

Paranchich, L. D. See Georgitse, E. I.; Paranchich, S. Yu.

Paranchich, S. Yu. See Georgitse, E. I.

Paranchich, S. Yu.; Paranchich, L. D.; Makogonenko, V. N.
Electrophysical properties of $Fe_xHg_{1-x}Se$ alloys.—75-09140

Paranjali, P. V. See Bai, V. Seshu

Parasyuk, O. V. See Olekseyuk, I. D.

Parbat, R. N.
Development and applications of refractories—the experience in the nonferrous metallurgical industry.—75-07512

Pardavi-Horvath, Martha See Takacs, Laszlo

Pardo, L. See Alemany, C.; Ricote, J.

Parekh, Ebrahim M. See Black, William E.

Parent, Luc See Auger, Marc

Parfen'ev, R. V. See Nemov, S. A.

Parfen'eva, L. S. See Bogomolov, V. N.

Parfenov, O. E. See Chumachenko, A. V.; Varyukhin, S. V.

Parfenov, V. V.; Gubanova, I. A.; Staroverova, M. E.
Effect of cooling in vacuum on the electrical properties of Mn-Zn off-stoichiometric ferrites.—75-08202

Parfenyuk, O. A.; Ilashchuk, M. I.; Savitskii, A. V.; Ul'yanitskii, K. S.
Relaxation processes in semiinsulating CdTe(Cl).—75-06511

Parikh, Nalin See Bai, Pei-Guang

Parisakis, G. See Kaselouri, V.

Park, B.-H. See Kim, D.-H.

Park, Bo-Hyun; Baik, Sung-Gi
Chemical beam deposition [CBD] of MgF_2 thin films.—75-09238

Park, Bong-Mo See Oh, Kwang-Suk

Park, Bong-Mo; Chung, Su-Jin
Ferroelectric domains in $BaTiO_3$.—75-08143; Orientation states of ferroelectric domains and {111} twins in $BaTiO_3$.—75-08157

Park, Byung-Kyu See Oh, Kwang-Suk

Park, Chan; Snyder, Robert L.
Structures of high-temperature cuprate superconductors.—75-00871

Park, Chang-Yub See Kim, Joon-Han

Park, Cheon-Joo See Lee, Ki-Gang

Park, Chong-Ook See Lee, Young-J.

Park, Churl-Won See Yun, Young-Hoon

Park, Colin W. See Pan, Ming-Jen

Park, D. E.; Whiteley, P. G.
Recent developments in the design and application of blast furnace refractories.—75-07642

Park, D.-W. See Choi, Kyung-Soo

Park, D.-W.; Jeon, C.-H.; Kang, D.-K.; Choi, B.-J.; Kim, D.-H.
Influences of electrochemical vapor deposit conditions on growth rate and characteristics of YSZ thin films: I.—75-09342

Park, D.-W.; Jeon, C.-H.; Kim, D.-R.
Influences of electrochemical vapor deposition conditions on growth rate and characteristics of YSZ thin films: II.—75-09343

Park, E.-B. See Kim, C.-W.

Park, E.-B.; Yang, C.-J.
Effect of magnetic field treatment on enhanced exchange coupling of $Nd_2Fe_{14}B/Fe_3B$ magnet.—75-08205

Park, Eugene S.; Poste, Steven D.
Ceramic foams.—75-02565

Park, Gwang-Seo See Lee, Sang-Min; Sung, Gun-Yong

Park, H. See Phillipps, A.

Park, H.-C. See Chu, J. I.; Kim, K.-H.; Ryu, B.-K.

Park, H.-L. See You, Y.-C.

Park, Hai-Woong See Kim, Chan-Joong

Park, Hai-Woong; Kim, Ki-Baik; Lee, Kyu-Won; Kuk, Il-Hyun; Hong, Gye-Won; Kim, Chan-Joong
Sm_2BaCuO_5 refinement via an attrition milling and CeO_2 addition in Sm-Ba-Cu-O systems melt textured at oxygen partial pressures of 0.001–1 atm.—75-08412

Park, Hong-Chae See Kim, Yeong-Woo

Park, Hong-Chae; Park, Hyun-Chul; Lee, Yoon-Bok; Rew, Su-Chak; Oh, Ki-Dong
Sintering and microstructure of Al_2O_3-ZrO_2 ceramics containing TiO_2 [0–12 wt%].—75-09437

Park, Hong-Kyu; Kim, Do-Kyung; Kim, Chong-Hee
Synthesis of monodisperse spherical $ZrTiO_4$ powders by thermal hydrolysis of metal salts.—75-04244

Park, Hong-Kyu; Moon, Young-Tae; Kim, Do-Kyung; Kim, Chong-Hee
Formation of monodisperse spherical TiO_2 powders by thermal hydrolysis of $Ti(SO_4)_2$.—75-09316

Park, Hoon See Lee, Jin-Ho

Park, Hyun-Chul See Park, Hong-Chae

Park, J. M. See Curtin, W. A.

Park, J. S. See Nayak, D. K.

Park, J.-C. See Lee, Y.-H.

Park, J.-H.; Ahn, Z.-S.
Possibility of production of reaction-bonded aluminum oxide using microwave energy.—75-04143

Park, J.-H.; Kweon, Y.-G.; Kim, S.-H.
Development and application of automatic brazing machine for automobile fuel tank.—75-08516

Park, J.-H.; Park, S.-J.
Effect of V_2O_5 on the electrical properties of TiO_2-V_2O_5 humidity sensors.—75-03010

Park, J.-W.; Pedraza, A. J.; Allen, W. R.
Auger electron spectroscopy of metallic film/laser-irradiated alumina couples.—75-04298

Park, Jae-Hong See Lee, Sang-Min

Park, Jae-Hwan; Kim, Byung-Kook; Park, Soon-Ja
Electrostrictive coefficients of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$-$0.1PbTiO_3$ relaxor ferroelectric ceramics in the ferroelectricity-dominated temperature range.—75-00657

Park, Jin-Ho See Jeong, Kyung-Chai

Park, Jin-Joo; Kimura, Atsushi; Yamaguchi, Koji; Yamakawa, Akira
Silicon nitride powder and method for producing the same.—75-06141

Park, Jong-C. See Hur, Yong-H.

Park, Jong-Gwan See Lee, Jung-June

Park, Jong-K. See Eun, Kwang-Y.

Park, Jong-Keuk; Kim, Doh-Yeon
Effect of grain size on diffusion-induced grain boundary migration in $Ba(Zn_{1/3}Nb_{2/3})O_3$ ceramics.—75-04317

Park, Jong-Wan See Moon, Hwan-Seong

Park, Jun-Hong; Lee, Dae-Hee; Shin, Hyo-Soon; Lee, Byung-Kyo
Transition of the particle-growth mechanism with temperature variation in the molten salt method.—75-04415

Park, K. See Erturk, T.

Park, K.; Salamanca-Riba, L.; Wuttig, M.; Viehland, Dwight
Ordering in lead magnesium niobate solid solutions.—75-03245

Park, K.-B. See Yoon, K.-H.

Park, Kh. S. See Toropov, A. A.

Park, P.-H. See Lee, K.-H.

Park, S. M.; Hellstrom, E. E.
Ionic conductivity of Na, K, and Ag $\int 1/21/2$-alumina–ZrO_2 composites.—75-05200

Park, S.-J. See Cho, S.-Y.; Park, J.-H.

Park, S.-K. See Kim, S.-H.

Park, S.-W.; Gam, Jig-Sang; Han, Kyong-Sop
Effects of coating layer on mechanical properties of LAS/Nicalon SiC fiber composites.—75-00089

Park, Sang-Shik See Chae, Su-Jin

Park, Sang-Whan; Choi, Young-Hwa; Kim, Tae-Woo
Effects of interlayers on the bending strength of silicon nitride/stainless steel joints.—75-07207; FEM residual stress analysis and mechanical properties of silicon nitride/stainless steel joint with multiinterlayer.—75-07212

Park, Seung-Bae See Sun, Chin-Teh

Park, Seung-Eek See Markowski, Kelley A.; Pan, Ming-Jen

Park, Seung-Eek; Chung, Su-Jin; Kim, In-Tae
Ferroic phase transitions in $(Na_{1/2}Bi_{1/2})TiO_3$ crystals.—75-03232

Park, Soon-Ja See Park, Jae-Hwan; Yoo, Do-Joon

Park, Sung See Baik, Nam-Seok

Park, Tae-H. See Lim, Byung-C.

Park, Y.-K. See Lee, Y.-H.

Park, Y.; Skowronski, M.
Photoluminescence of GaAs doped with dimethylaluminum methoxide during organometallic vapor phase epitaxy.—75-05432

Park, Yang-Duk See Oh, Seh-Min

Park, Yang-Duk; Kim, Chul-Woo; Seo, Young-Dae
Preparation of high-density graphite materials from coal tar pitch.—75-00004

Park, Yong-K. See Hur, Yong-H.

Park, Yung; Cho, Nam-Hee; Kim, Yoon-Ho
Dielectric ceramic composition for high frequencies and method for preparation of the same.—75-07757; Microwave dielectric ceramic composition.—75-00404

Parkash, O.; Kumar, Devendra; Prasad, C. Durga
Electrical conduction in the $Sr_{1-x}La_xTi_{1-x}Co_xO_3$ ($x \leq 0.4$) system.—75-02903

Parkash, O.; Mandal, K. D.; Christopher, C. C.
Preparation and characterization of strontium stannate.—75-06716

Parker, F. T. See Margulies, D. T.; Spada, F. E.

Parker, Frank L.
Radioactive wastes 1955-1995.—75-03491

Parker, John
Nanophase ceramics for commercial application.—75-06691

Parker, M. A. See Ahlert, Richard H.; Hylton, T. L.

Parker, Martin R. See Nikles, David E.

Parker, Stephen C. See Davies, Mark J.

Parkin, I. P.; Fitzmaurice, J. C.
Metathetical routes to uranium and thorium oxides and nitrides.—75-06682

Parkinson, Bruce A.
Epitaxial growth of two-dimensional dichalcogenides and modification of their surfaces with scanning probe microscopes.—75-01848

Parks, G. A. See Towle, S. N. Jr.

Parlier, M. See Sundre, O.

Parlinski, K.; Sternik, M.
Computer simulation of the tweed microstructure in high-T_c superconductors.—75-05738

Parmentier, Francois
Titanium/zirconium/cerium oxide granular particulates/agglomerates.—75-08635

Parmeter, John E.; Tallant, David R.; Siegal, M. P.
Thermal stability studies of diamondlike carbon films.—75-01359

Parot-Rajaona, Tiana; Cote, B.; Bessada, Catherine; Massiot, D.; Gervais, Francois
Attempt to reconcile interpretations of atomic vibrations and ^{29}Si NMR data in glasses.—75-02575

Parpiev, T. K. See Mamadalimov, A. T.

Parr, C.
Clay currents.—75-02218

Parrell, J. A.; Polyanskii, A. A.; Pashitski, A. E.; Larbalestier, D. C.
Direct evidence for residual, preferentially oriented cracks in rolled and pressed Ag-clad BSCCO-2223 tapes and their effect on the critical current density.—75-08290

Parrick, J. See Yu, Ga-Er

Parrinello, Michele See Langel, Walter

Parris, David See Moloney, Veronique M. B.

Parshikov, S. A. See Sysoev, A. M.

Parshin, P. P. See Chumachenko, A. V.

Parshukov, N. N. See Andreev, O. V.

Parsons, J. D. See Hahn, S. R.

Parsons, James D.; Chaddha, Ajay K.; Chen, Her S.; Wu, Jin
Substrates for the growth of 3C-silicon carbide.—75-08118

Parthasarathy, Triplicane A. See Hay, Randall S.

Parthasarathy, Triplicane A.; Hay, Randall S.; Ruh, Robert
High-temperature deformation of SiC whisker-reinforced MgO/PSZ mullite composites.—75-02059

Partlow, D. P. See Piloto, A. J.

Partlow, W. D.; Schreurs, J.; Young, R. M.; Martorell, I.; Dighe, S. V.; Swartzbeck, G.
Low-cost diamond production with large plasma torches.—75-08532

Partridge, P. G. See Ashfold, M. N. R.; Chia, Q. S.

Partsinevelos, C. S. See Lee, D. F.

Parulekar, R. S.; Ghosh, D.; Page, C. H.; Chatterjee, A. K.
Rapid determination of clinker-free lime for process control—design and development of an apparatus.—75-00063

Parvulescu, Vasile; Vasiliu, F.; Serbu, Cornel
Properties and hydrogenation activity of Pd-Dy/alpha-Al_2O_3 and Dy/γ-Al_2O_3 catalysts: I, Preparation and characterization.—75-03658

Parvulescu, Vasile
Properties and hydrogenation activity of Pd-Dy/alpha-Al_2O_3 and Dy/γ-Al_2O_3 catalysts: II, Hydrogenation of vinyl and divinylbenzenes.—75-03659; Properties and hydrogenation activity of Pd-Dy/alpha-Al_2O_3 and Dy/γ-Al_2O_3 catalysts: III, Cyclohexene and indene hydrogenation.—75-03660; See also Vasiliu, F.

Parya, T. K. See Mitra, N. K.

Paryushkina, O. V. See Pankova, N. A.

Pascual, L.; Duran, A.
Mixed alkali effect in the system R_2O-PbO-P_2O_5.—75-07350

Pasechnik, Yu. A. See Mel'nichuk, A. V.

Pasekov, V. F. See Vlasova, E. O.

Pashby, I. R. See Tuersley, I. P.

Pashchenko, V. P. See Mitrofanov, V. Ya.

Pashchenko, V. P.; Shemyakov, A. A.; Prokopenko, V. K.; Klochai, I. F.; Alekhov, Yu. A.; Khapalyuk, E. A.
Effect of isovalent and heterovalent substituent ions on the structure and properties of nickel zinc ferrites.—75-08204

Pashinkin, A. S.; Fedorov, V. A.
Physicochemical principles of arsenic extraction from sulfide ores.—75-06503

Pashinkin, A. S.; Malkova, A. S.; Ivanov, I. A.
Heat capacity of yttrium aluminum garnet, $Y_3Al_5O_{12}$, in the range 350–610 K.—75-08221

Pashitski, A. E. See Parrell, J. A.

Pashitskii, E. A.; Pentegov, V. I.
Acoutic plasmons as a possible cause for the anomalous peak of thermal conductivity in high-temperature superconductors below the critical temperature.—75-08260

Pashkevich, B. See Kunitsyn, A. E.
Pashkevich, R. See Kunitsyn, A. E.
Pashkevich, Yu. G. See Sobolev, V. L.
Pashkevich, Yu. G.; Pishko, V. V.; Tsapenko, V. V.; Eremenko, A. V.
One-phonon ir absorption induced by magnetic ordering in Nd_2CuO_4.—75-08998
Pashkov, G. L. See Nikolaeva, R. B.
Pashkova, O. N. See Padalko, A. G.
Pashkovskii, I. L. See Ryzhkovskii, V. M.
Pasishnik, S. V. See Ezikov, V. I.
Pask, Joseph A. See Kitayama, M.
Paskocimas, C. A. See Boillet, J.; Leite, E. R.
Paslavskii, V. V. See Zonshain, E. M.
Pasquali, Guelfo See Andreola, F.
Pasquevich, Alberto F. See Rivas, Patricia C.
Passing, G. See Baldus, H.-P.
Pasternak, V. A. See Aleshin, A. N.
Pastor, Henri; Allibert, Colette; Ottavi, Laurent; Albajar, Manuel; Castro-Fernandez, Francisco
Cermets based on transition metal borides, their production and use.—75-02566
Paszkiewicz, Zofia See Slosarczyk, Anna
Pat'ko, A. I. See Stepanova, E. A.
Pate, B. B. See Bandis, Christos; Haggerty, David
Patel, Anil
Ferroelectric thin films for integrated devices.—75-05578; See also Obhi, Jasvinder Singh
Patel, Aspi N. See Sonuparlak, Birol
Patel, Bhaskar See Chen, En-Sheng
Patel, J. N. See Bedekar, R. N.
Patel, M. See Padhi, B. K.
Patel, R. S.; Redmond, T. F.; Tessler, C.; Tudryn, D.; Pulaski, D.
Laser via ablation technology for MCMs thin film packaging-past, present, and future at IBM microelectronics.—75-00346
Patel, V. See Grill, A.
Pathak, Bhadresh N. See Zah, Chung-En
Pathak, G. M.; Gangadharan, K.; Pal, H.
Luminescence properties of Ti-doped gem-grade zirconia particles.—75-06485
Pathak, L. C.; Mishra, S. K.; Mukunda, P. G.
Sintering studies on submicrometer-sized Y-Ba-Cu oxide powder.—75-05831
Pathmamanoharan, Chellapah See Philipse, Albert P.
Pathumarak, S.; Al-Khafaji, M.; Lee, W. E.
Microstructural development on firing Nb_2O_5- and Bi_2O_3-doped $BaTiO_3$.—75-00350
Pati, Dipankar See Dasgupta, A.
Patibandla, N. See Hillig, W. B.
Patil, A. N.; Otsuka, N.; Andres, Ronald P.
Synthesis and characterization of structured metal/silica clusters.—75-00138
Patil, B. L.; Sawant, S. R.; Patil, S. A.
Electrical properties of Si^{4+} substituted copper ferrite.—75-06456
Patil, K. C. See Arul Dhas, N.; Dhas, Nalamudyan Arul; Gopi Chandran, R.; Sekar, M. M. A.; Suresh, K.
Patil, S. A. See Patil, B. L.
Patil, Shashikumar See Kumar, Viswanathan
Patnaik, C. See Padhi, B. K.
Patrakeev, M. V.; Lakhtin, A. A.; Leonidov, I. A.; Nikolaev, A. V.; Kozhevnikov, V. L.
Thermodynamics of oxidation of $La_1Ba_3Cu_6O_{14+\delta}$.—75-05853
Patrakeev, M. V.; Leonidov, I. A.; Lakhtin, A. A.; Mitberg, E. B.; Kozhevnikov, V. L.
Oxygen nonstoichiometry of $LaSr_2Fe_3O_{9-\delta}$ compounds.—75-09002
Patrat, G. See Vassent, J. L.
Patrick, David L.; Beebe, Thomas P., Jr.
Substrate defects and variations in interfacial ordering of monolayer molecular films on graphite.—75-06858
Patrin, G. S.; Velikanov, D. A.; Petrakovskii, G. A.
Temperature response of the photomagnetic effect in $FeBO_3$ crystals studied in a SKVID magnetometer.—75-05717
Patrina, I. B. See Masterov, V. F.; Vladimirskaya, E. V.
Patsekin, A. V. See Golubev, V. G.
Pattanayak, P. K. See Tripathy, A. K.
Patterson, B. R. See Horn, J. A.
Patterson, J. D.
Narrow gap semiconductors[—review].—75-03096
Pattnaik, R. See Toulouse, J.
Patton, Carl E. See Tsankov, Mincho A.
Patton, Martin O. See Stan, Mark A.
Pattsel't, T. See Vendik, I. B.
Patyn, Johan See Brauns, Etienne
Paufler, P. See Wolf, B.
Paugurt, A. P. See Pleshakov, I. V.
Paukshtis, E. A. See Bogdanchikova, N. E.
Paul, G. See Braue, W.
Paul, Phillip See MacDonald, Alister
Paulavicius, A. See Vengalis, B.
Pauls, Norbert
Tests on the recyclability of the reaction product from flue gas cleaning plants to reduce fluorine concentration in the brick and tile industry.—75-06011
Pavelets, A. M. See Bobrenko, Yu. N.
Pavelets, A. M.; Pavelets, S. Yu.; Svanidze, T. M.
$CdSe_xTe_{1-x}$ surface barrier structures for solar cells.—75-02970
Pavelets, S. Yu. See Bobrenko, Yu. N.; Pavelets, A. M.
Pavlenko, V. B. See Kondratiev, D. M.; Korzhik, M. V.
Pavlenko, V. K. See Belyi, V. N.
Pavlica, Stanley R. See Whittemore, Dwight S.
Pavlidis, D. See Brown, S. W.; Wang, Kung
Pavlikov, V. N. See Garmash, E. P.; Ugai, A. Ya.
Pavlov, A. N.; Raevskii, I. P.
Migration of nonequilibrium charge carriers in polycrystalline ferroelectrics.—75-08153
Pavlov, D. A.; Shengurov, V. G.; Shengurov, D. V.; Khokhlov, A. F.
Sublimation method in obtaining doped films of polycrystalline silicon.—75-03174
Pavlov, G. P. See Obolenskii, S. V.
Pavlov, K. M. See Punegov, V. I.
Pavlov, V. F. See Petrakovskaya, E. A.
Pavlov, V. V. See Krichevtsov, B. B.
Pavlova, L. M. See Glazov, V. M.
Pavlova, L. See Lepkova, D.
Pavlova, T. M. See Bogomolov, V. N.
Pavlovskii, V. K.; Romanova, E. K.; Semenov, A. D.
Interaction of magnesium-containing refractories and melts of optical glass.—75-07584; Molten cast materials of the Al_2O_3-MgO system.—75-02824
Pavlovskii, V. K.; Semenov, A. D.
Solid inclusions in optical glass.—75-02607
Pavlushkina, T. K. See Bikbau, M. Ya.
Pavlyshin, A. Z. See Dutsyak, I. S.
Pavlyuk, A. A. See Kaminskii, A. A.
Pawar, S. H.; Kulkarni, S. B.; Ubale, M. J.
Room-temperature electrochemical synthesis of sequentially layered superconducting Bi-Sr-Ca-Cu-O films.—75-03399
Pawelczyk, M. See Molak, A.; Ujma, Z.
Pawlicki, E. J. See Fu, De-Chun
Pawlowski, L. See Cosack, T.
Payne, David A. See Tani, Toshihiko
Payne, James A. See Lewis, J. A.
Payne, M. J. P. See McDougall, J.
Payne, Michael C. See Winkler, Bjorn
Payne, Stephen A.; DeLoach, Laura D.; Smith, Larry K.
Ytterbium-doped apatite structure crystals: a new class of laser materials.—75-01257
Payne, Stephen A.; Krupke, William F.; Beach, Raymond J.; DeLoach, Laura D.; Emanuel, Mark A.; Marshall, Christopher D.
New solid-state lasers from the ultraviolet to the mid-infrared.—75-05399
Payten, W. M.; Mercer, D. J.; Ben-Nissan, B.; Bodur, C.; Huckstep, R. L.; Lutton, P. P.
Two and three dimensional finite element analyses of a PSZ ceramic femoral knee prosthesis.—75-01097
Payzant, E. A.; King, H. W.
High-temperature electrical resistivity of solid-solution $LaSr(Cu,M)O_4$ ceramics.—75-06472
Paz de Araujo, C. A. See Melnick, B. M.; Mihara, Takashi
Paz-Pujalt, Gustavo R.; Tuschel, David D.; Braunstein, Gabriel
Characterization of proton exchange lithium niobate waveguides.—75-00639
Pazik, J. C. See Carlos, W. E.
Pazzi, G. P. See Nikl, M.
Peace, B. W.
Advances in multilayer ceramic capacitor technology.—75-02890
Pearah, Paul J.; Chen, Arnold C.; Moy, Aaron M.
AlGaInP multiple quantum wire heterostructure lasers prepared by the strain-induced lateral layer ordering process.—75-05237
Pearce, John A.; Daniel, David E.; Boerigter, Jana; Zuluaga, Andres
Radio-frequency-enhanced soil vapor extraction for in situ remediation.—75-00982
Pearson, Aaron T. See Boyle, Timothy J.
Pearson, D. H.; Edelstein, A. S.
Gas condensation of ultrafine silicon particles using dc magnetron sputtering.—75-04053
Pearson, Dale S. See Yanez, Joseph A.
Pearton, S. J. See Bharatan, S.; Mackenzie, J. D.; Zavada, J. M.
Pearton, S. J.; Abernathy, C. R.; Ren, F.; Lothian, J. R.
Ion milling and reactive ion etching of III-V nitrides.—75-00528
Pecharroman, C.; Ocana, M.; Tartaj, P.
Infrared optical properties of zircon.—75-06477
Pecharskii, V. K. See Stadnyk, Yu. V.
Pecheron-Guegan, A. See Ostorero, J.
Peck, D. H.; Miller, M.; Kobertz, D.; Nickel, Hubertus; Hilpert, Klaus
Vaporization of $LaCrO_3$: partial and integral thermodynamic properties.—75-09102
Pecoraro, G. A. See Mishra, A.
Pecoraro, G. A.; Marra, James C.; Wenzel, John T.
Ceramic Transactions, Volume 78: Corrosion of Materials by Molten Glass.—75-09741
Pedersen, Michael S. See Linderoth, S.
Pederson, D. O. See Aurora, T. S.
Pederson, L. R. See Stevenson, J. W.
Pederson, Mark R. See Quong, Andrew A.
Pedlikova, Jitka See Lezal, Dimitrij
Pedraza, A. J. See Park, J.-W.
Pedraza, A. J.; Cao, S.; Allard, L. F.; Lowndes, D. H.
High resolution transmission electron microscopy of metallic film/laser-irradiated alumina couples.—75-04336
Pedrini, C. See Belsky, Andrey N.
Pedrini, C.; Belsky, Andrey N.; Vasil'ev, A. N.; Bouttet, D.; Dujardin, C.; Moine, B.
Fluorescence properties of CeF_3 and of some other cerium-doped crystals and glasses under VUV and X-ray synchrotron excitation.—75-00188
Pedulla, Joseph; Bartos, Axel; Deslattes, Richard D.
Hard high-density carbon thin films for X-ray multilayer optics.—75-01149
Pedzich, Z.; Haberko, Krzysztof
Coprecipitation conditions and compaction behavior of Y-TZP nanometric powders.—75-03980
Peeler fDavid K., See Kim, Dong-Sang
Pegg, I. L. See Buechele, A. C.; Gan, H.; Matlack, K. S.
Pegon, Philippe M. See Floch, Herve G.
Pegrum, C. M. See Hao, L.
Pehrsson, Pehr E.; Marchywka, Mike; Long, James P.; Butler, James E.
Electrochemical surface modification of diamond.—75-09298
Pei, Benyan; Lu, G. Q.; Wang, G. X.
Thermodynamics and kinetics of passive oxidation of Si_3N_4-bonded SiC ceramics.—75-02019
Pei, P. T. See Malghan, Subhas G.
Pei, Z. J.; Prabhakar, D.; Ferreira, P. M.; Haselkorn, M.
Rotary ultrasonic drilling and milling of ceramics.—75-00986
Peigneux, Jean-Pierre See Korzhik, M. V.
Peigney, Alain; Rousset, Abel
Phase transformations and melting effects during the sintering of bismuth-doped zinc oxide powders.—75-05418
Peiris, Dunstan H. See Zhang, Jian G.
Peitz, Bettina See Kuper, Gerhild
Pekala, M.; Tampieri, A.; Celotti, G.; Houssa, M.; Ausloos, M.
Magnetotransport study of a Bi2223 superconductor produced by a high-pressure method.—75-08359
Pekala, R. W.; Mayer, S. T.; Poco, J. F.; Kaschmitter, J. L.
Structure and performance of carbon aerogel electrodes.—75-01946
Pekhn'o, V. I. See Volkov, S. V.
Pekov, I. V. See Rastsvetaeva, R. K.
Pekov, I. V.; Zav'yalov, E. N.; Fedyushchenko, S. V.; Shcherbachev, D. K.; Borodaev, Yu. S.; Dorokhova, G. I.
Baksanite $Bi_6(Te,S)_3$—a new mineral species from Tyrnyauz (Northern Caucasus).—75-08754
Pelaz, Lourdes; Vicente, J.; Jaraiz, M.; Bailon, L.; Barbolla, J.
Forward conduction mechanisms in SiC *p-n* junctions.—75-00493
Peled, A.; Bentur, A.; Yankelevsky, D.
Woven fabric reinforcement of cement matrix.—75-02432
Pelham, S. E. See Hughes, T. L.
Pelino, M.; Cantalini, C.; Veglio, F.
Crystallization of glasses obtained by recycling goethite industrial wastes to produce glass-ceramic materials.—75-05003
Pelino, Mario See Sun, Hong-Tao
Pellacani, Gian Carlo See De Oliveira, Antonio Pedro Novaes
Pelleg, J. See Revzin, B.
Pelleg, J.; Sinder, M.
Theoretical analysis of dopant redistribution in silicon after implantation through an SiO_2 mask.—75-00615
Pellow, Scott See Frodin, James E.
Pelton, Arthur D. See Degterov, Sergei A.
Pemble, Martyn E. See Gould, Benjamin J.
Pen'kov, N. V.; Shamrikov, V. M.
Method of modeling the formation process of porous silica gel structures.—75-05962
Pena, Angel F. V. See Corat, Evaldo J.
Pena, O. See Ouammou, A.; Satyavathi, S.
Pendalwar, Shekar L. See Tour, James M.
Peng, J. L. See Abulafia, Y.; See Bursill, L. A.
Peng, S. See Gao, Z.
Peng, W.-B. See Xiao, D.-Q.
Peng, X. See Chen, Q.-F.
Peng, X.-F. See Gao, Q.-J.
Peng, Yong-Jun; Wang, Dian-Fen
Synergistic mechanisms of composite collector.—75-09076
Peng, Z.-M. See Ren, C.-Z.
Peng, Zhi-Xue; Bhaduri, S. B.; Watt, G. L.
Synthesis of TiB-TiB_2-reinforced titanium matrix composites by combustion synthesis.—75-07233
Penin, N. A.
Negative capacitance in semiconductor structures.—75-07982; See also Aslanov, G. A.
Penkina, N. V.; Smaev, V. N.
Measurements of density and viscosity of aqueous aluminum nitrate solutions.—75-09159
Pennisi, L. See Hu, J. Q.
Pennycook, S. J. See Browning, N. D.; McGibbon, M. M.
Pennycook, S. J.; Jesson, D. E.; McGibbon, A. J.
Incoherent imaging by Z-contrast STEM—towards 1 Å resolution.—75-01871
Penrod, Bret E.
Glass production method using ilmenite.—75-07423
Pentegov, V. I. See Pashitskii, E. A.
Pentilie, I. See Petre, D.
Pepe, Franco; Occhiuzzi, Manlio
Surface characterization and catalytic activity of $Co_xMg_{1-x}Al_2O_4$ solid solutions. Oxidation of CO by oxygen.—75-06936
Pera, Jean See Ambroise, J.
Perata, D. D.
Monk potter.—75-02301
Perazoli, Lenig A. See Leite, E. R.
Perchak, Dennis R.; O'Reilly, J. M.
Volume minimum in computer simulations of supercooled, amorphous silica.—75-06406
Percy, M. J.; Bartlett, J. R.; Woolfrey, J. L.; Spiccia, L.; West, B. O.
Kinetics of colloid formation during the hydrolysis of zirconium *n*-propoxide.—75-01557; 75-01558
Pereira, Candido
Production of sodalite waste forms by addition of glass.—75-03489
Pereira, E. See Hofmann, D. M.
Pereira, L. See Hofmann, D. M.
Perekalina, T. M. See Gubkin, M. K.
Perekalina, Z. B. See Veremeichik, T. F.
Perepelitsyn, V. A. See Khoroshavin, L. B.
Perera, D. S. See Alecu, I.; Drennan, J.; Li, X. S.; Low, I. M.; Stewart, M. W. A.
Perera, D. S.; Liddell, K.; Moricca, S.; Drennan, J.; Ding, W.; Fan, Q.-S.
Phase relationships in the Si_3N_4-SiC-La_2O_3-Y_2O_3-SiO_2 system under high-pressure gas processing.—75-09034
Perera, D. S.; Stewart, M. W. A.; Moricca, S.; Jeffries, R. L.
Final stage sintering of aluminum titanate with and without additives by hot isostatic pressing.—75-01502
Perera, D. S.; Wells, L. J.
Preparation, characterization, and properties of a Ti-Al-O-N composite with high TiN concentration.—75-01627

Pererva, L. V. See Borovik, N. P.
Peres, P. See Reynaud, P.
Peresh, E. Yu. See Galagovets, I. V.
Pereverzev, V. G. See Ralchenko, V. G.
Perez, F.; Obradors, X.; Fontcuberta, J.; Bozec, X.; Fert, A.
Magnetic flux penetration and creep in a ceramic (Y, Sm)$Ba_2Cu_3O_7$.—75-08356
Perez-Cardenas, F. See Gan, H.
Perez-Murano, F.; Barniol, N.; Aymerich, X.
Spectroscopic characterization of nanoscale modification of passivated Si(100) surface by STM.—75-00598
Perez-Rodriguez, J. L. See Sanchez-Soto, P. J.
Perfecto, E. D.; White, G.; Saji, K.; O'Donnell, W.; Redmond, T. F.
Manufacturing considerations for mcm-d large format fabrication.—75-00348
Perfecto, Eric D.; Prasad, Chandrika; Prasad, Keshav; Robbins, Gordon J.; Swaminathan, Madhavan; White, George E.
Minimal capture pads applied to ceramic vias in ceramic substrates.—75-05528
Pergament, A. L. See Odynets, L. L.
Perichta, Peter See Liska, Marek
Perino, Stanley; Davenport, Thomas E.
Method of manufacturing ferroelectric bismuth layered oxides.—75-00715; 75-08183
Perisse, M. E. See Chen, Ching-Fong
Peri, Allen S.
Zinc oxide.—75-06062
Perlin, P. See Teisseyre, H.
Perlmutter, Daniel D. See Robinson, Priscilla A.
Permogorov, S. A. See Reznitskii, A. N.; Vlasov, Yu. A.
Permogorov, S. A.; Naumov, A. Yu.; Tenishev, L. N.; Reznitskii, A. N.; Fedorov, D. L.
Luminescence of free excitons in disordered ZnCdSe solid solutions.—75-05368
Permyakova, T. V. See Zhabrev, V. A.
Pernisz, U. C.
Electro-formed thin-film silica device as oxygen sensor.—75-00330
Perondi, L. See Elliott, R. J.
Perov, P. I. See Khomich, A. V.; Polyakov, V. I.; Popovici, G.; Teremetskaya, I. G.
Perret, A. See Haenni, W.
Perron, Jean See Auger, Marc
Perrot, Olivier See Jacoboni, Charles
Perry, K. E. See Mackin, T. J.
Perry, T. A. See Meng, W. J.
Perryman, Jane
Smoke-fired pottery.—75-02359
Pershenkov, V. S. See Barinov, Yu. V.
Pershikova, N. I. See Grigor'ev, V. N.
Pershin, A. I. See Mamykin, A. I.
Pershukevich, P. P. See Bagnich, S. A.
Persoons, R. M.; Luyten, J.; Stalios, A. D.
Corrosion of ceramics in special gas atmospheres.—75-01986
Persson, Bertil
Hydration and strength of high-performance concrete.—75-04818
Persson, Jeanette See Kall, Per-Olov
Perumal, P. See Anathakumar, S.
Peruyero, Jose See Chernakova, Ana K.
Pervov, V. S. See Elizarova, N. V.
Pervov, V. S.; Volkov, V. V.; Fal'kengof, A. T.; Makhonina, E. V.; Elizarova, N. V.
Origin of structural instability in metal-intercalated layered dichalcogenides.—75-07999
Pesenti, Luigi See D'Avolio, Antonio
Peshev, P.; Slavova, V.
Preparation of lanthanum aluminate thin films by a sol-gel procedure using alkoxide precursors.—75-06731
Peshev, V. V.; Smorodinov, S. V.
W defect in *n*-InP.—75-07776
Pesina, T. I. See Baikova, L. G.
Peskov, N. V.
Stochastic model of the growth of an A-type crystal by molecular beam epitaxy.—75-09451
Peslyak, G. V. See Sotnikova-Yuzhik, V. A.
Pesotskaya, N. S. See Silyakov, S. L.
Pestininkas, T. See Palenskis, V.
Petcheritsyn, I. M. See Kryzhanowsky, I. I.
Peterlik, H.
Viscoelasticity of ceramics at high temperatures.—75-07056
Peterman, D. W.; Ye, M.; Wigen, P. E.
Controlling high-frequency chaos in circular YIG films.—75-00728
Peters, M. See Schulz, U.
Peters, Michael G. See Plano, Linda S.
Peters, P. W. M. See Ludenbach, G.
Petersen, B. L. See Terminello, L. J.
Petersen, K.; Walkenhorst, A.; Schmitt, M.
Preparation and characterization of CeO_2-based superconducting field effect transistors.—75-00846
Petersham, M.
Using natural clays.—75-02375
Peterson, A.
Patrick Crabb—contemporary archaeologist in clay.—75-02323
Peterson, C. R.; Mansour, S. A.; Bement, A., Jr.
Optical study of PZT thin-film capacitors.—75-05615
Peterson, David See Norwood, David
Peterson, George T.; Liska, Timothy J.; Nguyen, Can; McDevitt, John W.; O'Connor, Kevin N.; Collins, George J.
Glass container forming machine with a controller for controlling controllers.—75-03543
Peterson, J. R. See Chen, G.
Peterson, J.; Finn, W. E.; Dareing, Don W.
Non-Newtonian temperature and pressure effects of a lubricant slurry in a rotating hydrostatic step bearing.—75-04608
Peterson, Jeffrey L. See Amarakoon, Vasantha R. W.
Peterson, John R. See Lietz, Arthur A.
Petersson, C. Sture See Frojdh, Christer
Peteves, Stathis S.; Nicholas, Michael G.
Evaluation of brazed silicon nitride joints: microstructure and mechanical properties.—75-02467
Petio, Franz-Adolf See Mosser, J.
Petit, Guillaume See Martin, Philippe
Petit, J. See Neudeck, P.
Petrakovskaya, E. A.; Pavlov, V. F.; Bayukov, O. A.; Kukhlevskii, O. P.; Zeer, E. P.
Structural freatures of vitreous and glass-ceramic materials prepared from brown coal ashes.—75-02610
Petrakovskii, G. A. See Pankrats, A. I.; Patrin, G. S.
Petrakovskii, G. A.; Loseva, G. V.; Mukoed, G. M.; Kiselev, N. I.; Baranov, A. V.
Low-temperature electrical properties of $Me_xV_{1-x}S$.—75-09156
Petrakovskii, G. A.; Pankrats, A. I.; Sablina, K. A.; Vorotynov, A. M.; Velikanov, D. A.; Vasil'ev, A. D.
Effect of heat treatment on the magnetic and resonant properties of $CuGeO_3$.—75-09133
Petranovskii, V. P. See Barnakov, Yu. A.; Bogdanchikova, N. E.
Petrashko, A. See Kirpichnikova, L. F.
Petrasinovic-Stojkanovic, Ljiljana See Djuric, Mirjana
Petrauskas, M. See Tomashiunas, R.
Petre, D.; Pentilie, I.; Botila, T.
Trapping levels in $Bi_{12}SiO_{20}$ crystals.—75-01363
Petreanu, J. P.; Colangelo, S. E.; Brown, D. L.
Corrosion of dense chromic oxide refractory in E glass.—75-07496
Petrenko, V. T. See Arzhavitin, V. M.
Petrenko, V. V. See Akulovich, N. I.
Petric, B. See Petric, N.
Petric, N.; Petric, B.; Martinac, V.
Effect of TiO_2 on properties of magnesium oxide obtained from seawater.—75-06586
Petrichenko, N. L. See Bokov, V. A.
Petrie, W. T.; Vohs, John M.
Interaction of Pt films with ZnO(0001) and ZnO(000$\bar{1}$).—75-04344
Petrikov, V. D. See Alferov, Zh. I.
Petrosyan, A. G. See Ovanesyan, K. L.
Petrou, A. See Gorsuch, G.
Petrov, A. A. See Afanas'ev, V. P.
Petrov, A. P. See Levinskii, Yu. V.
Petrov, A. S.; Garkushin, I. K.; Trunin, A. S.
Chemical reaction in a five-component reciprocal system of lithium, sodium, and potassium fluorides, chlorides, and metavanadates.—75-06181
Petrov, I. N. See Golikova, O. A.
Petrov, M. I.; Balaev, D. A.; Shaikhutdinov, K. A.; Khrustalev, B. P.; Aleksandrov, K. S.
Critical currents in composites of HTSC+semiconductor at different concentrations of carriers.—75-08280
Petrov, V. N. See Gur'yanov, G. M.; Ledentsov, N. N.
Petrov, V. N.; Starovoitov, S. A.; Galaktionov, M. S.; Yushenkov, B. V.; Mamaev, Yu. A.
Image potential induced surface states of W(100) and PbS(100) studied by spectroscopy of polarized electrons.—75-08950
Petrova, E. B. See Ignat'eva, L. N.
Petrova, E. M. See Bayukov, O. A.
Petrova, I. V. See Bryzgalov, I. A.
Petrova, L. I.; Dudkin, L. D.; Khlomov, V. S.
Physicochemical processes at the interface of $MnSi_{1.75}$ and CoSi.—75-06317
Petrova, M. A. See Mikirticheva, G. A.; Zamoryanskaya, M. V.
Petrova, O. A. See Zonshain, E. M.
Petrova-Kokh, V. See Belyakov, L. V.
Petrovic, John J. See Hawk, J. A.; Reimanis, Ivar E.
Petrovich, Anthony See Kumar, Kaplesh
Petrovskaya, E. V. See Kantor, E. L.
Petrovskii, G. T. See Aleksandrov, I. V.; Onushchenko, A. A.
Petrusha, I. A. See Kabyshev, A. V.
Petry, M. D. See Hay, Randall S.
Petrykin, V. V.; Oleinikov, N. N.; Ketsko, V. A.
Oxidation of yttrium barium cuprate, $YBa_2Cu_3O_{6.09}$, under polythermal conditions.—75-08390
Petschelt, A. See Dierken, C.
Pettifer, A. J.; Brungs, M. P.
Reuse of water treatment residuals.—75-00252
Pettit, F. S.; Meier, G. H.; Blachere, J. R.
Hot corrosion of oxide ceramics.—75-01994
Pettselt, Ya. See Komandin, G. A.
Petukhov, B. V.
Effect of the composition fluctuations on the dislocation kinetics in films of solid solutions of semiconductors.—75-05297
Petukhov, V. V. See Kiseleva, N. N.; Zemskov, V. S.
Petzelt, J. See Reaney, I.
Petzow, G. See Bandyopadhyay, Siddharta; Dressler, Wolfgang; Kuang, S.; Magerl, F.; Mucklich, F.
Petzow, G.; Schubert, H.; Aldinger, Fritz
Status and perspective for processing of advanced ceramics.—75-04752
Peuckert, Marcellus See Bruck, Martin
Pevtsov, A. B. See Feoktistov, N. A.
Peyrot Chabrol, A. See Backhaus-Ricoult, M.
Pezzotti, Giuseppe See Kleebe, H.-J.; Lee, Byong-Taek; Sergo, Valter
Pezzotti, Giuseppe; Kleebe, H.-J.; Ota, Kenichi; Nishida, Toshihiko; Sakai, Mototsugu
Cohesive energy of interfaces and toughness of fluorine-doped Si_3N_4/SiC composites.—75-09608
Pezzotti, Giuseppe; Lee, Byong-Taek; Hiraga, K.; Nishida, Toshihiko
Microscopy investigation on fracture mechanisms in hot isostatically pressed Si_3N_4/SiC platelet composites.—75-04598
Pezzotti, Giuseppe; Mangialardi, Teresa; Nishida, Toshihiko; Sakai, Mototsugu
Phenomenological relation between final stage densification and creep rate in hot isostatically pressed Si_3N_4-based ceramics.—75-09660
Pezzotti, Giuseppe; Nishida, Toshihiko
Effect of size and morphology of particulate SiC dispersions on fracture behavior of Si_3N_4 without sintering aids.—75-04500
Pezzotti, Giuseppe; Ota, Kenichi; Kleebe, H.-J.
Grain boundary relaxation in high-purity silicon nitride.—75-06877
Pezzotti, Giuseppe; Ota, Kenichi; Nishida, Toshihiko; Sakai, Mototsugu
Effect of rising *R*-curve behavior on the high-temperature delayed failure resistance of Si_3N_4 ceramics under elastic slow crack growth [SCG] regime.—75-09625
Pezzotti, Giuseppe; Sergo, Valter; Ota, Kenichi; Sbaizero, O.; Muraki, Naoki; Nishida, Toshihiko
Residual stresses and apparent strengthening in ceramic matrix nanocomposites.—75-09422
Pezzotti, Giuseppe; Ueda, S.; Niihara, Koichi
Estimate of polytype fractions and dislocation density in SiC before and after sintering in Si_3N_4 matrix.—75-06225
Pfaff, E. M. See Michaeli, N.
Pfaff, G.
Peroxide route for synthesis of magnesium titanate powders of various compositions.—75-04133
Pfaff, Mark E. See Chen, Xin E.
Pfeifer, D. W. See McDonald, D.
Pfeiffer, Wulf See Hollstein, Thomas
Pfister, M. See Johnson, M. B.
Pfitzenmaier, Robert W. See Beall, George H.; Hagg, Sandra L.
Pfitzenmaier, Robert W.; Smith, C.
Colored glass-ceramics and method.—75-07414
Pfuch, A. See Polyakov, S. N.; Seidel, P.
Pham, H. T. See Gentilman, R. L.
Phani, K. K. See Choudhury, K.; Maitra, A. K.
Phani, K. K.; Mukherjee, Sampad; Basu, D.
Ultrasonic characterization of zirconia-toughened alumina ceramics.—75-09583
Phani, Ratna A.
Thin films of boron nitride grown by CVD.—75-06822
Pharriss, Bruce B. See Piez, Karl A.
Phelan, A.
50 years at the School for American Craftsmen.—75-02183
Phelps, Steve K. See Bowen, Paul S.
Philip, J. See Nandakumar, K.
Philippe, Louis See Jurcik, Benjamin
Philipse, Albert P.; Van Brueggen, Michel P. B.; Pathmamanoharan, Chellapah
Magnetic silica dispersions: preparation and stability of surface-modified silica particles with a magnetic core.—75-05689
Phillipps, A.; Simkin, D.; Witt, M.; Dillon, F.; Robinson, Q.; Park, H.
Thermal shock resistance of alumina-graphite refractories for the continuous casting of steel.—75-07678
Phillips, D. N. See Dye, S. T.; Fletcher, A. C.; Grace, A.
Phillips, David S. See Blumenthal, William R.
Phillips, Julia M.
Guide to substrate selection for thin-film growth.—75-04063
Phillips, Mark L. F. See Anderson, Mark T.
Phillips, Mark L. F.; Potter, B. G., Jr.
Photo- and cathodoluminescence of hydrothermally synthesized $Y_3Al_5O_{12}$:Tb [YAG:Tb] and $NaY(WO_4)_2$:Tb.—75-05423
Phillips, Nicolas J. See Tu, Y.-L.
Phillips, R. J. See Sammes, N. M.
Phillips, T. G. See Bin, M.
Pho, I. See King, H. W.
Phule, Pradeep P. See Liu, Yi-Min
Phule, Pradeep P.; Grundy, David C.
Pathway for the low temperature synthesis of nanosized crystalline barium zirconate.—75-06704
Piacentini, F.
Quality control of ceramic tiles.—75-02792
Piancastelli, A. See Toriyama, Motohiro
Piccaluga, G. See Medda, M. P.
Picht, Frederike See Bachmann, Peter K.
Pichugin, I. G. See Lebedev, A. O.
Pickering, Michael A. See Goela, Jitendra S.
Pickering, Michael A.; Goela, Jitendra S.; Burns, Lee E.
Chemical vapor deposition furnace and furnace apparatus.—75-06116
Pickering, S. See Djuricic, B.; Kooner, S.
Pickett, Warren E. See Davidson, Brian N.; Singh, David J.
Pickles, C. S. J. See Jilbert, G. H.
Pico, Carlos See Lopez, M. L.
Picone, Joseph W.
Systems approach to grinding.—75-00988; See also Ramanath, S.
Picone, Philip J. See Bedson, Janet
Piddock, V. See Shareef, M. Y.
Pidzyrailo, M. S. See Voloshinovskii, A. S.
Piel, H. See Hein, M. A.
Piepel, Greg F. See Hrma, Pavel R.
Piepel, Greg F.; Redgate, P. E.; Hrma, Pavel R.
Statistical experimental design of a waste glass study.—75-03497
Pieper, Helmut
Method for the vitrification of waste materials and apparatus to carry out the method.—75-03545
Pieschnick, T. W. See Huettinger, K. J.
Piet, J. J. See Schipper, W. J.
Pietersen, H. S.; Kentgens, A. P. M.; Nachtegaal, G. H.; Veeman, W. S.; Bijen, J. M.
Reaction mechanism of blended cements—a ^{29}Si NMR study.—75-00064

Pietras, John See Amarakoon, Vasantha R. W.
Pietzka, Markus A.; Schuster, Julius C.
Phase equilibria in the quaternary system Ti-Al-C-N.—75-06306
Piez, Karl A.; Pharriss, Bruce B.; Chu, George H.; Smestad, Thomas L.; Hendricks, Diana
Calcium phosphate/atelopeptide collagen compositions for bone repair.—75-01101
Pigal'skii, K. S. See Mamsurova, L. G.
Pigoni, Simona See Traversa, Enrico
Pigram, A. J.; Freer, R.
Effect of binder additions on the green and sintered properties of Mn-Zn ferrite ceramics.—75-03287; Production of Mn-Zn ferrite ceramics by injection molding.—75-05705
Pigram, P. J. See Zhang, Z.
Pigram, P. J.; Lamb, R. N.; Hibbert, D. B.
Modeling of the desorption behavior of microporous amorphous hydrogenated carbon films.—75-06489
Pike, Gordon E. See Warren, William L.
Pike-Biegunski, Maciej J.
Process for fabricating diamond by supercritical electrical current.—75-03752
Pilate, P.; Cambier, F.; Tirlocq, J.
Synthesis and characterization of zirconyl phosphate materials.—75-01699
Pillai, P. K. C. See Pramila, C.
Pillai, R. G. K. See Bhat, B. Ganesh; Reddy, K. H. V.
Pillai, Vinod K. See Shah, Dinesh O.
Pilling, J. See Grimes, R. W.; Virro-Nic, P.
Pillot, J. P. See Hemida, A. Tazi
Piloto, A. J.; Partlow, D. P.; Zaki, K.
Low loss, low temperature cofired ceramic for microwave multichip modules.—75-00347
Pilskaer, Ove P. See Meyer, Willi
Piltch, Nancy D. See Stan, Mark A.
Pimenov, S. M. See Polyakov, V. I.; Ralchenko, V. G.
Pimenov, S. M.; Shafeev, G. A.; Loubnin, E. N.; Lavrischev, S. V.; Konov, V. I.
Encapsulation of electroless copper patterns into diamond films.—75-07208
Pimkin, V. G. See Brounshtein, B. I.
Pinckney, Linda R. See Beall, George H.
Pinegin, V. I. See Baranov, A. M.
Ping, Huang-Fu; Jin, Zeng-Sun; Lu, Xian-Yi; Zou, Guang-Tian; Xiao, Hua-Xian; Chen, Tian-Yi
Growth of diamond films using C_3F_8 and H_2 in a new system.—75-01517
Ping, Z.-F. See Guo, Z.-Q.
Pinna, G. See Medda, M. P.
Pinneo, John M.
Diamond film and solid particle composite structure and methods for fabricating same.—75-01166; See also Plano, Linda S.
Pinson, D. J.; Yu, A. B.; Zulli, P.
Calculation of coordination number of particle mixtures—an assessment of the predictability of some proposed models.—75-01013
Pintar, M. M. See Jarh, O.
Pintilie, I.; Pintilie, L.; Constantin, C.; Botila, T.
Properties of lead sulfide thin films deposited on a ferroelectric ceramic substrate.—75-00693
Pintilie, L.; Constantin, C.
Pyroelectric ceramic bimorph structures.—75-00370
Pintilie, L.
Effect of the space charge on the properties of an inhomogeneous pyroelectric ceramic.—75-03229; See also Pintilie, I.
Pinto, R. See Apte, P. R.
Pintschovius, L.; Pyka, N.; Kussmaul, R.; Dunz, D.; Eigenmann, B.; Scholtes, B.
Experimental and theoretical investigation of the residual stress distribution in brazed ceramic steel components.—75-02468
Pioro, Leonard S. See Olabin, Vladimir M.
Pipa, V. I.
Cooling effect due to negative luminescence.—75-02981
Pipinys, P.; Rimeika, A.; Lapeika, V.
Current transport mechanism in metal–silicon dioxide–silicon structures.—75-07817
Pippel, E.; Woltersdorf, J.; Hahnel, A.; Schneider, R.
Interface structure and composition in the mechanical behavior of fiber-reinforced composites.—75-04571
Piquero, T. See Vincent, C.
Piro, G. See Millini, R.
Pirog, I. V. See Zarubin, I. A.
Pirogov, V. G. See Krasnosvobodtsev, S. I.
Pirouz, P. See Chien, F. R.; Ikuhara, Yuichi; Ning, X. J.; Yang, Jin-Wei
Pirwitz, F.; Dahms, M.
Design and production of an intermetallic gradient material by using a variant of reactive powder metallurgy.—75-02451
Piryatinskii, Yu. P. See Blonskii, I. V.
Pirzada, Shahid A. See Taylor, Patrick R.
Pisarev, R. V. See Krichevtsov, B. B.
Pisarev, R. V.; Seran, M.
Raman scattering in ferroelectric $LaBGeO_5$.—75-08168
Pisarevskii, Yu. V. See Popov, P. A.
Pischow, K. A.; Molarius, J. M.
Effects of prolonged high-voltage STM scanning on an oxidized silicon wafer surface.—75-04321
Pishch, I. V.; Radion, E. V.
Preparing pigments by precipitation.—75-02884
Pishko, V. V. See Pashkevich, Yu. G.
Piskun, T. V. See Karaulov, A. G.
Pissis, P.; Laudat, J.; Daoukaki, D.
Dynamic properties of water in porous Vycor glass studied by dielectric techniques.—75-04892
Pistor, Christoph M.; Yardimci, M. Atif; Guceri, Selcuk I.; Bandyopadhyay, Amit
Laser-assisted tape winding of ceramic green parts.—75-09352
Pitak, N. V.; Fedoruk, R. M.; Degtyareva, L. M.; Starshinov, V. N.
Heat insulation mixture for linings of tuyere apparatuses of blast furnaces.—75-05095
Pitak, N. V.; Fedoruk, R. M.; Savina, L. K.
Silicon carbide refractories with an SiAlON binder.—75-05137
Pitak, N. V.; Fedoruk, R. M.; Vyazovskii, Yu. V.
Mullite-corundum refractories with silicon carbide for linings of transportable mixers.—75-05111
Pitak, N. V.; Fedoruk, R. M.
Sources for saving fuel and power resources.—75-08738
Pitak, N. V.
Effect of iron oxides on mullite-corundum refractories under the conditions of oxidizing and reducing media.—75-05085; Interaction of mullite-corundum refractories and alkalis under conditions of variable gas media.—75-05103; Quality of refractories is the main way to power saving and efficiency.—75-05123; See also Fedoruk, R. M.
Pitchumani, R.; Schwenk, P. A.; Karbhari, V. M.
Knowledge-based expert systems for composites manufacturing.—75-04719
Piticescu, R. See Segarceanu, T.
Pittal, S. See Ianno, N. J.
Pityulin, A. N. See Merzhanov, A. G.
Pityulin, A. N.; Sytschev, A. E.; Rogachev, A. S.; Merzhanov, A. G.
Production of metal-hard alloy FGM in one-stage SHS compaction.—75-02534
Pivac, B.; Furik, K.; Milun, M.
Spectroscopic study of SiC-like structures formed on polycrystalline silicon sheets during growth.—75-06365
Pivin, Jean Claude; Colombo, Paolo; Tonidandel, Marco
Ion irradiation of preceramic polymer thin films.—75-06664
Pivinskii, Yu. E.
New generation refractory concretes. Interrelation between structure formation and strengthening.—75-05112; New generation refractory concretes. Thermal processes, structure, and high-temperature properties.—75-05113; Refractory concretes of a new generation. Thermodynamic aspect of the technology.—75-05129
Pivkina, A.; Van der Put, Paul J.; Frolov, Yu.; Schoonman, J.
Reaction-bonded titanium nitride ceramics.—75-09419
Pivovarov, M. M. See Zhabrev, V. A.
Pivovarova, A. P. See Udalov, Yu. P.
Pivovarova, L. N. See Nesterchuk, N. I.
Pizziconi, V. B. See Russell, Stephen W.
Pla-Dalmau, Anna; Bross, Alan D.
Fluorescent compounds for plastic scintillation applications.—75-01505
Plakhtii, V. P. See Zobkalo, I. A.
Plaksin, O. A. See Elyutin, A. V.
Planchart, F. A. See Schelker, D. H.
Planel, R. See Mirlin, D. N.
Planell, J. A. See Bermudez, O.; Driessens, F. C. M.
Plano, Linda S. See Bai, Pei-Guang; Dreifus, David L.
Plano, Linda S.; Peters, Michael G.; Ravi, K. V.; Pinneo, John M.
Continuous thin diamond film and method for making same.—75-01160
Plano, M. A. See Bandis, Christos
Plano, M. A.; Moyer, M. D.; Moreno, M. M.; Black, D.; Burdette, H.; Robins, L. H.
Characterization of a thick homoepitaxial CVD diamond film.—75-01802
Platonov, V. S. See Chikatueva, L. A.
Platov, Yu. T. See Maslennikova, G. N.
Platt, C. E. See Simon, Randy W.; Wegmann, M. R.
Player, Michael A. See Savaloni, H.
Plechacek, V. See Dominec, J.; Hudakova, N.
Pleger, R. See Braue, W.
Pleger, R.; Braue, W.
Alpha-Si_3N_4 precipitation in C/C-SiC composites from inherent fiber impurity sources.—75-03952
Plesha, M. E. See Nair, B. G.
Pleshakov, I. V.; Lazarev, D. A.; Grachev, A. I.; Paugurt, A. P.; Shulman, S. G.
Photoresponse of granular YBaCuO thin films.—75-08396
Pleshchev, V. G. See Dorofeev, Yu. A.
Pletka, Bruce J. See Murphy, B. R.; Staehler, James M.
Plettner, I. See Averin, S. V.
Plissi, M. V.; Wilson, M. G. F.
Photon exchange channel waveguide lasers in Nd:MgO:$LiNbO_3$.—75-03246
Plitzko, J. See Mayer, J.
Plodinec, M. John See Marra, James C.
Plokhii, V. P. See Runova, R. F.
Plona, T. J. See D'Angelo, R.
Ploog, K. See Heberle, A. P.
Plotnikov, A. E. See Kachurin, G. A.
Plovnick, Ross H. See Mathis, M. D.; Vogt, Gerald J.
Plowman, T. E.; Garrison, M. D.; Walker, D. A.
Surface sensitivity of SiON integrated optical waveguides (IOW) examined by IOW attenuated total reflection spectrometry and IOW Raman spectroscopy.—75-03177
Ploz, W. M.; Lischka, K.
Characterization of thin films and multilayers by specular X-ray reflectivity.—75-01809
Plucknett, K. P.; Cain, R. L.; Lewis, M. H.
Interface degradation in CAS/Nicalon during elevated temperature aging.—75-04570
Plucknett, K. P.; Tiegs, T. N.; Alexander, Kathleen B.; Becher, Paul F.; Schneibel, J. H.; Waters, S. B.
Intermetallic-bonded ceramic matrix composites.—75-07216
Plucknett, Kevin See West, Grant
Plumbridge, W. J. See Moffatt, J. E.
Plunkert, Patricia A.
Bauxite.—75-06023
Plunkett, L. See Grenet, C.
Plyasova, L. M. See Molchanov, V. V.
Plyushch, O. B.; Sheleg, A. U.; Dekola, T. I.; Aliev, V. A.
Features of thermal expansion of solid solution single crystals of $TlIn(S_{1-x}Se_x)_2$ in the low-temperature region.—75-05323
Poborchii, V. V. See Barnakov, Yu. A.
Pochet, T. See Foulton, F.
Poco, J. F. See Pekala, R. W.
Poddar, A. See Mandal, P.
Podkopaev, O. I. See Yukhin, Yu. M.
Podkorytov, A. L.; Pantyukhina, M. I.; Zhukovskii, V. M.; Sherstneva, N. V.; Simonov, V. V.
Solid-state synthesis of strontium titanate niobates.—75-09060
Podkorytov, A. L.; Pantyukhina, M. I.; Zhukovskii, V. M.; Simaranova, N. A.; Sherstneva, N. V.; Dontsov, G. I.
Electrical and mass transport properties of strontium titanate niobates.—75-05556
Podlivaev, A. I. See Elesin, V. F.; Kadushkin, V. I.
Podoksik, E. E.; Lukashevich, M. G.; Matsukevich, V. G.
Low-temperature transfer of a charge in *n*-GaAs by nonequilibrium electrons in magnetic field.—75-03086
Podol'skaya, T. M. See Kabanov, V. O.
Podol'skii, V. V. See Tikhov, S. V.
Podorov, S. G. See Punegov, V. I.
Podrezov, O. N. See Sychev, M. V.
Podzorova, L. I.; Il'icheva, A. A.; Mikhailina, N. A.; Shevchenko, V. Ya.; Lazarev, V. B.; Izotov, A. D.
Uniform precipitation of yttria-stabilized zirconia.—75-05150
Poe, B. T. See Cote, B.
Poe, B. T.; McMillan, P. F.
Structure and dynamics in $CaO-Al_2O_3$ and $SiO_2-Al_2O_3$ liquids—investigation by ion dynamics simulation.—75-00273
Poeppel, Roger B. See Dorris, Stephen E.
Poeppelmeier, Kenneth See Toreki, Robert
Pogany, G.
Fusz Gyorgy.—75-02258
Pogozhev, V. A. See Kolotov, O. S.
Pohl, M.; Dickinson, J.
Particle sizing—getting the complete picture.—75-04386
Pohl, M.; Schaus, M.
Laser irradiation of ceramics.—75-06668
Pohl, R. O. See Medwick, P. A.
Poindexter, B. D. See McBride, J. R.; Rimai, L.
Poinsignon, J. See Chipaux, R.
Poirier, J.; Guiban, M. A.; Tassot, P.; Hanse, E.; Thillou, B.; Benson, P.
Development of new submerged nozzles to reduce alumina buildup in continuous casting.—75-07525
Poissonnet, S. See Durand, L.
Poix, P. See Yamegni-Noubeyo, J. C.
Poker, David B. See Chow, Alice F.
Pokholkov, Yu. P. See Khasanov, O. L.
Pokutnii, S. I.
Spectrum of levels of an electron-hole pair in semiconductor nanocrystals.—75-08059
Pola, J. See Drinek, V.
Polato, P. See Bettinelli, M.
Poletaev, N. K. See Lebedev, A. A.
Polewik, Tamara See Martin, Steve W.
Polezhaev, B. A. See Bulanyi, M. F.
Polezhaev, Yu. M.; Darienko, N. E.
Sol-gel synthesis of a mixture for preparing cordierite.—75-09448
Polgar, K. See Zaritskii, I. M.
Polian, A. See Grimsditch, M.
Polishchuk, S. A. See Ignat'eva, L. N.
Polishuk, O. V. See Matov, O. R.
Politov, A. A. See Prosanov, I. Yu.
Pollak, Fred H. See Dorfman, B.; Melloch, M. R.
Pollak, Wolfgang
Process for producing carbon bodies having a silicon carbide coating.—75-01188
Pollert, E. See Nevriva, M.
Polli, Andrew D.; Lange, Fred F.; Levi, Carlos G.; Mayer, J.
Crystallization behavior and microstructure evolution of $(Al,Fe)_2O_3$ synthesized from liquid precursors.—75-06197
Polli, Andrew D.; Lange, Fred F.
Pyrolysis of $Pb(Zr_{0.5}Ti_{0.5})O_3$ precursors: avoiding lead partitioning.—75-01636
Polokhlivets, E. K.; Klyuchnik, I. A.; Kiyan, V. I.
Special features of the technology of continuous production of sheet figured glass with an elevated content of glass scrap.—75-02744
Polomska, M. See Kirpichnikova, L. F.
Poloskin, D. I. See Astrova, E. V.
Poltoratskikh, A. M. See Sinel'nik, M. D.
Poluboyarov, V. A. See Kirichenko, O. A.
Polukhin, V. N. See Glebov, L. B.; Tatarintsev, B. V.
Polulyakh, S. N. See Abelyashev, G. N.
Polyak, L. G. See Ivanov, V. V.; Rabinovitch, R. A.
Polyakov, E. V. See Panfilova, L. V.
Polyakov, N. K. See Gur'yanov, G. M.
Polyakov, O. V. See Sharafutdinov, R. G.
Polyakov, S. N.; Kov'ev, E. K.; Kupriyanov, M. Yu.; Pfuch, A.; Wiese, A.; Seidel, P.
X-ray investigations of epitaxial $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin films grown on $SrTiO_3$ substrates with MgO and CeO_2 buffer layers for the fabrication of biepitaxial Josephson junctions.—75-08448
Polyakov, S. V. See Sablikov, V. A.
Polyakov, V. A. See Zobkalo, I. A.
Polyakov, V. I. See Khomich, A. V.; Popovici, G.; Teremetskaya, I. G.
Polyakov, V. I.; Anisochkina, E. N.
Cluster simulation of the ideal and defect structures of ZnO by the self-consistent-field X_α scattered wave method.—75-09495
Polyakov, V. I.; Rossukanyi, N. M.; Rukovishnikov, A. I.; Khomich, A. V.; Perov, P. I.; Pimenov, S. M.
Electrical and photoelectrical properties of heterostructures based on nanocrystalline diamond films.—75-09136

Polyanskaya, T. A. See Drichko, I. L.
Polyanskii, A. A. See Parrell, J. A.
Polyanskii, M. P. See Avdeev, S. P.
Polyanskii, S. N.; Butakov, S. V.; Burmistrov, G. V.
Experimental installation for vibropressing articles from powder materials.—75-05093
Polygalov, Yu. I.; Poplavnoi, A. S.; Tupitsyn, V. E.
Band structure and optical properties of zinc and cadmium diphosphides in the absorption edge range.—75-08194
Polzin, J.-F.; Bohm, N.; Hausner, H.
Experimental design in the synthesis of aluminum hydroxide.—75-01492
Polzin, James J.
Cost savings and other benefits from ready-to-use materials.—75-00081
Pomar, A. See Mosqueira, J.
Pomeroy, M. J. See Ramesh, R.; Song, Y.-J.
Pomfret, R. J. See Simukanga, S.
Pomiguev, Yu. G. See Gavrilov, G. A.
Pomortseva, L. I. See Mnatsakanov, T. T.
Pompe, R. See Heim, M.-K.
Pompe, Robert See Rundgren, Kent
Pompe, W. See Speck, J. S.
Pompe, W.; Kessler, H.
Internal stresses in silicon nitride and their influence on mechanical behavior.—75-04574
Pomyalov, A. V.; Laulicht, I.
Origin of the fine structure of subsidiary absorption in tangentially magnetized YIG films.—75-03325
Ponchet, A.; Rocher, A.; Ougazzaden, A.
Self-induced laterally modulated GaInP/InAsP structure grown by metallorganic vapor phase epitaxy.—75-03155
Ponomarev, B. K.; Ivanov, S. A.; Redkin, B. S.
Irreversible alterations of ferroelectric domain structure in paramagnetic rare-earth molybdates induced by a magnetic field.—75-03238
Ponomarev, M. A.; Shcherbakov, V. A.; Shteinberg, A. S.
Combustion patterns of thin layers of the Ti-B powder mixture.—75-06553
Ponomarev, N. Yu. See Shur, V. Ya.
Ponomarev, V. F. See Barinov, S. M.
Ponraj, R.; Iyer, S. Ramakrishna; Radhakrishnan, V. M.
Creep of porcelain containing silica and alumina.—75-05161
Pons, M.; Bernard, Claude; Rouch, H.; Madar, R.
Modeling routes for the chemical vapor deposition process.—75-04114
Ponthieu, C. See Lancin, M.
Ponthieu, C.; Marhic, C.; Lancin, M.
SIMS, EDX, EELS, AES, XPS study of interphases in Nicalon fiber–LAS glass matrix composites: II, Chemistry of the interphases.—75-06351
Ponton, C. B. See Fukui, Y.; Trusty, P. A.; Wang, J.
Ponyatovskii, E. G. See Sinitsyn, V. V.
Pool, Frederick S. See Shing, Yuh-Han
Pop, I. See Puica, I.
Pop, V. See Ciurchea, D.
Pope, Edward J. A.; Hentschel, Art
Lanthanide and actinide doped glasses as reference standards for dye doped systems.—75-04912
Pope, Edward J. A.; Sakka, Sumio; Klein, Lisa C.
Ceramic Transactions, Volume 55: Sol-Gel Science and Technology.—75-02157
Pope, Edward J. A.
Living ceramic gels for bioartificial organs.—75-03653; See also Lee, Burtrand II
Popenko, N. A. See Bodnaruk, O. A.
Popescu, Ion M. See Puica, I.
Popescu, M. See Segarceanu, T.
Popescu, M.; Nicolau, P.; Tanasoiu, C.
Structural modifications induced by high electric fie¹d in PZT ceramics.—75-00703
Popescu, Veronica See Luca, Constantin
Popkov, A. F. See Golyshev, V. Yu.
Poplavnoi, A. S. See Gordienko, A. B.; Polygalov, Yu. I.
Popolitov, V. I.
Crystallization and physical properties of antimony orthoantimonate (J-$SbSbO_4$).—75-08897; Production of antimony germanate, its structure, and some physical properties.—75-09172; Synthesis and recrystallization of antimony orthoniobate and orthotantalate.—75-09080
Popov, A. A. See Danilova, T. N.
Popov, A. E. See Goncharov, E. G.; Ugai, Ya. A.
Popov, A. E.; Zavrazhnov, A. Yu.; Averbakh, E. M.; Nekrasov, O. V.
Microstructure of single crystals of indium and gallium selenides and germanium arsenide.—75-09569
Popov, A. Yu. See Tyurin, A. V.
Popov, D. I. See Nemov, S. A.
Popov, D. N. See Nemov, S. A.
Popov, I. A.
Structural modification of amorphous hydrogenated silicon films with the help of ultraviolet radiation.—75-08065
Popov, K. G. See Vanin, A. I.
Popov, P. A.; Egorov, G. V.; Pisarevskii, Yu. V.; Ivanov, S. N.; Senyushchenkov, P. A.; Mill, B. V.
Heat capacity and thermal conductivity of lanthanum silicogallate.—75-09146
Popov, S. K.
Construction and use of mathematical models of tunnel furnaces.—75-03609
Popov, V. G. See Romanyuk, B. N.
Popov, V. P. See Glushkova, V. B.
Popov, V. P.; Morozova, L. V.
Electrical conductivity and thermodynamics of the process of indium oxide reduction and solid solutions based on it.—75-06216; Energy characteristics of hole transport in rare-earth oxides.—75-09507
Popov, V. V. See Golubkov, A. V.; Matov, O. R.; Smirnov, I. A.
Popov, Yu. F. See Vorob'ev, G. P.
Popov, Yu. F.; Belov, D. V.; Vorob'ev, G. P.; Zvezdin, A. K.; Kadomtseva, A. M.; Lukina, M. M.
Magnetoelectrical effect and magnetic phase transitions in $(Fe_xCr_{1-x})_2O_3$ single crystals.—75-08229
Popov, Yu. M. See Kozlovskii, V. I.
Popova, A. A. See Monaenkova, A. S.
Popova, I. B. See Alekseenko, V. I.
Popova, T. V. See Lykasov, A. A.
Popovic, S. See Music, S.
Popovich, N. S. See Grincheshen, I. N.
Popovich, N. V. See Arkhipov, D. V.; Khristov, Ts. I.; Lozovskaya, I. M.
Popovich, S. A. See Atkarskaya, A. B.
Popovici, G. See Khasawinah, S.; Sung, T.
Popovici, G.; Chao, C. H.; Prelas, M. A.; Charlson, E. J.; Meese, J. M.
Phase transformation of smooth diamond films grown by hot filament chemical vapor deposition on positively biased silicon substrates.—75-01603
Popovici, G.; Prelas, M. A.; Khasawinah, S.; Sung, T.; Polyakov, V. I.; Perov, P. I.
Diamond photovoltaics: characterization of CVD diamond film-based heterostructures for light to electricity conversion.—75-07831
Popovici, G.; Sung, T.; Prelas, M. A.; Khasawinah, S.; Wilson, R. G.
Diffusion of impurities under bias in CVD diamond films.—75-01750
Popovici, G.; Sung, T.; Prelas, M. A.; Wilson, R. G.
Optically enhanced forced diffusion of sulfur and chlorine in diamond.—75-09515
Popovkin, B. A. See Eremina, E. V.; Fadeeva, E. E.; Tarasov, I. V.
Popovnin, V. M. See Sredin, V. G.
Popp, Uta See Muller, Eberhard
Poppe, Ulrich See Soltner, Helmut
Popravski, R. See Shaldin, Yu. V.
Porat, O.; Riess, Ilan
Identification of CuO as a minority phase in YBCO: X-ray diffraction vs emf and coulometric titration measurements.—75-05776
Porat, Ofer; Tuller, Harry L.
Oxygen nonstoichiometry and defects in Mn-doped $Gd_2Ti_2O_{7+\delta}$.—75-07741
Porath, D.; Grayevsky, A.; Kaplan, N.
Observations related to hydrogen in powder and single-crystal samples of $YBa_2Cu_3O_{7-\delta}$.—75-03386
Porini, S.
Siu Fung, a Chinese leader.—75-04750
Poroikov, S. Yu. See Avilov, A. S.
Porozova, S. E. See Antsiferov, V. N.
Porter, D. See Wang, M.
Porter, W. D. See Jackson, T. B.; Shanmugham, S.
Portier, R. See Yang, Gai-Ying
Portilla, Javier See Araiza, Miguel A.
Portnoi, E. L. See Elyukhin, V. A.
Porz, F. See Grathwohl, G.
Posse, E. A. See Gol'berg, Yu. A.
Poste, Steven D. See Park, Eugene S.
Posthill, J. B. See Humphreys, T. P.; Malta, D. P.
Postolaki, I. T. See Georgitse, E. I.
Potafeev, A. F. See Andrievskii, R. A.
Potalitsyn, M. G. See Livshits, V. Ya.
Potatii, K. V. See Zaitskina, R. F.
Potdar, Hari S.; Deshpande, Subhash B.; Date, Sadgopal K.
Alternative route for synthesis of barium titanyl oxalate [BTO]: molecular precursor for microcrystalline barium titanate powders.—75-09216
Potolkov, N. A. See Meshalkin, A. V.
Potsyask, M. See Kuz'ma, M.
Potter, B. G., Jr. See Phillips, Mark L. F.; Sinclair, M. B.
Potter, B. G., Jr.; Bruce, A. J.
Ceramic Transactions, Volume 67: Synthesis and Application of Lanthanide-Doped Materials.—75-04773
Potter, B. G., Jr.; Dimos, D.; Sinclair, M. B.; Lockwood, S.
Evaluation of electrooptic phenomena in ferroelectric thin films using ellipsometric techniques.—75-05566
Potter, B. G., Jr.; Simmons, J. H.; Kumar, P.
Quantum-size effects on the band edge of CdTe clusters in glass.—75-02739
Potter, Michael J.
Feldspar.—75-06030; Vermiculite.—75-06060
Potter, Timothy J. See Tamor, Michael A.
Pouget, M.; Lecompte, J. P.
Reaction study of aluminum chloride with ammonia and mechanisms leading to aluminum nitride.—75-09047
Poulain, M. See Baro, M. D.; Maze, Gwendael
Poulet, Maurice See Korzhik, M. V.
Poulsen, F. W. See Hartmanova, M.
Poulson, W.
Innovative environmental solutions to radioactive waste management—blending technology and resources.—75-00931
Pourroy, G. See Yamegni-Noubeyo, J. C.
Povey, Ian M. See Gould, Benjamin J.
Powell, Bob R.
Lead-free ceramic insulator.—75-05224
Powell, Patrick S.
Ball clay basics.—75-06019
Powell, R. C. See Xiao, H.-Z.
Powers, J. D. See Kulinsky, L.
Powers, J. D.; Kulinsky, L.; Kitayama, M.; Glaeser, A. M.
Effects of titanium doping on surface properties of alumina.—75-04019
Powers, Lynn M. See Jadaan, Osama M.; Salem, Jonathan A.
Poyarkov, K. B. See Glazov, V. M.
Pozela, J.; Juciene, V.; Pozela, K.
Electron scattering in quantum well by interface phonons.—75-07873
Pozela, K. See Burneika, I.; Pozela, J.
Pozhela, Yu.; Yutsene, V.
Electron-optical phonon scattering in two-dimensional quantum wells with independent electron and phonon confinement.—75-03016
Pozza, G. See Bettinelli, M.
Pozzi, F.; De Bernardi, C.; Morasca, S.
Group effective indices of different types of optical fibers measured around 1550 nm.—75-06467
Pozzi, G. See Bonevich, J. E.
Pozzi, Paolo See Andreola, F.
Prabakar, S. See Muthupari, S.
Prabhakar, D. See Pei, Z. J.
Prabhu, N. See Suryanarayana, K. V.
Pradip See Ramakrishnan, Vijay
Prado, F.; Briatico, J.; Caneiro, A.
Copper content and superconductivity of $Nd_{1.85}Ce_{0.15}Cu_{1+\delta}O_y$.—75-05739
Prado, G. See Gilot, P.
Prakash, C. S. See Kulkarni, D. K.
Pramanik, Phanchanan See Saha, Susanta Kumar
Pramila, C.; Goel, T. C.; Pillai, P. K. C.
Piezoelectric and structural properties of samarium-doped lead zirconate titanate ceramics.—75-05621
Prange, R. See Stradtmann, J.
Prasad, A. See Chen, W. M.
Prasad, B. See Choudhury, S. K.
Prasad, C. Durga See Parkash, O.
Prasad, Chandrika See Perfecto, Eric D.
Prasad, K. V. R.; Raju, A. R.; Varma, K. B. R.
Grain size effects on the dielectric properties of ferroelectric $Bi_2VO_{5.5}$ ceramics.—75-05585
Prasad, K. V. R.; Subbanna, G. N.; Varma, K. B. R.
Characterization of coprecipitated ferroelectric $Bi_2VO_{5.5}$.—75-05538
Prasad, Keshav See Perfecto, Eric D.
Prasad, V.; Zhang, H.
Challenging issues in bulk crystal growth modeling.—75-03769
Prassas, Michel See Brocheton, Yves
Prater, J. T. See Morrison, P. W.
Pratsinis, Sotiris E. See Zhu, Wen-Hua
Pratsinis, Sotiris E.; Akhtar, M. Kamal; Wang, Guizhi; Panda, Siddhartha
Process for aluminum nitride powder production.—75-08615
Pravdic, G.; Gani, M. S. J.
Formation of hollow ceramic microspheres in a dc plasma.—75-00095
Prawer, S. See Gurarie, V. N.; Weiser, P.
Predebon, W. W. See Murphy, B. R.
Predebon, William W. See Stachler, James M.
Preisler, Eberhard See Bock, Joachim
Preiswerk, M.; Venkatesh, A.
Vibration control [analyzed] using piezoceramics in planar flexible linkage mechanisms.—75-03264
Prelas, M. A. See Khasawinah, S.; Popovici, G.; Sung, T.
Premachandran, R. S. See Malghan, Subhas G.
Preobrazhenskii, V. V. See Bert, N. A.
Pressel, K. See Wetzel, C.
Presswood, R. G., Jr. See Lee, D. F.
Prestidge, Clive See Smart, Roger St. C.
Preston, J. S. See Antaya, M.
Preu, Gabriele See Lubitz, Karl
Preuss, N. See Kriegel, R.
Prevey, P. S.; Rothwell, R. J.
X-ray diffraction characterization of percent crystallinity and contaminants in plasma-sprayed hydroxyapatite coatings.—75-01256
Pribylov, N. N.; Pribylova, E. I.
Electric loss in a high-resistance silicon with deep levels.—75-07863
Pribylova, E. I. See Pribylov, N. N.
Price, K.
Ken Price—personal influences.—75-02282
Pridatko, A. B. See Ishchenko, S. S.
Prielipp, H. See Knechtel, M.
Priestnall, M. See Curtis, C. L.
Prieto, Maria del Carmen; Amores, Jose Manuel Gallardo; Escribano, Vicente Sanchez
Characterization of coprecipitated Fe_2O_3-Al_2O_3 powders.—75-06863
Prilutskii, E. V. See Khaenko, B. V.
Prima, N. A. See Konakova, R. V.
Primachenko, V. E. See Kirillova, S. I.; Venger, E. F.
Primachenko, V. V.; Kvasman, N. M.; Kolesnikov, L. M.
Dependence of the properties of vibration-cast refractory mullite-corundum articles on their composition by the method of experimental design.—75-07505
Primet, Michel See Guilhaume, Nolven
Prin, Marie; Baluais, Gerard
Manufacture of silicon carbide foam from a polyurethane foam impregnated with resin containing silicon.—75-01173; 75-03736
Prince, K. See Zhang, Z.
Prince, R. H. See Chen, H.
Prinzbach, Gregory R.
Outlook of raw materials used for porcelain enamels.—75-01068
Priotton, Jean-Jacques See Floch, Herve G.
Pritchard, A. J. See Bhatti, A. R.
Pritulov, A. M. See Annenkov, Yu. M.; Surzhikov, A. P.
Priven, A. I. See Startsev, Yu. K.
Prixod'ko, O. A. See Masterov, V. F.
Prochazkova, E. See Kovanda, F.
Prochukhan, V. D. See Bugaev, A. A.
Prodan, S. A. See Zinkevich, M. V.
Prodan, S. P. See Vashuk, V. V.
Prodanovic, D.; Zivanovic, B.
Effect of TiO_2 addition on phase formation in the Al-Si-Al_2O_3 system.—75-09290
Prodey, Jacqueline D. See Brown, Steve A.
Prokhorov, A. M. See Lubnin, E. N.; Nolle, E. L.
Prokhorov, A. M.; Vereshkov, G. M.; Gufan, Yu. M.; Rudashevskii, E. G.
S- and *D*-condensate superpositions in the HTSC crystals with strong uniaxial crystalline fields.—75-05723

Prokhorov, I. Yu. See Akimov, G. Ya.
Prokhorovich, A. V. See Glinchuk, K. D.
Prokof'ev, A. V. See Bogomolov, V. N.; Golubkov, A. V.; Shelykh, A. I.
Prokof'ev, A. V.; Shelykh, A. I.
Optical properties of terbium sulfide and terbium selenide single crystals.—75-07996
Prokof'ev, V. Yu. See Il'in, A. P.; Yurchenko, E. N.
Prokof'ev, V. Yu.; Yurchenko, E. N.; Il'in, A. P.; Shirokov, Yu. G.
Control of highly concentrated suspensions based on titanium dioxide by rheological properties.—75-06435
Prokof'eva, L. V. See Alekseeva, G. T.
Prokopenko, I. V. See Konakova, R. V.
Prokopenko, M. I. See Babkina, L. A.
Prokopenko, V. K. See Mitrofanov, V. Ya.; Pashchenko, V. P.
Prokopenko, V. M. See Egorov, V. K.; Klassen, N. V.
Prokopiv, V. V. See Freik, D. M.
Prokopova, T. V. See Sysoev, B. I.
Prokopovich, S. A. See Naghash, A. R.; Sharp, J. W.; Supomo
Prokudin, V. Yu. See Antonov, G. I.
Pronin, A. A. See Demishev, S. V.
Pronin, I. P. See Ayazbaev, T.; Boikov, Yu. A.
Pronkin, A. A. See Il'in, A. A.; Yumashev, N. I.
Pronkin, A. A.; Kogan, V. E.; Sokolov, I. A.; Tarlakov, Yu. P.
Electrical properties and structure of fluorine-containing lead silicate glasses.—75-02652
Pronkin, A. A.; Kogan, V. E.; Sokolov, I. A.
Electric conductivity of glasses in the PbO-B_2O_3-$PbHal_2$ and $2PbO$-B_2O_3-$PbHal_2$ systems (Hal=Cl, Br, and I).—75-02651
Prorok, Barton C. See Dorris, Stephen E.
Prosanov, I. Yu.; Politov, A. A.
Intrinsic defects and luminescence of zinc oxide.—75-06851
Proscia, James W. See Mao, Li-Min
Proshin, V. I. See Nemov, S. A.; Ravich, Yu. I.
Proskura, A. I. See Degoda, V. Ya.
Prosperi, Tommaso See Alagna, Lucilla
Prostyakov, N. N. See Ostrovlyanchik, E. S.
Protasova, L. G.; Kosenko, V. G.
Multistep thawing of chalcogenide glass structure in the softening point interval.—75-04918
Protasova, L. G.
Chemical stability of glasses in the selenium-sulfur system.—75-04945
Protod'yakonov, I. O. See Aniskin, S. V.
Protsenko, A. V.; Tkalenko, D. A.; Medvedev, B. S.
Electrodeposition of calcium-lithium-sodium alloys from calcium, lithium, and sodium nitrate melts.—75-06599
Proudfoot, I. See Lee, S. J.
Prout, M.; Nightingale, S. A.; Wenzel, B.
Corrosion testing of resin-bonded magnesia-carbon refractories.—75-00260
Proverbio, E.; Valente, T.
Corrosion and fretting damage of nonoxide ceramics in presence of water vapor.—75-01984
Provost, G.; Gehin, G.; De Lorgeril, J.
Technical analysis of the refractory products behavior in the iron and steel process conditions—results in the French steel industry 1985-1995: prospects.—75-09738
Provost, J. See Delamare, M. P.; Wang, J.
Prucha, Michael J. See Kauffman, Ralph E.
Prummer, R. See Kochsiek, D.
Pruski, M. See Shinar, J.
Prussin, Stanley G. See Ager, Joel W. III
Prystajko, M. See Ulczynski, M.
Pshenichnyi, D. A. See Arbenina, V. V.
Pshestanchik, V. R. See Mittova, I. Ya.
Puente, I. See Martin, A.
Pugh, A. C.; Stratton, R. P.; Lewis, D. B.
Elemental diffusion during the drawing and heat treatment of glass optical fibers.—75-06849
Puica, I.; Pop, I.; Stirbat, I.; Ciobanu, G.; Mazzetti, P.; Popescu, Ion M.
Field-independent relationship between critical current and voltage drop for bulk YBCO superconducting sample in a magnetic field.—75-08322
Puillet, M. See De Lorgeril, J.; Tassot, P.
Pujari, Vimal K.; Rossi, Gulio
High-density green bodies.—75-08826; Process for drip casting silicon nitride slurries.—75-06138
Pukh, V. P. See Baikova, L. G.
Pukhov, K. K. See Krasil'nikov, A. S.
Pukinskas, G. See Babonas, G.-Yu.
Pulaski, D. See Patel, R. S.
Pulcinelli, Sandra Helena; Santilli, Celso Valentim; Jolivet, Jean Pierre; Tronc, Elisabeth
Morphological characterization of aqueous tin oxyhydroxide gel.—75-03809
Pun, P. See Kaczmarek, M.
Punegov, V. I.; Faleev, N. N.
Determining the structural constants of the gradient epitaxial layer by high-resolution X-ray diffraction: I, Initial approximation of the solution of the inverse problem of diffraction.—75-08656
Punegov, V. I.; Pavlov, K. M.; Podorov, S. G.; Faleev, N. N.
Determining the structural constants of the gradient epitaxial layer by high-resolution X-ray diffraction: II, Solution to the inverse problem in the framework of kinematic and statistical dynamic theory of diffraction.—75-08657
Purdy, Mark J. See Morscher, Gregory N.
Pureur, P. See Haetinger, C.
Purevdorzh, D.; Artem'eva, M. A.; Kuz'min, G. N.; Artem'ev, Yu. M.
Photoadsorption effects on niobium oxide compounds.—75-09038
Puri, R. K.; Singh, M.; Sud, S. P.
Effect of substitution of In^{3+} ions on the electrical and magnetic properties and Mossbauer study of $Mg_{0.9}Mn_{0.1}In_xFe_{2-x}O_4$ ferrites.—75-05665
Puri, Virendra M.; Tripodi, Michael A.; Manbeck, H. B.; Messing, Gary L.
Constitutive model for dry cohesive powders with application to powder compaction.—75-06558
Purtov, Yu. N. See Vaksman, Yu. F.
Pusep, Yu A. See Milekhin, A. G.
Pushcharovskii, D. Yu. See Rastsvetaeva, R. K.
Pushenko, E. I. See Samoilenko, Z. A.
Pushkina, G. Ya. See Golubina, L. V.; Spiridonov, F. M.
Pushparajah, P.; Arof, Abdul Kariem; Radhakrishna, S.
Physical properties of spray-pyrolyzed pure and doped ZnO thin films.—75-03914
Puskas, Ferenc
Effect of QAS [quality assurance system] on quality of refractory raw materials.—75-07541
Pust, L. See Sedlar, M.
Puszynski, J. A. See Majorowski, S.
Putilin, F. N. See Morozova, N. V.
Putlyaev, V. I. See Lennikov, V. V.
Putten, A. V. See Sinnadurai, N.
Puymbroeck, J. V. See Beyne, E.
Puzanov, N. I. See Eidenzon, A. M.
Puzanov, N. I.; Eidenzon, A. M.
Generation of dislocations during the growth of Si crystals from the melt.—75-09320
Puzikov, E. A. See Pyartman, A. K.
Pyare, Ram; Lal, Lal Ji; Joshi, V. C.; Singh, V. K.
Leachability of molybdenum from ternary phosphate glasses.—75-02729
Pyartman, A. K. See Bekrenev, A. V.
Pyartman, A. K.; Puzikov, E. A.
Extraction of rare-earth(III) nitrates by neutral organophosphoric compounds from concentrated water-salt solutions.—75-06603
Pye, L. D. See Korwin, D. M.; Simpson, James C.
Pyka, N. See Pintschovius, L.
Pyka, Peter See Bayer, Michael
Pyn'ko, V. G. See Babkin, E. V.
Pyragas, V. See Martunas, Z.
Pyrkov, V. N. See Kozyrev, S. P.
Pyrkov, Yu. N. See Avrutskii, I. A.
Pyrlya, M. N. See Kulbachinskii, V. A.
Pyung, Su-Il; Kim, Joong-Do; Bae, Jun-Sung
Electrical relaxation from hydrated surface layers developed on Li_2O-Al_2O_3-$2SiO_2$ glass under atmospheric and aqueous environments.—75-04961
Pyzik, Aleksander J.; Deshmukh, Uday V.; Dunmead, Stephen D.; Ott, Jack J.; Allen, Timothy L.; Rossow, Harold E.
Lightweight boron carbide/aluminum cermets.—75-07262
Pyzik, Aleksander J.; Fuller, Sharon M.; Beaman, Donald R.
Boron carbide cermet structural materials with high flexure strength at elevated temperatures.—75-07243
Pyzik, Aleksander J.; Ott, Jack J.; Allen, Timothy L.
Shaped ceramic-metal composites.—75-07276
Qi, G.-Y. See Li, Y.
Qi, Jian-Quan See Zhang, Zhong-Tai
Qi, L.-H. See Miao, H.-Z.
Qian, H. See Bursill, L. A.
Qian, M. See Stern, E. A.
Qian, W. See Spence, J. C. H.
Qian, Y. See Xiao, J.
Qian, Yi-Tai See Chen, Qian-Wang; Zhu, Ying-Jie
Qian, Z.-H. See Xiao, D.-Q.
Qiao, H.-C. See Ding, C.-X.; Gao, L.
Qiao, J. See Guo, Xin
Qiao, X.-L.; Xu, W.-H.; Wu, Y.-P.; Sun, P.-Z.
Effects of deposition process on the phosphorus content of electroless Ni-P coatings.—75-02461; Mechanism of surface brittleness of electroless Ni-P coatings.—75-02503
Qin, C.-D.; Lai, M. O.; Cotterell, B.; Shi, S.
Microstructure and growth mechanism of Al_2O_3/Al ceramic matrix composite made by directed oxidation of Al alloys.—75-02508
Qin, G. G. See Song, H. Z.
Qiu, C. H. See Leksono, M. W.
Qiu, C. See Kruzelecky, R. V.
Qiu, F.-X. See Pan, M.
Qiu, H.-B. See Gao, L.
Qiu, H.-B.; Feng, C.-D.; Gao, L.; Guo, J.-K.; Yan, D.-S.
Preparation of monodispersed spherical zirconia particles by homogeneous precipitation.—75-04161
Qiu, Hong-Hua; Sakata, Hironobu; Hirayama, Toru
Electrical conduction of glasses in the system Fe_2O_3-SrO-TeO_2.—75-07334
Qiu, Xue-Liang See Xu, Shi-Jiang
Qiu, Y. See Adegbite, V.
Qu, J.-Z. See Ding, C.-X.
Qu, Ming; Zhang, Yong-Fang
Loading rate for modulus of rupture test.—75-05954
Qu, X.-X.; Chen, K.-J.; Wang, M.-X.
Preparation of Ge quantum crystallites embedded in a-SiN_x by the PECVD method.—75-06729
Quackenbush, E. L. See Teowee, G.
Quah, C. T. See Abd-Shukor, R.
Quarton, M. See Bermejo, Edelio; Le Mercier, Thierry
Quenisset, J. M. See Letullier, P.
Qui, J.; Konishi, A.; Terai, R.
Glass formation and properties of glasses in the AlF_3-ZnF_2-PbF_2-YF_3 system.—75-05012
Quimby, R. S.; Miniscalco, W. J.; Thompson, B.
Clustering in erbium-doped silica glass fibers analyzed using 980-nm excited-state absorption.—75-00180
Quinn, G. D. See Brinkman, C. R.; Swab, Jeffrey J.; Varner, J. R.
Quinn, G. D.; Gettings, R. J.; Kubler, Jakob J.
Fractography and the surface crack in flexure (SCF) method for evaluating fracture toughness of ceramics.—75-04532
Quinn, Gerard F. See Ryder, Adrian M.
Quinn, Tom J., III See Fawcett, Timothy G.
Quinones, M. T. See Gevelber, M. A.
Quintard, P. See Amadeh, A.
Quong, Andrew A.; Pederson, Mark R.
First-principles determination of the polarizabilities of carbon tubules as a function of length.—75-01293
Rabadanov, M. Kh.
Anharmonic temperature factors and charge density in ZnS.—75-06158
Rabajoli, Paolo See Ferraris, M.
Rabe, T. See Zu Kocker, G. M.
Rabe, T.; Wasche, Rolf
Development of dense nanocrystalline titanium nitride.—75-01432
Rabenau, Albrecht See Maier, J.
Rabin, B. H. See Williamson, R. L.
Rabin, B. H.; Williamson, R. L.; Watkins, T. R.; Wang, X. L.; Hubbard, Camden R.; Spooner, T. R.
Characterization of residual stresses in graded ceramic-metal structures: a comparison of diffraction experiments and FEM calculations.—75-02444
Rabinovitch, A.; Belizovsky, G.; Bahat, D.
Length distribution of secondary cracks in brittle materials.—75-04575
Rabinovitch, R. A.; Balagurova, N. M.; Gershkohen, S. L.; Chernyshev, E. A.
Fibers and ceramic matrix composites from polymer precursors: methodology of production and properties.—75-04044
Rabinovitch, R. A.; Gershkohen, S. L.; Polyak, L. G.;
Balagurova, N. M.; Bezruchenko, V. I.; Vygovskii, N. A.
Advanced refractory ceramic-matrix composites from polymer precursor for working temperatures up to 1700°C.—75-02806
Rabizo, O. V. See Musikhin, S. F.
Rabkin, E.; Ma, C. Y.; Gust, W.
Diffusion-induced grain boundary phenomena in metals and oxide ceramics.—75-01751
Rabkin, E.
Thin films on grain boundaries in metals and ceramics and their importance for the properties of the materials.—75-01969
Rabson, Thomas A. See Chen, Jing; Ho, Kuok-San; Lin, Jian
Rabukhin, A. I.
Acoustooptical efficiency of germanate glasses containing lead and bismuth oxides.—75-07320; Concentration dependences of elastooptic coefficients of germanate glasses containing lead and bismuth oxides.—75-02634
Racault, C.; Langlais, F.; Bernard, Claude
Chemical vapor deposition of Ti_3SiC_2 from $TiCl_4$-$SiCl_4$-CH_4-H_2 gas mixtures: I, Thermodynamic approach.—75-06182
Racault, C.; Langlais, F.; Naslain, R.
Chemical vapor deposition of Ti_3SiC_2 from $TiCl_4$-$SiCl_4$-CH_4-H_2 gas mixtures: II, An experimental approach.—75-06549; Solid-state synthesis and characterization of the ternary phase Ti_3SiC_2.—75-06358
Racheva, T. M.; Stambolova, I. D.; Donchev, T.
Humidity-sensitive characteristics of SnO_2-Fe_2O_3 thin films prepared by spray pyrolysis.—75-06474
Rachford, F. J. See Remillard, S. K.
Racker, B.
Robert Harrison's Gibson Gateway.—75-02344
Radca, Tom; McNeely, Shirley
Painting with fire.—75-02320
Radchenko, M. V. See Asotskii, V. V.
Radchuk, N. B. See Ushakov, A. Yu.
Radecka, M. See Nowotny, J.
Radev, D. D.; Klisuvski, D.
Properties of TiB_2 powders obtained in a mechanochemical way.—75-03921
Radevich, E. I. See Gavaleshko, N. P.
Radhakrishna, S. See Pushparajah, P.
Radhakrishnan, K.; Yoon, S. F.; Li, H. M.
Photoluminescence studies of strained $In_xGa_{1-x}As$-$Al_{0.28}Ga_{0.72}As$ heterostructures grown by molecular beam epitaxy.—75-00569
Radhakrishnan, V. M. See Ponraj, R.
Radin, S. See Ducheyne, P.
Radin, S.; Ducheyne, P.
Changes in characteristics arising from processing and the effect on in vitro stability of calcium phosphate ceramics.—75-00077
Radion, E. V. See Pishch, I. V.
Radionov, V. N.; Ryzhkov, M. V.; Dotsenko, V. P.;
Efryushina, N. P.
Spectral luminescence of magnesium fluoroborates doped with manganese(II).—75-06362
Radonjic, L. See Nikolic, L.; Srdic, V.
Radovanova, E. I.
Application of electrochemical oxide films to technology of semiconducting silicon carbide.—75-07786
Rae, A. I. M.
Interpretation of experimentally measured magnetic susceptibilities of a SQUID ring in terms of the quantum mechanics of a double Josephson junction.—75-08348
Rae, Alan
Barium titanate.—75-06022; See also Chu, Mike S. H.
Raeder, Henrik; Norby, Truls; Osborg, Per Arne
Aging of yttria-stabilized zirconia electrolytes at 1000°C.—75-01261
Raether, F. See Heinrich, T.
Raevskii, I. P. See Pavlov, A. N.; Shonov, V. Yu.
Raevskii, S. D.; Koval, A. V.; Diakonu, I. I.
Gas phase epitaxy of CdS from separate components on silicon.—75-05330
Rafiei, S.; Ramesht, M. H.
Investigation of repaired reinforced square short columns using ferrocement.—75-00051
Rafla, Nathan
In search of Samarra soda.—75-04796
Ragalevicius, R.; Matulionis, E.
Composition of spark anodizing coatings on Al obtained in Na silicate solution.—75-09244

Ragalevisius, R.; Stakenas, A.
Nature of color of anodic oxide obtained in integral color anodizing electrolyte.—75-09161
Ragan, Randall C.
Process for producing low-shrink ceramic composition.—75-08619
Raghavachari, K. See Ogura, A.
Raghavachari, Krishnan; Zhang, Bu-Lin
First-principles study of the thermal reactions of H_2 with germanosilicate optical fibers.—75-04898
Raghunathan, R. See Narayan, J.
Raghunathan, R.; Chowdhury, R.; Jagannadham, K.; Narayan, J.
Growth of diamond film by CVD on near-net-shape fabricated β-SiC/TiC composites synthesized using SHS.—75-04058
Raghuraman, Srinivasan See Nelson, Warren A.
Rahaman, Mohamed N. See Dutton, Rollie E.; Hong, Wan-Shick; Wu, Shun-J.; Yokota, S. H.
Rahat, Ido; Shappir, Joseph
Electron trapping in oxynitride layers in metal-oxide-semiconductor structures.—75-00477
Rahbi, R.; Theys, B.; Jones, R.
Neutralization of group VI donors by H in GaAs.—75-05395
Rahman, I. A.
Preparation of Si_3N_4 by carbothermal reduction of digested rice husk.—75-04165
Rahman, S.; Kumar, K. S.
Electrical conduction mechanism in amorphous thin films of the system $Ge_{20}Bi_xSe_{70}\delta_xTe_{10}$ [x=7, 9, 11, and 13].—75-07726
Rai, A.; Gupta, N. P.
Wollastonite as sintering aid in zirconium oxide/calcium oxide composites.—75-09490
Rai, Ghanshyam
Diamond and CBN cutting tools.—75-03731
Rai, K. N. See Kapuri, N.
Raichev, O. E. See Vas'ko, F. T.
Raigon-Pichardo, M. See Sanchez-Soto, P. J.
Raina, K. K.; Pandey, R. K.
Growth and characterization of (00n)- and (11n)-oriented Bi-Ca-Sr-Cu-O superconducting films.—75-03372
Rainforth, W. M. See Miao, X.
Rainskhaus, P. See Ivanova, L. D.
Raiser, G. F.; Wise, J. L.; Clifton, R. J.
Plate impact response of ceramics and glasses.—75-02085
Raistrick, I. A. See Garzon, F. H.; Hawley, M. E.
Raj, Rishi
Crystallization of the nanophase in silicon nitrides.—75-03782; See also Gopalan, Venkatraman; Hoghooghi, B.; Jamnik, Janez; Muller, David A.; Zhang, Zhi-Wu
Rajagopal, H.; Sastry, P. U. M.; Sequeira, A.
Single-crystal neutron diffraction study of ferroelectric $Ba_{0.92}Ca_{0.08}TiO_3$.—75-05636
Rajagopalan, S. See Kutty, K. V. Govindan
Rajamani, Raj K.; Devulapalli, Balaji
Hydrodynamic modeling of swirling flow and particle classification in large-scale hydrocyclones.—75-05949
Rajan, K. See Trogolo, J. A.
Rajarshi, S. V. See Dusane, R. O.
Rajendran, Govindasamy P. See Connolly, Elizabeth S.
Rajendran, S.
Production of ultrafine alumina powders and fabrication of fine-grained strong ceramics.—75-06752
Rajesh, G.; Bhagat, R. B.; Nelson, E.
Modeling the flow of molten silicon in porous carbon preforms and the subsequent formation of silicon carbide.—75-04115
Rajeswari, M. See Bhattacharya, S.
Raju, A. R. See Prasad, K. V. R.
Raju, S. P. See Hashish, M.; Ramulu, M.
Rakhimov, R. Z. See Altykis, M. G.
Rakhlei, S. Yu. See Ivanyutin, L. A.
Rakhmatullin, R. M. See Vikhnin, V. S.
Rakitina, L. G. See Zaritskii, I. M.
Rakov, D. N. See Vorob'ev, G. P.
Rakova, E. V. See Givargizov, E. I.
Ralchenko, V. G.; Obraztsova, E. D.; Korotoushenko, K. G.; Pimenov, S. M.; Smolin, A. A.; Pereverzev, V. G.
Thermal stress in diamond films.—75-09682
Ralchenko, V. G.; Pimenov, S. M.; Kononenko, T. V.; Korotoushenko, K. G.; Smolin, A. A.; Obraztsova, E. D.
Processing of CVD diamond with uv and green lasers.—75-09408
Ralph, B. See Diaz, P.; Olszyna, A.; Shim, K. B.
Ralston, John See Smart, Roger St. C.
Ram Mohan, N.; Thiagarajan, K.
$La(Sr)CrO_3$ for use in a magnetohydrodynamic generator.—75-03299
Ram, M. L. See Chaudhuri, J.
Rama Mohan, T. R. See Suryanarayana, K. V.
Ramakrishnan, E. S. See Cornett, Kenneth D.; Huang, Rong-Fong
Ramakrishnan, P. See Reddy, J. Janardhana
Ramakrishnan, R. M. See Hillig, W. B.
Ramakrishnan, Vijay; Pradip; Malghan, Subhas G.
Yield stress of alumina-zirconia suspensions.—75-09699
Ramamurty, Upadrasta
Retardation of fatigue crack growth in ceramics by glassy ligaments: a rationalization.—75-04622
Ramanath, S.; Picone, Joseph W.
Precision grinding of advanced ceramics using superabrasives with glass bond.—75-00978
Ramanathan, S.; Bhat, R.; Upadhyaya, D. D.
Alumina ceramics by sol-gel technique.—75-06537
Ramay, S. M. See Ali, Zahida
Ramazanzade, V. A. See Mustafaeva, S. N.
Ramberg, C. Eric; Cruciani, Gary; Spear, Karl E.; Tressler, Richard E.; Ramberg, Charles E., Jr.
Passive oxidation kinetics of high-purity silicon carbide from 800° to 1100°C.—75-09599
Ramberg, Charles E., Jr. See Ramberg, C. Eric
Rambousek, V. See Mikulasek, P.
Ramer, A. See Ramer, R.
Ramer, O. Glenn; Drab, John; Robinson, Dave; Nishimoto, Dick
Ferroelectric capacitor nondestructive readout memory [NDRO].—75-05576
Ramer, R.; Ramer, A.; Russell, G. J.; Sorrell, C. C.; Fooks, H.; Ionescu, H. M.
Rare-earth-substituted ferrimagnetics.—75-00757
Ramesh, N.; Ethiraj, R.
Electronic polarizabilities of ions in lithium niobate crystal.—75-05563
Ramesh, P. D.; Rao, K. J.
Novel synthesis of α-Si_3N_4 fibers.—75-06698
Ramesh, R. See Benedetto, J. M.; Ghonge, Subodh G.; Nickles, A. S.; Simion, B. M.
Ramesh, R.; Keramidas, V. G.
Metal oxide heterostructures[—review].—75-05380
Ramesh, R.; Nestor, E.; Flynn, R.; Pomeroy, M. J.; Hampshire, S.
Optimization of nucleation in a Y-Si-Al-O-N glass-ceramic.—75-02735
Ramesham, R.; Rose, M. F.; Askew, R. F.; Bozack, M.
Effect of oxygen on the textured diamond growth over nickel substrates.—75-01832
Ramesht, M. H.
Effect of corrosion on flexural behavior of ferrocement.—75-00030; See Rafiei, S.
Ramesohl, Hubert
Modern burning technique with PYRORAPID short rotary kiln and PYROCLON-LowNO$_x$ precalciner.—75-01061
Ramirez, A. F. See Chen, Ching-Fong
Ramis, Gianguido; Busca, Guido; Lorenzelli, Vincenzo
Spectroscopic characterization of magnesium vanadate catalysts: II. FTIR study of the surface properties of pure and mixed-phase powders.—75-06364
Ramm, John E.
Formation of densified material.—75-00993
Ramos, D. See Konstantinyan, K. I.
Ramos, E. M.; Alvarez, I.; Veiga, M. L.
Structural characterization and semiconducting properties of new iridium(IV) perovskites.—75-00869
Ramsey, J. A. See Bauer, M. L.
Ramulu, M. See Hashish, M.
Ramulu, M.; Jenkins, M. G.; Raju, S. P.; Sakai, K.
Comparative study of machining effects on the surface texture of a ceramic composite.—75-01406
Ran, J.-G.; Zheng, C.-Q.; Li, X.-S.; Fan, P.
Infrared glass window adhering to diamond film.—75-07388
Rancoule, Gilbert; Bliton, Jerald L.
Method of manufacturing an ITO sintered body.—75-01125
Rand, B. See Fries, R.
Rand, B.; Fries, R.
Viscoelasticity of nanoalumina dispersions.—75-03942
Rand, S. C. See Brown, S. W.; Taylor, C. A. III
Randall, Clive A. See Adair, James H.; Elissalde, C.; Pan, Ming-Jen
Randoshkin, V. V.; Logunov, M. V.; Sazhin, Yu. N.
Effect of praseodymium on the dynamics of domain walls in iron garnet films with rhombic magnetic anisotropy.—75-08206
Randoshkin, V. V.; Martynov, A. F.; Chervonenkis, A. Ya.
Dynamics of domain walls in Fe garnet films near the compensation point of the magnetic moment.—75-07838
Randoshkin, V. V.; Martynov, A. F.; Dudorov, V. N.; Vasil'eva, N. V.
Dynamic properties of Sm-containing ferrite garnet films.—75-08198
Randoshkin, V. V.; Vasil'eva, N. V.; Dudorov, V. N.; Durasova, Yu. A.; Martynov, A. F.; Sazhin, Yu. N.
Comparison of the dynamic properties of samarium- and europium-containing iron garnet films.—75-08196
Randoshkin, V. V.
Dependence of rate of domain walls on magnetic field in uniaxial ferrite-garnet films with different attenuation.—75-05660; Features of domain wall mobility with spin wave radiation under various attenuations.—75-08214; Magnetooptical pulsed magnetic field gauges based on iron garnet films with increased speed.—75-08231
Rangarajan, G. See Kasiviswanathan, S.
Rangaswamy, Subramaniam
Thermal spray abradable powder for very high temperature applications.—75-08634
Rangel de Figueiredo Teixeira, Ana Maria See Ogasawara, Tsuneharu
Ranker, Doris See Clasen, Rolf
Rankin, Janet See Boatner, Lynn A.; Sheldon, Brian W.
Ranogajec, Jonjaua See Djuric, Mirjana
Ransone, P. O. See Kowbel, W.
Rao, A. V. Prasada See Robin, A.
Rao, B. T. See Suryanarayana, K. V.
Rao, C. N. See Mahesh, R.
Rao, G. A. Rama; Venugopal, V.
Kinetics and mechanism of the oxidation of ZrC.—75-04432
Rao, G. Mohan; Krupanidhi, S. B.
Electrical properties of pulsed excimer laser deposited strontium titanate films.—75-06454
Rao, G. Narsinga; Subhash, P.; Babu, D. Suresh
Stabilization of the high-T_c phase in the $Bi_{1.8}Pb_{0.3}M_{0.1}Sr_2Ca_2Cu_3O_x$ (M=W,Mo) superconducting system.—75-03404
Rao, K. J. See Balasubramanian, S.; Muthupari, S.; Ramesh, P. D.
Rao, K. J.; Das, R. N.; Chandrasekhar, B. K.
Role of additives in a complex lithium silicate glass-ceramic.—75-05040
Rao, K. J.; Estournes, C.; Menetrier, M.
Ac conductivity studies of lithium thioborate glasses.—75-02621
Rao, K. Rama See Rao, K. Sambasiva
Rao, K. Sambasiva See Robin, A.
Rao, K. Sambasiva; Rao, P. S. Jagga; Rao, K. Rama
Dielectric and conductivity properties of lanthanum-modified strontium copper niobate.—75-06443
Rao, P. S. Jagga See Rao, K. Sambasiva
Rao, P.-G.; Yang, Y.-W.; Chen, K.; Fan, H.-F.; Yan, S.-H.
Toughening of silicon nitride ceramics by Y-TZP addition.—75-04653
Rao, Radhika M. V.; Hailiyal, Arvind; Umarji, Arun M.
Perovskite phase formation in the relaxor system $[Pb(Fe_{1/2}Nb_{1/2})O_3]_{1-x}$-$[Pb(Zn_{1/3}Nb_{2/3})O_3]_x$.—75-0 0360
Rao, T. Sudersena; Lacelle, C.; Benzaquen, R.
Electrical, optical properties, and surface morphology of high-purity InP grown by chemical beam epitaxy.—75-00002
Rao, Yun-Hua See Liu, Mei-Dong
Raoux, Sebastien See Anders, Simone
Raper, J. A. See Amal, R.; Hutchison, R. B.
Rapoport, A. V. See Ravich, Yu. I.
Rapoport, N.; Suconick, D.; Curley, M.; Clarke, R.; Mottiwala, A.
Development of an advanced hermetic power package for a solid state power controller.—75-00459
Rapp, Charles F.; Mattson, Stephanie M.
Glass compositions and fibers therefrom.—75-07422
Rapp, Robert A.; Urquhart, Andrew W.; Nagelberg, Alan S.; Newkirk, Marc S.
Complex perovskite oxidation reaction products.—75-08569
Raranskii, A. N. See Fodchuk, I. M.
Rarenko, I. M. See Bodnaruk, O. A.; Yuriichuk, I. N.
Rarick, Robert L.; Thomas, Jeffrey J.; Christensen, Bruce J.; Jennings, Hamlin M.
Deterioration of the nitrogen BET surface area of dried cement paste with storage time.—75-04812
Rashid, Shahwana; Barnes, Paul; Bensted, John
Conversion of calcium aluminate cement hydrates reexamined with synchrotron energy dispersive diffraction.—75-04810
Rasmussen, S. T. See Sheu, Tzer-Shin
Rasper, Manfred See Lohrengel, Joachim
Rassem, R. See Fernandez, L.
Rastegaev, V. P. See Andreev, A. N.
Rastegaeva, M. G. See Andreev, A. N.; Kuznetsov, A. N.; Lebedev, A. A.; Strel'chuk, A. M.
Rastogi, A. C. See Chandra, Sharat; Dhara, Sandip; Lakshmikumar, S. T.; Sharma, R. N.
Rastogi, Anjali; Reddy, K. V.
Self-diffusion in indium antimonide.—75-01775
Rastsvetaeva, R. K.; Evsyunin, V. G.; Kashaev, A. A.
Crystal structure of a new natural K,Na,Ca titanoberyllosilicate.—75-06190; Crystal structure of a new representative of the ring silicates.—75-06191
Rastsvetaeva, R. K.; Pushcharovskii, D. Yu.; Pekov, I. V.; Voloshin, A. V.
Crystal structure of calcyeborosilite and its place in the datolite-gadolinite isomorphous series.—75-08893
Rasulov, R. Ya. See Golub, L. E.
Rasulov, R. Ya.; Khashimov, G. Kh.; Kholiddinov, Kh.
Linear circular dichroism of nonlinear light absorption in *n*-GaP.—75-07950
Rat'ko, A. I.; Komarov, V. S.; Gurevich, I. G.; Kalinkina, L. I.; Toropkina, G. N.
Synthesis and properties of adsorptive catalysts based on high-silica zeolites and layered-columnar montmorillonites.—75-09460
Rat'ko, A. I.; Panasyugin, A. S.; Malashevich, L. N.
Adsorptive and isomeric activity of catalysts based on high-silicon zeolites and columnar montmorillonite.—75-08866
Ratcliffe, Donald K. See Kaniuk, John A.
Rathinam, K.; Sivakumar, R.; Saraswati, V.
In vivo and in vitro evaluation of a biomachinable glass-ceramic.—75-05951
Ratnaraj, R. See Sammes, N. M.
Ratnikov, V. V. See Shul'pina, I. L.
Raty, R.; Csillag, S.; Sjostrom, H.; Sundgren, J.-E.
EXELFS [extended energy loss fine structure] studies of CN_x thin films.—75-08932
Ratzenberger, Hansgeorg; Schulze, Anke
New option for investigating the ceramotechnological behavior of argillaceous materials, with special allowance for the mineralogical constitution.—75-05969
Rau, Andreas W.; Cloer, Fielding
Refractories for high-alkali environments.—75-00272
Rau, D.
Do not think about the blue door.—75-02237
Rauch, William L.; Liu, Mei-Lin
Microstructure and properties of barium cerate based electrolytes for solid oxide fuel cells.—75-02918
Raukhman, A. M. See Morozova, V. A.
Ravaglioli, A. See Toriyama, Motohiro
Ravel, F. See Narcy, B.
Raven, M. S.
Radio-frequency sputtering and the deposition of high-temperature superconductors.—75-03395
Ravenel, Pierre; Bachelard, Roland
Carbonitriding of alumina to produce aluminum nitride.—75-08555
Ravenhall, Richard; Wojciechowski, Charles R.; Mitchell, Stephen C.; Mercer, Gary D.; Kelly, Thomas J.; Schobert, Melvin A.
Titanium metal matrix composite inserts for stiffening turbine engine components.—75-02433
Ravez, J. See Elissalde, C.
Ravi, K. V. See Plano, Linda S.
Ravi, K. V.; Olson, D. S.; Koch, C. A.
High-rate, high-quality diamond synthesis by the combustion flame process.—75-01523
Ravi, V. See Kutty, T. R. N.
Ravich, Yu. I. See Nemov, S. A.
Ravich, Yu. I.; Ivanov, Yu. V.; Rapoport, A. V.
Thermogalvanomagnetic effects in bismuth.—75-03185
Ravich, Yu. I.; Nemov, S. A.; Proshin, V. I.
Hopping conductivity through extremely localized In impurity states in $Pb_{0.78}Sn_{0.22}Te$ solid solutions.—75-03049

Ravichandran, Duraiswamy See Dewan, H. S.; Roy, Rustum
Ravichandran, G. See Chen, Wei-Nong
Ravikumar, K. G. See Aizawa, Takuya
Ravinder, D.; Latha, K.
Electrical conductivity of Mn-Zn ferrites.—75-03291
Ravinder, D.
Composition dependence of the elastic moduli of mixed lithium-cadmium ferrites.—75-03284
Ravindranathan, P. See Guo, Ru-Yan; Hong, C.-S.
Ravindranathan, Palaniappan See Roy, Rustum
Ravindrarajah, R. S.; Shen, Y.-Y.; Liu, P. C.
Chloride ion permeability of mortar containing fly ash, blast-furnace slag, and silica fume.—75-00027
Ravishankar, D. N. See Kellett, B. J.
Rawles, Robin E. See D'Evelyn, Mark P.
Rawles, Robin E.; D'Evelyn, Mark P.
Diamond homoepitaxy kinetics—growth, etching, and the role of oxygen.—75-01438; Optical properties of diamond at elevated temperatures.—75-09165
Rawlings, R. D. See Aduda, B. O.; Aduda, O. B. C.; Kelly, P. M.; Lin, C.-Y.
Rawlings, R. D. See Shieh, Y. N.
Rawn, C. J.; Orr, M. N.; Vogt, R. N.; Birnie, D. P., III; Schrimpf, R. D.
Effect of RuO_x bottom electrode annealing temperature on sol-gel-derived PZT capacitors.—75-05551
Ray, A. K.; Fuller, Edwin R., Jr.; Banerjee, S.
Fatigue crack growth rate and fracture toughness of 25 wt% silicon carbide whisker-reinforced alumina composite with residual porosity.—75-09634
Ray, A. S. See Aldridge, L. P.; Cantrill, E. R.; Jacob, L. J.
Ray, Chandra S.; Yang, Quan-Zu; Huang, Wen-Hai; Day, Delbert E.
Surface and internal crystallization in glasses as determined by differential thermal analysis.—75-07316
Ray, H. S. See Tripathy, A. K.
Ray, K. K.; Sen, S.; Mondal, S. K.
Aspects of fracture behavior of Indian-grade high-alumina refractories.—75-07479
Ray, S. K.; Das, S.; Maiti, C. K.
Effect of reactive ion bombardment on the properties of silicon nitride and oxynitride films deposited by ion beam sputtering.—75-04009
Ray, Sikha See Van Zyl, Arnold
Ray-Chaudhuri, A. K. See Liang, S.
Raychaudhuri, Pratap
Radio-frequency magnetoabsorption in YBCO-Ag and BSCCO superconductors: the crossover between two-level and one-level critical state models.—75-08406
Raygoza-Maceda, Isobel See Apblett, Allen W.
Raymond, Mark V. See Warren, William L.
Raynaud, Christophe; Autran, Jean-Luc; Balland, Bernard
Electrical characterization of instabilities in 6H silicon carbide metal-oxide-semiconductor capacitors.—75-00471
Raynaud, Christophe; Ducroquet, F.; Guillot, G.
Determination of ionization energies of the nitrogen donors in 6H-SiC by admittance spectroscopy.—75-00457
Rayne, R. See Bruce, R. W.
Razbirin, B. S. See Nel'son, D. K.
Razumovskaya, O. N. See Dantsiger, A. Ya.; Dergunova, N. V.; Gavrilyachenko, S. V.; Reznichenko, L. A.
Razumovskaya, O. N.; Klevtsov, A. N.; Servuli, V. A.; Gavrilyachenko, S. V.; Devlikanova, R. U.; Molchanova, R. A.
Features of production of piezoceramic materials during small-scale manufacturing.—75-05571
Razumovskaya, O. N.; Rudkovskaya, L. M.; Shilkina, L. A.; Makarov, V. I.
$La_2Cu_{1-x}Li_xO_{4-y}$ and $Nd_2Cu_{1-x}Li_xO_{4-y}$ solid solutions.—75-08967; $Li_xLa_3CuO_{4\pm\gamma}$ [I], $Li_xNd_2CuO_{4\pm\gamma}$ [II], and $Li_xLa_{2-x}Nd_xCuO_{4\pm\gamma}$ [III] solid solutions.—75-08352
Razumovskii, N. V. See Volk, T. R.
Razzell, A. G. See Lewis, M. H.
Readey, D. W. See Camey, M. E. F.; Ritland, Marcus A.
Readey, Michael J.
Ceramic manufacturing—optimizing a multivariable system.—75-02115; Integrated approach to product development and manufacturing.—75-07081; See also Kovar, Desiderio; Ruiz, Laurence
Real, Concha See Alcala, Maria D.
Real, Concha; Alcala, Maria D.; Criado, Jose M.
Preparation of silica from rice husks.—75-06734
Reaney, I. See Dube, D. C.
Reaney, I.; James, P. F.; Lee, W. E.
Effect of nucleating agents on the crystallization of calcium phosphate glasses.—75-04893
Reaney, I.; Petzelt, J.; Voitsekhovskii, V. V.
B-site order and infrared reflectivity in $A(B1/2B1/2)O_3$ complex perovskite ceramics.—75-01204
Rebillat, F.; Crepin-Leblond, J.; Mougin, S.; Lamon, J.
Experimental determination of the stress field in fiber/matrix interphases of microcomposites.—75-04519
Rebillat, F.; Lamon, J.; Lara-Curizo, E.; Ferber, M. K.; Besmann, T. M.
Interfacial characterization of SiC/SiC composites with multilayered interphases.—75-04572
Rebourgeard, P. See Chipaux, R.
Reck, Gene P. See Mao, Li-Min
Recnik, Aleksander; Bruley, J.; Mader, W.
Structural and spectroscopic investigation of (111) twins in barium titanate.—75-04404
Recnik, Aleksander; Kolar, D.
Exaggerated growth of hexagonal barium titanate under reducing sintering conditions.—75-04323
Red'kin, B. S. See Strukov, B. A.
Reddy, J. Janardhana; Vijayakumar, M.; Mohan, T. R. R.; Ramakrishnan, P.
Loading of solids in a liquid medium: determination of CBVC [critical binder volume concentration] by torque rheometry.—75-08677
Reddy, K. H. V.; Srinivasan, R.; Pillai, R. G. K.
Recent trends in fused-cast refractories for glass tank furnaces.—75-07643
Reddy, K. T. R. See Sravani, C.
Reddy, K. V. See Rastogi, Anjali
Reddy, M. Bhagarantha; Reddy, V. Devender; Mulay, V. N.
Far-infrared spectra of lithium-titanium mixed ferrites.—75-05669
Reddy, N. Kishan; Mulag, V. N.; Jaleel, M. A.
Corrosion behavior of infiltrated reaction-sintered silicon carbide.—75-06917
Reddy, P. S. See Sravani, C.
Reddy, P. Venugopal See Sekhar, M. Chandra
Reddy, R. Ravinder See Sekhar, M. Chandra
Reddy, Srinivas K. See Singh, Raj N.; Casey, Jon A.
Reddy, V. Devender See Reddy, M. Bhagarantha
Redgate, P. E. See Hrma, Pavel R.; Piepel, Greg F.
Redkin, B. S. See Ponomarev, B. K.
Redlich, Helen A.
Hands-on guide for controlling quality of raw materials.—75-09718
Redmond, T. F. See Patel, R. S.; Perfecto, E. D.
Redwing, J. M. See Nayak, S.
Redwing, J. M.; Kuech, T. F.; Gordon, D. C.
Growth studies of erbium-doped GaAs deposited by metallorganic vapor phase epitaxy using novel cyclopentadienyl-based erbium sources.—75-00504
Redzhepov, B. A. See Kononova, G. N.
Reece, M. J. See Li, M.
Reece, M. J.; Worrell, Clive A.; Hill, Graham J.; Morrell, Roger
Microstructures and dielectric properties of ferroelectric glass-ceramics.—75-00192
Reece, Robert D.
Available options in porcelain enamel systems.—75-00073
Reed, D. J. See Palmer, R. H.
Reed, J. S. See Walker, W. J. Jr.
Reed, Peter E. See Moeggenborg, Kevin J.
Reeder, P. L. See Bliss, M.
Rees, D. E. See Katz, J.
Rees, G. J. See Sale, T. E.
Rees, P. See Smowton, P. M.
Rees, William S., Jr.; Lutken, Henry A.; Goedken, Virgil L.
Organometallic chemical vapor deposition: the roles of precursor design and growth ambient in film properties.—75-04130
Reese, O.; Saruhan, B.; Kanka, B.; Schneider, H.
Fabrication of continuous fiber-reinforced ceramics with a nanosized mullite precursor.—75-04032
Reeves, M. E. See Remillard, S. K.
Regan, A. H. See Vogt, Gerald J.
Regel, A. P.; Glazov, V. M.
Melting entropy of semiconductors.—75-03093
Regi, F. X.; Schneck, J.; Palmier, J. F.
70-K hysteretic Josephson effect in mesas patterned on $(Bi,Pb)_2Sr_2CaCu_2O_x$ single crystals.—75-00768
Regnier, P. See Durand, L.
Regnier, S.; Gillet, M.
Effect of pressure during deposition on the growth of gold thin films on polycrystalline γ-Al_2O_3.—75-06581
Reh, Hubertus
World's tile production: technology, markets, and prospects.—75-07101
Rehberg, M. See Heath, G. R.
Rehse, Steven J. See Butt, Darryl P.
Reich, Kirk W.
Saving money by proper handling of steel.—75-00131
Reich, S. See Haetinger, C.
Reich, T. See Herrmann, M.
Reichelt, R. See Funke, K.
Reichenbach, John See Childress, Gary
Reid, R. W. S.
Creative learning and training towards competence.—75-02122
Reifenberger, R. See Schaefer, D. M.
Reifsnider, Ken; Xu, Yong-Li
Damage tolerance of high-temperature composite systems.—75-04484
Reig, P. See Naslain, R.
Reilly, Kenneth T.; Gingerich, Richard G. W.; Borchardt, Richard R.
Method of making an unactivated yttrium tantalate X-ray phosphor.—75-08603
Reilly, R.
Renewed glass division reaps the rewards.—75-04742
Reimanis, Ivar E.; Petrovic, John J.; Suematsu, Hisayuki; Mitchell, T. E.
Crystalline Si_3N_4/amorphous Si_3N_4 composite.—75-02034; Mechanical properties of single-crystal α-Si_3N_4.—75-07010
Reimers, J. N. See Bramwell, S. T.
Rein, R. See Aslan, M.
Reinhard, D. K. See Ulczynski, M.
Reinhard, D. K.; Ulczynski, M.; Chakraborty, R. N.
Diamond coatings on integrated circuits.—75-07828
Reinhardt, Kitt See Liu, Sam
Reinke, P.; Klemberg-Sapieha, J. E.; Martinu, L.
Effect of amorphous carbon layers on the growth of diamond in dual-frequency plasma.—75-01447
Reinsch, Stefan See Muller, Ralf
Reinskhaus, P. See Svechnikova, T. E.
Reintjes, J. See Bashkansky, Mark
Reislohner, U. See Meier, J.
Reiter, H. See Brown, S. R.
Reiterov, V. M. See Gusev, Yu. I.
Rej, Donald J. See Johnston, Gregory P.
Rej, Donald J.; Remnev, G. E.; Davis, H. A.; Isakov, I. F.; Ivanov, Yu. F.; Johnston, Gregory P.
Preparation of diamondlike carbon and boron nitride films by high-intensity pulsed ion beam deposition.—75-09392
Rek, Paulus J. M. See Blankenstein, Paul
Rekas, M. See Kowalski, K.; Nowotny, J.
Rekhson, Simon M.; Ducroux, Jean-Patrick
Structural relaxation in silicate glass in cooling/heating and near-equilibrium experiments.—75-02689
Reller, A. See Guthmann, O.
Remenyuk, A. D. See Astrova, E. V.; Lebedev, A. A.
Remesnik, V. G. See Ovsyuk, V. N.
Remiens, D. See Jaber, B.
Remiens, D.; Jaber, B.; Tronc, P.; Thierry, B.
Structural and electrical properties of $PbTiO_3$ thin films grown on silicon substrates.—75-08172
Remillard, S. K.; Reeves, M. E.; Rachford, F. J.
Microwave surface impedance of granular high-T_c superconductors in dc magnetic fields: its relationship to frequency dependence.—75-00832
Remnev, G. E. See Rej, Donald J.
Remnev, V. V.
Heat-resistant mixtures for heat-shielding coverings.—75-05096
Ren, C.-Z.; Xu, Y.-S.; Fu, Y.-T.; Peng, Z.-M.; Sun, G.-L.
New technique for lapping ceramic balls.—75-03530
Ren, F. See Bharatan, S.; Pearton, S. J.
Ren, James See Ohlberg, Douglas A. A.
Ren, Shao-Xia See Gu, Mu
Ren, Shao-Xia; Chen, Gang; Zhang, Feng-Yin; Zheng, Yan-Ning
Effect of impurities on the radiation damage of barium fluoride crystal.—75-01752
Ren, Y.-H. See Shen, J.-Q.
Ren, Yun-Long See Zhao, Jun-Guo
Ren, Zhong-Min; Du, Yuan-Cheng; Ying, Zhi-Feng; He, Mao-Qi; Li, Fu-Ming
Covalent carbon nitride films synthesized by ablated graphite plasma under ion beam coprocessing.—75-09248
Ren, Zhong-Min; Du, Yuan-Cheng; Ying, Zhi-Feng; Xiong, Xia-Xing; He, Mao-Qi; Li, Yu-Fen
Studies of C_{60} films deposited using ionized cluster beam deposition technique.—75-01248; Structural and electronic studies of C_{60} films deposited using a new technique of neutral cluster beam deposition.—75-01938
Resce, James L.; Overcamp, Thomas J.; Bickford, Dennis F.; Jurgensen, Arthur R.
XRF in waste glass analysis and vitrification process control: III. Rapid and accurate chemical analysis of vitrified wastewater treatment sludge surrogates.—75-03510
Rescio, M. See Casadio, S.
Reshchikov, M. A. See Averkiev, N. S.
Reshina, I. I. See Mirlin, D. N.
Ret, P. See Ustundag, E.
Rettel, A. See Muller, D.
Reuschle, T. See Chelidze, T.
Revcolevschi, A. See Bentley, Jim; Lafleurielle, M.
Revenko, Yu. See Baran, M.
Revina, E. N. See Avilov, A. S.
Revis, P. R. See Hopkins, D. C.
Revva, P.; Nassiopoulos, A. G.; Travlos, A.
Characterization of the titanium silicon two/Si interface in titanium disilicide films on silicon, formed by deposition of alternate titanium-silicon layers and annealing.—75-01808
Revzin, B.; Fuks, D.; Pelleg, J.
Influence of alloying on the solubility of carbon fibers in aluminum-based composites: nonempirical approach.—75-04857
Rew, Su-Chak See Park, Hong-Chae
Rey-Fessler, P. See Keller, L.
Reyes-Gasga, J.; Tehuacanero, S.; Zorrilla, C.
Moire patterns in high-resolution electron microscopy images.—75-01890
Reynaud, P. See Brenet, P.
Reynaud, P.; Rouby, D.; Fantozzi, G.; Abbe, F.; Peres, P.
Cyclic fatigue at high temperatures of ceramic matrix composites.—75-04477
Reynoso, Victor C. Solano; Barbosa, Luiz C.; Alves, Oswaldo L.
Preparation and characterization of heavy metal oxide glasses: Bi_2O_3-PbO-B_2O_3-GeO_2 system.—75-05033
Rezansoff, T. See Stott, D.
Rezchikov, K. B. See Bazhenov, A. V.
Rezk, K. See Abdel-Fattah, Wafa I.
Rezlescu, Elena See Rezlescu, Nicolae
Rezlescu, Nicolae; Rezlescu, Elena; Paniscu, C.
Effects of the rare-earth ions on some properties of a nickel-zinc ferrite.—75-03290
Rezlescu, Nicolae; Rezlescu, Elena
Effects of addition of Na_2O, Sb_2O_3, CaO, and ZrO_2 on the properties of lithium zinc ferrite.—75-05667
Reznichenko, L. A. See Dantsiger, A. Ya.; Dergunova, N. V.; Gavrilyachenko, S. V.
Reznichenko, L. A.; Dergunova, N. V.; Razumovskaya, O. N.; Dantsiger, A. Ya.; Devlikanova, R. U.; Klevtsov, A. N.
Modeling of high-temperature ferroelectric-piezoelectric ceramic materials.—75-05608
Reznichenko, L. A.; Razumovskaya, O. N.; Shilkina, L. A.; Dergunova, N. V.
Correlating the Curie temperature of mixed bismuth oxides to the crystal chemical parameters of constituent ions.—75-08121
Reznik, I. M. See Abramov, Yu. A.
Reznikov, B. I.; Tsarenkov, G. V.
Light-controlled electric fields in a high-resistivity MISIM structure with tunnel-transparent dielectrics.—75-02915
Reznitskii, A. N. See Permogorov, S. A.
Reznitskii, A. N.; Verbin, S. Yu.; Permogorov, S. A.; Tsekun, A. G.; Kaminskii, A. Yu.
Magnetocircular po arization of luminescence and tunneling relaxation of excitons in $CdS_{1-x}Se_x$ solid solutions.—75-05371
Reznitskii, L. A.
Calculation of formation enthalpy of $RBa_2Cu_3O_7$ compounds.—75-05732; Calculation of formation enthalpy of several complex coordinated oxides.—75-06541; Calculation of the formation enthalpy of mercury-containing high-

temperature superconductors.—75-05733; Enthalpy stabilization of T^* phase (La, R, Sr)$_2$CuO$_{4-\delta}$, where R=Sm–Er, Y.—75-06463; Enthalpy stabilization of some perovskite-like oxides.—75-09300; Entropy of coordination number changes of zirconium ions and free energy of fomation of several rare-earth zirconates.—75-06222

Rezvanov, R. R. See Vavilov, V. S.

Rhee, Shi-Woo See Choi, Yoon

Rhee, Young-Woo See Lee, Ho-Yong

Rheinberger, Volker See Holand, Wolfram

Rhine, Wendell E. See Hirakata, Keigo

Rhine, Wendell E.; Lightfoot, A.; Seyerth, D.; Haggerty, J. S.
Silicon nitride ceramic matrix for CMC's from silane-derived Si powders and preceramic polymers.—75-03715

Riabkina-Fishman, M.; Zahavi, J.
Patterning of superconducting YBCO films.—75-05811

Riad, A. E. See Riad, S. M.

Riad, A. S. See Barlow, F.

Riad, S. M.; Riad, A. E.; Bhutta, I. A.; Hayes, M. B.
Time domain techniques applied to measurement and modeling of microwave packages.—75-01046

Riad, S. M.; Riad, A. E.; Su, W.; Hayes, M. B.; Bhutta, I. A.
Wideband electrical characterization of LTCC systems.—75-01053

Ricard, D.; Ghanassi, M.; Schanne-Klein, M. C.
Dielectric confinement and linear and nonlinear optical properties of semiconductor-doped glasses.—75-04948

Ricchiardi, Gabriele See Busca, Guido

Rice, Catherine E. See Gross, M. E.

Rice, Roy W.
Ceramic fracture mode—intergranular vs transgranular fracture.—75-04456; Possible effects of elastic anisotropy on mechanical properties of ceramics.—75-07022; Strength–grain size behavior of ZrO_2 at room temperature.—75-07036

Rich, D. H. See Tang, Y.

Richard, N. See Famery, R.

Richards, P. L.
Bolometers for infrared and millimeter waves[—review].—75-01011

Richards, R. See Skala, R. D.

Richardson, I. G. See Brough, A. R.

Richardson, James W., III See Loong, C.-K.

Richardson, R. T.; Veitch, C. D.
Synthesis of bismuth/strontium/calcium/copper and yttrium/barium/copper oxide systems from malonate precursors.—75-03412

Richter, H. G.; Wimmer, M.; Kemmer, U.; Willmann, G.
Proof-testing of ceramic hip joint heads.—75-05971

Richter, H.-J.
Pressure slip casting of silicon nitride.—75-01630

Richter, V.
Fabrication and properties of gradient hard metals.—75-02474

Richter-Mendau, J. See Sepelak, Vladimir

Rickerby, David G.
Microdiffraction studies of nanocrystalline nitride films.—75-06887

Ricote, J.; Pardo, L.; Jimenez, B.
Mechanical characterization of calcium-modified lead titanate ceramics by indentation methods.—75-07003

Ricoult, Daniel L. G. See Brocheton, Yves

Riebel, Ulrich See Khatchikian, Peter

Riedel, H. See Zipse, H.

Rieger, Konrad C.
Pyrophyllite.—75-06049; Wollastonite, pyrophyllite, and talc for rapid-fire wall tile bodies.—75-02802; Wollastonite.—75-06061

Rieger, Wolfhart
Process for the production of ceramic prostheses.—75-03680

Riehl-Chudoba, M.; Soukiassian, P.; Jaussaud, C.
Promotion of the oxidation of silicon carbide by a rubidium overlayer.—75-02015

Riehle, Claus
Fundamentals of electrostatic precipitation at high temperatures and high pressures.—75-05901

Rieman, S.
Desert light.—75-02233

Riemer, D. E.
Effect of component size on thermal stress.—75-01452

Ries, Hans B.
Modern mixing and granulating processes for the preparation of refractory bodies.—75-07606

Riesemeier, H. See Ekenhorst, D.

Riess, Ilan See Cohen, Yoel; Porat, O.

Riess, W. See Betz, T.

Riester, L. See Bae, Yong-W.

Rigamonti, A. See Corti, M.

Rigamonti, Flavio A. See Narasimhan, Sundaram L.

Rigaud, M. See Palco, S.

Righetti, Renzo
Method for cooling ceramics, especially ceramic tiles produced in roller kilns, and the relative plant.—75-05171

Righi, Pierangelo
Designing in ceramic tile.—75-02767

Rikitoku, Tatsuo See Ohba, Yoko

Riley, F. L.
Phase equilibrium relationships and the liquid-phase-assisted oxidative corrosion of silicon nitride.—75-02013; See also Davidge, R. W.; Wang, Chong-Min; Wootton, A.

Riley, Gilbert N., Jr. See Rupich, Martin

Riley, W. D. See Jong, B. W.

Rimai, L.; Ager, R.; Weber, W. H.; Hangas, J.; Poindexter, B. D.
Deposition of epitaxially oriented films of cubic SiC on silicon by laser ablation of elemental targets.—75-00454

Riman, Richard E.
Ceramic powder synthesis—current status and future challenges.—75-01394; See also Eckert, James O., Jr.; Mort, Paul R.

Rimeika, A. See Pipinys, P.

Rimpel, D. E.
Scope and limits of climate-controlled convection drying.—75-00253

Rimpel, E.; Ruppik, M.
Documentation on international technical articles relating to the heavy clay industry.—75-00241

Rimpel, E.; Schmedders, Timotheus
Industrial production of high-porosity brick materials.—75-05064

Rimpel, E.
Brick firing in the countertravel klin.—75-00234

Ringermacher, Harry I. See Bowen, Paul S.

Ringnalda, J.; Kiely, C. J.; Fox, P.
Stacking fault structures in melt-processed $YBa_2Cu_3O_{7-\delta}$ superconductors.—75-03405

Risbud, Subhash H. See Liu, Li-Chi; Shan, Chien-Hua

Risbud, Subhash H.; Groza, Joanna R.
Clean grain boundaries in aluminum nitride ceramics densified without additives by a plasma-activated sintering process.—75-06868

Risen, William M., Jr. See Tsagaropoulos, George

Risold, Daniel See Hallstedt, Bengt

Ristic, M. See Music, S.

Ritchey, Steven M.
Investigation of the porcelain enameling of die cast aluminum.—75-00108

Ritchie, Kevin T. See Xu, Hockin H. K.

Ritchie, Robert O. See Cao, Joe J.

Ritland, Marcus A.; Larpkiattaworn, Siriporn; Readey, D. W.
Processing and properties of Al_2O_3-Cu composites.—75-07226

Ritland, Marcus A.; Readey, D. W.; Sibold, Jack D.; Rulis, Dean A.; Kleiner, Richard N.
Engine components including ceramic-metal composites.—75-07261

Rittenmeyer, Kurt M. See Ting, Robert Y.

Ritter, Andrew P. See Bailey, Alex E.

Rivas, J. See Castro, J.; Mahia, J.; Mira, J.

Rivas, P. See Villar, M. V.

Rivas, Patricia C.; Caracoche, Maria C.; Pasquevich, Alberto F.; Martinez, Jorge A.; Rodriguez, Agustin M.; Lopez Garcia, Alberto R.
Characterization of metastable tetragonal forms in ZrO_2-2.8 mol% Y_2O_3 ceramics.—75-03770

Rivas-Silva, J. F. See Berrondo, Manuel

Rivera, E. See Castano, Victor M.

Rivereau, A. See Masse, S.

Rizkalla, A. S. See Jones, D. W.

Rizvanova, N. G.; Levchenkov, O. A.; Belous, A. E.; Bezmen, N. I.; Maslenikov, A. V.; Komarov, A. N.
Dynamics of the interaction of zircon with hydrothermal carbonate fluid.—75-09128

Rizzo, L. See Grafov, A. V.

Rizzoni, G. See Azad, A. M.

Roach, Philip J.
Ceramic composite bodies with increased metal content.—75-07251

Robachevsky, A. M. See Khoruzhnikov, S. E.

Robbes, D. See Langlois, P.

Robbins, Gordon J. See Perfecto, Eric D.

Robbins, William P.
Ferroelectric-based microactuators.—75-05581

Roberts, A. See Butler, D. J.

Roberts, Douglas J. See Voisine, Gary R.

Roberts, Michael A. See Cameron, Ian V.

Roberts, Peter A.; Hayes, Kevin G.
Process for preparing a ceramic wick.—75-06098

Roberts, S. G. See Marrow, T. J.

Roberts, S. O.; Vollum, R. B.
Synchronous flow management—how to win not merely survive.—75-07095

Roberts, T. See Fordham, E.

Robertson, Alastair D.; Sastry, P. V. P.; West, Anthony R.
Phase equilibria and crystal chemistry in the system Sr-Ca-Cu-O under high oxygen pressure.—75-08391

Robertson, Alastair D.; West, Anthony R.
Polymorphism and crystal chemistry of $Li_{2.5}Ga_{0.5}GeO_4$, an Li_3PO_4 analog.—75-06324

Robertson, D. H. See White, C. T.

Robertson, D. H.; Dunlap, B. I.; Brenner, D. W.; Mintmire, J. W.; White, C. T.
Fullerene/tubule-based hollow carbon nanogears.—75-01853

Robertson, J.
Defects and hydrogen in amorphous silicon nitride.—75-06843

Robertson, R. E. See Chu, Tun-Jen; Najm, H.

Robertson, S. See Gaudette, F.

Robin, A.; Rao, A. V. Prasada; Rao, K. Sambasiva
Ferroelectric and piezoelectric studies of lanthanum- and praesodymium-modified $Ba_2AgNb_5O_{15}$ ceramics.—75-05575

Robin, J. M. See Schmitt, N.

Robins, L. H. See Farabaugh, E. N.; Kreider, K. G.; Plano, M. A.

Robins, L. H.; Kaiser, Debra L.; Rotter, Lawrence D.
Structure of barium titanate thin films [investigated] by Raman spectroscopy.—75-01948

Robinson, D.; Dieckmann, Rudiger
Oxidation of aluminum nitride substrates.—75-04442

Robinson, Dave See Ramer, O. Glenn

Robinson, Delia
In their cups.—75-07124

Robinson, Gilbert C.
Adhesion mechanisms in masonry.—75-02750

Robinson, Priscilla A.; Perlmutter, Daniel D.
Oxygen diffusion and reaction of residual carbon in sol-gel-derived silica xerogel.—75-02601

Robinson, Q. See Phillipps, A.

Rocabois, Philippe; Chatillon, Christian; Bernard, Claude
Thermodynamics of the Si-O-N system: I, High-temperature study of the vaporization behavior of silicon nitride by mass spectrometry.—75-03857; II, Stability of $Si_2N_2O(s)$ by high-temperature mass spectrometric vaporization.—75-03858

Rocazella, Michael A. See Newkirk, Marc S.

Rocha, J. C.; Bressiani, A. H.
Synthesis and densification of Si_3N_4 powders by carbothermic reduction of colloidal SiO_2.—75-01700

Rocher, A. See Ponchet, A.

Rockett, A. See Xiao, H.-Z.

Rodel, J. See Guthmann, O.

Rodel, Jurgen See Fett, Theo; Knechtel, M.; Stech, Martin; Sternitzke, M.

Roden, James S.
Emerging issues challenging the water heater market.—75-00092

Rodger, S. A. See Brough, A. R.

Rodicheva, G. V.; Orlovskii, V. P.; Romanova, N. M.; Steblevskii, A. V.; Sukhanova, G. E.
Physicochemical investigation of Khibini apatite and comparison of it with hydroxyapatite.—75-09168

Rodig, C. See Wolf, B.

Rodiger, K. See Gerdes, T.

Rodina, A. V. See Malyshev, A. V.; Mirlin, D. N.

Rodionova, V. V. See Kravetskii, G. A.

Rodnyi, P. A. See Gusev, Yu. I.; Voloshinovskii, A. S.

Rodnyi, P. A.; Dorenbos, Pieter; Van Eijk, C. W. E.
Creation of electron-hole pairs in inorganic scintillators.—75-01818

Rodnyi, P. A.
Choice of compounds with fast core-valence transitions.—75-00434

Rodrigues, J. A. See Pandolfelli, V. C.

Rodrigues, P. Andre; Rosa, L. G.; Steen, M.
Fatigue behavior of a ceramic matrix composite (CMC), 2-D C_{fiber}/SiC_{matrix}.—75-04525

Rodriguez, Agustin M. See Rivas, Patricia C.

Rodriguez, N. M. See Baker, R. T. K.

Rodriguez-Carvajal, J. See Palacin, M. R.

Rodriguez-Reinoso, F. See Narciso, F. J.

Roeder, J. F. See Van Buskirk, P. C.

Roeder, Ryan K. See Steinlage, Greg A.

Roelofs, M. G.; Suna, A.; Bindloss, W.
Characterization of optical waveguides in $KTiOPO_4$ by second harmonic spectroscopy.—75-01805

Roesch, J. C. See Lauder, A. J.

Roessler, E. See Goren, S. D.

Roessli, B. See Chattopadhyay, T.; Guillaume, M.

Roessli, B.; Fischer, P.; Staub, U.
Combined electronic nuclear magnetic ordering of the Ho^{3+} ions and magnetic stacking faults in $HoBa_2Cu_3O_x$ (x=7, 6.8, 6.3).—75-03347

Rogachev, A. S. See Pityulin, A. N.

Rogachev, A. Yu. See Danishevskii, A. M.; Sepelak, Vladimir

Rogachev, N. A. See Kuznetsov, A. N.

Rogacheva, E. I.; Nashchekina, O. N.
Strengthening of lattices during cation substitution in semiconducting compounds of SnTe.—75-05485

Rogacheva, E. I.
Dopant solubility in off-stoichiometric GeTe.—75-05285

Rogalev, Andrey L. See Belsky, Andrey N.

Rogers, J. K. See Vaez-Iravani, M.

Rogers, J. W., Jr. See Bertolet, D. C.

Rogers, Norman See Juma, Kassim

Rogez, Jacques See Bennour, Fatima

Roggen, J. See Beyne, E.

Roginski, Amy M. See Carter, Thomas M.

Rogozin, I. V. See Georgobiani, A. N.

Rohatgi, A. See Chen, Zhi-Zhang; Lee, J. B.

Rohlev, A. S. See Vogt, Gerald J.

Rohlfing, Celeste M. See Jacobs, Joshua

Rohman, Stephen See Clark, Terence; Cruse, Richard

Rohrer, C. Lane; Rohrer, Gregory S.
Crystal chemical modeling of the Li ion distribution in $Li_xMn_2O_4$.—75-03777

Rohrer, Gregory S. See Kumta, P. N.; Lu, Weier; Rohrer, C. Lane

Rohrer, Gregory S.; Lu, Weier; Smith, R. L.
Imaging the atomic-scale structure of molybdenum and vanadium oxides by scanning tunneling microscopy.—75-01866

Rohrer, Gregory S.; Smith, R. L.
Atomic-scale characterization of defects on cleaved vanadium and molybdenum oxide surfaces using STM.—75-04297

Roi, R.
Long-term forecast for the development of the American cement industry.—75-07163

Rojas-Cervantes, M. L.; Martin-Aranda, R. M.; Lopez-Peinado, A. J.
ZrO_2 obtained by the sol-gel method: influence of synthesis parameters on physical and structural characteristics.—75-06836

Rokeakh, A. I.; Mekhonoshin, A. A.; Legkikh, N. V.; Batin, A. M.
Distortion of the crystal lattice near Cd^{2+} impurity centers in CaF_2 and SrF_2 crystals.—75-08909

Rokhvarger, A. E.; Haber, N.
Development of large ceramic container technology for nuclear waste disposal.—75-03457

Rokhvarger, A. E.
Rapid prototyping applied to industrial design of ceramic processing in a fluidized bed.—75-00251

Rolando, Steven A. See Szymanski, Thomas

Romagnoli, Marcello See Andreola, F.

Romaka, L. P. See Stadnyk, Yu. V.

Roman, Y. G.; Stinton, D. P.
Preparation and economics of silicon carbide matrix composites by chemical vapor infiltration.—75-04149

Roman, Y. G.; Terpstra, R. A.
Chemical vapor infiltration.—75-06550

Romana, Laurence J. See Boatner, Lynn A.
Romanenko, A. I. See Ivannivkova, N. V.
Romannikov, V. N. See Vishnetskaya, M. V.; Zamaraev, K. I.
Romanov, A. A.; Vatolin, N. A.; Kats, S. S.
Features of variation of oxygen activity and solubility on cooling and crystallization of quaternary Fe-C-Si-O melts.—75-08937
Romanov, A. V. See Dobrovol'skii, V. N.
Romanov, B. N. See Novomlinskii, L. A.
Romanov, D. P. See Nesterchuk, N. I.
Romanov, N. G. See Baranov, P. G.
Romanov, O. V.; Bershev, N. E.
Monitoring the formation and removal of superthin Si layers on the hydrogenated starting surface of single-crystalline Si.—75-07978
Romanov, O. V.; Kotov, I. A.
General and fine structures of intrinsic trap distribution over the width of an amorphous thermic SiO_2 on Si.—75-07899
Romanova, E. K. See Pavlovskii, V. K.
Romanova, G. F. See Breza, Yu.
Romanova, I. V. See Gromozova, I. K.
Romanova, N. A. See Buzhinskii, S. A.
Romanova, N. M. See Rodicheva, G. V.
Romanova, V. I. See Opaleichuk, L. S.
Romanova, Yu. Yu. See Belyantsev, A. M.
Romanyuk, B. N. See Semenovich, V. A.
Romanyuk, B. N.; Popov, V. G.; Litovchenko, V. G.; Misiuk, A.; Evtukh, A. A.; Klyui, N. I.
Mechanisms of oxygen gettering in silicon wafers having nonuniform distribution of mechanical stresses.—75-05378
Rombach, Michael See Hollstein, Thomas
Romero, G. L.; Martinez, J. L.
Development of metal matrix composite baseplate technology for high current power modules.—75-00086
Romero-Borja, F. See Cui, X. T.
Ronda, C. R.; Bechtel, H.; Kynast, U.
Degradation behavior of LaOBr:Tb under cathode ray excitation.—75-01748
Rong, Z.-Y. See Dorfman, B.
Ronning, C. See Hofsass, H. C.
Ronzhin, L. S. See Terekhov, A. S.
Root, Thomas F.
New niche for a century old plant.—75-00247
Ropelato, Sam A. See Ference, Joseph A.
Roper, H. See Hinczak, I.
Roques-Carmes, C. See Takadoum, J.
Rosa, L. G. See Martins, C. S.; Rodrigues, P. Andre
Rose, Daniel C. See Chu, Mike S. H.
Rose, K. See Grossmann, J.
Rose, M. F. See Ramesham, R.
Rosen, Arne See Ostling, Daniel
Rosen, Moshe See Martin, L. P.
Rosenberg, M.; Stelmaszyk, P.; Klein, V.
$LiNiO_2$: quantum liquid or concentrated spin glass.—75-03902
Rosenberg, Z.
Shear strength of shock-loaded brittle solids.—75-02094
Rosenblum, S. S. See Li, J.-S.
Rosenflanz, Anatoly See Huang, Zhen-Kun
Rosenholm, Jarl B. See Fagerholm, Heidi
Rosenman, G. See Kugel, V. D.
Rosenstiel, Stephen F. See Denry, Isabelle L.
Rosenthal, Allan B.
Silicon nitride ceramics containing a dispersed pentamolybdenum trisilicide phase.—75-03756
Roshanfekr, S. See Golestani-Fard, F.
Roshchina, Yu. V. See Belyustin, A. A.
Roshchina, Yu. V.; Tsekhomskaya, T. S.; Roskova, G. P.; Ivanovskaya, I. S.
Rate of chemical decomposition of sodium zinc phosphate glass with hydrochloric acid: effect of the ratio of the solution volume to the glass surface area.—75-02681
Roshko, A. See Thomson, R. E.
Rosholm, P. See Hundebol, S.
Roskos, Kh. G. See Averin, S. V.
Roskova, G. P. See Antropova, T. V.; Roshchina, Yu. V.
Rosler, J.; Tonnes, C.
Processing of TiAl components with gradient microstructures.—75-02533
Rosolovskii, V. Ya.; Nikitina, Z. K.; Sinel'nikov, S. M.
Interaction of lithium perchlorate and calcium perchlorate with superoxide and sodium peroxide.—75-06661
Ross, D. K. See Li, J.-C.
Ross, J. T. See Chan, J. S.
Ross, Joseph H., Jr. See Chepin, James
Rossbach, Michael
Improvement of the transverse strength properties of lightweight verticle coring clay bricks and blocks by optimization of the web geometry.—75-05062
Rossetti, Michael See Solomon, David
Rossi, Gulio See Pujari, Vimal K.
Rossi, Pier Francesco; Oliveri, Giovanni; Bassoli, Marta
Heat of water chemisorption on a-Al_2O_3 at 200–400°C.—75-06238
Rossington, David R.
Chemistry and reactions of additives in castables.—75-05076
Rossiter, P. L. See Law, H. H.
Rossow, Harold E. See Pyzik, Aleksander J.
Rossukanyi, N. M. See Polyakov, V. I.; Teremetskaya, I. G.
Rost, A.; Muhlhoff, A.
Characterization of InGaAsP/InP ITG-DFB-BCRW [integrated twin guide-distributed feedback-bridge contacted ridge waveguide] lasers with contacted surface grating for λ=1.55 μm.—75-02977
Rotaru, A. Kh.; Brega, V. V.; Zalozh, V. A.
Formation of dissipative structures of polaritons in semiconductors.—75-07893
Roth, Ian; Metzger, Todd; Feng, Xiang-Dong; Kim, Dong-Sang; Hahn, Wendy K.; Gong, Mei-Ling
Vitreous ceramic waste form for Hanford tank wastes.—75-03502
Roth, M. See Katz, S.
Roth, M.; Di Fiore, Robert R.; Folz, Diane C.; Clark, David E.; Wehlburg, C.; Szczepanski, J.
Vibrational spectroscopy of silica sol-gel components during microwave irradiation.—75-01974
Roth, Robert S. See McHale, Anna E.
Rothfuss, H.; Metzger, H.; Winkelmann, H.; Schruff, F.
Gas purging—high-tech refractory systems.—75-07556
Rothfuss, Hans See Bruckner, Raimund
Rothman, A.
Sylvia Netzer's Post-Toxic Neo-Plastic.—75-02367
Rothwell, R. J. See Prevey, P. S.
Rotter, Lawrence D. See Robins, L. H.
Rottner, K.; Helbig, R.
Process analysis of AP-CVD of silicon carbide.—75-00580
Rouan, J. P. See Cholet, V.
Rouby, D. See Brenet, P.; Reynaud, P.; Tallaron, C.
Rouch, H. See Pons, M.
Roughead, Alan See Auld, Bob
Roulet, B. See Hudlet, S.
Rouquet, N. See Frayssinet, P.
Roush, M. L. See Benedetto, J. M.
Roussel, J. C. See Masse, S.
Rousset, Abel See Peigney, Alain
Rousset, Abel; Devaux, Xavier
Composite alumina/metal powders, cermets made from said powders, and processes of production.—75-04876
Rousset, B. See Itoua, S.
Routbort, Jules L. See Bradt, Richard C.; Goretta, Kenneth C.; Wu, Weite
Rouvet; Hermann, Jean-Marie; Volta, Jean-Claude
Electrical properties of pure vanadium phosphate phases and of VPO catalysts used in the partial oxidation of *n*-butane to maleic anhydride.—75-06455
Roux, C. See Djurado, E.
Roux, J. F.; Treilleux, M.; Cabaud, B.
Original way to elaborate cermet thin films: cluster deposition.—75-00974
Rouxel, T. See Besson, Jean-Louis
Rouxel, T.; Baumard, J. F.; Besson, Jean-Louis
High-temperature deformation and point defects in yttria.—75-09510
Rouxel, T.; Besson, Jean-Louis; Fargeot, D.
Changes in elasticity and viscosity of an SiYAlON glass during structural relaxation in the transformation range.—75-04943
Rouxel, T.; Lemercier, H.; Besson, Jean-Louis
Rheological behavior of YSiAlON glasses—its incidence on the high-temperature deformation of Si_3N_4 ceramics sintered with Al_2O_3 and Y_2O_3 additives.—75-03922
Rovatti, L.; Severi, G.
New technologies in storage plants using AGV's [automated wire-guided vehicles].—75-00972
Rowcliffe, David J. See Andersson, Tomas; Bergstrom, Lennart
Rowland, L. B.; Doverspike, Kathleen; Gaskill, D. K.; Freitas, J. A., Jr.
Effect of aluminum nitride buffer layer temperature on gallium nitride grown by OMVPE.—75-00463
Rowland, T. J.
Initiatives in high-level radioactive waste vitrification.—75-00930
Rowlands, W. N. See Hunter, R. J.
Rowley, A. T. See Wroe, F. C. R.
Roy, Apurba See Grader, Gideon S.
Roy, D. M.; Jiang, W.
Ash recycling by design in cement and concrete production.—75-02386
Roy, H. C.
High-emissive ceramic coating: an approach to save energy at high temperature.—75-07563
Roy, J. M. See Hughes, K.
Roy, J.-F.; Goeuriot, P.; Thevenot, F.
Reactive hot-pressing study of the Al_2O_3-AlN-MgO system.—75-04197
Roy, K. See Mitra, N. K.
Roy, P. K.; Mohanty, B. K.; Halder, Anup; Mishra, A. K.; Banerjee, G.; Chaudhury, M.
Biotechnological enrichment and conditioning of minerals—refractory magnesite as a case study.—75-08513
Roy, Rustum; Cheng, Ji-Ping; Drawl, William R.; Cherian, Kuruvilla A.
Diamond precipitation and single-crystal homoepitaxial growth in the system Ag-C-H.—75-09259
Roy, Rustum; Ravichandran, Duraiswamy; Ravindranathan, Palaniappan
Diamond synthesis via hydrothermal pyrolysis of hydrocarbons and halogenated hydrocarbons on diamond seeds.—75-09260
Roy, Rustum
Fifty years of mineral and materials synthesis.—75-01501; Low thermal expansion ceramics—a retrospective.—75-01881; Telestic (purposeful) and atelestic (curiosity-driven) research in the post-supercollider world.—75-04759; See also Cheng, Ji-Ping; Cherian, Kuruvilla A.; Dewan, H. S.; Komameni, Sridhar; Mathis, M. D.; Nair, Nathan
Roy, S. K. C. See Krishna, N. V. S.
Roy, S. K.; Biswas, A.
Combustion synthesis of TiB and TiB_2 under vacuum.—75-06554
Roy, S. N. See Bhattacharya, Dipten
Roychoudhury, R. See Zhao, G.
Rozati, S. M. See Mirazapour, S.
Rozental, N. K. See Ivanov, F. M.
Rozentsvaig, Yu. K. See Vikhnin, V. S.
Rozhdestvenskaya, I. V. See Organova, N. I.
Rozhko, A. Kh. See Bukivskii, P. N.
Rozhkov, A. V. See Korol'kov, V. I.
Rozhkov, V. A.; Trusova, A. Yu.; Berezhnoi, I. G.; Goncharov, V. P.
MIS [metal-insulator-semiconductor] varicaps and photovaricaps [nonlinear capacitors] based on Al-Sm_2O_3-Si structures.—75-07971
Rozhkov, V. S. See Efremenkov, V. V.
Rozman, M. See Bernik, S.
Roznovan, Yu. V. See Smirnov, D. V.
Rozovskii, G. See Zhelis, Kh.
Rozovskii, G.; Gal'dikene, O.; Zhelis, Kh.; Motskus, Z.
Effect of copper ions on the tin(II) oxidation reaction in sulfuric acid solutions.—75-09589
Ruan, J. See Bhushan, Bharat
Ruan, J.; Bhushan, Bharat
Atomic scale and microscale friction studies of graphite and diamond using friction force microscopy.—75-01794
Ruan, M.-L. See Song, Y.-J.; Zhang, Biao
Ruano, O. A. See Ye, J.-D.
Rubenstein, Asher A.
Strength of fiber-reinforced ceramics on the basis of a micromechanical analysis.—75-07034
Rubin, M. See Newman, N.
Rubinov, V. M. See Mirsagatov, Sh. A.
Rubinstein, M. See Lubitz, P.
Rubtsov, A. N. See Aktsipetrov, O. A.
Rubtsov, V. A. See Akimov, A. I.; Kasper, N. V.; Yakimovich, V. N.
Ruckh, M.; Schmid, D.; Schock, H. W.
Photoemission studies of the ZnO/CdS interface.—75-00564
Rud, V. Yu. See Bodnar, I. V.; Zhilyaev, Yu. V.
Rud, V. Yu.; Rud, Yu. V.; Serginov, M.
Polarization of donor-acceptor photoluminescence of *p*-$CdSiAs_2$(In) single crystals.—75-08023
Rud, V. Yu.; Rud, Yu. V.; Shpunt, V. Kh.
Discovery of photosensitivity in semiconductor/green leaf heterocontacts.—75-02997; Photoelectrical properties of semiconductor contact with green leaves.—75-03122
Rud, Yu. V. See Astrova, E. V.; Bodnar, I. V.; Lebedev, A. A.; Rud, V. Yu.; Zhilyaev, Yu. V.
Rudashevskii, E. G. See Gufan, Yu. M.; Prokhorov, A. M.
Rudder, Ronald A. See Humphreys, T. P.; Malta, D. P.
Rudder, Ronald A.; Hudson, George C.; Hendry, Robert C.; Markunas, Robert J.; Mantini, Michael J.
Process and apparatus for chemical vapor deposition of diamond films using water-based plasma discharges.—75-08614
Rudder, Ronald A.; Hudson, George C.; Hendry, Robert C.; Markunas, Robert J.
Chemical vapor deposition of diamond films using water-based plasma discharges.—75-01158
Rudenko, V. V.
$GaBO_3$ crystal growth from flux.—75-06626; See also Zenkov, A. A.
Rudert, V. See Lange, F.
Rudkovskaya, L. M. See Razumovskaya, O. N.
Rudkowska, G. See Strom-Olsen, J. O.
Rudkowski, P. See Strom-Olsen, J. O.
Rudnev, I. A. See Kadushkin, V. I.
Rudolph, Thomas See Mangold, Helmut
Rudolph, V. See Cherian, Kuruvilla A.
Ruessel, C. See Deckwerth, M.
Rugg, J. W.
Complying with the storm water regulations.—75-04693
Rugg, K. L. See Tressler, Richard E.
Ruginets, R.; Fischer, R.
Microwave reaction sintering and properties of B_4C-Al composite.—75-07219
Ruh, E.
Recent trends in refractories.—75-00269
Ruh, Robert See Parthasarathy, Triplicane A.; Russell, Laura M.; Xu, Y.-R.
Ruhle, Manfred
Structure and composition of metal/ceramic interfaces.—75-07232; See also Dressler, Wolfgang; Hoche, Thomas; Kleebe, H.-J.; Pan, Xiao-Qing; Wagner, T.; Wang, Chong-Min
Ruhle, W. W. See Heberle, A. P.
Ruin, P. See Guinebretiere, R.
Ruiz Sierra, J. C.; Badre, J. M.; Chejne Janna, F.
Nonisothermal conditions inside magnetite pellet due to its oxidation.—75-04434
Ruiz, A.; Mestres, N.; Calleja, J. M.
Growth and characterization of $Al_{1-x}In_xAs/Ga_{1-x}In_xAs$ strained multiple quantum wells.—75-00500
Ruiz, Laurence; Readey, Michael J.
Effect of heat treatment on grain size, phase assemblage, and mechanical properties of 3 mol% Y-TZP.—75-06578
Ruiz, R. P. See Bachli, A.
Ruiz, Roberto See Jurcik, Benjamin
Rujijanagul, G. See Tunkasiri, T.
Rukovishnikov, A. I. See Polyakov, V. I.
Rul'kevich, L. V. See Zharova, L. A.
Rulis, Dean A. See Ritland, Marcus A.
Ruller, Jacqueline A.; Jewell, John M.
Raman and infrared spectra of lead gallosilicate glasses.—75-04921
Rumpf, A. N. See Cernosek, R. W.
Rumpler, Karl-Heinz
Thermal granulation of ceramic bodies in a fluidized bed.—75-05915
Rumyantsev, E. L. See Shur, V. Ya.
Rumyantsev, S. L. See Levinshtein, M. E.
Rumyantsev, V. N.
Solubility of quartz in NaOH aqueous solutions at increased temperatures and pressures.—75-06517
Rumyantseva, I. A.; Molokov, V. F.; Nikolaev, A. N.
Application of vermiculite in construction.—75-08752
Rumyantseva, M. N. See Gas'kov, A. M.; Morozova, N. V.
Rumyantseva, M. N.; Belyanskii, M. P.; Gaskov, A. M.
Copper diffusion in SnO_2 polycrystalline films.—75-06841
Rundgren, Kent; Eriksson, Mikael; Pompe, Robert; Sandren, Ake; Hoganas, Svenska; Clevesson, Orjan
Refractories based on using dross from remelting of aluminum scrap.—75-07647
Runova, R. F.; Plokhii, V. P.; Dekhno, A. L.; Yamenko, A. B.
Features of structure formation of a high-carbon ash-based binder.—75-07149

Runova, R. F.
Contact-condensation properties of hydrated ashes.—75-07141
Ruoff, Arthur L.; Li, Ting
Phase transitions in III-V compounds to megabar pressures.—75-05420
Rupich, Martin; Riley, Gilbert N., Jr.; Carter, William L.
Coated precursor powder for oxide superconductors.—75-05866
Ruppel, Irving B. See Owens, Dean P.; Tenhover, Michael A.
Ruppik, M. See Hauck, D.; Rimpel, E.
Rusakov, A. P. See Anshukova, N. V.
Rusakov, V. S.; Bychkov, A. M.; Chistyakova, N. I.; Kuz'mina, N. A.; Urusov, V. S.
Mossbauer study of the low-temperature crystallization of ferrisilicate feldspars.—75-08687
Rusakova, I.; Hamed, A.; Hor, P. H.
Effects of deposition temperature and thermal treatment on the structure of C_{60} and C_{70} films.—75-01469
Ruschau, Gregory R. See Newnham, Robert E.
Rusin, Richard P. See Ghosh, Asish
Rusin, Richard P.; Gischman, Gary S.
Ceramic Transactions, Volume 63: Bioceramics: Materials and Applications, II.—75-04769
Rusinov, A. A. See Kandaurova, G. S.
Ruska, Jurgen See Schat, Bralt R.
Rusman, I.; Klibanov, L.; Ben-Jacob, E.; Croitoru, N.
STM and photoconductivity studies of a:DLC [amorphous diamondlike carbon] films.—75-08063
Russ, S. E. See Ferber, M. K.
Russ, W. M. See Hirschfeld, D. A.
Russell, D. A.; Taborek, P.
Dependence of diamond growth rate on hydrogen dissociation in a dc arc jet plasma.—75-06565
Russell, G. J. See Gu, G. D.; Harmann, A.; Ramer, R.; Zhao, Y.
Russell, Laura M.; Donaldson, Kimberly Y.; Hasselman, D. P. H.; Ruh, Robert; Adams, Jane W.
Thermal diffusivity/conductivity and specific heat of mullite-zirconia-silicon carbide whisker composites.—75-09201
Russell, S. W.; Strane, J. W.; Mayer, J. W.
Reaction kinetics in the Ti/SiO_2 system and Ti thickness dependence on reaction rate.—75-00126
Russell, Stephen W.; Luptak, K. A.; Suchicital, Carlos Tres A.; Alford, T. L.; Pizziconi, V. B.
Chemical and structural evolution of sol-gel-derived hydroxyapatite thin films under rapid thermal processing.—75-03771
Russo, T. J. See Singh, K. N.
Russu, E. V. See Slobodchikov, S. V.
Rustamov, A. G. See Niftiev, N. N.
Rustamov, P. G. See Sadygov, F. M.
Rut, O. E. See Germanenko, A. V.
Ruys, A. J. See Ehsani, G. N.; Kerdic, J.; Wei, M.
Ruys, A. J.; Ehsani, G. N.; Milthorpe, B. K.; Sorrell, C. C.
Effect of nonoxide additions to hydroxyapatite during sintering.—75-01461
Ruys, A. J.; Simpson, S. A.; Sorrell, C. C.
Thixotropic casting of ceramic matrix composites.—75-01733; Thixotropic casting of fiber-reinforced ceramic matrix composites.—75-06823
Ruys, A. J.; Sorrell, C. C.
Slip casting alumina with Na-CMC [sodium carboxymethylcellulose].—75-09444
Ruys, A. J.; Wei, M.; Brandwood, A.; Milthorpe, B. K.; Sorrell, C. C.
High-resolution electron microscopy study of hydroxyapatite.—75-01861
Ryabets, S. I. See Zhovnir, G. I.
Ryabova, L. I. See Akimov, B. A.; Gas'kov, A. M.
Ryabushkin, O. A. See Sablikov, V. A.
Ryan, J. M.; Huang, J. W.; Kuech, T. F.
Effects of temperature and oxygen concentration on the photoluminescence of epitaxial metallorganic vapor phase epitaxy GaAs:O.—75-01475
Ryan, M. J. See Barris, G. C.; Brown, I. W. M.; MacKenzie, K. J. D.; White, G. V.
Ryan, W.
Energy savings using autoclaved aerated concrete.—75-00037
Ryazin, V. P. See Entin, Z. B.
Ryb'ev, I. A. See Gabidullin, M. G.
Rybakov, K. I.; Semenov, V. E.
Influence of temperature nonuniformity on ceramic sintering.—75-01547
Rybakov, V. S. See Kurbatskii, M. N.
Rybakova, O. V.
Investigative approach and analytical components concerning the state of the cement market in Central Russia.—75-07162
Rybchenko, S. I. See Alov, D. L.
Rychlik, B. See Benedetto, J. M.
Rychlowska-Himmel, I. See Walczak, J.
Ryder, Adrian M.; Quinn, Gerard F.
Periclase crystal size measurement—an international approach.—75-07627
Rye, Robert R.
Hot-filament-assisted chemical vapor deposition of carbon: film growth and filament reactions.—75-01527; See also Winters, Harold F.
Ryelandt, L. See Jacques, P.
Rymon-Lipinski, Tadeusz; Schmeizer, Bettina; Ulitzka, Stanislaus
Tests on the oxidation-inhibiting effect of CaB_6 in refractory MgO-C materials.—75-02843
Ryoo, K.-K. See Kang, S.-G.
Ryoo, Kun-Sang See Lee, Sang-Won
Ryskin, A. I. See Langer, Ezhi M.; Onopko, D. E.
Ryskin, N. N. See Voron'ko, Yu. K.
Ryu, B.-K. See Kim, K.-H.
Ryu, B.-K.; Kim, K.-H.; Park, H.-C.; Yasui, I.
Synthesis and characterization of metal boride/glass composite resistors.—75-00379
Ryu, Bon-Gi; Yasui, I.
Sintering and crystallization behavior of a glass powder and block with a composition of anorthite and the microstructure dependence of its thermal expansion.—75-05043
Ryvkin, B. S. See Kucherenko, S. S.
Ryvkin, B. S.; Suris, R. A.
Heating instability in generation of the photocarriers in potential well of a *P-i-N* heterostructure.—75-03043
Ryzhikov, V. D. See Morozova, N. K.
Ryzhkov, M. V. See Radionov, V. N.
Ryzhkovskii, V. M.; Dymont, V. P.; Nekrashevich, E. M.; Pashkovskii, I. L.
Structural and magnetic properties of $Mn_{2-x}Ni_xAs$, $Mn_{2-x}Cu_xAs$, and $Mn_{2-x}Zn_xAs$ solid solutions with Cu_2Sb-type crystal structure.—75-09065
Ryzhkovskii, V. M.; Dymont, V. P.; Pashkovskii, I. L.
Spin reorientation phase transition in melts of a unified system of $Mn_{2-x}A_xSb_{1-y}B_y$ (A=Cu, Zn, Ni, Fe; B=As, Sn).—75-08242
Ryzhkovskii, V. M.
Ferrimagnetic-antiferromagnetic phase transition in $Mn_2Sb(As)$ melts under high pressure.—75-08217
Ryzhmanov, Yu. M. See Gataullin, O. F.
Ryzhov, V. A.; Larionov, I. I.; Fomichev, V. N.
Longitudinal nonlinear magnetic susceptibility of magnets in the second harmonics of excitation frequency and the stray signal.—75-09155
Ryzhov, V. A.; Zavatskii, E. I.; Solov'ev, V. A.; Kiselev, I. A.; Fomichev, V. N.; Bikineev, V. A.
Spectrometer for studying broad dipolar magnetic transitions in magnetic materials and Hall conductivity at microwave frequency in conducting materials.—75-08703
Sa'adaldin, H. S. See Tian, Yong-Lai
Sa, Matusita K. See Komatsu, T.
Sabella, M. S. See Sylla, W. K.
Sabine, T. M. See Bertram, W. K.
Sabirov, S. S. See Yunusov, M. S.
Sablikov, V. A.; Polyakov, S. V.; Ryabushkin, O. A.
Mechanism of the low-temperature impurity breakdown.—75-07965
Sablina, K. A. See Pankrats, A. I.; Petrakovskii, G. A.
Sabouret, E.; Veyret, J. B.; Bullock, E.
Mechanical properties of continous carbon fiber reinforced silicon nitride: influence of fiber coatings.—75-04591
Saburova, R. V.; Chugunova, G. P.; Yumatov, S. A.
Phonon echo in irradiated crystalline quartz.—75-09037
Sachenko, A. V. See Shekhovtsov, L. V.
Sackmann, E. See Elender, G.
Sacks, Michael D. See Wang, Ke-Yun
Sacks, Michael D.; Scheiffele, Gary W.; Saleem, M.; Staab, Greg A.; Morrone, A. A.; Williams, T. J.
Polymer-derived silicon carbide fibers with near-stoichiometric composition and low oxygen content.—75-03916
Sacks, Michael D.; Scheiffele, Gary W.; Staab, Greg A.
Fabrication of textured silicon carbide via seeded anisotropic grain growth.—75-04038
Sacks, Michael D.; Wang, Ke-Yun; Scheiffele, Gary W.; Bozkurt, Nazim
Activation energy for mullitization of α-alumina/silica microcomposite particles.—75-01371
Sacuto, A.; Desmicht, R.; Jegoudez, J.
Straightforward identification of the *a* and *b* crystalline axes in $YBa_2Cu_3O_7$ single crystal by a polarizing microscope setup.—75-08419
Sacuto, A.; Kanehisa, M. A.; Gorochov, O.
Electronic Raman scattering study on $YBa_2Cu_3O_7$ in the superconducting state.—75-05764
Sadamura, H.; Sugita, N.; Maekawa, M.
Magnetic properties of modified Ba ferrite particles.—75-03306
Sadaoka, Yoshihiko See Nakayama, Susumu; Traversa, Enrico
Sadof'ev, Yu. G. See Evstropov, V. V.
Sadovskaya, L. Ya. See Antonenko, A. M.; Kudzin, A. Yu.
Sadovskaya, N. V. See Tomashpol'skii, Yu. Ya.
Sadygov, F. M.; Rustamov, P. G.; Mirzoeva, R. D.
Physicochemical study of the $Sb_2Te_3(Bi_2Te_3)$-TmTe system.—75-09041
Saegusa, K.; Suzuki, Y.
Decrease of defects of sol-gel-derived $PbTiO_3$ thin film and its grain size effect on ferroelectric properties.—75-00645
Saegusa, K.
$PbTiO_3$-PbO-B_2O_3 glass-ceramics by a sol-gel process.—75-07392
Saeki, Goji; Takahushi, Hirokuni; Watanabe, Akira
Synthesis of needle-shaped γ-$LiAlO_2$ crystals by using LiOH-Al_2O_3-$Al(OH)_3$-NaOH system as the raw material.—75-09472
Saeki, M. See Nakamura, A.
Saeki, Tatsuya See Yoshida, Hideto
Saetgaleev, Ya. Kh.; Tokhtas'ev, V. S.; Bakhtin, A. I.
Shevelev, A. I.
Carbonate strata of the Luchuiskoe and Larginskoe ore fields [investigated] using statistical methods.—75-08756
Saez-Puche, Regino See Dissanayake, M. A. K. L.
Saf'yanov, Yu. N.
X-ray diffraction determination of the degree of long-range order in epitaxial $In_xGa_{1-x}P$ [x=0.44–0.54] layers.—75-09106; X-ray studies of the ordered structure in epitaxial $In_xGa_{1-x}P$ layers.—75-05518; See also Mintairov, A. M.
Safaraliev, G. K.; Tairov, Yu. M.; Offsterova, N. V.;
Morozenko, Ya. V.; Abilova, N. A.
Cathodoluminescence of $(SiC)_{1-x}(AlN)_x$ solid solutions.—75-07797
Safari, Ahmad See Agarwala, Mukesh K.; Tahan, Danielle M.; Ting, Steven M.; Yoon, Soon-Gil
Safarov, A. F. See Eivazov, E. A.
Safarov, M. G.; Orudzhev, N. M.; Mekhrabov, A. O.;
Dzhangirov, A. Yu.; Safarov, R. M.
Thermoelectric properties of Bi_2S_3-GaTe solid solutions.—75-08085
Safarov, R. M. See Safarov, M. G.
Saffarini, G.
Topological transitions and chemical ordering in network glasses of the Ge-Ga-S system.—75-04936
Saflna, V. M. See Zainabidinov, S. Z.
Safonchik, M. O. See Smirnov, D. V.
Safonov, V. V.
BaO(CdO)-TeO_2-WO_3 systems in the TeO_2-rich regions.—75-08875
Safonov, Yu. S. See Gorelik, S. S.
Safonova, L. See Brazis, R.
Safronenko, M. G. See Bogatov, Yu. E.
Sagalova, T. B. See Gorelik, S. S.
Sagar, Sandhya See Shi, Dong-Lu
Sagatov, M. A. See Masterov, V. F.
Sagel-Ransijn, C. D. See He, Y. J.
Sagel-Ransijn, C. D.; Winnubst, A. J. A.; Burggraaf, A. J.; Verweij, H.
Influence of crystallization and washing medium on the characteristics of nanocrystalline Y-TZP.—75-09338; Synthesis and characterization of nanocrystalline Y-TZP.—75-01697
Sah, Chih-Tang See Lu, Yi
Saha, Chandan K. See Atwell, William H.
Saha, Chandan K.; Zank, Gregg A.; Ghosh, Asish
Application of organosilicon pre-SiC polymer technology to optimize rapid prototyping of ceramic components.—75-00939
Saha, D.; Sen, A.; Maiti, H. S.
Solid-state synthesis of precursor $MgNb_2O_6$ for the preparation of $Pb(Mg_{1/3}Nb_{2/3})O_3$.—75-06775
Saha, S. K. See Pal, M.
Saha, S. K.; Maity, A. K.; Chakravorty, D.
Conductivity relaxation in germanate glasses.—75-00181
Saha, Susanta Kumar; Pramanik, Phanchanan
Aqueous sol-gel synthesis of mullite powder by using aluminum oxalate and tetraethoxysilane.—75-06538
Sahaida, Scott R. See Saito, Kimitsugu
Sahar, M. R.; Abidin, A. Z.
Properties of CaO-MgO-P_2O_5 glasses.—75-04989
Sahay, V.; Lare, P. J.; Hahn, H.
Characterization of composite hydroxyapatite (HAp) coatings for medical and dental devices.—75-01080
Sahira, Kensho See Arima, Yuusuke
Sahli, S.; Hou, X.; Aslam, M.
Effect of grain size and temperature on the field dependence of the resistivity of B-doped diamond.—75-09274; Piezoresistive gauge factor of polycrystalline diamond measured at different fields and temperatures.—75-08160
Sahling, O.; Kulig, M.; Greil, P.
Preparation of Ca-2,2,2-trifluoroethanolate as a sintering additive for AlN ceramics.—75-06726
Sahu, J. K. See Choudhury, S. K.
Sahu, J. See Chakrabarti, S.
Sahu, M. M. See Jhunjhunwala, R.; Mondal, P. K.
Saidi, A. See Chrysanthou, A.
Saidi, A.; Chrysanthou, A.; Wood, J. V.
Characteristics of the combustion synthesis of TiC and Fe-TiC composites.—75-06545
Saidov, A. S. See Saidov, M. S.
Saidov, A. S.; Leiderman, A. Yu.; Sapaev, B.; Karazhanov, S. Zh.; Saparov, D. V.
Voltage-current characteristics of *n-p-p*⁺ structures based on silicon-germanium solid solution compensated with chromium.—75-08094
Saidov, M. S.; Abdurakhmanov, B. M.; Allev, R.; Saidov, A. S.
Charge carrier transport in polycrystalline silicon *p-n* structures.—75-07804
Saifullaeva, D. A. See Koroleva, L. I.
Saihi, Kazuhiro See Matsui, Kunio
Saiki, Atsushi See Kiguchi, Takanori
Saiki, H. See Ohya, Yutaka
Saiko, A. P.; Gusakov, V. E.
Nature of the formation of two superconducting phases in yttrium barium cuprates.—75-08378
Saikova, S. V. See Nikolaeva, R. B.
Saini, N. See Moreno, W.
Saini, V. See Hsu, D. K.
Saint-Jean, M. See Hudlet, S.
Sainz, E. See Alonso, M.
Saipeev, G. A.
Resonance fracture of solid particles by a liquid: a new concept of dispersion of minerals.—75-05910
Saito, Fumio See Yoshizawa, Yuichi
Saito, Hajime See Shintani, Yoshitomo
Saito, Hiroshi See Kishi, Hiroshi
Saito, Isao; Senna, Mamoru
XPS study on the interaction at the Fe_3O_4/SiO_2 boundary on the surface of composite microspheres prepared via a shear-compressive mechanical route.—75-06414
Saito, Katsuaki; Ohue, Michio; Fukuda, Takuya; Choi, Jai-Ho; Miyamoto, Yukinobu
Capacitor for semiconductor integrated circuit and method of manufacturing the same.—75-00388
Saito, Keishi; Aoike, Tatsuyuki; Kariya, Toshimitsu; Koda, Yuzo
Nonmonocrystalline silicon carbide semiconductor and semiconductor device employing the same.—75-08107
Saito, Kimitsugu See Tachibana, Takeshi
Saito, Kimitsugu; Miyata, Koichi; Bade, John P., Jr.; Stoner, B. R.; Von Windheim, Jesko A.; Sahaida, Scott R.
Highly oriented diamond film thermistor.—75-08102
Saito, Kimitsugu; Miyata, Koichi
Method of making a diamond film.—75-01177
Saito, M. See Jian, C. Y.
Saito, Masaaki See Kijimuta, Hitoshi
Saito, Naruki; Ishizaki, Kozo
Auger electron spectroscopy of aluminum nitride powder surfaces.—75-03765
Saito, Noriko See Ikegami, Takayasu

Saito, Riichiro See Yamamura, Shinichi
Saito, Shigeo See Yokota, Minoru
Saito, Shinichi See Ito, Shigeru
Saito, Syoshichi See Mori, Toshiyuki
Saito, Tomohiro; Doke, Yasuo; Sakaida, Yoshihisa; Ikuhara, Yuichi
Surface defects and local strain in polished silicon [characterized] by transmission electron microscopy.—75-09578
Saito, Toshitaka See Sugiyama, Tomio
Saito, Tsutomu See Nagata, Hirotoshi
Saito, Y.; Maier, J.
Conductivity enhancement in fluorides by grain boundary activation.—75-09535
Saito, Y.; Nakamura, O.; Yamamoto, Y.
Spherical particle preparation of Na^+ ion conductive $Na_3Zr_2Si_1O_{12}$ [NZS] by mist pyrolysis.—75-06778
Saito, Y.; Yamada, M.; Nakagawa, M.; Nakamura, O.
Sodium metal deposition by electron beam irradiation during SEM observation.—75-07747
Saito, Yasuo; Koyama, Seiichi; Sugahara, Yoshiyuki; Kuroda, Kanzuyuki
Characterization of aluminum nitride from a precursor poly(isopropyliminoalane).—75-09528
Saito, Yukio See Nabatame, Toshihide
Saitoh, H. See Nishino, Junichi
Saitoh, Masahide See Ishikawa, Shinji
Saitoh, Masaki See Yamada, Atsuo
Saitoh, Mitsuchika See Tanaka, So
Saitoh, Tsuyoshi See Sakai, Norio
Saitoh, Tsuyoshi; Kawabata, Shoichi; Sakai, Norio
Method of manufacturing cavitied ceramic multilayer block.—75-00998
Saitou, Koji See Hayashi, Tsuyoshi
Saitou, Mitsuhiro See Nagasaka, Takashi
Saiz, E. See Cannon, R. M.
Sajgalik, P. See Dusza, J.
Sajgalik, P.; Dusza, J.; Lences, Z.
Layered Si_3N_4-based composites.—75-01559
Sajgalik, P.; Lences, Z.; Dusza, J.
Si_3N_4-based composite with layered microstructure.—75-04206
Saji, Akira See Sasaki, Yukichi
Saji, K. See Perfecto, E. D.
Saka, H. See Nakano, K.
Saka, Mitsuru See Kosugi, Tatsuhiro
Sakabe, Yukio See Abe, Yoshio
Sakaguchi, Isao; Haneda, H.; Tanaka, Junzo; Yanagitani, Takakimi
Effect of composition on the oxygen tracer diffusion in transparent yttrium aluminum garnet (YAG) ceramics.—75-04281
Sakaguchi, Isao; Watanabe, A.; Haneda, H.
Effect of Cu-implanted joining interface on oxygen grain boundary diffusion in $SrTiO_3$ bicrystal.—75-09590
Sakaguchi, Shigeki See Todoroki, Shinichi
Sakaguchi, Shigeki; Shibata, Shuichi
Rayleigh scattering in silica glasses.—75-07363
Sakaguchi, Shigeki; Todoroki, Shinichi
Evaluation of critical cooling rate for $30Na_2O$-$10MgO$-$60SiO_2$ glass based on viscosity.—75-07384
Sakaguchi, Shuji See Watari, Koji
Sakaguchi, Shuji; Murayama, Norimitsu; Kodama, Yasuharu
R-curve measurement of silicon nitride ceramics using single-edge notched beam specimens.—75-06939; Relation between internal friction and tensile creep deformation on alumina ceramics.—75-04620
Sakai, H. See Omori, M.
Sakai, Hiromichi See Urano, Toshio
Sakai, Hitoshi; Yoshida, Hitoshi
Superconducting tube for shielding magnetic fields.—75-08489
Sakai, K. See Ramulu, M.
Sakai, Kohzo See Kondoh, Kei
Sakai, Mototsugu See Li, Ming; Pezzotti, Giuseppe
Sakai, Mototsugu; Kurita, Hisashi
Size effect law in the fracture resistance of a graphite refractory.—75-07662; Size effect on the fracture toughness and the *R*-curve of carbon materials.—75-09670
Sakai, Mototsugu; Muto, Hiroyuki; Haga, Mikichika
Double-shear geometry for the deformation and flow of ceramics at elevated temperatures.—75-02037
Sakai, Naomichi See Murakami, Masato
Sakai, Norio See Saitoh, Tsuyoshi
Sakai, Norio; Saitoh, Tsuyoshi; Nakayama, Yoshikatsu; Kamada, Akihiko
Handling apparatus for ceramic green sheet.—75-05921
Sakai, Shiro See Ueta, Yoshihiro
Sakai, T.; Hoshide, T.
Statistical aspect on fatigue fracture of structural ceramics under cyclic loading.—75-02097
Sakai, Takenobu See Ogawa, Naoyuki
Sakai, Yasushi See Fukase, Munehiko
Sakaida, A. See Kikukawa, M.
Sakaida, Yoshihisa See Mizuno, Mineo; Saito, Tomohiro
Sakaida, Yoshihisa; Tanaka, Keisuke; Suzuki, Kenji; Kawamoto, Hiroshi
Estimation of grinding flaw size of ground silicon nitride based on fracture mechanics.—75-08666
Sakaki, Sumio See Yamada, Junji
Sakakibara, Shoji See Suzuki, Junichiro
Sakakidani, Katsutoshi; Fujii, Koichiro; Tawara, Masanori
Improvement of tundish inner lining refractory.—75-07574
Sakamaki, M. See Endo, Tadashi
Sakamoto, H. See Itoh, H.
Sakamoto, Masatomi See Nakayama, Susumu; Traversa, Enrico
Sakamoto, Norihiko See Yamada, Kenichi
Sakamoto, Satoshi See Ono, Yasushi
Sakamoto, Satoshi; Ono, Yasushi; Ono, Takuro
Graphite-containing unshaped refractories.—75-07558
Sakamoto, Wataru See Hirano, Shinichi
Sakamoto, Wataru; Yogo, Toshinobu; Kikuta, Koichi; Arimoto, Tadashi; Hirano, Shinichi
Synthesis of lead barium niobate powders and thin films by the sol-gel method.—75-03262
Sakamoto, Wataru; Yogo, Toshinobu; Kikuta, Koichi; Ogiso, Koji; Kawase, Akihiro; Hirano, Shinichi
Synthesis of strontium barium niobate thin films through metal alkoxide.—75-05647
Sakamoto, Yoshifumi See Sugino, Takashi
Sakanoue, Hitoyuki See Sasame, Akira
Sakata, Hironobu See Mori, Hidetsugu; Qiu, Hong-Hua
Sakata, Koichiro See Aoki, Masashi
Sakata, Yusaku; Namba, Takemi; Inoue, Yoshiaki; Kasaoka, Shigeaki
Modification of the monodispersed pore of silica gel with controlled microporous carbon.—75-01310
Sakatani, Naoko See Murakami, Hiroshi
Sakharova, M. S. See Bryzgalov, I. A.
Sakharova, T. V. See Akchurin, R. Kh.
Sakka, Sumio See Miyaji, Fumiaki; Ohyama, Masashi; Pope, Edward J. A.
Sakka, Yoshio See Ozawa, K.
Sakka, Yoshio; Sodeyama, K.; Uchikoshi, T.; Ozawa, K.; Amano, Muneyuki
Water sorption-desorption characteristics of proton-conducting antimonic acids with cubic and monoclinic structures.—75-03863
Sakov, D. M. See Lipson, A. G.
Sakuma, T.
Martensitic transformation.—75-06069; See also Hayashi, Katsuro; Higuchi, K.; Okada, Kazuki; Yoshizawa, Y.
Sakun, V. P. See Mamsurova, L. G.
Sakurada, O. See Kuwabara, T.
Sakurai, K. See Wormington, M.
Sakurai, Osamu See Che, Sheng-Lei; Fujii, Yoshihiro; Furakawa, Yukiko; Hioki, Tsuyoshi
Sakurai, T. See Bakhtizin, R. Z.; Hashizume, Tomihiro
Sakurai, Takeshi See Wada, Takahiro
Sakurai, Takeshi; Sugii, Nobuyuki; Adachi, Seiji; Ichikawa, Michiharu; Yaegashi, Yuji; Yamauchi, Hisao
Superconductive copper-containing oxide materials of the formula $A_yB_6Cu_2O_{4+y}$.—75-03442
Sakurai, Tomoaki; Kitakami, Osamu; Shimada, Yutaka
Magnetic recording pattterns of obliquely evaporated Co-O thin films observed by using ultrafine Co particles.—75-00748
Sakurai, Y. See Kishimoto, M.; Mori, H.
Sakuranaka, N. See Kisara, K.
Sal'nik, Z. A.
Thermal donors in oxygen-containing silicon.—75-09203
Salah, S. H. See Bahgat, A. A.
Salak, A. N. See Olekhnovich, N. M.
Salak, A. N.; Shilin, A. D.; Olekhnovich, N. M.; Zhabko, T. E.
Metastable binary niobates and tantalates of barium and aluminum or gallium with perovskite structure.—75-06271
Salama, Kamel; Selvamanickam, Venkatakrishnan
Method for joining superconductor segments to form a superconducting article.—75-03431; Process of preparing superconductive oxide complexes containing L, Ba, Cu, and O and method of using the same.—75-05881
Salama, S. N.; El-Batal, H. A.
Microhardness of phosphate glasses.—75-04981
Salama, S. N.; Salman, S. M.; Darwish, H.
Crystallization characteristics of some lithia calcia magnesia borosilicate glasses.—75-02705
Salamanca-Riba, L. See Beesabathina, D. Prasad; Park, K.
Salamo, G. J. See Beera, R. A.; Jamil, S.; Molian, P. A.
Salashchenko, N. N. See Zheludeva, S. I.
Salat, Robert F. See Chen, Fred Y.
Sale, T. E.; Woodhead, J.; Rees, G. J.
Carrier screening effects in piezoelectric strained InGaAs/GaAs quantum wells grown on the [111]B axis.—75-00421
Saleem, M. See Sacks, Michael D.
Salem, Jonathan A. See Choi, Sung-R.
Salem, Jonathan A.; Nemeth, Noel N.; Powers, Lynn M.; Choi, Sung-R.
Measurement and modeling of strength distributions associated with grinding damage.—75-00964
Salem, M. R.; Elshereafy, E.; Sekkina, M. M.
Thermophysical studies on the substitution of Al^{3+} in gallium iron garnets.—75-06531
Salembier, C. See De Lorgeril, J.
Salemink, H. W. M. See Johnson, M. B.
Sales, M.; Alarcon, J.
Crystallization of sol-gel-derived glass-ceramic powders in the CaO-MgO-Al_2O_3-SiO_2 system.—75-04890; Synthesis and phase transformations of mullites obtained from SiO_2-Al_2O_3 gels.—75-09078
Salganik, R. I. See Zamaraev, K. I.
Salii, Ya. P. See Freik, D. M.
Salikhov, Kh. M. See Slobodchikov, S. V.
Salinas, Guy E. See Su, Hung-Hai
Salito, A.; Barbezat, G.
Plasma spraying techniques for functional gradient coatings.—75-02524
Salje, E. K. H. See Silva, S. R. P.
Salling, C.; O'Barr, R.; Schultz, S.
Magnetization reversal mode for individual ellipsoidal single-domain particles of γ-Fe_2O_3.—75-03312
Salman, S. M. See Salama, S. N.
Salomoni, A. See Castanho, S. M.; Cordoba, G.; Correia, L. A.
Salomoni, A.; Tucci, A.; Esposito, L.
Forming and sintering of multiphase bioceramics.—75-04051
Saltiel, Craig See Fathi, Zak
Saltsgaver, Duane See Scholes, Addison B.
Saltzberg, Michael See Harmer, Mark A.
Salvini, V. R. See Pandolfelli, V. C.
Salvo, M. See Lemoine, P.
Samaddar, B. N.; Chattopadhyay, S. K.
Novel guniting material for steel industry.—75-07617
Samanta, A. See Mitra, N. K.
Samanta, B.; Chaudhuri, A. K.; Sharma, S. L.
Anomalous photovoltage in $Cd_{0.8}Zn_{0.2}Te$ thin films.—75-05241
Samarasekara, P. See Hegde, H.
Sameshima, Soichiro; Arimura, Yuichi; Hirata, Yoshihiro
Effects of addition of polyacrylic ammonium [PAA] on dissolution of α-alumina in solutions containing Mg^{2+} ions.—75-09291
Sammes, N. M.; Fee, M. G.; Phillips, R. J.
Improved mechanical properties of bismuth lead oxide.—75-06994
Sammes, N. M.; Ratnaraj, R.; Fee, M. G.
Effect of sintering on the mechanical properties of SOFC ceramic interconnect materials.—75-06583
Sammes, N. M.; Ratnaraj, R.; Hatchwell, C.
Synthesis and characterization of doped lanthanum chromite.—75-01695
Sammes, N. M.; Ratnaraj, R.; Yamamoto, O.; Kohno, K.
Electrical and mechanical properties of the composite TSZ [tetragonal stabilized zirconia]-Al_2O_3-SiO_2.—75-01085
Sammes, N. M.; Ratnaraj, R.
Mechanical properties of slip-cast $La_{0.8}Sr_{0.2}CrO_{3-\delta}$.—75-07011
Sammet, Manfred See Casey, Jon A.
Samoilenko, Z. A. See Moroz, T. T.
Samoilenko, Z. A.; Okunev, V. D.; Pushenko, E. I.; Pafomov, N. N.; Cherenkov, O. P.
Mesoscopic-range order in amorphous BiPbSrCaCuO films and its evolution during crystallization.—75-08362
Samoilov, A. M. See Ugai, Ya. A.
Samoilovich, M. I. See Brik, A. B.
Samoilovich, S. M. See Bogomolov, V. N.
Samokhval, V. V. See Naumovich, E. N.
Samokhvalov, A. A. See Biglin, N. A.; Loshkareva, N. N.; Shchennikov, V. V.; Solin, N. I.; Sukhorukov, Yu. P.
Samorukov See Aibazov, I. F.
Sampath, S. See Finot, M.
Sample, David R.; Brown, Paul W.; Dougherty, Joseph P.
Microstructural evolution of copper thick films observed by environmental scanning electron microscopy.—75-04362
Sampson, Ernesto V., Jr. See Schreiber, Henry D.
Samsonenko, Yu. B. See Gur'yanov, G. M.
Samsonov, N. S. See Maslovskii, F. V.
Samsonov, V. M. See Kompan, T. A.
Samsonova, T. P. See Ivanov, P. A.
Samuelson, L. See Maximov, I.
Samuneva, B.; Tzvetkova, P.; Yvanova, Y.
Processes of gel formation and glass formation in the borosilicate systems.—75-05038
Samwer, K. See Von Helmolt, R.
Samygina, V. R. See Stefanovich, S. Yu.
Sanchez, C. See Barboux-Doeuff, S.
Sanchez, Enrique See Gimeno, Rosario
Sanchez, J. M. See Martin, A.; Thomas, Warren A.
Sanchez-Herencia, A. J.; Moya, J. S.; Llorca, J.
Mechanical properties of Y-TZP/Al_2O_3 functionally graded ceramics obtained by sequential slip casting.—75-02501
Sanchez-Soto, P. J. See Ariles, M. A.
Sanchez-Soto, P. J.; Diaz-Hernandez, J. L.; Raigon-Pichardo, M.
Ceramic properties of a Spanish clay containing illite, chlorite, and quartz.—75-00237
Sanchez-Soto, P. J.; Justo, A.; Perez-Rodriguez, J. L.
Grinding effect on kaolinite-pyrophyllite-illite natural mixtures and its influence on mullite formation.—75-04057; Structural alteration of pyrophyllite by dry grinding as studied by ir spectroscopy.—75-06784
Sanchuan, T. See Chrysanthou, A.
Sandberg, Bjorn; Myhre, Bjorn; Holm, Jan L.
Castables in the system MgO-Al_2O_3-SiO_2.—75-07488
Sander, Todd P. See Moore, Robert E.
Sanders, John P.; Brosnan, Denis A.
Emissions of sulfur dioxide and hydrogen chloride from the firing of clay ceramics.—75-03613
Sanders, Thomas H., Jr. See Schaffer, James P.
Sandhage, Kenneth H. See Schmutzler, Hans J.
Sandhage, Kenneth H.; Schmutzler, Hans J.; Wheeler, Robert; Fraser, Hamish L.
Mullite joining by the oxidation of malleable, alkaline-earth–metal-bearing bonding agents.—75-04860
Sanditov, D. S.; Kozlov, G. V.
Anharmonicity of interatomic and intermolecular bonds and physicomechanical properties of polymer glasses.—75-02624; Nature of fluctuation-free volume in liquids and glasses.—75-07354
Sandiumenge, F.; Dubs, C.; Gornert, P.
X-ray diffraction studies of the epitaxy of *a/b*-axes-oriented $YBa_2Cu_3O_{7-\delta}$ films grown by liquid phase epitaxy.—75-00894
Sandiumenge, F.; Santiso, J.; Figueras, A.
X-ray study of the three-dimensional orientation of mixed *a/c*-oriented $YBa_2Cu_3O_y$ films on (100)$SrTiO_3$ substrates by metallorganic chemical vapor deposition.—75-00896
Sandler, V. A. See Palatnikov, M. N.
Sandor, S. See Serfoso, G.
Sandren, Ake See Rundgren, Kent
Sands, B. E. See Callahan, T. J.
Sandu, V.; Jaklovszky, J.; Miu, D.
$LaAlO_3$ thin films deposited on silicon and sapphire as buffer layers for $YBa_2Cu_3O_{7-x}$.—75-05788
Sang, Jing C.; Jakubik, Robert F.; Barkatt, Aaron
Interaction of solutes with silicate glass and its effect on dissolution rates.—75-05022
Sanghera, J. S.; Busse, L. E.; Aggarwal, Ishwar D.
Effect of scattering centers on the optical loss of As_2S_3 glass fibers in the infrared.—75-00186

Sanghera, J. S.; Nguyen, Vinh Q.; Aggarwal, Ishwar D.
Properties of $As_{40}S_{60-x}Se_x$ glasses for ir fiber optics.—75-02678
Sanghi, R. K. See Kar, S.
Sangiorgi, R.
Corrosion of ceramics by liquid metals.—75-01985
Sangster, T. C. See Smith, C.
Sanin, A. L.; Ermolaev, Yu. L.
Dynamics and resonance oscillations of ballistic electrons in an inhomogeneous semiconductor.—75-02998
Sanin, V. N.; Varshal, B. G.; Krenev, Yu. L.
Third-order elastic constants of fused silica and silicate glasses.—75-02696
Sanin, V. N.; Varshal, B. G.
Analysis of particle motion in the two-well potential: relation to characteristic low-temperature properties of silica glass.—75-02623
Sanina, V. A. See Golovenchits, E. I.
Sanjines, R.; Tang, H.; Berger, H.
Electronic structure of anatase TiO_2 oxide.—75-06218
Sankar, T. S.; Tzenov, P. I.
Steady-state dynamics of jewel bearing with a free ball.—75-04632
Sankaranarayanan, V. K.; Gajbhiye, N. S.
Mossbauer spectral investigations of ultrafine rare-earth garnets.—75-06281
Sano, Harunobu See Iwamoto, Sakiko
Sano, Harunobu; Hamaji, Yukio
Nonreducible dielectric ceramic composition.—75-07772
Sano, Hiromi See Sugiyama, Tomio
Sano, Makoto; Hayakawa, Yasuhiro; Kumagawa, Masashi
Effect of the substitution of Sm for Ba on the superconductor $SmBa_2Cu_3O_x$.—75-08299
Sano, Saburo; Oda, Kiichi; Shibasaki, Yasuo; Matayoshi, Tomoya; Kayama, Yasunari; Setsuhara, Yuichi
Microwave plasma sintering of low-soda alumina.—75-01578
Sano, Yasushi See Ikeda, Yasunori
Santhanam, Suresh See Cho, Jae-Kyong
Santiesteban, Jose G. See Chang, Clarence D.
Santilli, Celso Valentim See Pulcinelli, Sandra Helena
Santiso, J. See Sandiumenge, F.
Santner, E. See Zu Kocker, G. M.
Santos, L. See Hofmann, D. M.
Santos, R. A. See Baia, A. L. Neto
Santowski, Klaus See Eschner, A.
Sanz, J. See Tartaj, P.
Sanz, Vicente See Verduch, Antonio Garcia
Sapaev, B. See Saidov, A. S.
Saparov, D. V. See Saidov, A. S.
Sapega, V. F. See Mirlin, D. N.
Saracco, G. See Montanaro, L.
Sarasvati, V. See Rathinam, K.
Sarbu, C. See Vasiliu, F.
Sardar, Dhiraj K.; Bella, Peter D.
Optical characterization of Nd^{3+}:$Sr_5(VO_4)_3F$.—75-01320
Sargankova, I.; Diko, P.; Tweed, J. D.; Anderson, C. A.;
Brown, N. M. D.
Preparation of uniform grain size $YBa_2Cu_3O_{7-x}$ ceramics from sedimented single-crystalline powder fractions.—75-08401
Sarikaya, Mehmet
Biomimetics: a novel approach to materials design and processing.—75-04678; See also Katti, K. S.; Kim, Gyeung-Ho; Stern, E. A.
Sarin, Vinod K. See Doppalapudi, D.
Sarin, Vinod K.; Arya, Shish P. S.
Enhanced adherence of diamond coatings by combustion flame CVD.—75-00158
Sarkar, Arnab See Yan, Yongan
Sarkar, B. K. See Basu, D.; Chaudhuri, J.; Deb, S.
Sarkar, Jaydeep See Jayaram, Vikram
Sarkar, P. See Chaudhuri, S. P.
Sarkar, Partho See Nicholson, Patrick S.
Sarkar, Partho; Nicholson, Patrick S.
Electrophoretic deposition (EPD): mechanisms, kinetics, and application to ceramics.—75-05900; Mechanism and kinetics of electrophoretic deposition of Al_2O_3.—75-04103
Sarkar, S. L. See Cheng, Qing-Hua
Sarkar, S. See Ghosh, N. K.
Sarkisov, P. D. See Sigaev, V. N.; Smelyanskaya, E. N.
Sarkulov, Zh. Kh. See Kasenov, B. K.
Sarma, Bimal K. See Levy, Moises
Sarma, M. S. See Simon, A.
Sarsembinov, Sh. Sh. See Zaitskina, R. F.
Saruhan, B. See Reese, O.
Saruhan, B.; Voss, U.; Schneider, H.
Solid solution range of mullite up to 1800°C and microstructural development of ceramics.—75-06355
Sasa, Tadashi See Ishizaki, M.
Sasabe, Shuji See Kaya, Noriyoshi
Sasagawa, Yukio; Sato, Masataka; Nozawa, Kazumi
Role of alumina cement in castable refractories.—75-07655
Sasai, Youichi See Sato, Mitsukuni
Sasajima, Y.; Morimoto, S.; Egasira, H.; Kato, T.
Development of LF [ladle furnace] refractories in Japan.—75-07520
Sasaki, Akio See Wang, Xue-Lun
Sasaki, G. See Maruyama, K.
Sasaki, Gen See Tuchiya, Toshiyuki
Sasaki, H. See Kobayashi, Keiji
Sasaki, Hitoshi See Kimura, Shigeyuki
Sasaki, K. See Nakano, K.
Sasaki, K.; Gauckler, L. J.
Functional gradient electrode/electrolyte for solid oxide fuel cells: gradient materials design for an electrochemical energy conversion device.—75-02911
Sasaki, Kaori; Masuda, Tsuguya; Ishida, Hideki; Mitsuda, Takeshi
Structural degradation of tobermorite during vibratory milling.—75-03842
Sasaki, Katsumi See Hidaka, Akio
Sasaki, Kimiaki; Emoto, Noriaki; Hagiwara, Noboru;
Tanaka, Seijiro
Magnesia-spinel brick containing MgO-rich spinel for steel refining ladle.—75-07594
Sasaki, M. See Asakawa, T.; Kumakawa, A.; Yanagisawa, K.
Sasaki, S.
Tribological properties of sprayed films for high-temperature seals.—75-02557
Sasaki, Takeo; Tanuma, Ryohei; Ishizuka, Hiroya; Nishiyama, Akio
Fabrication of oriented SiC whisker-reinforced Si_3N_4 ceramics by slip casting.—75-09305
Sasaki, Toshihisa; Egami, Jun; Kataoka, Minoru; Takita, Ichiro; Yamaguchi, Kazushige
Development of CaO-containing basicity casting.—75-07517
Sasaki, Yasumi See Toya, Eiichi
Sasaki, Yasuo
Joys of pottery making.—75-04797
Sasaki, Yukichi See Kusunoki, Michiko; Zhou, Wei-Lie
Sasaki, Yukichi; Suzuki, Toshiyuki; Ikuhara, Yuichi; Saji, Akira
Direct observation of channel structures on zeolite Y and A with a slow-scan, charge-coupled device [CCD] camera.—75-08660
Sasame, Akira; Sakanoue, Hitoyuki
Aluminum nitride sintered body having a metallized coating layer on its surface.—75-07239
Sasamoto, T. See Hotta, N.; Meguro, T.; Watanabe, T.
Sashida, Norikazu See Shiogai, Tatsuya
Sashin, I. L. See Syrykh, G. F.
Saso, F. See Watari, Fumio
Sass, S. L. See Subramanian, R.; Ustundag, E.
Sastry, P. U. M. See Rajagopal, H.
Sastry, P. V. P. See Dhard, C. P.; Robertson, Alastair D.
Sastry, P. V. P.; West, Anthony R.
Novel synthetic pathway to Bi(Pb)-2223 phase with variable Ca:Sr ratio. $Bi_{1.7}Pb_{0.3}Sr_{4-x}Ca_xCu_3O_y$: $1.85 \le x \le 2.4$.—75-05805
Sastry, P. V. P.; Yakhmi, J. V.; Iyer, R. M.
Instability of Y- and rare-earth-substituted Bi(Pb)-2223 phase.—75-05787
Sata, T.
Expansion during sintering of NaCl powders.—75-04026; Phase relation in the system $Ca_3(PO_4)_2$-$MgSiO_3$.—75-09029
Satake, Tokuki; Miyamoto, Hitoshi; Watanabe, Kiyoshi; Yamamuro, Shigeaki
Solid oxide electrolyte fuel cell having dimpled surfaces of a power generation film.—75-07775
Satava, V.; Tyle, P.
Rheological behavior of the system portland clinker-Na_2CO_3-sulfonated polyphenolate-H_2O.—75-02423
Satava, V.
Strength and microstructure of cast gypsum.—75-07187
Sathish, Shamachary; Cantrell, John H.; Yost, William T.
Scanning acoustic microscopy of SCS-6 silicon carbide fiber.—75-01928
Sathyanarayana, J. V.; Annapurna, K.; Buddhudu, S.
Absorption and emission spectra of Er^{3+}-doped fluoroborate glasses.—75-00176
Sathyanarayana, J. V.; Balaji, T.; Annapurna, K.; Buddhudu, S.
Absorption and emission spectra of Ho^{3+}-doped fluoroborate glasses.—75-07319
Sati, R. See Sharma, S.
Sato, Eiichi; Carry, Claude
Yttria doping and sintering of submicrometer-grained α-alumina.—75-06831
Sato, H. See Sera, M.
Sato, Hisao See Ueta, Yoshihiro
Sato, K. See Mikami, N.
Sato, K.; Morozumi, H.; Tezuka, A.; Funayama, O.; Isoda, Takeshi
Interface and mechanical properties of ceramic fiber-reinforced silicon nitride composites prepared by a preceramic polymer impregnation method.—75-03900
Sato, Keiichi See Sato, Taichi
Sato, Keiji See Ishihara, Tatsumi
Sato, Kenichi See Hikata, Takeshi; Mukai, Hidehito; Ohkura, Kengo; Shibuta, Nobuhiro
Sato, Kenichi; Mukai, Hidehito; Hikata, Takeshi
Method of preparing oxide superconducting wire.—75-08473
Sato, Kenzi See Yamamoto, Tsuyoshi
Sato, Kiyoshi See Kaya, Hiroshi
Sato, Koichi; Takahashi, Masakazu; Matsunami, Noriaki; Takai, Yoshiaki
Pulsed laser deposition of $BaTiO_3$.—75-09410
Sato, M. See Kimura, H.
Sato, Masataka See Sasagawa, Yukio
Sato, Masayoshi See Markgraf, Steven A.
Sato, Mineo See Toda, Kenji
Sato, Mitsukuni See Nishio, Hideaki
Sato, Mitsukuni; Kobayashi, Yosuke; Shigeta, Yoshifumi; Sasai, Youichi
New basic brick plant.—75-07450
Sato, Mitsukuni; Kosaka, Katsushi; Kashimoto, Satoru
30-MN OP [oil hydraulic press] system.—75-05054
Sato, Mitsukuni; Sugiyama, Hiroshi
Refractories for cement rotary kiln.—75-07648
Sato, N. See Chen, X.-M.
Sato, R. See Komatsu, T.; Matusita, K.
Sato, Shimio; Murakata, Tadahiro; Yanagi, Hiroki
Hydrothermal synthesis of fine perovskite powders with a simple mode of size distribution.—75-06642
Sato, Tadao See Hubacek, Milan
Sato, Tadao; Sekii, Masahito; Shimakage, Kazuyoshi
Microwave joining of magnesia.—75-09364
Sato, Taichi; Sato, Keiichi
Preparation of gelatinous aluminum hydroxide from aqueous solutions of aluminum salts containing sulfate group with alkali.—75-09395
Sato, Takayasu See Takahashi, Hiroyuki
Sato, Tatsuya; Tabata, A.; Kobayashi, Naoaki
Deposition of silicon nitride by plasma-enchanced chemical vapor deposition.—75-08574
Sato, Toshifumi See Ichikawa, Yo
Sato, Yoshitoshi See Yano, Keiichi
Sato, Yuichi; Kanai, Hideyuki; Yamashita, Yohachi
Effects of silver and palladium doping on the dielectric properties of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$–$0.1PbTiO_3$ ceramic.—75-00328
Satoh, Kimihiko See Hayashi, Takashi
Satoh, Masahiro See Tanaka, Kouichi
Satoh, Munetake; Yamashita, Takahiko; Miyanami, Kei; Higashi, Kenji; Tanimura, Shinji; Inada, Hayato
Dispersion and compounding process of particulate Ag and fine Ni powder using a high-speed/high-shear mill.—75-06572
Satoh, S. See Susa, K.
Satoh, T. See Kobayashi, Y.
Satoh, Tetsuro See Hidaka, Mutsuo; Miura, Sadahiko
Satoh, Tsuguo See Yoshida, Kazuaki
Satoshi, Shimmatsu See Akira, Kaneyasu
Satou, Noriya See Hidaka, Akio
Satpathy, S. See Mishra, S. K.
Sattler, Klaus See Ge, Mao-Hui
Sattler, M. See Schaefer, Lothar
Satyavathi, S. See Muralidhar, M.
Satyavathi, S.; Kishore, K. Nanda; Babu, V. Hari; Pena, O.
Systematics of the physical properties of $Bi_{1-x}Pb_{0.3}Sr_3(Ca,Nd)_1Cu_2O_y$ compounds.—75-08437
Satyvaldiev, A.; Asanov, U. A.
Carbide products of electrospark dispersion of hard metals containing tungsten and titanium.—75-04840
Sauerwein, Paul See Englisch, Wolfgang
Saunders, G. A. See Farok, H. M.
Saunin, E. I. See Kuznetsov, V. A.; Lipson, A. G.
Sava, A. A. See Tomashik, V. N.
Savage, D. E. See Nayak, S.
Savage, J. A. See Wort, C. J. H.
Savage, M. F. See Crichton, S. N.
Savaloni, H.; Loong, Kok H.; Player, Michael A.
Mobility of tungsten clusters and microstructure of tungsten films on amorphous carbon substrates.—75-02511
Savchenko, I. B. See Shmyt'ko, Ivan
Savchenko, I. V. See Terekhov, A. S.
Savchuk, A. I. See Mel'nichuk, S. V.
Savchuk, A. I.; Frasunyak, V. M.; Fediv, V. I.
Faraday effect in $Hg_{1-x}Mn_xTe$ semimagnetic semiconductors.—75-05321
Savchuk, A. U. See Buyanova, I. A.
Savchuk, G. K. See Akimov, A. I.
Savel'ev, I. G. See Kreshchuk, A. M.
Savel'eva, N. V. See Chezhina, N. V.
Savenko, B. N. See Vakhrushev, S. B.
Savenkova, G. E. See Klimov, V. V.
Savenkova, M. A. See Mardirosova, I. V.
Savenkova, M. A.; Mardirosova, I. V.; Vassel, N. P.
Fusibility diagram of the $Ga(PO_3)_3$-$AgPO_3$ system and properties of the $AgGa(PO_3)_4$ compound.—75-08940
Savin, A. M. See Butko, N. B.
Savina, L. K. See Fedoruk, R. M.; Pitak, N. V.
Savitskaya, I. M. See Gogotsi, G. A.
Savitskii, A. V. See Parfenyuk, O. A.
Savitskii, A.
Liquid phase sintering of the systems with interacting components.—75-04095
Savitskii, D. I. See Vasilechko, L. O.
Savitskii, P. I.; Kovalyuk, Z. D.; Mintyanskii, I. V.
Anisotropy of electrical conductivity of indium selenide.—75-07780
Savitskii, V. G.; Storchun, P. E.
Dynamics of point defects in HgTe-based alloys.—75-06846
Savkina, N. C. See Lebedev, A. A.
Savkina, N. S. See Andreev, A. N.; Lebedev, A. A.
Savva, Irene H.; Wilkinson, David S.
Bioceramic materials with controlled porosity for bone implant applications.—75-06064
Savvides, N. See Yau, J.
Savvinov, A. M. See Sidorkin, A. S.
Sawa, Y. See Makihara, C.
Sawada, H.
Residual electron density study of α-aluminum oxide through refinement of experimental atomic scattering factors.—75-06340
Sawada, K. See Van Dalen, A. J. J.
Sawada, Kazuo See Nishio, Masanobu
Sawada, Yasushi; Yasuda, Eturo; Matuoka, Hiroshi; Wakimoto, Michihiro; Tomita, Masahiro; Nakayama, Yoshinori
Process for producing piezoelectric ceramic sheet and dielectric ceramic sheet.—75-08620
Sawada, Yutaka See Shinozaki, Kazuo
Sawaguchi, N.; Tokokawa, T.; Kawamura, K.
Mo *K*-edge XAFS in Na_2O-K_2O-SiO_2 glasses.—75-07305
Sawano, Yasuo See Fukushima, Hideko
Sawant, S. R. See Patil, B. L.
Sawaoka, A. B.; Tanabe, Yasuhiro; Tamura, H.
Overview of impact damages in ceramic materials for impact velocity below 2 km/s.—75-07019
Sawko, Paul M.; Calamito, Dominic P.; Jong, Anthony
Flexible ceramic thermal protection system resistant to high aeroacoustic noise comprising a three-dimensional woven-fiber structure having a multilayer top fabric layer, a bottom fabric layer, and an intermediate rib fabric layer.—75-03670
Sawko, Paul M.
Silicon carbide sewing thread.—75-01194
Sawyer, Constance B. See Locker, Robert J.
Sax, M.; Zografou, C.; Telle, R.; Kalawrytinos, G.
Properties of sintered apatite ceramics.—75-01336
Saxena, Ashok See Schaffer, James P.
Saxler, A. See Kung, P.; Sun, C. J.
Saxton, Jay G.
Resonant inspection of production parts.—75-08698
Say, Geoffrey R. See Davis, Stephen M.
Sayer, M. See Chivukula, V.; Griswold, E. M.; McIntyre, D. S.; Sedlar, M.

Sayer, M.; McIntyre, D. S.; Sedlar, M.; Mansingh, A.; Tandon, R.; Chivukula, V.
Dielectric response of ferroelectric films at intermediate frequencies.—75-05546
Sayir, A.; Farmer, S. C.; Dickerson, P. O.; Yun, H. M.
High-temperature mechanical properties of $Al_2O_3/ZrO_2(Y_2O_3)$ fibers.—75-04555
Sayir, A.; Farmer, S. C.
Directionally solidified mullite fibers.—75-03884
Sazhenkov, A. Yu. See Palkina, K. K.
Sazhin, Yu. N. See Randoshkin, V. V.
Sbaizero, O. See Pezzotti, Giuseppe
Sbaizero, O.; Lucchini, E.
Influence of residual stresses on the mechanical properties of a layered ceramic composite.—75-09646
Scafe, E. See Bellosi, A.
Scafe, E.; Giunta, G.; Fabbri, L.; Di Rese, L.; De Portu, G.; Guicciardi, S.
Mechanical behavior of silicon-silicon carbide composites.—75-09647
Scagnetti, P. A.; Maas, R. R.; Slocum, A. H.
Advanced ceramics for precision machine design.—75-09700
Scagnetti, P. A.; Marsh, E. R.; Dominguez-Staedke, N.; Slocum, A. H.
ShearDamping of advanced ceramic structures.—75-08542
Scattergood, Ronald O.
Ductile regime machining of brittle materials.—75-05899; See also Smith, Stanley M.
Sceats, M. G. See Inglis, H. G.
Schacht, Charles A.
Refractory Linings: Thermomechanical Design and Applications.—75-02169
Schaefer, D. M.; Reifenberger, R.
Nanoindentation on contamination-free gold films using the atomic force microscope.—75-02080
Schaefer, Daniel T. See Mikeska, Kurt R.
Schaefer, Hans D. See Mueller, Ulrich
Schaefer, Lothar; Bluhm, Andrea; Sattler, M.; Six, R.; Klages, Claus-Peter
Chemical vapor deposition of polycrystalline diamond films on steel substrates.—75-07201
Schaeffer, Jon C. See Nelson, Warren A.
Schafer, G.; Aldinger, Fritz
Preparation and phase relations of the β and β″ alumina materials in the ternary system K_2O-MgO-Al_2O_3.—75-06717
Schafer, H. See Scholl, S.
Schaff, W. J. See Khan, M. Asif
Schaffer, James P.; Saxena, Ashok; Antolovich, Stephen D.; Sanders, Thomas H., Jr.; Warner, Steven B.
Science and Design of Engineering Materials.—75-04781
Schaffer, William J.; Negley, G. H.; Irvine, K. G.; Palmour, John W.
Conductivity anisotropy in epitaxial 6H- and 4H-SiC.—75-00445
Schaffner, E. See Bohner, R.
Schaller, E.; Kuttel, O. M.; Agostino, R.; Schlapbach, L.
Photoelectron diffraction studies of oriented diamond nucleation on silicon(100).—75-09040
Schaller, R. See Lakki, A.; Mi, Y.
Schammel, L.
They call him Lud.—75-02371
Schamps, J. See Sefyani, F. L.
Schanne-Klein, M. C. See Ricard, D.
Schaper, L. W. See Malshe, A. P.
Scharff, J. P. See Vincent, C.
Schat, Bralt R.; Krahn, Wolfgang; Ruska, Jurgen
Ceramic moldings composed of aluminum oxide having high metallization adhesion.—75-01105
Schatteburg, S.; Kliem, H.; Bauhofer, W.
Redistribution of local current densities in high-T_c ceramics in external magnetic fields.—75-00857
Schatz, Carl
Flint container furnace performance bolstered by oxy-fuel burner.—75-08723; High-performance oxy-fuel melting: three flat jet burner applications.—75-05999
Schaufele, Ansgar B.; Hardtl, Karl Heinz
Ferroelastic properties of lead zirconate titanate ceramics.—75-08142
Schaus, M. See Pohl, M.
Scheel, H. J. See Dube, D. C.
Scheerer, Paul E.; Stendera, James W.
BOF refractory campaign life in U.S. and Canada: past, present, and future.—75-09704
Scheetz, Barry E. See Esh, David W.; Hawkins, Heather T.; Xi, Yao-Zhong
Scheffer, F. See Liu, Q.
Scheiffele, Gary W. See Sacks, Michael D.
Scheinfein, M. R.; Healy, S. D.; Heim, K. R.; Yang, Z. J.; Drucker, J. S.; Hembree, G. G.
Structural and magnetic properties of epitaxially grown fcc Fe/Cu(100) and Fe/CaF_2/Si(111).—75-01939
Schelker, D. H. See Behal, L.
Schelker, D. H.; Planchart, F. A.; Thomas, R. J.
Recent advances in the understanding of gelation in sanitary ware slips.—75-02886
Schenck, Steven R. See Olbert, Blain H.
Scherer, Agnes See Hatcher, Helen
Scherrer, S. See Bernasik, A.
Schetzina, J. F. See Yang, Z.
Scheu, C. See French, R. H.
Scheunemann, Ude See Bruck, Martin
Schianchi, Mario See Schrauwers, Carel
Schieber, M. See Beilin, V.
Schiffmann, Robert F.
Commercializing microwave systems: paths to success or failure.—75-02119
Schilling, C. H. See Goel, H.; Kingsley, J. J.
Schipper, W. J.; Piet, J. J.; DeJager, H. J.
Luminescence of hafnium compounds.—75-06484
Schirber, James E. See Morosin, B.
Schiroky, Gerhard H. See Claar, Terry D.
Schlafer, Dietrich See Krell, Andreas
Schlapbach, L. See Schaller, E.
Schlenoff, J. B. See Gao, F.
Schlett, Paul E. See Lietz, Arthur A.
Schlogl, R. See Baenitz, M.
Schlom, D. G. See Hubbard, K. J.
Schmalzried, Hermann
Chemical Kinetics of Solids.—75-07105
Schmedders, Timotheus See Rimpel, E.
Schmeizer, Bettina See Rymon-Lipinski, Tadeusz
Schmid, D. See Ruckh, M.
Schmid, Heinz; Ferk, Hans-Werner
Mechanical and electronic manipulation of nanometer-sized wires.—75-03526
Schmidl, F. See Seidel, P.
Schmidt, C. J. See Schulz, Rebecca L.
Schmidt, C. See Brunk, F.
Schmidt, H. See Aslan, M.; Nass, R.
Schmidt, H.; Nass, R.
Use of colloidal and surface chemistry for processing nanosized ceramic powders.—75-01739
Schmidt, Hans See Kleebe, H.-J.
Schmidt, Hubertus See Thome, Roland
Schmidt, Ingo See Joeris, Pierre
Schmidt, R.; Sporn, D.; Schubert, W.
Synthesis of nanostructured composite materials in the B-Si-N system.—75-06812
Schmidt, Stephan
European standardization with reference to masonry construction.—75-07071
Schmidt, W. F. See Chandran, B.
Schmitt, M. See Petersen, K.
Schmitt, M.; Freisem, S.; Becherer, T.
$YBa_2Cu_3O_7$ Josephson junctions and dc SQUIDs by mechanically induced growth disorder.—75-00897
Schmitt, N.; Robin, J. M.; Themines, D.; Blumenfeld, P.
Modeling of the thermomechanical behavior of magnesia-carbon refractory materials.—75-07605
Schmitz, Peter See Campos-Loriz, Diego
Schmucker, Martin See Fischer, Reinhard; Kuper, Gerhild
Schmutzler, Hans J. See Sandhage, Kenneth H.
Schmutzler, Hans J.; Sandhage, Kenneth H.; Nava, Juan C.
Fabrication of dense, shaped barium cerate by the oxidation of solid metal-bearing precursors.—75-04033
Schneck, J. See Regi, F. X.
Schnedecker, G. See Boncoeur, M.; Gourlaouen, V.
Schneegans, M. See Auffray, E.; Dafinei, I.
Schneibel, J. H. See Plucknett, K. P.; See Zhang, Wen
Schneider, Dieter See Anders, Simone
Schneider, G. A.; Nickel, K. G.
Thermal loading and corrosion of ceramics by light irradiation.—75-02018
Schneider, G. A.
Subcritical crack growth of Si_3N_4 under thermal loading by light irradiation.—75-04641; See also Magerl, F.
Schneider, H. See Braue, W.; Fischer, Reinhard; Kanka, B.; Kuper, Gerhild; Reese, O.; Saruhan, B.
Schneider, J. A.; Mishra, Rajiv S.; Mukherjee, Amiya K.
Plasma-activated sintering of ceramic materials.—75-08536
Schneider, R. See Pippel, E.
Schneider, Wilhelm See Bogert, Hermann
Schneiderbanger, S. See Cosack, T.
Schneidewind, H. See Seidel, P.
Schnepper, Carol See Jurcik, Benjamin
Schnitzer, Christine; Shreves, Thomas; Geiger, Greg
CIC [Ceramic Information Center] supports ceramics community.—75-02117
Schobert, Melvin A. See Ravenhall, Richard
Schock, H. W. See Ruckh, M.
Schoenung, J. M. See Wu, Jian-Cherng
Schofield, W. D. See Tope, W. G.
Scholes, Addison B.; Lamirand, Joseph; Saltsgaver, Duane
Method for the cold end coating of glassware using a vaporizer having an internal flow path from a reservoir of liquid coating material to a vapor deposition chamber.—75-08750
Scholl, S.; Gerschutz, J.; Schafer, H.
Persistent photoconductivity in CdTe-based II-VI semiconductors.—75-05417
Scholthorn, Robert See Girdies, Frank
Scholtes, B. See Pintschovius, L.
Scholz, Christoph; Koehl, Franz; Weber, Thomas
Method for producing a wafer with a monocrystalline silicon carbide layer.—75-05525
Scholz, H.; Sporn, D.; Ullrich, A.; Schonecker, A.; Martin, W.
Densification and properties of sol-gel-derived PZT-fibers for 1-3 composites.—75-01271
Scholz, R. See Hesse, D.
Schon, H. J. See Ladnorg, U.
Schonberger, U. See Finnis, M. W.
Schonecker, A. See Scholz, H.
Schoonman, J. See Pivkina, A.
Schouler, M. C. See Gleize, P.
Schrauwers, Carel; Schianchi, Mario
Rotary ceramic tile glazing and decorating machine.—75-05930
Schreiber, Henry D.; Medlin, Michael W.
Compositional control of iron redox ratios in model glasses for nuclear waste immobilization.—75-03452
Schreiber, Henry D.; Sampson, Ernesto V., Jr.
Corrosion model for metals in molten glass.—75-07294
Schreurs, J. See Partlow, W. D.
Schriener, Andreas; Albers, P.
Washing agent attacks on bone china glazes.—75-05169
Schriever, Matthias P.
Nonchromated oxide coating for aluminum substrates.—75-00165
Schrimpf, R. D. See Rawn, C. J.
Schrivens, W. A. See Levon, K.
Schroeder, Andreas See Dvorak, Mark D.
Schroeder, D. J.; Wilcox, David L.
Kinetics of interface formation between AlN and Ti thin films.—75-00109
Schroeder, D. See Martin, T.
Schroeder, J. See Ye, M.
Schroeder, Ronald W.; Zak, Allen E.
Oxy-fuel economics update based on case histories.—75-06007
Schruff, F. See Rothfuss, H.
Schubert, Christian See Herrmann, M.; Klemm, H.
Schubert, G.; Muller, F.
Thermochemistry and structure of bismuth(III) borate melts.—75-07317
Schubert, H. See Petzow, G.
Schubert, H.; Gehrke, E.
Processing, phase formation, and creep behavior of Si_3N_4 with Y_2O_3 and Al_2O_3.—75-03827
Schubert, H.; Labitzke, H.; Strecker, A.; Meyer, J.; Bischoff, E.; Aldinger, Fritz
SEM, TEM, and microprobe investigations on Si_3N_4 valves.—75-03711
Schubert, Jurgen See Copetti, Carlo; Glyantsev, V. N.
Schubert, M. See Wolf, B.; Schmidt, R.
Schuesselbauer, E. See Williams, J. A. A.
Schulle, Wolfgang
Requirements and testing methods for ceramic press granulates.—75-05973
Schuller, K.-H. See Voit, W.
Schult, D. L. See Erch, R. A.
Schulte, J. See Ostoja-Starzewski, M.
Schultz, R. L.; Clark, David E.; Wicks, G. G.; Lodding, A. R.; Newton, R. G.; Welcher, K.
Surface analyses of SRS glasses buried in limestone for up to 5 years.—75-03500
Schultz, Richard A.; Jensen, Martin C.; Bradt, Richard C.
Single-crystal cleavage of brittle materials.—75-04626
Schultz, S. See Salling, C.
Schultz, T.; Smith, R.; Fondado, F.
Relationship between weak ferromagnetism, superconductivity, and lattice parameter in the $A_{2-x-y}B_yCe_xCuO_4$ (A,B≡La, Pr, Nd, Sm, Eu, Gd, Y) compounds.—75-03398
Schulz, H. See Kanert, O.
Schulz, P. See Degischer, H. P.
Schulz, R. B.; Johnson, D. R.
Cost-Effective Ceramics Program in the United States.—75-04696
Schulz, R. See Simoneau, M.
Schulz, Rebecca L. See Darby, Greg; Earl, David A.; Wicks, G. G.
Schulz, Rebecca L.; Folz, Diane C.; Clark, David E.; Schmidt, C. J.; Wicks, G. G.
Microwave treatment of emissions from the destruction of electronic circuitry.—75-00967
Schulz, U.; Fritscher, K.; Peters, M.; Kaysser, W. A.
Processing and behavior of chemically graded EB-PVD {e-beam CVD} MCrAlY bond coats.—75-02531
Schulze, Anke See Ratzenberger, Hansgeorg
Schulze, Walter A. See Capurso, Joseph S.; Feng, C.-D.; Kuharuangrong, Sutin; Stangle, Gregory C.
Schumacher, M.; Dietz, Guido W.; Waser, R.
Dielectric relaxation of perovskite-oxide thin films.—75-05181
Schumacher, R. F. See Applewhite-Ramsey, Amy; Marra, James C.
Schumaker, N. E. See Gurary, A. I.
Schuster, Julius C. See Pietzka, Markus A.
Schuster, K. See Djuricic, B.
Schutze, A. See Bewilogua, K.
Schutzmann, J.; Tajima, S.; Miyamoto, S.
c-axis optical response of fully oxygenated $YBa_2Cu_3O_{7-\delta}$ observation of dirty-limit-like superconductivity and residual unpaired carriers.—75-05721
Schuur, H. See Yue, B.
Schwab, S. T.; Blanchard, Cheryl R.; Graef, Renee C.
Influence of preceramic binders on the microstructural development of silicon nitride.—75-06656
Schwab, S. T.; Graef, Renee C.; Davidson, David L.
Method for making fiber-reinforced silicon nitride composites.—75-08834
Schwab, S. T.; Page, R. A.; Davidson, David L.; Graef, Renee C.
PIP [polymer infiltration/pyrolysis] processing, microstructure and properties of Si_3N_4 fiber and Al_2O_3 fiber-reinforced silicon nitride.—75-04138
Schwander, P.; Kisielowski, C.; Baumann, F. H.; Kim, Y. O.; Ourmazd, A.
Quantitative HRTEM—measuring projected potential, surface roughness, and chemical composition.—75-01916
Schwartz, D. K. See Viswanathan, Ravi
Schwartz, Judith
New York clay.—75-02312
Schwartz, L. M. See D'Angelo, R.
Schwartz, Robert W. See Boyle, Timothy J.; Sinclair, M. B.
Schwartz, Robert W.; Voigt, J. A.; Buchheit, C. D.; Boyle, Timothy J.
Densification and crystallization of zirconia thin films prepared by sol-gel processing.—75-01424
Schwedes, Jorg See Feise, Hermann J.
Schweiger, Marcel See Holand, Wolfram
Schweiger, Michael J. See Hrma, Pavel R.; Kim, Dong-Sang
Schwenk, P. A. See Pitchumani, R.
Schwenk, R.; Syskakis, E.; Kountouros, P.; Naoumidis, A.; Telle, R.
Rheological properties of Y_2O_3-ZrO_2 suspensions with various dispersants.—75-01651
Schwerdtfeger, C. R.; Ciszek, T. F.; Noufi, R.
High-pressure liquid-encapsulated directional solidification of copper-deficient copper indium selenides.—75-03047
Schwetz, Karl-Alexander See Sigl, Lorenz

Scieszka, S. F.
Testing method for cemented carbides triboperformance evaluation.—75-08706
Scotchie, Virginia
Object lessons at the European Ceramic Work Center [EKWC, Netherlands].—75-07130
Scott, C. D. See Hassouni, K.
Scott, Craig J.; Cropper, Andre D.; Binari, Steve C.; White, Carl; Moore, Daniel J.
Carrier diffusion lengths in diamond and gallium nitride.—75-09493
Scott, Michael A. See Albin, Sacharia
Scott, V. D. See Bleay, S. M.
Scotti di Uccio, U. See Malandrino, G.
Scotto, C. See Laine, Richard M.
Scripsick, M. P.; Edwards, G. J.; Halliburton, L. E.
Effect of crystal growth on Ti^{3+} centers in $KTiOPO_4$.—75-01453
Scudiero, L. See Dickinson, J. T.
Seager, R. D.; Iyer, M. K.; Vardaxoglou, J. C.; Yadav, V.
Study of a novel multi chip module interchip radiative interconnection system.—75-00376
Seal, Michael
Current status of CVD diamond applications and prospects for the future.—75-09707
Seals, Roland D. See Holcombe, Cressie E. Jr.
Seaman, C. L. See Kodama, R. H.
Searcy, Alan W.; Bullard, Jeffrey W.; Carter, W. C.
Possible explanations of transient neck formation between pairs of {100} faceted particles.—75-06326
Seda, H. See Mikulasek, P.
Seddon, Angela B. See Ellis, Bryan
Sedlar, M.; Pust, L.
Preparation of cobalt-doped nickel ferrite thin films on optical fibers by dip-coating technique.—75-03329
Sedlar, M.; Sayer, M.; Chivukula, V.
Characterization of doped BST thin films prepared by a modified sol-gel method.—75-05539
Sedlar, M.
Preparation and magnetic properties of sodium-modified iron oxide thin films by a sol-gel method.—75-04150; See also Sayer, M.
Sedmindubsky, D. See Hudakova, N.
Sedov, V. E. See Averkiev, N. S.
Sedova, I. V. See Ledentsov, N. N.
See, S.-L. See He, J.-Z.
Seed, R. G.; Vittoria, C.; Widom, A.
Heterodyne microwave mixing in a superconducting $YBa_2Cu_3O_{7-\delta}$ coplanar waveguide circuit containing a single engineered grain boundary junction.—75-00810
Seehra, M. S. See Ibrahim, M. M.
Seeley, Charles E. See Chattopadhyay, Aditi
Seetharaman, S. See Bygden, J.
Seetharaman, Seshadri See Jacob, K. Thomas
Seferov, A. S. See Lubnin, E. N.
Seffner, Lutz See Gesemann, Hans-Jurgen
Sefyani, F. L.; Schamps, J.; Delavai, J. M.
Ab-initio calculation of the vibronic spectrum of GeSi, valence states of GeSi*.—75-06150
Segal, A. S. See Khoruzhnikov, S. E.
Segall, B. See Albanesi, E. A.
Segarceanu, T.; Piticescu, R.; Nicolau, P.; Popescu, M.
Preparation of PZT ceramics from a peroxide precursor.—75-01625
Segawa, Hideo See Suzuki, Ryou
Segir, W. See Beales, T. P.
Seguchi, Tadao See Ichikawa, Hiroshi; Kamimura, Seiji; Shimoo, Toshio; Sugimoto, Masaki
Seibles, Lawrence See Jeng, Guang-kai D.
Seidel, Andreas See Boddenberg, Bruno
Seidel, D. See Brenscheidt, F.
Seidel, Jurgen See Fett, Theo
Seidel, P. See Polyakov, S. N.
Seidel, P.; Schmidl, F.; Pfuch, A.; Schneidewind, H.; Heinz, E.
High-T_c thin-film intrinsic stacked Josephson junctions.—75-08333
Seidensticker, John R.; Mayo, Merrilea J.
Thermal analysis of 3 mol% yttria-stabilized tetragonal zirconia powder doped with copper oxide.—75-01250
Seidl, V. See Kovanda, F.
Seidov, F. M. See Dzhabbarly, A. R.
Seidov, Mir-Gasan Yu. See Gadzhiev, B. R.
Seifert, A. See Speck, J. S.
Seino, Y.; Shin, S.; Nagai, S.
In situ measurement of bending strength of TiC whiskers in the scanning electronic microscope.—75-04562
Seisyan, R. P. See Aliev, G. N.
Seitz, Juliane; Bill, Joachim; Egger, Norbert; Aldinger, Fritz
Structural investigations of Si/C/N ceramics from polysilazane precursors by nuclear magnetic resonance.—75-09066
Seitzer, D. See Feng, S.
Sekar, M. M. A.; Patil, K. C.
Synthesis and properties of tialite, β-Al_2TiO_5.—75-01704
Sekel, R. See Farmer, A. J. D.
Sekhar, Jainagesh A.; Subramanian, V.; Canarslan, Necip S.
Combustible slurry for joining metallic or ceramic surfaces or for coating metallic, ceramic, and refractory surfaces.—75-04875
Sekhar, M. Chandra; Krishna, B. Gopala; Reddy, R. Ravinder; Reddy, P. Venugopal; Suryanarayana, S. V.
Elastic anomalies in sodium-doped Bi-2212 single-phase HTSC materials.—75-08304
Sekhon, S. S. See Sidhu, K. S.
Seki, H. See Abe, H.
Seki, Hajime See Winters, Harold F.
Seki, Shunji; Yamanaka, Takayuki; Lui, Wayne
Theoretical analysis of pure effects of strain and quantum confinement on differential gain in InGaAsP/InP strained layer quantum well lasers.—75-05851
Seki, Takeshi; Yamada, Tadamasa; Sugimoto, Takuya; Hirohama, Takeshi
Design of ladle lining based on temperature simulation.—75-07506
Sekii, Masahito See Sato, Tadao
Sekine, Hisashi See Wang, Rui-Ping
Sekino, Tohru See Nawa, Masahiro; Suzuki, Yoshikazu; Yamazaki, Keiichi
Sekino, Tohru; Nakajima, Toshio; Mihara, Shyuzo; Ueda, S.; Niihara, Koichi
Interface structure of ceramic/metal nanocomposites.—75-00107
Sekiya, Takao; Mochida, Norio; Ohtsuka, Atsushi
Raman spectra of MO-TeO_2 (M=Mg, Sr, Ba, and Zn) glasses.—75-04922
Sekiyama, S. See Unno, Y.
Sekkina, M. M. See Salem, M. R.
Sel'kin, A. V. See Nel'son, D. K.
Selent, M. See Bar, Ludwig R.
Selevich, A. F.; Lyakhov, A. S.; Lesnikovich, A. I.
Synthesis and properties of gallium dihydromonophosphate, $Ga(H_2PO_4)_3$.—75-06796; Synthesis and properties of indium dihydrotriphosphate, $InH_2P_3O_{10}$.—75-06383
Seleznev, V. A. See Vereshchagin, I. K.
Seleznev, V. N. See Terekhov, V. A.
Selim, Fadel A. See Barsoum, Michel W.
Selin, A. A.; Vasil'ev, M. G.; Borzistaya, E. L.; Ol'kin, Yu. V.
Influence of elastic strain on crystallization of epitaxial layers of semiconducting solid solutions.—75-05345
Selishchev, S. V. See Masloboev, Yu. P.
Selivanov, E. N.
Impregnation of a periclase-chromite lining with nickel matte.—75-05100
Selivanov, Yu. G. See Trofimov, V. T.
Selkregg, K. R. See Winder, S. M.
Sell, J. A. See Meng, W. J.
Sellar, J. R. See Chen, Y.
Selmy, A. I. See Abd Allah, M. H.
Selvamanickam, Venkatakrishnan See Salama, Kamel
Selvaraj, U. See Guo, Ru-Yan
Selverian, J. H. See Kang, S.-H.
Selverian, J. H.; O'Neil, D. A.; Kang, S.-H.
Performance testing and strength prediction of ceramic-to-metal joints.—75-04863
Selviah, D. R. See Tao, S.
Semchenkov, A. S. See Orlovskii, Yu. I.
Semchinova, O.; Uffmann, D.; Neff, H.; Smirnov, E.
Growth, preparation, and surface modification of microcrystalline diamond powder for the synthesis of diamond ceramics.—75-09325
Semenchenko, M. G. See Fleisher, V. G.
Semenchev, A. F. See Gavrilyachenko, V. G.
Semenenya, T. V. See Morozova, V. A.
Semenkovich, G. V. See Dubovskii, A. B.
Semenov, A. D. See Pavlovskii, V. K.
Semenov, G. A.
Thermodynamic properties of gaseous barium germanate, $BaGeO_3$, according to high-temperature mass spectrometry data.—75-09096
Semenov, V. A.; Shakhmatov, V. S.
Inelastic scattering of slow neutrons by hematite.—75-08222
Semenov, V. E. See Rybakov, K. I.
Semenova, G. V.; Sushkova, T. P.; Goncharov, E. G.
Defect formation in $InAs_{1-x}Sb_x$ solid solutions.—75-05273
Semenova, I. V. See Bikbau, M. Ya.
Semenova, N. M. See Skokov, V. N.
Semenovich, V. A. See Klyui, N. I.
Semenovich, V. A.; Klyui, N. I.; Frolov, S. I.; Litovchenko, V. G.; Dub, S. N.; Romanyuk, B. N.
Effect of deposition condition and postgrowth irradiation treatment on the physical properties of diamondlike carbon {DLC} films.—75-09272
Semenyuk, V. A.; Ivanova, L. D.; Svechnikova, T. E.
Application of single crystals of bismuth and antimony chalcogenide solid solutions in miniature coolers.—75-05243
Semirikov, I. S.; Kolchin, V. V.
Influence of gas medium and heat treatment on nonlinearity of *I-V* characteristics of zinc oxide varistors.—75-05346
Semizorov, A. F.
Compact thermoelectric materials based on solid solutions of the Bi_2Te_3-Sb_2Te_3-Sb_2Se_3 system.—75-05262; Effect of copper on the properties of pressed thermoelectric materials based on Bi_2Te_3-Sb_2Te_3-Sb_2Se_3 solid solutions.—75-09131
Semler, C. E.
Nondestructive sonic testing of unfired refractories.—75-07616; Overview of the U.S. refractories industry.—75-00267; 75-02826
Semple, Charles W.
Ceramic armor.—75-04872; Transparent ceramic composite armor.—75-07279
Semyagin, B. R. See Bert, N. A.
Sen, A. See Saha, D.
Sen, P. S. See Dasgupta, A.
Sen, P. See Das, R.
Sen, S. K.; Aggarwal, P. S.
Effect of TiO_2 and ZrO_2 on sintering of sillimanite.—75-04013
Sen, S. See Ray, K. K.
Sen, S.; Krishna, N. V. S.; Ghosh, K. S.
Fracture behavior of Al_2O_3-C refractories used in continuous casting.—75-07554
Sen, Sabyasachi; Gerardin, Corine; Navrotsky, Alexandra
Energetics and structural changes associated with phase separation and crystallization in lithium silicate glass.—75-04896
Sen, Sidhartha See Kontkiewicz, Anna
Senba, Ryuji See Kamiya, Kanichi
Senda, Tetsuya See Amada, Shigeyasu; Xiao, Han-Ning
Senden, T. J. See Ladouceur, F.
Senesan, Zeljka D. See Brandt, Nils G. L.
Sengupta, Louise; Ngo, Eric; Stowell, Steven; O'Day, Michelina; Lancto, Robert
Ceramic ferroelectric composite material—BSTO-MgO.—75-00711; Ceramic ferroelectric composite material—BSTO-ZrO_2.—75-08177
Sengupta, Suvankar See Todt, Volker R.
Sengupta, U. See Banerjee, L. N.
Sengupta, U.; Lahiri, S. P.; Ghosh, Sujit; Basu, R. K.
Unidirectional purging system in secondary steelmaking.—75-07687
Senichkin, A. P. See Kul'bachinskii, V. A.
Senin, H. B. See Farok, H. M.
Senna, Mamoru See Saito, Isao; Yoshimoto, N.
Senoh, Masayuki See Nakamura, Shuji
Senthil Kumar, S. B.; Krishnamurthy, R.; Gopalakrishnan, M. V.; Gokularathnam, C. V.
Machining performance of zirconia cutting tools.—75-01028
Sentiri, A. See Fornari, R.
Sentyakov, B. A.; Timofeev, L. V.; Sentyakov, K. B.
Relaxation properties of products made with basalt fiber.—75-09180
Sentyakov, K. B. See Sentyakov, B. A.
Senyushchenkov, P. A. See Popov, P. A.
Senz, S. See Hesse, D.
Seo, G. See Kang, S.-G.
Seo, Norlko See Shibahara, Hiroyasu
Seo, S.-H. See Heo, H.-B.
Seo, Won-Seon See Fusamae, Hidenori; Lin, Hong; Ohta, Hiromichi; Shin, Woo-Suck
Seo, Won-Seon; Koumoto, Kunihito
Stacking faults in β-SiC formed during carbothermal reduction of SiO_2.—75-06369
Seo, Young-Dae See Park, Yang-Duk
Seong, Tae-Yeon; Norman, A. G.; Booker, G. R.
Atomic ordering and domain structures in metallorganic chemical vapor deposition grown InGaAs(001) layers.—75-02963
Sepe, A. See Jarh, O.
Sepelak, Vladimir; Jancke, K.; Richter-Mendau, J.; Steinike, Ursula; Uecker, Doris-Christiane; Rogachev, A. Yu.
Mechanically induced reactivity of $ZnFe_2O_4$.—75-05693
Sepiol, B. See Music, S.
Sequeira, A. See Rajagopal, H.
Sera, M.; Sato, H.; Hiroi, M.
Cu site substitution effect on the Hall coefficient of $La_{2-x}Sr_xCuO_4$.—75-05740
Serafin, Louis A., Jr.
Challenges in ceramic development.—75-07065
Seran, M. See Pisarev, R. V.
Seraphin, Supapan See Yadav, Tapesh; Zhou, Dan
Serbesov, V. S.; Atanasov, P. A.; Tomov, R. I.
Modification of the properties of HTSC YBCO thin films on silicon by superfast laser annealing in oxygen with a cw CO_2 laser.—75-03383
Serbu, Cornel See Parvulescu, Vasile
Serebrayannyi, V. Ya. See Gektin, A. V.
Serebryakov, Yu. A. See Palatnikov, M. N.; Sidorov, N. V.
Sereda, B. P. See Smirnov, S. V.
Seregin, P. P. See Masterov, V. F.
Serfoso, G.; Kiss, L. F.; Zsoldos, E.; Toth, J.; Sandor, S.; Papadimitriou, L.
Magnetic properties of cadmium-doped Y-Ba-Cu-O high-temperature superconductors.—75-03382
Sergeenko, S. See Bougrine, H.
Sergeev, N. A. See Abelyashev, G. N.
Sergienko, M. V. See Baraban, A. P.
Serginov, M. See Rud, V. Yu.
Sergo, Valter See Pezzotti, Giuseppe
Sergo, Valter; Pezzotti, Giuseppe; Katagiri, Gen; Muraki, Naoki; Nishida, Toshihiko
Stress dependence of the Raman spectrum of β-silicon nitride.—75-04637
Serna, C. J. See Tartaj, P.
Seron, Alain See Thebault, Jacques
Seron, Alain; Thebault, Jacques; Beguin, Francois
Influence of methane on the nitriding gas reduction of kaolinite.—75-06652
Serov, A. Yu. See Agekyan, V. F.
Servant, Yves See Yahiaoui, El Mostapha
Servuli, V. A. See Razumovskaya, O. N.
Serykh, R. L.; Zalesov, A. S.
New items in the standardization of concrete.—75-07170
Setasuwon, P. See Azough, F.
Seto, Takafumi See Okuyama, Kikuo
Setsuhara, Yuichi See Sano, Saburo
Setsune, Kentaro See Adachi, Hideaki; Ichikawa, Yo; Mizuno, Koichi
Setsune, Kentaro; Wasa, Kiyotaka; Ichikawa, You
Method for annealing thin-film superconductors.—75-08464
Setter, M. See Gallet, D.; Colla, E. L.
Setter, N. See Shulman, Holly S.; Tagantsev, A. K.
Sevast'yanova, I. G. See Antsiferov, V. N.
Sevastjanova, I. V. See Grinev, B. V.
Sever, G. N. See Bol'nykh, I. K.
Severi, G. See Rovatti, I.
Severin, F. M. See Belyi, V. N.
Severin, Harold See Boothe, David T.
Severin, N. W.
Dryout, heat-up procedures for refractories.—75-02813
Severt, Clarence See Liu, Sam
Sewell, B. See MacZura, G.
Seyerth, D. See Rhine, Wendell E.
Seyfarth, M. K.
Byzantine Serres ceramics.—75-02207
Seyferth, Dietmar; Czubarow, Pawel
Method for preparation of a functionally gradient material.—75-04878
Sezzi, G.
Big producer between Europe and Asia.—75-02752; Ever larger companies.—75-09712; Growth of porcelain tiles.—75-02777; Zannoni—Italy is still world champion.—75-02804

Sglavo, V. M. See Tressler, Richard E.

Sglavo, V. M.; Green, David J.
Threshold stress intensity factor in soda-lime-silicate glass by interrupted static fatigue test.—75-07373

Shabanov, I. Yu. See Kompan, M. E.

Shabbir, G. See Awan, M. S.

Shabunina, G. G. See Golik, L. L.

Shabunina, G. G.; Amerikova, E. V.; Aminov, T. G.; Novotortsev, V. M.
Interactions of Sb_2X_3 with Cr_2X_3 (X=Se, Te).—75-06249

Shaburova, V. P. See Ivannivkova, N. V.

Shadrin, E. B. See Vikhnin, V. S.

Shadrin, M. P. See Frolov, G. V.

Shafeev, G. A. See Pimenov, S. M.

Shafer, Karl
Tribute to the sentinels.—75-04803

Shafranyuk, V. P. See Bodnaruk, O. A.

Shafry, N. See Farkash, M.; Johansson, T.

Shagimuratov, O. G. See Dmitriev, S. G.

Shah, D. K.; Chan, W. S.; Joshi, S. P.
Delamination detection and suppression in a composite laminate using piezoceramic layers.—75-03221; Stress concentration reduction in a plate with a hole using piezoceramic layers.—75-03261

Shah, Dinesh O.; Kumar, Promod; Pillai, Vinod K.
Preparation of Bi-Pb-Sr-Ca-Cu-O (2223) superconductors.—75-08482

Shah, S. I. See Lin, X.

Shah, S. P. See Betterman, L. R.; Landis, E. C.; Lange, David A.

Shahani, Hamid See Soderberg, Staffan

Shaikh, A. See Williams, T.

Shaikh, I. A. See Bhalodia, J. A.

Shaikhutdinov, K. A. See Petrov, M. I.

Shaimeev, S. S. See Antonova, I. V.

Shakhbazova, R. V. See Bakirov, M. Ya.

Shakhmatov, V. S. See Semenov, V. A.

Shakhovtsov, V. I. See Siratskii, V. M.

Shakhovtsova, S. I.
Electron transport in $Ge_{1-x}Si_x$ alloys at low electric fields.—75-07874; Low-temperature breakdown of donor states of Sb impurities in $Ge_{1-x}Si_x$ alloys.—75-07954

Shakhshaev, Sh. O. See Aliev, Sh. M.

Shakir, Yu. A. See Voitsekhovskii, V. V.

Shakirzyanov, M. M. See Bogdanova, Kh. G.

Shakurov, G. S. See Tarasov, V. F.

Shalamaiko, E. E. See Ignat'ev, A. I.

Shalavina, I. M. See Zhabrev, V. A.

Shaldin, Yu. V.; Popravski, R.; Matyyasik, S.; Dozmarov, V. V.; D'yakov, V. A.
Pyroelectrical properties of $BaBO_4$ [BBO] and $KTiOPO_4$ [KTP] crystals.—75-06508

Shaldin, Yu. V.
Para- and diamagnetoelectrical interactions in $Tb_2(MoO_4)_3$ and $LiIO_3$ crystals.—75-05702

Shalygin, V. A. See Shturbin, A. V.

Shalz, M. L.; Dalgleish, B. J.; Tomsia, A. P.
Ceramic joining: II. Partial transient liquid phase bonding of alumina via Cu/Ni/Cu multilayer interlayers.—75-04841; III. Bonding of alumina via Cu/Nb, Cu interlayers.—75-04842

Shamarnian, Vasgen A. See Doverspike, Kathleen; See Jensen, Elke

Shamlian, Sarkis H.; Hitchman, Michael L.; Cook, Stephen L.
Metallorganic CVD of YBCO using a new, stable and volatile barium precursor.—75-05796

Shamrai, N. B. See Khrustalev, V. N.

Shamrikov, V. M. See Pen'kov, N. V.

Shamshur, D. V. See Agrinskaya, N. V.; See Nemov, S. A.

Shamsundar, S. See Moore, E. H.

Shan, Chien-Hua; Risbud, Subhash H.; Yamakazi, Kazuo
Rapid consolidation of Bi-Pb-Sr-Ca-Cu-O powders by a plasma-activated sintering [PAS] process.—75-05822

Shan, Hai-Ping See Tian, J.-M.

Shan, Hui-Bo; Zhang, Zong-Tao
Slip casting of nanometer-sized tetragonal zirconia powder.—75-06770

Shan, T. A. See Ahmad, I.

Shanefield, D. J.
Organic Additives and Ceramic Processing: With Applications in Powder Metallurgy, Ink, and Paint.—75-04778; See also Dweck, J.

Shang, B. See Liu, X.

Shangina, E. L. See Brandt, N. B.; Kadushkin, V. I.

Shanin, B. V. See Shirokov, V. A.

Shankar, Natarajan See Brown, Steve A.

Shanmugham, S.; Liaw, P. K.; Stinton, D. P.; Besmann, T. M.; More, K. L.; Bleier, A.
Development of sol-gel-derived coatings for Nicalon/SiC composites.—75-09257

Shanmugham, S.; More, K. L.; Stinton, D. P.; Hubbard, Camden R.; Cavin, O. Burl; Porter, W. D.
Thermal and mechanical behavior of $Ba_{1+x}Zr_4P_{6-2x}Si_{2x}O_{24}$.—75-01356

Shao, G.-Q. See Pan, M.

Shao, Hui-Min See Shen, Lin-Jiang

Shao, Y.; Chen, W.; Wold, E.
Dispersion and electronic structure of TiO_2-supported cobalt and cobalt oxide.—75-06207

Shao, Yi See Tian, J.-M.

Shapira, Y. See Ofner, H.

Shapiro, A. A.; Elwell, D. F.; Imamura, P.; MeCartney, M. L.
Structure-property relationships in low-temperature cofired ceramic.—75-01346

Shapiro, A. Ya. See Gubkin, M. K.

Shapiro, Gary See Cornett, Kenneth D.

Shapiro, Michael See Litovsky, Efim

Shapiro, Y. See Ustundag, E.

Shaplygin, I. S. See Gorichev, I. G.

Shaplygin, I. S.; Kol'tsova, T. N.; Orekhov, Yu. F.; Tishchenko, E. A.
Structure of $Bi_2Ba_2CuO_{6+\delta}$ compounds and solid solutions of $Bi_2Ba_{2-x}M_xCuO_{6+\delta}$ (M=Sr, Ru, Rh, Pd, In, Sb, and Pb).—75-06786

Shaplygina, T. A. See Ayazbaev, T.; Gol'tsman, B. M.

Shapoval, S. Yu. See Gurtovoi, V. L.; Valyaev, V. V.

Shapoval, Yu. V. See Shubaeva, M. A.

Shapoval, Yu. V.; Shubaeva, M. A.; Khvoshchev, S. S.
Heat of adsorption of ammonia and methanol on L-type zeolites.—75-09147

Shapovalov, V. P.; Gryadun, V. I.; Korolev, A. E.
Defect formation in surface region of silicon during thermal oxidation.—75-05274

Shapovalov, V. V. See Volkov, B. A.

Shappir, Joseph See Rahat, Ido

Sharafutdinov, R. G.; Baklanov, M. R.; Ayupov, B. M.; Badalyan, A. M.; Polyakov, O. V.; Skrytnikov, A. V.
Features of the precipitation processes and properties of Si layers produced by a plasmochemical spray method with electron beam activation of gases.—75-09308

Sharafutdinov, R. G.; Biryukov, S. A.; Efimov, V. M.
Precipitation of SiO_2 layers from gas streams during activation of reagents by an electron beam.—75-09171

Sharagov, V. A.
Stability criterion of the production technology for diffusers from flashed opal glass.—75-07369

Shardakov, N. T.; Deryabin, V. A.
Reproducibility of the contact angle of enamel on steel substrate.—75-02539; Use of spent catalysts for synthesis of undercoat enamels.—75-07715

Shardakov, N. T.; Pakhnutov, I. A.; Deryabin, V. A.
Computation of enamel mixtures with complex composition.—75-07705

Shareef, M. Y.; Van Noort, R.; Messer, P. F.; Piddock, V.
Effect of microstructural features on the biaxial flexural strength of leucite-reinforced glass-ceramics.—75-02646

Sharifov, Ya. N. See Eivazov, E. A.

Sharivker, S. Y.; Borovinskaja, I. P.
Tribological and mechanical properties of ceramics sintered from powders obtained by self-propagating high-temperature synthesis.—75-09684

Sharkeev, Yu. P. See Annenkov, Yu. M.

Sharma, H. D.; Tripathi, A. K.; Chariar, A. K. Tripathi
Dielectric and pyroelectric characteristics of PZT doped with gadolinium.—75-06445

Sharma, R. N.; Rastogi, A. C.
Structure and composition of interfacial silicon oxide layer in chemical vapor deposited Y_2O_3-SiO_2 bilayer dielectrics for metal-insulator-semiconductor devices.—75-00374

Sharma, R. See McKelvy, M.

Sharma, R.; Singh, I. P.; Tripathi, A. K.
Charge-field hysteresis of $BaTiO_3$: PVDF composites.—75-06430

Sharma, Ram A.
Phase equilibria in rare-earth chloride–fluoride and rare-earth chloride–magnesium fluoride systems.—75-09014

Sharma, S. C. See Ganesan, G.; Gokhale, N. M.

Sharma, S. C.; Agarwal, S.; Chaturvedi, S.
Alumina zircon refractory—a new generation product for cement rotary kiln.—75-07462

Sharma, S. L. See Samanta, B.

Sharma, S.; Choudhary, R. N. P.; Sati, R.
Structural and dielectric properties of $Pb(Mn_{1/4}X_{1/4}Nb_{1/2})O_3$ (X=Zn, Cd, or Ni) ferroelectric ceramics.—75-05641

Sharma, Vaudana; Shukla, Ashok K.; Gopalakrishnan, J.
$Bi_2W_{1-x}Cu_xO_{6-\delta}$ ($0.7 \le x \le 0.8$): a new oxide ion conductor.—75-05175

Sharon, M. See Kumar, Dhananjay

Sharonova, L. V. See Drozdov, S. V.; Musikhin, S. F.

Sharova, V. V. See Karnaukhov, Yu. P.

Sharp, J. W.; Prokopovich, S. A.
Conservation parameters related to Australia's First Government House.—75-00017

Shavarova, A. P. See Bogdanyuk, N. S.

Shavelashvili, Sh. Sh. See Karumidze, G. S.

Shavit, Arthur See Litovsky, Efim

Shaw, David L. See Shepherd, Basil D.

Shaw, Leon; Abbaschian, Reza
Al_2O_3 coatings as diffusion barriers deposited from particulate-containing sol-gel solutions.—75-01372

Shaw, R. W. See Jones, L. L.

Shaw, Richard D.
Manufacture of shaped refractory objects.—75-05157; Reinforced ceramic tube.—75-05159

Shchavelev, K. O. See Glebov, L. B.

Shchavelev, O. S. See Glebov, L. B.

Shcheglov, M. P. See Andreev, A. N.; Kuznetsov, A. N.

Shcheglov, M. See Boikov, Yu. A.

Shchegltov, V. I. See Vashkovskii, A. V.

Shchegtova, N. N. See Bikbau, M. Ya.

Shchelev, M. Ya. See Nolle, E. L.

Shchennikov, V. V.; Gavaleshko, N. N.; Frasunyak, V. M.; Osotov, V. I.
Phase transition under hydrostatic pressure in HgSeS crystals.—75-05419

Shchennikov, V. V.; Gavaleshko, N. P.; Frasunyak, F. M.
Phase transition in HgTeS crystals under high pressure.—75-08005

Shchennikov, V. V.; Gizhevskii, B. A.; Samokhvalov, A. A.; Naumov, S. V.
Thermo-emf and electrical resistivity of CuO single crystals under high pressures.—75-09207

Shchennikov, V. V.
Magnetoresistance of metastable high-pressure phases.—75-05373

Shchepochkina, Yu. A.
Colored glass crumb for finishing.—75-02577; Enamel for cast iron.—75-02465

Shcherba, I. D. See Gladyshevskii, E. I.

Shcherbachev, D. K. See Pekov, I. V.

Shcherbachev, K. D. See Bublik, V. T.

Shcherbak, L. P. See Fochuk, P. M.

Shcherbakov, V. A. See Ponomarev, M. A.

Shcherbakova, L. G. See Krasil'nikov, A. S.; Mamsurova, L. G.

Shcherbenko, G. N. See Antonov, G. I.; Borovik, N. P.

Shcherbina, B. V. See Torchinskaya, T. V.

Shcherbina, O. I. See Brik, A. B.

Shchukarev, A. V. See Dolgushev, N. V.

Shchukin, E. D. See Yushchenko, V. S.

Shchur, T. E. See Kalinkin, A. M.

She, J.-H. See Jhang, D.-L.; Liu, Q.

Shea, L. E. See McKittrick, J.

Shea, L. E.; McKittrick, J.; Lopez, O. A.; Sluzky, Esther
Effect of processing parameters on luminescence of combustion-synthesized, rare-earth-activated $Y_3Al_5O_{12}$ phosphors.—75-05294; Synthesis of red-emitting, small particle size luminescent oxides using an optimized combustion process.—75-09476

Sheasby, J. S.; Caughlin, T. A.
Direct observation of the boundary lubrication of ceramics.—75-09617

Shebanov, L.; Kusnetsov, M.; Sternberg, A.
Electric-field-induced antiferroelectric-to-ferroelectric phase transition in lead zirconate titanate stannate ceramics modified with lanthanum.—75-00655

Shechtman, D.
Defects and growth of diamond wafers.—75-01747; Twin-determined growth of diamond films.—75-04262

Sheen, S. R. See Kao, C.-H.

Sheik-Bahae, Mansoor; Wang, J.; Van Stryland, E. W.
Nondegenerate optical Kerr effect in semiconductors.—75-05401

Shein, I. V. See Zil'berman, P. E.

Shein, V. I.
Heat consumption for formation of portland cement clinker made of natural mineral mixes.—75-07153

Sheinich, L. A.
Evidence of self-organization of the structure of cement stone.—75-07148

Sheinkman, M. K. See Drozdova, I. A.

Shek, E. I. See Aleksandrov, O. V.; Bresler, M. S.; Golubev, V. G.

Shekhovtsov, L. V.; Sachenko, A. V.; Shvarts, Yu. M.
Transverse photovoltage in a [Ge-GaAs] heteroepitaxial structure.—75-03192

Shekhtman, V. Sh. See Novomlinskii, L. A.

Shelby, J. E. See Heslin, Michael R.; King, W. A.

Sheldon, Brian W.; Csencsits, R.; Rankin, Janet
Bias-enhanced nucleation of diamond during microwave-assisted chemical vapor deposition.—75-01385

Sheldon, Brian W.; Sun, Ellen Y.; Nutt, Steven R.; Brennan, John J.
Oxidation of BN-coated SiC fibers in ceramic matrix composites.—75-02009

Sheldon, Brian W.
Silicon nitride oxidation based on oxynitride interlayers with graded stoichiometry.—75-09601

Sheleg, A. U. See Plyushch, O. B.

Sheleg, A. U.; Shesholko, E. V.
Effect of γ-irradiation on the elastic properties of ferroelectrics within the range of phase transitions.—75-05548

Sheleg, A. U.; Zub, E. M.
X-ray study of crystallographic parameters of Rb_2ZnBr_4 in the phase transition region.—75-09112

Shelimova, L. E. See Chizhevskaya, S. N.; Zemskov, V. S.

Shelkova, N. E. See Zaitsev, A. I.

Shelly-Genther, Karen
Questions to ask a gallery.—75-02333

Shelton, R. N. See Irons, Stephen H.

Shelykh, A. I. See Golubkov, A. V.; Prokof'ev, A. V.

Shelykh, A. I.; Prokof'ev, A. V.; Melekh, B. T.
Features of the width change of the band gap in Ln_2X_3 (Ln=rare-earth elements, X=O, S, Se).—75-08936

Shemetov, V. V. See Kurbatskii, M. N.

Shemyakov, A. A. See Mitrofanov, V. Ya.; Pashchenko, V. P.

Shen, B. See Liu, J.-P.

Shen, C. Q. See Kudesia, R.

Shen, Chi-Hung
Agile and green manufacturing and superhard-coated cutting tools.—75-08510

Shen, D.-H.; Bao, C.-L.; Lu, H.; Lin, Z.-D.
XPS studies at the interface of Ti/AlN ceramic.—75-04417

Shen, J. M.; Palsule, C.; Gangopadhyay, S.
Characterization of fluorinated hydrogenated amorphous silicon nitride (a-SiN$_x$:H) alloys.—75-01803

Shen, J. See Baesso, M. L.

Shen, J.-Q.; Pan, J.-H.; Li, C.-Q.; Ren, Y.-H.; Ma, J.-F.
Extended application of ceramic heat exchanger.—75-03647

Shen, Jian-Cang See Shen, Lin-Jiang

Shen, Jian-Ging; Ma, Jun; Jiang, Da-Zhen
Adsorption of benzene on the acidic and basic sites of KH J-zeolites studied by in situ spectroscopy.—75-06155

Shen, Li See Wu, Yue

Shen, Lin-Jiang; Shao, Hui-Min; Wu, Zheng; Yuan, Pi-Fang; Shen, Jian-Cang; Wang, Shi-Dong
New method for the synthesis of $HgBa_2Ca_2Cu_3O_{8+\delta}$.—75-08380

Shen, M.-C. See Hsu, Stephen M.

Shen, Pou-Yan See Chen, Shuei-Yuan; Lin, Ying-Chun

Shen, Y. See Shen, Y.-Y.

Shen, Y.-H. See Zhou, X.-Y.

Shen, Y.-L. See Zhou, S.-Q.

Shen, Y.-Y. See Ravindrarajah, R. S.

Shen, Y.-Y.; Shen, Y.
Development research on high-performance sillimanite refractory.—75-02812

Shen, Yang; Xu, Zhong-Zi; Tang, Ming-Shu
Process of sulfate attack on cement mortars.—75-04826

Shen, Yu-Sheng See Zhang, Tian-Shu

Shen, Z.-J. See Ekstrom, Thommy; Fang, Z.-H.; Xu, L.-H.

Shen, Z.-J.; Ekstrom, Thommy; Nygren, Mats
Homogeneity region and thermal stability of neodymium-doped α-SiAlON ceramics.—75-03799; Reactions occurring in post-heat-treated α/β-SiAlONs: on the thermal stability of α-SiAlON.—75-09048; Temperature stability of samarium-doped α-SiAlON ceramics.—75-09084
Shen, Zhi-Yuan See Dorothy, Robert G.
Shenai, K.
Low-power high-speed deep submicron VLSI- device technologies and interconnect modeling issues.—75-00537; Thermal effects in integrable power semiconductor devices.—75-00616; See also Dallmann, D. A.
Sheng, Zheng-Zhi See Li, Y.
Sheng, Zheng-Zhi; Meason, John; Xin, Ying
(Hg or Pb)-Pr-Tl-Sr-Cu-O based superconductors.—75-08450
Shengeliya, T. E. See Bobrenko, Yu. N.
Shengurov, D. V. See Pavlov, D. A.
Shengurov, V. G. See Pavlov, D. A.
Shepel'skii, G. A. See Gasan-Zade, S. G.; Strikha, M. V.; Vas'ko, F. T.
Shepel, L. G. See Kovalenko, V. F.
Shepelev, Yu. F. See Levin, A. A.
Shepelevich, V. G.
Annealing of semimetal chalcogenide foils produced by ultrarapid melt quenching.—75-07781
Shepherd, Basil D.; Shaw, David L.
Ceramic materials and methods of making the same comprising yttrium, barium, silver, and either selenium or sulfur.—75-08560
Shepherd, D. P.; Hanna, D. C.; Large, A. C.
Low threshold, room temperature 1.64-μm Yb:Er:$Y_3Al_5O_{12}$ waveguide laser.—75-00535
Shepilov, M. P.
Simplest model for calculation of isothermal kinetics of the nucleation-and-growth type phase separation in the course of one-step heat treatment.—75-02605; See also Onushchenko, A. A.
Sheppard, C. M. See Brown, I. W. M.; White, G. V.
Sheppard, L. M.
Ceramics in Canada—an update.—75-04686; Challenges continue for U.S. advanced ceramics.—75-04690; Designing for manufacturing—an update.—75-02124; Issues in powder forming technologies.—75-04716; Japanese center leads ceramic technology.—75-04717; Making roofing tile Japanese style.—75-02783; Microelectronics packaging moves toward miniaturization.—75-02917; New options for particle size analysis.—75-03585; Toward economical processing of composites.—75-04761; Transferring technology to improve competitiveness.—75-04762; Trends in laboratory testing equipment.—75-03536; See also Koumoto, Kunihito
Sheppard, S. T.; Cooper, J. A., Jr.; Melloch, M. R.
Nonequilibrium characteristics of the gate-controlled diode in 6H-SiC.—75-05402
Shercliff, H. R.; Vekinis, G.; Beaumont, P. W. R.
Direct observation of the fracture of CAS-glass/SiC composites: I, Delamination.—75-05004; II, Notched tension.—75-06960
Sheregii, E. See Kuz'ma, M.
Sherman, M. See McDonald, D.
Sherman, P.
Hydnocerus series.—75-02270
Shermatov, N. See Normatov, I. Sh.
Shernyakov, Yu. M. See Evstropov, V. V.
Sherrill, John Ramer
Raku how-to—gloss crackle glazing.—75-02334
Shershukov, V. M. See Grinev, B. V.
Sherstnev, V. V. See Danilova, T. N.
Sherstneva, N. V. See Podkorytov, A. L.
Sherwood, W. See Interrante, L. V.
Shesholko, E. V. See Sheleg, A. U.
Shestakov, V. A.; Kosyakov, V. I.
Correction of statistical weights of condition equations for determining consistent thermodynamic data on the Ga-Sb system.—75-08648
Shetty, D. K. See Danchaivijit, S.; Lakshminarayanan, R.
Sheu, T. S. See Chang, S. C.
Sheu, Tzer-Shin; O'Brien, W. J.; Rasmussen, S. T.
Mechanical properties and thermal expansion behavior in leucite containing materials.—75-07006
Shevchenko, A. V. See Andrievskaya, Elena R.
Shevchenko, V. Ya. See Padalko, A. G.; Podzorova, L. I.
Shevchenko, V. Ya.; Maslennikova, G. N.
Problems with raw material security in the Russian ceramic industry.—75-06048
Shevchenok, A. A. See Tolochko, S. P.
Shevelev, A. I. See Saetgaleev, Ya. Kh.
Shevelev, S. V. See Al'perovich, V. L.; Belyavskii, V. I.
Shi, Dong-Lu See Todt, Volker R.
Shi, Dong-Lu; Lahiri, Krishano; Sagar, Sandhya
Seeded melt texturing [SMT] and melt joining of $YBa_2Cu_3O_x$.—75-03400
Shi, E.-W. See Feng, C.-D.
Shi, E.-W.; Xia, Chang-Tai; Zhong, Wei-Zhuo; Hua, Su-Kun; Yin, Z.-W.
Formation mechanism of barium titanate fine powder under hydrothermal conditions.—75-09313
Shi, G.; Sun, G.-C.
Microstructure and properties of alumina-rich spinel and its products.—75-02823
Shi, Hong-Tao See Zhang, Rong
Shi, J.-L.; Li, B.-S.; Lu, Z.-L.; Huang, X.-X.
Correlation between microstructure, phase transformation during fracture, and the mechanical properties of Y-TZP ceramics.—75-09609
Shi, Jing; Tian, Ming-Liang; Zhu, Jing-Sheng
X-ray and photoemission spectra study of $Tl_{0.3}MoO_3$.—75-06409
Shi, Lei See Feng, Yong
Shi, Li-Kai See Yang, Gai-Ying
Shi, N.-Y. See Gao, L.
Shi, Qiang See Huang, Qi-Zhong
Shi, S. See Qin, C.-D.
Shi, S.-Z.; Men, Shu-Chun; Li, Guang-Wei; Wang, Bao-Liang; Li, Long-Xing
High-temperature microwave ovens for refractory laboratories.—75-07566
Shi, S.-Z.
Contribution of electric force to sintering: II, Nature of the applied electric field for driving ionic diffusion.—75-04277
Shi, Wei-Dong; James, P. F.
Fracture toughness of $CaO-P_2O_5-B_2O_3$ glasses and glass-ceramics determined by indentation.—75-06985
Shi, X. Y.; Brungs, M. P.; Young, D. J.
Amber chromophore in float glass.—75-00169
Shi, Xu See Tay, Beng-Kang
Shi, Xu; Tu, Yu-Qiang; Tan, H.-S.; Tay, Beng-Kang
Simulation of plasma flow in toroidal solenoid filters.—75-08701
Shi, Y. J. See Ang, S. S.
Shi, Y.-X.; Li, Y.; Wang, W. Z.
Wettability between TiN, TiC-containing carbon composite refractory, and molten slag or hot metal.—75-02846
Shi, Y.; Huang, X.-X.; Yan, D.-S.
Synthesis and characterization of ultrafine zircon powder.—75-04236
Shi, Yi; Liu, Jian-Lin; Wang, Feng; Zhang, Rong; Han, Ping; Gu, Shu-Lin
Fabrication of silicon quantum wires by conventional silicon processing.—75-07886
Shiao, J.-J.; Tsai, C.-H.; Kai, J.-J.; Huang, J.-H.
Aging embrittlement and microstructure observation in a CF8 duplex stainless steel aged at 400°C.—75-03274
Shiao, Jean-Song; Zorman, Christian A.; Hoffman, Richard W.
Synthesis and characterization of nitrogen-containing diamondlike carbon films made by ion beam deposition.—75-01698
Shiau, Fuh-Shan See Fang, Tsang-Tse
Shibahara, Hiroyasu; Numaguchi, Kazuhiko; Seo, Noriko; Kawasaki, Masahiro; Ibe, Katsuhiko; Taguchi, Hideki
HREM study of oxygen-defective $LaMnO_{3-\delta}$ with twin structure.—75-09550
Shibasaki, Yasuo See Sano, Saburo
Shibata, H. See Wadayama, T.
Shibata, Hidetoshi See Ikeda, Yasushi
Shibata, K. See Katsumata, T.
Shibata, Kazuyoshi See Nanataki, Tsutomu
Shibata, Kenichi See Takahashi, Hisakazu
Shibata, Koji; Yanagisawa, Hiroshi; Yamada, Tetsuo
Silicon nitride powder and silicon nitride-containing aqueous slurry.—75-06142
Shibata, Masamitsu; Hamaji, Yukio
Dielectric ceramic compositions.—75-00397
Shibata, Masatoshi See Nakagawa, Manabu
Shibata, Noriyoshi See Aoyama, Satoshi; Ishikawa, Yukari; Nomura, Kenji
Shibata, Noriyoshi; Ikuhara, Yuichi
Novel system for fine structure measurement of ceramics.—75-08690
Shibata, Noriyoshi; Ishikawa, Yukari
Preparation of multilayered thin silicon-on-insulator structure.—75-07746
Shibata, Shuichi See Sakaguchi, Shigeki
Shibko, A. N. See Nuprienok, I. S.
Shibuki, Kunio See Suzuki, T.; Suzuki, Tetsuya
Shibuta, Nobuhiro See Mukai, Hidehito
Shibuta, Nobuhiro; Sato, Kenichi; Mukai, Hidehito; Masuda, Takato
High temperature superconducting coil and method of manufacturing thereof.—75-08457
Shibutani, Kazuyuki See Masuda, Yoshi
Shibuya, Akinobu See Utsumi, Kazuaki
Shibuya, H. See Ori, T.
Shibuya, M. See Gogotsi, Yu. G.; Ishikawa, Takashi; Masaki, S.
Shicker, S. See Garcia, Daniel E.
Shieh, Y. N.; Rawlings, R. D.; West, D. R. F.
Laser processing of ceramics of the SiO_2-Al_2O_3 system.—75-06670
Shields, T. C. See Marshall, A.
Shigegaki, Yasuhiro; Brito, Manuel E.; Hirao, Kiyoshi; Toriyama, Motohiro; Kanzaki, Shuzo
Processing of a novel multilayered silicon nitride.—75-06746
Shigemura, Takashi See Ikuma, Yasuro
Shigeta, Yoshifumi See Sato, Mitsukuni
Shih, H.-C. See Chiou, Y.-H.
Shih, K.-C. See Huang, J.-L.
Shih, W.-C. See Li, Y.-S.
Shih, Wan-Y. See Shih, Wei-Heng
Shih, Wan-Y.; Shih, Wei-Heng; Aksay, Ilhan A.
Heteroflocculation in binary colloidal suspensions: Monte Carlo simulations.—75-08949
Shih, Wei-Heng See Buchta, Michael A.; Chang, H. L.; Shih, Wan-Y.
Shih, Wei-Heng; Buchta, Michael A.
Improved dispersion of silicon nitride whiskers.—75-04074
Shih, Wei-Heng; Farrell, D. J.; Shih, Wan-Y.
Green-state deformation of boehmite-coated silicon nitride compacts.—75-04056
Shih, Wei-Heng; Kisailus, David; Shih, Wan-Y.; Hu, Yung-Haw; Hughes, Jerry
Rheology and consolidation of colloidal alumina-coated silicon nitride suspensions.—75-04202
Shik, A. Ya. See Drozdov, S. V.; Kucherenko, S. S.
Shikano, Tomoyuki See Hotta, Tadashi
Shikata, Kunihide; Kubota, Takeshi; Furusawa, Akira
High dielectric layer containing alumina-based wiring substrate and package for semiconductor device.—75-08101
Shikata, Shinichi; Nakahata, Hideaki; Higaki, Kenjiro; Fujii, Satoshi; Hachigo, Akihiro; Kitabayashi, Hiroyuki
SAW filters based on diamond.—75-08051
Shikata, Toshi See Yanez, Joseph A.
Shikina, N. I. See Shikina, Yu. V.
Shikina, Yu. V.; Shikina, N. I.
Role of holes in building the population coefficient of charged dislocations in *n*-type semiconductors.—75-03153
Shikov, A. A. See Chumachenko, A. V.
Shiktorov, N. K. See Chesnis, A.
Shil'shtein, S. Sh.; Ivanov, A. S.
Determination of copper ionic charges in yttrium barium cuprates based on the model of coulomb splitting of layers (BaO).—75-08285
Shil'shtein, S. Sh.
Structural changes and interlayer charge transfer in HTSC at high pressures.—75-08421
Shilin, A. D. See Olekhnovich, N. M.; ; Salak, A. N.
Shilkina, L. A. See Dergunova, N. V.; Razumovskaya, O. N.; Reznichenko, L. A.
Shilov, A. L. See Shornikov, S. I.
Shilova, M. V. See Tikhov, S. V.
Shim, Cari H. See Goldstein, Michael
Shim, In-Bo See Oh, Young-Jei
Shim, K. B.; Edirisinghe, M. J.; Ralph, B.
Use of nickel and iron additives as sintering aids for titanium diboride.—75-06827
Shima, Akihiro; Miyashita, Motoharu; Miura, Takeshi
Uniform and high-power characteristics of 780-nm AlGaAs laser diodes fabricated by large-scale MOCVD.—75-05511
Shima, Masayuki See Kimura, Yoshitsugu
Shimada, Ken; Chikaishi, Kazuhiro; Umezaki, Hiroshi; Oki, Yasuyuki; Maekawa, Takashi
Structure of spinnable solution of triethylaluminum and ethylsilicate-40 and calcination process of drawn alumina gel fiber.—75-09072
Shimada, M. See Endo, Tadashi
Shimada, M.; Takizawa, H.
Orthorhombic to monoclinic phase transformation of $(Ho_{1-x}La_x)_4Al_2O_9$ by applying stress.—75-03816
Shimada, Manabu See Okuyama, Kikuo
Shimada, Shiro See Udea, Midori
Shimada, Y.; Nagano, Y.; Fujii, E.; Azuma, M.; Uemoto, Y.; Sumi, T.
Integration technology of ferroelectrics and the performance of the integrated ferroelectrics.—75-05593
Shimada, Yutaka See Sakurai, Tomoaki
Shimada, Yuzo See Utsumi, Kazuaki
Shimakage, H. See Tonouchi, M.
Shimakage, Kazuyoshi See Sato, Tadao
Shimakami, Seiji; Iwata, Misao; Matsunaga, Hirokazu
Effect of pores on the fracture toughness of TiB_2/Si_3N_4 composites.—75-09624
Shimamori, T. See Morimoto, T.
Shimanskii, A. F.; Shvaiko-Shvaikovskii, V. E.; Kargin, Yu. F.; Gritsenko, D. A.; Derikova, M. G.
Nonstoichiometry and mass transport in bismuth titanate with sillenite structure.—75-09514
Shimanskij, A. F.; Drofenik, M.; Kolar, D.
Subsolidus grain growth in donor-doped barium titanate.—75-06908
Shimchak, R. See Baran, M.
Shimizu, Hideki See Watanabe, Keiichiro
Shimizu, Jun See Takashi, Minoru
Shimizu, K. See Ikesue, Akio
Shimizu, Masaru See Shiosaki, Tadashi
Shimizu, Masaru; Fujisawa, Hironori; Shiosaki, Tadashi
Properties of ferroelectric $(Pb,La)(Zr,Ti)O_3$ thin films by MOCVD.—75-05629
Shimizu, Y.; Kawanabe, K.; Taki, Y.; Takao, Y.; Egashira, M.
AlN ceramics prepared by aqueous colloidal processing.—75-01373
Shimizu, Yasuo; Nakahara, Hirohiko; Aoki, Tomoko; Funayama, O.; Isoda, Takeshi
Polymetalosilazane, process of producing same, silicon nitride based ceramic, and process of preparing same.—75-01184
Shimizu-Iwayama, Tsutomu; Fujita, Katsunori; Nakao, Setsuo
Visible photoluminescence in Si^+-implanted silica glass.—75-02698
Shimoda, N. See Jian, C. Y.
Shimomura, O. See Suematsu, Hisayuki
Shimono, Isao; Kijima, Norihito; Nagata, Shoichi; Konishi, Hajime; Hamaguchi, Yoshikazu
Formation of 2223 phase in Bi-Pb-Sr-Ca-Cu-O system via calcining at 1073 K.—75-07892
Shimoo, Toshio; Chen, H.; Okamura, Kiyohito
High-temperature stability of Nicalon under Ar or O_2 atmosphere.—75-06470
Shimoo, Toshio; Hayatsu, Toshihide; Takeda, Michio; Ichikawa, Hiroshi; Seguchi, Tadao; Okamura, Kiyohito
Mechanism of oxidation of low-oxygen SiC fiber prepared by electron radiation curing method.—75-02002
Shimoo, Toshio; Maeda, Takashi; Okamura, Kiyohito
Pyrolytic behavior of Si-C-O fiber in alumina powder under N_2 atmosphere.—75-09413
Shimoo, Toshio; Okamura, Kiyohito
Interaction of Si_3N_4 with Cr.—75-06248; Pyrolitic behavior of Si-C-O fiber in alumina matrix composite.—75-09412
Shimooka, Hirokazu; Kuwabara, Makoto
Crystallinity and stoichiometry of nanostructured sol-gel-derived $BaTiO_3$ monolithic gels.—75-08895
Shimosaka, Atsuko See Hidaka, Jusuke
Shimotsu, Shinichi See Nagata, Hirotoshi
Shimoyama, Masaru See Onoda, Hajime
Shimozuma, Mitsuo See Hashizume, Tamotsu
Shimp, L. A. See Flach, J. S.
Shimura, Kenichi; Terashima, Takahito; Bando, Yoshichika
Microstructure and superconductivity of ultrathin $YBa_2Cu_3O_7$ films.—75-00831
Shin, Byoung-Chul; Miyayama, Masaru; Yanagida, Hiroaki
CO gas sensitivity of CuO-infiltrated ZnO ceramics.—75-05261

Shin, C.-S. See Lee, J.-H.
Shin, H.-K. See Yi, S.-H.
Shin, Hyo-Soon See Park, Jun-Hong
Shin, Hyun-Ho; Speyer, R. F.
Effect of hot-pressing time and post-heat treatment on the microstructure and mechanical properties of SiC fiber-reinforced glass-ceramic composites.—75-05006
Shin, Hyun-Jung; Agarwal, Monika; De Guire, Mark R.; Heuer, Arthur H.
Solid-state diffusive amorphization in TiO_2/ZrO_2 bilayers.—75-06856
Shin, J.-Y. See Kwon, H.-J.
Shin, K.-C. See Heo, H.-B.
Shin, K.-H. See Choi, B.-K.
Shin, M.-K.; Lee, S.-D.; Lee, J.-H.; Cho, M.-Y.; Joo, S.-H.
Development of computer model for analysis of phenomena in COREX shaft-type reduction furnace.—75-08719
Shin, N.-F.; Hong, J.-W.; Wu, Y.-F.
New narrow bandwidth a-Si:H photodetector.—75-03097
Shin, S. See Seino, Y.
Shin, S.-G. See Iwamoto, Y.
Shin, Seung-Doh; Sone, Cheol-Soo; Han, Joo-Hwan; Kim, Doh-Yeon
Effect of sintering atmosphere on the densification and abnormal grain growth of ZnO.—75-01464
Shin, Woo-Suck See Fusamae, Hidenori; No, Kwang-Soo
Shin, Woo-Suck; Seo, Won-Seon; Suzuki, Yutaka; Kitagawa, Kuniyuki; Koumoto, Kunihito
Light-emitting properties of porous SiC with different microstructures.—75-09153
Shin, Y.-S.; Lee, B.-G.; Kang, S. J. L.
Enhancement of *tt–vm* ZrO_2 transformation by MoO_2 and its application.—75-04511
Shin, Yoshiharurayama See Aoki, Hideki
Shinar, J. See Lane, P. A.
Shinar, J.; Jia, H.; Lang, D. P.; Pruski, M.
Nature of the native defect ESR in thin diamond films.—75-01893
Shinar, J.; Pruski, M.; Lang, D. P.; Hwang, S.-J.; Jia, H.
Structure of thin diamond films—a ^1H and ^{13}C nuclear magnetic resonance study.—75-01950
Shinde, Subhash L. See Duncombe, Peter R.; Harris, Jonathan H.
Shindel'man, A. V. See Panfilova, L. V.
Shindich, V. L. See Siratskii, V. M.
Shindo, D. See Lee, Byong-Taek
Shindo, M. See Fujii, K.
Shing, Yuh-Han; Pool, Frederick S.
Deposition of diamondlike films by ECR microwave plasma.—75-01164
Shingu, P. H. See De la Torre, S. D.
Shingyouji, Takayuki See Murakami, Yoshio
Shinmi, Akio; Koike, Junichi; Kimura, Shoichi; Maruyama, Kouichi; Oikawa, Hiroshi
Formation of Si_3N_4 during the direct nitridation of Si single crystal.—75-09317
Shinoda, Makoto See Nishide, Toshikazu
Shinohara, Nobuhiro See Ohsaka, Shigeru; Takahashi, Hideo
Shinohara, Y. See Furumura, Fukujiro
Shinosawa, Katsuhiro See Bentz, Joseph C.
Shinozaki, Kazuo See Che, Sheng-Lei; Fujii, Yoshihiro; Furakawa, Yukiko; Hioki, Tsuyoshi; Kiguchi, Takanori; Sida, Masato
Shinozaki, Kazuo; Sawada, Yutaka; Mizutani, Nobuyasu
Liquid phase formation and its migration in aluminum nitride ceramics.—75-08970
Shinozaki, Samuel S. See Whalen, Thomas J.
Shintani, Y. See Chiba, A.
Shintani, Yoshitomo; Suganuma, Tetsuya; Matsuo, Shuitsu; Saito, Hajime; Yamaoka, Hidenori; Kurono, Nobuhisa
Method of manufacturing aluminum borate whiskers having a reformed surface based upon gamma-alumina.—75-08836
Shinya, Norio See Fudouzi, Hiroshi
Shioda, M. See Ishizaki, M.
Shiogai, Tatsuya See Miyata, Noboru
Shiogai, Tatsuya; Miyata, Noboru; Sashida, Norikazu; Tsukamoto, Keizo; Yasuda, Eiichi
Effect of microstructures of SiAlON ceramics on fatigue properties at room temperature.—75-09622
Shiohara, Yu See Murakami, Masato
Shiono, Takeshi; Miyamoto, Kazuyo; Sugishima, Yuka; Okamoto, Yasunori; Hayashi, Kunio; Nishikawa, Tomozo
Preparation and sinterability of forsterite powders derived from heterogeneous alkoxide solution containing fine MgO powders.—75-01617
Shiosaki, Tadashi See Shimizu, Masaru
Shiosaki, Tadashi; Kang, C.-S.; Shimizu, Masaru; Fukagawa, Mitsuru; Nakaya, Kenichi; Tanikawa, Eiki
Growth and properties of PZT thin films on a 6–8-in. wafer by MOCVD.—75-00664
Shiota, Takaaki See Murakami, Yoshio
Shirafuji, Junji See Sugino, Takashi
Shirai, Takao See Komatsu, Michiyasu
Shiraishi, M.; Nakada, T.; Nakamura, A.
Convex line type thermal printing head.—75-01017
Shiraishi, T. See Asakawa, T.; Nakama, T.
Shiranita, Akira; Nakayama, Susumu
Ceramic cell for measuring electrical conductivity of liquid solution.—75-08715
Shiranita, Akira; Takeuchi, Masaaki; Takeda, Teruhiko
Mg-PSZ ceramic for high-temperature applications.—75-06683
Shiranita, Akira; Yoshikawa, Masahiro
Development of high-alkaline solution-resistant silicon nitride ceramics.—75-08800
Shirey, L. See Troilo, L. M.
Shirinyan, G. O. See Ovanesyan, K. L.
Shirley, D. A. See Terminello, L. J.
Shirley, E. L. See Carlisle, J. A.
Shirokov, V. A.; Shanin, B. V.; Novgorodskii, E. E.
Energy-saving devices used in brick production.—75-08720
Shirokov, Yu. G. See Il'in, A. P.; Prokof'ev, V. Yu.; Smirnov, N. N.; Yurchenko, E. N.
Shitova, V. I. See Mikirticheva, G. A.
Shiue, Sham-Tsong
Thermal stresses in tightly jacketed double-coated optical fibers at low temperature.—75-00204
Shiue, Y.-S. See Kao, C.-H.
Shivakumara, C. See Gopalakrishnan, J.
Shizuno, Hisamitsu See Kishi, Hiroshi
Shkar, V. F. See Dan'shin, N. K.
Shkerlin, G. N. See Voronko, A. I.
Shklover, V. V. See Trefilov, V. I.
Shkol'nikov, E. V.; Bakulina, V. V.; Shkol'nikova, A. M.
Kinetics of etching $Ag_{0.7}Ge_{0.3}S_{0.5}$ and $Ag_{0.7}AsSe$ in acidic oxidizing media.—75-02663
Shkol'nikov, E. V.; D'yachenko, Yu. I.; Shkol'nikova, A. M.
Kinetics of the dissolution of glasses of the As_2Se_3-CuO system in acidic oxidizing media.—75-07344
Shkol'nikova, A. M. See Shkol'nikov, E. V.
Shkumbatyuk, P. S.; Tsyutsyura, D. I.
Thermal warming of wide-band semiconducting materials with a CO_2 laser.—75-08082
Shlegerene, E. See Zhelis, Kh.
Shlemkevich, V. V. See Slobodyan, V. Z.
Shlionskii, Yu. S. See Fraiman, L. S.
Shlyakhova, T. M. See Karaulov, A. G.
Shlyapkina, L. V. See Arakcheeva, A. V.
Shlyaxhovyi, V. L. See Nikonyuk, E. S.
Shmatok, L. K. See Ignat'ev, A. I.
Shmidt, B. See Ivanov, A. M.
Shmidt, Kh. See Ferl, Kh.
Shmidt, N. M. See Ankudinov, A. V.
Shmulovich, J. See Bruce, A. J.
Shmulovich, K. I. See Zonova, I. A.
Shmurak, S. Z. See Bazhenov, A. V.; Egorov, V. K.; Klassen, N. V.
Shmyt'ko, Ivan; Savchenko, I. B.; Klassen, N. V.;
Bagautdinov, B. Sh.; Emel'chenko, G. A.; Sinitzin, V. V.
Structure characteristics of cubic and orthorhombic phases of high-density scintillator PbF_2 from 4.2–300 K.—75-01947
Shnaidshtein, I. V. See Strukov, B. A.
Shneidman, V. A. See Weinberg, Michael C.
Shobu, Kazuhisa See Akiyama, Morito; Tani, Eiji
Shobu, Kazuhisa; Tani, Eiji; Akiyama, Morito; Watanabe, Tadahiko
High-temperature strength of melt-infiltrated SiC-Mo(Al,Si)$_2$ composites.—75-02063
Shoda, Craig See Virga, Kathleen
Shoda, K. See Fukuda, K.; Shon, I. J.
Shoichi, Katoh See Jackson, John E.
Shokh, V. F. See Akulovich, N. I.; Bykovskii, V. A.
Shon, I. J.; Munir, Z. A.; Yamazaki, K.; Shoda, K.
Simultaneous synthesis and densification of $MoSi_2$ by field-activated combustion.—75-05913
Shon, J.-G. See Kim, D.-Y.
Shonov, V. Yu.; Raevskii, I. P.; Bokov, A. A.
Electrophysical properties of ferroelectric solid solutions of $xPbFe_{1/2}Ta_{1/2}O_3$-$yPbFe_{1/2}Nb_{1/2}O_3$-$(1-x-y)P\,bMg_{1/3}Nb_{2/3}O_3$.—75-08137
Shor, J. S.; Bemis, L.; Kurtz, A. D.
Characterization of nanocrystallites in porous *p*-type 6H-SiC.—75-00428
Shor, J. S.; Kurtz, A. D.
Method of fabricating porous silicon carbide (SiC).—75-06127
Shornikov, S. I. See Shul'ts, M. M.
Shornikov, S. I.; Shilov, A. L.; Shul'ts, M. M.
Mass spectrometric study of the thermodynamic properties of ZnO-P_2O_5 system melts.—75-08980
Shoshin, V. M. See Vorflusev, V. P.
Shoup, Shara S.; Bamberger, Carlos E.; Haire, Richard G.
Novel plutonium titanate compounds and solid solutions $Pu_2Ti_2O_7$-$Ln_2Ti_2O_7$: relevance to nuclear waste disposal.—75-03482
Shovskii, V. A. See Sokol'skii, B. E.
Show, Y.; Izumi, T.; Deguchi, M.; Kitabatake, M.; Hirao, T.
Characterization of SiC layer formed by C ion implantation (ESR and ir studies).—75-00430
Shpakov, M. V. See Gorelenok, A. T.
Shpanchenko, R. V. See Torshin, I. Yu.
Shpeizman, V. V. See Orlova, T. S.
Shpinar, L. I. See Siratskii, V. M.
Shpunt, V. Kh. See Rud, V. Yu.
Shrednik, V. N. See Vlasov, Yu. A.
Shreves, Thomas See Schnitzer, Christine
Shrivastava, O. P.; Verma, T.; Wattal, P. K.
Intrinsic sorption potential of aluminum-substituted calcium silicate hydroxy hydrate for cesium-137.—75-03901
Shrivastava, O. P.; Verma, T.
Sr^{2+} sorption and leach rate studies on synthetic calcium silicate hydroxy hydrate.—75-03926
Shrout, Thomas R. See Swartz, Scott L.
Shtanov, V. I. See Fadeeva, E. E.; Morozova, N. V.
Shtefan, Yu. P. See Buinovskii, A. S.
Shtein von Kaminski, E. See Averin, S. V.
Shteinberg, A. S. See Ponomarev, M. A.
Shtel'makh, S. V. See Yarmarkin, V. K.
Shterengas, R. M. See Ushakov, A. Yu.
Shtin, A. P. See Volkov, V. L.
Shtirts, V. R. See Chukalkin, Yu. G.
Shtropenin, G. L. See Aronzon, B. A.
Shturbin, A. V.; Shalygin, V. A.; Stafeev, V. I.
Contactless method of finding diffusion-recombination parameters of semiconductors.—75-05265
Shu, Kuen-Ming; Fu, Chen-Tsu; Liu, Dean-Mo
Electrodischarge machining of Al_2O_3/Cr_3C_2 composite.—75-06600
Shu, Xiao-Zhou See Yuan, Sui-Hua
Shubaeva, M. A. See Shapoval, Yu. V.
Shubaeva, M. A.; Shapoval, Yu. V.; Karetina, I. V.; Khvoshchev, S. S.
Synthesis and some adsorption characteristics of low-silica erionite-offretite.—75-09462
Shubina, T. V. See Ivanov, S. V.; Toropov, A. A.
Shukla, Anil K. See Singh, Nakshatra B.
Shukla, Ashok K. See Sharma, Vaudana
Shukla, V. N. See Nair, K. M.
Shul'diner, A. V. See Zakrevskii, V. A.
Shul'ga, E. P. See Baran, N. P.
Shul'gin, B. V. See Denisov, E. I.
Shul'pina, I. L.; Argunova, T. S.; Ratnikov, V. V.
Development and analysis of defects in CdTe single crystals and epitaxial layers by X-ray topography methods.—75-07826
Shul'ts, M. M. See Shornikov, S. I.
Shul'ts, M. M.; Shornikov, S. I.
Mass spectrometric study of thermodynamic properties of melts of calcium aluminates.—75-06268
Shulekin, A. F. See Al'vares, Kh. K.; Grekhov, I. V.
Shulik, I. G. See Kaplan, F. S.
Shulman, Holly S.; Testorf, Martin; Damjanovic, Dragan; Setter, N.
Microstructure, electrical conductivity, and piezoelectric properties of bismuth titanate.—75-08152
Shulman, S. G. See Pleshakov, I. V.
Shulov, S. Ya. See Legoshin, G. M.
Shultz, M. M. See Kozhina, E. L.; Zhabrev, V. A.
Shumaker, Craig B. See Kuszyk, Jack A.
Shuman, V. B. See Danishevskii, A. M.; Guk, E. G.; Mnatsakanov, T. T.
Shunk, C.
Micaceous clay—all that glitters.—75-02296
Shur, V. Ya.; Makarov, S. D.; Ponomarev, N. Yu.; Volegov, V. V.; Tonkacheva, N. A.; Suslov, L. A.
Kinetics of polarization switching in epitaxial thin films of lead zirconate titanate.—75-08150
Shur, V. Ya.; Rumyantsev, E. L.; Makarov, S. D.; Subbotin, A. L.; Volegov, V. V.
Transient current during switching in increasing electric field as a basis for a new testing method.—75-05651
Shurdumov, G. K.; Mokhosoev, M. V.; Khakulov, Z. L.; Khadzhieva, Zh. M.
Li_2MoO_4-$LiBO_2$-Li_2CO_3 system.—75-06256
Shurupova, S. V. See Luginina, I. G.
Shushpanova, L. S. See Ignatyuk, V. A.
Shuster, N. S. See Zargarova, M. I.
Shutov, A. I.
Cooling capacity of water-air mixtures in hardening of thin glass.—75-07378
Shutov, S. V. See Maronchuk, I. E.
Shuvaev, A. T. See Vlasenko, V. G.; Zarubin, I. A.
Shvaiko-Shvaikovskii, V. E. See Shimanskii, A. F.; Vilk, Yu. N.
Shvangiradze, R. R. See Solov'eva, A. E.
Shvarts, V. A. See Vilk, Yu. N.
Shvarts, Yu. M. See Shekhovtsov, L. V.
Shveikin, G. P. See Medvedeva, N. I.
Shvets, V. A. See Svitashev, K. K.
Shyu, Jiin-Jyh; Wang, Ching-Yueh; Chang, Tzu-Yi
Controlled phase transformations by glass particle size in spodumene and cordierite glass-ceramics.—75-04888
Shyu, Jiin-Jyh; Wu, Jenn-Ming
Growth kinetics of spherulitic apatite in some MgO-CaO-SiO_2-P_2O_5 glasses.—75-04902
Si, Qi-Miao; Zha, Yu-Yao; Levin, K.
Theory of spin dynamics in the metallic cuprates.—75-00887
Si, W. See Graule, T. J.
Si, Wen-Jie; Graule, T. J.; Baader, F. H.; Gauckler, L. J.
Molding of Si_3N_4 and SiC ceramics via direct coagulation casting [DCC]—basic principles and processing.—75-09365
Sibata, Kenichiro; Yamaguchi, Takeshi; Yazu, Shuji; Jodai, Tetsuji
Superconducting composite.—75-08486
Sibbett, W.
Self-mode-locked femtosecond solid-state lasers.—75-03156
Siberchicot, B. See Demazeau, G.
Sibley, Thomas
Silicon carbide carrier for wafer processing in vertical furnaces.—75-03755
Sibold, Jack D. See Ritland, Marcus A.
Sickafus, Kurt E. See Yu, N.
Sida, Masato; Chun, Seong-Yong; Wakiya, Naoki; Shinozaki, Kazuo; Mizutani, Nobuyasu
Effect of the sintering temperature and atmosphere on the grain growth and grain boundary phase formation of Pr-doped ZnO varistor.—75-07855
Sidhu, K. S.; Sekhon, S. S.; Chandra, S.
Ion transport in copper boromolybdate glasses.—75-04908
Sidikova, T. D. See Sirazhiddinov, N. A.
Sidles, John A.; Garbini, Joseph L.
Challenges and opportunities in magnetic resonance force microscopy.—75-01014
Sidorenko, F. A. See Gora, E. A.
Sidorkin, A. S.; Loginov, P. V.; Savvinov, A. M.; Kudzin, A. Yu.; Korotkova, N. Yu.
Electron emission from a weak ferroelectric of lithium heptagermanate.—75-08135
Sidorov, M. See McKelvy, M.
Sidorov, N. V. See Palatnikov, M. N.
Sidorov, N. V.; Mel'nik, N. N.; Palatnikov, M. N.; Serebryakov, Yu. A.
Features of structural ordering and ferroelectric properties of $LiTa_xNb_{1-x}O_3$ solid solutions.—75-08140
Sidorov, Yu. G. See Svitashev, K. K.
Sieber, H. See Hesse, D.
Siegal, M. P. See Friedmann, T. A.; Parmeter, John E.
Siegal, M. P.; Friedmann, T. A.; Kurtz, S. R.; Tallant, David R.; Simpson, R. L.; Dominguez, F.
Structural and electrical characterization of highly tetrahedral-coordinated diamondlike carbon films grown by pulsed-laser deposition.—75-00604

Siegel, M. See Glyantsev, V. N.
Siegel, Marvin See Lee, Ki-Yong
Siegel, R. W.; Eastman, J.
Creating materials with nanophase technology.—75-03981
Siegl, Walter M. See Mosser, J.
Siemer, D. D.
Hot isostatically pressed concrete as a radwaste form.—75-03472; See also Xi, Yao-Zhong
Siew Hew, Sam D. See Busca, Guido
Sigaev, V. N. See Smelyanskaya, E. N.; Stefanovich, S. Yu.
Sigaev, V. N.; Dechev, A. V.; Kadyshman, S. L.; Al'takh, O. L.; Stefanovich, S. Yu.; Molev, V. I.
Glasses in the La_2O_3-B_2O_3-SiO_2 system and crystallization of the ferroelectric $LaBSiO_5$ phase.—75-07303
Sigaev, V. N.; Sarkisov, P. D.; Lopatina, E. V.; Stefanovich, S. Yu.; Molev, V. I.
Ferroelectric-pyroelectric texture based on glass-ceramic materials containing the $LaBGeO_5$ stillwellite-like phase.—75-07338
Sigel, George H., Jr. See Fajardo, James
Sigl, Lorenz; Thaler, Hubert; Schwetz, Karl-Alexander
Process for producing bodies based on boron carbide by pressureless sintering.—75-08618
Sigmon, Thomas W. See Truher, Joel B.
Siguin, D.; Ferreira, S.; Froufe, L.
Smectites: the relationship between their properties and isomorphic substitution.—75-06514
Sikalidis, C. See Hollerl, N.
Sikich, Steve W. See Bennett, James P.
Silberberg, Y. See Vogel, Eva M.
Silberglitt, R. See Ahmad, I.; Clark, David E.; Tian, Yong-Lai
Silbey, Robert See Suarez, Alberto
Silcox, John See Hillyard, Sean; Lee, J. L.; Muller, David A.
Siligardi, C. See Generali, E.
Siligardi, C.; Leonelli, C.
Didactis for the ceramic industry presented at ECerS [European Ceramic Society].—75-09710
Silva, C. See Diggs, B.
Silva, S. R. P.; Amaratunga, G. A. J.; Salje, E. K. H.
Evidence of hexagonal diamond in plasma-deposited carbon films.—75-06873
Silver, M.; O'Reilly, E. P.
Gain and radiative current density in InGaAs/InGaAsP lasers with electrostatically confined electron states.—75-05329
Silver-Andrade, F.; Chavez, F.; Gomez, E.
Epitaxial GaAs growth using atomic hydrogen as the reactant.—75-00486
Silverman, B.
Bobby Silverman—an autobiography.—75-02201
Silyakov, S. L.; Pesotskaya, N. S.; Yukhvid, V. I.
Self-propagating high-temperature synthesis and properties of abrasive material based on corundum.—75-04785
Simakova, I. V. See Brounshtein, B. I.
Simakova, N. A. See Kovalenko, Yu. A.
Simanova, S. A. See Belyaev, A. N.
Simaranova, N. A. See Podkorytov, A. L.
Simashkevich, A. V. See Bruk, L. I.
Simendinger, Denise T. See Glass, J. T.
Simion, B. M.; Ramesh, R.; Keramidas, V. G.
Magnetic characterization of epitaxial $Y_3Fe_5O_{12}$/$Bi_3Fe_5O_{12}$ and $Y_3Fe_5O_{12}$/$Eu_3Bi_2Fe_5O_{12}$ heterostructures grown by pulsed laser deposition.—75-00745
Simkiene, I. See Kavaliauskas, J.
Simkin, D. See Phillipps, A.
Simkunaite, D.; Lichusina, S.; Miecinskas, P.; Steponavicius, A.
Determination of kinetic parameters in acidic $CuSO_4$ solutions containing accelerating agents—H_2SeO_3 and Na_2Se.—75-08903
Simmat, Fritz See Englisch, Wolfgang
Simmich, Hans-Erich See Olapinski, Hans
Simmons, J. H. See Potter, B. G. Jr.
Simon, A.; Mukherjee, P. S.; Sarma, M. S.
Variation of structural and superconducting properties with initial stoichiometry variation in (Bi,Pb)-Sr-Ca-Cu-O bulk superconductor.—75-05858
Simon, D. R. See Kaun, T. D.
Simon, G. P. See Law, H. H.
Simon, Randy W.; Platt, C. E.; Lee, Alfred E.; Lee, Gregory S.
$LaAlO_3$ substrate for copper oxide superconductors.—75-08460
Simoneau, M.; L'Esperance, G.; Schulz, R.
Formation by ball milling and recrystallization of Y-Ba-Cu-O nanocrystalline phases.—75-00805
Simonov, I. V. See Devyatkin, E. A.
Simonov, V. I. See Grigor'eva, N. B.
Simonov, V. I.; Molchanov, V. N.
Atomic structure features of high-temperature superconducting 1212, 2201, and 2212 Tl-containing phases.—75-08264
Simonov, V. V. See Podkorytov, A. L.
Simons, J. K.; Duevel, R. V.; Frigo, S. P.
Synchrotron radiation studies of diamond nucleation and growth on Si.—75-01962
Simonton, Thomas C. See Forry, John S.
Simpson, James C.; Palmiter, T. V.; Pye, L. D.
Determination of the redox state of a glass melt by electrochemical measurements.—75-03455
Simpson, John T. See Teowee, G.
Simpson, Matthew
Method of making synthetic diamond wear component.—75-00008
Simpson, R. E., II See Nunn, S. D.
Simpson, R. L. See Friedmann, T. A.; Siegal, M. P.
Simpson, S. A. See Ruys, A. J.
Simpson, T. W.; Mitchell, I. V.; McCallum, J. C.
Hydrogen-catalyzed crystallization of strontium titanate.—75-01221
Simpson, T. W.; Mitchell, I. V.; Yu, N.; Nastasi, Michael; McIntyre, P. C.
Crystallization kinetics of Fe-doped Al_2O_3.—75-03779
Simukanga, S.; Pomfret, R. J.
Consecutive reversible first-order two-stage reaction model for reduction of Cr_2O_3.—75-03776
Sin, Kyusik; Sivertsen, John M.; Judy, Jack H.
Surface roughness and magnetic properties of in situ heated and postannealed thin films of perpendicular barium ferrite.—75-03334
Sin, S. H.; Sorrell, C. C.
Alumina powder suspensions in acetone and other media.—75-01375; Fabrication of alumina body by electrophoretic deposition.—75-01496; Preparation of high-T_c Bi-Pb-Sr-Ca-Cu-O superconducting tapes by electrophoretic deposition.—75-00851
Sinani, A. B. See Lagunov, V. A.
Sinchenko, A. A. See Kadushkin, V. I.
Sinclair, D. C. See Grins, J.
Sinclair, D. C.; West, Anthony R.
Effect of atmosphere on the PTCR properties of $BaTiO_3$ ceramics.—75-05290
Sinclair, M. B. See Dimos, D.; Potter, B. G., Jr.
Sinclair, M. B.; Dimos, D.; Potter, B. J., Jr.; Schwartz, Robert W.; Buchheit, C. D.
Light scattering from sol-gel $Pb(Zr,Ti)O_3$ thin films: surface versus volume scattering.—75-05598
Sinclair, Robert See Itoh, Toshio; Li, J.-S.
Sindel, J. See Dierken, C.
Sinder, M. See Pelleg, J.
Sinel'nik, M. D.; Kolen'ko, A. V.; Gushchin, R. I.; Kostin, V. A.; Bazhenov, V. N.; Poltoratskikh, A. M.
Use of chain filters for recovery of cement dust.—75-07194
Sinel'nikov, B. M.; Sokolenko, E. V.; Zvekova, E. G.
Effect of nonstoichiometry of calcium tungstate on luminescence in a 420-nm band.—75-08913
Sinel'nikov, S. M. See Rosolovskii, V. Ya.
Sines, George See Kogure, Kei
Sing, M. Lam-Chok See Langlois, P.
Singaevskii, A. F. See Borkovskaya, L. V.; Drozdova, I. A.
Singh, A. K. See Kimari, Suman
Singh, A.; Cova, P.; Masut, R. A.
Reverse *I-V* and *c-v* characteristics of Schottky-barrier-type diodes on Zn-doped InP epilayers grown by metallorganic vapor phase epitaxy.—75-00589
Singh, Anant K.; Pantano, C. G.
Porous silicon oxycarbide glasses.—75-07393
Singh, David J.; Pickett, Warren E.
Unconventional oxygen doping behavior in $HgBa_2Ca_2Cu_3O_{8+\delta}$.—75-05857
Singh, Dileep; Singh, Jitendra P.; Wheeler, Michael J.
Mechanical behavior of SiC(f)/SiC composites and correlation to in situ fiber strength at room and elevated temperatures.—75-04586
Singh, I. P. See Sharma, R.
Singh, J.; Vellaikal, M.; Akhtar, M.
Growth of diamond on Au (selective) and Al_2O_3 surfaces.—75-06630
Singh, J.
Nucleation and growth mechanism of diamond during hot filament chemical vapor deposition.—75-06699
Singh, Janardan See Katiyar, V. K.
Singh, Jasprit See Wang, Kung
Singh, Jitendra P. See Singh, Dileep
Singh, K. K.; Chatterjee, B.; Mathur, N. N.; Malaviya, S. K.
Development of Al_2O_3-SiC-C refractories for torpedo ladle cars.—75-07515
Singh, K. N.; Beechan, C. R.; Russo, T. J.; Howanski, W. S.; Brezny, B.
Thermomechanical stresses in BOF linings.—75-07684
Singh, K.
Classical Hall effect in an amorphous As_2S_3 semiconducting glass.—75-00435; See also Mandal, S. K.
Singh, M. See Dickerson, R. M.; Gaeta, P. J., Jr.; Puri, R. K.
Singh, M.; Behrendt, D. R.
Microstructure and mechanical properties of reaction-formed silicon carbide ceramics.—75-04366
Singh, N.; Bose, A.
Refractories as a major input for quality and cost control in steelmaking.—75-07646
Singh, Nakshatra B.; Bhattacharjee, Karuna N.; Shukla, Anil K.
Bag-house dust used in clinkerization of portland cements.—75-00024
Singh, Narendra See Slade, Robert C. T.
Singh, Okram G. See Suba, K.
Singh, P. See Bratton, R. J.
Singh, R. K.; Varshney, D.; Gaue, N. K.
Doping effects on transition temperature of $La_{2-x}(Ca, Na, K)_xCuO_4$ superconductors.—75-05747
Singh, R. P. See Deb, S.
Singh, R. S.; Bhimasankaram, T.; Kumar, G. S.
Dielectric and magnetoelectric properties of Bi_5FeTi_{15}.—75-06444
Singh, Raj N. See Kumar, Susmit; Kumaria, Shashwat; Wang, Hong-Yu; Webb, James E.
Singh, Raj N.; Reddy, Srinivas K.
Influence of residual stresses, interface roughness, and fiber coatings on interfacial properties in ceramic composites.—75-01544
Singh, Raj N.; Wang, H.
Thermal shock behavior of fiber-reinforced ceramic composites.—75-04651
Singh, Rajesh See Das, S. R.
Singh, Rajiv K. See Adair, James H.; Gilbert, Donald R.; Koh, Michael T. K.; Lee, Dong-Gu
Singh, Rajiv K.; Moudgil, Brij M.; Behl, Sanjay; Bhattacharya, Deepika
Method for increasing the surface area of ceramics, metals, and composites.—75-05923
Singh, Ramadhar See Tandon, R.
Singh, Saroj Kumar See Nayak, Bijan Bihari
Singh, V. K. See Pyare, Ram
Singh, Ved See Tandon, R.
Sinha, M. K. See Dasgupta, A.
Sinha, M. K.; Chatterjee, S.; Basu, D.
Strength, hardness, and microstructure of 2Y PSZ-Al_2O_3 composites prepared from commercial powders.—75-07037
Sinha, R. K. See Tiwari, L.
Sinis, V. P. See Altukhov, I. V.
Sinitsyn, E. V. See Krynetskii, I. B.
Sinitsyn, M. A. See Evstropov, V. V.
Sinitsyn, V. V. See Klassen, N. V.
Sinitsyn, V. V.; Baranov, A. I.; Ponyatovskii, E. G.
P-T phase diagrams and proton conductivity in $Rb_3H(SeO_4)_2$ and $(NH_4)_3H(SO_4)_2$ crystals.—75-06144
Sinitsyna, G. M. See Bartenev, G. M.; Lomovskoi, V. A.
Sinitzin, V. V. See Egorov, V. K.; Shmyt'ko, Ivan
Sinn, E. See Suzuki, S.
Sinnadurai, N.; Mullins, M.; Medler, A.; Court, D.; Bayford, R.; Putten, A. V.
Research into novel sensors on silicon substrates.—75-00588
Sinogeikin, S. V. See Zonova, I. A.
Sinyaev, V. A.; Temirova, S. S.; Khlystov, A. S.
Interaction of sodium cyclotriphosphate with iron and its phosphides.—75-06662
Sinyak, V. A.
Light absorption by semiconducting quantum well in constant electrical field.—75-07949
Sinyavskii, E. P.; Kanarovskii, E. Yu.
Effect of a permanent electrical field on the optical properties of parabolic quantum wells.—75-05288
Sinz, J. L. See Wilson, D. M.
Siranov, D. See Valiev, U. V.
Siratskii, V. M.; Shakhovtsov, V. I.; Shindich, V. L.; Shpinar, L. I.; Yaskovets, I. I.
Properties of C_iC_s bistable pairs in silicon.—75-03139
Sirazhiddinov, N. A.; Sidikova, T. D.; Irkakhodzhaeva, A. P.
Properties of a loess-cinder-flotation waste system using a simplex-latticed design.—75-07362
Sirenko, A. A. See Mirlin, D. N.
Sirera, R.; Calzada, M. L.; Carmona, F.
Ferroelectric thin films of calcium-modified lead titanate by sol-gel processing.—75-05580
Sirotkin, O. S.; Batalina, M. V.; Gonyukh, V. M.; Tenitskii, L. A.
Production of water glasses in the presence of hydrogen peroxide.—75-05039
Sirotyuk, S. V.; Kinash, Yu. E.
Symmetrical orthogonalization of the framework Bloch functions in diamond.—75-03181
Sisson, R. D. See Gaeta, P. J. Jr.
Sitar, Z. See Davis, Robert F.
Sitnikova, A. A. See Antipov, V. G.; Konnikov, S. G.
Sitnikova, M. F. See Vendik, I. B.
Sivakumar, R. See Rathinam, K.
Sivakumar, S.; Mukundan, P.; Krishna Pillai, P.; Damodaran, A. D.; Warrier, K. G. K.; Nair, M. R.
Thermal stability of montmorillonite intercalated and alumina pillared by boehmite sol.—75-03938
Sivazlian, F. R. See Yang, Pei-Chun
Sivers, E. A. See Ellingson, W. A.
Sivertsen, John M. See Sin, Kyusik
Sivko, A. P.; Lityushkin, V. V.; Uvarov, V. I.; Zyuzin, A. I.; Yakovleva, M. V.
Improvement of the chemical composition and founding technology of high-lead glass in a high-efficiency furnace.—75-08728
Siwiecki, K. J.; Chen, S. C.
Design tradeoffs/recent developments for low-cost piezoelectric sensors.—75-00646
Six, R. See Schaefer, Lothar
Sjerps-Koomen, Lianda See Kersten, Bart A. G.
Sjoblom, J. See Jones, S. M.
Sjolund, Ola See Johnsson, Bjorn
Sjostrand, Mats See Soderberg, Staffan
Sjostrom, H. See Raty, R.
Skaar, E. C.
CAD/CAM review—a computer database of thermochemical properties.—75-04680; CAD/CAM review—finite element analysis revisited.—75-04681; CAD/CAM review—graphics program replaces darkroom.—75-04682; CAD/CAM review: solving problems with spreadsheets.—75-04683
Skabelkin, A. V. See Malovitskii, Yu. N.
Skacel, F. See Jurcek, P.
Skacel, F.; Havrda, J.
Determination of lead and cadmium in the surface layers of implants based on α-Al_2O_3.—75-03645
Skachko, Vladimir I. See Chenakin, Alexander V.
Skakle, J. M. S.; West, Anthony R.
Formation and decomposition of $LaBa_2Cu_3O_{7-\delta}$.—75-05770
Skala, R. D. See Grace, A.; Low, I. M.
Skala, R. D.; Low, I. M.; Li, D. Y.
Residual strains and stresses in mullite/zirconia-toughened alumina (ZTA) composites.—75-02089
Skala, R. D.; Low, I. M.; Richards, R.
Synthesis and properties of mullite/zirconia-toughened alumina (ZTA) composites.—75-01703
Skalny, J. P.
Questions to Arnon Bentur, Head, National Building Research Institute, Technion, Israel Institute of Technology, Haifa.—75-07093; Questions to Dr. Damian J. Kulash, Executive Director, Strategic Highway Research Program, National Research Council, Washington, D.C.—75-04734; Questions to Dr. Richard N. Wright, Director, Building and Fire Research Laboratory, National Institute of Standards and Technology, Gaithersburg, Maryland.—75-04735; Questions to Dudley R. Morgan, Chief Materials Engineer, HBT AGRA Limited, Burnaby, British Columbia, Canada.—75-04736; Questions to Pierre-Claude Aitcin, Program Leader, Network of Centres of Excellence on High Performance Concrete, Universite de Sherbrooke.—75-04737; Questions to Richard D. Gaynor, Executive Vice President, National Ready Mixed Concrete Association/National Aggregate Association, Silver Springs, Maryland.—75-02421; Questions to Thomas J. Pasko, Jr., Director, Office of Advanced Research, Federal Highway Administration, McLean, Virginia.—75-04738

Skamser, Daniel J. See Day, P. S.; Thomas, Jeffrey J.
Skamser, Daniel J.; Thomas, Jeffrey J.; Jennings, Hamlin M.; Johnson, D. Lynn
Microwave heating of a changing material.—75-01574
Skandan, Ganesh See Allen, Andrew J.; Kear, Bernard H.
Skansi, D. See Tomas, S.
Skansi, D.; Tomas, S.
Microwave drying kinetics of a clay plate.—75-02784
Skasyrskii, Ya. K. See Kozlovskii, V. I.
Skelland, N. D.; Townsend, P. D.
High-temperature ion implantation into quartz.—75-04066
Skelly, David W. See Bruce, Robert W.
Skibo, M. D. See Elomari, S.
Skibsted, Jergen; Jakobsen, Hans J.; Hall, C.
Direct observation of Al guest ions in the silicate phases of cement minerals by ^{27}Al MAS NMR spectroscopy.—75-04813
Skilkov, S. A. See Naumovich, E. N.
Skipetrov, E. P.
Stabilization of gallium donor action in $Pb_{1-x}Sn_xTe$ alloys irradiated with electrons.—75-03169
Skirpetrova, L. A. See Volkova, N. V.
Sklyar, V. K. See Gorodetskii, D. A.
Skoblo, L. I.
Statistical analysis of properties of portland cement clinkers.—75-07184
Skofronick, G. L.; Carim, A. H.; Foltyn, S. R.
Orientation of $YBa_2Cu_3O_{7-x}$ films on buffered and CeO_2-buffered yttria-stabilized zirconia substrates.—75-00839
Skogman, R. A. See Khan, M. Asif
Skokov, V. N.; Koverda, V. P.; Semenova, N. M.
Nonlinear dynamics of the normal band in thin HTSC films with transport current.—75-08384
Skold, Rolf O.; Tunius, Mats A. R.
Adsorption of bis(triethanolammonium) 1.10-decanedicarboxylate on magnetite from aqueous solution.—75-06419
Skolis, Yu. Ya. See Mudretsova, S. N.
Skolozdra, R. V. See Stadnyk, Yu. V.
Skorikov, V. M. See Egorysheva, A. V.; Tarasova, L. S.
Skorokhod, Vladislav See Glinchuk, M. D.
Skorupa, W. See Heera, V.
Skoryatina, E. A. See Didik, V. A.
Skovorod'ko, S. N. See Mendeleev, V. Ya.
Skowronski, M. See Park, Y.
Skrytnikov, A. V. See Sharafutdinov, R. G.
Skulachev, A. N.; Khirsa, A. A.; Mishin, A. M.; Vinogradov, A. E.
Raw materials base of Central Russia for refractory enterprises of the Moscow region.—75-08764
Skutnik, Bolesh J.; Brielmann, Harry L., Jr.
Coating composition for glass containers.—75-05047
Skvara, Frantisek
Properties of gypsum-free portland cement pastes with a low water-to-cement ratio.—75-04828
Skvortsov, A. A. See Orlov, A. M.
Skvortsova, L. I. See Isupov, V. P.
Skvortsova, N. P.
Plastic deformation and deformation softening of LiF single crystals at high temperatures.—75-09661
Slade, Robert C. T.; Flint, Sara D.; Singh, Narendra
Ac and dc electrochemical investigation of protonic conduction in calcium-doped barium cerate ceramics.—75-05174
Slade, S. J.
Glass furnace waste glass chemistry.—75-08726
Sladek, R.
Whitewares technology at the turn of the millennium.—75-07716
Slamova, M. See Benes, V.
Slamovich, Elliott B.; Aksay, Ilhan A.
Structure evolution in hydrothermally processed (<100°C) $BaTiO_3$ films.—75-01685
Slaoui, A. See Fogarassy, E.
Slater, Peter R.; Greaves, Colin
Neutron diffraction structural study of the nasicon-related phases $Li_xM_y^{II}M_{2-x}^{III}(SO_4)_3(SeO_4)_x$: M^{II}=Mg, Ni, Zn; M^{III}=Al, Cr.—75-06285
Slater, Peter R.; Greaves, Colin
Powder neutron diffraction study of the nasicon-related phases $Na_xM^{III}M_{2-x}^{III}(SO_{4/3-x})(SeO_4)_x$: M^{II}=Mg; M^{III}=Fe, In.—75-06327
Slavejkov, Aleksandar G. See Horan, William J.
Slavin, A. N.; Srinivasan, G.; Cordone, S. S.
Instability mechanism of collective spin wave oscillations in finite-size ferrite samples.—75-03297
Slavina, L. Ya. See Neshpor, V. S.
Slavova, V. See Peshev, P.
Sleight, A. W. See Mary, T. A.
Sleight, Arthur W.
Negative thermal expansion material.—75-01128
Sleptsov, V. V. See Baranov, A. M.; Kondrashov, P. E.
Slivka, V. Yu. See Kityk, I. V.
Sliz, R. See Aggarwal, M. D.
Slizys, R.; Ivaskevic, E.; Juzeliunas, E.
Accelerating effect of pyrophosphate ions on the copper discharge process in sulfate solution.—75-08859
Slobodchikov, S. V.; Russu, E. V.; Salikhov, Kh. M.; Meredov, M. M.; Yazlyeva, A. I.
Current transport in MIS structures Pd-SiO_2-*n*(*p*)-Si and the second mechanism of amplification.—75-02985; Electrical properties of metal-semiconductor diode structures based on disordered GaP layers.—75-07865; Transport mechanism and photoelectrical characteristics of Pd-SiN-*p*-Si structures.—75-08088
Slobodin, B. V. See Garkushin, I. K.; Kosmynin, A. S.
Slobodin, B. V.; Surat, L. L.
$Li_2O(Na_2O)$-CoO-V_2O_5 system.—75-06257
Slobodyan, V. Z. See Gavaleshko, N. P.
Slobodyan, V. Z.; Shlemkevich, V. V.; Gavaleshko, N. P.
Features of the chemical bond and lattice magnetic susceptibility of A^3B^5, A^2B^6, and $A^2B^4C_2^5$ crystals.—75-07888
Slocum, A. H. See Scagnetti, P. A.
Slosarczyk, Anna; Stobierska, Ewa; Paszkiewicz, Zofia; Gawlicki, Marek
Calcium phosphate materials prepared from precipitates with various calcium:phosphorus molar ratios.—75-09226
Slosman, A. I. See Khasanov, O. L.
Slough, C. G. See Coleman, R. V.
Sluchanko, N. E. See Demishev, S. V.
Sluss, James J., Jr. See Tayag, Tristan J.
Slutskii, M. I. See Konakova, R. V.
Slutz, David E.
Multilayer CVD diamond films.—75-08612; See also Anthony, Thomas R.
Sluzky, Esther See Shea, L. E.
Slyn'ko, E. I. See Vygranenko, Yu. K.
Slyn'ko, V. E. See Vygranenko, Yu. K.
Smaev, V. N. See Penkina, N. V.
Smagin, Yu. A. See Frolov, G. V.
Smart, J.; Fok, S. L.
Discriminating between volume and surface integral theories for brittle materials.—75-04488
Smart, Roger St. C.; Arora, Pawittar; Hayes, Robert; Kim, Byung-Sub; Prestidge, Clive; Ralston, John
Chemical and structural alteration in the surface layers of oxides and sulfides.—75-01814
Smelyanskaya, E. N.; Sarkisov, P. D.; Sigaev, V. N.; Kozlov, G. V.; Volkov, A. A.; Voitsekhovskii, V. V.
Low-frequency vibrational spectra of the vitreous and crystalline germanium dioxide.—75-02593
Smertin, O. See Burneika, I.
Smestad, Thomas L. See Piez, Karl A.
Smetona, S. See Palenskis, V.
Smialek, J. L. See Jacobson, N. S.
Smidth, F. L. See Green-Andersen, Peter; Jannerup, Hans Erik
Smirnov, A. I.; Khlyustikov, I. N.
Magnetoelectrical effects in antiferromagnetic Gd_2CuO_4.—75-08230
Smirnov, B. I. See Orlova, T. S.
Smirnov, B. I.; Baikov, Yu. M.; Kudymov, A. N.; Orlova, T. S.; Stepanov, Yu. P.
Effect of electrical field on the *I-V* characteristics of YBCO HTSC ceramics with an oxygen deficiency after hydrogen treatment.—75-05752
Smirnov, D. V.; Mashovets, D. V.; Safonchik, M. O.; Roznovan, Yu. V.; Leoten, Zh.
Magnetophonon resonance in *p*-CdSb.—75-07962
Smirnov, E. See Semchinova, O.
Smirnov, E.; Gromov, V.; Connoly, P.
Chemical standardization of the surface of diamond.—75-08880
Smirnov, I. A. See Bogomolov, V. N.; Golubkov, A. V.
Smirnov, I. A.; Popov, V. V.; Golubkov, A. V.; Gol'tsev, A. V.; Buttaev, B. M.
Electrical properties and phase transitions in $Tm_{1-x}Sm_xS$ and $Tm_{1-x}La_xS$ systems.—75-03012
Smirnov, I. S. See Kondrashov, P. E.
Smirnov, N. N.; Chemerisova, A. M.
Mathematical model of the sorption of iron ions from phosphoric acid by complex-forming cation exchangers.—75-05955
Smirnov, N. N.; Shirokov, Yu. G.; Artamonov, A. V.; Il'in, A. P.
Thermodynamic and catalytic properties of solid solutions of copper and zinc oxides.—75-06394
Smirnov, N. V. See Valyaev, V. V.
Smirnov, O. P. See Zobkalo, I. A.
Smirnov, S. V.; Kiseleva, G. V.; Sereda, B. P.
Kinetic parameters of the reaction of an aqueous chromium trioxide solution with formic acid.—75-08963
Smirnov, V. A. See Georgitse, E. I.
Smirnov, V. I. See Yukhin, Yu. M.
Smirnov, Vasily P. See Andrievskaya, Elena R.
Smirnov, Yu. V.
Use of recovery wastes of oil shales from the Volga basin in the production of ceramic bricks.—75-07456
Smirnova, E. G.; Kolesov, E. V.; Dobrovinskaya, N. A.
Plasticizing additives to polymerization catalysts of tetrahydrofuran and epichlorhydrin prepared using silica-containing raw materials.—75-08763
Smirnova, E. I.; Kuryleva, E. F.
Mechanism for the effect of surface-active substances on the destruction of silica materials (review).—75-04595
Smirnova, E. P. See Lemanov, V. V.
Smirnova, E. P.; Somnikov, A. V.; Yushin, N. K.
Overpolarization kinks in ferroelectrics with diffuse phase transitions.—75-05617
Smirnova, E. V. See Bushuev, N. N.; Urusovskaya, L. N.
Smirnova, I. N. See Spiridonov, F. M.
Smirnova, N. A. See Belov, A. G.
Smirnova, T. P. See Yakovkina, L. V.
Smirnova, T. P.; Yakovkina, L. V.; Amosov, Yu. I.; Danilovich, O. V.
Remote plasma deposition of SiN_x:H layers from hexamethylcyclotrisilazane.—75-09420
Smit, I. See Tonejc, A.
Smith, B. H. See Hutcheon, R. M.
Smith, B. V. See Jayasundere, N.
Smith, C. See Borrelli, N. F.; Hagg, Sandra L.; Pfitzenmaier, Robert W.
Smith, C.; Borrelli, N. F.; Tick, P. A.; Smith, D.; Weber, M. J.; Sangster, T. C.
Chromophore doped glasses as scintillator materials.—75-00209
Smith, Christopher M. See Gasparik, Tibor
Smith, D. S.; Avedikian, R.; Bourg, P.
Electrical behavior of compressed magnesia powder.—75-06451
Smith, D. T. See Kreider, K. G.
Smith, D. See Borrelli, N. F.; Smith, C.
Smith, David J.; McCartney, M. R.
Trends in atomic resolution electron microscopy.—75-01047
Smith, David See Bianconi, Patricia A.
Smith, Donald E. See Hrma, Pavel R.; Kim, Dong-Sang
Smith, Douglas M. See Davis, Pamela J.
Smith, E.
Comparison of the Jenq-Shah two-parameter procedure and the cohesive zone procedure for predicting the failure of large concrete structures.—75-02392
Smith, F. See Gedye, R.
Smith, G. L. See Olson, K. M.; Sundaram, S. K.
Smith, Jeffrey D. See Moore, Robert E.
Smith, K. L. See Vance, E. R.
Smith, L. See Davis, Robert F.
Smith, Larry K. See Payne, Stephen A.
Smith, M. L. See Tope, W. G.
Smith, Mark E. See Chee, K. S.; Neal, Graham S.
Smith, Nan
Flexible molds for ceramics.—75-02251
Smith, Peter A.; Kerch, Helen M.; Haerie, Andrew G.; Keller, Joseph
Microstructural characterization of alumina and silicon carbide slip-cast cakes.—75-09554
Smith, R. G. See Aghajanian, Michael K.
Smith, R. L. See Rohrer, Gregory S.
Smith, R. See Schultz, T.
Smith, Robert G.
High-temperature ceramic composite.—75-06091; 75-08830
Smith, S. R. See Evwaraye, A. O.
Smith, S.; Fletcher, M.; Brown, G.
Blast furnace design for long campaigns and easy maintenance.—75-07484
Smith, Stanley M.; Scattergood, Ronald O.
Determination of short-crack toughness curves.—75-02036
Smith, William L. See Michalske, Terry A.
Smol'govskaya, M. G. See Akimov, A. I.
Smolders, C. See Luyten, J.
Smolin, A. A. See Ralchenko, V. G.
Smolin, Yu. I. See Levin, A. A.
Smolyak, I. B. See Arbuzova, T. I.
Smoot, John E.; Tuohig, Wayne D.; Clark, Hector M.
Excimer laser surface processing of alumina substrates.—75-01489
Smoot, John E.; Wong, K. K.; Clarke, H. McI.
Effect of excimer laser irradiation on slurry erosion wear rates of alumina.—75-09620
Smorodinov, S. V. See Peshev, V. V.
Smowton, P. M.; Summers, H. D.; Rees, P.
Optimization of 670-nm strained quantum well laser diodes for high-temperature operation.—75-03105
Smyth, Donald M. See Chen, Jie
Snead, L. L. See Hsu, D. K.
Sneddon, Larry G.; Lynch, Anne T.
Poly(B-alkenyl-borazine) ceramic precursors.—75-08838
Snegirev, A. I.; Fotiev, A. A.
Operation of graphite-containing crucibles in nonferrous metallurgy.—75-07618
Snegov, F. M. See Andreev, A. N.
Snezhkov, V. I. See Gufan, Yu. M.
Snigirev, O. V. See Krasnosvobodtsev, S. I.
Snook, R. D. See Baesso, M. L.
Snyder, Robert L. See Park, Chan
Snyder, W. J. See Boillet, J.
Sobol, A. A. See Voron'ko, Yu. K.
Sobolev, A. B.; Varaksin, A. N.
Calculation of the formation energies of anion vacancies, F^+-, and *F*-centers in an MgO crystal by the molecular statics method.—75-06169
Sobolev, B. P. See Fedorov, P. P.; Grigor'eva, N. B.; Sorokin, N. I.
Sobolev, B. P.; Krivandina, E. A.; Fedorov, P. P.; Vasilchenko, V. G.
Chemistry of two-component fluoride crystalline optical media for heavy, fast, radiation-hard scintillators.—75-01266
Sobolev, B. P.; Krivandina, E.A.; Derenzo, S. E.; Moses, W. W.; West, A. C.
Suppression of BaF_2 slow component of X-ray luminescence in nonstoichiometric $Ba_{0.9}R_{0.1}F_{2.1}$ crystals (R=rare-earth element).—75-01953
Sobolev, M. M.; Abramov, A. V.; Deryagin, N. G.; Deryagin, A. G.; Kuchinskii, V. I.; Papentsev, M. I.
Recombination-enhanced annealing in GaAs and AlGaAs layers.—75-08042
Sobolev, M. M.; Kochnev, I. V.; Papentsev, M. I.
New bistable defect with deep levels in Si-doped $Al_xGa_{1-x}As$.—75-05397
Sobolev, N. A.
Light-emitting Si:Er structures. Technology and physical properties[—review].—75-03079; See also Aleksandrov, O. V.; Aleshin, V. D.; Bresler, M. S.; Golubev, V. G.
Sobolev, V. L.; Pashkevich, Yu. G.; Huang, H. L.
Two-magnon absorption in Nd_2CuO_4.—75-01255
Sobolev, V. V.; Kozlov, A. I.
Optical uniformity of cadmium sulfide single crystals.—75-05410
Sobolev, V. V.
Problem of interrelation between electronic structures in noncrystalline substances and crystals.—75-02677
Soboleva, L. V.
Determination of optimal crystal growth conditions of complex compounds using phase solubility diagrams of ternary systems. Growth and properties of single crystals.—75-06202
Socie, Darrell F. See Dey, Nishit
Soderberg, Staffan; Shahani, Hamid; Sjostrand, Mats
Method for diamond coating by microwave plasma.—75-08590
Soderzhinova, M. M. See Bykhodtseva, K. I.
Sodeyama, K. See Sakka, Yoshio
Sodini, C. G. See Krisch, K. S.
Soeta, Atsuko See Doi, Toshiya; Kamo, Tomoichi; Kumagai, Teruo

Soeya, Susumu; Imagawa, Takao; Mitsuoka, Katsuya
Distribution of blocking temperature in bilayered $Ni_{81}Fe_{19}$/NiO films.—75-00730
Sofronov, V. L. See Buinovskii, A. S.
Soga, Naohiro See Cho, Doo-Hee; Cho, Sung-Baek; Tanaka, Katsuhisa
Sogabe, Kouichi See Nakahata, Seiji
Sogabe, Toshiaki; Matsumoto, Takashi
Preparation of glass-impregnated isotropic graphite and its gas permeability.—75-07397
Sohier, Bernard P. C. See Lagain, Georges L.
Sohn, Kee-Sun; Kim, Woo-Sang; Lee, Sung-Hak
In situ observation of slow crack growth in a whisker-reinforced alumina matrix composite.—75-09642
Sohngen, P.
Memphis Mashiko stone.—75-02293
Sokele, M. See Tomas, S.
Sokol'skii, B. E.; Kazimirov, V. P.; Shovskii, V. A.; Kuz'menko, V. G.
X-ray method for determining the basicity of melts of the multicomponent oxide-fluoride system.—75-08714
Sokolenko, E. V. See Sinel'nikov, B. M.
Sokolina, G. A. See Dvoryankin, V. F.
Sokolov, A. I. See Ostroumov, N. N.
Sokolov, B. Yu. See Zainabidinov, S.
Sokolov, I. A. See Pronkin, A. A.; Tver'yanovich, Yu. S.
Sokolov, M. I. See Galakhov, V. R.
Sokolov, N. S. See Al'vares, Kh. K.
Sokolov, V. I.
Hydrogen-like states of 3*d* impurities in II-VI semiconductors.—75-05337; Problems in microelectronics (1. Diffusion. 2. Defect Formation. 3. Degradation.).—75-03136; Properties of ceramic materials with fillers of talc-chlorite shales.—75-07452
Sokolov, V. M. See Khasanov, O. L.
Sokolyanskii, G. Kh. See Kudzin, A. Yu.
Sokov, V. N.
Modified heat-insulating refractories from clay-polystyrene mixtures.—75-05107; Monolithic heat-insulating linings with cellular ceramic fiber structure.—75-05110; Scientific-technological solutions ensuring the production of high-alumina lightweight refractories.—75-05135; Theoretical and technological principles of creating lightweight refractories reinforced by fine disperse refractory fibers.—75-05148; Theoretical principles and experimental investigations on the choice of technological ways to obtain variable-density materials.—75-05149
Solanki, R. See Kong, W.
Solans, Kh. See Maksimov, B. A.
Soldatchenko, G. M. See Terekhov, A. S.
Soldatenkov, F. Yu. See Korol'kov, V. I.
Soldner, P.
Low-fire-salt fuming.—75-02286
Sole, J. Garcia See Lorenzo, A.
Sole, R. See Martin, M. J.
Solheim, Alan G.
Method of fabricating a semiconductor device having a borosilicate glass spacer.—75-03207
Solheim, Svein See Holroyd, Bill
Solin, N. I.; Samokhvalov, A. A.; Naumov, S. V.
Electrical conductivity and dielectric properties of the magnetic semiconductor $HgCr_2Se_4$ in strong super high-frequency electrical fields.—75-05305
Solinov, V. F. See Kraevskii, S. L.
Solodovnikov, E. S. See Bykovskii, V. A.
Solodovnikov, S. F.; Solodovnikova, Z. A.; Klevtsov, P. V.; Zolotova, E. S.
Subsolidus region of the Na_2MoO_4-$MnMoO_4$ system.—75-06377; Synthesis and properties of manganese(II) double molybdates with rubidium and cesium.—75-06384
Solodovnikov, S. F.; Yudanova, L. I.; Gurov, V. V.; Kamarzin, A. A.; Naumov, N. G.; Starikov, M. A.
New superconductors with tetragonal tungsten bronze structure in the Sr-La-Nb-O system.—75-05802
Solodovnikova, Z. A. See Solodovnikov, S. F.
Solodukha, A. M.; Liberman, Z. A.
Electrophysical properties of $SrBi_2Nb_2O_9$-based solid solutions.—75-06462
Solomon, David; Rossetti, Michael
Foamed glass manufacture.—75-07419
Solomonov, V. I. See Volkov, V. V.
Solov'ev, A. I. See Annenkov, Yu. M.
Solov'ev, A. V. See Klassen, N. V.
Solov'ev, E. E. See Karnachev, A. S.
Solov'ev, N. N. See Boltaev, A. P.
Solov'ev, S. A.; Yassievich, I. N.; Chistyakov, V. M.
Carrier capture and emission processes in A_3B_5 semiconductor quantum well structures.—75-02968
Solov'ev, S. M. See Kaminskii, V. V.
Solov'ev, V. A. See Ryzhov, V. A.
Solov'ev, V. G. See Zelenin, V. V.
Solov'eva, A. E.; Shvangiradze, R. R.
Solid solutions based on indium oxide with additions of HfO_2, CeO_2, and TiO_2 and some of their properties.—75-05139
Solov'eva, A. E.
Effect of structural defects formed in alloying of yttrium oxide by CeO_2 and in heat treatment on phase transformations.—75-09505
Solov'eva, L. V.; Bashmakov, I. A.; Novikov, V. P.; Kaputskii, F. N.
Synthesis of ultrafine Y-stabilized ZrO_2 powder by the pyrolysis of metal-oxalate-cellulose complex.—75-09480
Solov'eva, V. Ya.
Evaluation and forecast of material hardness.—75-07147
Solovei, N. P. See Bodnar, I. V.
Solozhenko, Vladimir L.; Turkevich, Vladimir Z.; Will, Georg
Synthesis of boron nitride by self-propagating reactions at high pressure.—75-09467
Soltesz, U. See Thielicke, B.
Soltner, Helmut; Poppe, Ulrich; Urban, Knut
Method of producing an $SrTiO_3$/$YBa_2Cu_3O_7$ layer system and a layer system as thus produced as a high-temperature superconductor.—75-00911
Solymar, L. See Kaczmarek, M.
Som, K. K. See Chakraborty, A. K.
Somakumar, T.; Annamalai, V. E.; Krishnamurthy, R.
Lapping of composite Y-TZP and Ce-TZP.—75-06667
Somashekhar, A. See Morrison, P. W.
Somasundaran, P. See Vasudevan, T. V.
Somenkov, V. A. See Kvardakov, V. V.
Somiya, S.; Hishinuma, K.; Akiba, T.
Zirconia fine powder by hydrothermal process.—75-09491
Somiya, S.
Hydrothermal reaction sintering of metal oxides.—75-01530
Somnikov, A. V. See Smirnova, E. P.
Son, David Y. See Keller, Teddy M.
Sondahl, Brad
Finding your niche.—75-04793
Sonderer, N. See Medrano, C.
Sone, Cheol-Soo See Shin, Seung-Doh
Song, C.-Y. See Cai, J.
Song, D. W.; Subramanian, R.; Dieckmann, Rudiger
Displacement reactions in the Ni-Al-O system resulting in periodic layer structures.—75-02455
Song, H. Z.; Zhang, L. Z.; Zhang, B. R.; Qin, G. G.
Relationships between photoluminescence spectra and porosity of porous silicon.—75-01927
Song, Han-Sang See Yoo, Kwang-Soo
Song, In-Hyuck; Vadchenco, S. G.; Jeon, Jae-Ho; Hahn, Yoo-Dong
Self-propagating high-temperature synthesis of TiN powder.—75-09430
Song, J. H.; Evans, J. R. G.; Edirisinghe, M. J.; Twizell, E. H.
Pyrolytic binder removal from injection-molded ceramic components: computer modeling of particle size effects on the critical heating rate.—75-09414
Song, J. H.; Evans, J. R. G.
Effect of undispersed agglomerates on the relative viscosity of ceramic molding suspensions.—75-06215
Song, J. H.; Lee, D.-S.; Kim, B.-K.; Yang, H.-J.; Lee, J.-M.; Chung, J.-S.
Pilot plant study for the SO_x removal in the ammonia incinerator.—75-08735
Song, K. See Irons, Stephen H.
Song, Li-Zhu See Yang, Hua
Song, Q.-Wang See Zhang, Chun-Ping
Song, Run-Sheng See Cao, Ze-Chun
Song, Seung-R. See Hyun, Sang-H.
Song, Seung-Wan See Choy, Jin-Ho
Song, Tae-Ho See Pai, Chul-Hoon
Song, Tae-Ho; Choi, Joon-Young; Lee, Hong-Lim; Pai, Chul-Hoon
Effect of oxidation on the thermoelectricity of Fe-Si-based materials.—75-09134
Song, Xian-Yun See Cao, Wan-Qing
Song, Xian-Yun; Cao, Wan-Qing; Hunt, Arlon J.
AEM and HREM evaluation of carbon nanostructures in silica aerogels.—75-01783
Song, Y.-C.; Zhao, Y.; Feng, C.-X.
Synthesis and pyrolysis of polysilazane as the precursor of Si_3N_4/SiC ceramic.—75-06797
Song, Y.-G. See You, Y.-C.
Song, Y.-J.; O'Sullivan, D.; Pomeroy, M. J.; Hampshire, S.; Ma, L.-T.; Ruan, M.-L.
Microstructural development of Si_3N_4-SiC composites with HfO_2-Y_2O_3-Al_2O_3 additives.—75-04359
Song, Y.-L. See Chen, K.-X.
Song, Yuan See Sperline, R. P.
Song, Z. H. See Tao, S.
Sonnichsen, George C. See Foley, Henry C.
Sonuparlak, Birol; Hatton, Kenneth S.; Landini, Dennis J.; Canino, Sylvia J.; Aghajanian, Michael K.; Patel, Aspi N.
Method of making ceramic composite bodies having a protective surface region thereon and bodies made thereby.—75-08604
Sood, Ajay Kumar See Asif, S. A. Syed
Soppe, W. J.; Janssen, G. J.; Bonekamp, B. C.
Computer simulation method for sintering in three-dimensional powder compacts.—75-06557
Soraru, Gian Domenico; Dallapiccola, Elisabetta; D'Andrea, Gennaro
Mechanical characterization of sol-gel-derived silicon oxycarbide glasses.—75-04979
Sorensen, B. F.; Holmes, J. W.; Brondsted, Poul
Effect of environment and loading velocity on fatigue damage in ceramic matrix composites.—75-04496
Sorensen, B. F.; Holmes, J. W.
Effect of loading rate on the monotonic tensile behavior of a continuous-fiber-reinforced glass-ceramic matrix composite.—75-00185
Sorensen, O. T. See Alcock, J. R.; Li, W.-Y.
Soroka, V. A. See Tokiy, V. V.
Sorokin, L. M. See Balashova, E. V.
Sorokin, N. I.; Fominykh, M. V.; Boltalin, A. I.; Fedorov, P. P.; Sobolev, B. P.
Electrical conductivity of vitreous ionic conductors with predominant composition of ZnF_2 or PbF_2.—75-04958
Sorokin, N. I.
Percolation type of dependences of parameters of the transport processes in $Sr_{1-x}La_xF_{2+x}$ in molten and crystalline states.—75-06853
Sorokin, S. V. See Ankudinov, A. V.; Ivanov, S. V.; Toropov, A. A.; Zhmerik, V. N.
Sorokina, E. A. See Kukuev, V. I.
Sorokina, K. L. See Tolstikhina, A. L.
Sorokina, M. F. See Kanunnikova, O. M.
Sorokina, N. O. See Kostin, I. V.
Sorrell, C. C. See Choi, C. H.; Chu, J. I.; Ehsani, G. N.; Kerdic, J.; McIntyre, A. D.; Naghash, A. R.; Ramer, R.; Ruys, A. J.; Sin, S. H.; Wei, M.; Yau, J.; Zhao, Y.
Sosfenov, A. N. See Zheludeva, S. I.
Soshchin, N. P. See Arkhipov, D. V.; Khristov, Ts. I.
Soshnikov, I. M. See Mittova, I. Ya.
Soshnikov, L. E.; Urbanovich, S. I.; Kurilovich, N. F.
Dielectric properties of stable and metastable WO_3 ceramics depending on temperature and γ-irradiation dose.—75-09127
Sosnin, V. M. See Khrustalev, B. P.
Sosova, G. A. See Kaminskii, V. V.
Sotirchos, Stratis V.; Kostjuhin, Igor M.
Functionally graded C/SiC films from CH_3SiCl_3-C_2H_4 mixtures.—75-09319
Sotnikov, M.; Graivoronskii, V.
Experience of operating the Moscow cement market.—75-09713
Sotnikova, G. Yu. See Gavrilov, G. A.
Sotnikova-Yuzhik, V. A.; Pesiyak, G. V.
Rubidium ammonium triphosphates.—75-09425
Sotomayor Torres, C. M. See Wang, P. D.
Souflane, Abdelouhed See Maze, Gwendael
Soukiassian, P. See Riehl-Chudoba, M.
Soulier, J. P. See Ayrault, S.
Sourie, A.; Glasser, F. P.; Lachowski, Eric E.
Microstructural studies on pleochroite.—75-00054
Sousa, C. M. G. See Leite, E. R.
Southworth, Paul; Buhaenko, David S.; Ellis, Peter J.; Jenkins, Carolyn E.; Stoner, B. R.
Preparation of diamond films on silicon substrates.—75-05529
Souza Santos, P. See Dweck, J.
Sowada, K. N.
Late Predynastic Egyptian black-topped ware—a study in ceramic specialization and chronology.—75-00019
Soyama, Nobuyuki See Ogi, Katsumi
Spaanjaars, J. J. L. See Klein-Douwel, R. J. H.
Spada, F. E.; Parker, F. T.; Berkowitz, A. E.
H_c enhancement of Co-adsorbed γ-Fe_2O_3 particles via surface treatment with sodium polyphosphate.—75-03273
Sparks, R. T.
Using pottery to interpret the past—Astarte figurines in Late Bronze Age Palestine, a case study.—75-00021
Sparling, B. See Stott, D.
Sparpaglione, M. See Bonoldi, L.
Spasov, L. See Dimitrov, L.
Spatz, T. L. See Applewhite-Ramsey, Amy
Spear, Karl E. See Butt, Darryl P.; Ramberg, C. Eric
Speck, J. S.; Pompe, W.
Domain configurations due to multiple misfit relaxation mechanisms in epitaxial ferroelectric thin films: I. Theory.—75-00649
Speck, J. S.; Seifert, A.; Pompe, W.
Domain configurations due to multiple misfit relaxation mechanisms in epitaxial ferroelectric thin films: II. Experimental verification and implications.—75-00650
Spellotis, Dennis E. See Hoshi, Youichi
Spellward, P. See Steeds, J. W.
Spelz, Ulrich See Vogel, Walter D.
Spence, J. C. H.; Qian, W.; Lo, W.; Mo, S.; Knipping, U.; Zhang, X.
Low-voltage point projection microscopy and time of flight STM—two new microscopies.—75-00957
Spence, J. H. See Jacobs, T. L.
Spence, Paul
Modular sanitary ware plant concept.—75-07087; See also Kee, Robert J.
Spence, S.
First half sales strong in several key markets.—75-04707
Spencer, M. G. See Beesabathina, D. Prasad
Sperline, R. P.; Song, Yuan; Freiser, H.
Fourier transform infrared attenuated total reflection linear dichroism study of sodium dodecylbenzenesulfonate adsorption at the Al_2O_3/water interface using Al_2O_3-coated optics.—75-06235
Spescha, G. See Hauert, R.
Speyer, R. F. See Dwivedi, A.; Lee, Chung-Kook; Shin, Hyun-Ho; Sundaram, S. K.
Spiccia, L. See Percy, M. J.
Spichkin, Yu. I. See Anreenko, A. S.
Spikes, H. A. See Zhu, Y. Y.
Spinelli, N. See Berardi, V.
Spiridonov, E. M. See Bryzgalov, I. A.
Spiridonov, F. M. See Grigorashev, D. I.; Kuznetsov, M. L.
Spiridonov, F. M.; Zimina, G. V.; Smirnova, I. N.; Pushkina, G. Ya.; Il'inskii, A. L.; Komissarova, L. N.
Preparation and properties of $ABCO_4$ mixed oxides (A=Sr, Ba; B=La, Nd; C=Al, Ga).—75-09384
Spiro, Clifford L.
Synthetic diamond product.—75-08852
Spitsyn, B. V. See Sung, T.; Tokiy, V. V.
Spitsyn, P. K. See Spitsyna, N. P.
Spitsyna, N. P.; Fotiev, A. A.; Spitsyn, P. K.
Application of surface chemical activation for synthesis of high-temperature superconductors.—75-05728
Spitzl, R. See Auciello, Orlando
Spitzner, Martin H.
Tests on the behavior of lightweight, vertically perforated, clay masonry units.—75-05067
Spohn, Mary T. See Blakely, Keith A.
Spooner, T. R. See Rabin, B. H.
Sporn, D. See Baldus, H.-P.; Glaubitt, W.; Grossmann, J.; Kaiser, A.; Schmidt, R.; Scholz, H.
Sposito, Garrison See Chang, Fang-Ru
Spotnitz, Robert M. See Brezny, Rasto
Spoto, G.; Ciliberto, E.; Allen, G. C.
New synthetic route to hydroxyapatite coatings.—75-06695
Sprenger, W. O. See Ogura, A.
Spriet, P.; Boury, D.; Habarou, G.
Military turbojet component design and validation with thermostructural composite materials.—75-03706
Spriggs, Richard M. See Logan, Kathryn V.
Spriggs, Richard M.; Freiman, Stephen W.
ACerS/NIST phase equilibria update.—75-02110

Sprinceana, D. See Ovenston, A.
Sproul, William D. See Lin, Shu-Han
Sprygin, A. I. See Khoroshavin, L. B.
Spur, G.; Holl, S.-E.
Ultrasonic-assisted grinding of high-performance ceramics.—75-05917
Spyrou, Nicholas M. See Nikitidis, Michail S.
Sravani, C.; Reddy, K. T. R.; Reddy, P. S.
Characterization of sprayed CdO thin films.—75-06867
Srazhev, S. N. See Bakhadyrkhanov, M. K.
Srdic, V.; Radonjic, L.
Seeded sol-gel-derived alumina-zirconia composites.—75-04393
Sredin, V. G.; Lanskaya, O. G.; Popovnin, V. M.
Orientation dependence of properties of anodic oxides on $Cd_xHg_{1-x}Te$ surface.—75-07998
Sredin, V. G.; Ukrozhenko, V. M.
Temperature dependence of the $Cd_xHg_{1-x}Te$ refractive index.—75-05500
Sreedhar, B.; Indira, P.; Bhatnagar, A. K.
Electron paramagnetic resonance spectra of VO^{2+} ions in alkali fluoroborate.—75-04894
Sreseli, O. M. See Andrianov, A. V.; Averbukh, B. Ya.; Belyakov, L. V.
Sridhar, Narayanaswamy; Srolovitz, David J.; Fuller, Edwin R., Jr.
Computer simulations of thermal expansion anisotropy induced microcracking in brittle ceramics.—75-02025
Srikanth, V. See Idink, Heike
Srikanth, V.; Subbarao, E. C.
Acoustic emission study of phase relations in low-Y_2O_3 portion of ZrO_2-Y_2O_3 system.—75-06153
Srinivasan, G. See Chen, J.; Ibrahim, M. M.; Slavin, A. N.
Srinivasan, G.; Gibson, J.; Lau, Sai-Kwing; Wereszczak, Andrew A.; Ferber, M. K.
Origin of strength-limiting defects in a toughened SiC (HEXOLOY SX-SiC).—75-04614
Srinivasan, G.; Venkateswaran, V.
Fractographic investigation of flaws in sintered SiC fiber.—75-04531
Srinivasan, R. See Ganesan, V.; Reddy, K. H. V.
Srinivasu, V. V.; Thomas, Boben; Hegde, M. S.
Line shapes of field-dependent nonresonant microwave and rf absorption in high-T_c superconductors.—75-00814
Sriram, M. A.; Kumta, P. N.
Electrochemical characterization of thio sol-gel-derived titanium sulfide (TiS_2) powders with unique morphologies.—75-02907
Srivastava, Ashvin; Bhalla, A. S.; Cross, L. Eric
PZT ceramic compositions having reduced sintering temperatures and process for producing same.—75-00408
Srivastava, G. K. See Tiwari, L.
Srivastava, O. N. See Kimari, Suman
Srivatsan, T. S.
Influence of ceramic particle content on the cyclic fatigue and fracture behavior of an aluminum alloy metal-matrix composite.—75-00105
Srivstava, G. P. See Kumar, B.
Srivstava, S. L. See Katiyar, V. K.
Srnanek, R. See Hotory, I.
Srolovitz, David J. See Battaile, Corbett C.; Sridhar, Narayanaswamy
Staab, Greg A. See Sacks, Michael D.
Stack, M. M. See Heath, G. R.
Stacy, T. See Khan, A. H.; Zhao, G.
Stadler, Bethanie J. H.; Oliveria, Manuel; Bouthillette, Lionel O.
Alumina thin films as optical waveguides.—75-00208
Stadler, Bethanie J. H.; Vaccaro, Kenneth; Davis, Andrew; Martin, Eric A.; Lorenzo, Joseph P.
Characterization of magnetooptical Mn-doped InGaAsP thin films on InP.—75-02978
Stadler, W. See Hofmann, D. M.
Stadnyk, Yu. V.; Romaka, L. P.; Pecharskii, V. K.; Skolozdra, R. V.
770-K isothermal section of the Zr-Co-Sn phase diagram and crystal structure of $Zr_6Co_{1.65}Sn_{1.35}$.—75-08857
Staehler, James M.; Predebon, William W.; Pletka, Bruce J.
Process for producing high strength alumina.—75-03677
Stafeev, V. I. See Gorshkov, A. V.; Shturbin, A. V.
Stakenas, A. See Ragalevisius, R.
Stakenas, A.; Jasulaitiene, V.
Influence of aluminum alloy components on the process of color anodizing in vanadate electrolyte.—75-09150
Staley, Chris
Challenge of making pots at a university.—75-02213
Stalios, A. D. See Persoons, R. M.
Stall, R. A. See Gurary, A. I.
Stambolova, I. D. See Racheva, T. M.
Stamenkovic, I. See Castanho, S. M.; Cordoba, G.
Stan, Mark A.; Patton, Martin O.; Vithana, Hemasiri K. M.; Johnson, David L.; Warner, Joseph D.; Piltch, Nancy D.
Growth of epitaxial 2H-silicon carbide by pulsed laser deposition.—75-00503
Stan, Mark A.; Patton, Martin O.; Warner, Joseph D.
Process of making thin-film 2H-α-SiC by laser ablation.—75-08110
Stanbridge, P.
Continental drift.—75-02227; Raw and the cooked.—75-02336
Stander, J. W. See Thomas, M. E.
Stanek, P. W. See Castro, R. G.
Staneva, N.; Kasabov, I.
Influence of electrolytes on the casting properties of porcelain slips.—75-07709
Stangle, Gregory C.; Venkatachari, Koththavasal R.; Ostrander, Steven P.; Schulze, Walter A.
Process for making ultrafine barium titanate particles.—75-09492; Process for making ultrafine ceramic particles.—75-05929
Stankevich, A. See Bokov, V. A.
Stankovic, S. See Marinkovic, S.
Stankus, S. V. See Glazov, V. M.
Stankus, S. V.; Khairulin, R. A.; Tyagel'skii, P. V.
Density changes during melting of LiF, YF_3, and $LiYF_4$.—75-07295
Staples, Bruce A.; Wood, Henry C.
Processability of a glass-ceramic formulation to immobilize Fluorinel-sodium calcine.—75-03487
Starik, P. M. See Mikityuk, V. I.
Starikov, M. A. See Solodovnikov, S. F.
Stark, G. See Chaim, R.
Starobinets, S. M. See Zelenin, V. V.
Staroverova, M. E. See Parfenov, V. V.
Starovoitov, S. A. See Petrov, V. N.
Starr, T. L. See Stinton, D. P.
Starr, T. L.; Chiang, D.; Besmann, T. M.; Stinton, D. P.; McLaughlin, J. C.; Matlin, W. M.
Rapid fabrication of ceramic composite tubes using chemical vapor infiltration.—75-09416
Starshinov, V. N. See Pitak, N. V.
Startsev, Yu. K. See Livshits, V. Ya.
Startsev, Yu. K.; Livshits, V. Ya.; Nakhapetyan, R. A.; Novotnyi, V.
Change in refractive index of alkali calcium aluminosilicate glasses upon equimolar replacement of sodium oxide by potassium oxide and in Na_{glass}^{+}-K_{melt}^{+} ion exchange.—75-02627
Startsev, Yu. K.; Priven, A. I.
Calculation of properties and stresses in glass layers modified by ion exchange: II. Relaxation of properties of thin layers of glass after rapid changes in its composition.—75-07326
Starukhin, A. N. See Nel'son, D. K.
Staton, T. See Tomlinson, D. B.
Staub, U. See Roessli, B.
Staub, U.; Fauth, F.; Guillaume, M.
Collective magnetic excitations of Ho^{3+} ions in grain-aligned $HoBa_2Cu_3O_7$.—75-03346
Staubach, S.
Meditations on the garden pot.—75-02292
Stauf, Gregory T. See Bihari, Bipin
Staupendahl, Gisbert See Muller, Eberhard
Staveteig, P. T. See Choi, Y.-H.
Stead, R. J. See Alecu, I.; Dean, G. A.; Latella, B. A.
Stearns, Laura C.; Harmer, Martin P.
Particle-inhibited grain growth in Al_2O_3-SiC: I, Experimental results.—75-09573; II, Equilibrium and kinetic analyses.—75-09005
Stebbins, Jonathan F.; Ellsworth, Susan E.
Temperature effects on structure and dynamics in borate and borosilicate liquids: high-resolution and high-temp. NMR results.—75-04935
Steblevskii, A. V. See Padalko, A. G.; Rodicheva, G. V.
Stech, Martin See Fett, Theo
Stech, Martin; Rodel, Jurgen
Method for measuring short-crack *R*-curves without calibration parameters: case studies of alumina and alumina/aluminum composites.—75-02077
Steckenrider, J. S. See Ellingson, W. A.
Steckl, Andrew J. See Loboda, Mark J.
Steeb, S. See Uhlig, Harald
Steeds, J. W.; Duan, X. F.; Midgley, P. A.; Spellward, P.; Vincent, R.
Application of high spatial resolution electron diffraction techniques to the study of local properties of crystalline solids.—75-01789
Steele, A. G.; Buchanan, M.; Liu, H. C.
Postgrowth tuning of quantum well infrared detectors by rapid thermal annealing.—75-03134
Steele, A. See Baker, K.
Steele, B. C. See Kontoulis, I.
Steen, M. See Martins, C. S.; Rodrigues, P. Andre
Steen, M.; Lamouroux, F.; Valles, J. L.
Mechanical behavior of an alumina fiber-reinforced silicon carbide matrix composite at high temperature.—75-04585
Stefani, Franco
Rotary glazing machine having an elastically deformable matrix cylinder.—75-05931
Stefanov, Piamen See Choisnet, Jacques
Stefanov, R. See Gesheva, Kostadinka A.
Stefanovich, G. B. See Odynets, L. L.
Stefanovich, S. Yu. See Eremina, E. V.; Sigaev, V. N.
Stefanovich, S. Yu.; Sigaev, V. N.; Dechev, A. V.; Mosunov, A. V.; Samygina, V. R.; Leonyuk, N. I.
Ferroelectrical properties of the borosilicates $LnBSiO_5$ (Ln=La, Pr) in the structural family of stilvellite.—75-05582
Stefanovich, S. Yu.; Sigaev, V. N.
Application of the optical second harmonic generation method in the study of the crystallization of noncentrosymmetric phases in glasses.—75-02574
Stefanovich, V. A. See Glinchuk, M. D.
Steffier, Wayne S.
Toughened ceramic composite materials comprising coated refractory fibers in a ceramic matrix wherein the fibers are coated with carbon and an additional coating of ceramic material and carbon mixture.—75-07703
Stehlin, Thomas See Bruck, Martin
Steier, Hanns P.; Moya, J. S.
Oriented barium titanate thick films by reactive coating on rutile.—75-06703
Stein, H. J. See Strane, J. W.
Stein, N. See Zhokhovets, S. V.
Stein, R. A. See Haberstroh, C.
Steinbach, F. See Mayer, J.
Steinborn, Gabriele See Wasche, Rolf
Steinetz, Bruce See Dellacorte, Christopher
Steinike, Ursula See Sepelak, Vladimir
Steinlage, Greg A.; Roeder, Ryan K.; Trumble, Kevin P.; Bowman, Keith J.
Centrifugal slip casting of components.—75-03959
Steinsvik, S. See Wang, Y. G.
Stekli, F. See Isirikyan, A. A.
Stel'makh, N. S.; Byvsheva, I. I.; Dudko, G. D.
Luminescence of cerium ions in ultraphosphate glasses [UPhG] under fast flow of electrons.—75-04978
Stella, A. See Cheyssac, P.
Stelmaszyk, P. See Rosenberg, M.
Stempin, John L. See Chyung, Kenneth; Dawes, Steven B.
Stempin, John L.; Wexell, Dale R.
Fiber-reinforced ceramic matrix composites exhibiting improved high-temperature strength.—75-01110
Stencel, John M. See Ni, Heng-Fei
Stendera, James W. See Henry, Francis W., Jr.; Scheerer, Paul E.
Stepanenko, E. K. See Ordan'yan, S. S.
Stepanov, M. V. See Antipov, V. G.; Danilova, T. N.
Stepanov, S. A. See Merkulov, E. B.
Stepanov, V. A. See Elyutin, A. V.
Stepanov, Yu. A. See Agekyan, V. F.
Stepanov, Yu. P. See Fleisher, V. G.; Nikulin, E. I.; Smirnov, B. I.
Stepanova, E. A.; Bolotnikova; Pat'ko, A. I.
Aromatization of propylene on modified montmorillonite-containing catalysts based on a high-silica NTSVM zeolite.—75-06539
Stepanova, L. V. See Boiko, E. A.
Stepanova, M. N. See Korol'kov, V. I.
Stepanova, N. I. See Mirzoev, R. A.
Stepanyuk, N. A. See Babkina, L. A.
Stephan, P. M.
Creating a virtual ceramic corporation.—75-04697
Stephens, A. W.; Aberle, A. G.; Green, M. A.
Surface recombination velocity measurements at the silicon-silicon dioxide interface by microwave-detected photoconductance decay.—75-00611
Stephenson, Larry D. See Wood, Jeffrey W.
Stepin, E. V. See Korsukov, V. E.
Stiponavicius, A. See Lichusina, S.; Simkunaite, D.
Stepurenko, A. A.
Autosolitons in a heated and electric-field-pulse-excited electron-hole plasma of indium antimonide.—75-07788
Stern, E. A.; Qian, M.; Sarikaya, Mehmet
Spatially resolved local atomic structure from EXELFS.—75-01935
Stern, J. A. See Gaidis, M. C.
Stern, Richard See Ballato, Arthur
Sternberg, A. See Shebanov, L.
Sterneck, D.
Causality of cracked rendering.—75-00236
Sternik, M. See Parlinski, K.
Sternitzke, M.; Derby, B.; Brook, R. J.; Su, B.; Fan, Q.-S.
Al_2O_3/SiC nanocomposites by hybrid polymer and powder processing.—75-09215
Sternitzke, M.; Knechtel, M.; Hoffman, Mark; Broszeit, Erhard; Rodel, Jurgen
Wear properties of alumina/aluminum composites with interpenetrating networks.—75-00147
Stesmans, A.; Vanheusden, K.
Generation of delocalized $E_81/2$ defects in buried Si oxide by hole injection.—75-01757
Stetsenko, V. Ya.; Yushchenko, V. V.
Acidic and catalytic properties of ground glass microspheres of different chemical composition.—75-02573
Stevens, C. O. See Liu, K. C.
Stevens, G. T. See Leung, S.
Stevens, K. S. See Ohtani, A.
Stevens, M. G. See Aldridge, L. P.; Cantrill, E. R.
Stevenson, J. W.; Armstrong, T. R.; Pederson, L. R.; Weber, W. J.
Processing and properties of $La_{1-x}A_xCo_{1-y}Fe_yO_{3-\delta}$ (A=Sr,Ca) perovskites.—75-02932
Stewart, M. W. A.; Perera, D. S.; Leung, S. H. F.
Reaction of molten cryolite with refractory ceramics.—75-00268
Stewart, M. W. A.
Sintering of Synroc.—75-01669; See also Carter, M. L.; Perera, D. S.
Stewart, Ogie See Mao, Li-Min
Sticht, J. See Matar, S.
Stillman, S. E. See Sylla, W. K.
Stinespring, C. D. See Lannon, J. M. Jr.
Stinton, D. P. See Lee, Woo-Y.; Matlin, W. M.; Roman, Y. G.; Shanmugham, S.; Starr, T. L.; Weaver, Billy L.
Stinton, D. P.; Besmann, T. M.; Matlin, W. M.; Starr, T. L.; Curtain, W. A.
Forced chemical vapor infiltration of tubular geometries—modeling, design, and scale-up.—75-04048
Stirbat, I. See Puica, I.
Stjerna, B.; Olsson, E.; Granqvist, C. G.
Optical and electrical properties of radio-frequency-sputtered tin oxide films doped with oxygen vacancies, F, Sb, or Mo.—75-01317
Stobbs, U. M. See Braun, P. D.
Stobierska, Ewa See Slosarczyk, Anna
Stobierski, L. See Lis, J.; Pampuch, R.
Stobierski, L.; Pampuch, R.; Lis, J.
Wear-resistant materials in SiC-B_4C system.—75-09696
Stockman, S. A.; Fresina, M. T.; Hartmann, Q. J.
Carbon incorporation in InP grown by metallorganic chemical vapor deposition and application to InP/InGaAs heterojunction bipolar transistors.—75-00420
Stoemenos, J. See Heera, V.
Stoevev, D. See Vahen, R.
Stokes, Edward B. See D'Evelyn, Mark P.
Stokes, Harold T. See Tepesch, Patrick D.
Stoklosa, M. J.
Intelligent multichip module analyzer- a thermal design tool.—75-00343
Stolarski, T. A. See Hadfield, M.; Jisheng, E.; Lovern, J. E.
Stoll, S. P. See Kierstead, J. A.
Stolpa, James. W. See Huyser, William K.
Stolten, D.; Kurbjuhn, M.; Wagner, W.
Ceramic interconnectors for planar solid oxide fuel cells through tape casting of reaction-sprayed powders.—75-00302

Stone, N. A. See Thomas, M. E.

Stone, R.; Franklin, M.; Fujino, D.; Gan, K. K.; Gilman, R.; Han, S.
Test of a diamond-tungsten sampling calorimeter.—75-01043

Stone, T. J. See Tope, W. G.

Stoner, B. R. See Dreifus, D. L.; Saito, Kimitsugu; Southworth, Paul; Wolter, S. D.

Storchun, P. E. See Savitskii, V. G.

Storer, Jonathan G.
Coated fibers.—75-01108

Storey, T.; Lapihuska, C.; Su, L.; Atwood, E.
Test challenges for an ASEM MCM foundry.—75-00005

Storozh, V. V.; Akimov, G. Ya.; Labinskaya, N. G.
X-ray study of the effect of adsorbed materials on the formation of dislocations during deformation of aluminum oxide microcrystals.—75-07057

Story, P. R.; Galipeau, D. W.; Mileham, R. D.
Study of hybrid humidity sensors using polymer and thick film sensing elements.—75-00377

Stott, D.; Rezansoff, T.; Sparling, B.
Loss of freeze-thaw durability of concrete containing accelerating admixtures.—75-02414

Stough, M. A.; Hellmann, J. R.; Conway, J. C., Jr.
Effect of grain boundary devitrification on the wear of glass-bonded alumina ceramics.—75-06966

Stough, M. A.; Hellmann, J. R.
Solid solubility and diffusivity in an alumina/zirconia system.—75-04291

Stover, D. See Kaiser, A.; Vassen, R.

Stowell, Steven See Sengupta, Louise

Stoyanov, G. I. See Gesheva, Kostadinka A.

Stoyukhin, S. G. See Nikitenko, V. A.

Strack, J. T.; Balbaa, I. S.; Barber, B. T.
Microwave regeneration of activated carbon for gold processing applications.—75-01579

Stradtmann, J. See Bongers, U. V.

Stradtmann, J.; Prange, R.; Thomas, R. C.
Refractories selection for stainless steelmaking process.—75-07651

Strakhov, V. I. See Fedorova, O. N.; Udalov, Yu. P.

Strakhov, V. I.; Mel'nikova, O. V.; Dib, M.; Karpinskaya, O. V.
$LaNbO_4$-$LaTi_2O_7$ pseudobinary join in the La_2O_3-TiO_2-Nb_2O_5 system.—75-08968

Strane, J. W. See Russell, S. W.

Strane, J. W.; Stein, H. J.; Lee, S. R.
Precipitation and relaxation in strained $Si_{1-y}C_y$/Si heterostructures.—75-00578

Stranford, Gerald T. See Leung, Roger Y.

Strangman, Thomas E.
Porous thermal barrier coating.—75-07271

Stratton, R. P. See Pugh, A. C.

Straub, A. C. See Brockmeyer, J. W.

Strawbridge, I. See Apostolopoulos, D. G.; Evans, D. T.

Strbik, V. See Jergel, M.

Strecker, A. See Schubert, H.

Streckert, Holger H. See Montgomery, Frederick C.

Strecko, J. See Liska, Marek

Streit, P. See Bowen, P.

Streitz, F. H.; Mintmire, J. W.
Atomic scale simulations of tensile failure in metal oxides.—75-04453

Strel'chuk, A. M.; Anikin, M. M.; Andreev, A. N.; Zelenin, V. V.; Lebedev, A. A.; Rastegaeva, M. G.
Characteristics of SiC of voltage stabilizers for the 20–300°C temperature range.—75-07803

Strel'chuk, A. M.; Evstropov, V. V.; Dmitriev, V. A.; Cherenkov, A. E.
Forward and reverse current in 6H-SiC-based *p-n* structures prepared by container-free liquid-phase epitaxy.—75-05326

Strel'chuk, A. M.
Lifetimes and diffusion lengths of nonequilibrium charge carriers in SiC *p-n* structures.—75-03077; See also Andreev, A. N.; Evstropov, V. V.

Strelkova, E. E. See Yakubovich, O. V.

Strelov, K. K.; Kashcheev, I. D.
Phase diagram of the system Al_2O_3-SiO_2.—75-05118

Stremousova, E. A. See Ignat'eva, L. N.

Stribuk, E. K. See Akimov, A. I.

Strikha, M. V. See Vas'ko, F. T.

Strikha, M. V.; Tarbaev, N. I.; Shepel'skii, G. A.
Radiative recombination transitions via the states of bound and free excitons in a uniaxially stressed cadmium telluride.—75-03146

Stringfellow, G. B. See Su, L. C.

Strite, S. See Morkoc, H.

Strohbauch-Homberg, G.; Dannheim, J.
Increasing the strength of stoneware floor tiles.—75-05063

Strokan, N. B. See Il'yashenko, I. N.; Ivanov, A. M.

Strom-Olsen, J. O.; Rudkowska, G.; Rudkowski, P.; Allahverdi, M.; Drew, R. A. L.
Fine metallic and ceramic fibers by melt extraction.—75-04046

Strongin, M. See Dorfman, B.

Struble, L.; Sun, G. K.
Viscosity of portland cement paste as a function of concentration.—75-02431

Struby, Sara B. See Butcher, Kenneth R.

Struchkov, Yu. T. See Grigor'ev, M. S.; Khrustalev, V. N.

Struck, Lisa M. See D'Evelyn, Mark P.

Strukov, B. A.; Onodera, A.; Taraskin, S. A.; Shnaidshtein, I. V.; Red'kin, B. S.; Khaga, Kh.
Heat capacity of β-$Tb_2(MoO_4)_3$ crystals in the region of the nonintrinsic ferroelectric phase transition.—75-08146

Strupp, M. See Hein, M. A.

Strutt, P. R. See Kear, Bernard H.

Strygin, V. D. See Sysoev, B. I.

Strykanov, V. S. See Bessolov, V. N.

Stuart-Dick, David
Segregation affects glass quality.—75-05041

Stubbe, Andreas See Deusser, Hans

Stubican, M. See Tonejc, A.

Stubna, Igor See Liska, Marek

Studenets, V. I. See Yuriichuk, I. N.

Studenikin, S. A. See Ovsyuk, V. N.

Stukan, L. V. See Bobrov, V. S.

Stukan, L. V.; Bobrov, V. S.
Influence of annealing and surface chemical treatment of glass electrodes from lithium silicate glasses on the value of their asymmetric potential.—75-05020

Stump, N. A. See Chen, G.

Stuopys, A. See Goberis, S.

Stupina, V. I. See Kornienko, L. S.

Sturgis, David H. See Yasrebi, Mehrdad

Sturm, A. See Terukov, E. I.

Sturman, B. I. See Odulov, S. G.; Webb, D. J.

Stutts, Daniel See Cummings, James

Stutz, C. E. See Yu, P. W.

Styron, Robert W.
Use of alumina clay with cement fly ash mixtures.—75-07196

Styrov, M. I. See Mirzoev, R. A.

Su, B. See Sternitzke, M.

Su, Ching-Shen See Hsieh, Wen-Ching

Su, H.; Yoshikawa, N.; Sugahara, M.
Electrical conduction properties of NbN thin films [studied] using NbN/MgO/NbN double-tunnel junctions.—75-08306

Su, Hung-Hai; Johnson, D. Lynn
Master sintering curve: a practical approach to sintering.—75-09358; Sintering of alumina in microwave-induced oxygen plasma.—75-09442

Su, Hung-Hai; Salinas, Guy E.; Kim, Steve; Dravid, Vinayak P.; Johnson, D. Lynn
Mechanical properties of alumina sintered in a microwave-induced oxygen plasma.—75-01309

Su, L. C.; Ho, I. H.; Stringfellow, G. B.
Control of ordering in $Ga_{0.5}In_{0.5}P$ using growth temperature.—75-00446; Effects of substrate misorientation and growth rate on ordering in GaInP.—75-00466

Su, L. See Storey, T.

Su, Mu-Zhen See Wang, Yan-Mou

Su, Mu-Zhen; Zhang, Li-Ang; Capmas, A.; Bayoux, J. P.; Testud, M.
Investigation techniques to analyze hydration characteristics of CSA cements.—75-00052

Su, Pomin; Virkar, Anil V.
Massive transformation in Gd_2O_3-Bi_2O_3 ceramics.—75-01227

Su, Qiang; Cao, Xue-Qiang; Wang, Hong-Yan
Influence of ionic substitution on the magnetic behavior of $Y_2Cu_2O_5$.—75-05780

Su, S.-K.; Wu, C.-S.
Carbon fiber with electroless copper planting.—75-02441

Su, W. See Riad, S. M.

Su, X.-Y.; Chen, K.; Lin, X.-L.
SiC platelet composites and their mechanical properties.—75-04624

Su, Xiao-Wei See Yang, Jie

Su, Y.-H. See Lin, R.-W.

Su, Y.-H.; Tsao, C.-Y. A.
Modeling of droplet velocity during spray deposition process.—75-03582

Su, Y.-K.; Liaw, U.-H.
Indium antimonide metal-oxide-semiconductor structure prepared by direct photochemical vapor deposition.—75-00515

Su, Y.-L.; Chen, K.-Y.; Wu, J.-D.
Tribological potential of physical vapor deposited TiN coating for machine element application.—75-03725

Su, Y.-L.; Lin, J.-S.; Chen, K.-Y.
Tribological potential of physical vapor deposited CrN coating for machine element application.—75-03724

Su, Z.; Sujata, K.; Bijen, J. M.; Jennings, Hamlin M.; Fraaij, A. L. A.
Evolution of the microstructure in styrene acrylate polymer-modified cement pastes at the early stage of cement hydration.—75-04816

Suarez, Alberto; Silbey, Robert
Microscopic model for two-level system dynamics in glasses.—75-02667

Suarez, D. See Castano, Victor M.

Suba, K.; Singh, Okram G.; Padalia, B. D.
Substitution of lithium in copper oxide.—75-06787

Subbanna, G. N. See Prasad, K. V. R.

Subbarao, E. C. See Breval, Else; Jiang, Q. Y.; Srikanth, V.

Subbota, V. L. See Tonkoshkur, A. S.

Subbotin, A. L. See Shur, V. Ya.

Subhash, P. See Rao, G. Narsinga

Subotic, B. See Antonic, T.; Tonejc, A.

Subramaniam, V. See Taylor, C. A. III

Subramanian, M. A.
Stabilization of superconducting phases in thallium-barium-copper oxide system by fluorine substitution $[TlBa_2CuO_{5-\delta}F_\delta]$.—75-05834; Tl-M-Cu-O-F superconductors.—75-08496

Subramanian, R. Shankar See Kondos, Pericles A.

Subramanian, R. See Song, D. W.; Ustundag, E.

Subramanian, R.; Ustundag, E.; Sass, S. L.; Dieckmann, Rudiger
Metal-ceramic microstructures in the Fe-Mn-O system—morphology control by impurity addition.—75-04353

Subramanian, V. See Sekhar, Jainagesh A.

Subramanyam, A. See Manivannan, P.

Suchanek, V. See Benes, V.

Suchicital, Carlos Tres A. See Russell, Stephen W.

Suchkov, A. I. See Moiseev, A. N.

Suckut, Claudia See Torres-Martinez, Leticia M.

Suconick, D. See Rapoport, N.

Sud, S. P. See Puri, R. K.

Suda, Akihiko See Ukyo, Yoshio

Suda, Akihiko; Ukyo, Yoshio
Thermal stability of Y-α1/2-SiAlON at high temperature.—75-03939

Suda, Katsumi See Kouta, Hikaru

Suda, Seiichi; Yamashita, Kimihiro; Umegaki, Takao
^{29}Si NMR analysis of reactions between ethoxytrimethylsilane and alkali ions.—75-08855

Sudarikov, M. V.; Zhikharev, V. M.; Lykasov, A. A.
Conditions for the equilibrium between cubic niobium carbonitride and nitrogen gas.—75-08887

Sudavichyus, A. See Molchadskii, A.

Sudo, Naoaki See Hashizume, H.

Sudo, Shintaro See Nakashima, Hirohisa

Sudo, T. See Kisara, K.

Sudre, O. See Bacos, M. P.

Sudreau, F.; Olagnon, C.; Fantozzi, G.
Lifetime prediction of ceramics—importance of the test method.—75-04578

Suematsu, Hisayuki See Reimanis, Ivar E.

Suematsu, Hisayuki; Murakami, Y.; Kawata, H.; Fujii, Y.; Hamaya, N.; Shimomura, O.
Crystal structure of endohedral metallofullerene LaC_{82}.—75-01210

Suematsu, Yoshirou See Iwaya, Masaki

Suetin, A. V. See Syrykh, G. F.

Sueyoshi, Koichi See Iwakawa, Kazuhiro

Suga, Tadamoto See Tuchiya, Toshiyuki

Suga, Takehumi See Zhang, Yao

Suga, Toshiyuki See Nakashima, Hiroshi

Sugahara, M. See Su, H.

Sugahara, Yoshiyuki See Saito, Yasuo

Sugai, Mikio See Ohtani, Noritaka

Sugai, Teruo See Yamazaki, Hiraku

Sugai, Tokuko; Yamashita, Tsutomu
Synthetic conditions of single 110-K phase of Bi-containing high-T_c superconductor.—75-08436

Sugama, T.; Carciello, N.
Sodium metasilicate-modified lightweight high alumina cements for use as geothermal well-cementing materials.—75-04833

Sugama, Toshifumi; Baldwin, Stephanie
Hydrothermal cement/metal interfaces.—75-00042

Sugama, Toshifumi; Wetzel, E.
Microsphere-filled lightweight calcium phosphate cements.—75-06071

Sugamura, Kunio See Toyoda, Seiji

Suganuma, A. See Morita, K.

Suganuma, Katsuaki See Hayashi, Takashi

Suganuma, Tetsuya See Shintani, Yoshitomo

Sugawara, H. See Otsuka, A.

Sugawara, T.; Enomoto, N.; Nakagawa, Zenbee
Influence of chromium on the formation of the bismuth system superconductors.—75-05779

Sugaya, Yasuhiro See Inoue, Osamu

Sugg, Rolin W. See Moysan, Stephen R. III

Sugi, I. See Bogdanchikova, N. E.

Sugii, Nobuyuki See Sakurai, Takeshi; Yamamoto, Kiyoshi

Sugimoto, Eisuke See Aono, Hiromichi

Sugimoto, Hiroyuki See Taki, Chihiro

Sugimoto, Iwao; Nakano, Satoko; Kuwano, Hiroki
Enhanced saturation of sputtered amorphous SiN film frameworks using He and Ne Denning effects.—75-04023; Self-multilayered structures of SiN films prepared by plasma-enhanced reactive sputtering.—75-01931

Sugimoto, Makoto; Konishi, Masahiro; Tanabe, Hiroyuki; Nishikawa, Kenichi
Spark plug insulator for use in internal combustion engine.—75-08850

Sugimoto, Masaki; Okamura, Kiyohito; Seguchi, Tadao
Reaction mechanisms of SiC fiber synthesis from radiation-cured polycarbosilane fiber.—75-04194

Sugimoto, Masunori; Yokota, Naoko; Miyanaga, Hiroaki
Simultaneous process of granulation, grinding, and separation in a continuous tumbling conical granulator—on the shape evaluation of the granules and granulating conditions.—75-05912

Sugimoto, Takuya See Seki, Takeshi

Sugino, Takashi; Sakamoto, Yoshifumi; Furukawa, Atsuhiko; Shirafuji, Junji
Surface Fermi level position of diamond treated with plasma.—75-01957

Sugioka, Naoya See Nogami, Masayuki

Sugishima, Yuka See Shiono, Takeshi

Sugita, N. See Sadamura, H.

Sugitani, Nobuhiro
Water-dispersible, heat-resistant composition and use thereof.—75-01139

Sugiura, S. See Endo, Tadashi

Sugiyama, Hiroshi See Sato, Mitsukuni

Sugiyama, Masaaki See Katayama, Shingo

Sugiyama, Noriyuki See Harada, Ryusuke

Sugiyama, Noriyuki; Harada, Ryusuke; Ishida, Hideki
Densification process and mechanical strength of feldspathic porcelain body.—75-08758

Sugiyama, Osamu; Ohtake, Masatoshi; Kuwahara, Hiroshi; Ohsumi, Shuzo; Kato, Kazuaki; Fukushima, Toshihiro
Modification and pyroelectricity of Pb(Zr, Ti)O_3-based ceramics using HIP with novel glass encapsulation.—75-08154

Sugiyama, Shunichi; Kametani, Hiroshi; Yoshikoshi, Hideyuki; Ikeda, Nobuaki; Hara, Tomihiro
Method of manufacturing composite ferrite.—75-05720

Sugiyama, Susumu See Kaneko, Shoji

Sugiyama, Tomio See Tatumoto, Hirohiko

Sugiyama, Tomio; Suzuki, Masatoshi; Sano, Hiromi; Saito, Toshitaka; Nomura, Satoru
Oxygen sensor.—75-03211

Suh, J.; Han, Y.-H.; Kim, K.-T.
Biaxial fracture criterion for porous brittle ceramics.—75-06943

Suh, Jeong-Dae See Sung, Gun-Yong

Suh, Jeong-Dae; Sung, Gun-Yong; Kim, Chong-Hee
Electric field effect and transport properties of 90° grain boundary in $YBa_2Cu_3O_{7-\delta}$ thin films.—75-08305

Suh, Jeong-Hun; Jee, Young-A.; Kang, Suk-Joong L.; Yoon, Duk-Y.
Process for preparing $YBa_2Cu_3O_{7-\delta}$ superconductors.—75-08483
Suhr, D.-S. See Yang, Jun-Hwan
Suhrke, K.-D. See Mach, R.
Sui, W.-M.; Wu, J.-G.; Huang, Y.
Microstructure of BN/SiAlON multiphase ceramics.—75-04367
Sui, X. See Wong, B. Y.
Sujata, K. See Su, Z.
Sukach, A. V. See Vlasenko, A. I.
Sukach, G. A.
Radiation-stimulated conversion of radiative exciton complexes bound to nitrogen in GaP:N-based *p-n* structures.—75-08037
Sukeda, Yoshihiko See Miyamoto, Hiroki
Sukhanov, M. A.; Fedner, L. A.; Khrapov, V. S.; Dzhangirov, D. A.; Makeev, Yu. A.; Zaderman, E. A.
Industrial waste as raw material for cement production.—75-07160
Sukhanova, G. E. See Rodicheva, G. V.
Sukhorukov, Yu. P. See Loshkareva, N. N.
Sukhorukov, Yu. P.; Loshkareva, N. N.; Moskvin, A. S.; Samokhvalov, A. A.
Absorption spectra of CuO single crystals in the region of the fundamental band and nature of the optical gap in copper oxides.—75-08858
Sukhov, V. Yu. See Arbuzova, T. B.
Sukhozhak, A. N. See Belyakov, A. V.
Sukhushina, I. S.; Vasil'eva, I. A.; Balabaeva, R. F.
Thermodynamic properties of europium oxides.—75-09095
Suleimanov, E. V. See Chernorukov, N. G.
Suleimanova, N. A. See Zhabrev, V. A.
Sulimova, E. V. See Garkavi, M. S.
Sullivan, E. O.
Environmental conservation—what does the future hold?—75-02127
Sullivan, G. K.; Langowski, Mari H.; Hrma, Pavel R.
Sulfate segregation in vitrification of simulated Hanford nuclear waste.—75-03498
Sullivan, P. A.; Baragiola, R. A.
Ion-beam-induced luminescence in natural diamond.—75-01300
Sultanov, G. D.; Guseinov, D. T.; Mamedov, Z. G.
Mossbauer studies of $CdIn_2S_4$.—75-07979
Sumanasiri, K. See Van der Biest, O.
Sumi, T. See Shimada, Y.
Sumida, Shin See Sun, C. J.
Sumimura, Hisaki See Yamamura, Takashi
Summerfelt, Scott R.; Beratan, Howard R.; Kulwicki, Bernard M.
Lead-substituted perovskites for thin-film pyroelectric devices.—75-08181
Summerfelt, Scott R.
Conductive exotic nitride barrier layer for high dielectric constant materials.—75-07752; See also Fukuda, Yukio
Summers, H. D. See Smowton, P. M.
Sun, C. J. See Kung, P.
Sun, C. J.; Kung, P.; Saxler, A.
Crystallographic model of (00.1)aluminum nitride epitaxial thin film growth on (00.1)sapphire substrate.—75-01214
Sun, C. J.; Kung, P.; Saxler, A.
Thermal stability of GaN thin films grown on $(0001)Al_2O_3$, $(0\bar{1}12)Al_2O_3$, and $(0001)_{Si}6H$-SiC substrates.—75-01358
Sun, C. J.; Sumida, Shin
Compact and robust fiber optic components using integrated optics with silica waveguides.—75-00947
Sun, Chin-Teh; Park, Seung-Bae
Fracture criteria for piezoelectric ceramics[—reply].—75-03234
Sun, De-Cai; Towe, Elias
Piezoelectric fields in strained (In,Ga)As/GaAs multiple quantum well structures grown on vicinal (110)GaAs.—75-05437
Sun, Ellen Y. See Becher, Paul F.; Brennan, John J.; Sheldon, Brian W.
Sun, Ellen Y.; Alexander, Kathleen B.; Becher, Paul F.; Hwang, Shyh-Lung
β-Si_3N_4 whiskers embedded in oxynitride glasses: interfacial microstructure.—75-07282
Sun, Ellen Y.; Nutt, Steven R.; Brennan, John J.
High-temperature tensile behavior of a boron nitride coated silicon carbide fiber glass-ceramic composite.—75-04559
Sun, G. K. See Struble, L.
Sun, G.-C. See Shi, G.; Zhong, W.-B.
Sun, G.-C.; Zhou, Ning-Sheng; Li, Z.-G.; Xing, Shou-Wei
High-performance refractories based on Chinese raw materials.—75-07565
Sun, G.-L. See Ren, C.-Z.
Sun, Hong-Tao; Cantalini, Carlo; Faccio, Marco; Pelino, Mario; Catalano, Massimo; Tapfer, Leander
Porous silica-coated α-Fe_2O_3 ceramics for humidity measurement at elevated temperature.—75-03132
Sun, J. Z. See Mai, Q. Y.
Sun, Jia-Lin See Dou, Shu-Ju
Sun, Jia-Lin; Dou, Shu-Ju
Influence of various zirconia additives on high-temperature properties of magnesia spinel brick.—75-07582
Sun, P.-Z. See Qiao, X.-L.
Sun, Q.-B. See Chen, D.-G.
Sun, S. See Leapman, R. D.
Sun, W. Y. See Mandal, H.
Sun, W.-Y. See Li, H.-X.; Wang, H.; Wang, P.-L.; Zhu, W.-H.
Sun, W.-Y.; Tu, H.-Y.; Yan, D.-S.; Mandal, H.; Thompson, D. P.
Phase relationships in the Sm-Si-Al-O-N system.—75-03819
Sun, Xu-Dong; Yeomans, J. A.
Influence of particle size distribution on ductile-phase toughening in brittle materials.—75-02067; Optimization of a ductile-particle-toughened ceramic.—75-09372
Sun, Y. See Zheng, Z.-H.
Sun, Z. See Zheng, Z.-H.
Sun, Z.; Zheng, Z.-H.; Xu, Ning
Diamond film deposited on a silica substrate with a ZnO:Al intermediate layer by hot-filament chemical vapor deposition.—75-01436; Growth rate of diamond film by hot-filament CVD.—75-06633
Suna, A. See Roelofs, M. G.
Sunandana, C. S. See Balaya, P.
Sunberg, D. S. See Bliss, M.; Hess, N. J.
Sundaram, K. B. See Lee, K. R.
Sundaram, S. K.; Freeman, C. J.; Lamar, D. J.
Electrochemical corrosion and protection of electrodes for a simulated high-level waste high-temperature glass melter.—75-08502
Sundaram, S. K.; Smith, G. L.
Electrode corrosion in simulated low-level nuclear waste glass melts.—75-08503
Sundaram, S. K.; Speyer, R. F.
Corrosion and electrochemical protection of molybdenum in molten silicate glasses.—75-07293; Electrochemical corrosion and protection of molybdenum and molybdenum disilicide in a molten soda-lime silicate glass environment.—75-06923
Sundararaman, R. See Bower, R. W.
Sundberg, Glenn; Yeckley, Russell L.
Borosilicate glass.—75-07409; HIPed silicon nitride having a reduced reaction layer.—75-08832
Sundberg, Peter
Kinetic measurements of glass formation.—75-08676
Sunde, Katinka See Myhre, Bjorn
Sundgren, J.-E. See Raty, R.; Turan, R.
Sundre, O.; Parlier, M.; Bouillon, E.
Comparative mechanical evaluation of two 2.5-D C/SiC composites processed via chemical vapor infiltraton and powder infiltration/polymer injection routes.—75-04459
Sung, Chang-Mo See Erturk, T.; Ma, Chao-Ying
Sung, Gun-Yong See Suh, Jeong-Dae
Sung, Gun-Yong; Suh, Jeong-Dae; Lee, Sang-Min; Park, Gwang-Seo
Fabrication of S-I-S planar sandwich-type junctions using in-plane aligned, *a*-axis-oriented $YBa_2Cu_3O_{7-\delta}$/$LaSrGaO_4$/$YBa_2Cu_3O_{7-\delta}$ trilayers.—75-08317
Sung, Gun-Yong; Suh, Jeong-Dae
Fabrication of the in-plane, aligned *a*-axis-oriented $YBa_2Cu_3O_{7-\delta}$ thin films.—75-08319
Sung, J.
Property-performance relationships in abrasives.—75-09665
Sung, P. See Tung, M. S.
Sung, T. See Khasawinah, S.; Popovici, G.
Sung, T.; Khasawinah, S.; Popovici, G.; Prelas, M. A.; Spitsyn, B. V.; Manning, G.
Conductivity and FTIR measurements of the hydrogen content of heat-treated diamond films.—75-01411
Sung, Tae-Hyun See Kim, Chan-Joong
Sung, Y. M.; Dunn, S. A.; Koutsky, J. A.
Crystallization of inviscid melt spun calcia-alumina eutectic fibers.—75-03781; Inviscid melt spinning and phase identification of CaO-Al_2O_3-MgO fiber.—75-04087
Sunkara, S. S.; Pandey, R. K.
Ilmenite—a wide band gap semiconductor for novel electronic applications.—75-03050
Suo, Zhi-Gang See Hillman, Craig
Supomo; Prokopovich, S. A.
Manufacture and use of synthetic wollastonite in production of fast-fired ceramic tiles.—75-00244
Surat, L. L. See Slobodin, B. V.
Suren, Josef
Phenolic resins as carbon forming agents.—75-07628
Suresh, K.; Patil, K. C.
Combustion synthesis and properties of fine-particle Mg-Zn ferrites.—75-05659
Suresh, N.; Jyoti, G.; Gupta, Satish C.
Shock-induced amorphization of α-GeO_2.—75-01340
Suresh, S. See Finot, M.
Suresh, T. Balaji; Kumar, S. Satish; Karmalkar, S.
Electroless plated nickel contacts to hydrogenated amorphous silicon.—75-02464
Surinach, S. See Baro, M. D.
Suris, R. A. See Andreev, A. D.; Ryvkin, B. S.
Surkova, T. P. See Galakhov, V. R.
Surnev, B. See Lepkova, D.
Surovtsev, I. S. See Kukuev, V. I.
Surovyak, Z.; Bakirov, A. A.; Zakharchenko, I. N.; Sviridov, E. V.; Aleshin, V. A.; Panich, A. E.
Thin films of $Pb_2(Zr_{1-x}Ti_x)_2O_6$ with pyrochlore structure.—75-06399
Suryanarayana, K. V.; Gurrappa, I.; Rao, B. T.; Rama Mohan, T. R.
Effect of niobia and vanadia additions on the mechanical properties of alumina.—75-04498
Suryanarayana, K. V.; Panda, R. K.; Prabhu, N.; Rao, B. T.
Effect of simultaneous additions of niobia and magnesia on the sintering and microstructure of seeded boehmite.—75-04010
Suryanarayana, S. V. See Hanumaiah, A.; Krishna, B. Gopala; Sekhar, M. Chandra
Suryanarayanan, R.; Nafidi, A.; Das, A.
Enhancement of T_c in argon-pretreated $NdSrBaCu_3O_{6+\delta}$.—75-00800
Surzhikov, A. P.; Voronin, A. P.; Pritulov, A. M.; Kozhemyakin, V. A.; Moizes, B. B.
Thermic-radiative effect of dissolution of parasitic phases in ceramic materials.—75-09088
Susa, K.; Matsuyama, I.; Satoh, S.
Effect of chlorination on optical absorption in sol-gel-derived optical fibers.—75-02708
Sushkevich, K. D. See Vavilov, V. S.
Sushkova, T. P. See Semenova, G. V.
Suski, T. See Leszczynski, M.; Teisseyre, H.
Suslov, A. V. See Kagan, V. D.
Suslov, L. A. See Shur, V. Ya.
Suslyakov, A. O. See Ovsyuk, V. N.
Susnitzky, David W. See Dunmead, Stephen D.; Hwang, C. J.
Sussmann, R. S. See Wort, C. J. H.
Sutherland, Audrey E. See Bailey, Alex E.
Sutherland, S.; Lewis, M. H.
Creep deformation of ceramic matrix composites.—75-04475
Suto, H. See Echigoya, Junichi
Suto, Minoru See Ichikawa, Kenji
Suto, Seiichi See Ando, Masami
Sutter, P. See Weber, A.
Suttisiri, Noppadon See Amornkitbamrung, Vittaya
Sutton, G. L. A. See Claridge, R. F. C.
Sutton, R. See Brunsman, E. M.
Sutton, Willard H.
Microwave processing: steps to successful commercialization—panel discussions.—75-02134
Suttor, D. See Greil, P.; Walter, S.
Suttor, D.; Erny, T.; Greil, P.; Goedeke, H.; Haug, T.
Fiber-reinforced CMC with polymer/filler derived matrix.—75-01499
Suttrop, W. See Yoganathan, M.
Suvorov, D.; Valant, M.; Kolar, D.
Chemistry and microwave properties of Bi_2O_3-doped $Ba_{4.5}Nd_9Ti_{18}O_{54}$-based ceramics.—75-01265
Suvorov, S. A.; Denisov, D. E.; Timofeev, V. F.
Evolution of gases from refractory mixtures on the BTSO phenol-furfural binder.—75-05091
Suvorova, N. A. See Veis, A. N.
Suyama, Shoko See Kameda, Tsuneji
Suzaki, Shinzo See Aizawa, Takuya
Suzdalev, I. P.; Imshennik, V. K.; Matveev, V. V.
Atomic mobility and thermodynamics of ultrasmall clusters of a substance.—75-06162
Suzhedelis, A. See Ashmontas, S.
Suzuki, Akira See Furukawa, Katsuki
Suzuki, Eisuke; Tsuyuki, Naomitsu; Aoyama, Yoshio; Machinaga, Osamu
Synthesis and characteristic feature of $4CaO$-Al_2O_3-Fe_2O_3-based glass with and without SiO_2.—75-07404
Suzuki, H. See Nagakubo, M.; Ota, T.
Suzuki, Hajime See Nabeshima, Shigeyuki
Suzuki, Hidetoshi See Hatta, A.
Suzuki, Hisao See Fukui, Hiroshi; Kamiya, Hidehiro; Takashi, Minoru
Suzuki, Hisashi See Terada, Osamu; Ueki, Mitsuo
Suzuki, Hitoshi See Yokoyama, Hiromitsu
Suzuki, Junichiro; Sakakibara, Shoji; Okuno, Akiyasu; Watanabe, M.
TiC-base/SiC whisker composite ceramic cutting tools.—75-03758
Suzuki, Junichiro
Silicon nitride base sintered body.—75-01195
Suzuki, K. See Torng, S.
Suzuki, Kazuhiko See Nakazawa, Tadahisa
Suzuki, Kazunori See Fujii, Jun
Suzuki, Kazuya See Enoki, Toshiaki
Suzuki, Kenji See Sakaida, Yoshihisa
Suzuki, M. See Takeuchi, S.
Suzuki, Masaharu; Nikaido, Tomoki; Mabuchi, Takeshi
Polycrystalline cubic boron nitride abrasive.—75-02173
Suzuki, Masatoshi See Sugiyama, Tomio
Suzuki, N. See Igarashi, Y.
Suzuki, Naruo See Tamamaki, Masahiro
Suzuki, Nobuo See Wada, Takahiro
Suzuki, Noriko See Yamada, Kazuo
Suzuki, P. A.; Fantini, M. C.
Texture of Bi-based superconductor tapes.—75-05847
Suzuki, P. A.; Jardim, R. F.; Gama, S.
Formation kinetics of polycrystalline $Eu_{2-x}Ce_xCuO_{4-y}$ obtained from a sol-gel precursor.—75-00806
Suzuki, Ryou; Nakajima, Akira; Segawa, Hideo; Suzuki, Tsuneo
Influence of Al_2O_3 addition on the sintering behavior of NiO-CoO solid solution.—75-09337
Suzuki, Ryou; Segawa, Hideo
Microstructure of NiO-CoO solid solutions sintered with Al_2O_3 additive.—75-09568
Suzuki, S. See Nakama, T.
Suzuki, S.; Sinn, E.
Calcium silicate hydrate [observed] by the precipitation method.—75-04809
Suzuki, Saburo See Kawasaki, Toshiyuki
Suzuki, Shigeyuki See Endoh, Shigehisa
Suzuki, Suguru See Loong, C.-K.; Ota, T.
Suzuki, Suguru; Nasu, Takakuni; Hayama, Seiji; Ozawa, Masakuni
Mechanical and thermal properties of β'-SiAlON prepared by a slip casting method.—75-03906
Suzuki, T. See Otsuka, A.
Suzuki, T.; Hattori, T.; Endo, A.; Yagi, M.; Shibuki, Kunio; Kobayashi, M.
Diamond-coated inserts, drills, and end mills.—75-08803
Suzuki, Takaaki See Kamo, Tomoichi; Kumagai, Teruo
Suzuki, Takahiro See Ando, Masami; Nagata, Fukue
Suzuki, Takakazu
Compatibility of pitch-based carbon fibers with aluminum for the improvement of aluminum-matrix composites.—75-06555
Suzuki, Takeshi See Kimura, Hiroshi
Suzuki, Takeyuki See Wada, Satoshi
Suzuki, Tatsuya See Nishiyama, Katsuhiro
Suzuki, Tetsuya See Zhou, Wei-Lie
Suzuki, Tetsuya; Shibuki, Kunio; Suzuki, Toshiyuki; Ikuhara, Yuichi
Interfaces in tungsten carbide.—75-01877
Suzuki, Toshiyuki See Ikuhara, Yumiko; Sasaki, Yukichi; Suzuki, Tetsuya
Suzuki, Tsuneo See Suzuki, Ryou
Suzuki, Y. See Chen, X.-M.; Kikukawa, M.; Saegusa, K.

Suzuki, Yoshikazu; Nakahira, Atsushi; Sekino, Tohru; Niihara, Koichi
Microstructure and mechanical properties of $MoSi_2$/SiC composites.—75-01886
Suzuki, Yutaka See Shin, Woo-Suck
Svanidze, T. M. See Pavelets, A. M.
Svatovskaya, L. B.
Thermodynamic aspects of binder system strength.—75-07193
Svechnikova, T. E. See Semenyuk, V. A.
Svechnikova, T. E.; Korzhuev, M. A.; Maksimova, N. M.; Konstantinov, P. P.; Alekseeva, G. T.
Hall coefficient (R) and resistance (π) anisotropy of germanium-doped $Bi_2Te_{2.85}Se_{0.15}$ single crystals.—75-07903
Svechnikova, T. E.; Maksimova, N. M.; Zussmann, G.; Reinskhaus, P.
Uniformity of $Bi_2Te_{2.85}Se_{0.15}$ single crystals produced by the Czochralski method.—75-06826
Svensson, G. See Grins, J.
Sverdrup, Lawrence H. See Lin, Shiow-Hwa
Svetlov, V. N. See Nemov, S. A.
Sviderskii, A. E. See Kandaurova, G. S.
Sviridov, E. V. See Surovyak, Z.
Sviridov, V. V.
Trap spatial recharging wave accompanying vibrations of the polar semiconductor.—75-05508; See also Gurin, V. S.
Svistov, A. E. See Volkov, B. A.
Svistunov, V. M. See D'yachenko, A. I.; Okunev, V. D.
Svitashev, K. K.; Shvets, V. A.; Mardezhov, A. S.; Dvoretskii, S. A.; Sidorov, Yu. G.; Varavin, V. S.
In situ ellipsometry during growth of cadmium-mercury-tellurium solid solution films by the MBE method.—75-08673
Svitilova, Jaroslava See Kolar, Frantisek
Svitko, V. S. See Al'perovich, I. A.
Swaanen, P. See Hintzen, H. T.
Swab, Jeffrey J.; Quinn, G. D.
VAMAS fractography round robin: a piece of the fractography puzzle.—75-04661
Swain, M. V. See Dukino, R. D.; Gogotsi, G. A.; Jamting, A.; Lai, T.-R.; Liu, T.; Montanaro, L.; Pagliolico, S.
Swaminathan, K. S.
Current status and future trends in refractory development in India.—75-07501; See also Ghosh, B.; Padhy, B. P.
Swaminathan, Madhavan See Perfecto, Eric D.
Swanson, David
Wood kiln for the lone potter.—75-04806
Swanson, J. G. See Wang, Q. H.
Swartz, Scott L. See Dawson, William J.
Swartz, Scott L.; Shrout, Thomas R.
Ceramic compositions for BZN dielectric resonators.—75-02945
Swartzbeck, G. See Partlow, W. D.
Swartzendruber, L. J. See Bennett, L. H.
Sweegers, N. See De With, G.
Sweep, N. A. See Jongerius, M. J.
Sweet, Jim See Norwood, David
Sweeting, Barbara See Corrigan, Frank
Sweetland, James E.
Glass gob drop guide funnel assembly.—75-08746
Swirczewski, J. W. See Miller, G. P.
Sychev, M. V.; Kostoglod, N. Yu.; Astrelin, I. M.; Kashkovskii, V. I.; Podrezov, O. N.; Goncharuk, V. V.
Preparation and study of the structure and physicochemical properties of TiO_2-fixed montmorillonite.—75-06719
Sychev, Maks M.; Korsakov, V. G.
Surface electronic states.—75-07190
Sycheva, G. A. See Boiko, G. G.
Sycheva, L. I.; Anufriev, M. V.
Physicochemical features of producing anhydrite cement from phosphogypsum.—75-07173
Sygulla, D. See Koberle, H.
Sylla, W. K.; Stillman, S. E.; Sabella, M. S.
Heat capacity of titanium disilicide.—75-01220
Syms, R. R. A.; Holmes, A. S.
Deposition of thick silica-titania sol-gel films on Si substrates.—75-06568
Syrkin, A. L. See Andreev, A. N.; Lebedev, A. A.
Syrnikov, P. P. See Baikov, Yu. M.; Lemanov, V. V.
Syrodoev, G. A. See Vyazovskii, M. V.
Syrykh, G. F.; Glazkov, V. P.; Suetin, A. V.; Khlopkin, M. N.; Sashin, I. L.; Goremychkin, E. A.
Neutron and calorimetric studies of the excitation spectra of La_2CuO_{4+y} compounds (y=0.08, 0).—75-08379
Syskakis, E. See Schwenk, R.
Sysoev, A. M.; Parshikov, S. A.; Zaitsev, A. I.; Zamkov, A. V.
Piezoelectric properties of glass-ceramics based on lithium tetraborate.—75-05622
Sysoev, B. I.; Bezryadin, N. N.; Budanov, A. V.; Prokopova, T. V.; Agapov, B. L.
Structure of indium sulfide layers on InAs.—75-05489
Sysoev, B. I.; Bezryadin, N. N.; Kotov, G. I.; Agapov, B. L.; Strygin, V. D.
Passivation of GaAs(100) surface by gallium chalcogenides $A_2^{III}B_3^{IV}$(110).—75-05415
Sytnik, R. D.; Kiuila, I. G.; Ignatyuk, O. A.
Chemical resistance of decorated film coatings based on iron-containing industrial waste.—75-02631; Effect of the composition of film-forming solutions and the temperature and time regimes on the colorimetric characteristics of film coatings.—75-02584
Sytschev, A. E. See Pityulin, A. N.
Szabo, D. V. See Vollath, D.
Szalai, Veronika See Cruse, Richard
Szasz, Paul See Weddigen, Gert
Szczepanski, J. See Roth, M.
Szostak, Rosemarie See Lillierud, Karl Peter
Szymanski, Thomas; Rolando, Steven A.; Gough, David M.; Bennett, Gerald S.
Titania-based catalyst carriers.—75-08787
Tabarov, T. S. See Zhebulev, I. A.
Tabata, A. See Guo, Xin; Sato, Tatsuya
Tabata, Hitoshi See Tomio, Takeshi
Tabata, Masahiro; Akanuma, Kazuhiro; Togawa, Takayuki
Mossbauer study of oxygen-deficient Zn^{II}-bearing ferrites and their reactivity toward CO_2 decomposition to carbon.—75-05697
Tabata, Yujin See Hayashi, Tsuyoshi
Tabatadze, I. G. See Ledentsov, N. N.
Taborek, P. See Russell, D. A.
Taborek, Peter See Maiken, Eric B.
Taborov, V. F. See Tarasov, V. F.
Tachibana, Takeshi; Saito, Kimitsugu; Hayashi, Kazushi; Nishimura, Kozo; Nakamura, Rie
Formation of highly oriented diamond film.—75-08824
Tada, E. See Kawamura, M.
Tada, Hidenori See Yamamura, Takashi
Tada, S.; Takahashi, T.; Abe, T.
Development of functionally gradient cast material by means of temperature difference heat treatment.—75-03517
Taga, Yasunori See Fujikawa, Hisayoshi
Tagami, Keiichi See Tamaki, Shinkichi
Tagantsev, A. K. See Colla, E. L.
Tagantsev, A. K.; Kholkin, A. L.; Colla, E. L.; Brooks, Keith G.; Setter, N.
Effect of ferroelectric polarization on current response of PZT thin films.—75-05549
Tagantsev, D. K. See Kurbatova, G. I.
Tagawa, Hiroaki See Mizusaki, Junichiro
Tagawa, Tomohiko See Takano, Akira
Tagiev, B. G. See Georgobiani, A. N.
Tagiev, B. G.; Tagiev, O. B.; Kasimova, G. A.; Georgobiani, A. N.; Lepnev, L. S.; Gyul'maliev, T. A.
Photoluminescence of rare-earth-doped $(Ga_2S_3)_{0.95}(Eu_2O_3)_{0.05}$ single crystals.—75-06314
Tagiev, B. G.; Tagiev, O. B.; Musaeva, N. N.
Injection and field ionization of traps in $MnGa_2Se_4$ single crystals.—75-03064
Tagiev, I. G. See Aliev, S. A.
Tagiev, M. M.; Abdinov, D. Sh.
Magnetothermoelectric properties of extruded lead-doped $Bi_{85}Sb_{15}$ solid solutions.—75-09158
Tagiev, O. B. See Georgobiani, A. N.; Niftiev, N. N.; Tagiev, B. G.
Tagirov, V. K. See Kazenas, E. K.
Taguchi, Hideki See Shibahara, Hiroyasu
Taguchi, Keisuke See Nishiyama, Katsuhiro
Taguchi, Seiji See Udagawa, Etsuro
Taguchi, Tomoyuki; Kuribayashi, Hideyuki; Tanaka, Jun; Konaga, Tomomi; Morigami, Yoshihiro
Composition for producing low-temperature cofired substrate.—75-05219
Tahan, Danielle M.; Safari, Ahmad; Klein, Lisa C.
Preparation and characterization of $Ba_xSr_{1-x}TiO_3$ thin films by a sol-gel technique.—75-03250
Tahara, Shuichi See Hidaka, Mutsuo; Miura, Sadahiko; Numata, Hideaki
Taheri, F.
Applications of finite element techniques in advanced ceramics.—75-05935; See also Moreau, A.
Tai, N.-H.
Theoretical modeling of the chemical vapor infiltration process for fabricating ceramic matrix composites.—75-04254; See also Chao, H.-T.
Tai, Weon-Pil; Yun, Yeo-Bum; Kim, Song-Hee
Effect of internal stress on the strength of PZT ceramics.—75-08131
Taibi, H. See Lajnef, M.
Taira, Hatsuo; Nakao, Jun; Tamura, Shinichi; Asano, Keisuke; Nakamura, Masahiko
Textural change behavior of refractories during thermal shock resistance test and its quantitative evaluation.—75-07674
Taira, M.; Toyooka, Hiroo; Yamaki, M.
Preparation of radiopaque SiO_2-BaO fillers by the sol-gel process for dental composite resins.—75-01091
Taira, M.; Yamaki, M.
Hardness of nine machinable ceramics for dental applications.—75-06987; Ranking machinability of nine machinable ceramics by dental high-speed cutting tests.—75-04619
Taira, Toshimitsu See Tsuyuguchi, Koji
Tairov, Yu. M. See Safaraliev, G. K.
Tajima, Itsurou; Ueda, Fumihiro
Wear-resistant cubic boron nitride-based cutting tool.—75-06143
Tajima, Kenichi See Nagano, Saburou
Tajima, S. See Schutzmann, J.
Tajima, Y.; Hattori, Y.
Silicon nitride components for reciprocating engines.—75-03717
Tajima, Y.; Mizuno, K.; Matsubara, K.; Watanabe, M.
Fabrication and high-temperature properties of silicon nitride ceramics with transition metal silicide dispersion.—75-04029
Tajima, Y.; Urashima, K.
Improvement of strength and toughness of silicon nitride ceramics.—75-04561
Tajima, Y.; See also Otsuka, Jun; Urashima, K.
Development of high-performance silicon nitride ceramics and their applications.—75-03695
Tajima, Yoshimitsu See Furukawa, Katsuki
Takabatake, Nobuyoshi See Tanaka, Hironao
Takabatake, Nobuyoshi; Tanaka, Hironao; Tsubota, Takashi; Ishikawa, Toshiaki; Ohhashi, Kentaro
Effect of water, acetone, or acids on Bi system superconducting films prepared by use of sol-gel method.—75-00793
Takacs, Laszlo; Pardavi-Horvath, Martha
Nanocomposite formation in the Fe_2O_4-Zn system by reaction milling.—75-03321
Takacs, S.
Ac losses and time constants of flat superconducting cables in inhomogeneous magnetic fields.—75-08258
Takada, J.; Awaji, H.; Koshioka, M.
Copper phthalocyanine titanium oxide multilayers.—75-00448
Takada, Jun See Ikeda, Yasunori; Kobayashi, Naoya; Kusano, Yoshihiro; Masada, Keizo; Niinae, Toshinobu
Takada, Jun; Nagae, Masahiro; Kusano, Yoshihiro; Nanba, Tokuro; Ikeda, Yasunori; Takano, Mikio
Mechanical grinding and reforming process of the Pb-substituted 2223 phase.—75-00824
Takada, Tomoyuki See Yamaguchi, Takashi
Takada, Toshio See Kobayashi, Naoya; Masada, Keizo
Takadoum, J.; Zsiga, Z.; Ben Rhouma, M.; Roques-Carmes, C.
Correlation between friction coefficient and wear mechanism of SiC/SiC system.—75-04466
Takagi, H. See Awano, M.; Furuta, S.
Takagi, Hiroshi See Abe, Yoshio
Takagi, Masahiro See Okada, Kenichi
Takagi, Nobuoki; Tokunaga, Hiroki; Masuyama, Shinichiro
Al_2O_3-TiC sintered product and substrate for magnetic heads.—75-08548
Takagi, Shozo See Chow, Laurence C.
Takagi, Yasuo; Okitsu, Yoshitaka; Ukena, Toshiyasu
Direct observation of diffraction arcs from nanoscale precipitates in steels by highly brilliant and focused synchrotron radiation beam and imaging plate.—75-01824
Takahashi, Chiori See Amada, Shigeyasu
Takahashi, H. See Jian, C. Y.
Takahashi, Hideaki See Hosoi, Kazuyuki
Takahashi, Hideo See Ohsaka, Shigeru
Takahashi, Hideo; Shinohara, Nobuhiro; Uematsu, Keizo; Tsubaki, Junichiro
Influence of granule character and compaction on the mechanical properties of sintered silicon nitride.—75-04567
Takahashi, Hideo; Shinohara, Nobuhiro; Uematsu, Keizo
Influence of spray-dry slurry flocculation on the structure of sintered silicon nitride.—75-09340
Takahashi, Hiroki; Nagata, Hirotoshi; Kataoka, Hiruki
Formation of stress reduced silicon oxide films by Ar/H_2 sputtering method.—75-06620
Takahashi, Hirokuni See Saeki, Goji; Watanabe, Akira
Takahashi, Hiroyuki; Sato, Takayasu; Ito, Shigeru; Akashi, Kazuo
Reaction plasma sintering of aluminum oxynitride ceramics.—75-09418
Takahashi, Hisakazu; Ezaki, Kenicki; Baba, Yoko; Shibata, Kenichi
Microwave dielectric ceramic composition.—75-02954
Takahashi, J. See Watanabe, R.
Takahashi, Jun See Tsuda, Hiroshi
Takahashi, Junichi See Nishiwaki, Shiro
Takahashi, K. See Gruverman, A.
Takahashi, Kazuo; Kumata, Fumio; Nozaki, Hitoshi; Inoue, Shinichi; Makabe, Toshiji
Process for producing spherical zeolite catalyst and apparatus for producing the same.—75-06100
Takahashi, Kiyohisa See Tomita, Hisayo
Takahashi, Koji See Kuwabara, Mitsuo
Takahashi, M. See Kumakawa, A.
Takahashi, M.; Kanno, R.; Kawamoto, Y.
Compositional dependence of Er^{3+} upconversion luminescence in MF-LiF-ZrF_4 glasses (M=alkali metals).—75-04885
Takahashi, Makoto; Umino, Hiroshi
Metallorganic chemical vapor deposition of superconducting oxide films.—75-03429
Takahashi, Masahiro; Toyuki, H.; Tatsumisago, Masanari
Structural investigation of rapidly quenched Li_3BO_3-Li_4GeO_4 glasses.—75-04931
Takahashi, Masakazu See Sato, Koichi
Takahashi, Masanari See Hirai, Koichi
Takahashi, Masaru See Ogawa, Makoto
Takahashi, Minoru See Ota, T.; Unuma, Hidero
Takahashi, Minoru; Ota, T.; Ando, K.
Precipitation of crystalline and noncrystalline materials from (Ca, Cd, Co, Mg, Ni, and Zn)-hydrogen carbonate solutions under stearic acid monolayer.—75-01610
Takahashi, Minoru; Ota, T.; Haraguchi, K.; Kagohashi, Y.
Heterogeneous microstructure development in the binary mixtures of high-purity alumina powders surface-modified by coupling agents.—75-01521
Takahashi, Mitsuo See Vaccaro, Pablo O.
Takahashi, Sadayuki See Zheng, Jie-Hui
Takahashi, Shigeaki See Ando, Mitsuru; Miyagawa, Nobuo
Takahashi, T. See Tada, S.
Takahashi, Takashi See Yano, Keiichi
Takahashi, Tatsuhito See Nakashima, Hirohisa
Takahashi, Y. See Bucko, D.; Kumar, Viswanathan; Ohya, Yutaka
Takahata, Haruo See Asida, Shyoji
Takahata, Shigeru
Method and apparatus for preparing metal-ceramic composite body.—75-04877
Takahishi, Tatsuhito; Iiyama, Makoto; Nishi, Masaaki
Reaction of silicon carbide grains with molten iron penetrating in carbon-based refractories.—75-07641
Takai, Mikio See Yokoi, Naoki
Takai, Yoshiaki See Sato, Koichi
Takaichi, Hiroshi See Kondoh, Akihiro; Murakami, Masato
Takakura, Kenji; Uchida, Katsuyuki
Positive temperature coefficient thermistor device.—75-00721
Takakura, Shinichi See Yoshimura, Toshimi
Takakura, Yuichi See Hamazaki, Yoshihisa
Takamatsu, T. See Ichikawa, M.
Takami, Akihiro See Katsumata, Masaaki
Takamori, Takeshi See Duncombe, Peter R.; Harris, Jonathan H.
Takamura, Hitoshi See Imura, Masaaki
Takanaga, Sigeyuki See Watanabe, Akira

Takano, Akira; Tagawa, Tomohiko; Goto, Shigeo
Carbon dioxide reforming of methane over nickel catalyst supported on ceramic foam.—75-09228
Takano, Mikio See Kusano, Yoshihiro; Takada, Jun
Takano, S. See Yasuda, T.
Takano, Satoshi See Fujino, Kousou
Takao, Y. See Shimizu, Y.
Takaoka, Tatsuru; Yagi, Kouichi; Kohno, Yoshiaki
Method of manufacturing multilayer electronic component.—75-00401
Takaoka, Yuichi See Niimi, Hideaki
Takasaki, Hisako; Tanabe, Setsuhisa; Hanada, Teiichi
Long-lasting afterglow characteristics of Eu, Dy codoped $SrO-Al_2O_3$ phosphor.—75-08973
Takase, Akira See Nonaka, Kazuhiro
Takashi, Minoru; Shimizu, Jun; Unuma, Hidero; Matsubayashi, Shigeharu; Ueki, Masanori; Suzuki, Hisao
Effect of characteristics of plaster mold on the slip casting of high concentrated alumina slurry.—75-09270
Takashi, Mukai See Nakamura, Shuji
Takashima, H. See Katsumata, T.
Takashima, K. See Fukui, Y.
Takashima, O. See Furuhashi, H.
Takashima, Toshiyuki See Yamamoto, Tsuyoshi
Takasu, Hidemi See Nakamura, Takashi
Takasuka, Yutaka See Nomura, Koichi
Takata, Atsushi See Ishizaki, Kozo
Takata, Masasuke
Relationship between crystal orientation and gas sensing property of sputtered SnO_2 films.—75-00587; See also Hamagami, Junichi; Huybrechts, Ben
Takatori, K.
Thermal shock resistance of alumina-SiAlON composites.—75-07046
Takawa, Hiroaki See Hashimoto, T.
Takayama, R. See Kamada, T.
Takayanagi, Hideaki See Akazaki, Tatsushi
Takayanaki, Eiichi
Ceramic bearing balls.—75-06103
Takebayashi, Takao See Itoh, Hiroshi
Takebe, Hiromichi See Nageno, Y.
Takebe, Hiromichi; Murata, Takahiro; Morinaga, Kenji
Compositional dependence of absorption and fluorescence of Yb^{3+} in oxide glasses.—75-02633
Takebe, Hiromichi; Murata, Takahiro; Nishida, Hiroyuki; Hewak, Daniel W.; Morinaga, Kenji
Compositional dependence of optical properties of Nd^{3+} in gallate glasses.—75-07292
Takebe, Shyoji See Gotoh, Kuniaki
Takeda, Michio See Shimoo, Toshio
Takeda, N. See Mouhamath, B.; Yamade, Yoshiaki
Takeda, Teruhiko See Shiranita, Akira
Takeda, Yasuo; Inamo, Tatsuya; Nozaki, Hidetaka; Imanishi, Nobuyuki; Yamamoto, O.
Oxygen dope in layer ordered copper perovskites.—75-00561
Takemura, Koichi See Lesaicherre, Pierre-Yves
Takemura, Shuji See Yamada, Kazuhiro
Takenaka, Kazuhiko See Wakino, Kikuo
Takenaka, Tadashi See Aoki, Masashi
Takenoshita, Takeshi See Uchimura, Hiroshi
Takeo, Masakatsu See Kiss, Takanobu
Takeo, Takashi See Ono, Satomi
Takesue, Naohisa; Chen, Haydn
In situ X-ray diffraction study of the impurity effects on the cubic-to-tetragonal phase transformation in $PbTiO_3$.—75-01223
Takeuchi, Hideaki See Tateyama, Hiroshi
Takeuchi, I. See Bhattacharya, S.
Takeuchi, Katsuyuki See Takeuchi, Yukihisa
Takeuchi, Masaaki See Shiranita, Akira
Takeuchi, Nobuyuki See Ishikawa, Makoto; Nanri, Hayato
Takeuchi, S.; Kobayashi, T.
Broadband near-infrared pulse generation in $KTiOPO_4$.—75-06424
Takeuchi, S.; Suzuki, M.; Imamura, J.; Murakami, T.; Kawarada, H.; Murakawa, Masao
Exciton recombination radiation from highly pure diamond synthesized by pressurized combustion flame method.—75-08931
Takeuchi, Seizi See Doi, Toshiya; Kamo, Tomoichi
Takeuchi, Takashi See Liu, Yi-Jun
Takeuchi, Y. R. See Kokini, K.
Takeuchi, Y. R.; Kokini, K.
Thermal fracture of multilayer ceramic thermal barrier coatings.—75-07045
Takeuchi, Yukihisa; Kimura, Koji
Piezoelectric/electrostrictive element having ceramic substrate formed essentially of stabilized zirconia.—75-00720
Takeuchi, Yukihisa; Masumori, Hideo; Takeuchi, Katsuyuki; Nanataki, Tsutomu
Zirconia diaphragm structure and piezoelectric/electrostrictive element incorporating same.—75-08789
Taki, Chihiro; Sugimoto, Hiroyuki; Nomura, Osamu; Kurashina, Yukinobu; Hoshiyama, Yasuhiro
Development of low-carbon MgO-C brick for tap hole sleeve of BOF.—75-05059
Taki, Hiromitsu See Hidaka, Akio
Taki, Y. See Shimizu, Y.
Takita, Ichiro See Sasaki, Toshihisa
Takita, Yusaku See Ishihara, Tatsumi; Mizuhara, Yukako
Takizawa, H. See Endo, Tadashi; Shimada, M.
Takke, Rolf See Englisch, Wolfgang
Takuma, Kh. See Kaminskii, A. A.
Takusagawa, Nobuo See Kawamura, Hirotoshi; Taruta, Seiichi
Takwale, M. G. See Mirazapour, S.
Talanov, V. M. See Ivanov, V. V.; Drozdov, Yu. N.
Talbert, Lloyd G.; Brazil, Stephen M.
Graphite-loaded silicon carbide.—75-08825
Talbot, Julian See Paithankar, Dilip Y.
Talbott, Roblee L. See Dziedzic, Chester J.
Tallant, David R. See Brow, Richard K.; Friedmann, T. A.; Parmeter, John E.; Siegal, M. P.
Tallaron, C.; Rouby, D.; Fantozzi, G.; Abbe, F.; Zerdouk, A.
Tensile and cyclic fatigue behavior of a carbon-carbon composite at room temperature.—75-04645
Talmy, I. G.; Haught, D. A.; Martin, C. A.
Ash-based ceramic materials.—75-08553; Phosphate-bonded Si_3N_4 and AlN ceramics.—75-01152
Talmy, I. G.; Haught, D. A.; Zaykoski, J. A.; Wuchina, E. J.
Synthesis and properties of $BaO-Al_2O_3-2SiO_2-SrO-Al_2O_3-2SiO_2$ (BAS-SAS) ceramics.—75-01094
Talmy, I. G.; Wuchina, E. J.; Zaykoski, J. A.; Opeka, M. M.
Ceramics in the system NbB_2-CrB_2.—75-03692
Talsma, H. See Titulaer, M. K.
Talwar, D. N.; Badi, N.; Bousetta, A.; Bensaoula, A.
Energetic states of isolated native defects in cubic boron pnictides.—75-08925
Talwar, D. N.
Theory of impurity vibrations in cubic boron nitride and boron phosphide.—75-09085
Tamada, Hitoshi See Yamada, Atsuo
Tamaki, Jun See Yoo, Do-Joon
Tamaki, Shinkichi; Tohge, Noboru; Tagami, Keiichi; Okuyama, Kikuo
Preparation of fine particles of ZnS-CdS solid solution by spray pyrolysis.—75-09394
Tamamaki, Masahiro; Fujii, Souichi; Suzuki, Naruo
Ceramic abrasive grains, method of producing the same, and abrasive products made of the same.—75-00011
Tamari, Nobuyuki See Kato, A.; Tanaka, Takahiro
Tamari, Nobuyuki; Tanaka, Takahiro; Kondoh, Isao; Tezuka, Kazuhiro; Yamamoto, Tsutomu
Mechanical properties and cutting performance of titanium carbide whisker/alumina composites.—75-09648
Tambuyser, P. See Djuricic, B.
Tamehiro, Taizo See Yasuda, Naotoshi
Tamis, P. See De Jong, R.
Tamm, V. Kh. See Martem'yanov, N. A.
Tamor, Michael A.; Everson, Mark P.
Role of penetration twins in the morphological development of vapor-grown diamond films.—75-01655
Tamor, Michael A.; Potter, Timothy J.; Wu, Ching-Hsong
Process for deposition of ultrafine-grained polycrystalline diamond films.—75-01185
Tamor, Michael A.; Vassell, W. C.
Raman fingerprinting of amorphous carbon films.—75-01922
Tamor, Michael A.
Synthesis, properties, and applications of superhard amorphous coatings.—75-09194; See also Gangopadhyay, Arup
Tamosiuniene, M. See Burneika, I.
Tampieri, A. See Pekala, M.
Tamura, H. See Sawaoka, A. B.
Tamura, Hideki; Nagahama, Mutsuhisa; Tanabe, Yasuhiro
Spraying of zirconium diboride powder by an electrical column explosive technique and its mechanism.—75-01680
Tamura, Hiroshi See Higuchi, Yukio
Tamura, Shinichi See Taira, Hatsuo
Tamura, Takanori See Horie, Michikazu
Tan, Aichun See Nicholson, Patrick S.
Tan, Cheng-Zhong; Arndt, Jorg
Static dielectric constant and dielectric relaxation of densified SiO_2 glass.—75-02686
Tan, H.-S. See Shi, Xu; Tay, Beng-Kang
Tan, J.-Q. See Chen, Y.-R.; Liu, Ji-Fu; Ma, Ya-Lu; Wang, S.-Q.
Tan, K.-C. See Tan, K.-H.
Tan, K.-H.; Paramasivam, P.; Tan, K.-C.
Cracking characteristics of reinforced steel fiber concrete beams under short- and long-term loadings.—75-02393
Tan, K.-L. See Wee, A. T. S.
Tan, Meow-Peng See Lee, Choong-Kheng
Tan, Qi; Viehland, Dwight
Ac drive-enhanced relaxor characteristics and domain breakdown in ferroelectrics containing quenched impurities.—75-08120
Tan, S.-H. See Chen, Z.-M.; Huang, Z.-R.; Pan, Y.-B.; Zhou, Y.
Tan, Xu See Du, Wei-Fang
Tanabe, Hiroyuki See Sugimoto, Makoto
Tanabe, K.; Teherani, F. Hosseini; Kubo, S.
Effects of photoinduced hole doping on transport properties of $YBa_2Cu_3O_y$ grain boundary junctions.—75-00796
Tanabe, Setsuhisa See Takasaki, Hisako
Tanabe, Setsuhisa; Hanada, Teiichi
Effect of ligand field on branching ratio of ultraviolet and blue upconversions of Tm^{3+} ions in halide and oxide glasses.—75-00212
Tanabe, Tasuhiro See Akatsu, Takashi
Tanabe, Yasuhiro See Sawaoka, A. B.; Tamura, Hideki; Yoon, Sang-Young
Tanahashi, Ichiro; Tohda, Takao
Photoinduced formation of small gold particles in silica gels.—75-04136
Tanahashi, S. See Makihara, C.
Tanaka, Akiei See Kusui, Jun
Tanaka, H. See Nagamoto, H.; Yazawa, T.
Tanaka, Hidehiko
Normal and abnormal grain growth rates in a spherical grain matrix.—75-09572
Tanaka, Hirokazu See Kohinata, Masayoshi
Tanaka, Hironao See Takabatake, Nobuyoshi
Tanaka, Hironao; Tsubota, Takashi; Ishikawa, Toshiaki; Ohhashi, Kentaro; Takabatake, Nobuyoshi
Fabrication of $BiSrCaCuO$ superconducting films by use of sol-gel method and their properties.—75-00803
Tanaka, I.; Bruley, J.; Gu, Hui; Hoffmann, Michael J.; Kleebe, H.-J.; Cannon, R. M.
Compositions and thicknesses of grain boundary films in Ca-doped silicon nitride ceramics.—75-04306
Tanaka, I.
Grain-boundary structure and high-temperature mechanical response in low Ca-doped Si_3N_4.—75-01857; Subcritical crack growth resistance in silicon nitride ceramics.—75-04642; See also Kleebe, H.-J.; Kojima, Hironao; Nakayasu, Tetsuo
Tanaka, Jun See Taguchi, Tomoyuki
Tanaka, Junzo See Sakaguchi, Isao
Tanaka, Katsuhisa; Furukawa, Shigeo; Hirao, Kazuyuki; Soga, Naohiro
Elastic anomaly and structure of phosphate glasses containing divalent cations.—75-02649
Tanaka, Kazuhide See Doi, Toshiya
Tanaka, Kazuhiko See Hiroshima, Takuya
Tanaka, Keisuke See Sakaida, Yoshihisa
Tanaka, Kouichi; Terazono, Masaki; Satoh, Masahiro; Nakanishi, Masahito; Uchimura, Hideki; Kousaka, Shoji
Silicon nitride-silicon carbide composite sintered material and manufacturing thereof.—75-08847
Tanaka, M. See Miida, R.
Tanaka, Masahiro See Tressler, James F.
Tanaka, Masato; Kitai, Tsuneo
Influence of magnesia particle size distribution on the physical properties of MgO-C bricks.—75-07581
Tanaka, Ryuji See Yasuda, Naotoshi
Tanaka, Saburo See Adachi, Akira; Itozaki, Hideo; Nakanishi, Hidenori
Tanaka, Saburo; Itozaki, Hideo; Yazu, Shuji
Method for forming continuous oxide superconducting layer having difference thickness portions for superconducting device.—75-00905
Tanaka, Saburo; Matsuura, Takashi; Itozaki, Hideo
Josephson junction device formed of oxide superconductor and process for preparing the same.—75-08459; Superconductor junction structure including two oxide superconductor layers separated by a nonsuperconducting layer.—75-08492
Tanaka, Saburou See Itozaki, Hideo
Tanaka, Seijiro See Mori, Junichiro; Sasaki, Kimiaki; Terayama, Satoshi; Tsuchiay, Ichiro
Tanaka, Shoji See Hayashi, Kunihiko; Kondoh, Akihiro; Konishi, Masaya; Murakami, Masato; Oyama, Terutsugu
Tanaka, Shunichiro
Stress redistribution around a ceramic/metal interface.—75-00137
Tanaka, So; Iiyama, Michitomo
Crystal compensated superconducting thin film formed of oxide superconductor material.—75-00901; Layered structure comprising insulator thin film and oxide superconductor thin film.—75-08462; Method for manufacturing superconducting thin film formed of oxide superconductor having nonsuperconducting region and device utilizing the superconducting thin film.—75-05870
Tanaka, So; Nakamura, Takao; Iiyama, Michitomo
Method for forming a patterned oxide superconductor thin film.—75-03430
Tanaka, So; Saitoh, Mitsuchika; Iiyama, Michitomo
Oxide superconducting device.—75-08479
Tanaka, T.; Nakayama, H.; Okabe, N.; Imamichi, T.
Strength and crack growth behavior of sintered silicon nitride in cyclic fatigue.—75-02099
Tanaka, Takahiro See Kato, A.; Tamari, Nobuyuki
Tanaka, Takahiro; Tamari, Nobuyuki; Kondoh, Isao; Iwasa, Mikio
Fabrication and mechanical properties of 3-dimensional Tyranno fiber-reinforced SiC composites by repeated infiltration of polycarbosilane.—75-09303; Fabrication of SiC-SiC whisker composite by repeated infiltration of polycarbosilane.—75-01497
Tanaka, Takashi See Toya, Eiichi
Tanaka, Tatsuo
Optimum design for fine and ultrafine grinding mechanisms using grinding media.—75-06702
Tanaka, Terumi See Imura, Masaaki
Tanaka, Tetsuya See Odani, Niro
Tanaka, Toshimasa See Ohya, Yutaka
Tanaka, Tsunehiro See Yoshida, Hisao
Tanaka, Yoshio See Nishioka, Takao
Tananaeva, O. I. See Asotskii, V. V.
Tanasoiu, C. See Popescu, M.
Tandon, R. See Sayer, M.
Tandon, R.; Singh, Ved; Singh, Ramadhar
Properties of low-temperature-sintered neodymium-doped lead zirconate titanate ceramics.—75-05630
Tanei, Hirayoshi; Iwanaga, Shoichi; Ishihara, Shousaku; Morita, Kousaku
Method for manufacturing multilayer ceramic substrate.—75-07765
Tang, Chun-He See Xu, Shi-Jiang
Tang, D.-Y. See Liu, Kun
Tang, Fulvio J.
Cement-containing activated belite.—75-07195
Tang, H. See Sanjines, R.
Tang, Mei-Jie; Yip, Sidney
Lattice instability in β-SiC and simulation of brittle fracture.—75-02070
Tang, Ming-Shu See Shen, Yang
Tang, Wei-Jia; Bergman, Bill
Formation of Al_2O_3-Al composite by directed oxidation of molten metals.—75-02480
Tang, Xiao-Xia See Zhang, Yao
Tang, Xun; Donato, Antonio T.
Aqueous emulsion acrylic binders for low-foaming ceramic slips.—75-01382
Tang, Xun; Ibbitson, Scott A.; Donato, Antonio T.
Acrylic emulsion binder for tape casting.—75-03948
Tang, Xun
Binders for ceramic products.—75-08554; See also Whitman, David W.
Tang, Y.-S. See Jiang, J.-F.

Tang, Y.; Rich, D. H.; Lingunis, E. H.
Polarized cathodoluminescence study of stress for GaAs grown selectively on patterned Si(100).—75-00575
Tang, Z. R. See Zhao, Y.
Tang, Zi-Long See Zhang, Zhong-Tai
Tanger, C. See Chein, T.
Tangermann, Katja See Herrmann, M.; Klemm, H.
Tani, Eiji See Shobu, Kazuhisa
Tani, Eiji; Shobu, Kazuhisa
Effect of polymer addition on the strength of carbon fiber-reinforced reaction-bonded SiC matrix composites.—75-04007
Tani, Toshihiko; Lakeman, Charles D. E.; Li, Jie-Fang; Xu, Zheng-Kui; Payne, David A.
Crystallization behavior and improved properties for sol-gel-derived PZT and PLZT thin layers processsed with a lead oxide cover coating.—75-00643
Tani, Toshihiko; Li, Jie-Fang; Viehland, Dwight
Antiferroelectric-ferroelectric switching and induced strains for sol-gel derived lead zirconate thin layers.—75-05531
Tanida, Shouzo See Tatumoto, Hirohiko
Tanigawa, S. See Uedono, A.
Tanigawa, Shoichi See Yamamura, Takashi
Taniguchi, Kiyomi See Fujii, Yoji
Taniguchi, Masaaki See Kariyama, Michio
Taniguchi, Masato
Ceramic target.—75-06104
Taniguchi, Tadao See Nishio, Hideaki; Yamamoto, Kenji
Taniguchi, Takashi; Akaishi, Minoru; Yamaoka, Shinobu
Mechanical properties of polycrystalline translucent cubic boron nitride as characterized by the Vickers indentation method.—75-02074
Tanihata, K. See Li, Z.; Miyamoto, Y.
Tanikawa, Eiki See Shiosaki, Tadashi
Tanimura, Shinji See Satoh, Munetake
Tanji, H.; Kurihara, N.; Yoshida, M.
Electrical properties of Mg-In oxide spinel solid solution.—75-06453
Tanji, Takayoshi See Herring, Rodney A.; Hirayama, Tsukasa
Tanner, B. K. See Wormington, M.
Tanner, K. E.; Downes, R. N.; Bonfield, W.
Clinical applications of hydroxyapatite-reinforced materials.—75-01081
Tanryverdiev, V. S.; Aliev, O. M.; Aliev, I. I.
Phase equilibria in the Bi_2S_3-Ln_2O_3S (Ln=La, Ce, Pr) systems.—75-09016; Synthesis and physicochemical properties of $LnBiOS_2$ [Ln=La, Ce, Pr, Nd, Sm, Gd, Dy, Yb] compounds.—75-09459
Tansley, T. L. See Kumar, Sunil
Tanuma, Ryohei See Sasaki, Takeo
Tao, S.-P.; Li, W.-X.; Cao, Y.
Application of spinel-carbon brick in steel ladle.—75-07473
Tao, S.; Song, Z. H.; Selviah, D. R.
Bragg shift of holographic gratings in photorefractive Fe:$LiNbO_3$ crystals.—75-06166
Tapfer, Leander See Sun, Hong-Tao
Taplin, David M. R. See West, Grant
Tarakanchikov, G. A. See Kuznetsov, G. I.
Tarakanov, E. A. See Lemanov, V. V.
Taranov, A. V. See Ivanov, S. N.
Tarasevich, B. P.
Ceramic wood from diatomites.—75-07441; Choice of a brick-tile line of plastic forming.—75-07442
Taraskin, S. A. See Strukov, B. A.
Tarasov, A. V. See Denotkin, V. L.
Tarasov, I. S. See Alferov, Zh. I.
Tarasov, I. V.; Dolgikh, V. A.; Popovkin, B. A.; Baron, A. E.
New oxobromides of neodymium-tellurium and samarium-tellurium.—75-06287
Tarasov, I. V.; Gus'kov, V. N.; Kovba, M. L.
Monovariant and invariant equilibria in the BaO-Cu-O_2 ternary system.—75-08986
Tarasov, K. A. See Isupov, V. P.
Tarasov, V. F.; Shakurov, G. S.; Gavrilenko, A. N.
EPR of chromium ions in synthetic forsterite in the submillimeter range.—75-06223
Tarasov, V. F.; Taborov, V. F.; Kasatkin, A. L.; Pan, V. M.
Surface resistivity of YBaCuO single crystals.—75-08434
Tarasova, D. V. See Bykhodtseva, K. I.
Tarasova, L. S.; Skorikov, V. M.
Chemical etching of $Bi_{12}GeO_{20}$ and $Bi_{12}SiO_{20}$ single crystals.—75-09239
Tarbaev, N. I. See Babenstov, V. N.; Babentsov, V. N.; Strikha, M. V.; Vas'ko, F. T.
Tarenkov, V. Yu. See D'yachenko, A. I.
Tariyal, Basant K.
Manufacture of optical fibers for communications.—75-00959
Tarlakov, Yu. P. See Pronkin, A. A.
Tarlov, M. J. See Kreider, K. G.
Tarquini, P. See Maroncelli, M.
Tarrant, R. N.
Adaptation of an automotive exhaust gas analyzer to small periodic fuel kilns—a useful tool for calibration, control, and research.—75-01054; Ceramic fiber and occupational health and safety—a review of the literature.—75-02114
Tarrida, M.; Madon, M.; Le Rolland, B. L.; Colombet, P.
In situ Raman spectroscopy study of the hydration of tricalcium silicate.—75-03702
Tarry, Christopher A.
Ceramic armor.—75-03726
Tartaj, P. See Pecharroman, C.
Tartaj, P.; Sanz, J.; Serna, C. J.
Zircon formation from amorphous spherical $ZrSiO_4$ particles obtained by hydrolysis of aerosols.—75-06833
Tartas, J. See Chipaux, R.
Taruta, Seiichi See Kawamura, Hirotoshi
Taruta, Seiichi; Takusagawa, Nobuo; Okada, Kiyoshi; Otsuka, Nozomu
Slip casting of alumina powder mixtures with bimodal size distribution.—75-09445
Tarutani, Yoshinobu; Kawabe, Ushio
Oxide superconduction grain boundary tunneling device.—75-00912
Tashiro, Kenji See Nishiyama, Katsuhiro
Tashiro, S. See Mashimo, T.
Tashiro, Y. See Funayama, O.
Tashmetov, M. Yu.; Em, V. T.; Mukhtarova, N. N.
Trigonal ordered structure in titanium carbonitride.—75-09101
Tassot, P. See Poirier, J.
Tassot, P.; Verrelle, D.; Puillet, M.
Optimization of refractories of steel ladles with regard to process conditions at Sollac Dunkirk and Florange.—75-07621
Tasybaeva, Sh. B. See Chernogorenko, V. B.
Tatarintsev, B. V.; Polukhin, V. N.
Stress modeling and dilatometric study of glass-based fiber and microchannel composites.—75-02687
Tate, T. J. See Li, Yu-Pu
Tatekawa, Tsutomu See Higuchi, Yukio
Tateno, Shuichi See Nagano, Saburou
Tateyama, Hiroshi; Tsunematu, Kinue; Noma, Hideaki; Adachi, Yasuo; Takeuchi, Hideaki; Kohyama, Norihiko
Formation of expandable mica from talc using the intercalation procedure.—75-09315
Tatsumisago, Masahiro See Hirai, Koichi
Tatsumisago, Masanari See Takahashi, Masahiro
Tatumoto, Hirohiko; Tanida, Shouzo; Furuhashi, Hiroshi; Sugiyama, Tomio
Stratified ceramic body, oxygen sensor using the same, and fabrication method thereof.—75-08786
Tauber, Arthur; Tidrow, Steven C.
c-axis-oriented high-temperature superconductors deposited onto single crystals of gadolinium gallium garnet and method of making the same.—75-00900
Taulelle, F. See Henry, M.; Massiot, D.
Taunaumang, H.; Guy, I. L.; Chan, H. L. W.
Electromechanical properties of 1-3 piezoelectric ceramic/piezoelectric polymer composites.—75-00656
Tavrin, Y. See Glyantsev, V. N.
Tawara, Masanori See Sakakidani, Katsutoshi
Tawil, H. See Goujard, S.
Tay, Beng-Kang See Shi, Xu
Tay, Beng-Kang; Shi, Xu; Tan, H.-S.; Li, Zhong; Tu, Yu-Qiang
Effect of substrate bias on selected properties of Ta-C [tetrahedral amorphous carbon] films deposited by FCVA [filtered cathodic vacuum arc] technique.—75-09285
Taya, M. See Mitose, K.
Taya, Yoshihiro See Kaga, Hisashi
Tayag, Tristan J.; Batchman, Theodore E.; Sluss, James J., Jr.
Electric-field dependence of the photocarrier hopping mobility in bismuth silicon oxide.—75-01281
Taylor, C. A., III; Brown, S. W.; Subramaniam, V.; Kidner, S.; Rand, S. C.; Clarke, R.
Cathodoluminescence spectroscopy of boron nitride films.—75-00422
Taylor, C. A., III; Kidner, S.; Clarke, R.
Low-energy threshold in the growth of cubic boron nitride films by ECR plasma-assisted magnetron sputtering.—75-01562
Taylor, D. J. See Larsen, P. K.
Taylor, D. M.; Lambi, J. N.
Preparation of thin metal oxides by Langmuir-Blodgett film deposition.—75-04172
Taylor, H. F. See Eknoyan, O.
Taylor, J. C.; Aldridge, L. P.
Quantitative X-ray diffraction analysis of portland cements.—75-00062
Taylor, N. See Griffith, Michelle L.
Taylor, P. J. See Gundel, D. B.
Taylor, Patrick R.; Pirzada, Shahid A.
Plasma production of ultrafine ceramic carbides.—75-08837
Taylor, R.
Measurement and interpretation of thermal transport in directionally reinforced ceramic matrix composites.—75-03576; See also Gould, P. J.; Xiang, J.-Xin
Taylor, Raymond L. See Goela, Jitendra S.
Taylor, Roger; Avent, Anthony G.; Birkett, Paul R.; Crane, Jon C.; Darwish, Adam D.; Langley, G. John
Phenylation of fullerene-C60.—75-01604
Taylor, Steven J. See Aghajanian, Michael K.
Taylor, Theodore D. See Marra, James C.; See Mundt, P. R.
Taylor, Thomas A.; Lemen, Don J.
Zirconia-based tipped blades having macrocracked structure.—75-08792
Taylor, Thomas N. See Butt, Darryl P.
Tazoe, Haruo See Yamazaki, Hiraku
Tcheliebou, F.; Boyer, A.
Microstructural and mechanical effects of oxide addition into thin ZrO_2 matrix.—75-06888
Tebbe, Frederick N. See Bolt, John D.
Teherani, F. Hosseini See Tanabe, K.
Tehuacanero, S. See Reyes-Gasga, J.
Teisseyre, H. See Leszczynski, M.
Teisseyre, H.; Perlin, P.; Suski, T.
Temperature dependence of the energy gap in GaN bulk single crystals and epitaxial layer.—75-01352
Tekucheva, E. V. See Verdiyan, M. A.
Tel'biz, G. M. See Blonskii, I. V.
Teleshov, A.
Problems of cement packing.—75-07178
Telford, A.
Pat Charley—pattern and influences.—75-02321
Telle, R. See Sax, M.; Schwenk, R.
Tellier, C. R.; Benmessaouda, D.
Scratching experiments on quartz crystals: orientation effects in chipping.—75-07029
Temirbulatova, O. V. See Garkushin, I. K.
Temirov, Yu. Sh. See Dvoryankin, V. F.
Temirova, S. S. See Sinyaev, V. A.
Temiryazev, A. G. See Gulyaev, Yu. V.; Zil'berman, P. E.
Temiryazev, A. G.; Tikhomirova, M. P.; Zil'bermann, P. E.
Exchange spin waves in nonuniform yttrium iron garnet films.—75-00733
Temmyo, Jiro See Fukuda, Mitsuo
Tena, M. A.; Monros, G.; Carda, J.
Synthesis of $Cr_xTi_{1-2x}Nb_xO_2$, $0 \leq x \leq 0.5$, rutile solid solutions from alkoxides.—75-06807
Teng, X.-H. See Li, W.-S.
Tenhover, Michael A.; Ruppel, Irving R.
Ceramic substrates and magnetic data storage components prepared therefrom.—75-08253
TenHuisen, K. S. See Brown, Paul W.
Tenishev, L. N. See Permogorov, S. A.
Tenitskii, L. A. See Sirotkin, O. S.
Tennant, W. C. See Claridge, R. F. C.
Tennery, Victor J. See Breder, Kristin; Cozzi, A. D.
Tenoudji, F. Cohen See Boumiz, A.
Teodorescu, V. S. See Mihailescu, I. N.
Teowee, G.; Baertlein, C. D.; Kneer, E. A.; Boulton, J. M.; Uhlmann, D. R.
Effect of top metallization on the dielectric and ferroelectric properties of sol-gel-derived PZT thin films.—75-00651
Teowee, G.; Baertlein, C. D.; Motakef, S.; Quackenbush, E. L.; Boulton, J. M.; Uhlmann, D. R.
Sol-gel-derived La-doped $PbTiO_3$ waveguides.—75-05638
Teowee, G.; Baertlein, C. D.; Simpson, John T.; Zhao, Tian-Ji; Mansuripur, M.; Quackenbush, E. L.
Measurement of electrooptic properties of ferroelectric thin films using the Ultimate Ellipsometer.—75-05602
Teowee, G.; Boulton, J. M.; Uhlmann, D. R.
Sol-gel-derived ferroelectric films as high dielectric constant materials.—75-03259
Teowee, G.; Mebes, M. P.; Baertlein, C. D.; Quackenbush, E. L.; Kneer, E. A.; Boulton, J. M.
Compositional tailoring of the dielectric and ferroelectric properties of sol-gel-derived PLZT thin films.—75-05540
Teowee, G.; Uhlmann, D. R.
Modeling of the metal-ferroelectric-metal capacitor: I, Theoretical considerations.—75-00676; II, Experimental verification.—75-00677
Tepesch, Patrick D.; Kohan, Adrian F.; Garbulsky, Geraldo D.; Ceder, Gerbrand; Coley, Crystal; Stokes, Harold T.
Model to compute phase diagrams in oxides with empirical or first-principles energy methods and application to the solubility limits in the CaO-MgO system.—75-06275
Teplov, M. A.; Vagner, D.; Duglav, A. V.; Kryukov, E. V.; Marvin, O. B.; Mukhamedshin, I. R.
Special properties of the superconducting 1-2-3 compounds; Cu(2) NQR and Tm NMR in $TmBa_2Cu_3O_x$ at low temperatures.—75-08415
Ter Maat, J. H. H.
Critical factors determining the activity of oligomeric dispersants.—75-01417; See also Ebenhoch, J. S.; Hesse, W.
Ter Meulen, J. J. See Klein-Douwel, R. J. H.
Ter-Martirosyan, A. L. See Gavrilov, G. A.
Ter-Martirosyan, L. T. See Dedyk, A. I.
Terabe, K.; Kato, K.; Miyazaki, H.; Yamaguchi, S.; Imai, A.; Iguchi, Y.
Microstructure and crystallization behavior of TiO_2 precursor prepared by the sol-gel method using metal alkoxide.—75-03805
Terada, Osamu; Ike, Hiroyuki; Suzuki, Hisashi
Properties of submicron cemented carbides prepared by using finely ball-milled powders.—75-00124
Terai, R. See Qui, J.
Teraki, J. See Hirano, T.
Teramae, T. See Iyogi, G.
Teramoto, Satoshi
Semiconductor device with braded silicon nitride.—75-08113
Terao, K. See Hamano, A.
Terao, Naohiro See Ukyo, Yoshio
Teraoki, Y. See Miki, T.
Terasaki, I. See Tsukada, I.
Terashima, Kazutaka See Kimura, Shigeyuki
Terashima, Takahito See Shimura, Kenichi
Terashima, Tetsuo See Nakamura, Kenichi
Terashima, Tokihiro See Kawasaki, Toshiyuki
Terayama, Satoshi; Kondo, Toshihiko; Toritani, Yasunobu; Tanaka, Seijiro
Development of gunning material for hot repair of CC tundish.—75-07519
Terazono, Masaki See Tanaka, Kouichi
Terblanche, S. P. See Thomas, M. E.
Terekhov, A. S. See Al'perovich, V. L.
Terekhov, A. S.; Orlov, D. A.; Yaroshevich, A. S.; Soldatchenko, G. M.; Savchenko, I. V.; Ronzhin, L. S.
Effect of mirror image intensity on electron photoemission from GaAs with negative electron affinity.—75-07851
Terekhov, V. A. See Domashevskaya, E. P.; Mittova, I. Ya.
Terekhov, V. A.; Seleznev, V. N.; Domashevskaya, E. P.
Effect of an electron beam on the energy distribution of localized states in amorphous SiN_x.—75-06446
Teremetskaya, I. G. See Khomich, A. V.
Teremetskaya, I. G.; Varnin, V. P.; Polyakov, V. I.; Khomich, A. V.; Perov, P. I.; Rossukanyi, N. M.
Characterization of diamond films grown on AlN/silicon substrates and of heterostructures with such films.—75-09530
Terent'ev, A. I. See Matveev, O. A.
Terent'ev, Ya. V. See Dmitriev, A. P.
Tereshchenko, S. A. See Masloboev, Yu. P.
Tereshin, S. A. See Baranov, A. M.
Teresiak, Angelika See Krell, Andreas
Terminello, L. J. See Carlisle, J. A.
Terminello, L. J.; Lapiano-Smith, D. A.; Barton, J. J.; Petersen, B. L.; Shirley, D. A.
Holographic atom imaging from experimental photoelectron angular distribution patterns.—75-01863
Terpstra, R. A. See Roman, Y. G.
Terra, F. S. See Obraztsov, A. N.

Terry, B. S. See Azubike, D. C.; De Souza, S.

Terry, B. S.; Asjadi, G. R.
Effect of presence of carbon, iron, and sulfur on rate of alkali release from CaO-Al_2O_3-SiO_2 slags.—75-02400; Kinetics of alkali release from CaO-Al_2O_3-SiO_2 slags.—75-02413

Terry, M. D. See Cernosek, R. W.

Terukov, E. I. See Babaev, A. A.; Golikova, O. A.; Kuznetsov, A. N.; Vasil'ev, V. A.

Terukov, E. I.; Kudoyarova, V. Kh.; Mezdrogina, M. M.; Golubev, V. G.; Sturm, A.; Fuhs, W.
Photoluminescence at wavelength of 1.54 μm in an erbium-doped amorphous hydrogenated silicon.—75-08015

Teruuchi, Kiyohiro; Yano, Katsuhiko; Odani, Niro
Titanium carbonitride-based cermet cutting insert.—75-07278; Wear-resistant titanium carbonitride-based cermet cutting insert.—75-04879

Tesar, A. A. See Musket, R. G.

Tessler, C. See Patel, R. S.

Tessmer, Alison J. See Dreifus, David L.

Tessmer, G. J. See Bai, Pei-Guang

Testardi, Louis R. See Hascicek, Yusuf S.

Testorf, Martin See Shulman, Holly S.

Testud, M. See Su, Mu-Zhen

Tetard, F.; Bernache-Assollant, D.
Sintering of Li_2CO_3-$CaCO_3$.—75-01668

Teterin, A. Yu. See Teterin, Yu. A.

Teterin, E. G. See Matyunin, Yu. I.

Teterin, Yu. A.; Baev, A. S.; Teterin, A. Yu.; Kulakov, V. M.
X-ray photoelectron spectra of Ln 4*f* electrons and their localization on lanthanides in the oxides.—75-09107

Teterkin, V. V. See Asotskii, V. V.; See Budennaya, L. D.

Teuschler, T.; Hundhausen, M.; Ley, L.
Influence of light on individual defect noise in a-Si:H/a-SiN_x:H double barrier structures.—75-06475

Tewari, Surendra N. See Biswas, Dhiman K.

Teyssandier, F. See Derre, A.

Tezuka, A. See Funayama, O.; Kaya, Hiroshi; Sato, K.

Tezuka, Kazuhiro See Tamari, Nobuyuki

Thacker, Christine
19th Fletcher Challenge.—75-02178

Thadhani, N. N.
Shock-induced and shock-assisted solid-state chemical reactions in powder mixtures.—75-01659

Thakoor, Sarita
Enhanced fatigue and retention in ferroelectric thin film memory capacitors by post-top-electrode anneal treatment.—75-00658

Thakur, Randhir P. S. See Kauffman, Ralph E.

Thaler, Hubert See Sigl, Lorenz

Thamp, K. Ravindranathan See Van Herle, J.

Thaulow, Niels See Johansen, Vagn

Thayer, R. B.; Yang, J. M.
Analysis of flexural creep for an SiC fiber-reinforced Si_3N_4 composite.—75-06941

Thayer, S.
Reaching to the past.—75-02337

Thebault, Jacques See Seron, Alain

Thebault, Jacques; Seron, Alain; Beguin, Francois
Method of obtaining a SiAlON-based ceramic material by reducing an aluminosilicate material, and use thereof in forming a ceramic coating on a refractory substrate.—75-01178

Theis, Jurgen See Bruck, Martin

Theisen, W. See Berns, H.

Themines, D. See Schmitt, N.

Thevenard, Paul See Boatner, Lynn A.

Thevenot, F. See Roy, J.-F.

Theys, B. See Rahbi, R.

Thiagarajan, K. See Ram Mohan, N.

Thiebaud, J. P. See Haenni, W.

Thiele, W. See Dollmeier, K.

Thielicke, B. See Hollstein, Thomas

Thielicke, B.; Soltesz, U.
High-temperature strength of C/C and C/C-SiC composites under shear loading.—75-04558

Thiemeier, Thomas
Ceramic valve for internal combustion engines having a reduced tendency to stress fracture.—75-08821

Thierauf, A. See Baldus, H.-P.

Thierry, B. See Jaber, B.; Remiens, D.

Thijs, Peter J. A.; Tiemeijer, Luuk F.; Binsma, J. J. M.
Progress in long wavelength strained layer InGaAs(P) quantum well semiconductor lasers and amplifiers.—75-05448

Thillou, B. See Poirier, J.

Tho, Nam-Woong See Baik, Nam-Seok

Thom, A. J.; Akinc, Mufit
Effect of ternary additions on the oxidation resistance of Ti_5Si_3.—75-09287

Thoma, E. D. See Williams, R. T.

Thomas, Alain See Dodds, John

Thomas, Boben See Srinivasu, V. V.

Thomas, D. L.; Diederichs, E. J.
Experience with castable linings for coal-fired reduction kilns in the Republic of South Africa.—75-07548

Thomas, David F.; Devine, Brad
Pros and cons of using a premill in a job shop.—75-00125

Thomas, G.
Electron microscopy and microanalysis of ceramics.—75-08663; See also Cao, Wan-Qing

Thomas, J. K.; Koshy, J.; Kurian, J.
Electrical transport and superconductivity in $YBa_2Cu_3O_{7-\delta}$-$YBa_2HfO_{5.5}$ percolation system.—75-00798

Thomas, J. R., Jr.
Importance of dielectric properties in modeling of microwave sintering of ceramics.—75-01533; See also Hasselman, D. P. H.

Thomas, Jeffrey J. See Rarick, Robert L.; Skamser, Daniel J.

Thomas, Jeffrey J.; Hsieh, John; Jennings, Hamlin M.
Effect of carbonation on the nitrogen BET surface area of hardened portland cement paste.—75-04814

Thomas, Jeffrey J.; Skamser, Daniel J.; Jennings, Hamlin M.; Johnson, D. Lynn
Formation of reaction-bonded silicon nitride using microwave heating.—75-06978

Thomas, John O. See Edvardsson, Sverker

Thomas, M. E.; Terblanche, S. P.; Stander, J. W.; Gilbert, K.; Nortman, L. P.; Stone, N. A.
Applied dilatometry and intelligent processing of ceramics.—75-01381

Thomas, P. A. See Bhattacharya, A. K.

Thomas, R. C. See Stradtmann, J.

Thomas, R. E. See Humphreys, T. P.; Malta, D. P.

Thomas, R. J. See Schelker, D. H.

Thomas, V. See Wolfenden, A.

Thomas, Warren A.; Sanchez, J. M.
Influence of interfacial sliding stress on fatigue behavior of oxidized Nicalon/calcium aluminosilicate composites.—75-09645

Thome, Roland; Schmidt, Hubertus; Feige, Reinhard; Bollmann, Ulrich; Lange, Rudiger; Engels, Seigfried
Partially crystalline, transitional aluminum oxides, methods for their synthesis and use for obtaining molded articles, which consist essentially of gamma-Al_2O_3.—75-01129

Thommeret, B. See Lamon, J.

Thompson, A. M.; Fang, J.; Chan, Helen M.; Harmer, Martin P.
High-temperature behavior of Al_2O_3:SiC nanocomposites.—75-02058

Thompson, Allison
Bill Grace: marks of process.—75-07119

Thompson, B. See Quimby, R. S.

Thompson, D. P.
α1/2]-SiAlON transformation.—75-03759; See also Kruzelecky, R. V.; Mandal, H.; Sun, W.-Y.; Zhuang, H.-R.

Thompson, G. K.; Evans, B. J.
Order-disorder and magnetic exchange interactions in substituted strontium hexaferrite $SrA_xFe_{12-x}O_{19}$ (A=Ga,In).—75-03323

Thompson, J. See Brooke, J.

Thompson, Jesse B. See Truher, Joel B.

Thompson, L. T. See Wang, L.

Thompson, Ronald J.
Engine bearing surface treatment.—75-00157

Thomsen, N. B.; Karihaloo, B. L.
Optimum microstructure of transformation-toughened ceramics for improved wear performance.—75-02082

Thomson, Jamie B. See Lightfoot, Philip

Thomson, John, Jr. See Grader, Gideon S.

Thomson, Ken
Pressure casting sanitary ware.—75-05167

Thomson, R. E.; Moreland, John; Roshko, A.
Surface modification of $YBa_2Cu_3O_{7-\delta}$ thin films using the scanning tunneling microscope: five methods.—75-03411

Thornsbury, J.
Handbuilding with suspended clay.—75-02266

Thornton, K. E. B.; Goodwin, A. R.; Anslow, P. J.
Reliability assessment of multiwell distributed feedback laser source for direct detection links at 2.6 Gbits.—75-03150

Thorson, Victoria
25th anniversary show at Jane Hartsook Gallery.—75-02180

Thouless, M. D.
Modeling the development and relaxation of stresses in films.—75-07015

Thumm, M. See Feher, L.

Thummler, F. See Wroblewska, G. H.

Thundat, T. See Mehta, Prabhjot

Thungstrom, Goran See Frojdh, Christer

Thust, H. See Muller, J.

Tian, J.-M. See Dai, X.-M.; Zhang, Chao-Zong

Tian, J.-M.; Dong, L.-M.; Zhang, B.-Q.; Zhu, H.-L.
Microstructure and mechanical properties of Si_3N_4 composite for tappet sleeve.—75-03705; SiC (TiC)/Si_3N_4 (TiN) functionally gradient materials.—75-04207

Tian, J.-M.; Zhang, Shi-Xin; Shao, Yi; Shan, Hai-Ping
Nanosize SiC particulate-reinforced hydroxyapatite composites.—75-03909

Tian, Ming-Liang See Shi, Jing

Tian, Qiang; Virkar, Anil V.
Interdiffusion in SiC-AlN and AlN-Al_2OC systems.—75-06850

Tian, Shun-Bao; Guo, Hui-Ming; Lin, Zu-Xiang
Thermal and electrical properties of $K_{2x}M_{1-x}Zr_4(PO_4)_6$ (M=Sr, Ba) systems.—75-09195

Tian, Yong-Lai See Ahmad, I.; Cai, J.; Li, Meng-Li

Tian, Yong-Lai; Black, W. M.; Sa'adaldin, H. S.; Ahmad, I.; Silberglitt, R.
Dynamic model for electromagnetic field and heating patterns in loaded cylindrical cavities.—75-01445

Tiburcio-Silver, A.; Joubert, J. C.; Labeau, M.
Optical band-gap shrinkage in highly transparent and conducting ZnO thin films deposited by the Pyrosol process.—75-01318

Tice, Terry N. See Kent, Raymond C.

Tick, P. A. See Borrelli, N. F.; Smith, C.

Tidrow, Steven C. See Tauber, Arthur

Tieche, D. See Baader, F. H.

Tiefel, T. H. See Jin, S.

Tiegs, T. N. See Alexander, Kathleen B.; Becher, Paul F.; Liu, K. C.; Plucknett, K. P.

Tiegs, T. N.; Wittmer, Dale E.
Method of preparing a high solids content, low viscosity ceramic slurry.—75-05927

Tiemann, Jerome J. See Anthony, Thomas R.

Tiemeijer, Luuk F. See Thijs, Peter J. A.

Tien, T. Y. See Lee, K. J.; See Li, H.-X.

Tien, T.-C. See Tuan, W.-H.

Tien, T.-Y. See Huang, Zhen-Kun

Tiersten, H. F.; Zhou, Y. S.
Transversely varying thickness modes in quartz resonators with beveled cylindrical edges.—75-01362

Tiflova, L. A. See Monaenkova, A. S.

Tils, S. A. See Kachurin, G. A.

Tikchonovich, T. V. See Chernyshev, E. A.; Ivanov, V. V.

Tikhodeev, S. G. See Kopelevich, G. A.

Tikhomirova, M. P. See Gulyaev, Yu. V.; Temiryazev, A. G.; Zil'berman, P. E.

Tikhomolova, K. P.; Vasil'eva, E. O.; Lun'kova, O. N.
Removal of zinc from aqueous solutions by means of their contact with a manganese zinc ferrite powder.—75-05708

Tikhonov, N. A. See Vanin, A. I.

Tikhonov, P. A. See Glushkova, V. B.

Tikhonov, S. K. See Davydov, S. Yu.

Tikhonova, L. V. See Baikova, L. G.

Tikhonovskii, M. A. See Arzhavitin, V. M.

Tikhov, S. V.; Lesnikov, V. P.; Podol'skii, V. V.; Shilova, M. V.
Pd/*n*-GaAs Schottky barrier [SB] as a hydrogen photodetector.—75-08002

Timchenko, I. N. See Mikhailova, M. P.

Timchenko, V. I. See Tokiy, V. V.

Timchenko, V. M. See Akimov, G. Ya.

Timm, R. See Willmott, P. R.

Timofeev, K. V. See Karpov, S. V.

Timofeev, L. V. See Sentyakov, B. A.

Timofeev, N. T. See Belyankina, N. B.

Timofeev, V. F. See Suvorov, S. A.

Timofejeva, Valentina See Ilioukha, Nicolai

Timoshenko, V. A. See Yarkin, D. G.

Timoshevskaya, Liliya V. See Uvarov, Victor N.

Tin, C. C. See Feng, Z.-C.; Wee, A. T. S.

Tinet, D. See Maggion, R.

Ting, Ai-Li See Kee, Robert J.

Ting, J.-M.; Lin, R. Y.
Effect of particle size distribution on sintering: I, Modeling.—75-04006

Ting, Robert Y.; Howarth, Thomas R.; Rittenmeyer, Kurt M.
Hydroacoustic evaluation of 1-3 piezocomposite plate and ring structures.—75-00666

Ting, Steven M.; Janas, Victor F.; Safari, Ahmad
Relic processing of fine-scale, large-area piezoelectric ceramic fiber/polymer composites.—75-03255

Ting, Wu; Fossheim, K.
Ultrasonic anomalies and phase transitions in $YBa_2Cu_4O_8$ and $Y_{1-x}Ca_xBa_2Cu_4O_8$ systems.—75-03422

Tinga, Wayne R. See Vogt, Gerald J.

Tinga, Wayne R.; Oda, Steven J.
Obstacles and remedies in microwave processing research and commercialization—an open forum.—75-01601

Tinga, Wayne R.; Xu, J. D.; Vermeulen, F. E.
Open coaxial microwave spot joining applicator.—75-00973

Tipisev, S. Ya. See Tsyrlin, G. E.

Tippelt, G. See Nitsche, R.

Tirlocq, J. See Pilate, P.

Tishchenko, E. A. See Kol'tsova, T. N.; Shaplygin, I. S.

Titkov, A. N. See Ankudinov, A. V.

Titov, A. N. See Antropov, V. M.

Titova, K. V.; Gelyuk, I. P.
Sodium pyrophosphate peroxosolvate, $Na_4P_2O_7{\cdot}3H_2O_2$.—75-06515

Titova, K. V.; Kolmakova, E. I.
Solubility of alkaline and alkaline-earth sulfates in anhydrous hydrogen peroxide.—75-06516

Titova, L. V. See Ulyanova, T. M.

Titulaer, M. K.; Den Exter, M. J.; Talsma, H.
Control of the porous structure of silica gel by the preparation pH and drying.—75-06560; Microscopic shrinkage-free silica gels by electrodialysis.—75-06684

Titulaer, M. K.; Jansen, J. B. H.; Geus, J. W.
Fluid composition effects on silica gel aging.—75-04047; Preparation and characterization of sol-gel silica spheres.—75-06714

Titulaer, M. K.; Kegel, W. K.; Jansen, J. B. H.
Increase in pH during aging of porous sol-gel silica spheres.—75-06644

Tiwari, L. See Nandi, P.

Tiwari, L.; Nandi, P.; Mukhopadhyay, M. S.; Srivastava, G. K.; Sinha, R. K.
Effect of CaO and temperature on *t*-ZrO_2 retention in mullite-zirconia body produced by reaction sintering route.—75-07535

Tiwari, P. See Jia, Q. X.; Johnston, Gregory P.

Tiwari, S.
Transmission line delay limitations of laser bandwidths.—75-03191

Tixier, John S. See Hansen, James E.

Tkach, N. V. See Boichuk, V. I.

Tkachenko, V. G. See Trefilov, V. I.

Tkalenko, D. A. See Protsenko, A. V.

Tkhorik, V. A. See Blonskii, I. V.

Tobin, A. See Meilunas, R. J.; Vaidyanathan, K. R.

Tobioka, Masaaki See Yamamoto, Susumu

Toda, Kenji; Kurita, Satoru; Sato, Mineo
New layered perovskite compounds, $LiLaTiO_4$ and $LiEuTiO_4$.—75-08994

Todhunter, A. J.; Ben-Nissan, B.
Stress analysis by finite element methods of silicon nitride bonded to a titanium substrate.—75-00136

Todoroki, Akira See Kobayashi, Hideo

Todoroki, Shinichi See Sakaguchi, Shigeki

Todoroki, Shinichi; Sakaguchi, Shigeki
Alkali magnesium/zinc silicate glasses with low Rayleigh scattering[—correction].—75-02622

Todris, B. M. See Asadov, S. K.

Todt, Volker R.; Sengupta, Suvankar; Shi, Dong-Lu
Method for harvesting rare-earth barium copper oxide single crystals.—75-08465

Toepfer, J. See Kriegel, R.

Toepfer, W.
Agrob-Buchtal-Keramik: the German tradition.—75-09702; Ceramic factory in the former East Germany.—75-02757; Most famous ceramic landmark of the world.—75-02304

Tofe, A. J.; Brewster, G. A.; Bowerman, M. A.; Myers, R. N.; Hurson, S. M.
Hydroxyapatite powders for implant coatings.—75-01088
Tofe, A. J.; Watson, B. A.; Cheung, H. S.
Dense hydroxyapatite (HAp) and microporous HAp resorption.—75-01819
Togawa, M. See Kumakawa, A.
Togawa, Takayuki See Tabata, Masahiro
Tohda, Takao See Tanahashi, Ichiro
Tohge, Noboru See Tamaki, Shinkichi
Tohji, K. See Jeyaderan, B.
Tokashiki, Ken See Lesaicherre, Pierre-Yves
Tokhtas'ev, V. S. See Saetgaleev, Ya. Kh.
Tokisi, Takeo; Koumoto, Kunihito
Relationship between thermoelectric properties and microstructure on *p*-type $(Bi_2Te_3)_{0.25}(Sb_2Te_3)_{0.75}$ system using milled powder.—75-08045
Tokisi, Takeo; Uesugi, Takasi; Koumoto, Kunihito
Relationship between thermoelectric properties and formation of microstructure, and compressive strength and grain size of Bi-Te materials.—75-08044
Tokita, M. See Omori, M.
Tokita, Takashi See Nakazawa, Tadahisa
Tokiy, N. See Tokiy, V. V.
Tokiy, V. V.; Timchenko, V. I.; Soroka, V. A.; Tokiy, N.; Spitsyn, B. V.; Bouilov, L. L.
Diamond film metal-semiconductor-metal photodetector.—75-07829; Spectral characteristic of diamond-silicon sandwich structures of photodiode, photoconductor, and MISFET.—75-08058
Tokokawa, T. See Sawaguchi, N.
Toku, Hisayuki See Okada, Morihiro
Tokumoto, H. See Gruverman, A.
Tokunaga, Hiroki See Takagi, Nobuoki
Tokunaga, Hiroyuki; Atoji, Tadashi
Process for forming a silicon carbide film.—75-03213
Tokunaga, Kozo See Nakajima, Eiichi
Tokura, Hitoshi See Mori, Y.
Tokura, Hitoshi; Hirata, Atsushi; Liang, Dong; Yoshikawa, Masanori
Affected layer of polished single[-crystal] and CVD diamonds.—75-09214
Toledo, Oscar Diaz See Das, Tushar
Toledo-Crow, R. See Vaez-Iravani, M.
Tolley, Archie N. See Pak, Sung-S.
Tolochko, O. V. See Gonchukova, N. O.; Larionova, T. V.
Tolochko, S. P.; Kononyuk, I. F.; Lomonosov, V. A.; Bondarenko, S. N.; Shevchenok, A. A.
Enhancement in critical parameters of the 2212 phase during solid-state synthesis and sintering.—75-08310
Tolochko, S. P.; Yushkevich, I. I.; Kononyuk, I. F.
Superconducting properties of the 2212 phase in partially melted ceramics.—75-08430
Tolstikhina, A. L.; Sorokina, K. L.
Features of the structure of amorphous titanium oxide films depending on synthesis conditions.—75-08935
Tolstobrov, E. V.; Tolstoi, V. P.
Synthesis of $ZnO_{2-y}{\cdot}nH_2O$ nanolayers on the surface of silicon by the ionic stratification method.—75-06819
Tolstoi, V. P.
Synthesis on the silica surface of $Tl_2O_3{\cdot}nH_2O$ nanolayers by the ionic stratification method.—75-06820; See also Tolstobrov, E. V.; Zhuchkov, B. S.
Tolt, Z. L.; Heatherly, L.; Clausing, R. E.; Feigerle, C. S.
Effect of pressure on the morphology and growth of HFCVD [hot filament-assisted CVD] diamond at low filament and substrate temperatures.—75-09280; New region for HFCVD [hot filament-assisted CVD] diamond growth at low temperature.—75-09368
Tomandl, G. See Bauer, W.; Muller, C.
Tomas, S. See Skansi, D.
Tomas, S.; Skansi, D.; Sokele, M.
Convection drying of porous material.—75-02764
Tomashevich, K. V. See Vertegel, A. A.
Tomashik, V. N.; Panchuk, O. O.; Sava, A. A.; Tomashik, Z. F.
Etching of CdTe in $K_2Cr_2O_7$-HCl-H_2O solutions.—75-06602
Tomashik, V. N.; Panchuk, O. O.; Tomashik, Z. F.
Etching of CdTe in sulfuric acid-potassium bichromate aqueous solutions.—75-05316
Tomashik, V. N.
Eutectics in $A^{II}B^{VI}$-$A^{IV}B^{VI}$ systems.—75-07880; Quaternary reciprocal system of Cd, Zn‖S, Se, Te.—75-05457; Selective etching of zinc, cadmium, and mercury chalcogenides.—75-05468; See also Grytsiv, V. I.
Tomashik, Z. F. See Tomashik, V. N.
Tomashiunas, R.; Vanagas, E.; Petrauskas, M.; Zhindulis, A.; Willander, M.; Wahab, Q.
Fast recombination of excess carrier in 6H-SiC.—75-01756
Tomashpol'skii, Yu. Ya. See Kukuev, V. I.
Tomashpol'skii, Yu. Ya.; Sadovskaya, N. V.
Identification of phase transitions in superconductors and ferroelectrics by the secondary electron emissions method.—75-05950
Tomasov, A. A. See Kasherininov, P. G.
Tomchuk, P. I. See Blonskii, I. V.
Tome, Carlos N. See Bertinetti, Maria A.
Tomellini, Massimo See Cellucci, Fabio
Tomila, T. V. See Bartnitskaya, T. S.
Tomimatsu, Hiroyasu See Agira, Katsuhiko
Tomimoto, K. See Nakamura, A.
Tomina, E. V. See Mittova, I. Ya.
Tominaga, Hideki See Katoono, Tomoko
Tominaga, J. See Haratani, S.
Tominaga, Tohru See Nakamura, Kazutaka
Tomio, Takeshi; Hidejiro, Miki; Tabata, Hitoshi
Control of electrical conductivity in laser-deposited $SrTiO_3$ thin films with Nb doping.—75-00305
Tomioka, H. See Abe, Y.
Tomita, Hisayo; Goto, Tomoko; Takahashi, Kiyohisa
Solution spinning of high-T_c oxide superconductors: VII. The effect of polyvinyl alcohol spinning medium on the sintering of $YBa_2Cu_3O_x$ superconducting filaments.—75-08413
Tomita, Masahiro See Sawada, Yasushi
Tomlinson, D. B.; Staton, T.
Installation and repair of monolithic steel ladle linings with alumina spinel castables.—75-07583
Tomlinson, W. J.; Hyndman, C. P.
Strength of hot salt corroded structural ceramics.—75-04634
Tomlinson, W. J.; Matthews, S. J.
Cavitation erosion of structural ceramics.—75-04419
Tomonaga, Hiroyuki; Morimoto, Takeshi; Hiratsuka, Kazuya
Ultraviolet ray absorbent glass and method for preparing the same.—75-07438
Tomono, Kunisaburo See Iwamoto, Sakiko; Kajiyoshi, Koji
Tomoshige, Ryuichi; Matsushita, Toru
Production of titanium-aluminum-carbon ternary composites with dispersed fine TiC particles by combustion synthesis and their microstructure observations.—75-07228
Tomov, R. I. See Serbesov, V. S.
Tomozawa, Minoru See Agarwal, Anand; Crichton, S. N.; Li, Hong; McGahay, Vincent
Tomozawa, S. See Tonouchi, M.
Tompa, G. S. See Gurary, A. I.
Tompson, R. V. See Yaparpalvi, R.
Tomsia, A. P. See Cannon, R. M.; Dalgleish, B. J.; Locatelli, M. R.; Loehman, Ronald E.; Shalz, M. L.
Tonejc, A. M. See Tonejc, A.
Tonejc, A.; Kosanovic, C.; Stubicar, M.
Equivalence of ball milling and thermal treatment for phase transitions in the Al_2O_3 system.—75-03796
Tonejc, A.; Stubicar, M.; Tonejc, A. M.; Kosanovic, K.; Subotic, B.; Smit, I.
Transformation of γ-AlOOH (boehmite) and $Al(OH)_3$ (gibbsite) to α-Al_2O_3 (corundum) induced by high-energy ball milling.—75-04261
Tong, Xiao-Hua; Yano, Toyohiko; Iseki, Takayoshi
Sintering behavior of TiC-reinforced SiC composites doped with Ti and C.—75-09440
Tonidandel, Marco See Pivin, Jean Claude
Tonkacheva, N. A. See Shur, V. Ya.
Tonkoshkur, A. S. See Katkov, V. F.
Tonkoshkur, A. S.; Chernenko, I. M.; Subbota, V. I.
Electrical conductivity of zinc oxide varistor ceramics with prolonged electrical current.—75-05308
Tonnes, C. See Rosler, J.
Tonomura, Akira
Flux line dynamics with electron holography.—75-01852; See also Herring, Rodney A.; Hirayama, Tsukasa
Tonouchi, M. See Yasuda, T.
Tonouchi, M.; Shimakage, H.; Wang, Z.; Tomozawa, S.; Hangyo, M.; Murakami, Y.
Atomic scale flattening and characterization of a YBCO film surface.—75-08263
Topchii, A. N. See Evstropov, V. V.; Zhilyaev, Yu. V.
Tope, W. G.; Nixon, D. A.; Smith, M. L.; Stone, T. J.; Schofield, W. D.; Vogel, R. A.
Radium-bearing waste disposal.—75-03492
Topolyanskii, A. B.
Practical problems of electrical heat treatment of concrete.—75-07174
Toporov, A. Yu.; Valeiko, M. V.
Temporary properties of magnetic reversal of iron garnet single-crystal films with easy plane type anisotropies.—75-08246
Toporov, Yu. P. See Zakharov, N. A.
Torchinskaya, T. V.; Kushnirenko, V. I.; Shcherbina, B. V.; Mainer, K.
Deep centers in $In_xGa_{1-x}As$/InP photodiodes obtained by metallorganic gaseous epitaxy.—75-02987
Tordi, Alfredo; Caruso, R.
Evolution in presses.—75-03520
Toreki, Robert; Poeppelmeier, Kenneth; Dabrowski, Bogdan
Cuprate-titanate superconductor and method for making.—75-00902
Torigoe, Atsushi See Yamamura, Takashi
Torii, Y.; Tsuzuki, A.; Murakami, H.
Sol-gel processing of highly oriented $PbTiO_3$-based thin films.—75-06771
Torii, Yasuko; Kusuhara, Hiroyuki
Thallium-, bismuth-, and lead-containing oxide superconductor.—75-08493
Torii, Yasuko; Ohkura, Kengo; Kotani, Toshihiro
Oxide superconducting material, process for preparing the same, and applications thereof.—75-08481
Torikai, T. See Watari, T.
Toritani, Yasunobu See Mori, Junichiro; Terayama, Satoshi
Toriumi, Makoto See Kohinata, Masayoshi
Toriyama, Motohiro See Hirao, Kiyoshi; Nagata, Fukue; Shigegaki, Yasuhiro; Watari, Koji
Toriyama, Motohiro; Ravaglioli, A.; Krajewski, A.; Celotti, G.; Piancastelli, A.
Synthesis of hydroxyapatite-based powders by mechanochemical method and their sintering.—75-09471
Tornau, E. E.; Kundrotas, P. J.; Lapinskas, S.
Why does $Y_2Ba_4Cu_7O_{14+x}$ not exhibit a plateau in its $T_c(x)$ dependence. Predictions from oxygen ordering.—75-05861
Torng, S.; Miyazawa, K.; Suzuki, K.
Domain structure of cubic zirconia in ZrO_2-CeO_2.—75-03786
Toropkina, G. N. See Rat'ko, A. I.
Toropov, A. A. See Ivanov, S. V.
Toropov, A. A.; Ivanov, S. V.; Park, Kh. S.; Shubina, T. V.; Lebedev, A. V.; Sorokin, S. V.
Electroabsorption and laser generation in ZnCdSe/ZnSeS quantum well diodes.—75-07867
Toropov, A. I. See Akhmetov, V. D.; Kademina, L. E.
Toropov, N. I.; Dudin, V. V.; Kruglov, V. S.
Abrasive wear of protective coatings of thermitic gunite mixtures.—75-05071
Torrecillias, R. See Hamidouche, M.
Torres, L. See Zazo, M.
Torres-Martinez, Leticia M.; Suckut, Claudia; Jimenez, Ricardo
Phase formation and electrical properties in the system BaO-Li_2O-TiO_2.—75-06308
Torshin, I. Yu.; Aleshin, V. A.; Shpancheako, R. V.; Antipov, E. V.
Synthesis and study of barium mercurate.—75-09463
Tortorelli, P. F. See Lin, Hua-Tay
Tosa, Akifumi See Kikuta, Koichi
Toshboev, T. U. See Bakhadyrkhanov, M. K.
Tosin, P.; Luthy, W.; Weber, H. P.
Laser polishing of diamond films.—75-09351
Toth, J. See Serfoso, G.
Touboul, A. See Charruau, S.
Toulouse, J.; Pattnaik, R.; Knauss, L. A.
Polarization relaxation in disordered ferroelectrics.—75-05624
Tour, James M. See Levon, K.
Tour, James M.; Pendalwar, Shekar L.; Cooper, Joel P.
Ceramic materials, method of preparing the same, and hydrogenation and oxidation processes using the same.—75-07254
Toure, Abron S.; Collins, Steven R.; LeBlanc, Bruce W.
Method of manufacturing a ferroelectric device using a plasma etching process.—75-03269
Tourenne, F. See Frayssinet, P.
Tournier, R. See Berling, D.
Tove, E. See Vorob'ev, L. E.
Towe, Elias See Sun, De-Cai
Towle, S. N., Jr.; Bargar, J. R.; Brown, G. E.; Parks, G. A.; Barbee, T. W., Jr.
Effect of surface structure on the adsorption of Co(II) on α-Al_2O_3—a glancing angle XAFS study.—75-04319
Townsend, P. D. See Skelland, N. D.; Yang, B.
Toy, C. See Baykara, T.
Toya, Eiichi; Itoh, Yukio; Tanaka, Takashi; Sasaki, Yasumi
Ceramic device.—75-03204
Toyama, S. See Mori, H.
Toyoda, H.; Childs, M. A.; Menningen, K. L.
Ultraviolet spectroscopy of gaseous species in a hot filament diamond deposition system when C_2H_2 and H_2 are the input gases.—75-06402
Toyoda, Haruhisa See Adachi, Akira; Itozaki, Hideo
Toyoda, Seiji; Sugamura, Kunio; Yoshida, Hideaki
Method of making glazed AlN substrate with an Al_2O_3-SiO_2 interfacial layer.—75-06129
Toyooka, Hiroo See Taira, M.
Toyuki, H. See Takahashi, Masahiro
Tozawa, Y. See Hamano, A.
Traito, K. B. See Fleisher, V. G.
Trakhtenberg, L. I. See Kuznetsov, A. V.
Tran, C. A.; Masut, R. A.; Brebner, J. L.
Atomic layer epitaxy and structural characterization of InP and InAs/InP heterostructures.—75-05246
Tran, Tai T. See Funkenbusch, Eric F.
Tranto, Janne See Kumar, Krishnankutty-Nair P.
Trapeznikov, V. A. See Vayankin, V. Ya.
Trapeznikova, I. N. See Babaev, A. A.
Trasatti, Sergio See De Favia, Luis Antonia
Trava-Airoldi, V. J. See Corat, Evaldo J.
Traveria, A. See Tura, J. M.
Traversa, Enrico; Bearzotti, Andrea; Gnappi, Guglielmina; Pigoni, Simona; Montenero, Angelo
Humidity-sensitive $PbTiO_3$ and $PbZrO_3$ thin films prepared by a sol-gel process.—75-00665
Traversa, Enrico; Bianco, Alessandra; Montesperelli, Giampiero; Gusmano, Gualtiero; Bearzotti, Andrea; Miyayama, Masaru
ZnO/La_2CuO_4 heterocontacts as humidity sensors.—75-00634
Traversa, Enrico; Gusmano, Gualtiero
Charge transport in highly humidity-sensitive alkali-doped titania thin films.—75-09494
Traversa, Enrico; Miyayama, Masaru; Yanagida, Hiroaki
Evaluation of the gas response of ZnO/La_2CuO_4 heterocontacts with different electrode materials.—75-00487
Traversa, Enrico; Sakamoto, Masatomi; Sadaoka, Yoshihiko
Mechanism of $LaFeO_3$ perovskite-type oxide formation from the thermal decomposition of *d*–*f* heteronuclear complex $La[Fe(CN)_6]{\cdot}5H_2O$.—75-04106
Traverse, J. P. See Ansart, F.
Travlos, A. See Revva, P.
Treadwell, David R. See Bickmore, Clint R.
Treat, D. W. See Bour, D. P.
Treflilov, V. I.; Tkachenko, V. G.; Maksimchuk, I. N.; Shklover, V. V.; Katrich, G. A.; Klimov, V. V.
Physical principles of forming photoemissive properties of high-current pulse photocathodes with laser excitation on the basis of magnesium barium alloys.—75-06500; Regularities of photoemission from high-current pulsed photocathodes with laser excitation on the basis of heterophase aluminum lithium alloys.—75-06110
Tregubova, A. S. See Andreev, A. N.
Trebeux, D. See Ayrault, S.; Lourdin, P.
Treilleux, M. See Roux, J. F.
Trela, Walter See Whalen, Thomas J.
Tremante, A.; Malpica, F.
Contribution of thermal radiation to the temperature profile of ceramic composite materials.—75-06869
Treskovskii, V. V. See Neshpor, V. S.
Tressaud, A. See Magro, C.
Tressler, James F.; Watanabe, Koji; Tanaka, Masahiro
Synthesis of ruthenium dioxide thin films by a solution chemistry technique.—75-01714
Tressler, Richard E.; DiCarlo, J. A.
Creep and rupture of advanced ceramic fiber reinforcements.—75-04470
Tressler, Richard E.; Rugg, K. L.; Martz, S. W.; Sglavo, V. M.; Newcomb, S. A.
Delayed failure of ceramic fibers at elevated temperatures.—75-04486

Tressler, Richard E.
Theory and experiment in corrosion of advanced ceramics.—75-02017; See also Bodet, R.; Butt, Darryl P.; Kern, William A.; Morscher, Gregory N.; Ramberg, C. Eric
Tresso, A. See Gorev, M. V.
Tret'yakov, V. V. See Ber, B. Ya.
Tret'yakov, Yu. D. See Epanchinstev, O. G.; Fuflygin, V. N.; Grigorashev, D. I.; Gudilin, E. A.; Lennikov, V. V.; Os'kina, T. E.
Tret'yakov, Yu. D.; Oleinikov, N. N.; Vertegel, A. A.
Homogeneous salt and hydroxide systems as precursors for preparing ceramic powders.—75-09331
Trevino, Horacio See Beutel, Tilman
Trezzi, M.; Frangi, F.; Zannella, S.
Melt-textured YBCO [investigated] by a radioscopic technique.—75-08361
Tribe, T. S.; Kingston, P. W.; MacDonald, J. B.
Reduction of fluorspar consumption in secondary steelmaking.—75-02832
Tribrat, V. V.
Application of air-impact devices in cement production.—75-08716
Trifonenko, D. N. See Mel'nichuk, S. V.
Trifu, E. See Cerchez, M.
Trigg, M. B. See Hay, David G.; Hewett, C. L.; Mayor, A. E.; Neal, Graham S.
Trimm, D. L. See Guerbois, J. P.
Trindade, B.; Vieira, M. T.; Bauer-Grosse, E.
Structural stability and crystallization studies of metastable sputtered W-Ni-C films.—75-03843
Tripathi, A. K. See Sharma, H. D.; Sharma, R.
Tripathi, A. K.; Chariar, Vijayaragharan; Goel, T. C.
Preparation and characterization of spray-pyrolyzed $BaTiO_3$ films.—75-06715
Tripathi, H. S.; Das, S. K.; Banerjee, G.
Utilization of beach sand sillimanite for development of high-alumina aggregates.—75-07691
Tripathi, V. K. See Jong, J. M.
Tripathy, A. K.; Ray, H. S.; Pattanayak, P. K.
Kinetics of reaction between chromium sesquioxide and anhydrous sodium carbonate in oxidizing atmospheres.—75-03803
Tripodi, Michael A. See Puri, Virendra M.
Troczynski, Tom
Teaching DOE for quality improvement.—75-09737; See also Erickson, L. C.; Kulpa, Alina
Trofimenko, A. V. See Abakumova, R. A.
Trofimenko, N. E.; Baran, S. V.; Masherova, N. P.; Lesnikovich, K. A.
Properties of ceramics and sensors based on modified indium oxide.—75-06506
Trofimov, V. T.; Selivanov, Yu. G.; Chizhevskii, E. G.
Photoconductivity in thin lead selenide epitaxial layers.—75-08008
Trogolo, J. A.; Rajan, K.
Near-surface modification of silica structure induced by chemical/mechanical polishing.—75-06901
Troilo, L. M.; Owens, M. S.; Butler, James E.; Shirey, L.; Wells, G. M.
Nanocrystalline diamond membrane growth by cyclic renucleation.—75-09367
Troitskii, A. V. See Lubnin, E. N.
Trolio, L. M. See Fuentes, R.
Trollinger, Patsi Barnes
Woodstoke: a cooperative anagama experience.—75-07134
Tronc, Elisabeth See Pulcinelli, Sandra Helena
Tronc, P. See Remiens, D.
Trontelj, M. See Marakov, V. O.
Troshina, O. N. See Belyaev, A. N.
Trouw, F. See Liu, G. K.
Trower, W. Peter
Cerium-doped yttrium aluminum perovskite (YAP)—properties of commercial crystals.—75-01264
Troyanchuk, I. O. See Kasper, N. V.
Trubenbach, P. See Hesse, W.
Trudel, Gaetan See Morin, Francois
Truebenbach, P. See Ebenhoch, J. S.
Truedson, John R.; Kabos, Pavel; McKinstry, Kevin D.
High field effective linewidth and eddy current losses in moderate conductivity single-crystal Zn-Y hexagonal ferrite at 10–35 GHz.—75-00737
Truher, Joel B.; Kaschmitter, J. L.; Thompson, Jesse B.; Sigmon, Thomas W.
Pulsed energy synthesis and doping of silicon carbide.—75-01191
Trukhan, V. M. See Yakimovich, V. N.
Trukhin, A. N.
Evidence of the self-trapped excitons in $GaPO_4$ and $AlPO_4$ crystals.—75-05317
Trukhin, V. N. See Greshnevikova, O. E.
Trul, O. A. See Bogomolova, L. D.
Trumble, Kevin P. See Gonzalez, Eduardo J.; Steinlage, Greg A.
Trunin, A. S. See Garkushin, I. K.; Kochkarov, Zh. A.; Kosmynin, A. S. ; Petrov, A. S.
Trusevich, N. G. See Krasil'nikov, A. S.
Trushin, Yu. V. See Ber, B. Ya.
Trusova, A. Yu. See Rozhkov, V. A.
Trusova, E. M. See Glushkova, V. B.
Trusty, P. A.; Boccaccini, Aldo R.; Butler, E. G.; Ponton, C. B.
Development of mullite matrix ceramic fiber composites using electrophoretic deposition [EPD].—75-09256
Trykhin, V. N. See Greshnevikova, O. E.
Trzebiatowski, K. See Murawski, L.
Tsagaropoulos, George; Yang, Sen; Risen, William M., Jr.
Energetics of the gel-to-glass transformation in sodium silicate gels.—75-02714
Tsai, C.-H. See Shiao, J.-J.
Tsai, Dah-Shyang See Lee, Lang-Luen
Tsai, Dah-Shyang; Tseng, Chia-Liang
Leaching silicon-based wet gels to approach GRIN.—75-02730
Tsai, H.-L.; Tsai, P.-C.
Thermal cyclic response of laser-glazed plasma-sprayed ZrO_2-19.5 wt% Y_2O_3/Ni-22Cr-10Al-1Y thermal barrier coatings.—75-02553
Tsai, J. S. See Hidaka, Mutsuo; Miura, Sadahiko
Tsai, Jyh-Kuang; Wu, Tai-Bor
Nonohmic characteristics of ZnO-V_2O_5 ceramics.—75-00552
Tsai, Kuen-Rong See Hsu, Chi-Ming
Tsai, M.-S.; Hon, M.-H.
Phase formation and thermal stability of calcium lanthanum sulfide powder.—75-03817
Tsai, M.-T. See Chiou, Y.-H.
Tsai, P.-C. See Tsai, H.-L.
Tsai, Tse-Lun; Markgraf, Steven A.; Dieckmann, Rudiger
Growth of olivine, $(Fe_xMg_{1-x})_2SiO_4$ [$0 \le x \le 1$], single crystals with uniform composition along the growth direction by the floating zone method.—75-04061
Tsai, Tung-Hung
Method for coating metal cookware.—75-00162
Tsai, Y.-C.; Yen, S.-K.
Thermally grown oxide film of AISI 430 stainless steel on the influence of corrosion.—75-02555
Tsakalakos, L. See Khasgiwale, N. R.
Tsameret, A. See Klein, L.
Tsang, C. See Manthiram, A.
Tsang, K.; Hyman, E.; Drobot, A.; Lane, B.
Pulsed power processing of CVD diamond.—75-09411
Tsankov, Mincho A.; Chen, Ming; Patton, Carl E.
Forward volume wave microwave envelope solitons in yttrium iron garnet films: propagation, decay, and collision.—75-00736
Tsao, C.-Y. A. See Lin, R.-W.; Su, Y.-H.
Tsapenko, V. V. See Pashkevich, Yu. G.
Tsapul'nikov, A. F. See Ustinov, V. M.
Tsaregorodtsev, A. M.; Lebedev, A. O.
Thermodynamic analysis of the precipitation process from gas phase of $(AlN)_x(SiC)_{1-x}$ solid solutions.—75-06393
Tsarenko, O. N. See Zhovnir, G. I.
Tsarenkov, B. V. See Bessolov, V. N.; Bychkovskii, D. N.; Evstropov, V. V.; Gol'berg, Yu. A.
Tsarenkov, G. V. See Reznikov, B. I.
Tsarevskii, S. S. See Liberman, A. B.
Tsaryuk, V. I.; Zolin, V. F.; Dzhurinskii, B. F.
Vibrational spectra of rare-earth tungstates and molybdates with different oxygen coordinations of tungsten and molybdenum.—75-09104; Vibrational spectra of lanthanide molybdates and tungstates with tetrahedral anions.—75-09103
Tsay, Jenq-Dar; Fang, Tsang-Tse
Effects of temperature and atmosphere on the formation mechanism of barium titanate using the citrate process.—75-04018
Tschegg, E. K.; Tschegg-Stanzl, S. E.
Compressive fatigue crack growth behavior of alumina and glass.—75-06945
Tschegg-Stanzl, S. E. See Tschegg, E. K.
Tse, M. S. See Zhu, W.
Tse, W.-S. See Juang, Y.-D.
Tsekhomskaya, T. S. See Roshchina, Yu. V.
Tsekhomskii, V. A. See Bolyasnikova, L. S.
Tsekun, A. G. See Reznitskii, A. N.
Tseloval'nova, T. V. See Grishin, I. A.
Tseng, Chia-Liang See Tsai, Dah-Shyang
Tseng, M. Z.; Jiang, W. N.; Hu, E. L.
Measurement and analysis of Hall effect of a two-dimensional electron gas in the close proximity of a superconducting $YBa_2Cu_3O_{7-x}$ film.—75-00823
Tseng, Tseung-Yuen See Lee, Yih-Shing
Tseng, W. J.; Kita, H.
Determination of weak surface layer thickness of sintered Si_3N_4.—75-08655
Tsibailo, E. V. See Galakhov, A. V.
Tsidil'kovskii, I. M. See Kuleev, I. G.
Tsielin, U. A. See Ordan'yan, S. S.
Tsikalas, John
Thrapsano: Crete's center of traditional pottery.—75-04802
Tsindlekht, M. See Golosovsky, M.
Tsirel'son, V. G. See Abramov, Yu. A.
Tsirk, Are
Hackles revisited.—75-04547
Tsoga, A. See Nikolopoulos, P.
Tsolov, M. B. See Kudoyarova, V. Kh.
Tsou, H. T.; Kowbel, W.
Multilayer plasma-assisted CVD [PACVD] coating for oxidation protection of carbon-carbon composites.—75-09366
Tsoukatos, A. See Liu, J.
Tsu, Robert; Kulwicki, Bernard M.
Barium strontium titanate (BST) thin films by holmium donor doping.—75-03203
Tsubaki, Junichiro See Hayakawa, Osamu; Hotta, Tadashi; Kamiya, Hidehiro; Takahashi, Hideo
Tsubaki, Yoshihide See Ikuma, Yasuro
Tsubakino, H.; Fujiwara, T.; Yamamoto, A.; Ioku, S.
Improvement of mechanical properties by the formation of a grain boundary phase in ZrO_2-3 mol% Y_2O_3-Al_2O_3 ceramics.—75-02065
Tsubakino, H.; Ikeda, H.; Maeda, H.; Zhang, B.
Change of ionic conductivity accompanied by phase transformation in partially stabilized zirconia.—75-08878
Tsubomoto, Naoto See Kinugasa, Masanori
Tsubota, Takashi See Takabatake, Nobuyoshi; Tanaka, Hironao
Tsuchiay, Ichiro; Tanaka, Seijiro; Oguchi, Yukio
Effect of metallic additives on the oxidation-reduction reaction in magnesia-carbon bricks under vacuum at elevated temperature.—75-07537
Tsuchida, Takashi See Ando, Masami
Tsuchimoto, Yoshihiro See Matsumoto, Itsuo
Tsuchinari, Akihiro; Okamoto, Hisato; Yokoyama, Yoichi
Chrome-free refractory for vacuum degassers.—75-07491
Tsuchiya, M. See Koshiba, S.
Tsuchiya, S. See Murakami, Y.
Tsuchiya, Soji See Mizusaki, Junichiro
Tsuchiya, Yoshiki See Nakajima, Eiichi
Tsuda, Hiroshi; Enoki, Manabu; Kishi, Teruo
Influence of loading rate and processing atmosphere on pullout of SiC fibers from Pyrex glass.—75-02725
Tsuda, Hiroshi; Takahashi, Jun; Kemmochi, Kiyoshi; Hayashi, Ryuichi
Fracture process of silicon carbide fiber-reinforced glasses.—75-04967
Tsuge, Akira See Kato, Kazumi
Tsuge, H. See Miura, S.
Tsuge, T. See Asayama, Masahiro; Yoshitake, T.
Tsui, Y. C. See Clyne, T. W.
Tsuji, Kenji See Kasuga, Toshihiro
Tsujimoto, Hiroyuki See Kaya, Noriyoshi
Tsukada, I.; Terasaki, I.; Hoshi, T.
Thin-film growth of layered cobalt oxide $Bi_2Sr_3Co_2O_{9+\delta}$ nearly isomorphic to $Bi_2Sr_2CaCu_2O_{8+\delta}$ superconductor.—75-00891
Tsukada, Mineharu See Yokoyama, Hiromitsu
Tsukamoto, Keizo See Shiogai, Tatsuya
Tsukamoto, N. See Nishio, Hideaki
Tsukerman, M. A. See Vol'pyas, V. A.
Tsukiji, Masaru See Nagano, Seido
Tsukuda, Akira See Onishi, Hitoshi
Tsunematu, Kinue See Tateyama, Hiroshi
Tsunemine, Yoshikazu See Itoh, Hiromi
Tsuneoka, T.; Kojima, K.; Bojja, S.
Near-ultraviolet upconversion fluorescence and low-temperature fluorescence properties in Er^{3+}-doped $ZnCl_2$-based glass.—75-07355
Tsuneta, R. See Kakibayashi, H.
Tsuno, Takashi; Fujimori, Naoji
Diamond film and method of producing same.—75-01165
Tsunoda, Tatsuo See Imai, Yoji
Tsunooka, Tsutomu
Applications of microwaves for ceramic processing.—75-09218; Evaluation of microwave dielectric ceramics.—75-07728; Processing/recycling for waste materials of high-technology industries.—75-08539
Tsurekawa, S. See Morita, K.
Tsurumi, Takaaki See Kim, Jong-Hee; Ohba, Yoko
Tsutsui, Naoki; Amano, Masahiko; Kurayoshi, Kazumi; Kimoto, Takeshi
Mechanization of BOF relining work in Nagoya Works [Japan].—75-07598
Tsutsumi, Kenji See Ootsuka, Tadashi
Tsutsumi, Sadami See Nonami, Toru
Tsuyuguchi, Koji; Taira, Toshimitsu
Labor saving in ladle sliding nozzle.—75-07588
Tsuyuki, Naomitsu See Suzuki, Eisuke
Tsuzuki, A. See Torii, Y.
Tsuzuki, Takuya See Ding, Jun
Tsvetkova, M. See Ivanova, E.
Tsvetnikov, A. K. See Nikolenko, Yu. M.
Tsyakh, R. See Kuz'ma, M.
Tsyplenkov, I. N. See Ivanyutin, L. A.
Tsyrel'chuk, I. N. See Bodnar, I. V.
Tsyrlin, G. E. See Gur'yanov, G. M.; Ledentsov, N. N.
Tsyrlin, G. E.; Golubok, A. O.; Tipisev, S. Ya.; Lebentsov, N. N.
InAs/GaAs quantum dots grown by the submonolayer migration-enhanced epitaxy method.—75-03053
Tsyutsyura, D. I. See Shkumbatyuk, P. S.
Tu, C.-W. See Hou, H.-Q.
Tu, Chang-Lin See Chung, S.-L.
Tu, G.-C. See Chuang, M.-S.
Tu, H.-Y. See Sun, W.-Y.; Wang, P.-L.
Tu, Jin-Biao; Jiang, Bo-Hong; Hsu, T.-Y.; Zhong, Jia-Xiang
Size effect of the martensitic transformation in ZrO_2-containing ceramics.—75-03835
Tu, R. See Zhang, L.-M.
Tu, S.-L. See Yeh, T.-S.
Tu, Wen-Chiang; Lange, Fred F.; Evans, Anthony G.
Concept for a damage-tolerant ceramic composite with strong interfaces.—75-02026
Tu, Wen-Chiang; Lange, Fred F.
Liquid precursor infiltration processing of powder compacts: I. Kinetic studies and microstructure development.—75-01560; II. Fracture toughness and strength.—75-01561
Tu, Y.-L.; Calzada, M. L.; Phillips, Nicolas J.; Milne, S. J.
Synthesis and electrical characterization of thin films of PT [lead titanate] and PZT made from a diol-based sol-gel route.—75-00705
Tu, Y.-L.; Herbert, J. M.; Milne, S. J.
Fabrication and characterization of high-permittivity ceramics in the $Ba(Ti_{1-x-y}Sn_xZr_y)O_3$ system.—75-06604
Tu, Yu-Qiang See Shi, Xu; Tay, Beng-Kang
Tuan, W.-H.; Chen, W.-R.
Toughening zirconia with bimodally distributed silver inclusions.—75-04655
Tuan, W.-H.; Chou, W.-B.
Corrosion behavior of Al_2O_3 toughened by Ag particles.—75-09585
Tuan, W.-H.; Tien, T.-C.
Mechanical performance of $YBa_2Cu_3O_{7-x}$-Ag composites.—75-05795
Tuan, Wei-Hsing; Lin, Ming-Cherng
Ceramic composite containing a spinel phase and an oxide phase and the preparation thereof.—75-07252
Tuan, Wei-Hsing
Advanced ceramics in Taiwan.—75-04675
Tucci, A. See Salomoni, A.
Tuchiya, Toshiyuki; Itoh, Toshihiro; Sasaki, Gen; Suga, Tadamoto
Preparation and properties of piezoelectric lead zirconate titanate thin films for microsensors and microactuators by sol-gel processing.—75-08164

Tucholka-Szmeja, B.; Wala, T. B.
Thermal shock acoustic emission and microstructure of refractories: I. High alumina refractories (60-90% Al_2O_3).—75-02844
Tucholka-Szmeja, B.; Wala, T. B.
Thermal shock acoustic emission and microstructure of refractories: II. Basic refractories.—75-02845
Tucker, D. A. See Yang, Pei-Chun
Tudryn, D. See Patel, R. S.
Tuersley, I. P.; Hoult, A. P.; Pashby, I. R.
Machining of CMC materials using YAG laser.—75-04099
Tuersley, I. P.; Jawaid, A.; Pashby, I. R.
Various methods of machining advanced ceramic materials[—review].—75-04764
Tuffe, S. See Marple, B. R.
Tuffe, S.; Dubois, J.; Jorand, Y.; Fantozzi, G.; Barbier, G.
Processing and fracture behavior of hot-pressed silicon carbide whisker reinforced alumina.—75-04616
Tuffe, S.; Marple, B. R.
Graded casting: process control for producing tailored profiles.—75-01514
Tuinman, A. A. See Hettich, R. L.
Tuller, Harry L.
Silicon–electroceramics integration.—75-03161; See also Aoki, Makoto; Porat, Ofer; Yu, Tae-Hwan
Tulrin, Tulay See Gungor, Nurfer
Tulupenko, V. N. See Belykh, V. G.
Tumidajski, P. J. See Beaudoin, J. J.
Tumova, P.
Mirek Oliva.—75-02299
Tunaboylu, B. See McKittrick, J.
Tunega, Daniel See Nagy, L. T.
Tung, M. S.; Sung, P.
Calcium phosphate type reference material—development, preparation, and characterization.—75-01077
Tung, Nguen Tkhan See Entin, Z. B.
Tunimanova, I. V. See Panysheva, E. I.
Tunius, Mats A. R. See Skold, Rolf O.
Tunkasiri, T.; Rujijanagul, G.
Characterization of barium titanate prepared by precipitation technique.—75-06176
Tunkasiri, T.
Properties of PZT ceramics prepared from aqueous solutions.—75-03253
Tunstall, D. P. See Dai, G. P.
Tuohig, Wayne D. See Smoot, John E.
Tuomi, T. See Tuominen, M.
Tuominen, M.; Yakimova, R.; Glass, R. C.; Tuomi, T.; Janzen, E.
Investigation of structural defects in 4H SiC wafers.—75-01762
Tupitsyn, V. E. See Polygalov, Yu. I.
Tura, J. M.; Traveria, A.; Coy, R.
Advanced surface techniques for the investigation of corrosion problems.—75-01009
Turan, R.; Wahab, Q.; Hultman, L.; Willander, M.; Sundgren, J.-E.
Properties of MOS structure fabricated on 3C-SiC grown by reactive magnetron sputtering.—75-00368
Turan, Servet; Knowles, Kevin M.
α(ρ)β reverse phase transformation in silicon carbide in silicon nitride particulate-reinforced silicon carbide composites.—75-08854; Effect of boron nitride on the phase stability and phase transformations in silicon carbide.—75-08912
Turban, G. See Magro, C.
Turchinskaya, M. J. See Bennett, L. H.
Turevskaya, E. P.; Bergo, V. B.; Yanovskaya, M. I.; Turova, N. Ya.
Synthesis of crystalline bismuth oxide by hydrolysis of bismuth ethoxide.—75-09468
Turganov, M. M. See Valiev, U. V.
Turkevich, Vladimir Z. See Solozhenko, Vladimir L.
Turkina, E. Yu. See Tver'yanovich, Yu. S.
Turner, Colleen S. See Mumm, Daniel R.
Turner, D. See Kibble, K. A.
Turner, Gary L. See Brow, Richard K.
Turner, I. G. See Brown, S. R.
Turner, K. F. See Bergman, L.
Turner, Pablo A. See Bertinetti, Maria A.
Turner, Warren
Thermal efficiencies of float and container furnaces.—75-06012
Turov, E. A. See Men'shenin, V. V.
Turova, N. Ya. See Turevskaya, E. P.
Tuschel, David D. See Paz-Pujalt, Gustavo R.
Tuson, G. B.
Environmental considerations in glass furnace selection.—75-01058; See also Dankert, Thomas K.
Tutov, E. A.; Kukuev, V. I.; Baev, A. A.; Bormontov, E. N.; Domashevskaya, E. P.
Electron processes in an a-WO_3/Si heterostructure with electro- and photochromism.—75-07872
Tuttle, Bruce A. See Warren, William L.
Tuzun, Ugur See Nikitidis, Michail S.
Tvardauskas, H. See Martunas, Z.
Tver'yanovich, A. S. See Tver'yanovich, Yu. S.
Tver'yanovich, Yu. S.; Nedoshovenko, E. G.; Aleksandrov, V. V.; Turkina, E. Yu.; Tver'yanovich, A. S.; Sokolov, I. A.
Chalcogenide glasses containing metal chlorides.—75-07286
Tweed, J. D. See Sargankova, I.
Twigg, P. C. See Davidge, R. W.
Twizell, E. H. See Matar, S. A.; Song, J. H.
Tyagel'skii, P. V. See Stankus, S. V.
Tyagur, Yu. I.
Ferroelectric (Pb, Sn)$_2P_2$(Se, S)$_6$ crystals: from a single Lifshits point to a surface of Lifshits points.—75-05574
Tyavlovskaya, E. A. See Gurin, V. S.
Tye, Ronald P. See Maesono, Akikazu
Tyle, P. See Satava, V.
Tynaev, A. D. See Veremeichik, T. F.
Tynnikov, I. M. See Verdiyan, M. A.
Tyschenko, I. E. See Kachurin, G. A.
Tyszblat, Michele
Completely ceramic dental prosthesis based on alumina/magnesia spinel and a process for its manufacture.—75-03668
Tyurin, A. V. See Aleshin, A. N.
Tyurin, A. V.; Popov, A. Yu.; Mandel, V. E.; Belous, V. M.
Mechanisms of high-temperature holographic recordings in As-S materials.—75-07966
Tyuterev, V. G.
Calculation of multiphonon absorption of light in crystals of ternary semiconductors.—75-07793
Tyutyaev, I. N. See Grishin, I. A.
Tzeng, R.-S. See Chang, U.-C.
Tzeng, Y. See Chein, T.
Tzeng, Y.; Wei, J.; Cutshaw, C.; Chein, T.
Rapid polishing of thick polycrystalline white CVD diamond by liquid metal films.—75-09417
Tzenov, P. I. See Sankar, T. S.
Tzevelekos, K. See Kaselouri, V.
Tzou, Yujiun See Muller, David A.
Tzvetkova, P. See Samuneva, B.
Ubale, M. J. See Pawar, S. H.
Ubizskii, S. B. See Vasilechko, L. O.
Uchida, Katsuyuki See Takakura, Kenji
Uchida, Kunio See Yumura, Motoo
Uchida, M. See Chichibu, S.
Uchida, Mineo See Watanabe, Akira
Uchida, N.; Ishiyama, N.; Kato, Z.
Chemical effects of DCCA [drying control chemical additives] to the sol-gel reaction process.—75-06546
Uchida, Nozomu See Ishikawa, Hideto; Uematsu, Keizo; Zhang, Yao
Uchida, Y. See Furuhashi, H.
Uchikawa, H.
Ultrafine cements for special applications.—75-02427
Uchikoshi, T. See Sakka, Yoshio
Uchimoto, Yoshiharu See Worrell, Wayne
Uchimura, Hideki See Tanaka, Kouichi
Uchimura, Hiroshi; Takenoshita, Takeshi; Kaji, Masaki
Measurement of biaxial displacement by a speckle correlation method at high temperature.—75-02071
Uchino, Katsuya See Nakano, Minoru
Uchino, Kenji; Chu, Sheng-Yuan
Photostriction and its applications.—75-00685
Uchino, Kenji
Manufacturing technology of multilayered transducers.—75-00962; See also Chu, Sheng-Yuan; Mulvihill, Maureen L.; Yoshikawa, Yoshio; Zheng, Jie-Hui
Uchiyama, I. See Hamano, A.
Uchiyama, Yasuo; Isoda, Hidenori; Cheng, Hui-Ming; Kobayashi, Kazuo
Effect of SiO_2 type and additives on the reaction products in SiO_2-Al-C-N_2 system.—75-01466
Udagawa, Etsuro; Maeda, Eizo; Kumagai, Masato; Taguchi, Seiji
Detection of crack formation during slag-penetration-spalling test by AE analysis.—75-07508
Udalov, Yu. P.; Strakhov, V. I.; Mel'nikova, O. V.; Karpinskaya, O. V.; Dib, M.; Pivovarova, A. P.
Fusibility diagram of the La_2O_3-TiO_2-Nb_2O_5 system.—75-08941
Udalov, Yu. P.; Valova, E. E.; Ordan'yan, S. S.
Preparation and abrasive properties of eutectic compositions in the system B_4C-SiC-TiB_2.—75-04784
Udayakumar, K. R. See Chen, H. Daniel; Williamson, W., III
Udea, Midori; Shimada, Shiro; Inagaki, Michio
Synthesis of crystalline ferrites below 60°C.—75-08245
Udovich, C. A. See Balachandran, U.
Uecker, Doris-Christiane See Sepelak, Vladimir
Ueda, Fumihiro See Tajima, Itsurou
Ueda, Hiroshi See Morishita, Tomohiro
Ueda, Massashi See Kodama, Akira
Ueda, N. See Kawazoe, H.
Ueda, S. See Choa, Y. H.; Hussain, M.; Hwang, H. J.; Pezzotti, Giuseppe; Sekino, Tohru
Ueda, T. See Fukumoto, M.
Ueda, Tetsuya See Yoshida, Hideto
Ueda, Yukinori See Kishishita, Hiroyuki
Ueda, Yutaka See Kambe, Shinsaku
Uedono, A. See Watauchi, S.
Uedono, A.; Wei, L.; Tanigawa, S.
Positronium formation in SiO_2 films grown on Si substrates studied by nonenergetic positron beams.—75-01608
Ueki, Masanori See Hubacek, Milan; Takashi, Minoru; Walls, P. A.
Ueki, Mitsuo; Kodama, Hiroyuki; Suzuki, Hisashi
CVD coating of alumina film on WC-8-Co cemented carbide by using hydrogen-sulfide-containing atmosphere.—75-00084
Uematsu, Keizo See Ishikawa, Hideto; Ohsaka, Shigeru; Takahashi, Hideo; Zhang, Yao
Uematsu, Keizo; Yamazaki, Kanji; Zhang, Yao; Guo, Lu-Cun; Uchida, Nozomu
Effect of temperature on characteristics of alumina slurry.—75-01467
Uematsu, Keizo; Zhang, Yao; Uchida, Nozomu
Characteristics and formation mechanisms of defects in alumina powder compacts.—75-01800
Uematsu, Keizo; Zhang, Yao
Systematic understanding of ceramic processing and related interfacial phenomena.—75-01725
Uemoto, Y. See Shimada, Y.
Ueno, A. See Kishimoto, H.
Ueno, Fumio; Kasori, Mitsuo; Horiguchi, Akihiro; Ohishi, Katsuyoshi
Method for manufacturing an aluminum nitride sintered body.—75-08835
Ueno, Iwao See Noi, Keiichi
Ueno, Nobuo See Kushida, Masahito
Ueno, Satoru See Yu, Jing-Kun
Ueno, Satoru; Kawabata, Koji; Yabuki, Tatsumi; Kawasaki, Hitoshi
Synthesis of organometallic compounds and its application as a surface modifier: I. Synthesis of organo-Zr-P compound and its application as an adsorbent of bovine serum albumin (BSA).—75-01711
Uesugi, Takasi See Tokiai, Takeo
Ueta, Yoshihiro; Sakai, Shiro; Kamiya, Yasushi; Sato, Hisao
Acceptor binding energy and band lineup of III-V nitride alloys and MOCVD growth of GaN on GaAs- or GaP-coated Si.—75-00412
Uffmann, D. See Semchinova, O.
Ugai, A. Ya.; Pavlikov, V. N.; Donets, I. G.; Kuznetsova, I. V.
Crystallization of glass phase in compositions of high-aluminous ceramics with copper and boron oxide additives.—75-04889
Ugai, Ya. A.; Popov, A. E.; Samoilov, A. M.; Zavrazhnov, A. Yu.; Kurbanov, K. R.; Nekrasov, O. V.
Microheterogeneity and extended defects in $Cd_xHg_{1-x}Te$ crystals.—75-05384
Ugarov, M. V. See Ageev, V. P.
Uhe, Heinrich See Bogert, Hermann
Uher, Ctirad; Morelli, Donald T.
Influence of neutron irradiation on the thermal conductivity of vapor-deposited diamond.—75-01542
Uhl, Dieter See Bar, Ludwig R.
Uhlig, Harald; Hoffmann, Michael J.; Aldinger, Fritz; Bellissent, Robert; Lamparter, H. Pannes; Steeb, S.
Short-range and medium-range order in lithium silicate glasses: I. Diffraction experiments and results.—75-07312; II. Simulation of the structure by the reverse Monte Carlo [RMC] method.—75-07313
Uhlir, Donald A. See Ference, Joseph A.
Uhlmann, D. R. See Teowee, G.
Uhrmacher, M. See Meier, J.
Ujihira, Y. See Watauchi, S.
Ujma, Z.; Handerek, J.; Pawelczyk, M.
Antiferroelectric-ferroelectric-paraelectric phase sequence in lead lanthanum zirconate titanate ceramics with 8% Ti content.—75-03216
Ukegawa, Harutoshi See Nishioka, Takao
Ukena, Toshiyasu See Takagi, Yasuo
Ukrozhenko, V. M. See Sredin, V. G.
Ukyo, Yoshio See Suda, Akihiko
Ukyo, Yoshio; Kandori, Toshio; Wada, Shigetaka
Silicon nitride sintered body.—75-08846
Ukyo, Yoshio; Suda, Akihiko
Effect of a small amount of SiO_2 on the reaction during sintering in the Si_3N_4-Y_2O_3-AlN system.—75-09266; Grain growth and solubility change of SiAlON composites during annealing.—75-08944
Ukyo, Yoshio; Terao, Naohiro
Diffusive phenomena in Si_3N_4 ceramics with MgO.—75-09502
Ukyo, Yoshio; Wada, Shigetaka
Sintering reaction in the system Si_3N_4-Y_2O_3-AlN.—75-01670; Sintering reaction of SiAlON composites.—75-01671
Ul'yanitskii, K. S. See Parfenyuk, O. A.
Ul'yanova, T. M.; Krut'ko, N. P.; But'ko, Z. T.; Zonov, Yu. G.
Formation of zirconium titanate in oxide fibers.—75-06622
Ul'yanova, T. M.; Krut'ko, N.
Production of composite ceramics based on zirconia fibers and binary ammonium-cobalt and ammonium-magnesium diphosphates.—75-09409
Ul'yanova, T. M.; Zus'kova, T. A.; Krut'ko, N. P.
Production of fiber-reinforced zirconium ceramics by the sol-gel method.—75-04186; Preparation of ZrO_2 powder and ZrO_2-based composites.—75-09404
Ulanenko, K. B. See Grinev, B. V.
Ulczynski, M. See Reinhard, D. K.
Ulczynski, M.; Reinhard, D. K.; Prystajko, M.; Asmussen, J.
Thin-film diamond coatings on glass.—75-07406
Ulitzka, Stanislaus See Rymon-Lipinski, Tadeusz
Ullah, M. I. See Ahlert, Richard H.; Hylton, T. L.
Ullrich, A. See Scholz, H.
Ulrich, Richard; Makhe, A. P.; Gordon, M. H.; Palmer, Jim; Li, Jun
Finite element modeling of a hot-filament CVD [HFCVD] diamond deposition reactor optimized for large-area deposition.—75-08526
Ulyanova, T. M.; Titova, L. V.
Ceramic fibers for functional composite materials.—75-03961
Um, Chang-Do See Cho, Seong-Jai
Umarji, Arun M. See Rao, Radhika M. V.
Umarov, K. B. See Gulyamov, G.
Umebayashi, Seiki See Hojo, Junichi
Umegaki, Takao See Suda, Seiichi; Yamashita, Kimihiro
Umemura, Toshio See Egawa, Kunihiko
Umezaki, Hiroshi See Shimada, Ken
Umezaki, Hiroshi; Matumoto, Takeshi; Morii, Akira
Exhaust gas filter element.—75-06087
Umino, Hiroshi See Takahashi, Makoto
Umland, P. See Bannenberg, N.
Un'no, H. See Kawazoe, H.
Unal, N. See Niihara, Koichi
Unal, Ozer; Akinc, Mufit
Compressive properties of yttrium oxide.—75-04464
Unbekannt, J. See Bohner, R.
Unertl, W. N. See Kulnis, W. J. Jr.
Ungan, A. See Balkanli, B.
Unno, Y.; Kawamura, H.; Kita, H.; Sekiyama, S.
Friction characteristics of sintered Si_3N_4 in oil-lubricated medium.—75-09637
Uno, Naoki See Ikuhara, Yumiko
Unsworth, J. See Law, H. H.
Unuma, Hidero See Takashi, Minoru
Unuma, Hidero; Ito, Kazutoshi; Ota, T.; Takahashi, Minoru
Precipitation of hydroxyapatite under stearic acid monolayers.—75-06710

Uo, M. See Watari, Fumio
Uotani, M. See Kambe, M.
Upadhyaya, D. D. See Ramanathan, S.
Upadhyaya, G. S. See Bhaumik, S. K.; Kapuri, N.
Urabe, K. See Komeya, K.
Urai, S. See Kikuchi, S.; Kuwahara, H.
Urano, Akira See Ishikawa, Shinji
Urano, Toshio; Murakami, Kiyoshi; Mitsui, Yoshiyuki; Sakai, Hiromichi
Size effect of tensile characteristics of carbon fiber-reinforced cement composites [CFRCs].—75-07183
Urasaki, Takashi See Nagano, M.
Urashima, K. See Tajima, Y.
Urashima, K.; Tajima, Y.; Watanabe, M.
Cyclic fatigue behavior of in situ toughened silicon nitrides.—75-02035
Urban, Knut See Soltner, Helmut
Urbani, C. See Bannister, M. J.; Mayer, G. T.
Urbanic, V. F. See Woo, O. T.
Urbanovich, S. I. See Soshnikov, L. E.
Urffer, Daniel See Bert, Christophe
Urmanov, N. A.; Gafurova, M. B.
Thermally stimulated current of n^+-p junction with high resistance in series.—75-05504
Urmanov, N. A.
Transformation of thermally stimulated current [TSC] spectrum in an n^+-π-p transition with regard to electric field of a neutral part of π region.—75-05506
Urquhart, Andrew W. See Newkirk, Marc S.; Rapp, Robert A.
Urushidani, Tatsuo See Ogino, Shinji
Urushihara, Wataru See Kiguchi, Takanori
Urusov, V. S. See Rusakov, V. S.; Yakubovich, O. V.
Urusovskaya, L. N. See Buznik, V. M.
Urusovskaya, L. N.; Smirnova, E. V.
Structural features of alkali and barium aluminofluorophosphate glasses studied by ir spectroscopy.—75-02609
Usami, H. See Lofaj, F.; Mizuno, Mineo
Usami, S. See Machida, T.
Usenko, V. A. See Gorodetskii, D. A.
Ushakov, A. Yu.; Radchuk, N. B.; Shterengas, R. M.
Excited states of sulfur and selenium in germanium.—75-03024; Photoconductivity caused by the tellurium impurity in germanium.—75-03115
Ushida, Yoshihisa; Mase, Hiroshi
Piezoelectric ceramics.—75-08187
Ushiro, Tomoaki See Nakamura, Kazutaka
Uskokovic, Dragan P. See Cerovic, Ljiljana S.; Milosevic, Olivera B.
Ustimenko, O. V. See Merkin, A. P.
Ustinov, V. M. See Brunkov, P. N.; Ivanov, Yu. L.
Ustinov, V. M.; Egorov, A. Yu.; Zhukov, A. E.; Faleev, N. N.; Tsapul'nikov, A. F.; Kop'ev, P. S.
Effect of growth temperature on electron mobility in InAlAs/InGaAs transistor structures grown on InP substrates by molecular beam epitaxy.—75-03004
Ustinov, V. V. See Vlasov, K. B.
Ustinov, V. V.; Kirillova, M. M.; Lobov, I. D.; Maevskii, V. M.; Makhnev, A. A.; Minin, V. I.
Optical and magnetooptical properties and giant magnetoresistivity of Fe/Cr superlattices with noncollinear ordering of Fe layers.—75-08235
Ustundag, E. See Jones, S. A.; Subramanian, R.
Ustundag, E.; Ret, P.; Shapiro, Y.; Subramanian, R.; Dieckmann, Rudiger; Sass, S. L.
Ductile phase toughened ceramics by partial reduction reactions in the Ni-Al-O system—mechanical properties and effect of dopants.—75-02456
Utenko, V. I. See Akulovich, N. I.; Bykovskii, V. A.
Uto, Shigetoshi See Nishi, Koichi; Yasuda, Naotoshi
Utoh, Y. See Enoki, Manabu
Utsumi, Kazuaki; Ikuina, Kazuhiro; Shibuya, Akinobu; Shimada, Yuzo
Advanced glass-ceramic materials for high-density multilayer glass-ceramic substrate.—75-00207
Utsunomiya, Akira See Onoda, Hajime
Utsunomiya, J. See Ori, T.
Utsunomiya, Shin See Egawa, Kunihiko
Utts, B. See Allain, J. L.
Uusimaki, Antti See Zhang, Hong-Xue
Uvarov, E. F. See Afanas'ev, V. N.
Uvarov, V. G. See Neganov, V. A.
Uvarov, V. I. See Sivko, A. P.
Uvarov, Victor N.; Timoshevskaya, Liliya V.; Obolenskii, Michail A.
Electronic structure of $Y_2Cu_2O_{5-x}S_x$ (x=0, 0.25, 0.75) [investigated] by X-ray emission spectroscopy and X_α scattered wave calculation methods.—75-03365
Uy, M. E. See Charles, H. K.
Uyukin, E. M. See Kevorkov, A. M.
Uzawa, Y.; Noguchi, T.; Kawakami, A.; Wang, Z.
Quasi-optical log-periodic antenna SIS mixers for the 100-GHz band.—75-08405
Vaahs, Tilo See Bruck, Martin; Freimuth, Herbert
Vaccaro, Kenneth See Stadler, Bethanie J. H.
Vaccaro, Pablo O.; Takahashi, Mitsuo; Fujita, Kazuhisa
Growth by molecular beam epitaxy and photoluminescence of InGaAs/GaAs quantum wells on GaAs(111)A substrates.—75-00502
Vadchenco, S. G. See Song, In-Hyuck
Vaez-Iravani, M.; Toledo-Crow, R.; Rogers, J. K.
Polarization, interference contrast, and photoluminescence imaging in near-field optical microscopy.—75-01908
Vaganova, O. Yu. See Gavrilova, N. D.
Vagidov, N. Z.; Gribnikov, Z. S.; Korshak, A. N.; Mitin, V. V.
Intermediate state of a controlled four-layer p-n-p-n structure.—75-05353
Vagidov, N. Z.; Gribnikov, Z. S.; Korshak, A. N.
Spatial charge of injected ballistic electrons having the negative effective mass.—75-05478
Vagner, D. See Teplov, M. A.
Vahen, R.; Stoevev, D.
Oxidation of ultrafine (Si-)SiC powders.—75-06931
Vaidya, Kaushik J. See Wolf, William D.
Vaidya, M. L. See Bhaumik, S. K.
Vaidya, R. U. See Wolfenden, A.
Vaidya, R. U.; Chawla, K. K.
Effect of strain rate on the fracture of ceramic fiber-reinforced glass matrix composites.—75-06969
Vaidya, U. K. See Mahfuz, H.
Vaidyanathan, K. R.; Cannon, W. R.; Danforth, Stephen C.; Tobin, A.; Holmes, J. W.
Effect of oxidation on the mechanical properties of Nextel 312/BN/Blackglas composites.—75-04499
Vaidyaraman, S.; Lackey, W. J.; Agrawal, P. K.; Freeman, G. B.; Langman, M. D.
Rapid processing of carbon-carbon composites by forced flow–thermal gradient chemical vapor infiltration (FCVI).—75-04191
Vaills, Y. See Hauret, G.
Vainshtein, I. A. See Mazurenko, V. G.
Vainshtein, M. Z.
Strength formation in lightweight concrete and the mechanism of its deformation and failure.—75-07188
Vaisgant, Z. I. See Morachevskii, A. G.
Vajifdar, P. P. See Narayanan, S.
Vakhidova, G. S. See Abdurakhmanov, G. A.
Vakhrushev, S. B.; Naberezhnov, A. A.; Okuneva, N. M.; Savenko, B. N.
Determining the polarization vectors in lead magnesium niobate.—75-08124
Vaksman, Yu. F.; Krasnov, A. N.; Purtov, Yu. N.
Mechanism of the blue emission of light diodes based on zinc selenide.—75-03092
Vaksman, Yu. F.
Radiative recombination in zinc selenide single crystals activated with oxygen.—75-03145
Val'kov, V. I. See Buzhinskii, S. A.
Val'yano, G. E.; Ivanov, D. A.; Krylov, A. V.; Mindlina, N. A.
Mechanical properties and recrystallization of alumina ceramics reinforced by silicon carbide whisker.—75-05105
Valant, M. See Suvorov, D.
Valecillos, Maria Cecilia See Watari, Koji
Valeiko, M. V. See Toporov, A. Yu.
Valencia, Joe
Maria Alquilar—a perspective on public art.—75-02288
Valente, T. See Proverbio, E.
Valenti, E.
Pardo, glaze technology.—75-02787; Preparing for fairs.—75-02789; Sorting porcelain tiles.—75-02794
Valentino, F. W.
Government actions to help reconcile interrelationship of energy, environment, and economic development.—75-02131
Valentino, M. See Malandrino, G.
Valenzuela, Miguel A.; Jimenez-Becerril, Jaime; Bosch, Pedro; Bulbulian, Silvia; Lara, Victor H.
Sol-gel synthesis of lithium aluminate.—75-01676
Valenzuela, Raul
Magnetic Ceramics.—75-02165
Vali, Hojatollah; Hesse, Reinhard; Martin, Robert F.
TEM-based definition of 2:1 layer silicates and their interstratified constituents.—75-04414
Valiev, U. V.; Gorbunova, L. L.; Turganov, M. M.; Nekvasil, B.; Siranov, D.
Optical-magnetic study of Stark sublevels of the $^7F_6$ basic multiplet of the Tb^{3+} ion in $Y_3Al_5O_{12}$.—75-05701
Valin, Frederic See Besson, Jean-Louis
Valishev, R. Sh. See Khodzhaev, T. Kh.
Valisheva, N. A. See Kornyushkin, N. A.
Vallarelli, J. V. See Guardani, R.
Valles, J. L. See Steen, M.
Valova, E. E. See Udalov, Yu. P.
Valusis, G. See Asmontas, S.
Valyaev, V. V.; Gurtovoi, V. L.; Shapoval, S. Yu.; Kireev, V. A.; Smirnov, N. V.
Metallorganic chemical vapor deposition of high-purity GaAs with the cryogenic purification of arsine.—75-05382
Valyuk, L. G. See Boiko, G. G.
Van Blitterswijk, C. A. See Flach, J. S.
Van Brueggen, Michiel P. B. See Philipse, Albert P.
Van Buskirk, P. C.; Roeder, J. F.; Bilodeau, S.
Manufacturing of perovskite thin films using liquid delivery MOCVD.—75-05601
Van Dalen, A. J. J.; Koblischka, M. R.; Kojo, H.; Sawada, K.; Higuchi, T.; Murakami, Masato
Low magnetic relaxation in a single-crystal and a melt-processed $NdBa_2Cu_3O_{7-\delta}$ sample.—75-08354
Van de Leest, Renaat E.
Coating solution suitable for the manufacture of a magnesium oxide layer and a method of manufacturing such a layer.—75-08568
Van de Merwe, Ronald H. See Cottringer, Thomas E.
Van de Walle, Chris G. See Neugebauer, Jorg
Van den Cruysem, S. See Vrolijk, J. W. G. A.
Van den Sype, Jaak S.
Thermal removal of binders from ceramic particle bodies.—75-01004
Van der Berg, T. See Brown, I. W. M.
Van der Biest, O. See Durand, L.; Vanswijgenhoven, Eddy; Zhou, Y.
Van der Biest, O.; Laoui, T.; Vleugels, J.; Sumanasiri, K.; Mohrbacher, H.; Blanpain, B.
Micro-Raman spectroscopy for phase identification and stress measurement in advanced ceramics.—75-01033
Van der Biest, O.; Weber, C.
Influence of oxidation on long-term reliability of silicon nitride.—75-01998
Van der Drift, R. J. A. See De Graaf, M. J. M.
Van der Put, Paul J. See Dekker, Jan Pieter; Pivkina, A.
Van der Varst, Paul G. T. See He, Ying-Jie
Van der Weide, J. See Nemanich, R. J.
Van Dijen, F. K.; Mayer, E.
Liquid phase sintering of silicon carbide.—75-09355
Van Eijk, C. W. E. See Andriessen, J.; Rodnyi, P. A.
Van Est, Khans
Technological and economic aspects of transporting and handling cement—a review.—75-07192
Van Garsal, Doris See Laurich, Juergen O.
Van Gizbergen, S. I. K. Kh. M. See Ezhevskii, A. A.
Van Hal, P. F. See Groen, W. A.
Van Herle, J.; McEvoy, A. J.; Thamp, K. Ravindranathan
Conductivity measurements of various yttria-stabilized zirconia samples.—75-06434
Van Hoven, Chris
Various media fill different information needs.—75-09739
Van Ingen, R. P.
Angle-resolved time-of-flight spectrometry of neutrals laser ablated from $Nd_{1.85}Ce_{0.15}CuO_4$.—75-01787; Ejection of positive ions from plasmas induced by laser ablation of Si and $Nd_{1.85}Ce_{0.15}CuO_4$.—75-01477
Van Khassel't, K. See Aktsipetrov, O. A.
Van Noort, R. See Shareef, M. Y.
Van Santen, Rutger See Jacobs, W. P. J. H.
Van Sark, W. G. J. H. M. See Van Swaaij, R. A. C. M. M.
Van Schilfgaarde, Mark See Kawazoe, Yoshiyuki
Van Stryland, E. W. See Sheik-Bahae, Mansoor
Van Swaaij, R. A. C. M. M.; Berntsen, A. J. M.; Van Sark, W. G. J. H. M.
Local structure and bonding states in a-$Si_{1-x}C_x$:H.—75-01225
Van Tendeloo, G. See Jacques, P.; Zhang, X. F.
Van Tendeloo, G.; Krekels, T.
HREM of ceramic high-T_c superconductors.—75-08337
Van Voorhees, Eric J. See Kuszyk, Jack A.
Van Weeren, Remco See Agarwala, Mukesh K.; Leone, Edgar A.; Pan, Xiao-Qing
Van Wuellen, L.; Mueller-Warmuth, W.; Papageorgiou, D.
Characterization and structural developments of gel-derived borosilicate glasses: a multinuclear MAS-NMR study.—75-04883
Van Zyl, Arnold; Ray, Sikha
Solid electrolyte ceramic.—75-07277
Van Zyl, Arnold
Method of making spinel compounds.—75-08606
Vanagas, E. See Tomashiunas, R.
Vanandruel, Nicolas
Numerical simulation of unsteady color change in glass-melting tank.—75-08734; Simulation of glass processes with Polyflow, a finite element program.—75-05977; Spectral element method for thermoconvection in a glass melt.—75-08739
Vance, E. R. See Angel, P. J.; Begg, Bruce D.; Carter, M. L.; Yavuz, M.
Vance, E. R.; Ball, C. J.; Blackford, M. G.; Day, R. A.; Lumpkin, G. R.; Smith, K. L.
Interface phenomena in Synroc, a titanate-based nuclear waste ceramic.—75-00932
Vance, E. R.; Day, R. A.; Begg, Bruce D.; Angel, P. J.
Incorporation of rare earths and actinides in zirconolite and synroc.—75-00929
Vandenbulcke, L. See Cholet, V.; Goujard, S.
Vander Sande, J. B. See Liu, Y.-P.; Yurek, Gregory J.
Vanderpool, Tim
Philip Bellomo's ceramic screens.—75-02328
Vandersande, Jan W. See Bachli, A.
Vandersande, Jan W.; Ewell, Richard; Fleurial, Jean-Pierre; Lyon, Hylan B.
Using thermoelectric coolers and diamond films for temperature control of power electronic circuits.—75-08546
Vandervoort, K. G. See Zasadzinski, Roberta
Vandewalle, N.; Ausloos, M.; Mineur, N.; Cloots, R.; Hong, Gye-Won; Kim, Chan-Joong
Dy_2BaCuO_5 pattern formation in isothermally nonseeded melt-textured $DyBa_2Cu_3O_{7-}$ – with 15 wt% Dy_2O_3 addition.—75-08292
Vanetta, Alessandro
Vitrified ceramic stoneware tiles.—75-05070
Vangala, Reddy R. See Hoang, Truc
Vangala, Reddy R.; Hoang, Truc
Ceramic duplex filter.—75-07749
Vanheusden, K. See Stesmans, A.; Warren, William L.
Vanin, A. I.; Popov, K. G.; Tikhonov, N. A.
Nanocrystalline structures of amorphous silicon dioxide.—75-08990
Vanis, Peter; Odler, Ivan
Hydration reactions in the system $CaO-P_2O_5-SiO_2-(H_2O)$.—75-04070
Vannes, A. B. See Ayrault, S.
Vanniasinkam, J.; Mandelis, A.; Buddhudu, S.
Photopyroelectric deconvolution of bulk and surface optical absorption and nonradiative energy conversion efficiency spectra in Ti:Al_2O_3 crystals.—75-03128
VanNostrand, Bryson
Digging a hillside kiln.—75-02236
Vanswijgenhoven, Eddy; Wevers, M.; Van der Biest, O.
Modeling of the stress-strain behavior during monotonic and cyclic tensile testing of unidirectional SiC fiber-reinforced BMAS glass-ceramic composites.—75-02669
Varaksin, A. N. See Mazurenko, V. G.; Sobolev, A. B.
Varavin, V. S. See Svitashev, K. K.
Vardanyan, B. R. See Bolgov, S. S.
Vardanyan, B. R.; Yunovich, A. E.
Photoluminescence of doped multiple GaAs/Al_xGa_{1-x}As quantum wells at high excitation level.—75-05431
Vardaxoglou, J. C. See Seager, R. D.
Vardiman, R. G.
Temperature-induced phase development in titanium-implanted silicon carbide.—75-03849
Varela, Danilo See Lagain, Georges L.
Varela, J. A. See Boillet, J.; Cerri, Jose Alberto; Leite, E. R.
Varfolomeev, M. B. See Khrustalev, V. N.
Vargas, J. L. See Babcock, S. E.

Varichenko, V. S. See Melnikov, A. A.
Varma, H. K. See Anathakumar, S.
Varma, H. K.; Mani, T. V.; Warrier, K. G. K.; Damodaran, A. D.; Balachandran, U.
Sintering of thin sheets of alumina prepared by the sol-spray technique.—75-04225
Varma, K. B. R. See Prasad, K. V. R.
Varma, S. P. See Gupta, D.
Varner, J. R. See Cleary, Thomas M.
Varner, J. R.; Frechette, V. D.; Quinn, G. D.
Ceramic Transactions, Volume 64: Fractography of Glasses and Ceramics, III.—75-04770
Varnier, Olivier; Hovnanian, Nadine; Larbot, Andre
Sol-gel synthesis of magnesium aluminum spinel from a heterometallic alkoxide.—75-01677
Varnin, V. P. See Khomich, A. V.; Teremetskaya, I. G.
Varshal, B. G. See Sanin, V. N.
Varshney, D. See Singh, R. K.
Varshney, Usha; Groger, Howard P.; Brown, Jesse J.
Laser densification of glass ceramic coatings on carbon-carbon composite materials.—75-01171
Vartuli, James C. See Chang, Clarence D.
Varuhin, V. A. See Domrachev, G. A.
Varyukhin, S. V.; Parfenov, O. E.
Features of low-frequency conductivity and polaronic transport in the dielectric phase of $YBaCuO_{-}$.—75-08321
Vas'ko, F. T.; Gasan-Zade, S. G.; Strikha, M. V.; Shepel'skii, G. A.
Birefringence of cadmium telluride at 77 K induced by uniaxial stress.—75-07792
Vasanthacharya, N. Y. See Manoharan, S. Sundar
Vasek, P. See Dominec, J.
Vashkovskii, A. V.; Zubkov, V. I.; Lokk, E. G.; Shcheglov, V. I.
Diffusion of direct surface magnetostatic waves [SMSWs] in the structure of a ferrite-dielectric-metal linearly magnetized by a nonuniform magnetic field.—75-08197
Vashuk, V. V. See Zinkevich, M. V.
Vashuk, V. V.; Ol'shevskaya, O. P.; Prodan, S. P.
Thermal stability of $La_{4-x}M_xNi_3O_y$ (M=Mg, Ca, Sr, Ba) solid solutions.—75-09206
Vasil'ev, A. D. See Akimov, G. Ya.; Mel'nikova, S. V.; Petrakovskii, G. A.
Vasil'ev, A. N. See Belsky, Andrey N.; Buchel'nikov, V. D.; Glukhov, Roman A.; Pedrini, C.
Vasil'ev, A. V. See Baranov, A. I.
Vasil'ev, L. N. See Kaminskii, V. V.
Vasil'ev, M. G. See Selin, A. A.
Vasil'ev, M. I. See Bolyasnikova, L. S.
Vasil'ev, V. A. See Ataev, Zh.
Vasil'ev, V. A.; Kumekov, M. E.; Terukov, E. I.
Effect of temperature on impact ionization in amorphous semiconductors.—75-07854
Vasil'ev, V. G.; Fotiev, A. A.
Synthesis of HTSC based on bismuth using oxalic acid.—75-05845
Vasil'ev, V. V. See Ovsyuk, V. N.
Vasil'eva, E. O. See Tikhomolova, K. P.
Vasil'eva, I. A. See Sukhushina, I. S.
Vasil'eva, I. P. See Levinskii, Yu. V.
Vasil'eva, N. V. See Randoshkin, V. V.
Vasilchenko, V. G. See Sobolev, B. P.
Vasilechko, L. O.; Fedorchuk, A. A.; Savitskii, D. I.; Matkovskii, A. O.; Ubizskii, S. B.
Crystal structure of $LaCaGaO_4$ and $NdSrGaO_4$.—75-06192
Vasilenko, I. P. See Asadov, S. K.
Vasilevskaya, T. N. See Zakharchenya, R. I.
Vasilevskaya, T. N.; Zakharchenya, R. I.
Structure of transparent porous alumina studied by X-ray small-angle [XSA] scattering.—75-06907
Vasilevskii, M. I.; Gurylev, B. V.; Ershov, S. N.
Surface processes during plasmochemical precipitation of films of A_2B_6 semiconducting compounds.—75-08068
Vasilevskii, N. I. See Khalilev, V. D.
Vasilevskii, V. See Bespyatykh, Yu. I.
Vasiliu, F. See Constantinescu, F.; Parvulescu, Vasile
Vasiliu, F.; Moisa, Simona; Grozea, Daniel
Phase composition in sintered lanthana-doped $(Zr,Sn)TiO_4$ ceramics.—75-06295
Vasiliu, F.; Parvulescu, Vasile; Sarbu, C.
Trivalent Ce_2O_3 and CeO_{2-x} intermediate oxides induced by laser irradiation of CeO_2 powders.—75-06400
Vasneva, G. A. See Atsarkin, V. A.
Vassel, N. P. See Mardirosova, I. V.; Savenkova, M. A.
Vassell, W. C. See Gangopadhyay, Arup; Tamor, Michael A.
Vassen, R. See Kaiser, A.
Vassen, R.; Stover, D.
Growth of boric acid crystallites on the surface of boron-doped silicon carbide samples.—75-04332
Vassent, J. L.; Dynna, M.; Patrat, G.; Gilles, B.; Marty, A.
Study of the MBE growth of MgO on the Fe(001) surface.—75-03173
Vasudevan, T. V.; Somasundaran, P.
Interaction of pyrophosphate with calcium phosphate.—75-06247
Vasyutin, M. A. See Kuz'michev, N. D.
Vaterlaus, A. See Feenstra, R. M.
Vatolin, N. A. See Romanov, A. A.
Vaughan, David E. W.
Pillared metakandite clay compositions as sorbents, catalysts, and ceramic and refractory precursors.—75-01072
Vavilov, V. S.; Klyukanov, A. A.; Sushkevich, K. D.; Chukichev, M. V.; Avavdekh, A. Z.; Rezvanov, R. R.
Low-frequency plasmons and radiation of ZnTe crystals in the red region of the spectra.—75-05364
Vavilov, V. S.; Rezvanov, R. R.; Chukichev, M. V.
Cathodoluminescence of $Zn_{1-x}Mn_xSe$:Ni.—75-05256
Vavra, J. See Antalik, Jozef
Vavrek, K.
Philadelphia's clay studio.—75-02327
Vayankin, V. Ya.; Korolev, D. A.; Trapeznikov, V. A.
Effect of annealing on the transformation of electronic structure in quickly hardened amorphous alloys of $Ni_{81}P_{19}$ and $Fe_{80}P_{20}$.—75-07845
Vazquez-Vazquez, C. See Mahia, J.
Vdovin, G. K. See Gorelov, V. P.
Vdovina, L. M. See Frolov, G. V.
Vecchio-Sadus, A. See Neal, Graham S.
Vedernikov, G. E.; Blaginina, L. A.; Fadeev, A. S.
Effect of the ZrO_2-CaO substrate on superconducting properties of thick $[YBa_2Cu_3O_{7-x}]$ high-T_c films.—75-05759
Vedernikov, M. V. See Alekseeva, G. T.
Vedernikov, N. F. See Kol'tsova, T. N.
Veeman, W. S. See Pietersen, H. S.
Vega, B. See Opitz, V.
Veglio, F. See Pelino, M.
Veiga, M. L. See Lopez, M. L.; Ramos, E. M.
Veiga, M. M. See Veiga, S. M. B.
Veiga, S. M. B.; Veiga, M. M.; Chaklader, A. C. D.; Bressiani, J. C.
Synthesis of Al_2O_3-SiC-ZrO_2 from kaolinite and zircon.—75-09465
Veira, J. A. See Mosqueira, J.
Veis, A. N.; Suvorova, N. A.
Energy spectrum of $Pb_{0.995-x}Sn_{0.005}Na_xSe$ deduced from optical absorption data.—75-03021
Veis, A. N.
Absorption coefficient in lead telluride implanted with high doses of argon.—75-07777
Veitch, C. D. See Richardson, R. T.
Vekinis, G. See Shercliff, H. R.
Veksler, M. I. See Al'vares, Kh. K.; Grekhov, I. V.
Velamakanni, B. V. See Kim, Y. J.
Velikanov, D. A. See Patrin, G. S.; Petrakovskii, G. A.
Velinskii, V. V. See Karev, M. E.
Vellaikal, M. See Singh, J.
Veltri, Richard D. See Bowen, Paul S.
Venaille, Christophe; Mischler, Denis; Le Roy, Philippe
Process and device for the inspection of glass.—75-05928
Vendik, I. B.; Kuznetsov, V. V.; Pattsel't, T.; Sitnikova, M. F.; Kholodnyak, D. V.
Modeling of super-high-frequency meander switches on the *s-n* transition in HTSC films.—75-08372
Veneva, A. See Nedkov, I.
Venevtsev, Yu. N. See Klimov, V. V.
Venevtsev, Yu. N.; Gagulin, V. V.
Search for new high-temperature ferromagnets with enhanced magnetoelectric interaction.—75-05709
Vengalis, B. See Martunas, Z.
Vengalis, B.; Paulavicius, A.; Franukevicius, D.; Celik, V.; Deksnys, A.
Superconducting $Bi_2Sr_2CaCu_2O_8$ microstrip formation from micropatterned Bi-(Sr, Ca)F_2-Cu multilayers.—75-08426
Vengalis, V. See Lisauskas, V.
Vengel, P. F. See Grytsiv, V. I.
Venger, E. F.; Kirillova, S. I.; Primachenko, V. E.; Chernobai, V. A.
Electron properties of real and sulfurized surfaces of GaAs.—75-03014
Venigalla, Sridhar See Adair, James H.; Bell, Nelson S.; Cho, Seung-Beom
Venkatachari, Koththavasal R. See Stangle, Gregory C.
Venkataraman, S. K. See Angelo, J. E.
Venkatesan, Thirumalai See Harshavardhan, Kolagani S.
Venkatesan, V. See Das, K.
Venkatesh, A. See Preiswerk, M.
Venkateswaran, V. See Srinivasan, G.
Venturelli, G.
Color revolution.—75-02763
Venugopal, V. See Rao, G. A. Rama
Venz, P. A.; Bartlett, J. R.; Frost, R. L.; Woolfrey, J. L.
Structure of dispersible titania gels.—75-01949; Structure of titania hydrolysates.—75-01951
Verbin, S. Yu. See Reznitskii, A. N.
Verbist, K. See Jacques, P.
Vercammen, K. See Vleugels, J.
Vercauteren, S. See Luyten, J.
Verdiev, N. N. See Babaev, B. D.
Verdiev, N. N.; Babaev, B. D.; Gasanaliev, A. M.
Phase equilibria in Li, Na, Ba||MoO_4 and Li, Ca, Ba||MoO_4 systems.—75-09013
Verdiev, N. N.; Babaev, B. D.; Kurbanmagomedov, K. D.; Gasanaliev, A. M.
Phase complex of the Li, Ca||F, MoO_4 system.—75-09008
Verdiyan, M. A.; Bobrov, D. A.; Adamenko, O. E.; Tekucheva, E. V.; Voronin, A. V.; Fidel'man, V. G.
Exergetic analysis with reduction of power consumption in cement technology.—75-08721
Verdiyan, M. A.; Adamenko, O. E.; Voronin, A. V.; Fidel'man, V. G.
Effectiveness of new technological schemes in cement production.—75-08519
Verdiyan, M. A.; Bogdanov, V. S.; Tynnikov, I. M.
Priority trend in cement research—development of a new generation of technology.—75-07177
Verdon, C. See Bonhote, C.
Verduch, Antonio Garcia; Sanz, Vicente; Agramunt, Jose Vicente; Beltrain, Vicente
New method of assessing efflorescence [in brick].—75-05968
Veremeichik, T. F.; Perekalina, Z. B.; Tynaev, A. D.; Yakovleva, L. M.
Circular dichroism in Cr^{3+}-activated alum under electric and magnetic fields: III. Circular dichroism induced by a magnetic field on transitions of Cr^{3+} ions in alum crystals.—75-06431
Vereshchagin, I. K.; Kokin, S. M.; Seleznev, V. A.
Reverse current in $Cu_xS/ZnS(Cu)$ heterojunctions.—75-05465
Vereshchagin, V. I. See Zyryanova, V. N.
Vereshchak, V. G. See Akimov, G. Ya.
Vereshkov, G. M. See Prokhorov, A. M.
Verhaege, Thierry See Belouet, Christian
Verhoef, A. H.; Den Hartog, H. W.
Isotope substitution in B_2O_3 glass: a molecular dynamics study.—75-04911
Verin, I. A. See Ivanov-Shits, A. K.
Veringa, Hubert J. See Dekker, Jan Pieter
Verlan, V. I. See Andriesh, A. M.
Verma, S. K. See Walker, W. J., Jr.
Verma, S. See Lewis, M. A.
Verma, T. See Shrivastava, O. P.
Vermeer, Gijsbert See Leupold, Hermann
Vermeulen, F. E. See Tinga, Wayne R.
Verne, E. See Ferraris, M.; Montorsi, M. A.
Vernet, C.
Introduction to portland cement chemistry.—75-00050; See also Boumiz, A.
Vernikovskii, V. E.
Morphological analysis of structural features of equipment for semidry pressing.—75-07608
Verrelle, D. See Tassot, P.
Vertegel, A. A. See Tret'yakov, Yu. D.
Vertegel, A. A.; Lukashin, A. V.; Zhirov, A. I.; Oleinikov, N. N.
Solid solutions of $Al_{2-x}Cr_xO_3$ produced by the sol-gel method.—75-06774
Vertegel, A. A.; Tomashevich, K. V.; Oleinikov, N. N.; Kheifets, L. I.
Fractal properties of aluminum hydroxide formed by the sol-gel method.—75-06979
Vertii, A. A. See Bodnaruk, O. A.
Verweij, H. See Bakker, P. M. V.; He, Ying-Jie; Sagel-Ransijn, C. D.
Vessal, B.; Amini, M.; Akbarzadeh, H.
Molecular dynamics simulation of molten silica at high pressure.—75-03808
Vest, R. W. See Zhu, W.
Vesteghem, H. See Di Giampaolo, A. R.
Vetkin, A. G. See Babonas, G.-Yu.
Vetrano, J. S. See Kleebe, H.-J.
Veyret, J. B. See Grenet, C.; Sabouret, E.
Vezikova, R. M. See Gropyanov, V. M.
Vezzoli, G. C.; Chen, M. F.; Caslavsky, J.
New high dielectric constant materials: micron/nanocomposites of suspended Au clusters in SiO_2/SiO_2-Al_2O_3-Li_2O gels and relevant theory for high capacitance.—75-02921
Vialle, Michel See Mathieu, Alain
Viana, B. See Malecki, A.
Vicens, J. See Doreau, F.; Duval-Riviere, M. L.; Lhermitte-Sebire, I.
Vicente, J. See Pelaz, Lourdes
Vickridge, I. C. See Mucalo, M. R.
Viehbeck, Alfred See Lewis, David A.
Viehland, Dwight See Dai, Xun-Hu; Forst, Donald; Huang, W. H.; Park, K.; Tan, Qi; Tani, Toshihiko; Yuan, Li-Jian
Viehland, Dwight; Forst, Donald; Li, Jie-Fang
Compositional heterogeneity and the origins of the multicell cubic state in Sn-doped lead zirconate titanate ceramics.—75-00443
Viehland, Dwight; Li, Jie-Fang; Yuan, Li-Jian; Xu, Zheng-Kui
Mesostructure of calcium silicate hydrate (C-S-H) gels in portland cement paste: short-range ordering, nanocrystallinity, and local compositional order.—75-04822
Vieira, M. M. F. See Duarte, M.
Vieira, M. T. See Trindade, B.
Vienna, J. D. See Hrma, Pavel R.
Vigdorchik, A. G.; Malinovskii, Yu. A.
Features of rare-earth polyhedra in alkali lanthanide nitrates.—75-06228
Viggiano, Joseph M. See Chaudhari, Praveen
Vigild, M. E. See Findeisen, E.
Vignaud, D.; Wallart, X.; Mollot, F.
InAlAs/InP heterostructures: influence of a thin InAs layer at the interface.—75-00513
Vignot, J. M. See Bucko, D.
Vijayakumar, M. See Reddy, J. Janardhana
Vijayaraghavan, R. See Mahesh, R.
Vikhnin, V. S.; Goncharuk, I. N.; Davidov, V. Yu.; Chudnovskii, F. A.; Shadrin, E. B.
Raman spectra of the high-temp. phase of vanadium dioxide and model of structural transformations close to the metal-semiconductor phase transition [MSPT].—75-09045
Vikhnin, V. S.; Gromov, I. A.; Orlinskii, S. B.; Rakhmatullin, R. M.; Rozentsvaig, Yu. K.
Features of spin-lattice relaxation of Yb^{3+} ions in phosphate glasses.—75-04965
Vikhreva, O. A. See Yankin, A. M.
Vikhreva, O. A.; Balakirev, V. F.
Phase equilibria in the PbO-Bi_2O_3-CuO and PbO_2-CaO-CuO systems.—75-06304
Viktorov, I. A. See Gremenok, V. F.
Viktorov, L. V. See Denisov, E. I.
Viktorov, V. V.; Fotiev, A. A.; Badich, V. D.; Kovel, M. S.; Moroz, A. A.
Thermal interaction of mechanically activated mixtures of CrO_3 and $Al(OH)_3$.—75-06392
Viktorov, V. V.; Fotiev, A. A.; Badich, V. D.
Abrasive and thermal properties of Al_2O_3-Cr_2O_3 solid solutions.—75-09114
Vilarinho, Paula M. See Zhou, Li-Qin
Vilk, Yu. N.; Shvaiko-Shvaikovskii, V. E.; Shvarts, V. A.
Nonstoichiometry of zirconia.—75-05115
Villa, Carlos E.; Dinger, Dennis R.
Spreadsheet calculates glaze compositions: II.—75-02888
Villa, P. L. See Mariani, A.
Villadsen, Jorgen See Dohrup, Jesper
Villalobos, Guillermo See Kecskes, Laszlo J.

Villani, A.; Nguyen, H.
Correlation of the mechanical to the thermomechanical strength of ceramic packages.—75-04468
Villar, M. V.; Rivas, P.
Hydraulic properties of montmorillonite-quartz and saponite-quartz mixtures.—75-02779
Villegas, M.; Fernandez, J. F.; Moure, C.
Preparation, microstructural development, and dielectric properties of $Pb(Mg_{1/3}Nb_{2/3})O_3$-$Pb(Ti,Zr_{1-x})O_3$ multilayer ceramic capacitors.—75-05207
Villegas, M.; Jurado, J. R.; Moure, C.
Processing and properties of $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbZrO_3$-$PbTiO_3$ ceramic relaxors.—75-05210; Improvement of sintering and piezoelectric properties of soft lead zirconate titanate ceramics.—75-05590
Villegas-Palacio, Sergio; Dinger, Dennis R.
PSD [particle size distribution] effects on firing properties of porcelains: I.—75-05168; II.—75-07712
Vincent, C.; Scharff, J. P.; Vincent, H.
Chemical interaction during the chemical vapor deposition of silicon carbide on aluminosilicate fibers from halogenated precursors.—75-06547
Vincent, C.; Vincent, H.; Berthet, M. P.; Piquero, T.; Bouix, J.
ESCA characterization of boron and silicon carbide mixed layers deposited on HR [high strength] and HM [high modulus] carbon fibers by RCVD [reactive CVD]: properties of the as-coated fibers.—75-08926
Vincent, E.; Hammann, J.
Low-temperature dynamics of small γ-Fe_2O_3 particles.—75-05682
Vincent, H. See Vincent, C.
Vincent, R. See Batamack, P.; Steeds, J. W.
Vincenzini, Pietro
Issues related to the standardization of implantable ceramics.—75-07085
Vinjamuri, Krishna
Candidate glass-ceramic waste forms for immobilization of the calcines stored at the Idaho Chemical Processing Plant.—75-03450
Vinograd, E. L. See Gektin, A. V.
Vinogradov, A. E. See Skulachev, A. N.
Vinogradov, E. E.; Azarova, L. A.
Effect of salt composition of a solution on transformations of natural borates.—75-06212
Virga, Kathleen; Cisco, Terry; Owens, Joseph N.; Shoda, Craig
Low-temperature cofired ceramic (LTCC) high density interconnect package with circuitry within the cavity walls.—75-05225
Virkar, A. V. See Gordon, R. S.
Virkar, Anil V. See Su, Pomin; Tian, Qiang
Virlet, J. See Brunet, F.
Virro-Nic, P.; Pilling, J.
Thermal expansion and microstructures of melted Al_2O_3-ZrO_2-TiO_2 ceramics.—75-06911
Vishnetskaya, M. V.; Loginov, A. Yu.; Ivanova, I. I.; Romannikov, V. N.
Catalytic activity of ferrisilicates.—75-09584
Viswanathan, Ravi; Schwartz, D. K.; Madsen, L. L.; Zasadzinski, J. A.
Visualizing Langmuir-Blodgett films with the atomic force microscope.—75-01975
Vitenko, I. N. See Chernenko, V. A.
Vithana, Hemasiri K. M. See Stan, Mark A.
Vittoria, C. See Seed, R. G.
Vittoria, Miriam
Swedish tiles from Hoganas [Angelholm, Sweden].—75-09736
Vivaldi, F. See Beales, T. P.
Vizner, E. Yu. See Aleshina, L. A.
Vladimirov, V. A. See Boiko, E. A.
Vladimirova, M. R.; Kavokin, A. V.
Boundary electron states in semiconducting superlattices.—75-05254
Vladimirskaya, E. V. See Bagraev, N. T.
Vladimirskaya, E. V.; Gasumyants, V. E.; Patrina, I. B.
Effect of double substitutions on transport properties, superconductivity, and band spectra in the $YBa_2Cu_3O_y$ system.—75-05751
Vlajic, Milan See Krstic, Vladimir D.
Vlakhov, E. See Gesheva, Kostadinka A.
Vlakhov, E.; Gattef, E.; Dimitriev, Y.
Synthesis and superconductivity of $YBa_2Cu_3O_y$ ceramics doped with Sb, Ag, and Te.—75-05843
Vlasenko, A. I. See Babentsov, V. N.
Vlasenko, A. I.; Gnatyuk, V. A.; Kopishinskaya, E. P.; Luk'yanenko, V. I.; Mozol, P. E.; Sukach, A. V.
Photoelectric properties of polycrystalline $Cd_xHg_{1-x}Te$ layers on sapphire.—75-05427
Vlasenko, A. I.; Lyubchenko, A. V.; Chalaya, V. G.
Evolution of structural macrodefects in $Cd_xHg_{1-x}Te$ [x≈0.2] solid solutions.—75-07882
Vlasenko, V. G.; Shuvaev, A. T.
X-ray spectral study of interaction of subvalence electron shells in samarium and ytterbium oxides.—75-06413
Vlasov, A. S. See Azarov, G. M.
Vlasov, A. S.; Ludanova, O. V.
Biocompatible glass-ceramic coatings for titanium alloys (review).—75-02438
Vlasov, K. B.; Zainullina, R. I.; Milyaev, M. A.; Ustinov, V. V.
Galvanomagnetic effects in antiferromagnets. Temperature dependences.—75-08218
Vlasov, V. A. See Zamaraev, K. I.
Vlasov, Yu. A.; Golubev, O. L.; Kontorovich, E. L.; Shrednik, V. N.
Nonequilibrium nature of the destruction of an elementary cell of an HTSC crystal during field evaporation.—75-08383
Vlasov, Yu. A.; Permogorov, S. A.; Areshkin, A. G.
Fedorov, D. L.
Zinc-blende [*ZB*]–wurtzite [*W*] structural transition during change in composition of $Zn_xCd_{1-x}Se$ solid solutions.—75-08097
Vlasov, Yu. G. See Gavrilov, Yu. A.; Legin, A. V.
Vlasova, E. O.; Martynov, V. N.; Morozov, V. A.; Pasekov, V. F.; Lopukhin, A. A.
Electrophysical and photoelectric properties of InAs photosensitive elements.—75-05313
Vlasova, M. V. See Bartnitskaya, T. S.
Vlasova, N. N. See Bidzilya, V. A.
Vleugels, J. See Van der Biest, O.; Zhou, Y.
Vleugels, J.; Laoui, T.; Vercammen, K.
Chemical interaction between a SiAlON cutting tool and iron-based alloys.—75-02445
Vo, N. V.; Liu, H. K.; Dou, S. X.
Effect of sintering periods on the pinning force, activation energy, and microstructure of high-T_c superconducting Bi-(Pb)-Sr-Ca-Cu-O tapes.—75-08297
Vochadlo, S. See Yakubovich, O. V.
Vockler, Larry D.
Ceramic-like opaque glass.—75-07413
Vodegel, Stefan
Microwave densification of alumina.—75-06686
Vodop'yanov, L. K. See Kozyrev, S. P.
Vodyankin, A. Yu.; Galanov, S. I.; Kurina, L. N.
Development of oxide catalysts, applied on a metallic carrier, for complete oxidation of CO and carbon-containing gases.—75-06569
Vogel, Eva M.; Silberberg, Y.
Optical nonlinearity in glasses.—75-04983
Vogel, R. A. See Tope, W. G.
Vogel, Walter D.; Spelz, Ulrich
Cost-effective production techniques for continuous fiber-reinforced ceramic matrix composites.—75-01416
Vogt, Gerald J.; Regan, A. H.; Rohlev, A. S.; Curtin, M. T.
Use of a variable frequency source with a single-mode cavity to process ceramic filaments.—75-01738
Vogt, Gerald J.; Tinga, Wayne R.; Plovnick, Ross H.
Dielectric property measurement of zirconia fibers at high temperatures.—75-00319
Vogt, O. See Lohle, J.
Vogt, R. N. See Rawn, C. J.
Vogt, Rudolf See Lezal, Dimitrij
Vogt, Ulrich; Berroth, Karl; Engeli, Georg
Novel synthesis and characterization of silicon nitride fibers.—75-04125
Vogt, Ulrich; Kubler, Jakob J.; Engeli, Georg
Synthesis of Si_3N_4 fibers by a gas-phase process.—75-01715
Vohra, Yogesh K. See McCauley, Thomas S.
Vohs, John M. See Nowakowski, Marilyn J.; Petrie, W. T.
Voigt, J. A. See Schwartz, Robert W.
Voisine, Gary R.; Roberts, Douglas J.; Abbott, Vaughan
Pusher mechanism for IS glass-forming machine.—75-08751
Voit, W.; Ebert, R.; Schuller, K.-H.; Hoffmann, J.
Glazes from premilled raw materials.—75-05164
Voitenko, V. A.
Correlation between stimulated gyrotropy and light scattering from spin density fluctuations in A_3B_5 semiconductors.—75-07813
Voitovich, V. A. See Borisov, A. F.
Voitsekhivskaya, O. N. See Boichuk, V. I.
Voitsekhovskii, V. V. See Komandin, G. A.; Reaney, I.; Smelyanskaya, E. N.
Voitsekhovskii, V. V.; Volkov, A. A.; Komandin, G. A.; Shakir, Yu. A.
Dielectric properties of $ZnGeP_2$ in far-ir long-wave range.—75-05280
Vol'f, T. See Voronkova, V. I.
Vol'pyas, V. A.; Gol'man, E. K.; Tsukerman, M. A.
Thermalization and diffusion of streams of sputtered atoms in gases.—75-09520
Volchek, A. O.; Gusarov, A. I.; Diikov, A. L.; Ignat'ev, F. N.
Change in refractive index of silicate glasses under ionizing radiation.—75-02628
Vold, C. L. See Waytena, G. L.
Volegov, V. V. See Shur, V. Ya.
Volenik, K. See Benes, V.
Volk, T. R.; Astaf'ev, S. B.; Razumovskii, N. V.
Photorefraction in crystals with a nonstationary photovoltaic current.—75-06316
Volker, Karin See Gesemann, Hans-Jurgen
Volkov, A. A. See Komandin, G. A.; Smelyanskaya, E. N.; Voitsekhovskii, V. V.
Volkov, A. Yu.; Bush, A. A.
Controlled texturing of HTSC materials: technology, properties, and application in the protection of contacts of superconducting devices.—75-08277
Volkov, B. A.; Davydov, D. N.; Svistov, A. E.; Chizhevskii, E. G.
Quantum conductivity of microcontacts of metal–narrowly cracked semiconductor, $Pb_{1-x}Sn_xSe$.—75-05455
Volkov, B. A.; Shapovalov, V. V.
Nature of defect levels in A^4B^5-type semiconducting compounds.—75-07980
Volkov, S. V.; Yanko, O. G.; Pekhn'o, V. I.
Synthesis and study of new palladium(II) chalcogenochlorides.—75-09464
Volkov, V. E. See Zharova, L. A.
Volkov, V. L.; Denisova, T. A.; Shtin, A. P.
Hydrates of potassium, rubidium, and cesium dihydroarsenates.—75-05587
Volkov, V. L.; Zakharova, G. S.
Partial thermodynamic functions of hydrogen in $H_xV_{12-y}Mo_yO_{31\pm5}\cdot nH_2O$ [y=0–3.5] xerogels.—75-09004
Volkov, V. T.; Kokhanchik, L. S.; Matveev, V. N.; Nosenko, S. V.
Formation and scanning electron microscopy investigation of $LiNbO_3$ films on silicon substrates.—75-05583
Volkov, V. V. See Bokov, V. A.; Egorysheva, A. V.; Pervov, V. S.
Volkov, V. V.; Egorysheva, A. V.; Kargin, Yu. F.; Solomonov, V. I.; Mikhailov, S. G.; Buzmakova, S. I.
Synthesis and luminescent properties of $Bi_2Ga_4O_9$ single crystals.—75-09458
Volkov, V. V.; Egorysheva, A. V.
Synthesis and growth of self-activated scintillation crystals of $Bi_2Al_4O_9$.—75-06794
Volkov, V. See Bondarenka, V.
Volkova, G. K. See Alekseenko, V. I.
Volkova, N. V.; Zvereva, E. A.; Skirpetrova, L. A.
Magnetic anisotropy and energy spectra of thullium iron garnet.—75-05685
Voll, V. A.
Energy estimation of photolytical centers in Ag_2O.—75-05314
Vollath, D.; Szabo, D. V.
Nanocoated particles: a special type of ceramic powder.—75-04119
Vollum, R. B. See Roberts, S. O.
Volm, D. See Wetzel, C.
Volm, D.; Meyer, B. K.; Mokhov, E. N.; Baranov, P. G.
Radiation defects in SiC—electron irradiation with different energies.—75-01772
Volodin, B. A. See Belov, R. K.
Volodin, N. M. See Kaminskii, V. V.
Vologin, V. G.; Dubinin, S. F.
State of degenerate antiferromagnetism in $ZnFe_2O_4$.—75-05711
Volokobinskii, Yu. M.; Diallo, T. I.; Kravchenko, K. O.
Degradation processes in porous high-temperature materials.—75-09612
Voloshin, A. V. See Rastsvetaeva, R. K.
Voloshin, I. F. See Fisher, L. M.
Voloshin, V. A.; Abalesheva, I. S.; Bochkovaya, G. Yu.; Boiko, F. A.; Doroshenko, N. A.; Yuzhelevskii, Ya. I.
Conditions for transition to superconducting state in the YREBaCuO (RE=Pr, Nd) system.—75-08276
Voloshinovskii, A. S.; Pidzyrailo, M. S.; Mikhailik, V. B.; Rodnyi, P. A.
Luminescence parameters of PbX_2 (X=F, Cl, Br, I) crystals.—75-01306
Voloshok, T. N. See Buchel'nikov, V. D.
Volta, Jean-Claude See Rouvet,
Von Borstel, Thomas; Frischat, Gunther-Heinz
Influence of residual carbon on the behavior of superconducting $YBa_2Cu_3O_{7-x}$ derived from sol-gel-based precursors.—75-05784
Von der Muehll, R. See Huang, Sui-Yang
Von Helmolt, R.; Wecker, J.; Samwer, K.
Intrinsic giant magnetoresistance of mixed valence La-A-Mn oxide (A=Ca,Sr,Ba).—75-00742
Von Kanel, H. See Weber, A.
Von Minnigerode, Gunther See Geyer, Ulrich
Von Wedel, Karl
Pendulum clinker cooler with horizontal air jets.—75-00976
Von Windheim, Jesko A. See Saito, Kimitsugu
Vopilov, V. A. See Buznik, V. M.
Vorburger, T. V. See McWard, T. H.
Vorflusev, V. P.; Kosygina, M. A.; Shoshin, V. M.; Bobylev, Yu. P.
Electrooptical properties of the uniform chevron state of a ferroelectric smectic liquid crystal.—75-05564
Vorob'ev, A. F.; Mustafin, D. I.; Kudelin, D. P.
Solubility of alkali metal sulfates in anhydrous dimethoxyethane.—75-09188
Vorob'ev, A. K. See Belov, R. K.
Vorob'ev, G. P. See Popov, Yu. F.
Vorob'ev, G. P.; Zvezdin, A. K.; Kadomtseva, A. M.; Popov, Yu. F.; Murashov, V. A.; Chernenkov, Yu. P.
Magnetoelectric effect and incommensurate spin structures in the $La_xBi_{1-x}FeO_3$ system.—75-05692
Vorob'ev, G. P.; Zvezdin, A. K.; Kadomtseva, A. M.; Popov, Yu. F.; Murashov, V. A.; Rakov, D. N.
Possibility of coexistence of weak ferromagnetism and spatially modulated spin structure in ferroelectrics.—75-08162
Vorob'ev, L. E.; Danilov, S. N.; Zibik, E. A.; Kochegarov, Yu. V.; Firsov, D. A.; Tove, E.
Optical phenomena under electron heating in MQW GaAs-AlGaAs in a longitudinal electric field.—75-03103
Vorob'ev, L. E.; Donetskii, D. V.; Kastal'skii, A.
Long-wave radiation during heating of two-dimensional holes by the longitudinal electric field in quantum wells of GaAs-AlGaAs structures.—75-05363
Vorob'ev, Yu. P. See Fetisov, A. V.
Vorob'ev, Yu. P.; Fetisov, V. B.
Defects of rare-earth garnet-germanates of calcium, strontium, and cobalt.—75-06844
Vorob'eva, V. V. See Mosin, Yu. M.
Voron'ko, Yu. K.; Batygov, S. Kh.; Margiani, N. G.; Kiryukhin, A. A.; Ryskin, N. N.
La^{3+} and Lu^{3+} isoelectronic centers in YAG.—75-08224
Voron'ko, Yu. K.; Gorbachev, A. V.; Sobol, A. A.
Raman scattering and structure of cubic solid solutions based on zirconium and hafnium dioxides.—75-06331
Voronin, A. P. See Surzhikov, A. P.
Voronin, A. V. See Verdiyan, M. A.
Voronin, V. F. See Ksie, I. Kh.
Voronina, L. I.; Kalashnikov, A. A.
Melting of cobalt glass in a small furnace with electrical heating.—75-03619
Voronina, T. I. See Mikhailova, M. P.
Voronina, T. I.; Lagunova, T. S.; Mikhailova, M. P.; Moiseev, K. D.; Yakovlev, Yu. P.
High carrier mobility in isotype *p*-GaInAsSb/*p*-InAs heterostructures.—75-07904
Voronko, A. I.; Kumenkov, S. E.; Shkerlin, G. N.
Particular properties of a nonlinear reflection of electromagnetic waves from a multilayer structure which are connected with electron gas heating in a high-doped GaAs layer.—75-05414

Voronkova, V. I. See Klimova, I. P.
Voronkova, V. I.; Yanovskii, V. K.; Vol'f, T.; Zhukov, A. A.; Klestov, S. A.; Moichanov, V. N.
Growth and superconducting properties of $TmBa_2Cu_3O_{7-x}$ crystals.—75-05772
Voronov, V. N. See Mel'nikova, S. V.
Voronova, I. D. See Grishechkina, S. P.
Voronova, R. S. See Gromov, P. B.
Vorotynov, A. M. See Petrakovskii, G. A.
Vorotynov, A. M.; Loseva, G. V.
EPR study of the $Mn_xV_{1-x}S$ system [x=0–1].—75-07879
Vorsina, I. A. See Grigor'eva, T. F.
Voshchilova, R. M.; Dimitrov, D. P.; Dolotov, N. I.; Kuz'min, A. R.; Makhin, A. V.; Moshnikov, V. A.
Formation of the structure of gas-sensitive tin dioxide layers prepared by reactive magnetron sputtering.—75-05325
Voss, Kenneth E. See Farrauto, Robert J.
Voss, Kenneth E.; Yavuz, Bulent O.; Farrauto, Robert J.; Galligan, Michael P.
Oxidation catalyst with bulk ceria, a second bulk metal oxide, and platinum.—75-07269
Voss, U. See Saruhan, B.
Votava, Miles L.
Porcelain enamel challenge: dare to compare.—75-00117
Voter, A. F. See Yan, M.
Vovk, A. I. See Mokrushin, A. N.
Vrolijk, J. W. G. A.; Van den Cruysem, S.; Metselaar, R.
Influence of MgO and SiO_2 dopants on the sintering behavior of yttrium aluminum garnet ceramics.—75-01541
Vstavskaya, E. Yu.; Cherepanov, Vladimir A.; Zuev, A. Yu.
Phase diagram of the Bi-Sr-Cu-O system.—75-06299; Phase diagram of the bismuth-calcium oxide system.—75-01232
Vuchic, B. V.; Merkle, K. L.; Buchholz, D. B.; Chang, R. P. H.; Marks, L. D.
Direct correlation of transport properties and microstructure in $Y_1Ba_2Cu_3O_{7-x}$ thin-film grain boundaries.—75-03356
Vul, A. Ya. See Alexensky, A. Ye.
Vuong, K. D. See Kudesia, R.; Williams, J. A. A.
Vuoristo, P. See Mantyla, T. A.
Vutova, K. G. See Gueroguiev, Y. M.
Vyacheslavov, Leonid N. See Fuso, F.
Vyalyi, N. G. See Brodovoi, A. V.
Vyazovskii, M. V.; Syrodoev, G. A.
Electron drag by solitons in superlattices in external magnetic fields.—75-07870
Vyazovskii, Yu. V. See Pitak, N. V.
Vygovskii, N. A. See Rabinovitch, R. A.
Vygranenko, Yu. K.; Slyn'ko, V. E.; Slyn'ko, E. I.
Electrical properties of ytterbium-doped $Pb_{1-x}Ge_xTe$ solid solutions.—75-06457
Vysheslavtsev, P. P. See Belov, R. K.
Vysotskii, S. L.; Kazakov, G. T.; Maryakhin, A. V.; Filimonov, Yu. A.; Khe, A. S.
Surface magnetostatic waves [SMSWs] in exchange-coupled ferrite films.—75-08244
Vyvenko, O. F. See Istratov, A. A.
Vyvenko, O. F.; Davydov, I. A.; Odrinskii, A. P.
Photoelectric deep level relaxation spectroscopy in CdS single crystals with deviations from stoichiometry imposed during the growth process.—75-06313
Vyvenko, O. F.; Istratov, A. A.
Polar dislocations in cadmium sulfide studied by cathodoluminescence and DLTS methods.—75-05438
Waalib-Singh, N. K.; Muddle, B. C.; Hannink, R. H. J.
Reaction sintering of an iron-based ceramic-metal composite.—75-00127
Wachtman, John B., Jr. See Lehman, Richard L.
Wada, H. See Makihara, C.
Wada, Osamu See Ohsawa, Shigenari
Wada, Satoshi; Kubota, A.; Suzuki, Takeyuki
Preparation of barium titanate fine particles from chelated titanium and barium nitrates by the mist decomposition method in air.—75-06725
Wada, Satoshi; Suzuki, Takeyuki; Noma, Tatsuo
Role of lattice defects in the size effect of barium titanate fine particles—a new model.—75-09054
Wada, Shigetaka See
Effects of hardness and fracture toughness of target ceramics and abrasive particles on wear rate by abrasive water jet.—75-09628; SiC—now and future: I.—75-06513; II.—75-03713; See also Ukyo, Yoshio
Wada, Takahiro; Koriyama, Shinichi; Sakurai, Takeshi; Suzuki, Nobuo; Miyatake, Takayuki; Yamauchi, Hisao
High-temperature oxide superconductor.—75-05868
Wadayama, T.; Shibata, H.; Kobayashi, T.
Si-rich surface layer of photochemically deposited silicon nitride.—75-06348
Wade, Frances See Leigh, David A.
Waffenschmidt, E.; Waffenschmidt, K. H.; Arndt, F.
Local stoichiometry measurement of Y-Ba-Cu-O thin layers grown by metallorganic chemical vapor deposition.—75-00817
Waffenschmidt, K. H. See Waffenschmidt, E.
Wagal, S. S. See Jacobs, T. L.
Wagar, Jeffrey
Tracing ware without using bar codes.—75-07098; Using a simple feedback loop to accurately count and track WIP [work in process].—75-03603
Wager, J. F. See Abu-Dayah, A.
Waggener, Jack E.
Current environmental regulatory activities.—75-00083
Waghray, A. See Gallet, D.
Wagner, A.; Mortel, H.
Microbial leaching of iron from silica sands by Aspergillus Niger.—75-06041
Wagner, Eckhard See Krell, Andreas
Wagner, Florian See Lathabai, Srinivasarao
Wagner, Heike See Bayer, Michael
Wagner, J. See Ellison, A. J. G.
Wagner, Oliver See Baldus, H.-P.
Wagner, P. See Jackson, H. W.
Wagner, R. See Kaestner, G.
Wagner, T.; Ruhle, Manfred
Growth and structure of Al/MgO interfaces.—75-04330
Wagner, Timothy See Morscher, Gregory N.
Wagner, W. C. See Chu, Tien-Min
Wagner, W. See Mohr, R. K.; Stolten, D.
Wahab, Q. See Tomashiunas, R.; Turan, R.
Wahrendorff, Peter See Bastian, Hartmuth
Waites, Henry See Jones, Lowell
Wajler, C. See Blazewicz, M.
Wakabayashi, Hajimu See Akai, Tomoko
Wakabayashi, Hideaki See Nakashima, Hiroshi
Wakahara, Akihiro See Wang, Xue-Lun
Wakahata, Yasuo See Noi, Keiichi
Wakai, Fumihiro See Hirano, Takeshi; Nagano, Takayuki
Wakamatsu, Mitsuru See Ishikawa, Makoto; Nanri, Hayato
Wakamoto, Eiji See Yoshida, Tsuyoshi
Wakasa, K.; Yoshida, Y.; Ikeda, A.
Castability test of experimental apatite-based glass-ceramic for small castings.—75-05939
Wakashima, K. See Ishizuka, T.
Wakasugi, K. See Morimoto, T.
Wakata, Mitsunobu See Egawa, Kunihiko
Wakimoto, Michihiro See Sawada, Yasushi
Wakino, Kikuo; Okada, Masakatsu; Takenaka, Kazuhiko; Fujino, Masaru
YIG single-crystal fiber growth using ir-assisted laser FZ [floating zone] technique.—75-03341
Wakita, Tamotsu; Kawamura, Toshio; Fushimi, Tetsuro; Ito, Kazuo; Kubo, Yoshikazu; Kawahigashi, Satashi
Development of magnesia spinel slide gate plate for Ca-treated steel.—75-07521
Wakiya, Naoki See Fujii, Yoshihiro; Sida, Masato
Waku, Yoshiharu; Ohtsubo, Hideki; Kohtoku, Yasuhiko
Ceramic composite material.—75-08774
Wala, T. B. See Tucholka-Szmeja, B.
Walczak, J.; Rychlowska-Himmel, I.
Real composition of the phase formed in the Fe_2O_3-V_2O_5-WO_3 system.—75-06338
Walden, B. L. See Caragianis-Broadbridge, C.
Waldner, Kurt F. See Bickmore, Clint R.
Waldrop, J. R.
Schottky barrier height of metal contacts to *p*-type alpha 6H-SiC.—75-00592
Walkenhorst, A. See Petersen, K.
Walker, B. L. See Bailey, J. H.
Walker, D. A. See Plowman, T. E.
Walker, D.; Little, J. R.
Starting a manufacturing business in New York State—economic and technology issues.—75-02148
Walker, Howard See Imthurn, George P.
Walker, J. A.; Goossen, K. W.; Cunningham, J. E.
Gas composition dependence of silicon nitride used as gallium diffusion barrier during GaAs molecular beam epitaxy growth on Si complementary metal oxide semiconductor.—75-03034
Walker, P. A. See King, H. W.
Walker, W. J., Jr.; Reed, J. S.; Verma, S. K.
Organic additive systems for spray drying and dry pressing silicon nitride.—75-04129
Walko, Robert J. See Anderson, Mark T.
Wallace, Terry C., Sr. See Butt, Darryl P.
Wallart, X. See Vignaud, D.
Wallen, P. See Campbell, B.
Wallenberger, Frederick T.; Diefendorf, R. Judd; Frischknecht, Kyle D.; Nordine, Paul C.
Novel carbon fibers by laser-assisted chemical vapor deposition (LCVD).—75-00003
Wallnofer, Wolfgang See Krempl, Peter W.
Walls, J. R. See Ovenston, A.
Walls, P. A.; Hori, M.; Mishima, M.
Alumina/ß-SiAlON/YAG composite ceramics.—75-01377
Walls, P. A.; Ueki, Masanori
Fractal pore formation during post-HIP annealing of SiAlON ceramics.—75-02053
Walmsley, A.
Ceramic analysis and social processes—pottery and society in antiquity.—75-00013
Walrod, D. See Winder, S. M.
Walsh, M. See Baker, K.
Walter, A.
Animals & Co., 1983-1992.—75-02189
Walter, S.; Suttor, D.; Erny, T.; Hahn, B.; Greil, P.
Injection molding of polysiloxane/filler mixtures or oxycarbide ceramic composites.—75-09344
Walther, John V. See Mazer, James J.
Walton, K. S.; Datta, R. K.
Zinc titanate (Zn_2TiO_4) based spinels as desulfurization sorbents.—75-03867
Wan, H. See Liu, J.
Wan, Y. M.; Hebboul, S. E.; Garland, J. C.
Vortex phase diagram of $Bi_2Sr_2CaCu_2O_{8-y}$ near T_c.—75-05860
Wan, Z.-J. See Yang, W.-Y.
Wandel, K. See Ambree, P.
Wandell, Tracy
Cenospheres: from waste to profits.—75-05075
Wanek, Erich See Helms, Jan
Wang, B.-M.; Jin, L.; Jin, Y.-P.; Zong, L.-Y.; Hong, T.; Li, P.-X.
SiC-reinforced $MoSi_2$ composite materials.—75-04212
Wang, B.-R. See Jiang, Y.-Z.
Wang, Bao-Liang See Shi, S.-Z.
Wang, Bao-Wei See Chen, Li-Fu
Wang, C. C. See Akbar, S. A.
Wang, C. M. See Carr, K. E.
Wang, C. Z.; Ho, K. M.
Structure and electronic properties of diamondlike amorphous carbon.—75-01345
Wang, C. See Benjamin, M. C.; Chien, F. R.; Wei, P.
Wang, C.-A. See Huang, Y.
Wang, C.-J. See Chern, H.-L.
Wang, C.-J.; Hung, W.-K.
High-temperature chlorine corrosion of Fe-Mn-Al-C alloy in Cl_2/O_2/Ar mixtures at 600 and 900°C.—75-04428
Wang, Chen See Yang, Jie
Wang, Chi See Zaki, Kawthar A.
Wang, Ching-Yuch See Shyu, Jiin-Jyh
Wang, Chong-Min; Pan, Xiao-Qing; Hoffmann, Michael J.; Cannon, R. M.; Ruhle, Manfred
Grain boundary films in rare-earth-glass-based silicon nitride.—75-04328
Wang, Chong-Min; Riley, F. L.
Structural nanodefects in α-silicon nitride.—75-09517
Wang, Chong-Min
Fine structural features in α-silicon nitride powder particles and their implications.—75-01219; See also Zhe, Xiao-Li
Wang, Cong See Chen, Xiao-Long
Wang, D. Y.
Thin/thick film ceramic sensors.—75-01732
Wang, D.-H. See Chen, Y.-L.
Wang, Da-Yu
Direct energy conversion in single gas mixture by an oxide solid electrolyte electrochemical cell and its applications in multi-gas sensing.—75-00321
Wang, Da-Zhi See Wang, Yu-Ren
Wang, Dian-Fen See Peng, Yong-Jun
Wang, E. See Mohr, R. K.; Yan, Q.
Wang, F.-M. See Chuang, M.-S.
Wang, F.-X. See Cheng, Y.-Q.
Wang, Feng See Shi, Yi
Wang, G. X. See Pei, Benyan
Wang, Guizhi See Pratsinis, Sotiris E.
Wang, H. M.; McCauley, Ronald A.
Surface modification of silicon nitride powders by metallorganic surfactants.—75-04235
Wang, H. See Gao, L.; Li, D. Y.; Liu, Q.; Low, I. M.; Singh, Raj N.; Wang, P.-L.
Wang, H.-H.; Chen, J.-C.
Chemically modified epoxy network with polyurethane (PU) by various coupling agents.—75-03971
Wang, H.-J. See Huang, Y.-R.; Liu, W.-Y.
Wang, H.; Wang, P.-L.; Sun, W.-Y.; Zhuang, H.-R.; Yan, D.-S.
High-performance of α´-ß´-SiAlON ceramics.—75-04337
Wang, H.; Zhuang, H.-R.; Sun, W.-Y.; Yan, D.-S.
Effect of the intergranular glassy phase on the sintering process of Re-SiAlONs.—75-04012
Wang, Hong-Yan See Su, Qiang
Wang, Hong-Yu; Singh, Raj N.; Lowden, Richard A.
Thermal shock behavior of two-dimensional woven fiber-reinforced ceramic composites.—75-06528
Wang, Hong-Yu; Singh, Raj N.
Piezoelectric ceramics and ceramic composites for intelligent mechanical behaviors.—75-00687
Wang, Hsiao-Lei; Hon, M.-H.
In situ DLC/TiC composite coating by plasma-enhanced chemical vapor deposition.—75-09335
Wang, Hsin-Fu
Scanning force microscopy study of ceramic fibers for advanced composites.—75-06905
Wang, Hui; Hu, Xiao-Zhi
Surface properties of ceramic laminates fabricated by die pressing.—75-01349
Wang, J. N.
Newtonian flow process in polycrystalline silicon carbides: diffusional creep or Harper-Dorn creep.—75-07018
Wang, J. See Delamare, M. P.; Sheik-Bahae, Mansoor
Wang, J.-H. See Pan, Y.-B.
Wang, J.-H.; Zhang, Q.-J.; Yuan, R.-Z.
Influence of micromechanical approaches on macroelastic-plastic response of C/M FGMs: I, Steady-state problem.—75-02493
Wang, J.-J. See Lu, F.-X.
Wang, J.-L. See Dai, X.-M.
Wang, J.-P. See Han, D.-H.
Wang, J.-S. See Chiu, K.-C.
Wang, J.-S.; Wang, M.-C.; Hon, M.-H.
Process for removing the OH ion in BaO-CaO-ZnO-Al_2O_3-GeO_2 glass system.—75-02738
Wang, J.-X.; Liu, J.-H.
Recent development of high alumina refractories in China.—75-02831
Wang, J.-Y.; King, A. H.
Interaction of twin boundaries with grain boundaries in $YBa_2Cu_3O_{7-\delta}$.—75-03375
Wang, J.; Monot, I.; Hervieu, M.; Provost, J.; Desgardin, G.
Evidence of carbon retention in $YBa_2Cu_3O_{7-x}$ ceramics and its effect on the superconducting properties.—75-08312
Wang, J.; Ponton, C. B.; Marquis, P. M.
Abnormal grain growth in alumina-doped hafnia ceramics.—75-06860
Wang, Ji See Lee, P. C. Y.
Wang, Ji-Fang See Gu, Hui-Cheng
Wang, Jian See Li, Wen-Chao
Wang, Jian-Bao See Xu, Qiang
Wang, Jian-Li See Yang, Fu-Ming
Wang, Kai-An See Bi, Xiang-Xin
Wang, Ke-Ming; Ding, Pei-Jun; Wang, Wei
Range profiles of 600–1200-keV Xe^+ implanted in $KTiOPO_4$.—75-01337
Wang, Ke-Yun See Sacks, Michael D.
Wang, Ke-Yun; Sacks, Michael D.
Mullite formation by endothermic reaction of α-alumina/silica microcomposite particles.—75-01590
Wang, Kung; Singh, Jasprit; Pavlidis, D.
Theoretical study of GaN growth: a Monte Carlo approach.—75-01730
Wang, L. X. See Yang, J.
Wang, L. See Akbar, S. A.
Wang, L.-M. See Chen, Su-Fen

Wang, L.-Q.; Baer, D. R.; Engelhard, M. H.
Adsorption of liquid and vapor water on TiO_2(110) surfaces—the role of defects.—75-04276
Wang, L.-Y.; Hon, M.-H.
Effect of cristobalite seed on the crystallization of fused silica based ceramic core—a kinetic study.—75-03787
Wang, L.; Wixom, M. R.; Thompson, L. T.
Structural and mechanical properties of TiB_2 and TiC prepared by self-propagating high temperature synthesis/dynamic compaction.—75-07040
Wang, Li-Ming See Chen, Ling-Yan; Gu, Mu
Wang, Li-Ming; Chen, Ling-Yan; Wu, X.
Charge-state stability and optical transitions of oxygen impurities in barium fluoride crystal.—75-01811; Charge-transfer transitions of RE^{3+}-O^{2-} associates in BaF_2 crystal.—75-01812
Wang, Liang-Bin See Wu, Wen-Bin
Wang, M.-C. See Wang, J.-S.
Wang, M.-X. See Qu, X.-X.
Wang, M.; Li, M.; Guiu, F.
Fatigue of silicon nitride at 1000°C.—75-04528
Wang, M.; Porter, D.; Bonfield, W.
Characterization and sintering of precipitated hydroxyapatite.—75-01801
Wang, Man-Sheng; Given, Bruce A.
Ceramic aluminum laminate and thermally conductive adhesive therefor.—75-08820
Wang, P. D.; Ledentsov, N. N.; Sotomayor Torres, C. M.
Resonant scattering studies of multilayer (In,Ga,Al)(As,Sb) heterostructures with InAs quantum wells.—75-05464
Wang, P. E.; Chaki, T. K.
Deposition of hydroxyapatite film on silicon single crystal from solution.—75-03987
Wang, P.-L. See Wang, H.; Zhu, W.-H.
Wang, P.-L.; Tu, H.-Y.; Wang, H.; Sun, W.-Y.; Yan, D.-S.
Compositional optimization of α′-ß′-SiAlON ceramics with YAG as grain boundary phase.—75-03773
Wang, P.; Beck, A.; Koerner, W.
Density and refractive index of silica aerogels after low- and high-temperature supercritical drying and thermal treatment.—75-06440
Wang, Pei-Ying See Liu, Mei-Dong
Wang, Q. H.; Bowser, M. I.; Swanson, J. G.
Thermal emission of charges at Si_3N_4-GaAs interfaces plasma pretreated with H_2, Ar, and Ar+H_2.—75-00617
Wang, Q.; Cheng, H. S.; Caracostas, O. A.
Wear of aluminum alloy matrix composites in lubricated conformal contact with case hardened steel.—75-04664
Wang, Q.; Cheng, H. S.; Fine, M. E.
Wear of tin coating and Al-Si alloy substrate against carburized steel under mixed lubrication.—75-04666
Wang, Qian-Hua See Wang, Z.-D.
Wang, R. K.; Liu, H. K.; Dou, S. X.
TEM study of microstructure of longitudinal cross section of Ag-clad $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ tapes.—75-00886
Wang, R.-L. See Mai, Z.-H.
Wang, Rui-Ping; Sekine, Hisashi; Jin, Hua
Thermoelectric power of the $Bi_2Sr_2Ca_{1-x}Ce_xCu_2O_{8+y}$ [x=0–0.4] system.—75-08440
Wang, S.-H. See Lei, T.-C.
Wang, S.-H.; Wu, J.-G.; Huang, Y.
Shaping of ceramic components by pressure filtration.—75-04205
Wang, S.-Q.; Chen, Y.-R.; Tan, J.-Q.; Yuan, Q.-M.
Preparation and microstructures of micrograined PSZ(MGPSZ) ceramics.—75-04153
Wang, S.-X. See Lin, G.-Y.
Wang, S.; Dudley, M.; Carter, C. H., Jr.; Kong, H. S.
X-ray topographic studies of defects in PVT 6H-SiC substrates and epitaxial 6H-SiC thin films.—75-01780
Wang, Shaio-Wen See Kumar, Atul
Wang, Shi-Dong See Shen, Lin-Jiang
Wang, Shu-Qiang See Ma, Ya-Lu
Wang, Su See Yadav, Tapesh; Zhou, Dan
Wang, Tian-Di; Kong, Zhi-Shuang; Pan, Wei-Cai
Research on polymer-modified cement mortar.—75-00066
Wang, Tian-Ming; Zou, Zong-Shu; Li, Yin-Tai; Dou, Shu-Ju
Influence of special silica on the in situ growth of silicon carbide whiskers in Al_2O_3-C refractories.—75-05101
Wang, W. S. See Aggarwal, M. D.
Wang, W. Z. See Shi, Y.-X.
Wang, W. See Ostoja-Starzewski, M.
Wang, W.-J. See Hou, C.-K.
Wang, W.-X.; Liu, S.-H.; Li, D.-H.; Liu, Z.-C.
Synthesis and physical properties of nanosized silicon nitride produced by LICVD.—75-04238
Wang, Way-Seen; Wei, Pei-Kuen
Lithium niobate optical TE-TM mode splitter.—75-00713
Wang, Wei See Wang, Ke-Ming
Wang, Wei-E.; Olander, Donald R.
Thermodynamics of the Zr-H system.—75-01254
Wang, Wei-Min; Fu, Zheng-Yi; Jin, Ming-Ji; Yuan, R.-Z.
Fabrication of TiB_2 powder by SHS with reduction process.—75-09306
Wang, Wen-Cai; Chen, Yu; Hu, Tian-Dou
Short-range order in some ternary ZrF_4-based glasses.—75-04926
Wang, Wen-Qin See Jin, Zheng-Guo
Wang, X. K. See Williams, S. M.
Wang, X. L. See Rabin, B. H.
Wang, X. W. See Kudesia, R.; Williams, J. A. A.
Wang, X.-F.; Lei, X.-L.
Simple description of Frohlich interaction in cylindrical GaAs/AlAs quantum wires.—75-05476
Wang, X.-G. See Huang, Y.-R.
Wang, X.-G.; Huang, Y.-R.; Li, X.-R.; Zhou, A.
High-temperature properties of SiC fiber-reinforced LAS glass-ceramic composite.—75-02657
Wang, X.-J. See Zheng, Z.-H.
Wang, X.-T. See Liang, Y.-H.
Wang, X.; Martin, P.
Morphology and modification by high-energy ion beam bombardment concurrent with TiN film growth.—75-06279
Wang, Xiao-Hui; Zhao, Chun; Wang, Zhi-Chen
Synthesis of $BaTiO_3$ nanocrystals by stearic acid gel method.—75-04241
Wang, Xiao-Tian See Hao, Hong-Qi
Wang, Xing See Xia, Yuan-Ming
Wang, Xue-Lun; Wakahara, Akihiro; Sasaki, Akio
Structure and photoluminescence of AlP/GaP short-period superlattices grown by organometallic vapor phase epitaxy.—75-00608
Wang, Y. G. See Dai, J.-Y.
Wang, Y. G.; Hoier, R.; Steinsvik, S.
Low-angle grain boundary in iron-doped strontium titanate revealed by transmission electron microscopy.—75-06885
Wang, Y.-S. See Hsu, Stephen M.
Wang, Y.-Z. See Lu, Bao-Long
Wang, Ya-Xin See Cassidy, William D.; Lamouri, A.
Wang, Ya-Xin; Evans, Edward A.; Kovach, Christopher S.; Landau, Uziel; Angus, John C.
Nucleation and growth processes during the chemical vapor deposition of diamond.—75-04126
Wang, Yan-Bin See Leinenweber, Kurt
Wang, Yan-Min; Forssberg, Eric
Dispersants in stirred ball mill grinding.—75-05898
Wang, Yan-Mou; Su, Mu-Zhen
Third series cement in China.—75-00071
Wang, You-Xiang See Hartman, J. Stephen
Wang, Yu-Hu; Ohwaki, Junichi
Wavelength upconversion transparent glass-ceramics.—75-00232
Wang, Yu-Ren; Lu, Kun-Quan; Wang, Da-Zhi
EXAFS study of nanocrystalline zirconia.—75-06226
Wang, Yucong; Meyers, Dennis M.; Mikkola, Paul H.
Metallurgical bonding of metals and/or ceramics.—75-00161
Wang, Yun-Bo See Li, Yang
Wang, Yun-Zhi; Chen, Long-Qing; Khachaturyan, A. G.
Three-dimensional dynamic calculation of the equilibrium shape of a coherent tetragonal precipitate in Mg partially stabilized cubic ZrO_2.—75-03859
Wang, Z. See Karoto, S.; King, H. W.; Tonouchi, M.; Uzawa, Y.; Yasuda, T.
Wang, Z.-D. See Li, H.-L.
Wang, Z.-D.; Wang, Qian-Hua; Fung, P. C. W.
Electromagnetic and thermomagnetic properties of high-T_c superconductor in its mixed state: the single vortex motion model.—75-08308
Wang, Z.-X.; Ge, C.-C.; Chen, L.-M.
Fabrication of TiB_2-Cu functionally gradient materials using gas-pressure combustion sintering.—75-04040
Wang, Zhi-Chen See Wang, Xiao-Hui
Wang, Zhi-Rui See Hua, Wen-Jun
Wanjara, P.; Drew, R. A. L.; Yue, S.
Fabrication of Ti-6% Al-4% V/TiC metal matrix composites by sintering and thermomechanical processing.—75-04853
Wantenaar, G. H. J. See Calka, A.
Wantuck, Paul J. See Butt, Darryl P.
Wara, N. M. See Kim, Y. J.
Waragai, Katsunori See Mizusaki, Junichiro
Ward, M.
Mysterious hole—determining correct burner-orifice size.—75-02306
Warfield, Timothy J.
Method for forming a planarization etch stop.—75-08594
Warner, Joseph D. See Stan, Mark A.
Warner, Steven B. See Schaffer, James P.
Warren, P. D.; Hills, D. A.
Influence of elastic mismatch between indenter and substrate on Hertzian fracture.—75-06995
Warren, R. See Lei, B. Q.
Warren, William L. See Dimos, D.
Warren, William L.; Dimos, D.; Al-Shareef, Husam N.; Raymond, Mark V.; Tuttle, Bruce A.; Pike, Gordon E.
Links between electrical and optical fatigue in Pb(Zr,Ti)O_3 thin films.—75-03239
Warren, William L.; Vanheusden, K.; Dimos, D.; Pike, Gordon E.; Tuttle, Bruce A.
Oxygen vacancy motion in perovskite oxides.—75-01602
Warrier, K. G. K. See Kumar, C. Sunil; Mani, T. V.; Sivakumar, S.; Varma, H. K.
Warrier, K. G. K.; Hareesh, U. S.; Anilkumar, G. M.; Damodaran, A. D.; Janssen, R.
Ultrafine alumina-coated silicon carbide particles for alumina-silicon carbide nanocomposites.—75-04264
Warrier, K. G. K.; Mukundan, P.; Ghosh, S. K.
Microwave drying of boehmite sol intercalated smectites.—75-06687
Wasa, Kiyotaka See Setsune, Kentaro
Wasche, Rolf See Rabe, T.; Zu Kocker, G. M.
Wasche, Rolf; Weiss, Birgit; Steinborn, Gabriele
Sintering and characterization of gelcast alumina-chromia reaction bonded ceramics.—75-01663
Waser, R. See Dietz, Guido W.; Hoffmann, S.; Schumacher, M.
Washino, Junichi
Ceramic substrate provided with metallized layers for connection with chip, circuit board, or the like.—75-07751
Wasylak, J. See Janewicz, M.
Watabe, Yoshimi See Kodama, Akira
Watanabe, A. See Imai, Yoji; Sakaguchi, Isao
Watanabe, Akira See Saeki, Goji
Watanabe, Akira; Takahashi, Hirokuni; Takanaga, Sigeyuki; Uchida, Mineo
Magnesia-containing basic castables.—75-07592
Watanabe, H.; Hirota, Ken; Yamaguchi, Osamu
Hot isostatic pressing of tetragonal ZrO_2 solid solution powders prepared from acetylacetonates in the system ZrO_2-Y_2O_3-Al_2O_3.—75-06637
Watanabe, Hitoshi See Mihara, Takashi
Watanabe, K.; Yabuta, K.; Okamoto, H.; Yamamoto, H.
Oxidation behavior of MgO-C bricks with various additives.—75-07623
Watanabe, Keiichiro See Yoshida, Toshihiro
Watanabe, Keiichiro; Shimizu, Hideki
Jig and method for isostatically pressing ceramic powder.—75-00994
Watanabe, Kiyoshi See Kamimura, Seiji; Satake, Tokuki
Watanabe, Koichi; Giess, Edward A.
Crystallization kinetics of high-cordierite glass.—75-02581
Watanabe, Koji See Ishikawa, Makoto; Tressler, James F.
Watanabe, M. See Suzuki, Junichiro; Tajima, Y.; Urashima, K.
Watanabe, Makoto See Mizuno, Mineo; Zhu, Shi-Jie
Watanabe, Makoto; Okano, H.
Recent advances in the development of ceramic stationary components for automotive CGT [ceramic gas turbine].—75-09732
Watanabe, Masaki See Fukuhira, Masanori; Fukuoka, Hirofumi
Watanabe, Naoyuki See Ishikawa, Takashi
Watanabe, R. See Kawasaki, A.; Kobayashi, Yoshimasa; Li, Jing-Feng
Watanabe, R.; Takahashi, J.; Kawasaki, A.
Microstructural characterization of metal/ceramic functionally gradient materials.—75-02506
Watanabe, S. See Furuhashi, H.
Watanabe, Shuichi See Murakawa, Masao; Zhou, Wei-Lie
Watanabe, T. See Awaji, H.; Hotta, N.
Watanabe, T.; Hotta, N.; Kotera, K.; Komeya, K.; Meguro, T.; Sasamoto, T.
Synthesis of transparent aluminum nitride whiskers and their applications to composite materials.—75-01721
Watanabe, Tadahiko See Akiyama, Morito; Nonaka, Kazuhiro; Shobu, Kazuhisa
Watanabe, Tadao
Importance of grain boundary character distribution (GBCD) to grain boundary design and control in ceramics.—75-01868
Watanabe, Takayuki See Kaneyasu, Akira
Watanabe, Toru See Amada, Shigeyasu
Watanabe, Yasuto See Murakami, Hiroshi
Watanabe, Yuichi
Introduction to nonlinear optics: phase conjugate wave and its application.—75-04975; See also Hamagami, Junichi
Watarai, H. See Kuroiwa, T.
Watari, Fumio; Yokoyama, A.; Saso, F.; Uo, M.; Kawasaki, T.
Functionally graded dental implant composed of titanium and hydroxyapatite.—75-03649
Watari, Fumio
Functionally gradient dental implant.—75-04856
Watari, Koji See Asayama, Masahiro; Hirao, Kiyoshi
Watari, Koji; Hwang, Hae-J.; Toriyama, Motohiro; Kanzaki, Shuzo
Low-temperature sintering and high thermal conductivity of $YLiO_2$-doped AlN ceramics.—75-06673
Watari, Koji; Toriyama, Motohiro; Kanzaki, Shuzo
Selection and evaluation of sintering aids for low-temperature sintering of AlN ceramics.—75-09427
Watari, Koji; Valecillos, Maria Cecilia; Brito, Manuel E.; Toriyama, Motohiro; Kanzaki, Shuzo
Densification and thermal conductivity of AlN doped with Y_2O_3, CaO, and Li_2O.—75-09124
Watari, Koji; Yasuoka, Masaki; Sakaguchi, Shuji; Kanzaki, Shuzo
Densification of mixed α′/ß′-SiAlON ceramics and evaluation of their grain-boundary phase.—75-01428
Watari, T.; Inoue, K.; Torikai, T.; Matsuda, O.
Preparation of Al_2O_3/Al/fiber composites by infiltration of oxidizing aluminum into preforms.—75-01620
Watauchi, S.; Uedono, A.; Ujihira, Y.
Application of positron age momentum correlation measurement to the study of defects in electron-irradiated synthetic silica glass.—75-00179
Watena, G. L. See Pappas, D. P.
Waters, S. B. See Alexander, Kathleen B.; Plucknett, K. P.
Watkins, Michael L. See Deevi, S. C.
Watkins, S. P.; Ares, R.; Masut, R. A.
Strain effects in high-purity InP epilayers grown on slightly mismatched substrates.—75-05482
Watkins, S. P.; Brake, Darlene M.; Haacke, G.
Transport measurements and donor spectra of very high purity GaAs grown using tertiarybutylarsine and triethylgallium.—75-05507
Watkins, T. R. See Rabin, B. H.
Watson, B. A. See Tofe, A. J.
Watson, D. R.; Evetts, J. E.
Electrical contacts to CRT Bi-2212 superconductors: preparation, characterization, and analysis.—75-08307
Watson, Graeme W. See Davies, Mark J.
Watson, Ian M.; Atwood, Matthew P.; Cardwell, D. A.
MOCVD of high-quality $YBa_2Cu_3O_{7-\delta}$ films: in situ preparation of fluorine-free layers from a fluorinated barium source.—75-05798
Watson, L. C.
Andrea Johnson.—75-02187
Watson, Victor J. See Chan, Steven S.
Watt, A. J. See Gurarie, V. N.
Watt, G. L. See Peng, Zhi-Xue
Watt, V. H. C. See Bower, R. W.
Wattal, P. K. See Shrivastava, O. P.
Wattiaux, A. See Bezdicka, P.
Watts, R. K. See Hou, Shang-Y.
Wawner, F. E. See Gundel, D. B.
Wayman, C. Marvin See Jian, Li
Wayman, Steve See Jurcik, Benjamin
Wayne, Mitchell R.
Use of plastic optical fibers for charged particle tracking in high-energy physics.—75-01049
Waytena, G. L.; Hoff, H. A.; Vold, C. L.
Experimental evidence of resputtering of the yttria layer in a $YBa_2Cu_3O_{7-x}/Y_2O_3/YBa_2Cu_3O_{7-x}$ trilayer film.—75-00802
Weaver, Billy L.; McLaughlin, Jerry C.; Stinton, D. P.
Method of making a modified ceramic-ceramic composite.—75-01123

Weaver, L. See Griswold, E. M.; McIntyre, D. S.
Webb, D. J.; Kiessling, A.; Sturman, B. I.
Verification of the standard model of the photorefractive nonlinearity in BSO crystals.—75-06533
Webb, Denis C.
Status of ferrite technology for high volume microwave applications.—75-00759
Webb, James E.; Singh, Raj N.; Lowden, Richard A.
Thermal shock damage in a two-dimensional woven fiber-reinforced CVI SiC matrix composite.—75-09680
Weber, A.; Sutter, P.; Von Kanel, H.
Optical, electrical, and photoelectrical properties of sputtered thin amorphous Zn_3P_2 films.—75-03911
Weber, C. See Van der Biest, O.
Weber, E. T. See Wilson, C. N.
Weber, E. T.; Calmus, R. B.; Wilson, C. N.
Vitrification technology for Hanford Site tank waste.—75-03505
Weber, H. P. See Tosin, P.
Weber, H. W. See Buntar, V.
Weber, M. J.
Role of lanthanides in optical materials.—75-06111; See also Bliss, M.; Derenzo, S. E.; Smith, C.
Weber, S. See Bernasik, A.
Weber, Thomas See Scholz, Christoph
Weber, W. H. See Rimai, L.
Weber, W. J. See Stevenson, J. W.
Webster, K. See Hill, R. G.
Wecker, J. See Bardal, A.; Von Helmolt, R.
Weddigen, Gert; Szasz, Paul; Kranzmann, Axel
Process for producing a casting ceramic.—75-08617
Wedding, Brent M. See Kerko, David J.; Morgan, David W.
Wee, A. T. S.; Feng, Z.-C.; Hng, H.-H.; Tan, K.-L.; Tin, C. C.; Hu, R.
XPS and SIMS studies of CVD grown cubic SiC films on Si(100).—75-01979
Wefers, K. See Fishkis, Maya
Wegener, W. See Mishin, Yu M.
Wegmann, M. R.; Lewis, J. A.; Platt, C. E.
Platinum-enhanced textural growth of grain-aligned $YBa_2Cu_3O_{7-x}$ thick films.—75-00842
Wegner, Susanne See Holand, Wolfram
Wehlburg, C. See Roth, M.
Wei, A.-H. See Chen, T.-L.
Wei, B. See Komvopoulos, K.
Wei, C.-D.; Liu, Z.-X.; Gan, Z.-Z.
Scaling behavior of virgin magnetization curve of $DyBa_2Cu_3O_x$ crystal prepared by melt-textured growth method.—75-00860
Wei, J. Billy See Garard, Richard S.
Wei, J. See Adegbite, V.; Tzeng, Y.
Wei, J.-J.; Xue, Q.-J.
Effects of some additives on Al_2O_3/Cr_2O_3 coating contacts.—75-03646
Wei, L. See Uedono, A.
Wei, L.-F. See Xiao, D.-Q.
Wei, L.-Y. See Larker, R.
Wei, Lan-Hua See Fischer-Cripps, Anthony C.; Pajares, Antonia; Xu, Hockin H. K.
Wei, M. See Ruys, A. J.
Wei, M.; Ruys, A. J.; Brandwood, A.; Milthorpe, B. K.; Sorrell, C. C.
Electrophoretic coating of metal and ceramic substrates by hydroxyapatite.—75-01480
Wei, P. See Jiang, Y.-Z.
Wei, P.; Wang, C.; Huang, Y.
Metallization of Si_3N_4 ceramics by molten salt reactions.—75-02505
Wei, Pei-Kuen See Wang, Way-Seen
Wei, S.-L. See Li, J.-X.
Wei, Wen-Cheng J.; Lu, Su-Jen; Hsieh, Chang-Li
Colloidal processing and fracture strength of alumina prepared from partially agglomerated theta-phase powder.—75-09243
Weiblen, P. W. See Jang, J.-W.
Weidinger, A. See Konenkamp, R.
Weil, Claude M.
NIST metrology program on electromagnetic characterization of materials.—75-02136
Weil, R. See Cohen, S.
Weill, F. See Elissalde, C.
Weimer, Alan W. See Dunmead, Stephen D.
Weimer, M. See Wilkins, R.
Wein, Deborah S. See Goetz, Martin
Weinberg, Michael C.; Shneidman, V. A.; Osborne, Z. A.
Composition of the critical nucleus in phase-separating glasses.—75-07291
Weinberg, Michael C.
Glass-forming ability and glass stability in simple systems.—75-05016; See also Bae, Byeong-Soo; Kondos, Pericles A.
Weinberg, Waldemar See Nass, Peter
Weiner, Anita M. See Harris, Stephen J.
Weingarten, J.
Spending right to make money.—75-04751
Weirauch, Douglas A., Jr.; Ziegler, Donald P.
Surface tension of calcium aluminosilicate glass using computerized drop shape analysis.—75-03599
Weisbecker, Carl S. See Whitesides, George M.
Weisenberger, A. See Zorn, C.
Weiser, P. See Gurarie, V. N.
Weiser, P.; Prawer, S.; Hoffman, Alon
Chemically vapor deposited diamond films grown on titanium nitride coated and uncoated iron substrates.—75-01398
Weiss, Anthony
Zircon.—75-06063
Weiss, Birgit See Wasche, Rolf
Weiss, D. See Oster, L.
Weiss, P. See Haenni, W.
Weiss, R. See Braue, W.
Weiss, S.; Grathwohl, G.; Oberacker, R.
Computer-assisted optimization of the HIP-elimination of processing flaws in alumina.—75-01409
Weissman, Joan
Shifting focus—from vessels to tile murals.—75-02355
Weissmann, Rudolf See Hahn, Karlheinz; Hornberger, Helga; Zhou, M.
Weitzel, C. E. See Davis, Kenneth L.; Palmour, John W.
Welch, D. O. See Asoka-Kumar, P.; Cai, Zhi-Xiong
Welch, John R. See Cinibulk, Michael K.; Hay, Randall S.
Welch, William C. See Forry, John S.; Kent, Raymond C.
Welcher, K. See Schultz, R. L.
Weller, M.
Mechanical loss measurements on yttria- and calcia-stabilized zirconia.—75-03804
Weller, T. M. See Drayton, R. F.
Wells, G. M. See Troilo, L. M.
Wells, L. J. See Perera, D. S.
Wen, Jian-Zhou; Feng, Sun-Qi; Feng, Qing-Rong
Influence of the annealing atmosphere on the superconductivity in $(Pb,Sr)Sr_3(Cu,Ca)Cu_2O_x$.—75-05785
Wen, S. J. See Campet, G.
Wen, S.-L. See Liu, Q.
Wen, S.-L.; Nordberg, L. O.; Ekstrom, Thommy
Microstructure of interfacial boundaries in SiC(w)/SiAlON composite.—75-04368
Wen, Zhong-Min; Abe, Hitoshi
$YBa_2Cu_3O_{7-\delta}$/Ag biepitaxial grain boundary junctions for flux flow devices.—75-08449
Wendorff, J. See Ekenhorst, D.; Janssen, R.
Wendt, Christopher H. See Butt, Darryl P.
Weng, B.-J.; Chang, S.-T.; Ho, R.-H.
Stress analysis near the interfacial reaction layer in SiC_f/6063 aluminum composites.—75-02547
Weng, B.-J.; Chang, S.-T.
Mechanical response of interfacial reaction layer in SiC_f/6063 aluminum composites.—75-02502
Weng, D. See Levon, K.
Weng, Jie; Liu, X.-G.; Zhang, Xing-Dong
Thermal decomposition of hydroxyapatite structure induced by titanium and its dioxide.—75-06524
Weng, Lu-Qian See Jiang, Xing-Xiang
Wenk, H.-R. See O'Keefe, M. A.
Wensell, M. G. See Boguslawski, P.
Wenzel, B. See Prout, M.
Wenzel, John T. See Pecoraro, G. A.
Werckmann, J. See Yamegni-Noubeyo, J. C.
Wereszczak, Andrew A. See Breder, Kristin; Srinivasan, G.
Wereszczak, Andrew A.; Kirkland, T. P.; Ferber, M. K.
Stress and strain relaxation behavior in HIPed silicon nitrides.—75-07038
Werner, A. E. See Major, R. W.
Werner, H. See Baenitz, M.
Werner, P. See Hesse, D.
Werner, Ralf D. See Baucke, Friedrich G. K.
Wert, J. J. See Languell, M. L.
Wesolowski, Marek See Kontkiewicz, Anna
Wessels, Bruce W.
Metallorganic chemical vapor deposition of ferroelectric oxide thin films for electronic and optical applications.—75-05605
Wessendorf, K. O. See Cernosek, R. W.
West, A. C. See Derenzo, S. E.; Sobolev, B. P.
West, Anthony R. See Cruickshank, Karen M.; Fletcher, J. G.; Hirose, Naohiro; Lee, Choong-Kheng; Robertson, Alastair D.; Sastry, P. V. P.; Sinclair, D. C.; Skakle, J. M. S.
West, B. O. See Percy, M. J.
West, D. R. F. See Shieh, Y. N.
West, David See Leigh, David A.
West, Grant; Taplin, David M. R.; Boccaccini, Aldo R.; Plucknett, Kevin; Lewis, M. H.
Mechanical behavior and environmental stability of continuous fiber-reinforced glass-ceramic matrix composites.—75-07348
West, J. K. See Hench, Larry L.
West, J. K.; Hench, Larry L.
PM3 molecular orbital model of silica rings and their vibrational spectra.—75-06319; Silica fracture: I, A ring contraction model.—75-07030
Westaway, K. See Gedye, R.
Westgate, P. See Bowman, R. G.
Westin, Gunnar; Ekstrand, Asa; Nygren, Mats
Preparation of ZnO-based varistors by the sol-gel technique.—75-05446
Westmacott, Kenneth H. See Gomez-Garcia, Diego
Westphal, C. H. See Jardim, R. F.
Westwood, A. D. See Bruley, J.
Wetzel, C.; Volm, D.; Meyer, B. K.; Pressel, K.; Nilsson, S.; Mokhov, E. N.
GaN on 6H-SiC—structural and optical properties.—75-00496
Wetzel, E. See Sugama, Toshifumi
Wevers, M.
Nondestructive evaluation of ceramics.—75-01036; See also Vanswijgenhoven, Eddy
Wexell, Dale R. See Chyung, Kenneth; Dawes, Steven B.; Stempin, John L.
Weyl, Axel See Hufschmidt, Heike
Weyl, Axel; Janke, Dieter
High-temperature ionic conduction in multicomponent solid oxide solutions based on HfO_2.—75-05197
Whalen, Jim See Whalen, Susan
Whalen, Susan; Whalen, Jim
Collaborative throwing.—75-02223
Whalen, Thomas J.; Baer, John R.; Trela, Walter; Govila, Ratan K.
Cyclic fatigue life of SiAlON at room temperature.—75-04478
Whalen, Thomas J.; Trela, Walter; Shinozaki, Samuel S.; Baer, John R.
Composition and process for making an engine valve.—75-00154
Wheatley, N.
Report from Beijing.—75-04745
Wheeler, Hal See Leach, Bill
Wheeler, Michael J. See Singh, Dileep
Wheeler, Robert See Sandhage, Kenneth H.
White, A. See Mayer, G. T.
White, C. T. See Robertson, D. H.
White, C. T.; Lyons, M.; Brenner, D. W.; Mintmire, J. W.; Robertson, D. H.; Mowrey, R. C.
Special C_{44} isomers.—75-01343
White, C.; Zhao, S.; Gan, K. K.; Kagan, H.; Kass, R.; Malchow, R.
Correlations between electrical and material properties of CVD diamond.—75-01270
White, Carl See Scott, Craig J.
White, E. T. See Cherian, Kuruvilla A.
White, G. V. See Barris, G. C.; Brown, I. W. M.; Mackenzie, K. J. D.
White, G. V.; Brown, I. W. M.; Barris, G. C.; Ryan, M. J.; Owers, W. R.; Sheppard, C. M.
Properties and microstructure of clay-derived 8-SiAlON.—75-01912
White, G. See Perfecto, E. D.
White, George E. See Perfecto, Eric D.
White, Grady S. See Hill, Michael D.
White, R. M. See Nickles, A. S.
White, T. A. See Boguslawski, P.
White, William B. See Idink, Heike; Knight, Diane S.; Mohler, Rick L.
Whitehead, A. J. See Wort, C. J. H.
Whiteley, P. G. See Park, D. E.
Whitesides, George M.; Weisbecker, Carl S.
Measurements of the conductivity of individual 10 nm carbon nanotubes.—75-00349
Whitfield, D.
Chemical analyses and morphologies of some solid industrial process wastes with possible use as raw materials in the clay-based ceramic industry.—75-00944; Results of pressing and heating some solid industrial process wastes alone with water as a binder.—75-00984
Whitlock, Jonathan B. See Belt, Roger F.
Whitlow, L. W. See Hirano, T.
Whitman, David W.; Tang, Xun; Cumbers, Donald I.; Ibbitson, Scott A.
Using polymer blends to fine-tune binder performance.—75-04269
Whitman, David W.; Wu, X.-L. Kevin; Finch, William C.
Control of dry pressing performance via binder optimization.—75-03979
Whitmarsh, C. W. See Interrante, L. V.
Whittemore, Dwight S.; Pavlica, Stanley R.
Thermal shock resistance of 90 to 100% alumina brick.—75-07677
Whitten, J. L. See Jing, Z.
Whittenberger, J. D. See Joslin, S. M.
Whitworth, C. G. See Eschenbach, R. C.
Whitworth, C. G.; Filius, K. D.
Durability of vitrified ceramic waste forms produced from simulated low-level wastes using a plasma centrifugal furnace.—75-03458
Wickenden, A. Estes; Wickenden, D. K.; Kistenmacher, T. J.
Effect of thermal annealing on GaN nucleation layers deposited on (0001)sapphire by metallorganic chemical vapor deposition.—75-00465
Wickenden, D. K. See Miragliotta, J. A.; Wickenden, A. Estes
Wickenden, D. K.; Miragliotta, J. A.; Bryden, W. A.; Kistenmacher, T. J.
Thermally annealed GaN nucleation layers and the MOCVD growth of Si-doped GaN films on(00.1) sapphire.—75-00619
Wickenden, D. K.; Miragliotta, J. A.; Bryden, W. A.
Thermally annealed GaN nucleation layers and the device-quality metallorganic chemical vapor deposition growth of Si-doped GaN films on (00.1)sapphire.—75-03184
Wicks, G. G. See Schulz, Rebecca L.
Wicks, G. G.; Clark, David E.; Schulz, Rebecca L.; Folz, Diane C.
Microwave technology for waste management applications including disposition of electronic circuitry.—75-00966
Widom, A. See Seed, R. G.
Wiechert, Detlef U. See Bachmann, Peter K.
Wiederhorn, Sheldon M. See Fields, B. Anne; French, Jonathan D.
Wiederhorn, Sheldon M.; Fields, B. Anne; Hockey, B. J.
Fracture of silicon nitride and silicon carbide at elevated temperatures.—75-06982
Wiederhorn, Sheldon M.; French, Jonathan D.; Luecke, W. E.
High-temperature reliability of silicon nitride.—75-04557
Wiederhorn, Sheldon M.; Luecke, W. E.; Hockey, B. J.; Long, Gabrielle G.
Creep damage mechanisms in Si_3N_4.—75-04474
Wiese, A. See Polyakov, S. N.
Wietzel, U.
Microgeometrical cavitation in oscillating slider contacts.—75-04596
Wigen, P. E. See Peterman, D. W.
Wight, J. K. See Li, Victor C.
Wight, S. See Kreider, K. G.
Wigmans, R. See Gangopadhyay, S.
Wigren, J. See Bjorneklett, A.
Wiklund, S. See Magnusson, K. O.
Wilber, William; Bedekar, Milind
Thin film of $MgIn_2O_4$ for use as an electrode in a ferroelectric device.—75-05653
Wilcox, David L. See Schroeder, D. J.
Wilcox, David L.; Liu, Jay G.; Look, Jee-Loon
Hollow ceramic microspheres by sol-gel dehydration with improved control over size and morphology.—75-08581
Wilhartitz, P. See Martinz, H.-P.
Wilkins, R.; Lengel, G.; Harper, J.; Weimer, M.
Crystal defect characterization with scanning tunneling microscopy: vacancies and steps on GaAs(110).—75-02983

Wilkinson, David S.
Creep mechanisms in silicon nitride ceramics.—75-04476; See also Savva, Irene H.
Will, Georg See Solozhenko, Vladimir L.
Will, J. See Baader, F. H.
Willander, M. See Tomashiunas, R.; Turan, R.
Wille, L. T. See Goldman, M.
Willen, D. See Dolez, P.
Willermet, P. A. See Gangopadhyay, Arup
Willert-Porada, M.; Gerdes, T.; Borchert, R.
Application of microwave processing to preparation of ceramic and metal-ceramic FGM.—75-02437
Willert-Porada, M.
Novel aspects of microwave processing of ceramic materials.—75-01596; Role of space charge for microwave sintering of oxides.—75-01656; See also Gerdes, T.
Williams, Bradley E. See Anthony, Thomas R.; Evelyn, Mark P.; McNamara, K. M.
Williams, Donald R. See George, Billy L.
Williams, H. W. See Kumar, R. V.
Williams, J. A. A. See Kudesia, R.
Williams, J. A. A.; Vuong, K. D.; Wu, V.; Schuesselbauer, E.; Wang, X. W.
Electrochemical thin films fabricated by an ambient plasma technique.—75-04021
Williams, J. S. See Chen, Y.; Gurarie, V. N.
Williams, J. See Feng, Z.-C.
Williams, Jeffrey L. See Holl, Susan M.
Williams, R. K.; Kroeger, D. M.; Martin, P. M.
Effects of high oxygen pressures and temperatures on the stability of the three superconducting Y-Ba-Cu-O compounds.—75-00794
Williams, R. Stanley See Ohlberg, Douglas A. A.
Williams, R. T.; Thoma, E. D.; Bunton, P. H.
Energy localization and decay in highly ionic crystals.—75-01288
Williams, S. M.; Wang, X. K.; Maglic, S.
In situ X-ray diffraction studies of $YBa_2Cu_3O_7/LaAlO_3$ interfaces.—75-01222
Williams, T. J. See Sacks, Michael D.
Williams, T.; Shaikh, A.
Silver via metallization for low temperature cofired ceramic tape.—75-00132
Williamson, J. See Lewry, A. J.
Williamson, R. L. See Rabin, B. H.
Williamson, R. L.; Rabin, B. H.; Byerly, G.
Residual stresses in joined ceramic-metal structures—FEM studies of interlayer and creep effects.—75-02541
Williamson, W., III; Gilbert, B. K.; Chen, H. D.;
Udayakumar, K. R.; Cross, L. Eric; Bozler, C. M.
High-frequency dielectric properties of thin-film PZT capacitors.—75-05586
Willkens, Craig A.
Coarse reaction-bonded silicon nitride.—75-08567
Willmann, G. See Richter, H. G.
Willmott, P. R.; Timm, R.; Felder, P.
Growth of CuO films by pulsed laser deposition in conjunction with a pulsed oxidation source.—75-01516
Wills, K. J. See Hughes, K.
Wills, L. A. See Foster, C. M.
Wilson, C. B. See Major, R. W.
Wilson, C. N. See Weber, E. T.
Wilson, C. N.; Burgard, K. C.; Weber, E. T.; Brown, N. R.
Melter technology evaluation for vitrification of Hanford Site low-level waste.—75-03479
Wilson, D. H.
Loss-in-weight feeders—principles, design strategies and applications.—75-00956; Weigh belt feeders—principles, design strategies and applications plus data on belt scales.—75-00990
Wilson, D. M.; Griffin, C. J.; Sinz, J. L.
Structural characterization of $LaPO_4$ [monazite] fiber coatings.—75-09577
Wilson, M. G. F. See Plissi, M. V.
Wilson, R. G. See Mackenzie, J. D.; Popovici, G.; Zavada, J. M.
Wilson, Robert B. See Wu, Hui-Jung
Wilson, S.; Alpas, A. T.
Classification of the wear performance of ceramic particulate-reinforced aluminum alloys.—75-09607
Wimmer, Erich See Freeman, Arthur J.
Wimmer, M. See Richter, H. G.
Winbow, H. See Hudson, K.
Winder, S. M. See Gupta, A.
Winder, S. M.; Selkregg, K. R.; Gupta, A.; Walrod, D.
Exudation and corrosion behavior of fusion-cast AZS refractories.—75-07551
Windholz, Richard See Molian, P. A.
Windischmann, Henry
Method of making a free-standing diamond film with reduced bowing.—75-08601
Winkelmann, H. See Rothfuss, H.
Winkler, Bjorn; Coddens, Gerrit; Hennion, Bernard
Movement of channel H_2O in cordierite observed with quasi-elastic neutron scattering.—75-03811
Winkler, Bjorn; Milman, Victor; Payne, Michael C.
Orientation, location, and total energy of hydration of channel H_2O in cordierite investigated by ab initio total energy calculations.—75-03815
Winkler, D. See Danerud, M.
Winkler, H. P.; Dotsch, H.; Luhrmann, B.
Dynamic conversion of optical modes in magnetic garnet films induced by resonances of periodic stripe domains.—75-00731
Winn, A. J.; Yeomans, J. A.
Comparative study of indentation in SiC and SiC-TiB_2 using confocal scanning laser microscopy.—75-08641
Winnubst, A. J. A. See Bakker, P. M. V.; Boutz, M. M. R.; He, Ying-Jie; Sagel-Ransijn, C. D.
Winnubst, Louis See He, Ying-Jie
Winsor, Mark D.
High growth segment: high-resolution ceramic graphics on steel.—75-00100
Winter, Ines See Kuper, Gerhild
Wintermantel, E. See Hauert, R.
Winters, Harold F.; Seki, Hajime; Rye, Robert R.
Interaction of hydrogen, methane, ethylene, and cyclopentane with hot tungsten: implications for the growth of diamond films.—75-01552
Winterstein, Georg See Burckhardt, Wolfgang
Winzer, Stephen R. See Bailey, Alex E.
Wipf, H. See Brenscheidt, F.
Wirth, R. See Emig, G.
Wisbey, A. See Ashfold, M. N. R.
Wise, J. L. See Raiser, G. F.
Wisniewski, D. See Wojtowicz, A. J.
Wisnosky, Jerome D. See Forry, John S.
Witanachchi, Sarath; Wolf, Paul J.
Activated reactive laser deposition of GeO_2 films.—75-01370
Withers, J. C. See Kowbel, W.; Yadav, Tapesh; Zhou, Dan
Witt, Adolf N.
Photoluminescence by hydrogenated carbon solids in interstellar space.—75-01904
Witt, M. See Phillipps, A.
Witthuhn, W. See Meier, J.
Wittmer, Dale E. See Tiegs, T. N.
Wixom, M. R. See Wang, L.
Woessner, Norbert See Mueller, Ulrich
Woetting, G. See Gugel, E.
Woetting, G.; Lange, H.; Nietfeld, G.
Economic considerations of relations between silicon nitride powder quality and material properties.—75-02126
Wohlfromm, Hans
Processing and properties of Al_2O_3/SiC nanocomposites.—75-01633
Wojciechowski, Charles R. See Ravenhall, Richard
Wojcik, R. See Zorn, C.
Wojtowicz, A. J.; Lempicki, A.; Wisniewski, D.; Boatner, Lynn A.
Cerium-doped orthophosphate scintillators.—75-00425
Wojtowicz, A. J.; Lempicki, A.; Wisniewski, D.; Brecher, C.;
Bartram, Ralph H.; Woody, C. L.
Scintillation mechanism and radiation damage in $Ce_xLa_{1-x}F_3$ crystals.—75-01773
Wold, E. See Shao, Y.
Wolf, B.; Paufler, P.; Schubert, M.; Rodig, C.; Fischer, K.
Mass density evolution during manufacturing of Ag-sheathed BPSCCO tapes.—75-08360
Wolf, C. See Pandolfelli, V. C.
Wolf, E. See Endler, I.
Wolf, Kenneth See Gasparik, Tibor
Wolf, Paul J.
Time-integrated optical emission studies of plumes generated from laser-ablated germania glass.—75-00205; See also Witanachchi, Sarath
Wolf, R. See Yoshimoto, N.
Wolf, S. F. See Ellison, A. J. G.
Wolf, T.; Zinke, T.; Krost, A.
Fe and Ti doping of InP grown by metallorganic chemical vapor deposition for the fabrication of thermally stable high-resistivity layers.—75-00491
Wolf, William D.; Vaidya, Kaushik J.; Francis, Lorraine F.
Mechanical properties and failure analysis of alumina-glass dental composites.—75-07005
Wolfenden, A. See Cook, L. S.
Wolfenden, A.; Cantu, M. W.; Vaidya, R. U.
Experimental investigation of the dynamic elastic modulus and vibration damping in molybdenum- and alumina-coated Ti-25Al-10Nb-3V-1Mo aluminides cycled at elevated temperatures.—75-07209
Wolfenden, A.; Gill, J. E.; Thomas, V.; Giacomin, A. J.;
Cook, L. S.; Chawla, K. K.
Relation of dynamic elastic moduli, mechanical damping, and mass density to the microstructure of some glass-matrix composites.—75-04391
Wolfenstine, J. See Goretta, Kenneth C.
Wolfenstine, J.; Jeng, Y.-L.; Lavernia, E. J.
Elevated-temperature mechanical behavior of plasma-sprayed $MoSi_2$-SiC.—75-04510
Wolffe, Robert A. See Newkirk, Marc S.
Wolowicz, Ted J.
New porcelain enamel plant and its use of new technology software for process control.—75-00114
Wolter, S. D.; Stoner, B. R.; Yang, Pei-Chun; Lui, W.; Glass, J. T.
Diamond nucleation studies on refractory metals and nickel.—75-01439
Woltersdorf, J. See Pippel, E.
Womersley, S.
ISO 9000—why many companies get it wrong.—75-04715
Wong, B. Y.; Sui, X.; Laughlin, D. E.
Microstructural investigation of barium ferrite longitudinal thin-film media.—75-03317
Wong, H. K. See Fei, Y.
Wong, K. K. See Smoot, John E.
Wong, K.-W.; Fei, Xin; Xin, Ying; Kao, Yi-Han
Superconductors having continuous ceramic and elemental metal matrices.—75-05887
Wong, Ming-Show See Lin, Shu-Han
Wong, Y.-H. See Bruce, A. J.
Wongchotigul, K. See Beesabathina, D. Prasad
Woo, J. C. S. See Nayak, D. K.
Woo, O. T.; Lockwood, D. J.; Lin, Y. P.; Urbanic, V. F.
Structure of oxides grown on Zr-20Nb alloy.—75-04407
Woo, Sang-Kuk See Yang, Jun-Hwan
Woo, Sang-Kuk; Han, In-Sub; Kim, Hong-Soo; Kang, Eul-Son; Yang, Jun-Hwan; Kim, Chong-Hee
Sintering of zirconium diboride through Fe-based liquid phase.—75-09443
Woo, Y.-D.; Kang, T.-W.; Kim, T.-W.
High resolution transmission electron microscopy of the CoGa/GaAs heterostructure grown by MBE.—75-05335
Wood, Charles D., III; Lankford, James, Jr.; Blanchard, Cheryl R.; Cole, James J.; McAlwee, Gerald S.
Spark plug having titanium diboride electrodes.—75-08849
Wood, David G. See Brown, Gregory P.
Wood, Graeme See Cruickshank, Karen M.
Wood, Henry C. See Staples, Bruce A.
Wood, J. V. See Kirk, N. B.; Saidi, A.
Wood, Jeffrey W.; Cahill, David G.; Cortez, Rebecca;
Stephenson, Larry D.; Zaghloul, Hany H.
Volatilization during thermal plasma processing of glass melts containing heavy metals.—75-05919
Wood, William P. See Conwell, Stanley L.; Erickson, Dwight D.
Woodall, J. M. See Feenstra, R. M.; Mahadev, V.; Melloch, M. R.
Woodard, K. J.; Dinger, Dennis R.
Effects of particle size distribution and extrusion rate on the dimensional stability of extruded alumina rods.—75-04017
Woodhead, J. See Sale, T. E.
Woodtli, Jarmila See Kubler, Jakob J.
Woodtli, Jarmila; Berroth, Karl; Luthi, Thomas
Combination of fractography and computed tomography [CT] for the determination of the cause of fracture (case study).—75-04457
Woody, C. L. See Kierstead, J. A.; Wojtowicz, A. J.
Woolfrey, J. L. See Carter, M. L.; Cassidy, D. J.; Drabarek, E.; Moran, P. D.; Percy, M. J.; Venz, P. A.
Woolfrey, J. L.; Bartlett, J. R.
Effect of aging on the preparation and properties of titania sols.—75-01446
Woollam, John A. See Ianno, N. J.; McGahan, William A.
Wootton, A.; Miranda-Martinez, M.; Davidge, R. W.; Riley, F. L.
Wet erosive wear behavior of fine-grain zircon ceramic.—75-09698
Wormington, M.; Sakurai, K.; Bowen, D. K.; Tanner, B. K.
Grazing incidence X-ray reflectance measurement of surface and interface roughness on the subnanometer scale.—75-01858
Worobey, Walter See Norwood, David
Worrell, Clive A. See Reece, M. J.
Worrell, Wayne See Mukundan, R.
Worrell, Wayne; Han, Ping; Uchimoto, Yoshiharu
Single-component solid oxide bodies.—75-07774
Wort, C. J. H.; Brandon, J. R.; Dorn, B. S. C.; Savage, J. A.;
Sussmann, R. S.; Whitehead, A. J.
Properties of CVD diamond domes.—75-09174
Wortman, David J. See Bruce, Robert W.
Wouters, Patty
Korea's international ceramics workshop.—75-02283
Woydt, M. See Effner, U.
Wright, Gary L. See Yasrebi, Mehrdad
Wright, S. I.; Gray, G. T., III
Characterization of a texture gradient in tantalum plate.—75-04300
Wright, W. W. See Ellson, D. B.
Wright, W. W.; Gani, M. S. J.; Ellson, D. B.
Formation of mullite in the matrix of low- and ultralow-cement castables.—75-00039
Wroblewska, G. H.; Thummler, F.
Model of sintering α-silicon carbide.—75-04113
Wroblewska, G. H.; Ziegler, G.
Reaction-bonded Si_3N_4 reinforced with continuous SiC fibers: processing and interface characteristics.—75-04195
Wroe, F. C. R.; Rowley, A. T.
Microwave-enhanced sintering of ceramics.—75-01587
Wroe, Ruth
Microwave-assisted firing of ceramics.—75-06003
Wronkiewicz, D. J. See Buck, E. C.
Wu, C.-S. See Su, S.-K.
Wu, Carl C. M.; Kahn, Manfred; Moy, Walter
Piezoelectric ceramics with functional gradients: a new application in material design.—75-03248
Wu, Ching-Hsong See Tamor, Michael A.
Wu, Chun-Gui See Hu, Hai-Quan
Wu, D.-D. See Li, H.-L.
Wu, F. See Lan, Y.-C.
Wu, F.-Y.; Zhuang, H.-R.; Li, M.-Z.; Ma, L.-T.; Fu, X.-R.
Silicon nitride ceramic piston crown for uncooled diesel engine.—75-03716
Wu, Feng-Qing See Yang, Hua
Wu, Feng-Tie; Yang, Xiang-Chun; Zhu, Xiao-Lei
High energy and efficient SHG by using convex-antiresonant ring unstable Nd:YAP pulsed laser.—75-05334
Wu, H. F.; Wu, L. L.
Strength variability and size effect of Nicalon fiber bundles.—75-07035
Wu, H.-D. See Chen, J. D.; Lee, K.-J.
Wu, H.-Y.; Lee, S.-L.; Lee, S.-F.
Effects of Al_2O_3 particles on the precipitation of AA6061 aluminum based metal matrix composites.—75-02460
Wu, H.-Z. See Chen, Y.-R.
Wu, Hou-Zheng See Liu, Ji-Fu
Wu, Hui-Jung; Hirschon, Albert S.; Malhotra, Ripudaman;
Wilson, Robert B.
Fullerene-based catalysts for methane activation.—75-01512
Wu, Hwai-Chung See Li, Victor C.
Wu, Hwai-Chung; Mishra, Dhanada K.; Li, Victor C.
Influence of matrix fracture toughness on tensile behavior of fiber-reinforced cementitious composites.—75-00047
Wu, J. See Chen, T.-L.; Lu, L.; Xiao, J.
Wu, J.-D. See Liu, Dean-Mo; Su, Y.-L.
Wu, J.-G. See Sui, W.-M.; Wang, S.-H.; Xie, Z.-P.
Wu, J.-J. See Xie, Z.-P.
Wu, J.-M. See Chang, U.-C.; Liu, C.-S.
Wu, J.-Q. See Li, J.-X.
Wu, J.-S. See Lan, S.-M.
Wu, J.; Chen, W.; Jones, F. R.; James, P. F.
Characterization of sol-gel-derived alumina-silica matrices for continuous fiber-reinforced composites.—75-09237
Wu, Jeffrey C. See Liu, Paul K. T.

Wu, Jenn-Ming See Fu, Chen-Tsu; Shyu, Jiin-Jyh

Wu, Jian-Cherng; Schoenung, J. M.
Synthesis of silicon nitride powder through nitrogen gas atomization.—75-06815

Wu, Jin See Parsons, James D.

Wu, K. T.; Kobayashi, H.
Three-dimensional modeling of alkali volatilization/crown corrosion in oxy-fired glass furnaces.—75-08741

Wu, K. T.; Misra, M. K.
Design modeling of glass furnace oxy-fuel conversion using three-dimensional combustion models.—75-05993

Wu, K.-H. See Chen, Y.-L.

Wu, L. L. See Wu, H. F.

Wu, L. See Lee, Y.-Y.

Wu, Li-Zhong
State of the art and prospects of the basic refractory raw materials in China.—75-07667

Wu, M.-K. See Chern, H.-L.; Kao, C.-H.

Wu, Nai-Juan See Ignatiev, Alex

Wu, Nan-Ti See Fang, Tsang-Tse

Wu, Q. See Guo, Y.; Liu, C. C.; Wu, Y.-W.

Wu, Qi-Sheng; Zhang, Shao-Ming; Ma, Zheng-Hua
Dispersant for α-Al_2O_3 slip.—75-03997

Wu, Ru-Jun See Cao, Ze-Chun

Wu, S. See Claussen, N.

Wu, S.-C.; Hsu, H.-T.; Chen, F.-H.
Growth parameter effect in superconducting $YBa_2Cu_4O_8$ thin fims by dc magnetron sputtering.—75-05774

Wu, S.-Y.; Hsieh, W.-T.; Li, W.-H.
Two-dimensional magnetic order in $Pb_2Sr_2TbCu_3O_8$.—75-03421

Wu, Shun-J.; De Jonghe, Lutgard C.; Rahaman, Mohamed N.
Sintering of nanophase γ-Al_2O_3 powder.—75-06767

Wu, T. See Gao, Z.

Wu, Tai-Bor See Tsai, Jyh-Kuang

Wu, Tsung-Ming; Lee, Yu-Chi; Chen, Yen-Lian
Process study for making high-density bulk silica from silicone resin.—75-09407

Wu, Tzy-Chung See Huang, Wuu-Liang

Wu, V. See Williams, J. A. A.

Wu, Weite; Chu, Cha Y.; Goretta, Kenneth C.; Routbort, Jules L.
Sealed glass coating of high-temperature ceramic superconductors.—75-00917

Wu, Wen-Bin; Wang, Liang-Bin; Zhu, Jing-Sheng
Distribution of the satellite reflection of the modulation and its thermal stability in single-crystal $Bi_2Sr_2CaCu_2O_x$.—75-00786

Wu, Weng-Jin; Hon, M.-H.
Characteristics of Si-containing diamondlike films deposited at low temperature.—75-09527

Wu, X. D. See Jia, Q. X.

Wu, X. See Wang, L. M.

Wu, X.-L. Kevin See Whitman, David W.

Wu, X.-L. Kevin; Donato, Antonio T.
Acrylic binders for alumina and other nonclay ceramic extrusions.—75-03947; Binders for flexible ceramic sheet extrusion.—75-03955

Wu, X.; Holmes, J. W.
Tensile creep and recovery of SiC_f/CAS-II composites.—75-04647

Wu, Y.-F. See Shin, N.-F.

Wu, Y.-P. See Qiao, X.-L.

Wu, Y.-W. See Guo, Y.

Wu, Y.-W.; Guo, Y.; He, Z.-J.; Lian, P.-F.; Zhu, J.-M.; Wu, Q.
Recent development of brazing technology for Si_3N_4 to 40Cr steel.—75-02538

Wu, Yuan-Min; Nix, Roger M.
Growth of TiO_2 overlayers by CVD on a single-crystal copper substrate.—75-06632

Wu, Yue; Ellis, Donald E.; Shen, Li; Mason, Thomas O.
Point defects of La_2CuO_4-based ceramics: I, Oxygen interstitials.—75-04288

Wu, Z.; Davis, L. E.
Surface roughness effect on surface impedance of superconductors.—75-00881

Wu, Zhen-Ming; Dareing, Don W.
Non-Newtonian effects of powder-lubricant slurries in hydrostatic and squeeze-film bearings.—75-04607

Wu, Zheng See Shen, Lin-Jiang

Wu, Zheng-Ming; Bu, Hen-Zhi; Xia, Yu
Alkali resistance of inverted glasses in the RO-TiO_2-SiO_2 system.—75-07322

Wuchina, E. J. See Talmy, I. G.

Wuensch, B. J. See Chung, Yong-Chae; Liberatore, Michael

Wuest, Craig R.; Fuchs, Baruch A.; Holdener, Fred R.; Heck, Joaquim L., Jr.
Precision machining and polishing of scintillating crystals for large calorimeters and hodoscopes.—75-00979

Wur, D.; Davidson, J. L.; Kang, W. P.; Kinser, D. L.; Kerns, D. V.
Boron-doped polycrystalline diamond films for strain-sensing applications.—75-08796

Wuttig, M. See Park, K.

Wuttiphan, Sataporn; Lawn, Brian R.; Padture, N. P.
Crack suppression in strongly bonded homogeneous/heterogeneous laminates: a study on glass/glass-ceramic bilayers.—75-02638

Wyczesany, A. See Benko, E.

Wynands, Henry A.; Hartsell, Michelle L.; Fox, Bradley A.
Characterization of MS, MiS, and MOS contacts to type IIB diamond by capacitance-voltage and current-voltage.—75-00427

Wyonleti, C. See Allain, J. L.

Wypych, Peter W. See Pan, R.

Xavier, C. See Dweck, J.

Xi, Xiao-Mei; Yang, Xiao-Feng
Spontaneous infiltration of aluminum-silicon alloy into silicon carbide preforms in air.—75-00135

Xi, Yao-Zhong; Siemer, D. D.; Scheetz, Barry E.
Blended waste form for Cd^{2+}- and Na^+-rich liquid waste stream.—75-03449; Leachability of a blended cement waste form for Cd^{2+}- and Na^+-rich liquid waste.—75-03476

Xia, C.-Q.; Jin, Z.-P.
Formation of Al_2O_3/metal composites by oxidation of molten aluminum alloys.—75-02481

Xia, Chang-Tai See Shi, E.-W.

Xia, Feng See Zhang, Zhong-Tai

Xia, J. A.; Munroe, P. R.
Melt-textured $YBa_2Cu_3O_{7-x}$ superconductor [studied] by transmission electron microscopy.—75-00828

Xia, Ke-Nong; Langdon, Terence G.
Toughening and strengthening of ceramic materials through discontinuous reinforcement.—75-07050

Xia, Y.-L. See Ge, C.-C.; Li, J.-T.

Xia, Yu See Wu, Zheng-Ming

Xia, Yuan-Ming; Wang, Xing
Constitutive equation for unidirectional composites under tensile impact.—75-06947

Xia, Z. See Hamdeh, H. H.

Xia, Zong-Ju See Zhou, Xiao-Wen

Xian, Ai-Ping
Wetting of Si-Al-O-N ceramic by Sn-5 at.% Ti-X ternary active solder.—75-06830

Xiang, J.-Xin; Taylor, R.
Dispersion of SiC whiskers in SiC whisker-reinforced Si_3N_4 composite and related microstructural characteristics.—75-01825

Xiang, Kai-Hua See Chen, Ling-Yan; Gu, Mu

Xiao, D.-Q.; Zhu, J.-G.; Zhu, J.-M.; Qian, Z.-H.; Peng, W.-B.; Wei, L.-F.
Growth and mechanism of metal oxide thin films prepared by multi-ion-beam reactive cosputtering.—75-03235

Xiao, H.-Z.; Lee, N.-E.; Powell, R. C.
Defect ordering in epitaxial α-GaN(0001).—75-01745

Xiao, H.-Z.; Yang, L.-C.; Rockett, A.
Structural, optical, and electrical properties of epitaxial chalcopyrite $CuIn_3Se_5$ films.—75-00607

Xiao, Han-Ning See Huang, Qi-Zhong; Zhou, Song-Qing

Xiao, Han-Ning; Senda, Tetsuya; Yasuda, Eiichi
Dynamic recrystallization during the sliding wear of alumina at elevated temperatures.—75-08910

Xiao, Hua-Xian See Ping, Huang-Fu

Xiao, J.; Qian, Y.; Lu, R.; Wu, J.; Gao, X.
Thermomechanical analysis of ceramic components for engines.—75-03940

Xiao, Min See Lu, Zheng

Xiao, S.-Q. See McClellan, K. J.

Xiao, Xu-Rui See Zhou, Xiao-Wen

Xiao, Y. G.; Domel, Regina; Jia, C. L.; Osthover, C.; Kohlstedt, H.
Fabrication of stacked intrinsic Josephson junctions from $Bi_2Sr_2CaCu_2O_{8+x}$ thin films.—75-08318

Xiao, Y.-X. See Gu, P.-Z.

Xie, K. See Flemish, J. R.

Xie, Ping See Fu, Yan; Gu, Ping

Xie, Shi-Zhong; Yang, Zhi-Xing; Xie, Yong; Chai, Yan-Jie; Liu, Feng-Hai; Yang, Hui
2.4-Gb/s, 50-km optical fiber transmission using Ti:$LiNbO_3$ external modulator.—75-08119

Xie, Wei-Min; Ding, Zhen-Ya; Zhang, Pei-Lin
Pyroelectric properties of diphasic polar glass-ceramics at low temperatures.—75-08167

Xie, Yong See Xie, Shi-Zhong

Xie, Z.-P. See Li, Jian-Bao

Xie, Z.-P.; Huang, Y.; Chen, S.-L.; Wu, J.-J.; Wu, J.-G.
Injection molding of SiC(w)/Si_3N_4 composite turbine blade.—75-04085

Xie, Z.-P.; Wu, J.-G.; Huang, Y.; Zheng, L.-L.
Microwave debinding of ceramic injection molded body.—75-04109

Xin, D.; Zollinger, D. G.; Allen, G. D.
Approach to determine diffusivity in hardening concrete based on measured humidity profiles.—75-02385

Xin, Ying See Sheng, Zheng-Zhi; Wong, K.-W.

Xin, Yun-Biao; Hsia, K. Jimmy; Lange, David A.
Quantitative characterization of the fracture surface of Si single crystals by confocal microscopy.—75-02088

Xing, S. B. See Mohr, R. K.

Xing, Shou-Wei See Sun, G.-C.

Xing, Shou-Wei; Zhou, Chuan-Sheng; Liu, J.-H.
Refractories for continuous casting in China.—75-07649

Xing, W. B. See Chrzanowski, J.

Xing, W.; Heinrich, B.; Zhou, Hu
Magnetic flux mapping, magnetization, and current distribution of $YBa_2Cu_3O_7$ thin films by scanning Hall probe measurements.—75-00820

Xing, Xiu-San See Ding, Hong-Zhi

Xing, Y.-C. See Zheng, G.-L.

Xiong, Q.; Cao, Y.; Chen, F.
Annealing temperature and O_2 partial pressure dependence of T_c in $HgBa_2CuO_{4+\delta}$.—75-00771

Xiong, Xia-Xing See Ren, Zhong-Min

Xu, B. See Cao, L.-X.

Xu, Hockin H. K.; Jahanmir, Said; Ives, Lewis K.; Job, Lenox S.; Ritchie, Kevin T.
Short-crack toughness and abrasive machining of silicon nitride.—75-09669

Xu, Hockin H. K.; Wei, Lan-Hua; Jahanmir, Said
Influence of grain size on the grinding response of alumina.—75-04079

Xu, J. D. See Tinga, Wayne R.

Xu, J.-F. See Kang, W. P.

Xu, Jun-De See Casagranda, Albert

Xu, L.-H.; Fang, Z.-H.; Shen, Z.-J.; Ding, Z.-S.
Effect of attack angles on erosion behavior of ZrO_2-Al_2O_3-TiC ceramic composites.—75-04491

Xu, Ming; Finnemore, D. K.
Decomposition products of superconducting (Bi, $Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$.—75-00784

Xu, N. S. See Coaker, B. M.

Xu, Ning See Sun, Z.

Xu, Qiang; Yuan, Jian; Wang, Jian-Bao
Effects of rapid thermal annealing on electrical properties of heavily doped silicon molecular beam epitaxial layer with B_2O_3 doping source.—75-01473

Xu, R.; Indacochea, J. E.
Silicon nitride–stainless steel braze joining with an active filler metal.—75-04866

Xu, Shi-Jiang; Tang, Chun-He; Xu, Zhi-Chang; Zhu, Jun-Guo; Qiu, Xue-Liang; Li, En-De
Manufacture of HTR [high-temperature reactor] fuel element.—75-08504

Xu, Su See Lambropoulos, John C.

Xu, Ting-Xian See Jin, Zheng-Guo

Xu, W.-H. See Qiao, X.-L.; Yang, W.-Y.

Xu, Wu; Denis, J. P.; Ozen, G.
Red to blue upconversion emission of Tm^{3+} ions in Yb^{3+}-doped glass-ceramic.—75-00197

Xu, X. See Gao, Q.-J.

Xu, X.-F. See Li, J.

Xu, Xiao-Jie
Lead glass composition series for gradient glasses.—75-07430

Xu, Y. See Cao, L.-X.

Xu, Y.-D. See Luo, X.-T.

Xu, Y.-Q. See Chen, K.-X.; Chen, X.-Q.

Xu, Y.-R. See Huang, C. M.

Xu, Y.-R.; Zangvil, A.; Ruh, Robert
Mechanisms of oxidation in hot-pressed SiC-AlN solid solutions.—75-04433

Xu, Y.-S. See Ren, C.-Z.; Yu, A.-B.

Xu, Yan-Qing; Chen, Zhao-You
Effect of CeO_2 on sintering and hydration resistance of natural dolomite.—75-05084

Xu, Yong-Li See Reifsnider, Ken

Xu, You See Yang, Jie-Hui

Xu, You-Wu See Chiang, Joseph F.

Xu, Yu-Huan; Cheng, C. H.; Mackenzie, J. D.
Electrical characterizations of polycrystalline and amorphous thin films of $Pb(Zr_xTi_{1-x})O_3$ and $BaTiO_3$ prepared by sol-gel technique.—75-05559

Xu, Yu-Qing; Hu, Guo-Jun; Ding, Zi-Shing
Synthesis and characterization of ultrafine powders of SiC-Si_3N_4.—75-06793

Xu, Yueping; Nakahira, Atsushi; Niihara, Koichi
Effects of different states of SiC on the microstructural development of Al_2O_3-SiC nanocomposite.—75-01836

Xu, Zheng-Kui See Dai, Xun-Hu; Tani, Toshihiko; Vichland, Dwight

Xu, Zhi-Chang See Xu, Shi-Jiang

Xu, Zhi-Hong See Lian, Wen-Ting

Xu, Zhong-Zi See Shen, Yang

Xue, Deng-Ping; Bardyszewski, Witold; Yevick, David
Linear term valence subband mixing and its effect on electroabsorption of tensile strained GaAs/AlGaAs quantum wells.—75-05360

Xue, Liang A.; Chen, I-Wei
Superplastic alumina at temperatures below 1300°C using charge-compensating dopants.—75-01688

Xue, Q. See Coleman, R. V.

Xue, Q.-J. See Wei, J.-J.

Xue, Wan-Rong See Zeng, Yan-Wei

Yabuki, Tatsumi See Kawabata, Koji; Ueno, Satoru

Yabuta, K. See Watanabe, K.

Yadav, Tapesh; Withers, J. C.; Seraphin, Supapan; Wang, Su; Zhou, Dan
Synthesis of single-walled buckytubes.—75-01718

Yadav, V. See Seager, R. D.

Yadava, Y. P. See Koshy, J.

Yadavalli, S. See Ikuhara, Yuichi

Yaegashi, Yuji See Sakurai, Takeshi

Yafaev, R. R. See Golikova, O. A.

Yagi, Isao See Murakami, Kenji

Yagi, Kouichi See Takaoka, Tatsuru

Yagi, M. See Suzuki, T.

Yagi, Takehiko See Leinenweber, Kurt

Yagi, Takeshi See Yamashita, Kimihiro; Yoshida, Kazuaki

Yahiaoui, El Mostapha; Berger, Rene; Servant, Yves
Electron paramagnetic resonance of Fe^{3+} ions in borate glass: computer simulations.—75-02585

Yahikozawa, K. See Murakami, Y.

Yakhkind, E. Z. See Ilisavskii, Yu. V.

Yakhmi, J. V. See Sastry, P. V. P.

Yakimenko, I. Yu. See Gorelenok, A. T.

Yakimov, A.; Coyle, T. W.
Fibrous ceramic monoliths.—75-09310

Yakimova, R. See Tuominen, M.

Yakimova, R.; Arnaudov, B.; Evtimova, S.
Electron transport in Sb-doped metallorganic epitaxial GaAs grown at moderate As-rich conditions.—75-00476

Yakimovich, V. N. See Akimov, A. I.; Kudinov, A. V.

Yakimovich, V. N.; Rubtsov, V. A.; Trukhan, V. M.
Phase formation in the CdP_4-ZnP_2-$CdAs_2$-$ZnAs_2$ system.—75-09027

Yakobchuk, L. M. See Antonov, G. I.

Yakobson, M. A. See Nel'son, D. K.

Yakovkina, L. V. See Smirnova, T. P.

Yakovkina, L. V.; Smirnova, T. P.; Danilovich, O. V.
Dehydrogenation mechanism for SiN_x:H layers prepared from hexamethylcyclotrisilazane.—75-09249

Yakovlev, V. Yu. See Gorbunov, S. V.

Yakovlev, Yu. P. See Danilova, T. N.; Mikhailova, M. P.; Moiseev, K. D.; Voronina, T. I.; Zegrya, G. G.

Yakovleva, L. M. See Veremeichik, T. F.

Yakovleva, M. V. See Sivko, A. P.

Yakovleva, S. A. See Golubkov, L. A.

Yakovleva, T. N. See Bykhodtseva, K. I.

Yakubov, T. S. See Isirikyan, A. A.

Yakubovich, O. V.; Dimitrova, O. V.; Strelkova, E. E.
Production and structure of a new diphosphate, $Rb(Ni_{0.35}Cr_{0.3}Ti_{0.35})P_2O_7$.—75-06749

Yakubovich, O. V.; Mel'nikov, O. K.; Urusov, V. S.; Massa, V.; Vochadlo, S.
Crystal structure of a new orthophosphate, $CsNa_3Zn_3[PO_4]_4$.—75-08892
Yakubovich, O. V.; Mel'nikov, O. K.
Anionic framework of a mixed type in $Na_3[Al_2F_3[PO_4]_2]$ crystalline structure.—75-08868
Yakusheva, N. A. See Chaldyshev, V. V.
Yalisove, S. M. See Karpenko, O. P.
Yalvac, Selim; McGee, Robert L.
Reinforced glass and/or ceramic matrix composites.—75-00230
Yamada, Atsuo; Tamada, Hitoshi; Saitoh, Masaki
Photorefractive damage in $LiNbO_3$ thin-film optical waveguides grown by liquid phase epitaxy.—75-00684
Yamada, H. See Itoh, I.
Yamada, Junichi See Abe, Osami
Yamada, Junji; Sakaki, Sumio; Kasai, Kiyoto; Matsui, Taijiro; Ishimatsu, Hiroyuki
Application technology of monolithic refractories in NSC [Nippon Steel Corp.].—75-07475
Yamada, K.; Kamiya, N.
Particle cellulation composite (PPC)—dispersion morphology of SiC particles in Si_3N_4/SiC composites.—75-04385
Yamada, Kazuhiro; Takemura, Shuji; Mori, Hiroshi
Process for producing single crystal of potassium niobate.—75-06099
Yamada, Kazuo; Matsubara, Masahito; Suzuki, Noriko; Fukuda, Seiichi; Matsumoto, Masashi
High-temperature toughening mechanisms of particle and particle-fiber reinforced SiC composites.—75-04560
Yamada, Kenichi; Sakamoto, Norihiko
Apparatus for sintering ceramic formed bodies.—75-01066
Yamada, Kenjiro
Boron carbide particles formed from an amorphous boron/graphite powder mixture using a shock-wave technique.—75-03956
Yamada, Kouichi See Nishio, Masanobu
Yamada, M. See Saito, Y.
Yamada, Noriko See Katayama, Shingo
Yamada, Seiji See Hirano, Shinichi
Yamada, Shigehiko See Akatsu, Takashi
Yamada, T. See Kagawa, Yutaka
Yamada, T.; Fukui, T.; Kodera, Y.; Matsubara, Hideaki
Degradation in ionic conductivity of yttria fully stabilized zirconia.—75-07720
Yamada, Tadamasa See Seki, Takeshi
Yamada, Tamotsu See Kaneko, Shoji
Yamada, Tatsuya See Oobuchi, Takeshi
Yamada, Tessho See Kawai, Takeshi
Yamada, Tetsuo See Nakayasu, Tetsuo; Shibata, Koji
Yamada, Tomoaki See Kinoshita, Kyoichi
Yamada, Toshio See Machida, Minoru
Yamada, Yasuji See Konishi, Masaya
Yamada, Yuichi See Yokota, Minoru
Yamade, Yoshiaki; Kawaguchi, Yoshiaki; Takeda, N.; Kishi, Teruo
Interfacial debonding behavior of mullite/SiC continuous fiber composite.—75-02069
Yamade, Yoshiaki; Moriya, Yoichi
Ceramic substrate and a method for producing the same.—75-08564
Yamagata, Shinichi See Yoshimura, Masashi
Yamagishi, Chitake See Yoshida, Hideto
Yamagiwa, Katsuya See Okuyama, Masahiko
Yamaguchi, Akira See Hashimoto, Shinobu; Jitsumori, Yasuaki; Zhang, Shao-Wei
Yamaguchi, Akira; Zhang, Shao-Wei; Yu, Jing-Kun; Hashimoto, Shinobu
Behavior of antioxidants added to carbon-containing refractories.—75-07482
Yamaguchi, Akira; Zhang, Shao-Wei; Yu, Jing-Kun
Effect of refractory oxides on the oxidation of graphite and amorphous carbon.—75-05088
Yamaguchi, Hiromu See Lesaicherre, Pierre-Yves
Yamaguchi, K. See Ando, Mitsuru
Yamaguchi, Kazushige See Sasaki, Toshihisa
Yamaguchi, Koji See Park, Jin-Joo
Yamaguchi, Osamu See Aoyama, Tatsuji; Fukuya, Michikazu; Hirano, Shingo; Watanabe, H.
Yamaguchi, S. See Terabe, K.
Yamaguchi, Tadashi; Nosaki, Katsutoshi; Inoue, Akihisa; Masumoto, Tsuyoshi
Composite ultrafine particles of aluminum nitride and rare earth nitride, method for production, and sintered article thereof.—75-06120
Yamaguchi, Takashi See Kimura, Toshio
Yamaguchi, Takashi; Takada, Tomoyuki
Observation of cell structures developed by Marangoni convection in glass thick films.—75-00218
Yamaguchi, Takeshi See Sibata, Kenichiro
Yamaguchi, Wataru See Nantoh, Masashi
Yamai, I. See Ota, T.
Yamakawa, Akira See Kawai, Chihiro; Nakahata, Seiji; Nishioka, Takao; Park, Jin-Joo; Yamamoto, Takehisa; Yoshimura, Masashi
Yamakawa, Koji See Yano, Keiichi; Yasumoto, Takaaki
Yamakazi, Kazuo See Shan, Chien-Hua
Yamaki, M. See Taira, M.
Yamamichi, Shintaro See Lesaicherre, Pierre-Yves
Yamamoto, A. See Tsubakino, H.
Yamamoto, Ayako See Isawa, Kazuyuki
Yamamoto, H. See Imaizumi, T.; Look, D. C.; Watanabe, K.
Yamamoto, Hideki; Nasu, Hiroyuki; Matsuoka, Jun; Kamiya, Kanichi
X-ray absorption fine structure (XAFS) study on the coordination of Te in PbO-TiO_2-TeO_2 glasses with high third-order optical nonlinearity.—75-02618
Yamamoto, Hideo; Matsuyama, Tatsushi
Comparative study of particle size analyses using common samples.—75-05940
Yamamoto, Kazunao; Namikawa, Hiroshi
Irreversible and reversible changes in silica glasses observed by electrical properties: I, Synthetic silica glass by flame fusion.—75-00190
Yamamoto, Keisuke See Nonaka, Kazuhiro
Yamamoto, Kenji See Nishio, Hideaki
Yamamoto, Kenji; Taniguchi, Tadao
Quick tube change [QTC] system.—75-05125
Yamamoto, Kiyoshi; Sugii, Nobuyuki; Kubo, Koichi; Ichikawa, Michiharu; Yamauchi, Hisao
Method of manufacturing an oxide superconductor thin film.—75-05872
Yamamoto, Masaki See Ouchi, Tatsuya
Yamamoto, Misuo; Yamamoto, Norio; Nakano, Junichi
MOVPE growth of strained InAsP/InGaAsP quantum well structures for low threshold 1.3-μm lasers.—75-05390
Yamamoto, Norio See Kano, Fumiyoshi; Yamamoto, Misuo
Yamamoto, O. See Sammes, N. M.; Takeda, Yasuo
Yamamoto, R. See Kohyama, M.
Yamamoto, Shigekatsu
Method for screening early failure of ceramic capacitor.—75-07766
Yamamoto, Shin See Onishi, Hitoshi
Yamamoto, Shinichi See Kaneyasu, Akira
Yamamoto, Shinya; Higuchi, Hirokazu; Hamuro, Mitsuro; Kogame, Toshihiko
Method of preparing a plurality of ceramic green sheets having conductor films thereon.—75-07767
Yamamoto, Susumu; Murai, Teruyuki; Kawabe, Nozomu; Awazu, Tomoyuki; Yazu, Shuji; Jodai, Tetsuji
Process for manufacturing a composite oxide superconducting wire.—75-00914
Yamamoto, Susumu; Murai, Teruyuki; Kawabe, Nozomu; Tobioka, Masaaki
Method for producing an elongated sintered article.—75-08597
Yamamoto, Takahisa See Hayashi, Katsuro; Yoshimura, Masashi
Yamamoto, Takehisa; Nishioka, Takao; Matsunuma, Kenji; Yamakawa, Akira
Silicon nitride sintered body.—75-08845
Yamamoto, Takemi See Adachi, Keisuke; Kamo, Momoki
Yamamoto, Tetsuya See Katsuyama, Shigeru
Yamamoto, Toshishige See Yano, Keiichi
Yamamoto, Tsutomu See Tamari, Nobuyuki
Yamamoto, Tsuyoshi; Takashima, Toshiyuki; Sato, Kenzi
Solid-state bonding of silicon nitride ceramics to metal using nickel-chromium alloy.—75-07230
Yamamoto, Y. See Saito, Y.
Yamamoto, Yasuhisa See Fujimori, Tetsuo
Yamamoto, Yasushi See Okada, Morihiro
Yamamura, Hiroshi See Mori, Toshiyuki
Yamamura, Shinichi; Saito, Riichiro; Yugo, Shigemi
Defect-enhanced interdiffusion at the InGaAs/InAlAs interface due to Si ion implantation.—75-05275
Yamamura, T. See Masaki, S.
Yamamura, Takashi; Minato, Kunio; Nakamura, Ryosuke; Ogata, Masanori
Development of magnesia-chrome bricks for tuyeres in AOD vessels.—75-07523
Yamamura, Takashi; Nomura, Osamu: Tada, Hidenori; Torigoe, Atsushi
Lower carbon-containing MgO-C bricks with high spalling resistance.—75-07590
Yamamura, Takashi; Sumimura, Hisaki; Tanigawa, Shoichi
Effects of curing temperature on hardening and properties of low cement castables.—75-04815
Yamamura, Takemi See Isoda, Takeshi
Yamamura, Takuya See Higashitani, Ko
Yamamura, Toshimi See Guo, Qi-Xin
Yamamuro, Shigeaki See Satake, Tokuki
Yamamuro, T. See Yoshihara, S.
Yamana, K. See Zhang, Z.
Yamana, K.; Miyamoto, Masaki; Doi, Kenji; Arahori, Tadahisa; Nowotny, J.
Impact of grain boundaries on properties of mullite as a solid electrolyte.—75-01867
Yamana, K.; Nakamura, S.; Nowotny, J.
Microstructure and related properties of mullite/zirconia composites.—75-00351
Yamanaka, Hiroshi See Akai, Tomoko
Yamanaka, N. See Fukui, Y.; Namegaya, T.; Kawasaki, S.
Yamanaka, Takayuki See Kano, Fumiyoshi; Seki, Shunji
Yamane, Fumikazu See Otsu, Satoshi
Yamane, Hisanori; Kurosawa, Hideyuki; Hirai, Toshio
Preparation of YBCO superconducting nanocomposite films by MOCVD.—75-00852
Yamane, Masayuki See Koike, Hisashi
Yamanis, Jean See Li, Chien-Wei
Yamanishi, Osamu; Hamano, Seiichi
Process for production of transition alumina.—75-08623
Yamanov, I. L. See Baryshev, M. G.
Yamanura, Takashi See Iida, Eishi
Yamaoka, Hidenori See Shintani, Yoshitomo
Yamaoka, Nobutatsu See Kishi, Hiroshi
Yamaoka, Shinobu See Taniguchi, Takashi
Yamasaki, N. See Futagami, R. S.
Yamasaki, Nakamichi See Hosoi, Kazuyuki
Yamasaki, T. See Fukumoto, M.
Yamashita, Hiroshi; Maekawa, Takashi
Synthesis of microporous silica gel and glass particles in W/O emulsion.—75-01963
Yamashita, Hitoshi See Itoh, Hiroshi
Yamashita, Kimihiro See Suda, Seiichi
Yamashita, Kimihiro; Yagi, Takeshi; Umegaki, Takao
Bonelike coatings onto ceramics by reactive magnetron sputtering.—75-09223
Yamashita, Takahiko See Satoh, Munetake
Yamashita, Tsutomu See Sugai, Tokuko
Yamashita, Yohachi See Harada, Kouichi; Sato, Yuichi
Yamashita, Yoshinori See Matsumoto, Akio
Yamauchi, H. See Karppinen, M.
Yamauchi, Hisao See Isawa, Kazuyuki; Koriyama, Shinichi; Sakurai, Takeshi; Wada, Takahiro; Yamamoto, Kiyoshi
Yamauchi, Noriaki See Miyagawa, Nobuo
Yamauchi, Y. See Miyajima, T.
Yamawaki, Michio
Role of interfaces in nuclear technology.—75-00935
Yamazaki, Atsushi See Hiraiwa, Mana Yasui
Yamazaki, Hiraku; Sugai, Teruo; Kato, Shigeo; Tazoe, Haruo; Hotate, Shiroh; Goto, Iwao
Silicon carbide coated carbon composite material and method for making same.—75-06140
Yamazaki, K. See Shon, I. J.
Yamazaki, Kanji See Uematsu, Keizo
Yamazaki, Keiichi; Nawa, Masahiro; Niihara, Koichi; Nakahira, Atsushi; Sekino, Tohru
Zirconia-based composite material and method of manufacturing the same product.—75-08791
Yamazaki, S. See Kawamura, M.
Yamazoe, Noboru See Yoo, Do-Joon
Yamegni-Noubeyo, J. C.; Pourroy, G.; Werckmann, J.; Malats i Riera, A.; Ehret, G.; Poix, P.
Microstructure of $(Fe_{0.2}Co_{0.8})_{0.8}(Fe_{2.38}Co_{0.62}O_4)$: a magnetic oxidation-resistant composite formed by coprecipitation.—75-05694
Yamenko, A. B. See Runova, R. F.
Yamnova, N. A.; Egorov-Tismenko, Yu. K.; Khomyakov, A. P.
Crystal structure of a new natural (Na,Mn,Ti)-phyllosilicate.—75-08891
Yan, D. T. See Golubev, V. G.
Yan, D. See Dorfman, B.
Advancements of high-performance structural ceramics in China.—75-03685
Yan, D.-S.
α′/β′ SiAlON composites—attractive science and great potential for high-performance applications.—75-01368; See also Feng, C.-D.; Gao, L.; Lai, T.-R.; Li, H.-X.; Liu, Q.; Qiu, H.-B.; Shi, Y.; Sun, W.-Y.; Wang, H.; Wang, P.-L.; Zheng, Y.-S.; Zhu, W.-H.
Yan, D.-S.; Fu, X.-R.
Yan, F.-C. See Chen, J.-H.
Yan, Hong See Hu, Xiao
Yan, M.; Chen, S. P.; Voter, A. F.; Mitchell, T. E.
Atomistic study of energy and structure of surfaces in NiO.—75-02964
Yan, Q.; Buechele, A. C.; Hu, S.; Wang, E.; Fu, S. S.
Effect of crystallization on the durability of mixed waste glasses.—75-03461
Yan, S.-H. See Rao, P.-G.
Yan, Xin-Shui See Yang, Jie
Yan, Xing-Jian See He, Yong-Feng
Yan, Ying-Chao; Faber, Anne Jans; De Waal, Henk
Structural role of aluminum ions in sodium aluminophosphate glasses.—75-00174
Yan, Yong-Jun See Chen, Li-Fu
Yan, Yongan; Chaudhuri, S. Ray; Sarkar, Arnab
Synthesis, characterizations, and optical properties of stacked porous thin films derived from sol-gel process.—75-04251
Yan, Zhen See Zhang, Zhi-Wei
Yan, Zhen; Zhang, Zhi-Wei; Zhu, He-Sun
In situ OES [optical emission spectroscopy] diagnosis of the dc arc plasma jet in the synthesis of diamond.—75-08954
Yanagi, Hiroki See Sato, Shimio
Yanagida, Hiroaki See Hikita, Kazuyasu; Ishida, Atsumu; Isogai, Yuji; Jung, Sang-Jin; Motohira, Naobumi; Okubo, Atsushi; Shin, Byoung-Chul; Traversa, Enrico
Yanagisawa, Akira See Imamura, Masato
Yanagisawa, Hiroshi See Shibata, Koji
Yanagisawa, K.; Sasaki, M.; Nishioka, M.
Preparation of sintered compacts of anatase by hydrothermal hot-pressing.—75-06736
Yanagitani, Takakimi See Sakaguchi, Isao
Yanai, Tomohiro See Hamasaki, Toyohiro
Yanai, Tomohiro; Ishizaki, Kozo
Toughening of Si_3N_4 ceramics by nano SiC particles in grain boundary phase.—75-01735
Yaney, Perry P. See Hecht, Norman L.
Yanez, Joseph A.; Shikata, Toshi; Lange, Fred F.; Pearson, Dale S.
Shear modulus and yield stress measurements of attractive alumina particle networks in aqueous slurries.—75-09668
Yang, B.; Townsend, P. D.; Holgate, S. A.
Cathodoluminescence and depth profiles of tin in float glass.—75-02626
Yang, Bang-Chao See Li, Yan-Rong
Yang, Bin
Sintering behavior and application of Mg-PSZ ceramic powder made by wet chemical method.—75-07661
Yang, C. O. See Caragianis-Broadbridge, C.
Yang, C.-F.; Chen, J.-Y.
Synthesis of ultrafine ceramic powders with integration of solvent extraction.—75-04249
Yang, C.-H. See Chiu, K.-C.
Yang, C.-J.
Nd-Fe-B rare-earth magnets—main applications.—75-08233; See also Kim, C.-W.; Park, E.-B.
Yang, Chang-Zheng See Huang, Shao-Ming
Yang, D.-Z. See Chen, Y.-L.
Yang, Fu-Ming; Nasunjilegal, B.; Wang, Jian-Li
Magnetic properties of a novel $Sm_3(Fe,Ti)_{29}N_y$ nitride.—75-00110
Yang, G. S.; Aslam, M.
CVD diamond resistor as heater and temperature sensor.—75-08799
Yang, Gai-Ying; Du, Jun; Etchessahar, E.; Portier, R.; Shi, Li-Kai
Structure and composition of demixing phases in Ti-Zr-N ternary ceramic composite.—75-09067
Yang, H.-J. See Song, J. H.
Yang, Hua; Song, Li-Zhu; Wu, Feng-Qing
Preparation and magnetic properties of nanocrystalline $LiFe_5O_8$.—75-05704

Yang, Hui See Xie, Shi-Zhong
Yang, J. M. See Thayer, R. B.
Yang, J. S.; Batra, R. C.
Theory of electroded thin thermopiezoelectric plates subjected to large driving voltages.—75-00707
Yang, J. See Zou, Guang-Tian
Yang, J.-D.; Hwa, L.-G.
Raman scattering in multicomponent halide glasses.—75-02604
Yang, J.-M.; Ditmars, E.; Lin, W.
Thermomechanical durability of CVI-processed two-dimensionally woven and three-dimensionally braided SiC fiber-reinforced SiC composites.—75-07047
Yang, J.-M.; Jeng, S. M.; Chang, Sek-Yung
Fracture behavior of directionally solidified $Y_3Al_5O_{12}/Al_2O_3$ eutectic fiber.—75-04535
Yang, Jian-Feng See Hirano, Takeshi
Yang, Jie See Lin, Zhang-Da
Yang, Jie; Lin, Zhang-Da; Wang, L. X.; Jin, S.; Zhang, Z.
Heteroepitaxial diamond formed on silicon wafer observed by high resolution electron microscopy.—75-04333
Yang, Jie; Su, Xiao-Wei; Chen, Qi-Jin; Lin, Zhang-Da
Diamond nucleation and growth of mirror-polish silicon wafer pretreated by silicon ion implantation.—75-09258
Yang, Jie; Wang, Chen; Yan, Xin-Shui
Structural study of polycrystalline AlN films prepared by ion-beam-assisted deposition.—75-04405
Yang, Jie-Hui; Xu, You; Zhang, Guo-Ying
Magnetooptic and magnetic properties of Tb:YIG.—75-03314
Yang, Jin-Wei; Nordell, Nils; Pirouz, P.
15*R*(ρ)3*C* stress-induced transformation in SiC.—75-01203
Yang, Jun-Hwan See Woo, Sang-Kuk
Yang, Jun-Hwan; Han, In-Sub; Woo, Sang-Kuk; Cho, K.; Suhr, D.-S.
Fabrication and characterization of reaction-bonded silicon carbide and reaction-bonded silicon carbide/molybdenum disilicide composite.—75-04028
Yang, L.-C. See Li, C.-L.; Xiao, H.-Z.
Yang, M.; Jennings, Hamlin M.
Influences of mixing methods on the microstructure and rheological behavior of cement paste.—75-02411
Yang, Myung-Seung See Jeon, Jae-Ho
Yang, Pei-Chun See Wolter, S. D.; Zhu, Wei
Yang, Pei-Chun; Kistenmacher, T. J.; Tucker, D. A.; Liu, W.; Sivazlian, F. R.; Bozeman, S. P.
Nucleation and growth of oriented diamond films on Ni substrates.—75-09371
Yang, Pei-Chun; Zhu, Wei; Glass, J. T.
Diamond films on nondiamond substrates.—75-08100
Yang, Q.-H. See Zheng, Z.-H.
Yang, Quan-Zu See Ray, Chandra S.
Yang, R. See Chen, D.-G.
Yang, S.-H. See Miao, H.-Z.
Yang, S.-J. See Yeh, T.-S.
Yang, Sen See Tsagaropoulos, George
Yang, Seung-Kee See Moon, Hwan-Seong
Yang, W.-Y.; Wan, Z.-J.; Xu, W.-H.
Multiple-tube permeable element for combined blowing converter.—75-03620
Yang, X.-Q. See Dorfman, B.
Yang, Xi See Hong, Wan-Shick
Yang, Xiang-Chun See Wu, Feng-Tie
Yang, Xiao-Feng See Xi, Xiao-Mei
Yang, Xu-Gang; Bannister, Damian J.; Young, R. J.
Single-fiber pullout test [analyzed] using Raman spectroscopy: III, Pullout of Nicalon fibers from a Pyrex matrix.—75-05979
Yang, Xu-Gang; Young, R. J.
Fiber deformation and residual strain in silicon carbide fiber-reinforced glass composites.—75-02052
Yang, Y. Y. See Munz, D.
Yang, Y.-P.; Yang, Z.-F.; Yuan, Q.-M.
Mechanical properties and microstructure of Al_2O_3-platelet-reinforced-ZTM composites.—75-04589
Yang, Y.-W. See Rao, P.-G.
Yang, Yuan-Fen; Cao, Hong-Chen
Monolithic refractories based on Chinese raw materials and their application.—75-07607
Yang, Z. J. See Scheinfein, M. R.; Yuan, S. L.
Yang, Z. See Zhu, X.-Q.
Yang, Z.-F. See Ji, Y.; Liu, J.-C.; Yang, Y.-P.
Yang, Z.; Schetzina, J. F.
Current-voltage characteristics of electric contacts on *p*-type ZnSe.—75-02986
Yang, Zheng See Zhou, X. Z.
Yang, Zhi-Xing See Xie, Shi-Zhong
Yankauskene, R.-D. See Molchadskii, A.
Yankelevsky, D. See Peled, A.
Yankin, A. M.; Golikov, Yu. V.; Zakharov, R. G.; Vikhreva, O. A.; Dubrovina, I. N.; Balakirev, V. F.
Thermal dissociation of Ca_2CuO_3.—75-09202
Yanko, O. G. See Volkov, S. V.
Yano, Katsuhiko See Teruuchi, Kiyohiro
Yano, Keiichi; Takahashi, Takashi; Kimura, Kazuo; Sato, Yoshitoshi; Yamakawa, Koji; Yamamoto, Toshihige
Semiconductor package using an aluminum nitride substrate.—75-05530
Yano, Shinsuke See Abe, Masahiro
Yano, Toyohiko See Kim, Jae-Yuk; Tong, Xiao-Hua
Yano, Y.; Iijima, K.; Daitoh, Y.
Epitaxial growth and dielectric properties of $BaTiO_3$ films on Pt electrodes by reactive evaporation.—75-00332
Yanovskaya, M. I. See Turevskaya, E. P.
Yanovskaya, M. I.; Golubko, N. V.; Nenasheva, E. A.
Preparing magnesium titanate $MgTiO_3$ from metal alcoholates.—75-09405
Yanovskii, A. I. See Grigor'ev, M. S.
Yanovskii, V. K. See Klimova, I. P.; Voronkova, V. I.
Yanovskii, Yu. A. See Milekhin, A. G.
Yansen, M. See Lennikov, V. V.
Yanush, O. V. See Kabanov, V. O.
Yao, C.-Y. See Cheng, C.-H.
Yao, T. See Inoue, S.
Yao, Takeshi See Zhang, Xu
Yao, Takeshi; Inui, Takashi; Ariyoshi, Akira
Novel method for zirconium oxide synthesis from aqueous solution.—75-09370
Yao, Xi See Zhou, Qi-Fa
Yao, Xiao-Hui See Mo, Chi-Mei
Yaparpalvi, R.; Loyalka, S. K.; Tompson, R. V.
Aerosol synthesis of spherical PbO particles.—75-06535
Yara, T. See Makita, H.
Yara, Takuya See Hatta, A.
Yarborough, Michael J.
Kaolin.—75-06036
Yarbrough, Walter A. See Barber, Greg D.; Cottringer, Thomas E.
Yardimci, M. Atif See Pistor, Christoph M.
Yarli, Toshio See Kogo, Yasuo
Yarkin, D. G. See Kazanskii, A. G.
Yarkin, D. G.; Konstantinova, E. A.; Timoshenko, V. A.
Optical absorption features of luminescent porous silicon films.—75-03101
Yarmarkin, V. K.; Zaitseva, N. V.; Shtel'makh, S. V.; Motornyi, A. V.
Structure and properties of $PbZrTiO_3$ thin films produced by the sol-gel method.—75-06374
Yarmolovich, V. A. See Anishchik, V. M.
Yarosh, A. J.; Haber, Richard A.
Effect of drying air pressure on the slip casting process.—75-04003
Yarosh, E. B. See Dmitrevskii, B. A.
Yaroshetskii, I. D. See Andrianov, A. V.; Dmitriev, A. P.; Greshnevikova, O. E.; Kasherininov, P. G.
Yaroshevich, A. S. See Terekhov, A. S.
Yaroslavtsev, A. B.; Nikolaev, A. E.; Chuvaev, V. F.
Synthesis and protonic conductivity of tantalum hydrogen phosphate.—75-09461
Yarovets, V. I. See Gladyshevskii, E. I.
Yarykin, N. A. See Parakhonskii, A. L.
Yas'ko, A. A. See Gorodetskii, D. A.
Yaschenko, E. See Buechele, A. C.
Yase, Kiyoshi See Yumura, Motoo
Yashima, Masatomo See Arima, Momoko; Kakihana, Masato; Yoshimura, Masahiro
Yashima, Masatomo; Koura, Toshiaki; Du, Y.; Yoshimura, Masahiro
Thermodynamic assessment of the zirconia-urania system.—75-01252
Yashina, E. V. See Devyatykh, G. G.
Yashina, L. V.; Bobruiko, V. B.; Zlomanov, V. P.;
Belyanskii, M. P.; Dernovskii, V. I.; Molchanov, M. V.
Optimization of annealing conditions for controlling composition of $(Pb_{1-x}Ge_x)_{1-\delta}Te_{1+\delta}$ crystals.—75-05412
Yaskovets, I. I. See Siratskii, V. M.
Yasnikov, A. G. See Fetisov, A. V.
Yasrebi, Mehrdad; Kemp, William W.; Sturgis, David H.;
Nikolas, Douglas G.; Wright, Gary L.; Kelly, Thomas J., III
Yttria-zirconia slurries and mold face coats for casting reactive metals.—75-06102
Yasrebi, Mehrdad; Ziomek-Moroz, Margaret; Kemp, William W.; Sturgis, David H.
Role of particle dissolution in the stability of binary yttria-silica colloidal suspensions.—75-04203
Yassievich, I. N. See Dobin, A. Yu.; Pakhomov, A. A.; Solov'ev, S. A.
Yastrebov, S. G. See Ivanov-Omskii, V. I.
Yasuda, E.; Akatsu, Takashi; Asano, A.
Internal friction of Pyrex glass and SiC whisker-reinforced glass matrix composites.—75-04974
Yasuda, Eiichi See Akatsu, Takashi; Shiogai, Tatsuya; Xiao, Han-Ning; Yoon, Sang-Young
Yasuda, Eturo See Sawada, Yasushi
Yasuda, I.; Hikita, T.
Formation of calcium chromate hydroxyapatite on the surface of a calcium-doped lanthanum chromite sintered body.—75-06614
Yasuda, Kouichi See Ohsawa, Shigenari
Yasuda, Naotoshi; Tanaka, Ryuji; Tamehiro, Taizo; Uto, Shigetoshi
Hardening time of resin-bonded hot repair mixes for BOFs.—75-07559
Yasuda, T.; Tonouchi, M.; Wang, Z.; Takano, S.
Josephson effects in Bi-2212 single crystals.—75-08350
Yasui, Hiroshi See Kii, Toshie
Yasui, I. See Inoue, H.; Ryu, B.-K.; Ryu, Bon-Gi
Yasui, Kanji; Otsuki, Kazutaka; Akahane, Tadashi
Silicon nitride films grown by hydrogen radical enhanced chemical vapor deposition utilizing trisdimethylaminosilane.—75-04216
Yasumori, Atsuo See Ban, Takayuki; Kameshima, Yoshikazu; Koyama, Toshiyuki
Yasumoto, Takaaki; Iwase, Nobuo; Koiwa, Kaoru; Yamakawa, Koji; Iyogi, Kiyoshi
Circuit board.—75-00392
Yasuoka, Hiroshi See Kakihana, Masato; Kambe, Shinsaku; Mazaki, Hiromasa
Yasuoka, Masaki See Brito, Manuel E.; Nagaoka, Takaaki; Watari, Koji
Yasuoka, Masaki; Hirao, Kiyoshi; Kanzaki, Shuzo
Sintered ceramic article formed mainly of alumina.—75-03683
Yasutomi, Rokuro See Nakaishi, Katsuya
Yatake, Satoru See Amano, Koshi
Yates, John T. See Zaki, Mohamed I.
Yatsenko, A. V.; Ivanov, E. M.
Nonstoichiometric lithium niobate single crystals studied by the NMR method.—75-05612
Yatsenko, A. V.
Features of the dynamics of $LiNbO_3$ single-crystal structure based on ^7Li NMR data.—75-06229
Yau, J.; Savvides, N.; Sorrell, C. C.
Metal-ceramic intergrowths in Ag-clad Bi-Pb-Sr-Ca-Cu-O superconductor.—75-00829
Yavuz, Bulent O. See Voss, Kenneth E.
Yavuz, M.; Dou, S. X.; Vance, E. R.; Liu, H. K.
Powder processing of $Bi_{1.84}Pb_{0.35}Sr_{1.91}Ca_{2.05}Cu_{3.05}O_{10+x}$.—75-00844
Yazawa, T.; Tanaka, H.; Eguchi, K.
Novel alkali-resistant porous glass prepared from a mother glass based on the SiO_2-B_2O_3-RO-ZrO_2 (R=Mg, Ca, Sr, Ba, and Zn) system.—75-05030; Preparation of porous glass hollow fiber from glass based on SiO_2-B_2O_3-RO-ZrO_2 (R=Ca, Zn) system.—75-02737
Yazlyeva, A. I. See Slobodchikov, S. V.
Yazu, Shuji See Itozaki, Hideo; Nakanishi, Hidenori; Sibata, Kenichiro; Tanaka, Saburo; Yamamoto, Susumu
Ye, J.-D.; Dominguez-Rodriguez, A.; Ruano, O. A.; Chen, K.
Comparative investigation of high-temperature plastic deformation of fully and unfully dense 3Y-TZP.—75-04458
Ye, M. See Peterman, D. W.
Ye, M.; Schroeder, J.; Mehbod, M.; Deltour, R.; Naessens, G.; Duvigneaud, P. H.
Structural properties of Zn-substituted epitaxial $YBa_2Cu_3O_{7-\delta}$ thin films.—75-08422
Ye, Pei-Du See Cao, Zhong
Ye, Zhou See Chu, Sheng-Yuan
Yeadon, M. See Aindow, M.
Yeager, Glenn J. See Negas, Taki
Yeckley, Russell L.
Silicon nitride bearing ball having a high rolling contact fatigue life.—75-08842; Silicon nitride ceramic comprising samaria and ytterbia.—75-08844; Silicon nitride ceramic having high fatigue life and high toughness.—75-08630; See also Sundberg, Glenn
Yeda, K. See Kaminskii, A. A.
Yee, Sinclair S. See Gao, Xiao-Ping
Yeh, C.-F.; Lu, J.-H.; Chang, B.-S.; Kao, H.-W.
Thermal SiO_2-to-Si bonding interface for irradiation-hardness silicon-on-insulator (SOI) substrate.—75-02940
Yeh, C.-H.; Hon, M.-H.
Sintering development and oxidation characterization of $AlYO_3$-doped Si_3N_4 ceramic.—75-04220
Yeh, J. R. See Fishkis, Maya
Yeh, M.-S. See Huang, C.-T.
Yeh, M.-Y. See Lee, M.-K.
Yeh, Ming-Hua See Cheng, Hsiu-Fung
Yeh, T. W. T.
Journeying 10 000 miles.—75-02278
Yeh, T.-S.; Hu, L.-J.; Tu, S.-L.; Yang, S.-J.; Hsu, S.-E.
Top-seeded solution growth and characterization of $Bi_{12}TiO_{20}$ crystals.—75-03188
Yeh, T.-S.; Lin, Jane-Chyi; Hwang, Shiang-Po
Strengthening of multilayer ceramic/glass articles.—75-00409
Yekta, B. Eftekhari See Marghussian, V. K.
Yekta, B. Eftekhari; Alizadeh, Parvin
Effect of carbonates on wall tile bodies.—75-02771
Yen, Bi-Ming; Liu, Don-Hang; Bai, Guo-Ren
Characterization of texture and microstructure of oriented $PbTiO_3$ films grown by metallorganic chemical vapor deposition on Si(100).—75-01806
Yen, Bing-K.; Aizawa, Tatsuhiko; Kihara, Junji
Influence of powder composition and milling media on the formation of molybdenum disilicide by a mechanically induced self-propagating reaction [MSR].—75-06654
Yen, C. F. See Kibler, J. J.
Yen, Fu-Su See Chen, Chih-Cheng; Hsiang, Hsing-I
Yen, M. Y. See Yu, P. W.
Yen, S.-K. See Tsai, Y.-C.
Yen, T. S.
High-performance silicon nitride composite ceramics through grain boundary and microstructural tailoring.—75-04338
Yeomans, J. A. See Aldridge, M.; Sun, Xu-Dong; Winn, A. J.
Yethiraj, M.; Mook, H. A.; Forgan, E. M.
Small-angle neutron scattering study of the flux-line lattice in a single crystal of $Bi_{2.15}Sr_{1.95}CaCu_2O_{8+\delta}$.—75-00865
Yevick, David See Xue, Deng-Ping
Yi, H. J. See Diaz, J.
Yi, Lu-Zhi See Lian, Wen-Ting
Yi, S. See Dallas, T.
Yi, S.-H.; Kim, B.-H.; Shin, H.-K.
Slag-foaming phenomena [analyzed] using an X-ray fluoroscopy technique and development of antifoamer for desiliconization process.—75-07664
Yi, Sung-Chul See Hyun, Sang-H.
Yiin, T. See Barmatz, M.
Yiin, T.; Barmatz, M.; Feng, H.; Moore, J.
Microwave-induced combustion synthesis of ceramic and ceramic-metal composites.—75-00111
Yildirim, T.; Harris, A. B.; Entin-Wohlman, O.
Spin structures of tetragonal lamellar copper oxides.—75-06366
Yin, A. See Karczewski, G.
Yin, Z.-W.
Inorganic scintillating crystals and their radiation damage.—75-04284; Research and development works on BaF_2 crystals in Shanghai Institute of Ceramics.—75-02146
Ying, Jackie Y.; See also Shi, E.-W.
Surface interaction and interfacial chemistry in multicomponent nanocrystalline materials.—75-01689
Ying, T.-N. See Hsu, Stephen M.
Ying, Zhi-Feng See Ren, Zhong-Min
Yip, Sidney See Tang, Mei-Jie
Yoganathan, M.; Suttrop, W.; Devaty, R. P.
Identification of {2$\bar{1}$0} and {10$\bar{1}$0} Laue patterns of hexagonal and rhombohedral silicon carbide polytypes.—75-03800
Yogo, Toshinobu See Hirano, Shinichi; Kikuta, Koichi; Miura, M.; Sakamoto, Wataru
Yogo, Toshinobu; Aksay, Ilhan A.
Synthesis of mullite fiber from an aluminosiloxane precursor.—75-06811

Yoko, Toshinobu See Jin, Ji-Sun; Miyaji, Fumiaki; Monde, Takashi; Ohyama,; Zhao, Gao-Ling

Yokogawa, Y. See Ansart, F.

Yokogawa, Yoshiyuki See Nagata, Fukue

Yokoi, Hitoshi; Kingery, W. David
Microstructure development and solid-state reactions during liquid phase sintering.—75-09564

Yokoi, Naoki; Andoh, Hiroya; Takai, Mikio
Atomic scale characterization of $(NH_4)_2S_x$-treated GaAs(100) surface.—75-00416

Yokoishi, Syoji See Nakanishi, Masatsugu

Yokota, Minoru; Nagata, Masayuki; Saito, Shigeo; Yamada, Yuichi
Composite superconductor and method of the production thereof.—75-00006; 75-08454

Yokota, Naoko See Sugimoto, Masunori

Yokota, S. H.; De Jonghe, Lutgard C.; Rahaman, Mohamed N.
Oxidation behavior of reaction-bonded alumina compacts using an $Al_{88}Si_{12}$ alloy precursor.—75-06928

Yokotani, Yoichiro See Okuyama, Kojiro

Yokotani, Yoichiro; Ando, Hamae; Kugimiya, Koichi
Ceramic substrate for an electronic circuit.—75-07750

Yokote, Takamasa See Kusui, Jun

Yokoyama, A. See Watari, Fumio

Yokoyama, Akinori; Nakajima, Hitoshi
Aluminum-containing oxide and process for producing aluminum-containing oxide.—75-01099

Yokoyama, Akinori
Electrically conductive paste based on silver-copper functionally gradient powder.—75-05192

Yokoyama, Hiromitsu; Omote, Koji; Suzuki, Hitoshi; Tsukada, Mineharu; Kamehara, Nobuo; Niwa, Koichi
Composition for the formation of ceramic vias.—75-02947

Yokoyama, Masayuki See Kawahigashi, Satashi

Yokoyama, T. See Meguro, T.

Yokoyama, Yoichi See Tsuchinari, Akihiro

Yokoyama, Yoichi; Nishikawa, Masami; Nakashima, Michifumi
Effect of porous carbon on the permeability of a gas injection submerged nozzle.—75-05087

Yoleva, A. See Lepkova, D.

Yoneda, Yasunobu See Azumi, Takeshi; Hase, Kiyoshi; Ishikawa, Terunobu; Nakamura, Kazutaka

Yonemitsu, Kyoko See Kusunoki, Michiko

Yoneyama, Masaaki See Hayashi, Kunio

Yoo, Do-Joon; Tamaki, Jun; Park, Soon-Ja; Miura, Norio; Yamazoe, Noboru
Suppression of grain growth in sol-gel-derived tin dioxide ultrathin films.—75-06909

Yoo, I.-K. See Chung, Il-Sub; Lee, Wan-In

Yoo, I.-K.; Desu, Seshu B.
Modeling of the hysteresis of ferroelectric thin films.—75-05609

Yoo, I.-K.; Kim, Chang-Jung; Desu, Seshu B.
Breakdown mechanisms in PZT thin-film capacitors.—75-05533

Yoo, J. M.; Mukherjee, K.
Effect of mechanical deformation and annealing on the evolution of *c*-axis texture of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_x$ superconductor hot isostatic press cladded onto an Ag substrate.—75-05754

Yoo, J. See Jones, S. A.

Yoo, Kwang-Soo; Jung, Hyung-Jin; Song, Han-Sang; Cho, Hyun-Nam
Piezoelectric ceramic-polymer composite material and method for preparing the same.—75-08186

Yoo, S. K. See Otsuka, A.

Yoo, Sang-Im See Murakami, Masato

Yoo, W. S. See Chien, F. R.

Yoo, Y. S. See Kim, Y. J.

Yoon, D.-S. See Kim, Chang-Jung; Kim, J.-M.; No, Kwang-Soo

Yoon, Duk-Y. See Hwang, N.-M.; Suh, Jeong-Hun

Yoon, H. J. See Childs, T. H. C.

Yoon, K.-H. See Jo, K.-H.; Jung, Hyung-Jin; Kim, E.-S.; Kim, Jong-Sun

Yoon, K.-H.; Park, K.-B.; Kang, D.-H.
Preparation and dielectric properties of lead iron niobate ceramics.—75-00364

Yoon, S. F. See Radhakrishnan, K.

Yoon, S.-S.; Kim, S.-Y.; Kim, H.-C.
Dielectric spectra of fresh cement paste below freezing point using an insulated electrode.—75-02397

Yoon, Sang-Young; Akatsu, Takashi; Yasuda, Eiichi; Tanabe, Yasuhiro
Influence of grain orientation on a steady-state creep rate in hot-pressed β-Si_3N_4 whisker/SiAlON composite.—75-09644

Yoon, Seok-Jin See Kim, Joon-Han

Yoon, Soon-Gil See Chae, Su-Jin; Kim, Nam-Kyeong

Yoon, Soon-Gil; Lee, Jai-Chan; Safari, Ahmad
Preparation of thin-film $(Ba_{0.5},Sr_{0.5})TiO_3$ by the laser ablation technique and electrical properties.—75-00366

Yordanov, Stefcho See Nenov, Toshko G.

Yoshida, A. See Mizuno, Y.

Yoshida, Akira See Guo, Qi-Xin

Yoshida, H. See Hagio, T.

Yoshida, Hideaki See Kohinata, Masayoshi; Toyoda, Seiji

Yoshida, Hideto See Fukuda, Koichiro

Yoshida, Hideto; Miyata, Noboru; Naito, Kazunari; Yamagishi, Chitake
Mechanical properties of unidirectional reinforced carbon-SiC composite fabricated by hot-press sintering method: III.—75-02075

Yoshida, Hideto; Saeki, Tatsuya; Fujioka, Toshiyuki; Ueda, Tetsuya; Fuyuki, Tadashi
Fine particle separation by revised type air cyclone classifier.—75-05947

Yoshida, Hisao; Tanaka, Tsunehiro; Funabiki, Takuzo
Photoluminescence spectra resulting from hydroxy groups on MgO supported on silica.—75-06315

Yoshida, Hisayoshi See Nonaka, Kazuhiro

Yoshida, Hitoshi See Sakai, Hitoshi

Yoshida, K. See Kambe, M.

Yoshida, Kazuaki; Satoh, Tsuguo; Enomoto, Noritsugu; Yagi, Takeshi; Hihara, Hiroshi; Oku, Masato
Fabrication of optical fiber preform by CIP forming technique.—75-08522

Yoshida, Kazuaki; Yagi, Takeshi
Hybridized fabrication of optical fibers by extrusion forming process.—75-08529

Yoshida, Kazuharu See Ito, Shigeru

Yoshida, Kunio See Ikesue, Akio

Yoshida, M. See Tanji, H.

Yoshida, Manabu; Hirabayashi, Izumi
Method for making rare-earth superconductive composite.—75-08466

Yoshida, Masakazu See Adachi, Keisuke; Kamo, Momoki

Yoshida, Noriyuki See Fujino, Kousou; Hayashi, N.

Yoshida, T. See Bonevich, J. E.

Yoshida, Teruaki See Kuwabara, Mitsuo

Yoshida, Tetsuro See Jitsumori, Yasuaki

Yoshida, Toshihiro; Watanabe, Keiichiro
Process for production of joined ceramic body.—75-08622

Yoshida, Toshihiro
Method for drying ceramic compact.—75-08591; Method for producing ceramic long body.—75-08598

Yoshida, Toshikazu See Hashimoto, T.

Yoshida, Tsuyoshi; Wakamoto, Eiji; Ohara, Manabu; Ojima, Tomohiro
Development of MgO-CaO-type bricks for sintering zone of cement rotary kiln.—75-05060

Yoshida, Y. See Wakasa, K.

Yoshida, Yasuhiko See Fujishima, Motoi

Yoshida, Yukihisa; Ito, Wataru; Morishita, Tadataka
Method of manufacturing Y-Ba-Cu-O superconducting thin film.—75-05873

Yoshida, Yutaka See Kamo, Tomoichi

Yoshihara, S.; Kokubo, Tadashi; Nishimura, N.; Yamamuro, T.; Nakamura, Tadashi
Effects of glass composition on compressive strength of bioactive cement based on $CaO-SiO_2-P_2O_5$ glass powders.—75-02648

Yoshikawa, Akira See Ikeda, Kiyohiko

Yoshikawa, Itsuji; Matsumura, Sowjun; Okada, Masuo
Codeposition mechanism of zirconia fine particles in nickel/zirconia composite plating.—75-00078

Yoshikawa, Kiyoshi See Okada, Morihiro

Yoshikawa, Masahiro See Shiranita, Akira

Yoshikawa, Masanori See Hirata, Atsushi; Mori, Y.; Okuzumi, Fuminori; Tokura, Hitoshi

Yoshikawa, N. See Su, H.

Yoshikawa, Shinchi See Kaya, Noriyoshi

Yoshikawa, Shoko See Markowski, Kelley A.; Pan, Ming-Jen; Zheng, Jie-Hui

Yoshikawa, Yoshio; Uchino, Kenji
Chemical preparation of lead-containing niobate powders.—75-06548

Yoshikoshi, Hideyuki See Sugiyama, Shunichi; Kawabata, Koji

Yoshimori, Hiroyuki See Mihara, Takashi

Yoshimoto, M. See Asakawa, T.

Yoshimoto, Mamoru See Kawasaki, Masashi

Yoshimoto, N.; Senna, Mamoru; Wolf, R.; Bernhardt, C.; Husemann, K.
Ultrafine dry grinding of α-SiC powders for advanced ceramics.—75-05916

Yoshimura, Hironori See Odani, Niro

Yoshimura, M. See Gogotsi, Yu. G.; Inoue, S.

Yoshimura, Masahiro See Arima, Momoko; Ban, Takayuki; Cho, Woo-Seok; Kajiyoshi, Koji; Kakihana, Masato; Mazaki, Hiromasa; Yashima, Masatomo

Yoshimura, Masahiro; Kakihana, Masato; Yashima, Masatomo
Assessment of the phase diagram in the ZrO_2-CeO_2 system.—75-06161

Yoshimura, Masahiro; Okamoto, Kengo; Ioku, Koji
Hydrothermal synthesis of biocompatible whiskers.—75-06641

Yoshimura, Masashi; Niihara, Koichi
Composite ceramics sintered body.—75-06086

Yoshimura, Masashi; Yamamoto, Takehisa; Yamagata, Shinichi; Matsui, Jin-Joo; Yamakawa, Akira
Silicon nitride sintered body.—75-01197

Yoshimura, Toshihiro See Itoh, Hiroshi

Yoshimura, Toshimi; Nojiri, Shigehiro; Takakura, Shinichi; Katoh, Katumi
Method of manufacturing ceramic laminated compact.—75-08607

Yoshimura, Yuji; Imai, Nobuhiko
SV [slide valve] plates for special steel.—75-07671

Yoshinaga, H. See Morita, K.

Yoshinaga, Ikuko See Katayama, Shingo

Yoshinaka, Masaru See Hirano, Shingo

Yoshino, Kenji; Matsushima, Yasushi; Kinoshita, Hiroyoshi; Hiramatsu, Makoto
Photoluminescence of zinc selenide single crystals annealed in zinc or selenium atmosphere.—75-01605

Yoshino, Masaki See Hashizume, Tamotsu

Yoshio, T. See Jacobson, N. S.; Oda, K.

Yoshioka, Katsuki See Kawasaki, Shinji

Yoshitake, T. See Miura, S.

Yoshitake, T.; Tsuge, T.; Inui, T.
Effect of microstructure of $YBa_2Cu_3O_x$ films on power handling capability studied with microstrip resonators.—75-00791

Yoshitomi, J. See Ikesue, Akio

Yoshizawa, Masahiko See Aoki, Hideki

Yoshizawa, Y.; Sakuma, T.
High-temperature deformation and cavitation in fine-grained alumina.—75-06991

Yoshizawa, Yuichi; Saito, Fumio
Characterization of abrasion powder worn from alumina balls by wet milling and its phase transformation during heating.—75-07112

Yoshizumi, Motohiko See Nishihara, Akira

Yoshizumi, Motohiko; Hirako, Hisae
Process for production of fine α-alumina powder.—75-03678

Yost, William T. See Sathish, Shamachary

Yotani, Junko See Kamiya, Kanichi

You, In-Kyu; Kim, Yoon-Ho; Kim, Hyo-Tae; Byun, Jae-Dong
Influence of grain boundary on the electrical properties of WO_3-doped $SrTiO_3$.—75-07733

You, Y.-C.; Park, H.-L.; Song, Y.-G.
Stable phases in the $MgO-Nb_2O_5$ system at 1250°C.—75-06368

Younes, C. M. See Chia, Q. S.

Young, D. J. See Shi, X. Y.

Young, Donald R. See Huang, Jenn-Gwo

Young, Eric
Color trends 1995-96.—75-04691

Young, J. Francis
High-performance cement-based materials.—75-00041

Young, R. J. See Huang, Yan-Ling; Yang, Xu-Gang

Young, R. M. See Partlow, W. D.

Youngman, R. A. See Bruley, J.; Harris, Jonathan H.

Youngman, R. E.; Zwanziger, J. W.
Multiple boron sites in borate glass detected with dynamic angle spinning nuclear magnetic resonance.—75-04917

Younkman, L. B. See Azad, A. M.

Yount, J. T.; Lenahan, P. M.; Krick, J. T.
Comparison of defect structure in N_2O- and NH_3-nitrided oxide dielectrics.—75-00304

Yousaf, Mohammad See Ali, Zahida

Youssof, I. M. See Ahmed, A. A.

Yousuff, M. See O'Donnell, R. G.

Yow, H. K.; Houston, P. A.; Button, C. C.
Heterojunction bipolar transistors in AlGaInP/GaAs grown by metallorganic vapor phase epitaxy.—75-00506

Yu, A. B. See Pinson, D. J.; Zou, R. P.

Yu, A.-B.; Lin, B.; Xu, Y.-S.; Fu, Y.-T.
Composite honing of metals inlaid with ceramics.—75-02225

Yu, Benjamin W.; Girschick, Steven L.
Atomic carbon vapor as a diamond growth precursor in thermal plasmas.—75-01383

Yu, C.-F. See Hsieh, I.-J.

Yu, C.-Y. See Kellett, B. J.

Yu, D.-C. See Kuang, X.-M.

Yu, D.-P. See Chen, X.-Q.

Yu, Ga-Er; Parrick, J.; Edirisinghe, M. J.
Synthesis of silicon oxynitride from a polymeric precursor: III. Polymerization and copolymerization of methylcyclosiloxanes and methylcyclosilazanes.—75-06816

Yu, Jing-Kun See Yamaguchi, Akira

Yu, Jing-Kun; Ueno, Satoru; Kiragushi, Keisuke
Improvement in flowability, oxidation resistance, and water wettability of graphite powders by TiO_2 coating.—75-07572

Yu, Jing-Zhi See Gu, Bing-Lin; Kawazoe, Yoshiyuki

Yu, Li-Xin See Gu, Yu-Qin

Yu, N. See Hsu, D. K.; Simpson, T. W.

Yu, N.; Sickafus, Kurt E.; Nastasi, Michael
First observation of amorphization in single-crystal $MgAl_2O_4$ spinel.—75-03893

Yu, P. W.; Yen, M. Y.; Stutz, C. E.
Photoluminescence of Mg ion implantation in low-temperature-grown GaAs.—75-05433; [—erratum].—75-00568

Yu, Shi-Dong See Zhang, Rong

Yu, Tae-Hwan; Tuller, Harry L.
Electrical conductivity in the $Gd_2(Ti_{1-x}Sn_x)_2O_7$ [$x \leq 0.6$] pyrochlore system.—75-02904

Yu, Tao See Ma, Wen-Hui

Yu, Tao; Laiho, R.; Heikkila, L.
Porous silicon [investigated] by scanning tunneling microscopy and atomic force microscopy.—75-04388

Yu, Tien-Kuei; Nezu, Kikuo
Surface damage and crack growth in indented ceramics.—75-09678

Yu, W. Y. See Gorsuch, G.

Yu, W.-X. See Chen, D.-G.

Yu, X.-H. See Huang, Shao-Ming

Yu, Y.; Lad, R. J.
Chemical bonding, structure, and morphology of Mg/α-Al_2O_3 and MgO/α-Al_2O_3 interfaces.—75-04304

Yu, Yu-Wu; Harrell, J. W.; Doyle, W. D.
Ferromagnetic resonance spectra of oriented barium ferrite tapes.—75-00735

Yuan, Chong See Loboda, Mark J.

Yuan, Gong-Quan; Chen, De-Ling; He, Hui-Qing
Application and development of unshaped refractories in iron and steel industry [in China].—75-07468

Yuan, Jian See Xu, Qiang

Yuan, K.-Q. See Chen, Q.-F.

Yuan, Li-Jian See Viehland, Dwight

Yuan, Li-Jian; Li, Jie-Fang; Viehland, Dwight
Electrically induced shape changes in hardened cement pastes and porous silica gels: the dynamic nature of gel pore structures during water transport.—75-00035

Yuan, Pi-Fang See Shen, Lin-Jiang

Yuan, Q.-M. See Chen, Y.-R.; Ji, Y.; Liu, J.-C.; Wang, S.-Q.; Yang, Y.-P.

Yuan, R.-Z. See Li, Ya-Wei; Wang, J.-H.; Wang, Wei-Min; Zhai, P.-C.; Zhang, L.-M.; Zhang, Q.-J.

Yuan, S. L.; Kadowaki, K.; Yang, Z. J.
Out-of-plane magnetoresistivity for fields parallel to the *c*-axis in single-crystalline $(La_{1-x}Sr_x)_2CuO_x$.—75-00840

Yuan, Shi; Pal, Uday B.; Chou, Kuo C.
Modeling and scaleup of galvanic deoxidation of molten metals using solid electrolyte cells.—75-02513

Yuan, Sui-Hua; Shu, Xiao-Zhou
New Faraday rotation glass with a large Verdet constant.—75-02671

Yuan, W.-Q.
Research and application of coating material for tundish.—75-02838
Yuan, Y.-Z. See Chen, R.-P.
Yuasa, Toyotaka See Doi, Toshiya
Yudanova, L. I. See Solodovnikov, S. F.
Yudovich, B. E. See Zubekhin, S. A.
Yue, B.; Cransveld, J.; Schuur, H.; Niel, E.
Production and properties of alkali-activated slag cement (ASC) based on synthetic slag from fly ashes.—75-00059
Yue, C.-Y.; Looi, H.-C.
Effect of the loading system on the stress distribution in the fully embedded fiber pullout test.—75-04503
Yue, G.-Q. See Guo, Y.-L.
Yue, K. T. See Feng, Z.-C.
Yue, S. See Wanjara, P.
Yue, X.-M. See Bao, Yi-Wang; Zhang, G.-J.
Yue, Yuan-Zheng; Bruckner, Rolf
New description and interpretation of the flow behavior of glass-forming melts.—75-05029
Yugo, Shigemi See Yamamura, Shinichi
Yuhaku, Satoru See Nakamura, Yoshifumi
Yukawa, Yasumasa See Kijimuta, Hitoshi
Yukhin, Yu. M.; Afonina, L. I.; Limasova, T. I.; Danilova, L. E.
Synthesis of bismuth cuprate.—75-06804
Yukhin, Yu. M.; Afonina, L. I.; Smirnov, V. I.; Podkopaev, O. I.; Danilova, L. E.
Synthesis of bismuth germanate.—75-09466
Yukhvid, V. I. See Silyakov, S. L.
Yuki, Shinichi See Arai, Kunio
Yumashev, N. I.; Pronkin, A. A.; Yumasheva, L. V.
Structure of the anionic component of fluorophosphate glasses based on lithium metaphosphate.—75-02614
Yumasheva, L. V. See Yumashev, N. I.
Yumatov, S. A. See Saburova, R. V.
Yumura, Motoo; Uchida, Kunio; Niino, Hiroyuki; Ohshima, Satoshi; Kuriki, Yasunori; Yase, Kiyoshi
Study on the purification methods of carbon nanotubes and STM imaging of the carbon nanotubes.—75-01686
Yun, H. M. See DiCarlo, J. A.; Sayir, A.
Yun, H. M.; Goldsby, J. C.; DiCarlo, J. A.
Environmental effects on creep and stress-rupture properties of advanced SiC fibers.—75-04513
Yun, Yeo-Bum See Tai, Weon-Pil
Yun, Young-Hoon; Choi, Sung-Churl; Park, Churl-Won
Mechanical properties and microstructure of AlN/W composites.—75-09649
Yunovich, A. E. See Vardanyan, B. R.
Yunusov, M. S.; Akhmadaliev, A.; Oksengendler, B. L.; Begmatov, K. A.
Regularities of the electron spectrum of impurity centers of *d*-elements in silicon.—75-03148
Yunusov, M. S.; Akhmadaliev, A.; Sabirov, S. S.
Formation and annealing of radiation-induced defects in *p*-Si<P,Pt>.—75-03031
Yur'ev, V. A.; Kalinushkin, V. P.; Astaf'ev, O. V.
Visualization of large-scale electrically active defect clusters in indium phosphide and gallium arsenide single crystals [by scanning small-angle light scattering method].—75-03199
Yur'ev, V. A.; Kalinushkin, V. P.; Murin, D. I.
Large-scale clusters of electrically active defects in GaAs single crystals.—75-05358
Yur'ev, V. A.; Kalinushkin, V. P.
Dependence of characteristic sizes of the large-scale electrically active defect clusters on their location along the longitudinal axis of a single-crystalline ingot of InP:Fe.—75-02992; Influence of bombardment with Ar^+ ions on the light scattering by single crystals of undoped indium phosphide.—75-03055
Yur'ev, V. A.; Kalinushkin, V. P.
Large-scale accumulation of electrically active defects in InP:As and InP:Ga single crystals.—75-03076
Yurchenko, E. N. See Prokof'ev, V. Yu.
Yurchenko, E. N.; Prokof'ev, V. Yu.; Il'in, A. P.; Shirokov, Yu. G.
Regulating structural-mechanical and rheological properties of forming bodies based on titanium dioxide.—75-06510
Yurek, Gregory J.; Vander Sande, J. B.
Preparation of superconducting oxides by oxidizing a metallic alloy.—75-03436
Yuriichuk, I. N.; Studenets, V. I.; Mel'nichuk, S. V.; Rarenko, I. M.
Phonon spectrum of CdTe/HgTe semiconductor superlattices.—75-05421
Yurkov, A. L.; Jhuravleva, N. V.; Lukin, E. S.
Kinetic microhardness measurements of SiAlON-based ceramics.—75-06480
Yushchenko, V. S.; Shchukin, E. D.; Hotokka, M.
Ab initio calculation of the mechanical strength of the Si–O–Si bond.—75-06940
Yushchenko, V. V. See Stetsenko, V. Ya.
Yushenkov, B. V. See Petrov, V. N.
Yushin, N. K. See Smirnova, E. P.
Yushkenas, R. See Molchadskii, A.
Yushkevich, I. I. See Tolochko, S. P.
Yusman, T. A. See Gakh, S. G.
Yust, Charles S. See Bae, Yong-W.
Yusupov, I. Z. See Krivelevich, S. A.
Yusupova, Sh. A. See Kulikov, G. S.
Yutsene, V. See Pozhela, Yu.
Yuvzhenko, V. A. See Dutsyak, I. S.
Yuzhelevskii, Ya. I. See Voloshin, V. A.
Yvanova, Y. See Samuneva, B.
Zabara, O. A. See Zolotukhina, L. V.
Zabolotskaya, E. V. See Zolotukhina, L. V.
Zacchetti, N. See Arezzo, F.
Zacharova, G. See Bondarenka, V.
Zaderman, E. A. See Sukhanov, M. A.
Zafarullah, Muhammad See Maqsood, Muhammad
Zaghloul, Hany H. See Wood, Jeffrey W.
Zagorulko, Yu. A.; Komar, V. K.; Migal, V. P.; Chugai, O. N.
Relaxational polarization in ZnSe crystals under photoexcitation.—75-03149; Reversible and irreversible changes in dielectric properties of ZnSe crystals induced by CO_2 laser radiation.—75-08048
Zah, Chung-En; Bhat, Rajaram; Pathak, Bhadresh N.
High-performance uncooled 1.3-μm $Al_xGa_yIn_{1-x-y}As/InP$ strained layer quantum well lasers for subscriber loop applications.—75-05336
Zahavi, J. See Riabkina-Fishman, M.
Zahn, D. R. T. See Hase, A.
Zaikin, Yu. A. See Zaitskina, R. F.
Zaikina, R. F. See Zimin, S. P.
Zaikovskii, A. B. See Grincheshen, I. N.
Zaikovskii, V. I. See Molchanov, V. V.
Zainabidinov, S. Z.; Islamov, S. A.; Safina, V. M.
Determination of isovalent impurity concentration in epitaxial layers of indium phosphide.—75-07824
Zainabidinov, S.; Zaugol'nikova, E. G.; Ibragimov, Sh. B.; Sokolov, B. Yu.
Magnetic susceptibility of binary rubidium–rare-earth vanadates, $Rb_3Ln(VO_4)_2$ (Ln=Pr, Nd, Gd, Tm, Yb).—75-09157
Zainullina, R. I. See Vlasov, K. B.
Zaitsev, A. I. See Sysoev, A. M.
Zaitsev, A. I.; Dobrokhotova, Zh. V.; Litvina, A. D.; Elizarova, T. A.; Mogutnov, B. M.
Thermodynamic properties of chromium phosphides.—75-09093
Zaitsev, A. I.; Dobrokhotova, Zh. V.; Litvina, A. D.; Shelkova, N. E.; Mogutnov, B. M.
Thermodynamic properties of chromium-phosphorus melts.—75-09094
Zaitsev, A. I.; Litvina, A. D.; Mogutnov, B. M.
Thermodynamic properties of anorthite, $CaAl_2Si_2O_8$, and gehlenite, $Ca_2Al_2SiO_7$.—75-06395; Thermodynamic properties of mullite, $3Al_2O_3{\cdot}2SiO_2$.—75-06397
Zaitsev, A. M. See Melnikov, A. A.
Zaitsev, B. E. See Kuznetsov, M. L.
Zaitsev, G. P. See Neshpor, V. S.
Zaitsev, S. V. See Alferov, Zh. I.
Zaitsev, V. K.; Fedorov, M. I.
Characteristics of parameter optimization and energy resources of thermoelectric materials based on silicon compounds.—75-02974
Zaitsev, V. N. See Kholin, Yu. V.; Bagaev, V. S.
Zaitseva, N. V. See Afanas'ev, V. P.; Ayazbaev, T.; Balashova, E. V.; Gol'tsman, B. M.; Lemanov, V. V.; Monaenkova, A. S.; Yarmarkin, V. K.
Zaitseva, Z. A. See Andrievskaya, Elena R.
Zaitskina, R. F.; Zaikin, Yu. A.; Potatii, K. V.; Sarsembinov, Sh. Sh.
Dosage dependence of the charge carrier concentration in electron irradiated lead sulfide.—75-07836
Zak, Allen E. See Schroeder, Ronald W.
Zakamennykh, T. M. See Kuznetsova, T. L.
Zakhar'yash, T. I. See Ovsyuk, V. N.
Zakharchenko, I. N. See Surovyak, Z.
Zakharchenya, B. P. See Bresler, M. S.; Dzhioev, R. I.; Kalevich, V. K.; Mirlin, D. N.
Zakharchenya, R. I. See Vasilevskaya, T. N.
Zakharchenya, R. I.; Vasilevskaya, T. N.
Influence of hydrolysis temperature on the hydrolysis products of aluminum alkoxides.—75-06651
Zakharenkov, L. F.; Kozlovskii, V. V.
Effects of rare-earth doping on the properties of bulk crystals of III-V compounds.—75-05302
Zakharov, F. I.; Frolov, G. A.
High-temperature investigations of composite gradient materials in nonequilibrium air plasma.—75-02488
Zakharov, N. A. See Orlovskii, V. P.
Zakharov, N. A.; Klyuev, V. A.; Toporov, Yu. P.; Orlovskii, V. P.
Phase transition in ferroelectric $Sr_2Nb_2O_7$.—75-05619
Zakharov, N. D. See Organova, N. I.
Zakharov, R. G. See Yankin, A. M.
Zakharova, A. A. See Bugaev, A. S.
Zakharova, B. S.; Emelina, A. L.; Chudinova, N. N.
Vanadyl phosphite, $VOHPO_4{\cdot}5H_2O$.—75-09489
Zakharova, G. S. See Volkov, V. L.
Zakharova, G. See Bondarenka, V.
Zakharuk, Z. I. See Nikonyuk, E. S.
Zaki, K. See Piloto, A. J.
Zaki, Kawthar A.; Wang, Chi
Accurate measurements of electrical properties of dielectric resonators and substrate materials.—75-01007
Zaki, M. I.; Mansour, S. A.
Low-temperature synthesis of magnesium chromite spinel via suspension of $Mg_4(CO_3)_4(OH)_2{\cdot}4H_2O$ in aqueous Cr(III) solution.—75-04097
Zaki, Mohamed I.; Ballinger, Todd H.; Yates, John T.
Process for the inorganic chemical modification of rhodium alumina catalysts and automotive catalyst made by the process.—75-08784
Zakin, R.
David MacDonald.—75-07121; Overbeck studio.—75-02319
Zakirova, E. A. See Man'ko, V. S.
Zakordonets, V. S. See Bulat, L. P.
Zakrevskii, V. A.; Orlova, T. S.; Shul'diner, A. V.
Effect of defomation on thermostimulated luminescence of irradiated LiF crystals.—75-06963
Zakurazhnov, A. A. See Domrachev, G. A.
Zaleski, A. J. See Ciszek, M.
Zalesov, A. S.
Steps and possibilities for developing a theory of reinforced concrete.—75-07186; See also Serykh, R. L.
Zalozh, V. A. See Rotaru, A. Kh.
Zalygina, O. S. See Bobkova, N. M.
Zamanova, A. K. See Dzhabbarly, A. R.
Zamanova, E. N.; Dzhafarov, M. A.
Photomemory effect in high-ohmic and photosensitive CdS:Cu crystals.—75-03127
Zamaraev, K. I.; Salganik, R. I.; Romannikov, V. N.; Vlasov, V. A.; Khramtsov, V. V.
Modeling of prebiotic synthesis of oligopeptides in the presence of zeolites and kaolin.—75-06276
Zamek, J.
Eight steps to stop crazing.—75-02242
Zamkov, A. V. See Sysoev, A. M.
Zamoryanskaya, M. V.; Petrova, M. A.; Korovkin, A. M.
Composition defects and cathodoluminescent properties of Y_2SiO_5 crystals doped with Tb and Ce.—75-08884
Zampino, M. A.; Jones, W. K.; Diaz, E.; Maitass, E.
Electrical characterization of AlN ball/pad grid array MCM-C/D.—75-00329
Zander, W. See Copetti, Carlo; Glyantsev, V. N.
Zandvliet, Harold J. W. See Kersten, Bart A. G.
Zanella, G. See Bettinelli, M.
Zangvil, A.
Microstructural evolution and critical properties of advanced ceramics and ceramic matrix composites.—75-04360; See also Huang, C. M.; Xu, Y.-R.
Zank, Gregg A.
High-density titanium carbide ceramics.—75-08827; High-density zirconium diboride ceramics prepared with preceramic polymer binders.—75-08828; Monolithic ceramic bodies using modified hydrogen silsesquioxane resin.—75-08611; Preparation of high density titanium carbide ceramics with preceramic polymer binders.—75-03750; Preparation of high density zirconium diboride ceramics with preceramic polymer binders.—75-03751; See also Saha, Chandan K.
Zannella, S. See Trezzi, M.
Zanni, H. See Fernandez, L.; Masse, S.
Zanni, H.; Fernandez, L.; Couty, R.; Barret, P.
NMR study of concrete alkali-aggregates reaction.—75-00265
Zannoni, R. See Bettinelli, M.
Zarbin, A. J. G.; Alves, Oswaldo L.
New route for the obtention of cadmium antimony oxide semiconducting ceramic powders.—75-03098
Zaremba, C. M. See Giles, R.
Zaretskaya, E. P. See Gremenok, V. F.
Zargarova, M. I.; Babaeva, P. K.; Azhdarova, D. S.; Melikova, Z. D.; Mekhtieva, S. A.
$CuInSe_2$-InSe ($SnSe_2$, Bi_2Se_3) system.—75-05268
Zargarova, M. I.; Mustafaev, N. M.; Shuster, N. S.
CuO-Bi_2O_3-B_2O_3 system.—75-08902
Zaritskii, I. M.; Rakitina, L. G.; Polgar, K.
Effect of thermal annealing and γ-irradiation on EPR in $LiNbO_3$:Mg crystals.—75-06214
Zarubin, I. A.; Pirog, I. V.; Shuvaev, A. T.
Characteristics of the ferroelectric phase transition in $Na_2Sr_4Nb_{10}O_{30}$.—75-05535
Zarycky, J. See Larrue, D.
Zarzycki, J.; Atik, M.
Toughness and fracture surface energy of wet SiO_2-SiO_2 sonogel composites.—75-07054
Zasadzinski, J. A. See Viswanathan, Ravi
Zasadzinski, Roberta; Vandervoort, K. G.; Hinks, D. G.
Tunneling measurement of the quasi-particle lifetime in $Ba_{1-x}K_xBiO_3$.—75-00892
Zasorina, L. V. See Kuznetsova, T. L.
Zaugol'nikova, E. G. See Zainabidinov, S.
Zav'yalov, E. N. See Pekov, I. V.
Zav'yalov, S. A. See Kuznetsov, A. V.
Zavada, J. M.; Wilson, R. G.; Pearton, S. J.; Abernathy, C. R.
Redistribution of hydrogen in GaN, AlN, and InN.—75-00586
Zavada, V. P. See Gogotsi, G. A.
Zavadil, K. R.; Ing, J. L.
Cesium/oxide interactions for ultrathin films on α-Al_2O_3(0001) and α-Al_2O_3(1102).—75-04299
Zavadskii, E. A. See Asadov, S. K.; Buzhinskii, S. A.
Zavala-Enriquez, G.; Ghosh, P. K.
Temperature modulation of the electrooptic effect in $BaTiO_3$ and $LiNbO_3$—a theoretical approach.—75-00706
Zavaliangos, Antonios See Brodkin, Dmitri
Zavaritskaya, T. N. See Aleshchenko, Yu. A.
Zavarzin, A. N. See Belyavskii, V. I.
Zavatskii, E. I. See Ryzhov, V. A.
Zavorotnev, Yu. D.
Magnetic state of crystals with tetragonal symmetry.—75-06267
Zavrazhnov, A. Yu. See Goncharov, E. G.; Popov, A. E.; Ugai, Ya. A.
Zawadzki, P. See Gurary, A. I.
Zaxharov, I. L. See Baryshnikov, Yu. Yu.
Zayachuk, D. M. See Garasim, V. I.; Mikityuk, V. I.
Zayats, A. I. See Aktsipetrov, O. A.
Zayats, A. V. See Aktsipetrov, O. A.
Zaykoski, J. A. See Talmy, I. G.
Zazo, M.; Torres, L.; Iniguez, J.
Frequency and low-field dependence of ac susceptibility in YBaCuO.—75-00808
Zbyagintsev, B. I. See Lupeiko, T. G.
Zdiennicka, A. See Janczuk, B.
Zeer, E. P. See Petrakovskaya, E. A.
Zegrya, G. G. See Danilova, T. N.; Mikhailova, M. P.
Zegrya, G. G.; Gun'ko, N. A.; Frolushkina, E. V.; Imenkov, A. N.; Yakovlev, Yu. P.
Special features of temperature dependence of threshold current density of DH lasers with a thin active region based on GaInAsSb.—75-05480
Zegrya, G. G.; Masterov, V. F.
Mechanism of *f-f* luminescence enhancement in semiconductors.—75-05376
Zehnder, A. T. See Jones, S. A.
Zeidler, J. R.; Hewett, C. A.; Nguyen, R.
Materials aspects of diamond-based electronic devices.—75-00539

Zein, M. M. See Alnaser, W. E.
Zein, M. M.; Alnaser, W. E.
Effect of neutron and γ-irradiation on YBCO and B(Pb)SCCO high-T_c superconductors.—75-03360
Zeinert, A.; Benalloul, P.; Benoit, J.
Influence of ultraviolet irradiation on excitation efficiency and space charge in ZnS thin-film electroluminescent devices.—75-00517
Zelenin, V. V. See Strel'chuk, A. M.
Zelenin, V. V.; Solov'ev, V. G.; Starobinets, S. M.; Konnikov, S. G.; Chelnokov, V. E.
Growth of SiC epitaxial layers during chemical deposition from CH_3SiCl_3-H_2 vapor.—75-03040
Zemlyanov, M. G. See Chumachenko, A. V.
Zemskov, V. S.; Kiseleva, N. N.; Kiselev, N. N.; Petukhov, V. V.; Cheremushkin, E. A.; Shelimova, L. E.
Database system DIAGRAMMA on phase diagrams of semiconducting systems.—75-05271
Zemtsov, V. I. See Anikina, E. L.
Zeng, L.-X.; Guan, Z.-D.
Lifetime prediction for ceramics under dynamic loading at high temperatures.—75-04577
Zeng, Yan-Wei; Xue, Wan-Rong; Benedetti, A.
Microstructure study of Sm, Mn-modified $PbTiO_3$ piezoelectric ceramics by XRD and profile-fitting technique.—75-05607
Zeng, Yike See Liu, Mei-Dong
Zenkov, A. A.; Rudenko, V. V.; Fedorov, Yu. M.
Weak ferromagnetism along the third-order axis of $FeBO_3$ crystals.—75-08251
Zerdouk, A. See Tallaron, C.
Zerla, Aimee F.
Bringing the world of ceramics together.—75-07062
Zetterling, Carl-Mikael; Ostling, M.
Comparison of thermal gate oxides on silicon and carbon face *p*-type 6H silicon carbide.—75-00440
Zgonik, M. See Medrano, C.
Zha, Yu-Yao See Si, Qi-Miao
Zhabko, T. E. See Olekhnovich, N. M.; Salak, A. N.
Zhabrev, V. A.; Konakov, V. G.; Lapis, N. D.; Suleimanova, N. A.; Pivovarov, M. M.; Shultz, M. M.
Interaction of iron and nickel with borate melts.—75-02728
Zhabrev, V. A.; Permyakova, T. V.; Shalavina, I. M.
Multicomponent diffusion in glasses in terms of flow switching and conjugation.—75-07352
Zhai, H.-R. See Zhang, H.-Y.
Zhai, H.-X.; Guan, Z.-D.; Huang, Y.
R-curve behavior of TiC/Si_3N_4 material for long cracks and short cracks.—75-04447; Grain bridging mechanism and *R*-curve behavior for in situ reinforced ceramics.—75-04329
Zhai, H.-X.; Huang, Y.; Guo, C.-H.; Cheng, J.-H.
Strength distribution in toughened ceramics exhibiting *R*-curve behavior.—75-04633
Zhai, P.-C.; Zhang, Q.-J.; Yuan, R.-Z.
Influence of micromechanical approaches on macroelastic-plastic response of C/M FGMs: II, Transient problem.—75-02494
Zhang, B. R. See Song, H. Z.
Zhang, B. See Guo, J.-K.; Tsubakino, H.
Zhang, B.-L. See Zhuang, H.-R.
Zhang, B.-Q. See Dai, X.-M.; Tian, J.-M.
Zhang, B.; Guo, J.-K.; Huang, X.-X.
Thermal shock resistance of KSZP ceramics.—75-03936
Zhang, Beng-Gen See Liu, Xiu-Yun
Zhang, Bi; Chen, Si-Hua
Morphology evolution in diamonds in combustion synthesis.—75-08987
Zhang, Biao; Guo, J.-K.; Zhu, Pei-Nan; Ruan, M.-L.
Microstructure and mechanical properties of LSZP ceramics.—75-09560
Zhang, Bo-Ping See Li, Jing-Feng
Zhang, Bu-Lin See Raghavachari, Krishnan
Zhang, Chao-Zong; Guo, Z.-P.; Dong, Y.-F.
Microfocal X-ray CT experimental system for NDT of advanced structural ceramics.—75-03581
Zhang, Chao-Zong; Guo, Z.-P.; Dong, Y.-F.; Zhang, He-Ping; Tian, J.-M.
Testing advanced structural ceramics.—75-01044
Zhang, Chun-Ping; Song, Q.-Wang; Corderro, Dave
Three-beam phase conjugation and mode competition in $BaTiO_3$.—75-01361
Zhang, F.-J.; Bao, Z.-M.; Hou, J.-P.
Thermal fatigue behavior of ZTM ceramics.—75-04650
Zhang, Fan-Quing See Zhang, Ya-Fei
Zhang, Feng-Yin See Ren, Shao-Xia
Zhang, Fu-Ping See Hu, Hai-Quan
Zhang, G.-F.; Guo, L.-J.; Liu, Z.-T.
Diamondlike carbon films for antireflection coatings of infrared optical materials.—75-01441
Zhang, G.-H. See Zhang, Q.-J.
Zhang, G.-J.; Li, Y.-P.
Reactive hot-pressing of AlN/TiB_2 particulate composites.—75-04196
Zhang, G.-J.; Yue, X.-M.; Jin, Z.-Z.; Dai, J.-Y.
In situ synthesized TiB_2-toughened SiC.—75-09643
Zhang, G.-J.
Preparation of TiB_2-$TiC_{0.5}N_{0.5}$ ceramic composite by reactive hot-pressing and its microstructure.—75-04173
Zhang, G.-Z. See Zhao, W.-H.
Zhang, Guo-Dong See Asonen, Harry
Zhang, Guo-Liang See Ma, Ya-Lu
Zhang, Guo-Ying See Yang, Jie-Hui
Zhang, H. See Prasad, V.
Zhang, H.-Y.; Gu, B.-X.; Zhai, H.-R.
Anisotropy and Faraday effect in Co spinel ferrite films.—75-03277
Zhang, H.-Z.; Zhao, S.-T.
Processing optimization of some sintering aids for GPS-Si_3N_4 ceramics.—75-04185
Zhang, He-Ping See Zhang, Chao-Zong
Zhang, Hong-Tu See Zhou, Jian-Jun
Zhang, Hong-Wu See Lal, Ravindra B.
Zhang, Hong-Xue; Uusimaki, Antti; Leppavuori, Seppo
Phase transitions revealed by Raman spectroscopy in screen-printed lead zirconate titanate thick films.—75-01237
Zhang, J. L.; Evetts, J. E.
$BaZrO_3$ and $BaHfO_3$: preparation, properties, and compatibility with $YBa_2Cu_3O_{7-x}$.—75-05731
Zhang, J.-X.; Zheng, W.; Fung, P. C. W.
Internal friction study of transformation dynamics in $BaTiO_3$ ceramics.—75-03068
Zhang, Ji-Fa See Cui, Jing-Biao
Zhang, Ji-Rong See Hua, Wen-Jun
Zhang, Jia-Sen See Lian, Ying-Wu
Zhang, Jian G.; Peiris, Dunstan H.; Zhao, Jun W.; Loh, Sow W.
Binder for producing articles from particulate materials.—75-00991
Zhang, Jin-Hiao See Zhao, Liang-Zhong
Zhang, Jin-Xiu See Zhou, Qi-Fa
Zhang, L. Z. See Song, H. Z.
Zhang, L.-M.; Tu, R.; Yuan, R.-Z.
General rule of design for the optimum compositional gradation of ceramic/metal functionally gradient materials.—75-02486
Zhang, L.-M.; Yuan, R.-Z.; Omori, M.; Hirai, Toshio
Preparation of TiC/Ni_3Al FGMs—sintering and structure.—75-02529
Zhang, L.-T. See Luo, X.-T.
Zhang, L.; Mahdi, M.
Numerical investigation into the microindentation of silicon.—75-02081
Zhang, L.
Fundamental problems in the grinding of ceramic materials.—75-01023
Zhang, Lan-Yin See Krstic, Vladimir D.
Zhang, Li-Ang See Su, Mu-Zhen
Zhang, Li-De See Mo, Chi-Mei
Zhang, Liang-Ying See Zhou, Qi-Fa
Zhang, Man-Wei See Zhu, Ying-Jie
Zhang, Ming-Li See Crimp, Melissa J.
Zhang, Pei-Lin See Xie, Wei-Min
Zhang, Q. See Chen, Y.-R.
Zhang, Q.-J. See Wang, J.-H.; Zhai, P.-C.
Zhang, Q.-J.; Zhang, G.-H.; Yuan, R.-Z.
Coupled thermal-mechanical model on elastic-plastic response of suddenly heated ceramic-metal gradient materials.—75-02448
Zhang, Q.; Itoh, T.; Abe, M.
Magnetite coating prepared by ferrite plating on expanded polytetrafluoroethylene membrane for medical use.—75-03309; Wet process preparation of amorphous Y-Fe oxide films ferromagnetic at room temperature.—75-03340
Zhang, Qing See Zhang, Yao-Kai
Zhang, Qing-Qi See Zhou, Qi-Fa
Zhang, Rong See Shi, Yi
Zhang, Rong; Shi, Hong-Tao; Yu, Shi-Dong; Zheng, You-Dou; He, Yu-Liang; Liu, Xiang-Na
Growth of beta silicon carbide film on Si by hot-filament CVD.—75-01515
Zhang, Shao-Ming See Wu, Qi-Sheng
Zhang, Shao-Wei See Yamaguchi, Akira
Zhang, Shao-Wei; Yamaguchi, Akira
Effects of CaO and Al_2O_3 added to MgO-C refractories on MgO-C reaction.—75-07544; Hydration resistances and reactions with CO of Al_4O_4C and Al_2OC formed in carbon-containing refractories with Al.—75-07570
Zhang, Shi-Xin See Tian, J.-M.
Zhang, Song-Bin See Zhou, Xiao-Wen
Zhang, T.-C. See Zou, Guang-Tian
Zhang, Tian-Shu; Shen, Yu-Sheng; Dong, Qiang
Preparation and properties of CdO-SnO_2 complex oxide powders.—75-05444
Zhang, W. See Goretta, Kenneth C.
Zhang, W.-R. See Gu, P.-Z.
Zhang, W.; Goodilin, E. A.; Hellstrom, E. E.
Composition studies for Ag-sheathed $Bi_2Sr_2CaCu_2O_8$ conductors processed in 100% O_2.—75-08275
Zhang, Wen; Schneibel, J. H.
Calculations of internal stresses during sintering in two dimensions.—75-05938
Zhang, X. F.; Van Tendeloo, G.
Structural evolution of $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals studied [by] in situ heating electron microscopy.—75-03408
Zhang, X. See Spence, J. C. H.
Zhang, Xiao-Wen See Gui, Hong
Zhang, Xing-Dong See Weng, Jie
Zhang, Xu; Miyaji, Fumiaki; Yao, Takeshi; Kokubo, Tadashi; Ohtsuki, Chikara
Preparation of bioactive titanium metal.—75-00119
Zhang, Y. L. See Zhao, Y.
Zhang, Y.-F. See Ding, C.-X.
Zhang, Y.-L.; Milius, D. L.; Aksay, Ilhan A.
Effects of structural morphology on mechanical properties for SiC/Al ceramic-metal composites.—75-02462
Zhang, Ya-Fei; Zhang, Fan-Quing; Chen, Guang-Hua
Surface energies and morphologies of chemical vapor deposited diamond films.—75-01956
Zhang, Yao See Ishikawa, Hideto; Uematsu, Keizo
Zhang, Yao-Kai; Zhang, Qing; Lin, Yun-Mei
Researching and appling of high-strength concrete in building engineering in Beijing.—75-00067
Zhang, Yao; Suga, Takehumi; Kawasaki, Mutsurou; Tang, Xiao-Xia; Uchida, Nozomu; Uematsu, Keizo
Effect of poly(vinyl alcohol) adsorption on binder segregation during drying.—75-01462
Zhang, Yao; Uematsu, Keizo
Binder segregation in the processing of ceramics.—75-09222
Zhang, Ying See Ouyang, Jia
Zhang, Ying; Jiang, Qing
Twinning-induced stress and electric field concentrations in ferroelectric ceramics.—75-00709
Zhang, Yong-Fang See Qu, Ming
Zhang, Yu-Ling See Zhong, Qun
Zhang, Z. H. See Cui, X. T.
Zhang, Z. See Mishra, S. K.; Yang, J.
Zhang, Z.-F. See Laine, Richard M.; Liu, Yin
Zhang, Z.; Pigram, P. J.; Lamb, R. N.; Nowotny, J.
Surface segregation in barium titanate.—75-01959
Zhang, Z.; Pigram, P. J.; Nowotny, J.
Bulk and surface properties of $BaTiO_3$.—75-00301
Zhang, Z.; Prince, K.; Pigram, P. J.; Lam, R. N.; Nakamura, S.; Yamana, K.
Surface segregation in mullite-zirconia composites.—75-01960
Zhang, Zhi-Ping See Zhao, Jun-Guo
Zhang, Zhi-Qian See Huang, Yu-Dong
Zhang, Zhi-Wei See Yan, Zhen
Zhang, Zhi-Wei; Yan, Zhen; Zhu, He-Sun; Zhao, Qing-Hua; Cao, Chuan-Bao
Titanium acoustic diaphragm coated with polycrystal diamond film.—75-08813
Zhang, Zhi-Wu; Raj, Rishi
Influence of grain size of ferroelastic toughening and piezoelectric behavior of lead zirconate titanate.—75-00669
Zhang, Zhong-Tai; Qi, Jian-Quan; Tang, Zi-Long; Xia, Feng
Complex plane impedance analyses of electrical properties for $BaTiO_3$-based PTCR ceramics.—75-07808
Zhang, Zong-Tao See Jiang, Z.-Z.; Shan, Hui-Bo
Zhang, Zong-Tao; Huang, Y.; Zheng, L.-L.; Jiang, Z.-Z.
Preparation and mechanical properties of SiC whisker and nanosized mullite particulate-reinforced TZP ceramics.—75-09383
Zhao, A.-Q. See Gao, Q.-J.
Zhao, B.-R. See Cao, L.-X.
Zhao, Chun See Wang, Xiao-Hui
Zhao, G. Y.; Hlavacek, V.
Synthesis of ultrafine metallic powders in a dc plasma reactor by chemical vapor deposition.—75-04250
Zhao, G. See Khan, A. H.
Zhao, G.; Charlson, E. M.; Stacy, T.; Charlson, E. J.
Determination of barrier height of boron-doped polycrystalline diamond thin-film Schottky diodes using a capacitance-voltage technique.—75-08654
Zhao, G.; Stacy, T.; Charlson, E. M.; Charlson, E. J.; Hajsaid, M.; Roychoudhury, R.
Photoresponse study of polycrystalline diamond thin-film Schottky diodes.—75-00570
Zhao, Gao-Ling; Kozuka, Hiromitsu; Yoko, Toshinobu
Photoelectrochemical properties of dye-sensitized TiO_2 films containing dispersed gold metal particles prepared by sol-gel method.—75-09166
Zhao, H.-L. See Zhong, X.-C.
Zhao, H.; He, Y.; Jin, Z.-Z.
Preparation of zirconium boride powder.—75-04175
Zhao, J. H. See Flemish, J. R.
Zhao, J. See Guo, Xin
Zhao, J.-C. See Bruley, J.
Zhao, J.-G. See Na, J.-G.
Zhao, Jun W. See Zhang, Jian G.
Zhao, Jun-Guo; Zhang, Zhi-Ping; Huang, Hui-Huang; Huang, Zhao-Hui; Li, Xiang-Qing; Ren, Yun-Long
Effect of slip casting parameters on the properties of Si_3N_4-bonded SiC.—75-07542
Zhao, Liang-Zhong; Zhang, Jin-Hiao
Bi and O valences in Ba-K-Bi-O, Ba-K-M-Bi-O (M=Rb, La, Eu, In, Tl, and Pb) and the related compounds.—75-06422
Zhao, Qing-Hua See Zhang, Zhi-Wei
Zhao, Ru-Peng; Drennan, J.; Cheng, Y.-B.
Microstructural features of the α- to ß-SiAlON phase transformation.—75-09362
Zhao, S. See White, C.
Zhao, S.-T. See Chen, T.-L.; Zhang, H.-Z.
Zhao, S.-T.; Chen, J.-L.; Lu, M.
New LSCO electrode material for ZrO_2 oxygen sensor.—75-02922
Zhao, Tian-Ji See Teowee, G.
Zhao, W. See Zhou, S.-Q.
Zhao, W.-H.; Zhang, G.-Z.
Theoretical and experimental investigation of plasma spray of ZrO_2.—75-04253
Zhao, X.-Q.; Liang, Y.; Cui, Z.-J.
γ-Fe_2O_3 nanoparticle preparation from oxidation of iron powder synthesized by laser-induced decomposition of $Fe(CO)_5$.—75-03945
Zhao, Xing-Rong See Hao, Jian-Hua
Zhao, Y. See Gu, G. D.; Song, Y.-C.
Zhao, Y.; Gu, G. D.; Sorrell, C. C.; Russell, G. J.; Tang, Z. R.
Fabrication, microstructure, and superconductivity of textured $YBa_2Cu_3O_{7-x}$ bulk material of large size.—75-00804
Zhao, Y.; Gu, G. D.; Zhang, Y. L.; Choi, C. H.; Tang, Z. R.; Russell, G. J.
Structural transition and superconductivity of Mo-stabilized $R_{1-x}Ca_xSr_2Cu_3O_{7-y}$ compounds (R=Pr, Nd, Y).—75-00870
Zhao, Zhong-Xian See Li, Yang
Zharkov, S. M. See Myagkov, V. G.
Zharova, L. A.; Rul'kevich, L. V.; Chernov, V. K.; Volkov, V. E.
Ir spectroscopic investigation of ferrite formation in the MgO-Fe_2O_3 system.—75-05680
Zhdan, A. G. See Dmitriev, S. G.; Gol'dman, E.I.
Zhdanovich, N. S.
Nitrogen atom incorporation into the network of an amorphous hydrogenated silicon.—75-03099
Zhe, Xiao-Li; Wang, Chong-Min; Hendry, A.
Dislocation-related plasticity of ceria-stabilized zirconia polycrystals.—75-04490
Zhebulev, I. A.; Korol'kov, V. I.; Tabarov, T. S.
Photoeffect characteristics in abrupt isotype N^+-n^0-n^+ heterostructures.—75-03118
Zhegalin, V. A. See Akchurin, R. Kh.

Zheglov, E. P. See Gataullin, O. F.
Zhekov, V. I. See Asatryan, G. R.
Zhelis, Kh. See Rozovskii, G.
Zhelis, Kh.; Rozovskii, G.; Shlegerene, E.
Effect of copper ions on the oxidation of Sn(II) in halogenide solutions.—75-09588
Zhelnin, B. I. See Kademina, L. E.
Zheludeva, S. I.; Koval'chuk, M. V.; Novikova, N. N.; Sosfenov, A. N.; Malysheva, N. E.; Salashchenko, N. N.
X-ray waveguide modes in layer structures.—75-06916
Zheng, C.-Q. See Ran, J.-G.
Zheng, D. N. See Huang, Sun-li; Lo, Wai
Zheng, Fen See Li, Ya-Li
Zheng, G.-L.; Dai, X.-G.; Xing, Y.-C.; Li, S.-C.
Pilot plant test of SiC UFP [ultrafine powder] synthesis with plasma.—75-04137
Zheng, Hai-Xing See Kao, Yu-Hua
Zheng, Jie-Hui; Takahashi, Sadayuki; Yoshikawa, Shoko; Uchino, Kenji; De Vries, J. W. C.
Heat generation in multilayer piezoelectric actuators.—75-08147
Zheng, L.-L. See Xie, Z.-P.; Zhang, Zong-Tao
Zheng, R. See LeGeros, R. Z.
Zheng, W. See Zhang, J.-X.
Zheng, X.-G.; Hou, G.-W.; Kuriyaki, H.; Hirakawa, K.
Effect of an intermediate SnI_4 coating treatment on the critical transport current of the high-T_c superconductor YBCO.—75-08293
Zheng, Y.-S. See Liu, J.-P.
Zheng, Y.-S.; Yan, D.-S.; Gao, L.; Lai, T.-R.
Behavior of 3 mol% yttria-stabilized tetragonal zirconia polycrystal (3Y-TZP) with submicron and nanosized microstructure after compressive/compressive fatigue tests.—75-04454
Zheng, Yan-Ning See Ren, Shao-Xia
Zheng, You-Dou See Zhang, Rong
Zheng, Z. S. See Cui, X. T.
Zheng, Z.-H. See Sun, Z.
Zheng, Z.-H.; Sun, Z.; Wang, X.-J.; Sun, Y.; Yang, Q.-H.
Diamondlike carbon films prepared from polymer.—75-09262
Zheng, Z.; Coyle, T. W.
Growth of diamond film on Cu-SiC electrocodeposited layers.—75-07213
Zhernov, A. P.; Kulagina, T. N.
Fine structure in the electron density of states, paramagnetic impurities, and anomalous isotopic effect of T_c in LSCO:Fe systems.—75-08324; Nature of the anomalous isotopic effect of T_c in the LSCO:Fe system.—75-08377
Zherzdev, A. V. See Golubev, V. G.
Zhevnyak, O. G. See Borzdov, V. M.
Zhi, Yu See Chen, Ang
Zhigadlo, N. D.
X-ray diffraction study of the incommensurate structure in $Bi_{2.2}Sr_{1.8}CaCu_2O_{8+x}$ single crystals.—75-03426
Zhigalov, V. S. See Myagkov, V. G.
Zhigarnovskii, B. M. See Elizarova, N. V.
Zhigunov, D. I. See Krichevtsov, B. B.
Zhikharev, V. A. See Ibragimova, M. I.
Zhikharev, V. M. See Sudarikov, M. V.
Zhilich, A. G. See Monozon, B. S.
Zhilinskaya, E. A.; Kudoyarova, V. Kh.; Ivanova, Z. G.
EPR study of defect formation and γ-irradiation effects in Ge-S-Ga glasses.—75-07337
Zhilyaev, Yu. V. See Evstropov, V. V.
Zhilyaev, Yu. V.; Nazarov, N.; Rud, V. Yu.; Rud, Yu. V.; Topchii, A. N.
Photosensitivity of *p-n*-GaAs-*n*-GaP/*n*-Si heterostructures in linearly polarized radiation.—75-08021
Zhindulis, A. See Tomashiunas, R.
Zhirov, A. I. See Vertegel, A. A.
Zhitinskaya, M. K. See Nemov, S. A.
Zhitomirsky, I.; Gal-Or, L.
Cathodic electrosynthesis of ceramic deposits.—75-09231
Zhmerik, V. N.; Ivanov, S. V.; Maksimov, M. V.; Kuznetsov, V. M.; Ledentsov, N. N.; Sorokin, S. V.
Doping of ZnSe with a highly effective active nitrogen source during molecular beam epitaxy.—75-07835
Zhokhovets, S. V.; Goldhahn, R.; Gobsch, G.; Stein, N.; Chamberlain, D. M.; Cheng, T. S.
Photocurrent in a Schottky-gated AlGaAs/GaAs single quantum well structure.—75-03116
Zholobenko, Vladimir L. See Makarova, Marina A.
Zhong, Jia-Xiang See Tu, Jin-Biao
Zhong, Qian; Inniss, Daryl; Kurkjian, Charles R.
Strength-flaw relationship of corroded pristine silica studied by atomic force microscopy.—75-00202
Zhong, Qun; Zhang, Yu-Ling; Chen, Xiao-Long
Phase relations of La_2O_3-CaO-CuO ternary system and Ca^{2+} substitution for La^{3+} in La_2CuO_4.—75-03392
Zhong, W.-B.; Li, W.-C.; Zhong, X.-C.
Effect of Al_2O_3 (mul.) on phase compositions of O′-SiAlON ceramics.—75-02814
Zhong, W.-B.; Sun, G.-C.; Zhong, X.-C.
Effect of bauxite substitution on high-temperature strength properties of zirconia-corundum mullite material.—75-02815
Zhong, Wei-Zhuo See Shi, E.-W.
Zhong, X.-C.; Li, T.-S.; Li, W.-C.; Zhao, H.-L.
High-temperature strength properties of some oxide and nonoxide composites.—75-07568
Zhong, X.-C.
Refractories development for iron- and steelmaking in China.—75-05127; See also Zhong, W.-B.
Zhong, Z.-L. See Jiang, J.-F.
Zhou, A. See Diggs, B.; Huang, Y.-R.; Wang, X.-G.
Zhou, Chuan-Sheng See Xing, Shou-Wei
Zhou, D. S. See Jia, Q. X.
Zhou, Dan See Yadav, Tapesh
Zhou, Dan; Seraphin, Supapan; Wang, Su
Growth phenomena of carbon nanotubes produced by arc discharge.—75-01860
Zhou, Dan; Wang, Su; Seraphin, Supapan; Withers, J. C.
High-density production of carbon nanotubes in contact arc discharge at low helium pressure.—75-01522
Zhou, Dawei
High-T_c superconducting ceramic oxide products and macroscopic and microscopic methods of making the same.—75-00903
Zhou, En-Hong; Bhaduri, S.; Bhaduri, S. B.; Lewis, I. R.; Griffiths, P. R.
Auto-ignition processing of nanocrystalline CaO-doped ZrO_2 powders.—75-09220
Zhou, Fang-Qiao See Hao, Jian-Hua
Zhou, Hu See Xing, W.
Zhou, J. See Horn, J. A.
Zhou, J.-W. See Chen, J.-H.
Zhou, Jian See Zhou, Li-Qiu
Zhou, Jian-Jun; Zhang, Hong-Tu; Chen, Li-Xiang
Fatigue of phase transformation toughened Ce-TZP and Y-TZP ceramics.—75-06977
Zhou, Li-Min; Mai, Y.-W.; Baillie, Caroline
Interfacial debonding and fiber pullout stresses: V, A methodology for evaluation of interfacial properties.—75-05952
Zhou, Li-Qin; Vilarinho, Paula M.; Baptista, Joao L.
Stoichiometric dependence of the aging phenomena in lead iron tungstate ceramics.—75-05640; Synthesis and characterization of lead iron tungstate ceramics sintered by two preparation methods.—75-01696
Zhou, Li-Qiu; Liu, Gang; Zhou, Jian; Cheng, Ji-Ping
Finite element computer model of microwave-heated ceramics.—75-01504
Zhou, Lian See Feng, Yong
Zhou, M.; Weissmann, Rudolf
Optimization of porcelain whiteness—especially in fast firing.—75-05166
Zhou, Ming-Hua; Ferreira, Jose M. F.; Fonseca, Antonio T.; Baptista, Joao L.
Coprecipitation and processing of mullite precursor phases.—75-06563
Zhou, Ning-Sheng See Sun, G.-C.
Zhou, Qi-Fa; Zhang, Qing-Qi; Zhang, Jin-Xiu; Zhang, Liang-Ying; Yao, Xi
Preparation and properties of $PbTiO_3$-SiO_2 microcrystalline glass by sol-gel technique.—75-07395
Zhou, S.-Q.; Chen, X.-M.; Shen, Y.-L.; Zhao, W.
Al_2O_3/Al ceramic composite—kinetics of melt oxidation.—75-02435
Zhou, Song-Qing; Xiao, Han-Ning; Du, Hai-Qing
Synthesis of SiC-AlN composite ultrafine powder by sol-gel processing.—75-09478
Zhou, W.-C. See Luo, X.-T.
Zhou, Wei-Lie; Ikuhara, Yuichi; Murakawa, Masao; Watanabe, Shuichi; Suzuki, Tetsuya
Direct observation of hexagonal boron nitride at the grain boundary of cubic boron nitride by high-resolution electron microscopy.—75-09538
Zhou, Wei-Lie; Sasaki, Yukichi; Ikuhara, Yuichi
Microstructure characterization of $Bi_2Sr_2CaCu_2O_x$ single crystal irradiated with 18-MeV Fe^{8+} ions.—75-08364
Zhou, X. Z.; Morrish, A. H.; Yang, Zheng
Co-Sn-substituted barium ferrite particles.—75-03282
Zhou, X.-Y.; Chen, J.-F.; Shen, Y.-H.; Gao, Q.
Formation mechanism of Al_2O_3/metal composites by the directed oxidation of molten Al-Mg-Si alloys.—75-02479
Zhou, Xiao-Wen; Li, Xue-Ping; Lin, Yuan; Xiao, Xu-Rui; Zhang, Song-Bin; Xia, Zong-Ju
Optical nonlinearity behaviors of ultrafine PbS particles in perfluorocarboxylated cation-exchanged films.—75-07993
Zhou, Y. S. See Tiersten, H. F.
Zhou, Y. See Lei, T.-C.; Lin, G.-Y.; Liu, X.; Zhu, W.-Z.
Zhou, Y.-L. See Lu, F.-X.
Zhou, Y.; Jiang, D.-L.; Tan, S.-H.; Guo, J.-K.
Polysiloxane-derived ceramic matrix composites.—75-04142
Zhou, Y.; Vleugels, J.; Laoui, T.
Toughening of sol-gel-derived mullite matrix by Al_2O_3 platelets.—75-07053
Zhou, Y.; Vleugels, J.; Van der Biest, O.
Toughening of X-SiAlON with Al_2O_3 platelets.—75-04654
Zhou, Zhen-Hong; Choi, Byung-In; Flik, M. I.
Epifilm thickness measurements using Fourier transform infrared spectroscopy: effect of refractive index dispersion and refractive index measurement.—75-01020
Zhovnir, G. I.; Tsarenko, O. N.; Ryabets, S. I.
Liquid phase epitaxy of variable-band-gap $Pb_{1-x}Sn_xTe$ solid solutions.—75-09354
Zhu, Bo-Quan; Nan, Li
Structure and oxidation behavior of pitch and resin resultant carbon.—75-05144
Zhu, De-Zhi; Cui, Shu-Xian
Effect of additives on the properties and formation of MgO dense layer in MgO-C permeable samples.—75-07534
Zhu, Dong See Huang, C. M.
Zhu, G.-C. See Bai, M.-L.; Chen, J.-H.
Zhu, G.-Q. See Lai, T.-R.
Zhu, H.-L. See Tian, J.-M.
Zhu, H.-Y.
$CeO_{1.5}$-stabilized tetragonal ZrO_2.—75-06175
Zhu, He-Sun See Ding, Hong-Zhi; Yan, Zhen; Zhang, Zhi-Wei
Zhu, Hui; Newton, R. C.; Kleppa, O. J.
Enthalpy of formation of wollastonite and anorthite by experimental phase equilibrium measurements and high-temperature solution calorimetry.—75-03795
Zhu, J.-G. See Xiao, D.-Q.
Zhu, J.-M. See Guo, Y.; Wu, Y.-W.; Xiao, D.-Q.
Zhu, J.-S. See Li, J.
Zhu, Jian-Gang See Chang, Thomas
Zhu, Jing-Sheng See Shi, Jing; Wu, Wen-Bin
Zhu, Jun-Guo See Xu, Shi-Jiang
Zhu, Pei-Nan See Guo, J.-K.; Zhang, Biao
Zhu, Ren-Yuan See Newman, Harvey B.
Zhu, Ren-Yuan; Ma, Da-An; Newman, Harvey B.
Barium fluoride crystals for future hadron colliders.—75-00940
Zhu, S.; Fett, Theo; Munz, D.
Effect of creep on compliance of hot-pressed silicon nitride in bending tests under partial unloadings.—75-04495
Zhu, Shi-Jie See Mizuno, Mineo
Zhu, Shi-Jie; Mizuno, Mineo; Nagano, Yasuo; Kagawa, Yutaka; Watanabe, Makoto
Stress rupture in tension and flexure of an SiC whisker-reinforced silicon nitride composite at elevated temperatures.—75-09675
Zhu, W. See Arezzo, F.; Jin, S.
Zhu, W.-H.; Wang, P.-L.; Sun, W.-Y.; Yan, D.-S.
Phase relationships in the Sr-Si-O-N system.—75-03820
Zhu, W.-H.; Wang, P.-L.; Sun, W.-Y.
Formation of Na α′- and α′-SiAlON.—75-06617
Zhu, W.-Z.; Lei, T.-C.; Zhou, Y.
Effect of sintering temperature on the kinetics of isothermal tetragonal-to-monoclinic transformation in ZrO_2 (2 mol% Y_2O_3).—75-03790
Zhu, W.; Vest, R. W.; Tse, M. S.
Characteristics of ferroelectric 60/40 PZT films deposited by metallorganic decomposition technology for memory applications.—75-03217
Zhu, Wei See Yang, Pei-Chun
Zhu, Wei; Yang, Pei-Chun; Glass, J. T.
Method of fabricating oriented diamond films on nondiamond substrates and related structures.—75-03743
Zhu, Wen-Hua; Pratsinis, Sotiris E.
Effect of diffusion flame configuration in aerosol synthesis of nanosize titania and silica powders.—75-04002
Zhu, X.-Q.; Yang, Z.; Kang, M.-K.
Effect of additives on the burning rate of carbon/carbon composites studied by variance analysis.—75-03999
Zhu, Xiao-Lei See Wu, Feng-Tie
Zhu, Xin-Hua; Meng, Zhong-Yan
Optical nonlinearity and structure for a PbO, TiO_2, SiO_2, and K_2O quaternary glass system.—75-00195
Zhu, Xuan-Hui See Liu, Ji-Fu; Ma, Ya-Lu
Zhu, Y. Y.; Kelsall, G. H.; Spikes, H. A.
Influence of electrochemical potentials on the friction and wear of iron and iron oxides in aqueous systems.—75-04565
Zhu, Yi-Mei
Crystallography of arbitrary grain boundaries by O lattice constructions: application to bulk $YBa_2Cu_3O_{7-\delta}$.—75-03350
Zhu, Ying-Jie; Qian, Yi-Tai; Zhang, Man-Wei
Preparation and characterization of nanocrystalline powders of cuprous oxide by using γ-radiation.—75-06713
Zhu, Zu-Pei
Theory and practice of cement burning system.—75-01065
Zhuang, H.-R. See Cai, J.; Li, W.-L.; Liu, G.-J.; Wang, H.; Wu, F.-Y.
Zhuang, H.-R.; Fu, X.-R.; Gao, L.; Mandal, H.; Thompson, D. P.
Heat treatment of SiAlON-AlN polytypoid composites with rare-earth oxide additives.—75-04064
Zhuang, H.-R.; Huang, T.-W.; Li, W.-L.; Li, M.-Z.; Ma, L.-T.; Zhang, B.-L.
Microstructure and mechanical properties of β-Si_3N_4 rod crystal reinforced Si_3N_4 composites.—75-04364
Zhuang, You-Qing; Li, Wen-Chao
Influence of additives on kinetic behavior of SiO_2-C-N_2 system.—75-06646
Zhuchkov, B. S.; Tolstoi, V. P.; Murin, I. V.; Kirillov, S. N.
Synthesis of lanthanum fluoride nanolayers by ionic stratification on the surface of silicon.—75-06808
Zhukov, A. A. See Voronkova, V. I.
Zhukov, A. E. See Alferov, Zh. I.; Brunkov, P. N.; Ivanov, Yu. L.; Ustinov, V. M.
Zhukov, V. A. See Grebinnik, V. G.
Zhukov, V. P.
Electron band structure and conductivity of skutterudites of MP_3 (M=Co, Ni).—75-08919
Zhukovskaya, A. E. See Andronova, R. A.
Zhukovskii, V. M. See Ivanovskii, A. L.; Medvedeva, N. I.; Podkorytov, A. L.
Zhuravlev, A. S. See Larionova, T. V.
Zhuravlev, Yu. N. See Gordienko, A. B.
Zhurkin, E. E. See Ber, B. Ya.
Zhurova, E. A. See Grigor'eva, N. B.
Ziatdinov, A. M. See Nikolenko, Yu. M.
Zibik, E. A. See Vorob'ev, L. E.
Ziegelbauer, Helmut See Olapinski, Hans
Ziegler, Donald P. See Weirauch, Douglas A. Jr.
Ziegler, G. See Betz, T.; Kleebe, H.-J.; Lucke, J.; Wroblewska, G. H.
Ziegler, G.; Hapke, J.; Lucke, J.
Processing of CMCs from organometallic precursors.—75-04184
Ziegler, G.; Kleebe, H.-J.
Influence of chemistry on crack propagation in silicon nitride.—75-04563
Zil'berman, P. E. See Temiryazev, A. G.
Zil'berman, P. E.; Shein, I. V.
Threshold of two-wave decay of a surface magnetostatic wave in a magnetized cubically anisotropic ferrite film in a dipole approximation.—75-08248
Zil'berman, P. E.; Temiryazev, A. G.; Tikhomirova, M. P.
Excitation and propagation of composite spin waves in iron-yttrium garnet films.—75-08213
Zimin, S. P.; Zaikina, R. F.
Photoelectrical properties of highly compensated lead sulfide films produced by radiation technologies.—75-03121
Zimina, G. V. See Spiridonov, F. M.
Zimmer, Kirt See Esch, Rachel
Zimmerman, Michael H.; Faber, K. T.; Fuller, Edwin R., Jr.; Kruger, Keith L.; Bowman, Keith J.
Texture assessment of magnetically processed iron titanate.—75-03851
Zimmerman, R. L. See Ila, D.; Maleki, H.
Zimmerman-Chopin, R. See Emig, G.
Zimmermann, G.; Hempel, K. A.
Transverse susceptibility and magnetic anisotropy of CoTi-doped barium hexaferrite single crystals.—75-00761

Zini, L. See Bonoldi, L.
Zinin, Eduard I. See Belsky, Andrey N.
Zinke, T. See Wolf, T.
Zinkevich, M. V.; Prodan, S. A.; Zonov, Yu. G.; Vashuk, V. V.
Thermal stability of $SrBi_2O_4$ compounds.—75-06529
Zinovik, M. A.
Dynamic uniaxial anisotropy in cobalt-doped ferrites.—75-05663
Ziomek-Moroz, Margaret See Yasrebi, Mehrdad
Zipse, H.; Riedel, H.
Mechanical behavior of sintering powder compacts.—75-01308
Ziq, Kh. A.; Adbelhadi, M. M.; Hamdan, N. M.; Al Harthi, A. S.
Non-ohmic *I-V* behavior in granular $YBa_2Cu_3O_{7-\delta}$ and (Bi, $Pb)_2Sr_2Ca_2Cu_3O_{10}$ high-T_c superconductors.—75-08382
Zitelli, J. See LeGeros, J. P.
Zivanovic, B. See Djuric, Mirjana; Prodanovic, D.
Zivkovic, Ljiljana V. See Cerovic, Ljiljana S.
Zlatanov, Zahari; Maksimov, Maksim
Growth, structural, and electrophysical investigations of $Pb_{1-x}Gd_xTe$ thin layers.—75-05333
Zlatkin, Mikhail See Gordon, Michael W.
Zlenko, V. Ya. See Kolobova, V. I.
Zlomanov, V. P. See Yashina, L. V.
Zmuidzinas, J. See Bin, M.; Gaidis, M. C.
Zobkalo, I. A.; Polyakov, V. A.; Smirnov, O. P.; Gavrilov, S. V.; Plakhtii, V. P.; Golosovskii, I. V.
Neutron studies of the magnetic properties of $EuMn_2O_5$.—75-09162
Zografou, C. See Sax, M.
Zok, Frank W. See Cutler, Willard A.; Evans, Anthony G.
Zolin, V. F. See Tsaryuk, V. I.
Zollinger, D. G. See Xin, D.
Zollner, Werner See Helms, Jan
Zolotorevskii, V. S. See Aksenov, A. A.
Zolotova, E. S. See Solodovnikov, S. F.
Zolotukhina, L. V.; Krasnenko, T. I.; Zabara, O. A.; Zabolotskaya, E. V.
Crystal-chemical and magnetic properties of $Ca_{1-x}Mn_x(VO_3)_2$.—75-09123
Zong, L.-Y. See Wang, B.-M.
Zonov, Yu. G. See Ul'yanova, T. M.; Zinkevich, M. V.
Zonova, I. A.; Sinogeikin, S. V.; Shmulovich, K. I.
Thermal migration of fluid inclusions in quartz.—75-09205
Zonshain, E. M.; Petrova, O. A.; Paslavskii, V. V.; Nesmelova, I. M.
Structural defects in semiconductors with diamondlike lattice.—75-05487
Zorina, L. V. See Klinkova, L. A.
Zorman, Christian A. See Shiao, Jean-Song
Zorn, C.; Burkert, V.; Kross, B.; Majewski, S.; Weisenberger, A.; Wojcik, R.
Low dose rate tests of plastic scintillator plates and wavelength shifting fibers.—75-01304
Zorrilla, C. See Reyes-Gasga, J.
Zotov, K. I. See Babich, V. M.
Zotov, N. See Marinov, M.; Mihailova, B.
Zotova, N. V. See Bresler, M. S.
Zou, Guang-Tian See Gu, Chang-Zhi; Meng, Jin-Fang; Ping, Huang-Fu
Zou, Guang-Tian; Gao, C.-X.; Zhang, T.-C.; Yang, J.; Jin, Zeng-Sun
Epitaxial growth of B-doped high-quality diamond film on cBN surface by chemical vapor deposition.—75-09301
Zou, R. P.; Yu, A. B.
Optimum control of the sphere-fiber and fiber-fiber binary packing systems.—75-01037
Zou, Yao See Li, Zhan-Ming
Zou, Zong-Shu See Wang, Tian-Ming
Zouboulis, E. S. See Grimsditch, M.
Zsembery, S.
New Australian and New Zealand specifications and standard methods of tests for masonry units and segmental pavers.—75-00246
Zsiga, Z. See Takadoum, J.
Zsoldos, E. See Serfoso, G.
Zu Kocker, G. M.; Santner, E.; Rabe, T.; Wasche, Rolf
Tribological behavior of nanocrystalline TiN ceramics and coatings.—75-09685
Zub, E. M. See Sheleg, A. U.
Zubchenko, A. S. See Epanchintsev, O. G.
Zubekhin, A. P.; Kutenko, O. A.
One firing of two-coat enamel.—75-02517
Zubekhin, S. A.; Yudovich, B. E.; Okuneva, N. R.
New pycnometer (specific gravity bottle) for determining cement density.—75-08689
Zuberek, W. M.; Konczykowska, A.; Algani, C.
Simulation-based parameter extraction, its implementation, and some applications.—75-03163
Zubkov, V. I. See Vashkovskii, A. V.
Zubov, A. S.; Khoroshavin, L. B.
Increasing the wear resistance of linings of ore furnaces for melting normal electrocorundum.—75-07575
Zubov, E. E. See Baran, M.; Levchenko, G. G.
Zubrilov, A. S. See Antipov, V. G.; Guk, E. G.
Zubritskii, V. V.
Focusing of phonons and anisotropy of streamer breakdown in CdS crystals.—75-07891
Zuckerman, Jean
Decorators identify trends in the industry.—75-02766; Restaurant trends heat up tableware market.—75-00293; Tabletops sizzle with color.—75-07714
Zudeev, O. G. See Amirov, R. Kh.
Zuev, A. P. See Egorov, V. K.
Zuev, A. Yu. See Vstavskaya, E. Yu.
Zuev, M. G. See Kiiko, V. S.
Zuev, V. L. See Carlos, W. E.; Moore, W. J.
Zug, C.
Burlon Craig.—75-02205
Zukoski, Charles F. See Miller, Kelly T.
Zukotynski, S. See Gaspari, F.
Zulli, P. See Pinson, D. J.
Zuluaga, Andres See Pearce, John A.
Zum Gahr, K.-H. See Lee, S. Z.; Neumann, P.
Zumeris, Jona
Ceramic motor.—75-03265
Zuo, F.; Khizroev, S.; Jiang, Xiu-Guang
Surface barriers and two-dimensional collective pinning in single-crystal $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ superconductors.—75-00876
Zurcher, Peter; Jones, Robert E., Jr.; Chu, Pelr; Lii, Tom; Gillespie, S. J.; Jiang, Bo
Effect of the sensing capacitance in a Sawyer-Tower setup on hysteresis loops: model calculations and $SrBi_2Ta_2O_9$ [SBT] experimental results.—75-05552
Zurmuhlen, R.; Colla, E. L.; Dube, D. C.
Structure of $Ba(Y_{1/2}^{3+}Ta_{1/2}^{5+})O_3$ and its dielectric properties in the range 10^2–10^{14} Hz, 20–600 K.—75-00375
Zus'kova, T. A. See Ul'yanova, T. M.
Zussman, A. See Oron, M.
Zussmann, G. See Ivanova, L. D.; Svechnikova, T. E.
Zvekova, E. G. See Sinel'nikov, B. M.
Zver'kov, S. A. See Klinkova, L. A.; See Novomlinskii, L. A.
Zverev, N. D.
Properties of ZnS optical ceramics.—75-09177
Zvereva, E. A. See Volkova, N. V.
Zvezdin, A. K. See Popov, Yu. F.; Vorob'ev, G. P.
Zvinchuk, R. A. See Barnakov, Yu. A.
Zvonkov, B. N. See Aleshkin, V. Ya.; Kul'bachinskii, V. A.; Mintairov, A. M.
Zvonkov, N. B. See Aleshkin, V. Ya.
Zwanziger, J. W. See Youngman, R. E.
Zwicker, Harry R. See Newkirk, Marc S.
Zwinge, G. See Bakin, A.
Zyabnev, A. M. See Kraevskii, S. L.
Zybura, M. F.; Jones, S. H.; Duva, V. M.
Simplified model describing enhanced growth rates during vapor phase selective epitaxy.—75-03162
Zykov, V. A.; Gavrikova, T. A.; Nemov, S. A.
Amphoteric behavior of bismuth atoms in lead selenide films.—75-02961; Characteristic features of self-compensation in PbSe:Cl:Se_{ex} films.—75-07801
Zyryanov, V. G. See Karavaev, Yu. N.
Zyryanova, V. N.; Vereshchagin, V. I.; Isakova, O. Ya.; Logvinenko, A. T.
Production of chemically stable magnesia cement based on industrial wastes and nontraditional raw materials.—75-04827
Zyubin, A. S.; Dembovskii, S. A.; Kondakova, O. A.
Quantum-chemical study of the destruction of the infinite random network in vitreous B_2O_3.—75-09666
Zyubin, A. S.; Dembovskii, S. A.
Quantum-chemical study of interlayer interaction in vitreous B_2O_3.—75-02680
Zyuzin, A. I. See Sivko, A. P.
Zyuzin, N. A. See Liberman, A. B.

CERAMIC ABSTRACTS

1996 Subject Index

Compiled by the American Ceramic Society

The abstract number appears at the end of each citation. Abstracts are numbered continuously through an entire volume. Subject entries are not in strict alphabetical order. Entries were computer sorted and numbers and capital letters appear before lower case letters.

ablation,
Origins of growth spirals on laser-ablated $YBa_2Cu_3O_{7-\delta}$ thin films.—75-03387A
Preparation of thin-film $(Ba_{0.5},Sr_{0.5})TiO_3$ by the laser ablation technique and electrical properties.—75-00366A
Pulsed-laser deposition and characterization of amorphous diamondlike carbon films.—75-01635A
abrasion resistance,
High-temperature and abrasion-resistant temperature measuring device.—75-05990P
Slurry abrasion resistance of engineering ceramics.—75-05980A
abrasion,
Abrasive and erosive wear of thermally sprayed ceramic and cermet coatings.—75-09603A
Abrasive wear of borosilicate glass.—75-04942A
Abrasive wear of protective coatings of thermitic gunite mixtures.—75-05071A
Development of wear maps for the abrasion and erosion of ceramic materials.—75-09616A
Microstructural design of high-alumina ceramics for abrasive environments.—75-09555A
Review of abrasive wear of ceramics.—75-09182A
abrasives,
Abrasive and thermal properties of Al_2O_3-Cr_2O_3 solid solutions.—75-09114A
Abrasive grain comprising calcium oxide and/or strontium oxide.—75-07113P
Abrasive grain having rare earth oxide therein.—75-07114P
Abrasive waterjet cutting front characteristics in machining of glass.—75-00009A
Advances in the grinding efficiency of sintered alumina abrasives.—75-02170A
Alpha-alumina-based abrasive grain.—75-07116P
Ceramic abrasive grains, method of producing the same, and abrasive products made of the same.—75-00011P
Characterization of abrasion powder worn from alumina balls by wet milling and its phase transformation during heating.—75-07112A
Effect of bond composition on the strength of partially bonded vitrified ceramic abrasives.—75-06962A
Fine grinding, polishing with superabrasives.—75-02171A
Lightweight ceramic abrasive media.—75-02172P
Method for making abrasive grain containing alumina and ceria.—75-00012P
Model of free abrasive machining for glasses and brittle ceramics.—75-00969A
Modified alpha-alumina particles.—75-07117P
New corporate identity to serve customers.—75-04728A
Polycrystalline cubic boron nitride abrasive particles and abrasive tools made therefrom.—75-04786P
Polycrystalline cubic boron nitride abrasive.—75-02173P
Property-performance relationships in abrasives.—75-09665A
Role of diamond in precision machining of plasma sprayed fine ceramics.—75-00010A
Self-propagating high-temperature synthesis and properties of abrasive material based on corundum.—75-04785A
Superabrasive tool.—75-02174P
Systems approach to grinding.—75-00988A
absorption/absorbents,
Absorption and emission spectra of Ho^{3+}-doped fluoroborate glasses.—75-07319A
Absorption and photoluminescence of a free porous silicon.—75-02959A
Absorption spectra of CuO single crystals irradiated by electrons.—75-06152A
Aluminum *K*-edge absorption (XANES) studies of noncrystalline mullite precursors.—75-03763A
Calculation of multiphonon absorption of light in crystals of ternary semiconductors.—75-07793A
Compositional dependence of absorption and fluorescence of Yb^{3+} in oxide glasses.—75-02633A
Crystallographic aspect of selective absorption and emission of ultraviolet radiation in MgO crystals.—75-08900A
Effect of chlorination on optical absorption in sol-gel-derived optical fibers.—75-02708A
Effect of interband and exciton light absorption on the optical properties of Bragg reflectors.—75-05293A
EPR and optical absorption spectra of VO^{2+} in NaF-B_2O_3 and NaF-Na_2O-B_2O_3 glasses.—75-07336A
Fast luminescence and absorption in BGO and SiO_2.—75-01291A
Features of the electromagnetic absorption in high-J_c melt-textured samples.—75-03370A
Free carrier absorption in *n*-type 6H-SiC.—75-00494A
Influence of fundamental absorption edge on the green luminescence spectrum of CdS crystals.—75-07922A
Interband impurity light absorption in thin III-V semiconductor wires.—75-07938A
Interband multiphoton absorption in superlattices.—75-05352A
Intersubband absorption of light in a semiconductor quantum well with complicated band structure.—75-03069A
Light absorption by semiconducting quantum well in constant electrical field.—75-07949A
Limited absorption in $Bi_{12}SiO_{20}$ crystals.—75-06481A
Line shapes of field-dependent nonresonant microwave and rf absorption in high-T_c superconductors.—75-00814A
Linear circular dichroism of nonlinear light absorption in *n*-GaP.—75-07950A
Linear-circular dichroism during two-photon absorption of light in CdSe nanocrystals.—75-05361A
Macrokinetics of oxygen fluoride absorption.—75-06265A
Measurement of the anisotropy of two-photon absorption coefficients in zinc blende semiconductors.—75-05375A
Microwave absorbing and resonance phenomena of Y-type hexagonal ferrite microwave absorbers.—75-03319A
Microwave absorption in high-T_c superconductors in low magnetic fields.—75-08368A
Microwave absorption in ionic crystalline ceramics with various concentrations of point defects.—75-01228A
Microwave resonance absorption in antiferromagnetic Bi_2CuO_4.—75-05695A
New method for performing capillary absorption test.—75-05967A
Nickel-related absorption lines in high-pressure synthetic diamond.—75-01895A
Nonstationary optical absorption of two types of autolocalized excitons [ALEs] in beryllium oxide crystals.—75-09163A
One-phonon ir absorption induced by magnetic ordering in Nd_2CuO_4.—75-08998A
Optical absorption band of bipolarons in $LiNbO_3$.—75-08999A
Optimization of MQW structures for acoustooptic absorption modulators.—75-03106A
Origin of the fine structure of subsidiary absorption in tangentially magnetized YIG films.—75-03325A
Photomodulated spectroscopy for determination of integral excitonic absorption in single quantum well structure.—75-08020A
Radio-frequency magnetoabsorption in YBCO-Ag and BSCCO superconductors: the crossover between two-level and one-level critical state models.—75-08406A
Role of proton nuclear magnetic resonance spin lattice relaxation centers in the strong absorption transition at 210 nm in fused silica.—75-00200A
Saturation of exciton absorption in GaAs/AlGaAs multilayer quantum wells during femtosecond laser excitation.—75-08050A
Spatially resolved local atomic structure from EXELFS.—75-01935A
Temperature and frequency dependence of multiphonon absorption in halide glasses.—75-02692A
Transient absorption of autolocalized holes [ALHs] in beryllium oxide crystals.—75-09100A
Two-magnon absorption in Nd_2CuO_4.—75-01255A
Ultraviolet ray absorbent glass and method for preparing the same.—75-07438P
What is the best microwave absorber.—75-01366A
acids,
Acidic and catalytic properties of ground glass microspheres of different chemical composition.—75-02573A
Acidic properties of alumina modified with orthoboric acid.—75-09212A
Broad-line ^1H NMR—a new application for studying the Bronsted acid strength of solids.—75-01012A
Bronsted acid sites in zeolites. FTIR study of molecular hydrogen as a probe for acidity testing.—75-06167A
Mathematical model of the sorption of iron ions from phosphoric acid by complex-forming cation exchangers.—75-05955A
Mechanochemical synthesis of the dispersive layered compositions on the basis of kaolinite and higher organic acids.—75-06680A
acoustic emission,
Acoustic emission studies of fatigue-loaded SiC platelet-reinforced Y-TZP.—75-05933A
Acoustic emission study of microcracking in the system $Ca_{1-x}Sr_xZr_4P_6O_{24}$.—75-02021A
Detection of crack formation during slag-penetration-spalling test by AE analysis.—75-07508A
Method of determining the extent of the fracture process zone based on spectral analysis of acoustic emissions.—75-05961A
acoustics,
Acoustic microscope and its application in ceramic research.—75-03550A
Scanning acoustic microscopy of SCS-6 silicon carbide fiber.—75-01928A
actinide,
Long-term test results from a West Valley actinide-doped reference glass.—75-03478A
activation energy,
Activation energy for mullitization of α-alumina/silica microcomposite particles.—75-01371A
Electrical properties of CoO thin films.—75-00473A
activation,
Application of surface chemical activation for synthesis of high-temperature superconductors.—75-05728A
Early stages in mechanochemical activation of kaolinite and talc.—75-08911A
Electron-beam-activated diamond devices.—75-07875A
Mechanochemical activation of alumina.—75-06679A
Method of activating zirconia oxygen sensor.—75-00636P
Plasma-activated sintering of ceramic materials.—75-08536A
Sintering of mechanically activated χ-alumina.—75-06765A
actuator,
Ferroelectric-based microactuators.—75-05581A
Heat generation in multilayer piezoelectric actuators.—75-08147A
Large signal measurement technology for piezoelectric actuator materials.—75-05595A
Laser ablation deposited PZT thin films for piezoelectric microsensors and microactuators.—75-05596A
Piezoelectric actuator response to environmental humidity.—75-00686A
Self-sensing control as applied to a PZT stack actuator used as a micropositioner.—75-03256A
Structural-property relations in a reduced and internally biased oxide wafer (RAINBOW) actuator material.—75-05643A
additives,
Addition of metals into rf plasma for diamond synthesis.—75-07197A
Additives used in the pressing of tableware.—75-05160A
Alpha-alumina obtained from monobasic aluminum formate and organic additives.—75-06536A
Anderson impurity in the symmetrical inverted semiconducting heterocontact.—75-05239A
Chemistry and reactions of additives in castables.—75-05076A
Cobalt oxide and antimony oxide effects in the zinc oxide-bismuth oxide system.—75-01400A
Crystallization of Al_2O_3-SiO_2 glass fiber and effect of ZrO_2 and Cr_2O_3 additions on the crystallization.—75-08898A
Crystallization of glass phase in compositions of high-aluminous ceramics with copper and boron oxide additives.—75-04889A

Diffusion and electrical conductivity of thick-film resistive compositions.—75-09497A
Effect of addition of calcined grains on the microstructure and nonlinearity features of ZnO varistors.—75-05289A
Effect of additives on the burning rate of carbon/carbon composites studied by variance analysis.—75-03999A
Effect of Ca compound addition on the synthesis of AlN powder by the carbothermal reduction-nitridation method.—75-01450A
Effect of dopants on high-frequency dielectric properties of lead zirconate.—75-01454A
Effect of liquid-forming additives on the microstructure of particulate-reinforced Al_2O_3 ceramics.—75-09542A
Effect of nonoxide additions to hydroxyapatite during sintering.—75-01461A
Effect of pentavalent additives on the optical and photoconducting properties of $Bi_{12}TiO_{20}$.—75-06447A
Effect of silver in $YBa_2Cu_3O_{7-x}$ samples.—75-05757A
Effect of SiO_2 type and additives on the reaction products in SiO_2-Al-C-N_2 system.—75-01466A
Effect of Ti(C,N) addition on sintering behavior and properties of binder-modified WC·10Co cemented carbide.—75-04849A
Effect of ZrO_2 and Cr_2O_3 addition on softening and sintering of Al_2O_3-SiO_2 glass.—75-07382A
Effects of addition of polyacrylic ammonium [PAA] on dissolution of α-alumina in solutions containing Mg^{2+} ions.—75-09291A
Effects of additive elements on electrical properties of tantalum oxide films.—75-05188A
Effects of additives on sintering and mechanical properties of alumina.—75-04015A
Effects of an organotitanate cross-linking additive on the processing and properties of macro-defect-free cement.—75-02402A
Effects of chemical composition on microstructure and properties of mullite substrate ceramics.—75-09293A
Effects of reduction of the Al-Y-O containing secondary phases during sintering of AlN with YF_3 additions.—75-08915A
Effects of sulfate, pyrophosphate, and citrate ions on the physicochemical properties of cements made of ß-tricalcium phosphate–phosphoric acid–water mixtures.—75-02405A
Effects of ZrC and VC addition on the diffusion-induced recrystallization of TiC-Cr_3C_2.—75-08916A
Evaluation of advanced alumina-based ceramic tool inserts when machining high-tensile steel.—75-04850A
Final stage sintering of aluminum titanate with and without additives by hot isostatic pressing.—75-01502A
Formation of $NaMg_2Al_{15}O_{25}$ in an α-Al_2O_3 matrix and its effect on the mechanical properties of alumina.—75-06618A
Formation processes of aluminosilicate ceramics with mineralizer additives.—75-06624A
Gas-sensing characteristics of doped SnO_2 thin films.—75-00334A
Grinding aids.—75-06628A
Improvement of methods of controlling trace content of chlorides in cement production materials.—75-07158A
In situ toughened silicon carbide with Al-B-C additions.—75-02066A
Influence of additives on kinetic behavior of SiO_2-C-N_2 system.—75-06646A
Influence of CeO_2, $BaCeO_3$, or PtO_2 additions on the microstructure and critical current density of melt-processed YBCO samples.—75-08340A
Influence of Cr, Fe, Ni, and Ti additives on the nitridation kinetics of silicon powder compacts.—75-04078A
Interaction of concrete aggregates with alkalis in cements and additives.—75-07161A
Low-temperature sintering and high thermal conductivity of $YLiO_2$-doped AlN ceramics.—75-06673A
Mechanisms of the formation of structures of cement block and concrete with additives of ultradispersed materials.—75-07166A
Microstructural and mechanical effects of oxide addition into thin ZrO_2 matrix.—75-06888A
Microstructural development and mechanical properties of pressureless-sintered SiC with platelike grains using Al_2O_3-Y_2O_3 additives.—75-06889A
Microstructural development of Si_3N_4-SiC composites with HfO_2-Y_2O_3-Al_2O_3 additives.—75-04359A
Microstructural development on crystallizing hot-pressed pellets of cordierite melt-derived glass containing B_2O_3 and P_2O_5.—75-02595A
Organic additive systems for spray drying and dry pressing silicon nitride.—75-04129A
Particulate silicon nitride based composites[—review].—75-06498A
Plasticizing additives to polymerization catalysts of tetrahydrofuran and epichlorhydrin prepared using silica-containing raw materials.—75-08763A
Production of transparent ceramics (review).—75-04187A
Properties of gypsum-free portland cement pastes with a low water-to-cement ratio.—75-04828A
Reactive plasma spraying of $MoSi_2$ using an Ar-10% CH_4 powder carrier gas.—75-04198A
Removal of additives from plastically formed ceramic components by thermolysis: a review.—75-09421A
Role of additives in a complex lithium silicate glass-ceramic.—75-05040A
Role of additives in the sintering of silicon nitride studied by multinuclear solid-state MAS NMR.—75-01246A
Role of additives in the sintering of silicon nitride: a ^{29}Si, ^{25}Mg, and ^{89}Y MAS NMR and X-ray diffraction study.—75-06341A
Selection and evaluation of sintering aids for low-temperature sintering of AlN ceramics.—75-09427A
Silica sols, a process for the production of silica sols, and use of the sols.—75-03681P
Stability of cubic ZrO_2 (10 mol% Y_2O_3) when alloyed with NiO, Al_2O_3, or TiO_2: implications to solid electrolytes and cermets.—75-06781A
Stabilization of aluminum titanate.—75-06782A
Structural properties of lead vanadate glasses containing La^{3+} or Fe^{3+} ions.—75-02611A
Surface tension of aqueous solutions of sodium dodecylsulfate with salt additives.—75-09075A
Synthesis and characterization of $PbTiO_3$ and Ca- and Mn-modified $PbTiO_3$ fibers produced by extrusion of diol-based gels.—75-06791A
Synthesis of Si_3N_4-based composite powders by SHS process.—75-04247A
Vanadium dioxide ceramics.—75-09488A

adhesion,
Evaluation of adhesion of thin films of Si_3N_4 and SiO_2 to Si by the scratch method.—75-08668A
Liquid bridge adhesion force and dispersion of aggregate particles.—75-06261A
Weibull analyses applied to the pull adhesion test and fracture of a metal-ceramic interface.—75-02561A

adhesives/adhesion,
Adhesion force arising from solid salt bridge formed after drying of liquid bridge.—75-06154A
Adhesion interface of CVD diamond films.—75-08864A
Adhesion mechanisms in masonry.—75-02750A
Adhesion of diamond coatings synthesized by oxygen-acetylene flame CVD on tungsten carbide.—75-09213A
Adhesion testing of hydroxyapatite coatings.—75-01008A
Adhesive bonding of carbon and ceramic materials.—75-04418A
Ceramic adhesive having a sealed porosity.—75-07249P
Ceramic adhesive.—75-06076P
Ceramic aluminum laminate and thermally conductive adhesive therefor.—75-08820P
Coefficient of restitution as an indication of impact resistance.—75-00239A
Designing for effective use of "debris" in wearing systems: with an illustration from ceramic wear.—75-09614A
Friction and adhesion of silica fibers.—75-06986A
Improved adhesion strength of precious metal conductors on microwave ceramics.—75-00667A
Improvement of adhesion of diamond coatings to WC(Co) tool substrates.—75-02490A
Infrared glass window adhering to diamond film.—75-07388A

adsorption/adsorbents,
Adsorption and catalytic reaction of CFC-11 on NaX zeolite.—75-08865A
Adsorption of α-tocopherol and its analogs on the surface of highly dispersed silica from aqueous micellar solutions of nonionogenic surfactants.—75-09116A
Adsorption of benzene on the acidic and basic sites of KH ß-zeolites studied by in situ spectroscopy.—75-06155A
Adsorption of bis(triethanolammonium) 1,10-decanedicarboxylate on magnetite from aqueous solution.—75-06419A
Adsorption of isobutane on H-ZSM-5 zeolite studied by ir and uv spectroscopies.—75-06156A
Adsorption of liquid and vapor water on TiO_2(110) surfaces—the role of defects.—75-04276A
Adsorption of organic additives on powder surfaces.—75-03869A
Adsorption properties of a glucose-modified silica surface.—75-09117A
Adsorptive honeycomb-shaped ceramic structure and method for its production.—75-08547P
Analysis of the microporosity in pillared clays.—75-06420A
Aqueous emulsion acrylic binders for low-foaming ceramic slips.—75-01382A
Calculation of Henry's constants of adsorption of noble gases on idealized surface of talc.—75-03766A
Characterization of differently prepared apatites by adsorption behavior of albumin.—75-09532A
Effects of adsorbed species on microstructure and mechanical properties of Al_2O_3.—75-02044A
FI-STM study of fullerenes.—75-01851A
Fourier transform infrared attenuated total reflection linear dichroism study of sodium dodecylbenzenesulfonate adsorption at the Al_2O_3/water interface using Al_2O_3-coated optics.—75-06235A
Heat of adsorption of ammonia and methanol on L-type zeolites.—75-09147A
Interaction of pyrophosphase with calcium phosphate.—75-06247A
Interactions between oxygen and the ZrO_2 surface.—75-02000A
Kinetics of hydrogen sulfide absorption in a drop of a sodium carbonate solution with resistivity to mass transfer in the liquid phase.—75-06253A
Localized adsorption of methane on rho-type zeolite.—75-06263A
Novel structure of microporous activated carbon fibers and their gas adsorption.—75-01900A
Photoadsorption effects on niobium oxide compounds.—75-09038A
STM studies at electrochemically controlled interfaces.—75-01937A

advanced ceramics,
1995 Corporate Technical Achievement Award: Norton Advanced Ceramics—Cerbec silicon nitride bearing components.—75-06418A
Advanced ceramic powder and nanosized ceramic powder: an industry and market overview.—75-04674A
Advanced ceramics for precision machine design.—75-09700A
Advanced ceramics in Taiwan.—75-04675A
Advanced glass-ceramic materials for high-density multilayer glass-ceramic substrate.—75-00207A
Application of organosilicon pre-SiC polymer technology to optimize rapid prototyping of ceramic components.—75-00939A
Applications of finite element techniques in advanced ceramics.—75-05935A
Ceramic Transactions, Volume 79: Advanced Synthesis and Processing of Composites and Advanced Ceramics, II.—75-09742B
Challenges continue for U.S. advanced ceramics.—75-04690A
Colloidal processing of ceramics—technology and science.—75-01402A
Commercialization of powder synthesis processes.—75-04692A
Controlling and understanding the variables: key to commercializing microwave processing of advanced materials.—75-02121A
Critical role of raw material suppliers in market development.—75-04698A
Fabrication of advanced ceramic substrates for multichip module applications.—75-01494A
Giants in advanced ceramics.—75-04711A
Joining ceramics.—75-07086A
Micro-Raman spectroscopy for phase identification and stress measurement in advanced ceramics.—75-01033A
Microstructural evolution and critical properties of advanced ceramics and ceramic matrix composites.—75-04360A
Modern applications of a new 300-kV field emission transmission electron microscopy to the study of advanced materials.—75-08685A
Multiple law modeling for the oxidation of advanced ceramics and a model-independent figure of merit.—75-02004A
Nanophase ceramics for commercial application.—75-06691A
No-draft slip casting with low CTE materials.—75-07090A
Nonparabolic oxidation kinetics of advanced ceramics.—75-02006A
Overview of ASTM standard activities in support of advanced structural ceramics development.—75-07091A
Possibilities and limits of wear protection through advanced ceramics.—75-09663A
Precision grinding of advanced ceramics using superabrasives with glass bond.—75-00978A
Precision machining of technical ceramics.—75-05908A
Resonant inspection of production parts.—75-08698A
ShearDamping of advanced ceramic structures.—75-08542A
Standardized guidelines for fractography of advanced ceramics—a view from Europe.—75-04629A
Status and perspective for processing of advanced ceramics.—75-04752A
Strong growth forecast for advanced structural ceramics.—75-04756A
Synthesis process for advanced ceramics.—75-08633P
Testing advanced structural ceramics.—75-01044A
Theory and experiment in corrosion of advanced ceramics.—75-02017A
Thermal shock testing of advanced refractory ceramics.—75-00274A
Trends of research on ceramic interfaces.—75-01972A
TV holography at high temperatures—in situ observations of the oxidation of advanced materials.—75-01048A
VAMAS fractography round robin: a piece of the fractography puzzle.—75-04661A
Various methods of machining advanced ceramic materials[—review].—75-04764A
World advanced ceramics.—75-07100A

aerogels,
Effect of drying temperature on the physical properties of titania aerogels.—75-06576A
Improving the visible transparency of silica aerogels.—75-05019A
Properties of alumina aerogels prepared under different conditions.—75-06505A
Preparation and characterization of aerogel-based carbon nanocomposites.—75-01611A
Structure and performance of carbon aerogel electrodes.—75-01946A

aerosol,
Apparatus for producing nanoscale ceramic powders.—75-03539P
Evolution of the structure of Si/C/N nanocomposite powders formed by laser-aerosol interaction.—75-01488A
Measuring the fractal dimensions of fume aerosols in situ using light scattering.—75-05958A
Zircon formation from amorphous spherical $ZrSiO_4$ particles obtained by hydrolysis of aerosols.—75-06833A

aerospace,
Diamond: an erosion-resistant aerospace material.—75-09125A

agglomerates,
Agglomerated packings.—75-05934A
Formation of hollow ceramic microspheres in a dc plasma.—75-00095A
Uniaxial pressing of spray-dried alumina agglomerates.—75-01736A
Uniform precipitation of yttria-stabilized zirconia.—75-05150A

agglomeration,
Alumina powder suspensions in acetone and other media.—75-01375A
Effect of local variations in density in monolithic ceramic bodies.—75-04005A
Effect of undispersed agglomerates on the relative viscosity of ceramic molding suspensions.—75-06215A
Formation and control of agglomerates in alumina powder.—75-06610A

aggregates,
Brown tabular alumina—a high-performance refractory aggregate for slag and chemical attack resistant formulations.—75-07485A
Comparison of the compressive yield response of aggregated suspensions: pressure filtration, centrifugation, and osmotic consolidation.—75-08883A
Influence of coarse aggregate content on the thermal conductivity of alumina-spinel castables.—75-07578A

Microaggregation processes in B_2O_3-TeO_2 glasses.—75-05027A
Porous mullite aggregate and lightweight castable.—75-07631A
Recycled crushed concrete as subbase pavement material.—75-00065A
aging,
Aging effects on the characteristics and sintering behavior of coprecipitated Al_2O_3-ZrO_2 powders.—75-03950A
Aging embrittlement and microstructure observation in a CF8 duplex stainless steel aged at 400°C.—75-03274A
Aging of aluminous cement in LCC.—75-07460A
Aging of yttria-stabilized zirconia electrolytes at 1000°C.—75-01261A
Aging of zirconia-toughened alumina ceramics under different hydrothermal conditions.—75-08867A
Aging phenomenon of stabilized bismuth oxides.—75-06861A
Aging studies of atomic layer epitaxy ZnS:Mn alternating-current thin-film electroluminescent devices.—75-05236A
Effect of aging on the preparation and properties of titania sols.—75-01446A
Fluid composition effects on silica gel aging.—75-04047A
Freeze-formed ceramic fibers: effect of preaging the gel.—75-06625A
Increase in pH during aging of porous sol-gel silica spheres.—75-06644A
Solvent effect on aging of silica gels.—75-06776A
air,
Data on moist air—drying technology.—75-05991A
Effect of drying air pressure on the slip casting process.—75-04003A
alignment,
Melt texturing of preferentially aligned $YBa_2Cu_3O_x$ superconductor by a seeded directional solidification method.—75-00827A
Spin casting in maghemite particles.—75-03331A
alkali resistance,
Development of high-alkaline solution-resistant silicon nitride ceramics.—75-08800A
Novel alkali-resistant porous glass prepared from a mother glass based on the SiO_2-B_2O_3-RO-ZrO_2 (R=Mg, Ca, Sr, Ba, and Zn) system.—75-05030A
Refractories for high-alkali environments.—75-00272A
alkali silicate reaction,
NMR study of concrete alkali-aggregates reaction.—75-00265A
alkali-silica reaction,
Oxidation of silicon-based ceramics in the presence of alkali halides.—75-02010A
alkaline earths,
Dilatometric and thermooptic properties of alkaline earth and cadmium fluorides between 300 and 1300 K.—75-01273A
Infrared reflectivity spectroscopy of nitrogen-substituted alkaline-earth aluminosilicate glasses.—75-04906A
Internal friction in ceria ceramics doped with alkali-earth metal oxides.—75-04573A
Large magnetoresistance effect in isotropic polycrystalline perovskite-like La-AM-Mn-O (AM=K, Rb) ceramics.—75-08226A
Lithium alkaline earth bismuthate glasses.—75-07346A
Mullite joining by the oxidation of malleable, alkaline-earth–metal-bearing bonding agents.—75-04860A
Raman and ^{11}B nuclear magnetic resonance spectroscopic studies of alkaline-earth lanthanoborate glasses.—75-04920A
Stress in alkali-earth-doped lanthanum chromites from oxygen potential gradients.—75-05212A
Thermodynamic properties of alkaline-earth metal antimonates.—75-09092A
alkalis,
^{29}Si NMR analysis of reactions between ethoxytrimethlysilane and alkali ions.—75-08855A
Alkali metal impurities' influence on the magnetic and electrical properties of YBCO.—75-03342A
Alkali resistance of inverted glasses in the RO-TiO_2-SiO_2 system.—75-07322A
Alkali-carbonate reaction.—75-03762A
Change in refractive index of alkali calcium aluminosilicate glasses upon equimolar replacement of sodium oxide by potassium oxide and in Na_{glass}^+-K_{melt}^+ ion exchange.—75-02627A
Change in the refractive index of a two-alkali aluminosilicate glass upon K_{glass}^+-Na_{melt}^+ exchange in the glass transition range.—75-02629A
Charge transport in highly humidity-sensitive alkali-doped titania thin films.—75-09494A
Cluster models of doped ionic crystal scintillators, quantum calculations.—75-01815A
Composition of surface layers formed upon interaction with solutions and electrode properties of alkali aluminum borosilicate glasses: III, Properties of electrodes.—75-07290A
Crack healing using an ion current in alkali halide crystals.—75-06189A
Decomposition of Y-Ba cuprates in solutions of alkaline halogenides with increased temperature and pressure.—75-05742A
Effect of alkalis on alumina refractories in cement rotary kilns.—75-05083A
Effect of fly ashes with high total alkali content on the alkalinity of the pore solution of hydrated portland cement paste.—75-00033A
Effect of presence of carbon, iron, and sulfur on rate of alkali release from CaO-Al_2O_3-SiO_2 slags.—75-02400A
Effectiveness of superplasticizers depending on the amount of alkali in portland cement.—75-07146A
Elementary diffusive displacements of modifier cations in network structures.—75-04282A
Features of cathodic reduction of zinc oxide in alkali zincate solutions.—75-06606A
Features of rare-earth polyhedra in alkali lanthanide nitrates.—75-06228A
Heat conductivity of LiF-NaF-Al$(PO_3)_3$ mixed alkali glasses.—75-02656A
Interaction of mullite-corundum refractories and alkalis under conditions of variable gas media.—75-05103A
Practical application of alkali metal titanates as inorganic ion exchangers.—75-06709A
Relaxation properties of alkali silicate glasses according to mechanical measurements.—75-07365A
Self-propagating high-temperature synthesis [SHS] of alkali metal cuprates.—75-05911A
Solubility of alkali metal sulfates in anhydrous dimethoxyethane.—75-09188A
Structures of alkali metasilicate glasses by diffraction experiments and molecular dynamics simulations.—75-07315A
Study of rheological and mechanical properties of mixed alkali activated slag pastes.—75-02426A
Three-dimensional modeling of alkali volatilization/crown corrosion in oxy-fired glass furnaces.—75-08741A
alkoxide,
^{29}Si NMR analysis of reactions between ethoxytrimethlysilane and alkali ions.—75-08855A
Characteristics of alumina prepared by hydrolysis of Al alkoxide.—75-09236A
Influence of hydrolysis temperature on the hydrolysis products of aluminum alkoxides.—75-06651A
Preparation and sinterability of forsterite powders derived from heterogeneous alkoxide solution containing fine MgO powders.—75-01617A
Sol-gel precursors: a spectroscopic study of transesterification reactions between silicon and titanium alkoxides.—75-06353A
Synthesis of organometallic compounds and its application as a surface modifier: I, Synthesis of organo-Zr-P compound and its application as an adsorbent of bovine serum albumin (BSA).—75-01711A
Synthesis of perovskite $Ba(Mg_{1/3}Ta_{2/3})O_3$ powder from Ba-Mg-Ta alkoxide precursor.—75-01713A
Synthesis of strontium barium niobate thin films through metal alkoxide.—75-05647A
Thermal decomposition of alkoxides in an inert organic solvent: novel method for the synthesis of homogeneous mullite precursor.—75-04256A
Ultrafine spinel powders by flame spray pyrolysis of a magnesium aluminum double alkoxide.—75-04265A
alloys,
R-curve fracture toughness study of Fe-Al-Mn alloys.—75-04448A
Braze for silicon carbide bodies.—75-02564P
Comparison of structures and properties between spray and conventional cast Pn-Sn alloys.—75-03874A
High-temperature chlorine corrosion of Fe-Mn-Al-C alloy in Cl_2/O_2/Ar mixtures at 600 and 900°C.—75-04428A
Mechanical alloying of ceramics in zirconia-ceria system.—75-04101A
Spontaneous infiltration of alumina by copper-oxygen alloys.—75-00134A
Spontaneous infiltration of aluminum-silicon alloy into silicon carbide preforms in air.—75-00135A
alumina,
R-curve behavior of in situ toughened Al_2O_3:$CaAl_{12}O_{19}$ ceramic composites.—75-09602A
^{27}Al nuclear magnetic resonance of glassy and crystalline $Zr_{(1-x)}Al_xO_{(2-x/2)}$ [0.08≤x≤0.57] materials prepared from solution precursors.—75-01202A
3-D alumina networks via the sol-gel process.—75-01369A
Abnormal grain growth in alumina-doped hafnia ceramics.—75-06860A
Abrasive and thermal properties of Al_2O_3-Cr_2O_3 solid solutions.—75-09114A
Accurate submicron particle size measurement of alumina and quartz powders using a cuvette photocentrifuge.—75-05932A
Acidic properties of alumina modified with orthoboric acid.—75-09212A
Acrylic binders for alumina and other nonclay ceramic extrusions.—75-03947A
Activation energy for mullitization of α-alumina/silica microcomposite particles.—75-01371A
Adsorption of organic additives on powder surfaces.—75-03869A
Advances in the grinding efficiency of sintered alumina abrasives.—75-02170A
Aging of aluminous cement in LCC.—75-07460A
Al_2O_3 coatings as diffusion barriers deposited from particulate-containing sol-gel solutions.—75-01372A
Al_2O_3-strengthened feldspathic porcelain bodies: effects of the amount and particle size of alumina.—75-02849A
Al_2O_3-TiC sintered product and substrate for magnetic heads.—75-08548P
Al_2O_3/Al ceramic composite—kinetics of melt oxidation.—75-02435A
Al_2O_3/SiC nanocomposites by hybrid polymer and powder processing.—75-09215A
Alpha-alumina obtained from monobasic aluminum formate and organic additives.—75-06536A
Alpha-alumina-based abrasive grain.—75-07116P
Alumina catalyst support preparation.—75-08770P
Alumina catalysts support manufacture.—75-08771P
Alumina ceramics by sol-gel technique.—75-06537A
Alumina clogging-resistant materials for immersion nozzle.—75-07461A
Alumina composites reinforced by plate-shaped aluminates—effect of platelet size on properties.—75-01374A
Alumina powder suspensions in acetone and other media.—75-01375A
Alumina powder—relations between powder properties and microstructure.—75-01376A
Alumina sol-coated recording sheet.—75-08814P
Alumina sol-gel fiber.—75-08772P
Alumina thin films as optical waveguides.—75-00208A
Alumina zircon refractory [AZR]—a new generation product for cement rotary kiln.—75-07462A
Alumina–rare earth oxide ceramic-metal bodies.—75-04871P
Alumina–silicon carbide–carbon-based low-cement castable and ramming masses for BF applications.—75-07463A
Alumina-aluminide alloys (3A).—75-07198A
Alumina-based castables with very low contents of hydraulic compound: I, The effect of binder and particle size distribution on flow and set.—75-07464A
Alumina-based castables with very low contents of hydraulic compound: II, Strength and high-temperature reactions of no-cement castables with hydraulic alumina and microsilica.—75-07465A
Alumina.—75-06016A
Alumina/ß-SiAlON/YAG composite ceramics.—75-01377A
Aluminum-containing oxide and process for producing aluminum-containing oxide.—75-01099P
Amorphous silica or silica-alumina spherical particles and process for preparation thereof.—75-03665P
Anti-alumina buildup material for submerged entry nozzle.—75-07467A
Application of ß-Al_2O_3 to immersion nozzle for continuous casting of stainless steel.—75-05073A
Aspects of fracture behavior of Indian-grade high-alumina refractories.—75-07479A
Atomic scale simulations of tensile failure in metal oxides.—75-04453A
Auger electron spectroscopy of metallic film/laser-irradiated alumina couples.—75-04298A
Behavior of antioxidants added to carbon-containing refractories.—75-07482A
Bonding matrix for bauxite-based, high-alumina torpedo ladle brick for lower temperature firing.—75-02753A
Brown tabular alumina—a high-performance refractory aggregate for slag and chemical attack resistant formulations.—75-07485A
Calculation of the molecular composition of CaO-Al_2O_3 melts.—75-06170A
Carbidizing of iron deposited on SiO_2 and Al_2O_3 during Fischer-Tropsch synthesis.—75-09227A
Carbonitriding of alumina to produce aluminum nitride.—75-08555P
Castables in the system MgO-Al_2O_3-SiO_2.—75-07488A
Catalyst for exhaust gas purification.—75-07248P
Catalysts for the purification of exhaust gas.—75-00150P
Cenospheres: from waste to profits.—75-05075A
Ceramic abrasive grains, method of producing the same, and abrasive products made of the same.—75-00011P
Ceramic coating composition for a hybrid scavengeless development donor roll.—75-06077P
Ceramic coatings on polymers by high-energy beam for tribology application.—75-06544A
Ceramic composite material.—75-08774P
Ceramic fiber yarn, and a method of, and a spinning machine for making the same.—75-08775P
Ceramic joining: II, Partial transient liquid phase bonding of alumina via Cu/Ni/Cu multilayer interlayers.—75-04841A
Ceramic joining: III, Bonding of alumina via Cu/Nb, Cu interlayers.—75-04842A
Ceramic moldings composed of aluminum oxide having high metallization adhesion.—75-01105P
Ceramic properties of electrical porcelain containing alumina.—75-02894A
Ceria-alumina oxidation catalyst.—75-06084P
Cesium/oxide interactions for ultrathin films on α-Al_2O_3(0001) and α-Al_2O_3(1$\bar{1}$02).—75-04299A
Characteristics and formation mechanisms of defects in alumina powder compacts.—75-01800A
Characteristics of alumina prepared by hydrolysis of Al alkoxide.—75-09236A
Characterization and bactericidal effect of Na_2O-Al_2O_3-SiO_2 glass system by Na^+↔Ag^+ ion exchange.—75-07287A
Characterization of abrasion powder worn from alumina balls by wet milling and its phase transformation during heating.—75-07112A
Characterization of coprecipitated Fe_2O_3-Al_2O_3 powders.—75-06863A
Characterization of Mg-Al mixed oxides by temperature programmed reaction of 2-propanol.—75-06178A
Characterization of sol-gel-derived alumina-silica matrices for continuous fiber-reinforced composites.—75-09237A
Characterization of ultrafine alumina powder produced by wet milling.—75-01396A
Characterization of V/Al_2O_3 interface.—75-01810A
Chemical bonding, structure, and morphology of Mg/α-Al_2O_3 and MgO/α-Al_2O_3 interfaces.—75-04304A
Citric acid—a dispersant for aqueous alumina suspensions.—75-06185A
CMS [carbon molecular sieves]/SiO_2/Al_2O_3 catalysts for improved selectivity in the synthesis of amines from methanol and/or dimethyl ether and ammonia.—75-08822P
Colloidal processing and fracture strength of alumina prepared from partially agglomerated theta-phase powder.—75-09243A
Combustion synthesis and properties of zirconia-alumina powders.—75-03976A
Completely ceramic dental prosthesis based on alumina/magnesia spinel and a process for its manufacture.—75-03668P
Composite alumina/metal powders, cermets made from said powders, and processes of production.—75-04876P
Composition and influence of the surface layer of alumina enriched with sodium on its interaction with $TiCl_4$ and H_2O vapors.—75-06556A
Compositions for strengthening porcelain bodies in alumina-feldspar-kaolin system.—75-00282A
Compressive fatigue crack growth behavior of alumina and glass.—75-06945A
Computer simulation model for coupled grain growth and Ostwald ripening—application to Al_2O_3-ZrO_2 two-phase systems.—75-04307A

Computer-assisted optimization of the HIP-elimination of processing flaws in alumina.—75-01409A
Conditions to obtain reliable high-strength alumina via centrifugal casting.—75-01410A
Constant stress tensile creep behavior of a superplastic zirconia-alumina composite.—75-06946A
Contact damage in plasma-sprayed alumina-based coatings.—75-04846A
Contamination and sinterability of planetary-milled alumina.—75-06559A
Correlation between long and short crack *R*-curves in alumina using the crack opening displacement and fracture mechanical weight function approach.—75-04467A
Correlation of densification kinetics of polycrystalline ceramics with colloid/interface variables.—75-01415A
Corrosion behavior of Al_2O_3 toughened by Ag particles.—75-09585A
Corrosion rate of alumina [evaluated] by rotating cylinder method.—75-07497A
Corrosion resistance of Al_2O_3-SiC castables to molten ash from incinerators.—75-07498A
Crack bifurcation in laminar ceramic composites.—75-06948A
Crack growth characteristics of silicon nitride and alumina—the dependence on crack extension and load cycling.—75-02029A
Creep deformation in an alumina-silicon carbide composite produced via a directed metal oxidation [DIMOX] process.—75-06954A
Crystallization behavior and microstructure evolution of $(Al,Fe)_2O_3$ synthesized from liquid precursors.—75-06197A
Crystallization kinetics of Fe-doped Al_2O_3.—75-03779A
Crystallization of Al_2O_3-SiO_2 glass fiber and effect of ZrO_2 and Cr_2O_3 additions on the crystallization.—75-08898A
Crystallization of inviscid melt spun calcia-alumina eutectic fibers.—75-03781A
Current status on development of alumina carbon composite refractories for continuous casting of steel.—75-07502A
Cutting tool.—75-07259P
CVD coating of alumina film on WC-8-Co cemented carbide by using hydrogen-sulfide-containing atmosphere.—75-00084A
Cycling pressure during cold isostatic pressing.—75-01419A
Damage tolerance of silicon carbide and alumina matrix surface composites.—75-04485A
Densely sintered, tabular ceramic parts of aluminum oxide having improved thermal shock resistance.—75-08573P
Densification and mechanical properties of shock-treated alumina and its composites.—75-06438A
Densification behavior of silicone-infiltrated alumina.—75-06439A
Densification of large-size alumina objects by continuous microwave sintering.—75-01426A
Dependence of thermal emission of anodized aluminum on the anodic oxide body.—75-06566A
Determination of lead and cadmium in the surface layers of implants based on α-Al_2O_3.—75-03645A
Determining role of the SiO_2/Al_2O_3 ratio in the stabilization of silver clusters in mordenite.—75-06442A
Development of a porous ceramic frit for a flow field–flow fractionation instrument.—75-05942A
Development of Al_2O_3-SiC-C refractories for torpedo ladle cars.—75-07515A
Development of alumina-magnesia castable for steel ladle.—75-07516A
Development of high-alumina ceramics using ALCOA A13 alumina.—75-01433A
Development of new generation easy-to-use castable.—75-07524A
Development of new submerged nozzles to reduce alumina buildup in continuous casting.—75-07525A
Device to process green-tape type circuits.—75-03542P
Dielectric loss tangent of ceramic with high alumina content [>97%] in microwave region.—75-00316A
Diffusion bonding of Al_2O_3/TiC composite.—75-06845A
Diffusion of nonequilibrium tera-Hertz acoustic phonons in dense crystalline ceramics based on α-Al_2O_3.—75-08908A
Direction of liquid film migration induced by chromic oxide in alumina–anorthite.—75-09539A
Discontinuous dissolution and grain boundary migration in Al_2O_3-Fe_2O_3 by oxygen partial pressure change.—75-04315A
Discontinuous dissolution of spinel precipitates in the Al_2O_3-Fe_2O_3 system.—75-03785A
Dispersant for α-Al_2O_3 slip.—75-03997A
Dispersion efficiency of powders of the Al_2O_3-$(ZrO_2+Y_2O_3)$ system obtained by the plasmochemical method.—75-09264A
Dry adsorbed purification of fluoride gases during aluminum production.—75-06209A
Ductile phase toughened ceramics by partial reduction reactions in the Ni-Al-O system—mechanical properties and effect of dopants.—75-02456A
Dynamic consolidation of combustion-synthesized alumina-titanium diboride composite ceramics.—75-09265A
Dynamic mechanical analysis of prestrained Al_2O_3/Al metal matrix composite.—75-04848A
Dynamic recrystallization during the sliding wear of alumina at elevated temperatures.—75-08910A
Effect of Al_2O_3 (mul.) on phase compositions of O′-SiAlON ceramics.—75-02814A
Effect of Al_2O_3 and Y_2O_3 on machining of silicon nitride.—75-09267A
Effect of alkalis on alumina refractories in cement rotary kilns.—75-05083A
Effect of AlN addition on the thermal conductivity of sintered Al_2O_3.—75-09268A
Effect of calcium doping on the atomistic structure of the (1104) twin boundary in alumina.—75-06870A
Effect of characteristics of compressive deformation of ceramic granules on CIP compaction behavior and sinterability: II. The effect of characteristics of ceramic granules on density graduation in CIP compact.—75-09618A
Effect of characteristics of plaster mold on the slip casting of high concentrated alumina slurry.—75-09270A
Effect of coating thickness on interfacial shear behavior of zirconia-coated sapphire fibers in a polycrystalline alumina matrix.—75-04493A
Effect of excimer laser irradiation on slurry erosion wear rates of alumina.—75-09620A
Effect of grain boundary devitrification on the wear of glass-bonded alumina ceramics.—75-06966A
Effect of liquid-forming additives on the microstructure of particulate-reinforced Al_2O_3 ceramics.—75-09542A
Effect of magnesia addition on the phase assemblage and microstructure of reaction-sintered alumina ceramics.—75-01831A
Effect of mixing procedure on fine alumina paste extrusion.—75-01459A
Effect of MnO_2 and TiO_2 doping on the densification and microstructural development of alumina.—75-01460A
Effect of NiO on phase formation in fused specimens of the ZrO_2-Al_2O_3-NiO-Y_2O_3 system and properties of ceramics based on it.—75-07539A
Effect of niobia and vanadia additions on the mechanical properties of alumina.—75-04498A
Effect of SiC_w contents on the fracture toughness of $Al_2O_3/TiB_2/SiC_w$ composite at high temperature.—75-09626A
Effect of sintering atmosphere on the pore-structure stability of cerium-doped nanostructured alumina.—75-01465A
Effect of stress on the phase distribution during superplastic deformation of an alumina-zirconia composite.—75-04502A
Effect of surface structure on the adsorption of Co(II) on α-Al_2O_3—a glancing angle XAFS study.—75-04319A
Effect of temperature on characteristics of alumina slurry.—75-01467A
Effect of termination of scattering intensity curves on calculated parameters of short-range order in amorphous aluminum oxide.—75-06213A
Effect of TiO_2 addition on phase formation in the Al-Si-Al_2O_3 system.—75-09290A
Effect of zirconia (3 mol% yttria) additive on mechanical properties and structure of alumina ceramics.—75-06872A
Effect of ZrO_2 and Cr_2O_3 addition on softening and sintering of Al_2O_3-SiO_2 glass.—75-07382A
Effects of addition of polyacrylic ammonium [PAA] on dissolution of α-alumina in solutions containing Mg^{2+} ions.—75-09291A
Effects of additives on sintering and mechanical properties of alumina.—75-04015A
Effects of adsorbed species on microstructure and mechanical properties of Al_2O_3.—75-02044A
Effects of Al_2O_3 particles on the precipitation of AA6061 aluminum based metal matrix composites.—75-02460A
Effects of amorphous silica coatings on the sintering behaviors of SiC whisker-reinforced Al_2O_3 composites.—75-06590A
Effects of annealing on the structure of Ta_2N thin films deposited on Al_2O_3.—75-04016A
Effects of different states of SiC on the microstructural development of Al_2O_3-SiC nanocomposite.—75-01836A
Effects of gadolinia and alumina addition on the densification and toughening of silicon carbide.—75-01470A
Effects of grain size and humidity on fretting wear in fine-grained alumina, Al_2O_3/TiC, and zirconia.—75-04504A
Effects of low-level alumina and silica additions on PZT ceramics.—75-00327A
Effects of particle size distribution and extrusion rate on the dimensional stability of extruded alumina rods.—75-04017A
Effects of post-sinter hot isostatic pressing processes on microstructures and mechanical properties of Al_2O_3-Cr_3C_2 composites.—75-01472A
Effects of silicon carbide nanophase on the wet erosive wear of polycrystalline alumina.—75-09629A
Effects of some additives on Al_2O_3/Cr_3O_3 coating contacts.—75-03646A
Effects of titanium doping on surface properties of alumina.—75-04019A
Elaboration of symmetric functionally gradient materials of the Al_2O_3/TiC/Ni/TiC/Al_2O_3 system.—75-02463A
Electric and photoelectric properties of doped InSb/Al_2O_3 thin layers at 300 K.—75-07861A
Electrical and mechanical properties of the composite TSZ [tetragonal stabilized zirconia]-Al_2O_3-SiO_2.—75-01085A
Electrochemical Al_2O_3 coatings on TiB_2 and TiC substrates.—75-04020A
Electrochemical ZrO_2 and Al_2O_3 coatings on SiC substrates.—75-06598A
Electrodischarge machining of Al_2O_3/Cr_3C_2 composite.—75-06600A
Electronic structure of a near $\Sigma 11$ *a*-axis tilt grain boundary in α-Al_2O_3.—75-04322A
Electrophysical properties of Al-Al_2O_3 structures synthesized by molecular stratification.—75-09139A
Empirical evaluation of process operations affecting sintered density.—75-08664A
Engine bearing surface treatment.—75-00157P
Engineering a porous composite refractory with low wettability.—75-05090A
Equivalence of ball milling and thermal treatment for phase transitions in the Al_2O_3 system.—75-03796A
Erosive wear characteristics of engineering ceramics.—75-02048A
ESP [electrostatic precipitator] dust as a potential feedstock for alumina-based ceramics.—75-01486A
Estimation of fracture resistance of Al_2O_3 polycrystals from single-crystal values.—75-06974A
Evaluation of K_{Ic} depending on sample size for ceramics.—75-04515A
Evaluation of advanced alumina-based ceramic tool inserts when machining high-tensile steel.—75-04850A
Evaluation of mechanical properties for alumina ceramics.—75-09632A
Evaluation of the effectiveness of a phosphate ester in Al_2O_3 tape casting slips.—75-01487A
Evaluation of the wettability of Al-Pb and Al-Sn alloys with SiC and Al_2O_3 particulates by means of pressure infiltration.—75-05944A
Excimer laser surface processing of alumina substrates.—75-01489A
Exhaust gas filter element.—75-06087P
Experimental and analytical study on thermocracking of alumina ceramic ring in a mechanical seal.—75-04517A
Experimental design in the synthesis of aluminum hydroxide.—75-01492A
Experimental studies of thermal cycling of an Ni-Al_2O_3 graded material.—75-02470A
Fabrication and mechanical behavior of Al_2O_3/Mo nanocomposites.—75-04852A
Fabrication and optoelectronic properties of a-C:H/a-Se (or alloy)/Al_2O_3/Al structures.—75-02473A
Fabrication of Al_2O_3/SiC nanocomposites using a polymeric precursor for SiC.—75-01495A
Fabrication of alumina body by electrophoretic deposition.—75-01496A
Failure mechanism of single-crystal alumina in machining.—75-09633A
Fatigue crack growth rate and fracture toughness of 25 wt% silicon carbide whisker-reinforced alumina composite with residual porosity.—75-09634A
Fatigue wear mechanism of alumina-based ceramics under synchronized cyclic normal and tangential loads.—75-09635A
Fe-Al_2O_3 nanocomposite prepared by high-energy ball milling.—75-03292A
Fiber-reinforced aluminum matrix composite with improved interfacial bonding.—75-00159P
Filter pressing of alumina dispersions.—75-04045A
Fluorescence associated with Fe^{3+} ions in nanostructured Al_2O_3.—75-01294A
Formation and characterization of the microcrack network in advanced refractory ceramics.—75-00262A
Formation and control of agglomerates in alumina powder.—75-06610A
Formation and hot isostatic pressing of ZrO_2 solid solution in the system ZrO_2-Al_2O_3.—75-06611A
Formation and orientation of low-energy MgO/Pd, Al_2O_3/Pd, and TiO_2/Pd interfaces.—75-04326A
Formation kinetics of *V* centers in α-Al_2O_3 during irradiation by high-energy electrons.—75-06233A
Formation mechanism of Al_2O_3/metal composites by the directed oxidation of molten Al-Mg-Si alloys.—75-02479A
Formation of Al_2O_3-Al composite by directed oxidation of molten metals.—75-02480A
Formation of Al_2O_3/metal composites by oxidation of molten aluminum alloys.—75-02481A
Formation of Cu-Al_2O_3 composite particles by mechanofusion: a consideration on the formation relating to the effects of vacuum and temperature increase of particle surfaces.—75-06616A
Formation of $NaMg_2Al_{15}O_{25}$ in an α-Al_2O_3 matrix and its effect on the mechanical properties of alumina.—75-06618A
Formation of new compounds $Ln_4Al_2O_9$ in the Ln_2O_3-Al_2O_3 system (Ln=La, Pr, Tb).—75-08939A
Fourier transform infrared attenuated total reflection linear dichroism study of sodium dodecylbenzenesulfonate adsorption at the Al_2O_3/water interface using Al_2O_3-coated optics.—75-06235A
Fractography used with lifetime prediction tests on commercial grades of alumina and silicon carbide.—75-04533A
Fracture behavior of Al_2O_3-C refractories used in continuous casting.—75-07554A
Fracture behavior of alumina composites toughened by chromium particles.—75-02483A
Fracture behavior of directionally solidified $Y_3Al_5O_{12}/Al_2O_3$ eutectic fiber.—75-04535A
Fracture toughness of a high-strength alumina: compact tension vs indentation fracture techniques.—75-06984A
Gamma alumina from gibbsite.—75-01513A
Gas permeability of anodized alumina membranes with a palladium-ruthenium alloy layer.—75-09144A
Gelcasting of alumina for prosthetics.—75-01086A
Generation of cracklike voids during sintering of Al_2O_3-10ZrO_2 ceramics and their prevention by presintering with low pressure (2 MPa).—75-04544A
Glass compositions and fibers therefrom.—75-07421P
Glass-ceramics and color package.—75-00225P
Grain growth kinetics in ZrO_2-dispersed Al_2O_3 ceramics.—75-01856A
Grain size distributions and strength variability of high-purity alumina.—75-02055A
Grain size effect on creep deformation of alumina-silicon carbide composites.—75-04545A
Grain size effects on the mechanism of wear in alumina.—75-02056A
Grain-size-dependent residual microstresses in submicron Al_2O_3 and ZrO_2.—75-09640A
Growth of an alumina particulate-reinforced Al-Al_2O_3 composite by directed metal oxidation.—75-00099A
Growth of diamond on Au (selective) and Al_2O_3 surfaces.—75-06630A
Hardness variations in multilayered ZrO_2-Al_2O_3 composites.—75-04548A
Heat conduction in ionic polycrystalline nanocomposites.—75-05196A
Heat of water chemisorption on a-Al_2O_3 at 200–400°C.—75-06238A

Heat treatment for particle-reinforced alumina ceramic composite.—75-01113P
Heat-resistant mixtures for heat-shielding coverings.—75-05096A
Heteroepitaxial growth of SiC epilayers on AlN/Al_2O_3 substrates.—75-03045A
Heterogeneous microstructure development in the binary mixtures of high-purity alumina powders surface-modified by coupling agents.—75-01521A
HF-resistant ceramics and use thereof.—75-01114P
High and very high temperature ^{17}O and ^{27}Al nuclear magnetic resonance on liquid alumina and silica bearing oxides.—75-01087A
High dielectric layer containing alumina-based wiring substrate and package for semiconductor device.—75-08101P
High resolution transmission electron microscopy of metallic film/laser-irradiated alumina couples.—75-04336A
High strength porcelain and method therefor.—75-05170P
High thermal conductive silicon nitride sintered body and method of producing the same.—75-03733P
High-alumina mortar from scrap of refractory articles after use in metallurgical units.—75-05097A
High-alumina raw materials in Russia.—75-06035A
High-alumina refractory corrosion in wastewater incinerator of a chemical plant.—75-07562A
High-pressure sintering of nanocrystalline γ-Al_2O_3.—75-09328A
High-strength alumina produced by Direct Coagulation Casting.—75-01524A
High-temperature behavior of Al_2O_3:SiC nanocomposites.—75-02058A
High-temperature ceramic nut.—75-06092P
High-temperature crack annealing effects on fracture toughness of alumina and alumina-SiC composite.—75-06989A
High-temperature deformation and cavitation in fine-grained alumina.—75-06991A
High-temperature fatigue fracture of Al_2O_3-33 vol% SiC_w.—75-02060A
High-temperature mechanical and fracture properties of an Al_2O_3/SiC_w ceramic matrix composite.—75-06992A
High-temperature mechanical properties of $Al_2O_3/ZrO_2(Y_2O_3)$ fibers.—75-04555A
Hot isostatic pressing of tetragonal ZrO_2 solid solution powders prepared from acetylacetonates in the system ZrO_2-Y_2O_3-Al_2O_3.—75-06637A
Hydraulicity and high-temperature strength behavior of high-alumina cement in relation to synthetically prepared refractory aggregates.—75-07571A
Improved alumina fibers using sisal fiber substrates.—75-09333A
Improvement of mechanical properties by the formation of a grain boundary phase in ZrO_2-3 mol% Y_2O_3-Al_2O_3 ceramics.—75-02065A
In process surface modification of alumina grains in sintered bodies.—75-09551A
In situ observation of slow crack growth in a whisker-reinforced alumina matrix composite.—75-09642A
In situ synthesis of Al_2O_3 matrix SiC composite powders.—75-01537A
In situ synthesis of titanium carbide and alpha-alumina by exothermic reactions of titania, carbon, and aluminum powder in high vacuum and quadrupole gas analysis during experiment.—75-06643A
Increasing the turnover of saggers for firing ceramic articles.—75-02822A
Infiltration of nickel into alumina compact by electrodeposition.—75-00104A
Infiltration of porous alumina bodies with solution precursors: strengthening via compositional grading, grain size control, and transformation toughening.—75-06645A
Influence of Al_2O_3 addition on the sintering behavior of NiO-CoO solid solution.—75-09337A
Influence of alumina dopant on the structural transformation of gel-derived nanometer titania powders.—75-06647A
Influence of aluminum oxide on mechanical properties of K_2O-Al_2O_3-P_2O_5 metaphosphate glasses and the role of aluminum in their structure.—75-02661A
Influence of brazing conditions on joint strength in Al_2O_3/Al_2O_3 bonding.—75-06648A
Influence of calcined alumina and deflocculant on low-cement castable properties.—75-07577A
Influence of coarse aggregate content on the thermal conductivity of alumina-spinel castables.—75-07578A
Influence of crystallographic orientation, chemical inhomogeneities, material transport anisotropy, and elastic strain energy on the migration of grain boundaries in chromium-doped alumina during internal reduction.—75-04283A
Influence of grain size on the grinding response of alumina.—75-04079A
Influence of hydrolysis temperature on the hydrolysis products of aluminum alkoxides.—75-06651A
Influence of powder loading and binder additive on the properties of alumina injection-molding blends.—75-06655A
Influence of reinforcement content and diameter on the *R*-curve response in SiC-whisker-reinforced alumina.—75-02068A
Influence of residual stresses on the mechanical properties of a layered ceramic composite.—75-09646A
Influence of some precursors on the physicochemical characteristics of transition aluminas for the preparation of ceramic catalytic filters.—75-04082A
Influence of special silica on the in situ growth of silicon carbide whiskers in Al_2O_3-C refractories.—75-05101A
Influence of surface oxidation on thermal shock resistance and flexural strength of SiC/Al_2O_3 composites.—75-06997A
Infrared studies of calcia-alumina fibers.—75-06245A
Initial stages of AlN thin film growth on alumina using trimethylamine alane and ammonia precursors.—75-01549A
Inorganic polymer ceramics for heat insulation in diesel engines.—75-03652A
Installation and repair of monolithic steel ladle linings with alumina spinel castables.—75-07583A
Insulation AlON ceramics.—75-07734A
Interaction between binder and powder in injection molding of alumina.—75-06660A
Interface instability in alumina under chemical inequilibrium.—75-08958A
Interface structure of ceramic/metal nanocomposites.—75-00107A
Inviscid melt spinning and phase identification of CaO-Al_2O_3-MgO fiber.—75-04087A
Ionic conductivity of Na, K, and Ag β″-alumina–ZrO_2 composites.—75-05200A
Jari Brazilian calcined bauxite—production and application in high-alumina refractories: MSL Minerais SA.—75-07586A
Kinetic modeling of pressure filtration of ceramic powder suspensions.—75-01555A
Kinetics of alkali release from CaO-Al_2O_3-SiO_2 slags.—75-02413A
Laser processing of ceramics of the SiO_2-Al_2O_3 system.—75-06670A
Laser-induced surface alloying of Al_2O_3 ceramics with ZrO_2-TiO_2 powders.—75-04092A
Low-temperature lead-free glaze for alumina ceramics.—75-07717P
Low-temperature sintering route for aluminum nitride ceramics.—75-01172P
Machining-induced surface residual stress behavior in Al_2O_3-SiC nanocomposites.—75-07000A
Making of sintered silicon carbide bodies.—75-06124P
MAS NMR evidence for the presence of silicon in the alumina spinel from thermally transformed kaolinite.—75-08978A
Matrix cracking in brittle matrix composites with tailored interfaces.—75-04582A
Mechanical behavior of an alumina fiber-reinforced silicon carbide matrix composite at high temperature.—75-04585A
Mechanical properties and cutting performance of titanium carbide whisker/alumina composites.—75-09648A
Mechanical properties and failure analysis of alumina-glass dental composites.—75-07005A
Mechanical properties and microstructure of Al_2O_3-platelet-reinforced-ZTM composites.—75-04589A
Mechanical properties and recrystallization of alumina ceramics reinforced by silicon carbide whisker.—75-05105A
Mechanical properties of (Y-TZP)-alumina-silicon carbide nanocomposites and the phase stability of Y-TZP particles in it.—75-07007A
Mechanical properties of 3-D ceramic matrix composites.—75-03654A
Mechanical properties of Al_2O_3-AlN particulate composite.—75-09650A
Mechanical properties of alumina sintered in a microwave-induced oxygen plasma.—75-01309A
Mechanical properties of infiltrated alumina–Y-TZP composites.—75-07008A
Mechanical properties of Y-TZP/Al_2O_3 functionally graded ceramics obtained by sequential slip casting.—75-02501A
Mechanism and kinetics of electrophoretic deposition [EPD] of Al_2O_3.—75-04103A
Mechanochemical activation of alumina.—75-06679A
Method for coating metal cookware.—75-00162P
Method for making abrasive grain containing alumina and ceria.—75-00012P
Method for manufacturing an aluminum oxide sintered body.—75-07265P
Method for measuring short-crack *R*-curves without calibration parameters: case studies of alumina and alumina/aluminum composites.—75-02077A
Method for preparing ceramic composite.—75-08596P
Method for the calculation of interfacial energies in Al_2O_3 and ZrO_2/liquid-metal and liquid-alloy systems.—75-05960A
Method for thermal processing alumina-enriched spinel single crystals.—75-01121P
Method of forming a single crystal film of sodium-beta-alumina.—75-01122P
Method of making analogs of ß-alumina.—75-06096P
Method of making cordierite bodies.—75-01124P
Method of making glazed AlN substrate with an Al_2O_3-SiO_2 interfacial layer.—75-06129P
Micronized α-Al_2O_3 in zero-cement castables.—75-07601A
Microstructural characterization of alumina and silicon carbide slip-cast cakes.—75-09554A
Microstructural design of high-alumina ceramics for abrasive environments.—75-09555A
Microstructural development and mechanical properties of pressureless sintered Al_2O_3/SiC composites.—75-01572A
Microstructural studies on pleochroite.—75-00054A
Microstructure and fracture behavior of an Al_2O_3-ZrO_2-SiCw ceramic composite.—75-04600A
Microstructure and growth mechanism of Al_2O_3/Al ceramic matrix composite made by directed oxidation of Al alloys.—75-02508A
Microstructure and mechanical properties of Cr_3C_2 particulate-reinforced Al_2O_3 matrix composites.—75-06895A
Microstructure and properties of alumina-rich spinel and its products.—75-02823A
Microstructure control and wear of Al_2O_3-SiC-(Al,Si) composites made by melt oxidation.—75-04603A
Microstructure development and solid-state reactions during liquid phase sintering.—75-09564A
Microstructure of alumina ceramics made by injection molding.—75-09566A
Microstructure of an icicle-like spinel grown at the MgO/$MgAl_2O_4$ interface in the dense and coarse MgO–fine Al_2O_3 powder system.—75-09567A
Microstructure of NiO-CoO solid solutions sintered with Al_2O_3 additive.—75-09568A
Microstructure of pressureless sintered Al_2O_3-24 vol% ZrO_2 composite studied by high-resolution electron microscopy.—75-06900A
Microstructure of sputtered epitaxial $Ni_{0.8}Fe_{0.2}$/$Ni_xCo_{1-x}O$ exchange coupled bilayers on α-Al_2O_3(0001).—75-04369A
Microwave and conventional sintering of rapidly solidified Al_2O_3-ZrO_2 powders.—75-06685A
Microwave densification of alumina.—75-06686A
Microwave joining of alumina both directly and with 2223 superconductor interlayer.—75-01575A
Microwave plasma sintering of low-soda alumina.—75-01578A
Microwave sintering of nanocrystalline γ-Al_2O_3.—75-04110A
Mineral composition change in matrix of alumina-spinel castable.—75-07604A
Mixed oxide composite ceramics and method of producing the same.—75-03673P
Modified alpha-alumina particles.—75-07117P
Modified sol-gel alumina.—75-07118P
Molten cast materials of the Al_2O_3-MgO system.—75-02824A
Morphological forms of α-alumina particles synthesized in 1,4-butanediol solution.—75-01229A
Mullite formation by endothermic reaction of α-alumina/silica microcomposite particles.—75-01590A
Multiphase composites of tetragonal zirconia agglomerate dispersed into alumina and alumina-zirconia matrices.—75-06690A
Nanocoated particles: a special type of ceramic powder.—75-04119A
Nature of color of anodic oxide obtained in integral color anodizing electrolyte.—75-09161A
Near-surface deformation in alumina–silicon carbide whisker composite due to surface machining.—75-07017A
New aspects of alumina-pressure casting.—75-01592A
New high dielectric constant materials: micron/nanocomposites of suspended Au clusters in SiO_2/SiO_2-Al_2O_3-Li_2O gels and relevant theory for high capacitance.—75-02921A
New kiln technology.—75-06005A
Ni incorporated into anodic porous alumina formed on an Al wire.—75-06696A
Nickel–alumina bonds: mechanical properties related to interfacial chemistry.—75-07222A
Nickel-alumina composites—in situ synthesis by a displacement reaction, and mechanical properties.—75-02515A
Noble metal/Zn-Al_2O_3 reforming catalysts with enhanced reforming performance (C-2714).—75-07268P
Nonconductive aluminum oxide-titanium carbide (Al_2O_3-TiC) thin film computer head substrate, method of making same, and slider element incorporating same.—75-00406P
Novel aspects of microwave processing of ceramic materials.—75-01596A
Obtention of highly dispersed platelet-reinforced Al_2O_3 composites.—75-06700A
Optimization of a ductile-particle-toughened ceramic.—75-09372A
Optimization of continuous casting refractory materials and designs.—75-07619A
Optimization of the fugitive coating thickness in pressure-infiltrated mullite alumina composites.—75-04128A
Orientation relationships and interfaces between low symmetry phases in the yttria-alumina system.—75-04384A
Orthodontic device with a ceramic tooth attachment.—75-03674P
Oxidation and corrosion of $SiC_{(particulate)}$/Al/Al_2O_3 composites in sodium silicate at elevated temperatures.—75-06926A
Oxidation behavior and effects of oxidation on the strength of SiC whisker-reinforced alumina.—75-04436A
Oxidation behavior of reaction-bonded alumina compacts using an $Al_{88}Si_{12}$ alloy precursor.—75-06928A
Partially crystalline, transitional aluminum oxides, methods for their synthesis and use for obtaining molded articles, which consist essentially of gamma-Al_2O_3.—75-01129P
Particle volume graded Ni-Al_2O_3 and Cu-Al_2O_3 composite deposits: production and performances.—75-02519A
Particle-inhibited grain growth in Al_2O_3-SiC: I. Experimental results.—75-09573A
Particle-inhibited grain growth in Al_2O_3-SiC: II. Equilibrium and kinetic analyses.—75-09005A
Particle/matrix interface and its role in creep inhibition in alumina/silicon carbide nanocomposites.—75-02084A
Phase diagram for the SiF_4 join in the system SiO_2-Al_2O_3-SiF_4.—75-09010A
Phase diagram of the system Al_2O_3-SiO_2.—75-05118A
Phase reaction and sintering behavior in the pseudoternary systen AlN-Y_2O_3-Al_2O_3.—75-09028A
Phase transformation kinetics of precursor gel to α-alumina.—75-06310A
Phase transitions in ceramic oxides as the result of processes with short-time high-temperature action.—75-01236A
Photon emission from an alumina insulator in vacuum subjected to dc electrical fields.—75-02926A
Photopyroelectric deconvolution of bulk and surface optical absorption and nonradiative energy conversion efficiency spectra in Ti:Al_2O_3 crystals.—75-03128A
Photostimulated thermoluminescence in C-doped α-Al_2O_3 crystals.—75-03913A
PIP [polymer infiltration/pyrolysis] processing, microstructure and properties of Si_3N_4 fiber and Al_2O_3 fiber-reinforced silicon nitride.—75-04138A
Plastic shaping of aqueous alumina suspensions with saccharides and dicarboxylic acids.—75-04140A

Plastic-to-brittle transition of saturated, alumina powder compacts.—75-09662A
Possibility of production of reaction-bonded aluminum oxide using microwave energy.—75-04143A
Prediction of a high-pressure phase transition in Al_2O_3.—75-03824A
Preparation and characterization of alumina dispersed in Y-TZP.—75-01612A
Preparation and microstructure of Al_2O_3-TiC composites by self-propagated high-temperature synthesis.—75-04151A
Preparation and phase relations of the ß- and ß′′-alumina materials in the ternary system K_2O-MgO-Al_2O_3.—75-06717A
Preparation and properties of borosilicate-coated alumina particles from alkoxides.—75-04154A
Preparation and properties of magnesia-alumina spinel by SHS.—75-09385A
Preparation of Al_2O_3-TiO_2 nanocomposite powder.—75-06720A
Preparation of Al_2O_3/Al/fiber composites by infiltration of oxidizing aluminum into preforms.—75-01620A
Preparation of alumina fiber by sol-gel processing.—75-06721A
Preparation of alumina gels by a nonhydrolytic sol-gel processing method.—75-06722A
Preparation of Ca-ß′′-Al_2O_3 from alumina gel.—75-09389A
Preparation of ceramic coatings from preceramic precursors: I. SiC and Si_3N_4/Si_2N_2O coatings on alumina substrates.—75-06727A
Preparation of ceramic composite powders from waste colliery minestones.—75-04158A
Preparation of high-temperature catalytic support from gibbsite: II, Properties of amorphous alumina [AA] as precursor of catalyst support.—75-09396A
Preparation of highly concentrated alumina suspension through investigation of proton adsorption density.—75-09397A
Preparation of monodispersed spherical silica-alumina particles by hydrolysis of mixed alkoxides.—75-04160A
Preparation of multilayer composites by combination of centrifugal filter pressing and rate-controlled sintering.—75-01624A
Preparation of special-shaped γ-AlOOH γ-Al_2O_3 ultrafine powders by hydrothermal reaction method.—75-04170A
Preparation of thermally stable aluminas by hydrothermal treatment of an alkoxide-derived gel.—75-06738A
Preparation of Y-TZP/Al_2O_3 whisker preform by an in situ method.—75-06743A
Pressure cast alumina tile reinforced aluminum alloy armor and process for producing the same.—75-07272P
Pressure filtration of AlN-TiO_2 slurries for the production of reaction hot-pressed Al_2O_3/TiN composites.—75-01629A
Pressureless sintering of ß-SiC with Al_2O_3 additions.—75-06745A
Prestress toughened Al_2O_3/Cr_3C_2/Ni/Al_2O_3/Cr_3C_2 with symmetric gradient structure.—75-02530A
Process for coating ceramic powder with alumina by sol-gel process and improved densification.—75-03675P
Process for producing a highly crystalline, fine α-alumina powder.—75-01132P
Process for producing high strength alumina.—75-03677P
Process for producing spherical zeolite catalyst and apparatus for producing the same.—75-06100P
Process for production of fine α-alumina powder.—75-03678P
Process for production of transition alumina.—75-08623P
Process for the inorganic chemical modification of rhodium alumina catalysts and automotive catalyst made by the process.—75-08784P
Processing and flexural behavior of alumina multilayer structures.—75-04181A
Processing and fracture behavior of hot-pressed silicon carbide whisker reinforced alumina.—75-04616A
Processing and properties of Al_2O_3-Cu composites.—75-07226A
Processing and properties of Al_2O_3/SiC nanocomposites.—75-01633A
Processing and properties of some alumina-boride composites.—75-04182A
Processing and tribology of alumina-graphite composites.—75-09664A
Processing of Al_2O_3 by direct coagulation casting (DCC).—75-04183A
Processing parameters influencing the sintering of alumina in a conventional and 14-GHz microwave furnace.—75-01064A
Processing, phase formation, and creep behavior of Si_3N_4 with Y_2O_3 and Al_2O_3.—75-03827A
Production of low-soda alumina.—75-08626P
Production of thick alumina coatings on graphite by sol-gel processing.—75-01634A
Production of ultrafine alumina powders and fabrication of fine-grained strong ceramics.—75-06752A
Properties of MgO-Al_2O_3 spinel clinkers synthesized in China.—75-07637A
Properties and hydrogenation activity of Pd-Dy/alpha-Al_2O_3 and Dy/γ-Al_2O_3 catalysts: I, Preparation and characterization.—75-03658A
Properties and hydrogenation activity of Pd-Dy/alpha-Al_2O_3 and Dy/γ-Al_2O_3 catalysts: II, Hydrogenation of vinyl and divinylbenzenes.—75-03659A
Properties and hydrogenation activity of Pd-Dy/alpha-Al_2O_3 and Dy/γ-Al_2O_3 catalysts: III, Cyclohexene and indene hydrogenation.—75-03660A
Properties of Al_2O_3-15 vol% ZrO_2 ceramics prepared by precipitation.—75-04617A
Properties of alumina aerogels prepared under different conditions.—75-06505A
Properties of ceramics and sensors based on modified indium oxide.—75-06506A
Proposal for a new mechanism for the transformation of alumina into aluminum nitride.—75-04189A
Pseudomorphic transformations of euhedral crystals of γ-AlOOH into aluminas.—75-03829A
Pyrolitic behavior of Si-C-O fiber in alumina matrix composite.—75-09412A
Pyrolytic behavior of Si-C-O fiber in alumina powder under N_2 atmosphere.—75-09413A
Quantitative electronic structure analysis of α-Al_2O_3 using spatially resolved valence electron energy loss spectra.—75-01915A
Raman spectroscopic study of the Pt-CeO_2 interaction in the Pt/Al_2O_3-CeO_2 catalyst.—75-06335A
Reaction bonding of ceramics by gas-metal reactions.—75-01641A
Reaction sintering of ZnO-Al_2O_3.—75-01644A
Reaction synthesis of $MoSi_2$-Al_2O_3 composite using MoO_3, Al, and Si powders.—75-03833A
Reaction-bonded silicon carbide refractory product.—75-05158P
Reactive hot-pressing study of the Al_2O_3-AlN-MgO system.—75-04197A
Recent development of high alumina refractories in China.—75-02831A
Refractory cements in the system (Ca, Sr, Ba)O-MgO-Al_2O_3-Cr_2O_3.—75-07653A
Relation between internal friction and tensile creep deformation on alumina ceramics.—75-04620A
Residual electron density study of α-aluminum oxide through refinement of experimental atomic scattering factors.—75-06340A
Residual stress-induced spontaneous microcracking in α-SiC platelet Al_2O_3 composites.—75-07028A
Residual stresses and apparent strengthening in ceramic matrix nanocomposites.—75-09422A
Rheology and processing of Al_2O_3-SiC whisker composite suspensions.—75-01652A
Rheology of alumina-based slips used for pressureless- and pressure-casting.—75-01653A
Role of alumina cement in castable refractories.—75-07655A
Saffil alumina fiber: manufacture, properties, and application in high-temperature furnaces.—75-05134A
Scanning force microscopy study of ceramic fibers for advanced composites.—75-06905A
Scientific-technological solutions ensuring the production of high-alumina lightweight refractories.—75-05135A
Seeded sol-gel-derived alumina-zirconia composites.—75-04393A
Selective reduction of nitrogen oxide with propylene on alumina-zirconia prepared from Al chelate compound and Zr alkoxide.—75-09428A
Self-consistent method to calculate fiber interactions in an SiC/Al_2O_3 ceramic composite.—75-03596A
Self-diffusion in α-Al_2O_3: I, Aluminum diffusion in single crystals.—75-04290A
Self-mode-locked femtosecond solid-state lasers.—75-03156A
Service of high-alumina refractories in arc furnaces.—75-05136A
Shear modulus and yield stress measurements of attractive alumina particle networks in aqueous slurries.—75-09668A
SiC whisker- and particle-reinforced ceramic cutting tool material.—75-01135P
SiC-TiB_2 composites doped with Al_2O_3.—75-04213A
Silicon-aluminum mixed oxide.—75-01136P
Sintered alumina—hard and strong like hot-pressed Al_2O_3/TiC composites.—75-01662A
Sintered ceramic article formed mainly of alumina.—75-03683P
Sintered ceramic composite and molten metal contact member produced therefrom.—75-06101P
Sintered MgO clinker containing Al_2O_3.—75-07660A
Sintering and characterization of gelcast alumina-chromia reaction bonded ceramics.—75-01663A
Sintering and characterization of yttria-stabilized cubic zirconia with alumina derived from solid solution.—75-01664A
Sintering and microstructure of Al_2O_3-ZrO_2 ceramics containing TiO_2 [0–12 wt%].—75-09437A
Sintering behavior of sol-gel synthesized alumina and alumina-8 vol% zirconia composite.—75-09439A
Sintering of alumina ceramics in a single-mode cavity under automated control.—75-01665A
Sintering of alumina in microwave-induced oxygen plasma.—75-09442A
Sintering of glass matrix composites containing Al_2O_3 platelet inclusions.—75-05044A
Sintering of mechanically activated χ-alumina.—75-06765A
Sintering of nanophase γ-Al_2O_3 powder.—75-06767A
Sintering of sol-sprayed alumina-zirconia composites.—75-06768A
Sintering of thin sheets of alumina prepared by the sol-spray technique.—75-04225A
Slip casting alumina with Na-CMC [sodium carboxymethylcellulose].—75-09444A
Slip casting of alumina powder mixtures with bimodal size distribution.—75-09445A
Slip casting of large size alumina products.—75-05914A
Slit-type immersion nozzle of alumina-graphite material.—75-07665A
Smoothly varying composition profiles by graded casting.—75-09446A
Sodium metasilicate-modified lightweight high alumina cements for use as geothermal well-cementing materials.—75-04833A
Sol to gel reaction in the K_2O-Al_2O_3-SiO_2 system.—75-06352A
Sol-gel preparation of alumina gels forming α-alumina around 500°C.—75-09447A
Sol-gel preparation of mesoporous Al_2O_3 and TiO_2 membranes.—75-01674A
Solid electrolyte ceramic.—75-07277P
Solid solubility and diffusivity in an alumina/zirconia system.—75-04291A
Solid solution formation in the Al_2O_3-Cr_2O_3 system assisted by ball milling.—75-07229A
Solid solutions of $Al_{2-x}Cr_xO_3$ produced by the sol-gel method.—75-06774A
Spontaneous infiltration of alumina by copper-oxygen alloys.—75-00134A
Steatite Diary: III, Technical ceramics: the years after World War II.—75-04754A
Stochastic microfracture process of ceramics.—75-07033A
Stratified ceramic body, oxygen sensor using the same, and fabrication method thereof.—75-08786P
Strength, hardness, and microstructure of 2Y PSZ-Al_2O_3 composites prepared from commercial powders.—75-07037A
Strengthening and toughening of Cr_3C_2-reinforced Al_2O_3.—75-01684A
Structural and mechanical characterization of some alumina and SiC based fibers.—75-03929A
Structural ceramics produced through post-sintering of dynamically compacted powder.—75-04230A
Structural change in plasma-sprayed alumina coatings by laser melting: III, Analysis by computer simulation technique.—75-09452A
Structural features of alkali and barium aluminofluorophosphate glasses studied by ir spectroscopy.—75-02609A
Structural formation in highly dispersed hydrated aluminum oxides.—75-06372A
Structure and dynamics in CaO-Al_2O_3 and SiO_2-Al_2O_3 liquids—investigation by ion dynamics simulation.—75-00273A
Structure formation in a composite prepared from a ZrO_2-Y_2O_3-Al_2O_3 gel.—75-09453A
Structure of spinnable solution of triethylaluminum and ethylsilicate-40 and calcination process of drawn alumina gel fiber.—75-09072A
Structure of transparent porous alumina studied by X-ray small-angle [XSA] scattering.—75-06907A
Structure-forming processes in spherical-shaped keramzit doped with aluminum etching wastes.—75-09454A
Superabrasive tool.—75-02174P
Supercritical debinding.—75-01687A
Superplastic alumina at temperatures below 1300°C using charge-compensating dopants.—75-01688A
Surface modification of silicon nitride powder with aluminum.—75-01691A
Surface properties of ceramic laminates fabricated by die pressing.—75-01349A
Surface-modified pyrogenically produced aluminum oxide.—75-01137P
Suspension parameters of SiC_w/Al_2O_3 composites.—75-03931A
Synthesis of α-Al_2O_3 powder by using a microemulsion.—75-01705A
Synthesis of Al_2O_3-Al composites by reactive metal penetration.—75-00139A
Synthesis of Al_2O_3-coated SiC composite powder.—75-06802A
Synthesis of Al_2O_3-SiC-ZrO_2 from kaolinite and zircon.—75-09465A
Synthesis of large pore size and large pore volume aluminas by glycothermal treatment of aluminum alkoxide and subsequent calcination.—75-06809A
Synthesis of needle-shaped γ-$LiAlO_2$ crystals by using LiOH-Al_2O_3-Al$(OH)_3$-NaOH system as the raw material.—75-09472A
Synthesis of well-sinterable alumina powder by dispersing hydroxide precipitate in alcohol.—75-09481A
TEM characterization of Al/Al_2O_3 composite fabricated by reactive metal infiltration.—75-02550A
Temperature quenching in luminescence of anion-defective α-Al_2O_3 crystals.—75-06859A
Temperature runaway and scale-up of the reaction bonding of aluminum oxide [RBAO].—75-09484A
Tensile creep behavior of a vitreous-bonded aluminum oxide under static and cyclic loading.—75-07042A
Tensile ductility in zirconia-dispersed alumina at high temperatures.—75-02102A
Testing of microfiltration ceramic membranes.—75-03662A
Theoretical analysis of the simultaneous detection method of thermally stimulated conductivity and luminescence: application to an α-Al_2O_3 monocrystal.—75-03933A
Thermal expansion and microstructures of melted Al_2O_3-ZrO_2-TiO_2 ceramics.—75-06911A
Thermal expansion studies of prestrained Al_2O_3/Al metal matrix composite.—75-04870A
Thermal shock acoustic emission and microstructure of refractories: I, High alumina refractories (60-90% Al_2O_3).—75-02844A
Thermal shock resistance of 90 to 100% alumina brick.—75-07677A
Thermal shock resistance of a ductile particle (iron) toughened alumina.—75-09681A
Thermal shock resistance of alumina-graphite refractories for the continuous casting of steel.—75-07678A
Thermal shock resistance of alumina-SiAlON composites.—75-07046A
Thermal stability of montmorillonite intercalated and alumina pillared by boehmite sol.—75-03938A
Thermoanalytical studies on titanium diboride, titanium-diboride-dispersed alumina, and zirconia ceramics.—75-04444A
Thermodynamic analysis of the metastable regions for the Al_2O_3-SiO_2 system.—75-03853A
Thermomechanical properties of alumina refractories containing a fused mullite-zirconia aggregate.—75-07683A
Toughening mechanisms in the high temperature fracture of high purity alumina.—75-07052A
Toughening of sol-gel-derived mullite matrix by Al_2O_3 platelets.—75-07053A
Toughening of X-SiAlON with Al_2O_3 platelets.—75-04654A

Transformation and densification of nanocrystalline θ-alumina during sinter forging.—75-09099A
Transient liquid-phase bonding of alumina using microdesigned Ni-based interlayers.—75-00143A
Transmission lines for high frequency and high density packaging.—75-00145A
Tribological evaluation of an Al_2O_3-SiO_2 ceramic fiber candidate for high-temperature sliding seals.—75-04657A
Ultrafine alumina particles prepared by mechanochemical/thermal processing.—75-09486A
Ultrafine alumina-coated silicon carbide particles for alumina-silicon carbide nanocomposites.—75-04264A
Uniaxial pressing of spray-dried alumina agglomerates.—75-01736A
Use of alumina clay with cement fly ash mixtures.—75-07196P
Use of reaction sintering in the microstructural design of zirconia-dispersed alumina matrix ceramics.—75-01973A
Usefulness of alumina-coated SiC whiskers in the preparation of whisker-reinforced alumina ceramics.—75-04268A
Utilization of beach sand sillimanite for development of high-alumina aggregates.—75-07691A
Vibrational modes in Na^+-ß-alumina by molecular dynamics.—75-06404A
Vibrational spectra of surface hydrides of high-temperature aluminum oxide forms.—75-09105A
Viscoelasticity of nanoalumina dispersions.—75-03942A
Wear behavior of alumina and SiAlON in line contact lubricated with diamond slurry.—75-09692A
Wear mechanism of alumina-spinel bricks in steel ladles.—75-07693A
Wear properties of alumina/aluminum composites with interpenetrating networks.—75-00147A
Wear resistance of alumina-based ceramics.—75-02108A
White fused alumina and zirconia manufactured by AFM [Australian Fused Materials], Western Australia.—75-07694A
X-ray study of the effect of adsorbed materials on the formation of dislocations during deformation of aluminum oxide microcrystals.—75-07057A
Yield stress of alumina-zirconia suspensions.—75-09699A
Yttria doping and sintering of submicrometer-grained α-alumina.—75-06831A
Zeolite-based additives for high alumina cement [HAC] products.—75-04839A

aluminates,
^{27}Al NMR of CaO-Al_2O_3-SiO_2 and CaO-Al_2O_3 liquids and glasses.—75-00256A
^{27}Al NMR in $Y_{3-x}Er_xAl_5O_{12}$ [x=0, 0.09, 0.18, 0.27] garnets.—75-08190A
Alumina composites reinforced by plate-shaped aluminates—effect of platelet size on properties.—75-01374A
Angular momentum of an Ising antiferromagnet of $DyAlO_3$ during metamagnetic phase transitions.—75-05654A
Anomalous thermal expansion of Ising magnets in the low-temp. region.—75-08193A
Determination of the nonstoichiometry of $YAlO_3$ crystals.—75-08904A
Effect of processing parameters on luminescence of combustion-synthesized, rare-earth-activated $Y_3Al_5O_{12}$ phosphors.—75-05294A
Etching figure of $CaNdAlO_4$ single crystals.—75-06601A
Fabrication of $MgAl_2O_4$ spinel/niobium laminar composites by plasma spraying.—75-04035A
First observation of amorphization in single-crystal $MgAl_2O_4$ spinel.—75-03893A
Formation of platelike lanthanum-ß-aluminate crystal in Ce-TZP matrix.—75-06234A
Formation of yttrium aluminates in the presence of TiN.—75-01509A
High energy and efficient SHG by using convex-antiresonant ring unstable Nd:YAP pulsed laser.—75-05334A
HREM study of the ionic conductor strontium lithium ß-alumina.—75-02912A
$LaAlO_3$ substrate for copper oxide superconductors.—75-08460P
$LaAlO_3$ thin films deposited on silicon and sapphire as buffer layers for $YBa_2Cu_3O_{7-x}$.—75-05788A
Light output and radiation damage in a $YAlO_3$:Ce crystal.—75-01302A
Long-lasting afterglow characteristics of Eu, Dy codoped SrO-Al_2O_3 phosphor.—75-08973A
Magnesioaluminate spinel—a potential raw material for making new generation refractories.—75-07595A
Magnetic susceptibility of $Y_{0.5}La_{0.5}CaNi_xAl_{1-x}O_4$ solid solutions.—75-05690A
Optical-magnetic study of Stark sublevels of the $^7F_6$ basic multiplet of the Tb^{3+} ion in $Y_3Al_5O_{12}$.—75-05701A
Orthorhombic to monoclinic phase transformation of $(Ho_{1-x}La_x)_4Al_2O_9$ by applying stress.—75-03816A
Preparation of lanthanum aluminate thin films by a sol-gel procedure using alkoxide precursors.—75-06731A
Progress in the ^{27}Al MAS NMR spectroscopy monitoring the hydration of calcium aluminate cements.—75-00060A
Quantum chemical interpretation of the catalytic action of $Cu_{1-x}Zn_xCr_{2-y}Al_yO_4$ on ammonium nitrate decomposition.—75-06754A
Sol-gel synthesis of lithium aluminate.—75-01676A
Sol-gel synthesis of magnesium aluminum spinel from a heterometallic alkoxide.—75-01677A
Surface characterization and catalytic activity of $Co_xMg_{1-x}Al_2O_4$ solid solutions. Oxidation of CO by oxygen.—75-06936A
Synthesis and growth of self-activated scintillation crystals of $Bi_2Al_4O_9$.—75-06794A
Synthesis of $MgAl_2O_4$ whiskers by an oxidation-reduction reaction.—75-01709A

aluminides,
AlGaAs grown by low-pressure metallorganic vapor phase epitaxy using an N_2 carrier.—75-02960A
Alumina-aluminide alloys (3A).—75-07198A
Effects of post-hot isostatic pressing on the strength of NiAl-ZrO_2 composites.—75-06972A
Experimental investigation of the dynamic elastic modulus and vibration damping in molybdenum- and alumina-coated Ti-25Al-10Nb-3V-1Mo aluminides cycled at elevated temperatures.—75-07209A
Influence of zirconium additions on the grain boundary melting of Ni_3Al intermetallic compounds.—75-02496A
Optimization of 670-nm strained quantum well laser diodes for high-temperature operation.—75-03105A
Performance improvement of MOSFET lasers by using trapezoidal gate MOSFETs.—75-03113A
Thermal barrier coating system for titanium aluminides.—75-00168P
Transmission line delay limitations of laser bandwidths.—75-03191A

aluminophosphate,
Comparison of thermal stability, acidity, catalytic properties, and deactivation behavior of novel aluminophosphate-based molecular sieves of type 36.—75-06433A
In situ whisker-reinforced $AlPO_4$-modified ß-eucryptite glass-ceramic: I, Morphology and crystallization kinetics.—75-02590A
Optimization of the interfaces in Nicalon-fiber-reinforced-AlPO-matrix composite materials.—75-06072A
Structural role of aluminum ions in sodium aluminophosphate glasses.—75-00174A
Structure and radiative properties of aluminophosphate glasses.—75-04933A

aluminosilicate, see also aluminosilicates
Aluminosilicate air-hardening mortar solutions with elevated strength.—75-07466A
Calculations of reactions of H_2O and NH_3 molecules with the surface of modified aluminosilicates and ZnO crystal.—75-06171A
Change in refractive index of alkali calcium aluminosilicate glasses upon equimolar replacement of sodium oxide by potassium oxide and in Na_{glass}^+-K_{melt}^+ ion exchange.—75-02627A
Change in the refractive index of a two-alkali aluminosilicate glass upon K_{glass}^+-Na_{melt}^+ exchange in the glass transition range.—75-02629A
Color centers produced by γ-irradiation and seeding of the samarium-, terbium-, and erbium-doped aluminosilicate optical fibers.—75-02576A
Conductivity of surface layers of sodium aluminosilicate glass treated with aqueous solutions.—75-07330A
Crystal structure of the baykovite mineral.—75-06194A
Electrical conductivity in mixed alkali aluminosilicate melts.—75-04956A
Features of structure formation of a high-carbon ash-based binder.—75-07149A
Formation processes of aluminosilicate ceramics with mineralizer additives.—75-06624A
High-temperature ultrasonic characterization of the mechanical and microstructural behavior of a fibrous composite with a magnesium lithium aluminum silicate [MLAS] glass-ceramic matrix.—75-04340A
Structure of aluminosilicate melts: evidence from Raman scattering spectra.—75-09070A
Synthesis and application of nanoparticulate aluminosilicate sols: III, Single-phasic aluminosilicate sols.—75-09456A
Thermodynamic properties of anorthite, $CaAl_2Si_2O_8$, and gehlenite, $Ca_2Al_2SiO_7$.—75-06395A

aluminosilicates,
Al_2O_3-SiO_2-based castables containing andalusite.—75-02807A
Aluminosilicate catalyst, a process for the manufacture thereof, and a process for the skeletal isomerization of linear olefins.—75-07238P
Attempt to reconcile interpretations of atomic vibrations and ^{29}Si NMR data in glasses.—75-02575A
Chemical interaction during the chemical vapor deposition of silicon carbide on aluminosilicate fibers from halogenated precursors.—75-06547A
Creep behavior of a 0-90° SiC_f-MLAS composite.—75-04471A
Creep behavior of SiC_f-YMAS composites.—75-04472A
Dissolution of amorphous aluminosilicate zeolite precursors in alkaline solutions: II, Mechanism of the dissolution.—75-06208A
Effect of off-axis loading on the tensile behavior of a ceramic matrix composite.—75-09623A
Effect of oxidation heat treatments on the mechanical behavior of an Si-C-O fiber-reinforced magnesium aluminosilicate.—75-06967A
Effect of rare-earth oxide concentrate on reaction, densification, and slag resistance of Al_2O_3-SiO_2 ceramic refractories.—75-02816A
Effects of hot corrosion on the microstructure of a silicon carbide fiber-reinforced calcium aluminosilicate.—75-04426A
Elastic constant degradation from microcracking in ceramic-ceramic composites cycled by slow thermal loading.—75-04507A
Electrical relaxation from hydrated surface layers developed on Li_2O-Al_2O_3-$2SiO_2$ glass under atmospheric and aqueous environments.—75-04961A
Failure mechanisms in CAS/SiC composite as a function of the strain rate.—75-04523A
Formation of Sm^{2+} ions in sol-gel-derived glasses of the system Na_2O-Al_2O_3-SiO_2.—75-02654A
Glasses for flat panel display.—75-07424P
High-temperature properties of SiC fiber-reinforced LAS glass-ceramic composite.—75-02657A
Influence of interfacial sliding stress on fatigue behavior of oxidized Nicalon/calcium aluminosilicate composites.—75-09645A
Infrared reflectivity spectroscopy of nitrogen-substituted alkaline-earth aluminosilicate glasses.—75-04906A
Interface degradation in CAS/Nicalon during elevated temperature aging.—75-04570A
Liquid-phase sintering of chemically unstable silicon carbide–lithium/magnesium aluminosilicate–titania composites.—75-06672A
Low-temperature sintering of ceramics for the production of low-voltage insulators.—75-07737A
Oxidation behavior of an Si-C-O fiber-reinforced magnesium aluminosilicate.—75-06927A
Porous ceramic granules.—75-01130P
Preparation and characterization of chrome-bearing high-aluminosilicate refractories.—75-07633A
Preparation of an $Na_4Zr_2Si_2PO_{12}$-sodium aluminosilicate composite and its application as a solid-state electrochemical CO_2 gas sensor.—75-05206A
Properties of aluminosilicate fiberboard.—75-03919A
Properties of CeO_2-Al_2O_3-SiO_2 glasses prepared in air.—75-04990A
Quasi-static and fatigue damage accumulation in a Nicalon-lithium magnesium aluminosilicate composite material.—75-04618A
SiC fiber-reinforced LAS glass-ceramic via sol-gel technique.—75-02740A
SIMS, EDX, EELS, AES, XPS study of interphases in Nicalon fiber–LAS glass matrix composites: I, Composition of the interphases.—75-06350A
SIMS, EDX, EELS, AES, XPS study of interphases in Nicalon fiber–LAS glass matrix composites: II, Chemistry of the interphases.—75-06351A
Single-fiber push-in vs single-fiber push-out—a comparison between two test methods to determine the interfacial properties of brittle matrix composites.—75-04399A
Structure of MD [molecular dynamics] simulated calcium aluminosilicate systems.—75-09071A
Tensile creep and recovery of SiC_f/CAS-II composites.—75-04647A
Thermal conductivity of vapor-liquid-solid [VLS] and vapor-solid [VS] silicon carbide whisker-reinforced lithium aluminosilicate glass-ceramic composites.—75-02693A
Viscous deformation of glass-ceramics in barium aluminosilicates.—75-02745A

aluminum nitride,
AlN ceramics prepared by aqueous colloidal processing.—75-01373A
AlN grown by metallorganic molecular beam epitaxy.—75-03951A
AlN-BN machinable ceramics.—75-02022A
Aluminum nitride body utilizing a vitreous sintering additive.—75-08815P
Aluminum nitride circuit board and method of producing same.—75-05216P
Aluminum nitride from inorganic polymers.—75-06113P
Aluminum nitride powder capable of forming colored sintered body and process for preparing same.—75-06114P
Aluminum nitride refractory materials and methods for making the same.—75-07696P
Aluminum nitride sintered body and method for manufacturing the same.—75-08816P
Aluminum nitride sintered body and method of producing the same.—75-08817P
Aluminum nitride sintered body and method of producing the same.—75-08818P
Aluminum nitride sintered body having a metallized coating layer on its surface.—75-07239P
Aluminum nitride-coated silicon carbide fiber.—75-08819P
Aluminum nitride-molybdenum ceramic matrix composites: characterization of ceramic-metal interface.—75-07199A
Aluminum nitride.—75-06017A
Analysis of Ti compound particle distribution in AlN-matrix composites.—75-01786A
Application of plasma flame to sintering: plasma sintering temperature of Y_2O_3-doped AlN.—75-07471A
Auger electron spectroscopy of aluminum nitride powder surfaces.—75-03765A
Behavior of aluminum nitride in the iron and steel industry.—75-07481A
Binder burnout of aluminum nitride tape casting with YF_3 and Y_2O_3 additives.—75-01386A
Carbonitriding of alumina to produce aluminum nitride.—75-08555P
Cathodoluminescence of $(SiC)_{1-x}(AlN)_x$ solid solutions.—75-07797A
Cavitation induced by high-temperature plastic deformation in aluminum nitride ceramics.—75-09605A
Ceramic armor.—75-03726P
Characterization of aluminum nitride from a precursor poly(isopropyliminoalane).—75-09528A
Characterization of diamond films grown on AlN/silicon substrates and of heterostructures with such films.—75-09530A
Circuit board.—75-00392P
Clean grain boundaries in aluminum nitride ceramics densified without additives by a plasma-activated sintering process.—75-06868A
Coating of yttria precursor on AlN powder by in situ precipitation.—75-06551A
Composite ultrafine particles of aluminum nitride and rare earth nitride, method for production, and sintered article thereof.—75-06120P
Crystallinity of AlN film deposited by reactive sputtering method: effects of residual water vapor.—75-08896A
Crystallographic model of (00.1)aluminum nitride epitaxial thin film growth on (00.1)sapphire substrate.—75-01214A
Densification and thermal conductivity of AlN doped with Y_2O_3, CaO, and Li_2O.—75-09124A
Dielectric dispersion of polycrystalline aluminum nitride at microwave frequencies.—75-02900A
Diffraction method detection of local lattice distortion in AlN ceramics by convergent beam electron[—comment].—75-06205A
Direct bonding of copper to aluminum nitride substrates.—75-00156P

Effect of AlN addition on the thermal conductivity of sintered Al_2O_3.—75-09268A
Effect of aluminum nitride buffer layer temp. on gallium nitride grown by OMVPE.—75-00463A
Effect of Ca compound addition on synthesis of AlN powder by carbothermal reduction–nitridation method.—75-01449A
Effect of Ca compound addition on the synthesis of AlN powder by the carbothermal reduction-nitridation method.—75-01450A
Effect of grain boundary phase on the thermal conductivity of aluminum nitride ceramics.—75-03886A
Effect of trace impurities on UV irradiation induced changes in aluminum nitride substrates.—75-01146A
Effects of reduction of the Al-Y-O containing secondary phases during sintering of AlN with YF_3 additions.—75-08915A
Effects of sputtering pressure and nitrogen concentration of the preferred orientation of AlN thin films.—75-03792A
Electrical characterization of AlN ball/pad grid array MCM-C/D.—75-00329A
Electrical characterization of aluminum nitride films on silicon grown by chemical vapor deposition.—75-00090A
Emergence of ZrO phase and catastrophic failure of Si_3N_4-AlN-ZrN ceramics.—75-03697A
Equation of state of aluminum nitride and its shock response.—75-01218A
First-principles calculation of the elastic stiffness tensor of aluminum nitride under high pressure.—75-03894A
Functionally gradient materials of the system AlN-metals.—75-00096A
Growth of aluminum nitride thin films on Si(111) and Si(001): structural characteristics and development of intrinsic stresses.—75-06881A
Growth of oriented aluminum nitride films on silicon by chemical vapor deposition.—75-06631A
Growth orientation considerations of epitaxial AlN films on 6H-SiC substrates.—75-03041A
Heat treatment of SiAlON-AlN polytypoid composites with rare-earth oxide additives.—75-04064A
Heteroepitaxial growth of SiC epilayers on AlN/Al_2O_3 substrates.—75-03045A
High power rf package using aluminum nitride ceramic.—75-01150A
High-brightness InGaN/AlGaN double heterostructure blue-green light-emitting diodes.—75-00507A
High-strength aluminum nitride fibers and composites and processes for the preparation thereof.—75-08829P
High-temperature electrical conductivity of AlN ceramics.—75-00338A
Hydrophobic aluminum nitride powder for aqueous tape casting.—75-01529A
Influence of boron nitride and carbon additives on the behavior of sintered AlN in a steelmaking environment.—75-07576A
Influence of microstructure on the thermal conductivity of aluminum nitride.—75-06882A
Influence of molybdenum on thermal properties of CMCs.—75-06476A
Influence of substrate temperature on physical structure of AlN thin films prepared on polycrystalline $MoSi_2$ by rf magnetron sputtering.—75-01546A
Initial stages of AlN thin film growth on alumina using trimethylamine alane and ammonia precursors.—75-01549A
Injection molding AlN for thermal management applications.—75-06659A
Insulation AlON ceramics.—75-07734A
Interdiffusion in SiC-AlN and AlN-Al_2OC systems.—75-06850A
Interfaces in ceramic substrates.—75-01876A
Kinetics of interface formation between AlN and Ti thin films.—75-00109A
Liquid phase formation and its migration in aluminum nitride ceramics.—75-08970A
Low-temperature sintering and high thermal conductivity of $YLiO_2$-doped AlN ceramics.—75-06673A
Low-temperature sintering route for aluminum nitride ceramics.—75-01172P
Low-temperature synthesis of Al-AlN composites from a nanostructure made by controlled magnetoball milling of Al in ammonia.—75-01565A
Measurements of density and viscosity of aqueous aluminum nitrate solutions.—75-09159A
Mechanical properties and microstructure of AlN/W composites.—75-09649A
Mechanical properties of Al_2O_3-AlN particulate composite.—75-09650A
Mechanisms of oxidation in hot-pressed SiC-AlN solid solutions.—75-04433A
Metallization and joining of aluminum nitride for space shuttle remote power controllers.—75-01151A
Method for enhancing aluminum nitride.—75-08592P
Method for manufacturing an aluminum nitride sintered body.—75-08835P
Method for preparing an aluminum nitride sintered body.—75-02951P
Method of making glazed AlN substrate with an Al_2O_3-SiO_2 interfacial layer.—75-06129P
Method of making moisture-resistant aluminum nitride powder and powder produced thereby.—75-08605P
Method of manufacturing a powdery AlN.—75-06130P
Methods of making composite aluminum nitride ceramic articles having embedded filler.—75-01180P
Microstructure and properties of AlN ceramics heat-treated in air.—75-09562A
Microstructure and properties of AlN matrix composites produced by the directed nitridation of molten aluminum.—75-06896A
Morphological effect of second phase on the thermal conductivity of AlN ceramics.—75-04378A
Nanostructured FGM of the system AlN-M (M=Al, Ni, Mo).—75-02514A
Nitriding reactions of Ti-Al system induced by ball milling in ammonia gas.—75-04122A
Oxidation of aluminum nitride substrates.—75-04442A
Phase reaction and sintering behavior in the pseudoternary systen AlN-Y_2O_3-Al_2O_3.—75-09028A
Phosphate-bonded Si_3N_4 and AlN ceramics.—75-01152A
Polymer precursor for silicon carbide/aluminum nitride ceramics.—75-03746P
Polymer precursors for aluminum nitride containing ceramics from polymeric precursors.—75-01183P
Polymer precursors for aluminum nitride.—75-06134P
Powered thermal transients modeling to compare AlN substitution for BeO.—75-02928A
Preparation of aluminum nitride powder from a (hydroxo)(succinato)aluminum(III) complex.—75-06723A
Preparation of Ca-2,2,2-trifluoroethanolate as a sintering additive for AlN ceramics.—75-06726A
Pressureless sintering of AlN-SiC-based multiphase ceramics.—75-04177A
Process for aluminum nitride powder production.—75-08615P
Processing and characterization of SiCw-AlN composites.—75-04179A
Properties of the heteroepitaxial AlN/SiC interface.—75-01913A
Proposal for a new mechanism for the transformation of alumina into aluminum nitride.—75-04189A
Pseudopotential calculation of band structure of SiC-AlN solid solution.—75-08031A
Raw materials influence the alpha-particle emission rate of AlN.—75-08508A
Reaction study of aluminum chloride with ammonia and mechanisms leading to aluminum nitride.—75-09047A
Reactive hot-pressing of AlN/TiB_2 particulate composites.—75-04196A
Reactive hot-pressing study of the Al_2O_3-AlN-MgO system.—75-04197A
Reduction of carbon/alumina powder mixture in a flowing nitrogen stream: the effect of catalysts on the reaction kinetics.—75-06756A
Selection and evaluation of sintering aids for low-temperature sintering of AlN ceramics.—75-09427A
Semiconductor package using an aluminum nitride substrate.—75-05530P
SiAlON composites and method of preparing the same.—75-01192P
SiAlON composition.—75-03754P
SiC-AlN: II, Mechanical properties.—75-04625A
Silicon-aluminium nitride ceramic and precursor compounds, processes for their preparation, and their use.—75-03757P
Sintered ceramic composite and molten metal contact member produced therefrom.—75-06101P
Sintering reaction in the system Si_3N_4-Y_2O_3-AlN.—75-01670A
Solid-liquid reaction in the Si_3N_4-AlN-Y_2O_3 system under 1 MPa of nitrogen.—75-03836A
Special features of structure formation in sintering ultradisperse powders of TiN-AlN compositions.—75-05140A
SREELS analysis of oxygen-rich inversion domain boundaries in aluminum nitride.—75-04402A
Static and dynamic compressive behavior of aluminum nitride under moderate confinement.—75-04630A
Structural study of polycrystalline AlN films prepared by ion-beam-assisted deposition.—75-04405A
Structural study of SiC/AlN bilayers and trilayers on Si and 6H-SiC.—75-01945A
Suppressing the formation of cone structures in chemical-vapor-deposited aluminum nitride/titanium nitride films.—75-04233A
Surface morphology of pulsed laser-deposited aluminum nitride thin films.—75-06381A
Synthesis of SiC-AlN ceramic alloys from Si, C, and AlN powder premixture by reaction HIP sintering and their mechanical properties.—75-09477A
Synthesis of SiC-AlN composite ultrafine powder by sol-gel processing.—75-09478A
Synthesis of transparent aluminum nitride whiskers and their applications to composite materials.—75-01721A
Thermogravimetric study of yttrium isopropoxide and dispersant burnout in aluminum nitride ceramic processing.—75-06821A
Use of CVD AlN films as protective coatings in $MoSi_2$ composites.—75-02558A
Using simultaneous deposition and rapid growth to produce nanostructured composite films of AlN/TiN by chemical vapor deposition.—75-04270A
X-ray diffraction of aluminum nitride at heat-treatment temperature between 20° and 1200°C.—75-04445A
XPS studies at the interface of Ti/AlN ceramic.—75-04417A

aluminum titanate,
Aluminum titanate ceramics and their application in exhaust pipes for engines.—75-03641A
Application of aluminum titanate as thermocouple protection tubes in the molten aluminum industry.—75-01075A
Defect formation in ß-Al_2TiO_5 and its influence on structure stability.—75-06842A
Final stage sintering of aluminum titanate with and without additives by hot isostatic pressing.—75-01502A
Finite element analysis of metal casting around low expansion ceramic materials.—75-01292A
Microwave synthesis of aluminum titanate in air and nitrogen.—75-01583A
Overview of the thermal shock characteristics of aluminum titanate.—75-02083A
Stabilization of aluminum titanate.—75-06782A
Synthesis and properties of tialite, ß-Al_2TiO_5.—75-01704A

aluminum zirconium silicate,
Exudation and corrosion behavior of fusion-cast AZS refractories.—75-07551A
Use of fused-cast AZS products and their monolithic derivatives in applications for the ceramic industry.—75-07689A

aluminum,
U^- centers in selectively doped heterostructures.—75-02956A
Al_2O_3/Al ceramic composite—kinetics of melt oxidation.—75-02435A
AlGaInP multiple quantum wire heterostructure lasers prepared by the strain-induced lateral layer ordering process.—75-05237A
Aluminum *K*-edge absorption (XANES) studies of noncrystalline mullite precursors.—75-03763A
Aluminum matrix composite powder.—75-00149P
Anionic framework of a mixed type in $Na_3[Al_2F_3[PO_4]_2]$ crystalline structure.—75-08868A
Appearance of surface segregation of basic components of a solid solution of $A^{III}B^V$ and the segregated subsurface heterojunction in GaAlAs.—75-05242A
Assessment of clustering-induced internal strain in AlInAs on InP grown by molecular beam epitaxy.—75-00415A
Atomic scale simulations of tensile failure in metal oxides.—75-04453A
Biaxial optical anisotropy of GaAs/AlAs(*hhl*) superlattices.—75-05252A
Boron nitride and aluminum thermal spray powder.—75-07244P
Carrier capture and emission processes in A_3B_5 semiconductor quantum well structures.—75-02968A
Ceramic aluminum laminate and thermally conductive adhesive therefor.—75-08820P
Ceramic composite and methods of making the same.—75-00151P
Cerium-doped yttrium aluminum perovskite (YAP)—properties of commercial crystals.—75-01264A
Characterization by transmission electron microscopy of gradients in the chemical composition of GaAs/$Al_xGa_{1-x}As$ semiconductor laser structures.—75-02976A
Chemical durability of a boroaluminosilicate glass [for use in a ceramic glaze].—75-02854A
Classification of the wear performance of ceramic particulate-reinforced aluminum alloys.—75-09607A
Composition and process for making an engine valve.—75-00154P
Composition and strain analysis of semiconductor heterostructures using thickness fringes on TEM images.—75-00441A
Composition of spark anodizing coatings on Al obtained in Na silicate solution.—75-09244A
Composition of surface layers formed upon interaction with solutions and electrode properties of alkali aluminum borosilicate glasses: III, Properties of electrodes.—75-07290A
Composition of surface layers formed upon interaction with solutions and electrolytic properties of alkali aluminum borosilicate glasses: II, Sodium aluminum borosilicate glass.—75-02578A
Confocal photoluminescence study of metallorganic chemical vapor deposition growth on patterned GaAs substrates.—75-05264A
Cross sectional scanning tunneling microscopy of III-V quantum structures.—75-00449A
Crucible and method for its use.—75-07258P
Crystal growth and superconductivity of Bi-Sr-Ca-Cu-Al-O materials.—75-00781A
Crystallization and transformation of aluminum orthophosphates in organic solvent containing a small amount of water.—75-06196A
Current and time dependence of the residual voltage of the photon-injection pulse switches [PIPS].—75-02984A
Design of a tunable GaAs/AlGaAs multiple quantum well resonant cavity photodetector.—75-05279A
Determining the structural constants of the gradient epitaxial layer by high-resolution X-ray diffraction: I, Initial approximation of the solution of the inverse problem of diffraction.—75-08656A
Determining the structural constants of the gradient epitaxial layer by high-resolution X-ray diffraction: II, Solution to the inverse problem in the framework of kinematic and statistical dynamic theory of diffraction.—75-08657A
Development of porous AlCaP ceramics.—75-01083A
Diamond coatings for aluminum alloys.—75-00155P
Direct observation of Al guest ions in the silicate phases of cement minerals by ^{27}Al MAS NMR spectroscopy.—75-04813A
Displacement reactions in the Ni-Al-O system resulting in periodic layer structures.—75-02455A
Double anticrossing of a localized optical mode and two exciton resonances in a semiconductor microcavity.—75-07837A
Dynamic mechanical analysis of prestrained Al_2O_3/Al metal matrix composite.—75-04848A
Effect of diffusion processes on the contact melting of metallization layers of multilayered Si-$Si_n(Ge_n)$-Al structures.—75-09504A
Effect of grain boundary structure and segregation on electrical resistivity in aluminum.—75-01275A
Effect of growth temperature on electron mobility in InAlAs/InGaAs transistor structures grown on InP substrates by molecular beam epitaxy.—75-03004A
Effect of interband and exciton light absorption on the optical properties of Bragg reflectors.—75-05293A
Effect of irradiation on optical and photoelectrical properties of ir-sensitive GaAs/AlGaAs quantum well structures.—75-07850A
Effect of TiO_2 addition on phase formation in the Al-Si-Al_2O_3 system.—75-09290A
Effect of ultrasound on ripening of aluminogels.—75-06587A
Effects of aluminum on properties of hot-pressed C-B_4C-SiC composites.—75-03696A
Effects of structural morphology on mechanical properties for SiC/Al ceramic-metal composites.—75-02462A

Electrode properties of oxide vanadium bronzes of $M_xY_2O_5$ type, where M is Na, Mg, Ca, Cu, Al, and Fe.—75-06460A
Electroluminescence from radiation decay of surface plasmons in aluminum-insulator-indium tin oxide structures.—75-02908A
Electron scattering in quantum well by interface phonons.—75-07873A
Electron-optical phonon scattering in two-dimensional quantum wells with independent electron and phonon confinement.—75-03016A
Electronic and optoelectronic devices based on GaN-AlGaN heterostructures.—75-00478A
Electronic structures of ß-SiC(001) surfaces and Al/ß-SiC(001) interface.—75-00480A
Electrophysical properties of Al-Al_2O_3 structures synthesized by molecular stratification.—75-09139A
Evidence of the self-trapped excitons in $GaPO_4$ and $AlPO_4$ crystals.—75-05317A
Extrusion of Al/Si/SiC_p composite alloys in the semisolid state.—75-04851A
Features of transport phenomenon in alternately doped GaAs/$Ga_{1-x}Al_xAs$ heterostructures.—75-07889A
Fiber-reinforced aluminum matrix composite with improved interfacial bonding.—75-00159P
Formation of Al_2O_3-Al composite by directed oxidation of molten metals.—75-02480A
Fractal properties of aluminum hydroxide formed by the sol-gel method.—75-06979A
Fracture behavior of silicon carbide/aluminum-2124 alloy functionally graded materials.—75-02484A
Functionally gradient materials from Al and polyimide.—75-02485A
Galvanic corrosion behavior of aluminum alloys under thin-layer electrolyte.—75-04427A
Growth and structure of Al/MgO interfaces.—75-04330A
Growth of an alumina particulate-reinforced Al-Al_2O_3 composite by directed metal oxidation.—75-00099A
Heat capacity of $Y_xGd_{1-x}Al_3(BO_3)_4$ solid solutions.—75-06468A
Heat capacity of yttrium aluminum garnet, $Y_3Al_5O_{12}$, in the range 350–610 K.—75-08221A
Immiscibility region of $A_x{}^3B_{1-x}{}^4C_y{}^5D_{1-y}{}^5$ solid solutions in a quasi-chemical approximation.—75-06242A
In-plane microstructure of plasma-sprayed Mg-Al spinel and 2/1-mullite-based protective coatings: an electron microscopy study.—75-09552A
InAlAs/InP heterostructures: influence of a thin InAs layer at the interface.—75-00513A
Inert anodes for the smelting of aluminum.—75-01539A
Influence of alloying on the solubility of carbon fibers in aluminum-based composites: nonempirical approach.—75-04857A
Influence of aluminum alloy components on the process of color anodizing in vanadate electrolyte.—75-09150A
Influence of ceramic particle content on the cyclic fatigue and fracture behavior of an aluminum alloy metal-matrix composite.—75-00105A
Infrared excitations in semiconductor layered periodic structures in transverse magnetic field.—75-07931A
InGaN/AlGaN double heterostructure blue LEDs.—75-00519A
Insert metal of Al-Sn alloy for diffusion bonding in the atmosphere.—75-02497A
Interaction of uninterrupted ß-SiC filaments with aluminum melt and Al-Si alloys.—75-07215A
Interdiffusion between Y-Ba-Cu-O thin films and Al_2O_3 substrates studied by applying Rutherford backscattering spectrometry combined with atomic force microscopy.—75-01760A
Interfacial roughness in GaAs/AlGaAs multilayers—influence of controlled impurity addition.—75-00525A
Intervalley mechanism of forming negative differential *S*-type conductivity in short heterostructures.—75-03070A
Investigation of the porcelain enameling of die cast aluminum.—75-00108A
Ir Fourier spectroscopy of GaAs/AlAs heterostructures with double quantum wells.—75-07942A
Joining of Al plasma-sprayed Si_3N_4 ceramics.—75-02499A
Light absorbing semiconducting Bragg reflector.—75-07948A
Lightweight boron carbide/aluminum cermets.—75-07262P
Linear term valence subband mixing and its effect on electroabsorption of tensile strained GaAs/AlGaAs quantum wells.—75-05360A
Linewidth enhancement factor α of GaAs/GaAlAs quantum well lasers.—75-03080A
Local diagnostics of the GaAs/AlAs superlattice using optical detection of magnetic resonance and the anti-crossover effect of energy levels.—75-08678A
Long-wave radiation during heating of two-dimensional holes by the longitudinal electric field in quantum wells of GaAs-AlGaAs structures.—75-05363A
Low-temperature synthesis of Al-AlN composites from a nanostructure made by controlled magnetoball milling of Al in ammonia.—75-01565A
Low-temperature synthesis of aluminum silicon carbide using ultrafine aluminum carbide and silicon carbide powders.—75-01566A
Magnetotransport and far ir emission in two-dimensional hole GaAs/AlGaAs structures.—75-03089A
Mechanical response of interfacial reaction layer in SiC_f/6063 aluminum composites.—75-02502A
Method for measuring short-crack *R*-curves without calibration parameters: case studies of alumina and alumina/aluminum composites.—75-02077A
Method of armoring a vehicle with an antiballistic material.—75-00164P
Method of making spinel compounds.—75-08606P
Method of manufacturing aluminum borate whiskers having a reformed surface based upon gamma-alumina.—75-08836P
Microstructural dependence of sputtering temperature in magnetron sputtered Al-Si-Cu films.—75-02507A
Microstructural imaging of localized chemical reactions using valence photoelectrons.—75-01885A
Microstructure and growth mechanism of Al_2O_3/Al ceramic matrix composite made by directed oxidation of Al alloys.—75-02508A
Microstructure development in in situ reinforced reaction-bonded aluminum niobate-based composites.—75-06898A
Microstructure of ZA-12 alloy/ZnOw composite.—75-02510A
Microwave reaction sintering and properties of B_4C-Al composite.—75-07219A
MIS [metal-insulator-semiconductor] varicaps and photovaricaps [nonlinear capacitors] based on Al-Sm_2O_3-Si structures.—75-07971A
Mold lubricant for molten aluminum [ABN series].—75-05108A
MOVPE growth of high-quality $Al_xGa_{1-x}N/Ga_yIn_{1-y}N$ ($x \geq 0$, $y \leq 1$) heterostructures for short wavelength light emitter.—75-00546A
New bistable defect with deep levels in Si-doped $Al_xGa_{1-x}As$.—75-05397A
Nitriding of large-sized aluminum.—75-04121A
Nonchromated oxide coating for aluminum substrates.—75-00165P
Nonlinear luminescence and dynamic broadening of exciton lines of GaAs/AlGaAs structures during stationary optical excitation.—75-07986A
Optical control by switching and the switch-off mechanism in AlAs-GaAs *p-n-i-n*$^+$ structures by the voltage pulse of positive polarity.—75-03102A
Optical mirror facet strength of cw-operated SQW SCH [single quantum well separate confinement heterostructure] laser diodes.—75-07992A
Optical phenomena under electron heating in MQW GaAs-AlGaAs in a longitudinal electric field.—75-03103A
Optical properties of two-dimensional electron gas in the AlGaAs/GaAs heterostructures.—75-07997A
Optically detected anti-crossover of levels of localized excitons in semiconductors.—75-05411A
Oxidation and corrosion of $SiC_{(particulate)}$/Al/Al_2O_3 composites in sodium silicate at elevated temperatures.—75-06926A
P/M preparation of intermetallic NiAl compounds with graded addition of Cr.—75-02518A
Peculiarities of *I-V* characteristic of an asymmetrical quantum-well GaAs/AlGaAs structure having boundary barriers.—75-03111A
Phase equilibria in the quaternary system Ti-Al-C-N.—75-06306A
Photocurrent in a Schottky-gated AlGaAs/GaAs single quantum well structure.—75-03116A
Photoeffect characteristics in abrupt isotype N^+-n^0-n^+ heterostructures.—75-03118A
Photoluminescence [PL] of $CuAl_xIn_{1-x}S_2$ single crystals.—75-03124A
Photoluminescence [PL] of doped multiple GaAs/$Al_xGa_{1-x}As$ quantum wells at high excitation level.—75-05431A
Photoluminescence of doped spaced superlattices of GaAs/$Al_xGa_{1-x}As$.—75-03126A
Photoluminescence of the three- and two-dimensional carriers in N-AlGaAs/GaAs heterostructures.—75-08016A
Photoluminescence under moderate levels of excitation and resonant Raman scattering in GaAs/AlGaAs superlattices.—75-08019A
Preparation and characterization of Al-doped ZnO transparent conducting thin film by sol-gel processing.—75-09379A
Preparation of Al_2O_3/Al/fiber composites by infiltration of oxidizing aluminum into preforms.—75-01620A
Preparation of aluminum oxynitride by carbothermal reduction of aluminum oxide in a flowing N_2 atmosphere.—75-06724A
Preparation of gelatinous aluminum hydroxide from aqueous solutions of aluminum salts containing sulfate group with alkali.—75-09395A
Processing of TiAl components with gradient microstructures.—75-02533A
Production of titanium-aluminum-carbon ternary composites with dispersed fine TiC particles by combustion synthesis and their microstructure observations.—75-07228A
Reaction plasma sintering of aluminum oxynitride ceramics.—75-09418A
Recombination-enhanced annealing in GaAs and AlGaAs layers.—75-08042A
Reconstructed impurity centers in II-VI compounds.—75-08043A
Refractories based on using dross from remelting of aluminum scrap.—75-07647A
Refractories developments for the aluminum industry.—75-00271A
Regularities of photoemission from high-current pulsed photocathodes with laser excitation on the basis of heterophase aluminum lithium alloys.—75-06110A
Resonance Raman scattering by interface phonons in the magnetic field in GaAs/AlAs superlattice.—75-03151A
Resonance Raman scattering by interfacial phonons in the magnetic field in GaAs/AlAs superlattice.—75-05463A
Resonant optical cooling of a nuclear spin system in GaAs/AlGaAs quantum wells.—75-08046A
Resonant scattering studies of multilayer (In,Ga,Al)(As,Sb) heterostructures with InAs quantum wells.—75-05464A
Saturation of exciton absorption in GaAs/AlGaAs multilayer quantum wells during femtosecond laser excitation.—75-08050A
Selective and decorative chemical etching of epitaxial layers of $Al_xGa_{1-x}As$/GaAs in iron(III) salt solutions.—75-05467A
Self-diffusion in α-Al_2O_3: I, Aluminum diffusion in single crystals.—75-04290A
Shape of the emission spectra diffracted on laser-induced lattices in GaAs/AlGaAs quantum wells.—75-08054A
Shear and trace-wear behavior of ZA-12 alloy/ZnO_w composite.—75-02544A
Shock wave compression and release of aluminum/ceramic composites.—75-01658A
Simple description of Frohlich interaction in cylindrical GaAs/AlAs quantum wires.—75-05476A
Simulated annealing technique for multiobjective optimization of intelligent structures.—75-03257A
Sintering development and oxidation characterization of $AlYO_3$-doped Si_3N_4 ceramic.—75-04220A
Solubility of aluminum in yttrium nitrogen melilite phases.—75-01243A
Stabilization of fine SiC particles dispersed in a molten Al alloy: application to composite casting.—75-07231A
Strained $Ga_xIn_{1-x}P/(Al)Ga_{0.5}In_{0.5}P$ heterostructures and quantum well laser diodes.—75-05483A
Stress analysis near the interfacial reaction layer in SiC_f/6063 aluminum composites.—75-02547A
Stress relaxation study of aluminum/polymide bilayer thin films on substrate.—75-04638A
Strong anisotropy of the electron *g*-factor of conductivity in GaAs/AlGaAs quantum wells.—75-05486A
Structures and phase relations of aluminum-substituted calcium silicate hydrate.—75-03844A
Surface diffusion processes in molecular beam epitaxial growth of GaAs and AlAs as studied on GaAs(001)-(111)B facet structures.—75-01778A
Surface states in an accurately resolved model of semiconducting films.—75-08071A
Synthesis and thermal decomposition of intercalated compounds of aluminum hydroxide, $Li_2M(EDTA)\cdot 4Al(OH)_3\cdot 4H_2O$ (M=Co, Ni, Cu).—75-06800A
Synthesis of Al_2O_3-Al composites by reactive metal penetration.—75-00139A
TEM characterization of Al/Al_2O_3 composite fabricated by reactive metal infiltration.—75-02550A
Temperature and concentration dependences of structural and thermal properties of $CuAl_xIn_{1-x}Se_2$ chalcopyrite solid solutions.—75-06522A
Theory of electromagnetic radiation of 2-D magnetoplasmon and cyclotron oscillations in a semiconducting heterostructure with periodic shields.—75-08079A
Thermal conductivity of superionic aluminophosphate glasses of $0.2Al(PO_3)_3$+(0.8–*x*)LiF+*x*NaF.—75-04999A
Thermal expansion studies of prestrained Al_2O_3/Al metal matrix composite.—75-04870A
Thermal interaction of mechanically activated mixtures of CrO_3 and $Al(OH)_3$.—75-06392A
Thermomechanical and creep characterization of unidirectional SiC/Al composite.—75-07236A
Three-dimensional temperature field calculation for the cylinder head of an air-cooled diesel engine with ceramic coated exhaust port.—75-03663A
Uniform and high-power characteristics of 780-nm AlGaAs laser diodes fabricated by large-scale MOCVD.—75-05511A
Water resistance of aluminophosphate glasses with increased content of cesium oxide.—75-07375A
Wear of aluminum alloy matrix composites in lubricated conformal contact with case hardened steel.—75-04664A
Wear properties of alumina/aluminum composites with interpenetrating networks.—75-00147A
Wetting of ceramic materials by liquid silicon, aluminum, and metallic melts containing titanium and other reactive elements—a review.—75-04275A
X-ray study of chromium- and boron-doped synthetic $Ca_2Al(AlSi)O_7$ gehlenites.—75-09111A

ammonia,
Characterization of BN-rich layer on ammonia-treated Nextel 312 fibers.—75-04301A
Heat of adsorption of ammonia and methanol on L-type zeolites.—75-09147A
Inelastic neutron scattering study of NH_4 zeolites.—75-06244A
Kinetics of silicon monoxide ammonolysis for nanophase silicon nitride synthesis.—75-08966A
Pilot plant study for the SO_x removal in the ammonia incinerator.—75-08735A
Production of pure ammonia dihydrophosphate from extractive phosphorus-containing solutions.—75-06328A
Rubidium ammonium triphosphates.—75-09425A

ammonium,
Characteristics of AUC [ammonium uranyl carbonate] powder prepared with the waste AC [ammonium carbonate] solution.—75-08497A

amorphous solid,
^{27}Al MAS NMR of crystalline and amorphous materials.—75-01367A
Activated reactive laser deposition of GeO_2 films.—75-01370A
Effect of Si$^+$ implantation on properties of amorphous hydrogenated silicon [a-Si:H].—75-03008A
Effect of temperature on impact ionization in amorphous semiconductors.—75-07854A
Effective transverse thermal conductivity of amorphous Si_3N_4 thin films.—75-01276A
Electron structure of amorphous SiO_2: experiment and numerical modeling.—75-08921A
Enhanced saturation of sputtered amorphous SiN film frameworks using He and Ne Denning effects.—75-04023A
Giant negative magnetoresistance of semiinsulating amorphous indium oxide films in strong magnetic fields.—75-09145A
Hard, amorphous carbon deposited from a fullerene discharge.—75-09326A
Light-induced metastable changes in amorphous silicon nitride.—75-06258A
Optical, electrical, and photoelectrical properties of sputtered thin amorphous Zn_3P_2 films.—75-03911A
Photoluminescence by hydrogenated carbon solids [HAC] in interstellar space.—75-01904A

Properties of vacuum arc-deposited amorphous hard carbon [AHC] films.—75-09176A
Solid-state ^{29}Si NMR analysis of amorphous silicon nitride powder.—75-01242A
Synthesis, properties, and applications of superhard amorphous coatings.—75-09194A
Volume minimum in computer simulations of supercooled, amorphous silica.—75-06406A

amplifiers,
Bidirectional erbium-doped fiber amplifiers.—75-07324A
Glass optical waveguide amplifier.—75-04968A
Planar waveguide-type optical amplifiers.—75-05032A

analysis/analyzers,
Adaptation of an automotive exhaust gas analyzer to small periodic fuel kilns—a useful tool for calibration, control, and research.—75-01054A
Advanced ceramics in Taiwan.—75-04675A
Advanced surface techniques for the investigation of corrosion problems.—75-01009A
Analysis of densification process of carbon/carbon composites.—75-01378A
Analyzing the color of reddish glazes.—75-02850A
Analyzing the structure of ceramics.—75-09524A
Applications of TXRF in submicron VLSI.—75-04295A
Automatic iterative evaluation of complex material constants in piezoelectric ceramics.—75-05532A
Biocompatibility and surface analysis of nitrogen-containing DLC [diamondlike carbon].—75-08876A
Bismuth oxide, α-Bi_2O_3, studied by the muon method.—75-08877A
Ceramic fracture mode—intergranular vs transgranular fracture.—75-04456A
Comparative study of particle size analyses using common samples.—75-05940A
Computer simulation software to assist material design.—75-09706A
Contributions of the National Council on Radiation Protection and Measurements (NCRP) to radioactive waste management.—75-03453A
Correlation between long and short crack *R*-curves in alumina using the crack opening displacement and fracture mechanical weight function approach.—75-04467A
Critical review on oxidation protection for carbon-based composites.—75-04422A
Crystallization of superconducting yttrium barium cuprates from peritectic melts.—75-08282A
Deep levels in cadmium sulfide single crystals: a novel technique for the comparison of DLTS data.—75-02989A
Derivation of the exponential relation for the effect of ellipsoidal porosity on elastic modulus.—75-06200A
Diagnostics of $YBa_2Cu_3O_{7-\delta}$ laser plume by time-of-flight mass spectrometry.—75-00785A
Early history of calcium phosphate materials and coatings.—75-01084A
Electron microscopy and microanalysis of ceramics.—75-08663A
EPR in copper monoxide.—75-08665A
Evaluation of fine ceramic raw powders with particle size analyzers having different measuring principles and the problem.—75-08669A
Hydroacoustic evaluation of 1-3 piezocomposite plate and ring structures.—75-00666A
Immiscibility region of ternary solid solutions of A^3B^5 compounds.—75-07916A
Inelastic scattering of slow neutrons by hematite.—75-08222A
Infrared gas and liquid analyzers, a review of theory and applications.—75-01026A
Intelligent multichip module analyzer- a thermal design tool.—75-00343A
Intrinsic radiative background of $Bi_4Ge_3O_{12}$ crystals.—75-05355A
Investigative approach and analytical components concerning the state of the cement market in Central Russia.—75-07162A
Kinetic analysis of silicon oxidation in the thin regime by incremental growth.—75-02001A
Less noise in the factory.—75-09725A
Measurement and analysis of Hall effect of a two-dimensional electron gas in the close proximity of a superconducting $YBa_2Cu_3O_{7-x}$ film.—75-00823A
Method for qualitative evaluation of the nature of optical disturbances in float glasses.—75-02666A
Microwave processing: steps to successful commercialization—panel discussions.—75-02134A
New options for particle size analysis.—75-03585A
New possibilities of X-ray diffraction analysis in assessing structural perfection of III-V and II-VI compounds.—75-05970A
Nonlinear electrical properties of thick $Bi_2Sr_2CaCu_2O_8$ films investigated by two frequency mixing method.—75-08385A
Nonlinear electromagnetic excitation of longitudinal ultrasound in ferromagnets in the saturation region.—75-08234A
Novel system for fine structure measurement of ceramics.—75-08690A
Obstacles and remedies in microwave processing research and commercialization—an open forum.—75-01601A
Particle sizing—getting the complete picture.—75-04386A
PECVD and ozone CVD deposition rate, uniformity, and step coverage.—75-04132A
Photometric analysis of chromium oxide refractories.—75-02828A
Pressure casting rate analysis using a baroid filter press.—75-03593A
Pressure casting rates.—75-06744A
Quantitative X-ray diffraction analysis of portland cements.—75-00062A
R. T. Vanderbilt Co. Inc.—75-04739A
Reliability analysis of LTCC MCM's utilizing silver conduntives.—75-00371A
Scanning of ultrasonic beams in ferroceramics by a nonuniform electrical field.—75-08700A
Scientific, regulatory, and socioeconomic analysis of inorganic lead compounds—focus on electroceramics and glasses.—75-04748A
Selecting the right particle size analyzer.—75-05974A
Simplified statistical analysis of constituent scaling in composites.—75-05976A
Smart electroceramics.—75-09735A
Study of hybrid humidity sensors using polymer and thick film sensing elements.—75-00377A
Surface states in MIS structures studied by the two-temperature admittance method.—75-03179A
Theoretical and experimental investigation of plasma spray of ZrO_2.—75-04253A
Thermomechanical analysis of ceramic components for engines.—75-03940A
Thin films and single crystals of V_2O_3 in the phase transition region studied by surface acoustic wave method.—75-06398A
Use of band-to-band illumination to determine local level parameters in the noise spectroscopy technique.—75-05988A
VAMAS fractography round robin: a piece of the fractography puzzle.—75-04661A

anatase,
Electronic structure of anatase TiO_2 oxide.—75-06218A
Microstructure and crystallographic orientation of anatase coatings produced from chemically modified titanium tetraisopropoxide.—75-04363A
Preparation of sintered compacts of anatase by hydrothermal hot-pressing.—75-06736A
Temperature profile of anatase-TiO_2 powder compact during microwave heating.—75-09483A

andalusite,
Al_2O_3-SiO_2-based castables containing andalusite.—75-02807A
Andalusite.—75-06018A

anions,
Tunneling mode of superoxide radical anion decay on Pd-promoted yttria.—75-06401A

anisotropy,
Anisotropic glasslike characteristics of strontium barium niobate relaxors.—75-00638A
Anisotropy and Faraday effect in Co spinel ferrite films.—75-03277A
Anisotropy of electrical conductivity of indium selenide.—75-07780A
Anisotropy of the magnetic and magnetooptic properties of HoIG:Al single crystals (low and high magnetic field).—75-03278A
Anisotropy of the magnetic properties of cuprate single crystals, $R_2Cu_2O_5$ (R=Y, Lu, Tm, Yb, Tb).—75-08261A
Conductivity anisotropy in epitaxial 6H- and 4H-SiC.—75-00445A
Critical grain size for microcracking in low thermal expansion anisotropic ceramics.—75-02033A
Current-carrying anisotropy and the effects on it of thermomechanical treatments for Ag-sheathed Bi(Pb)-Sr-Ca-Cu-O superconducting tapes.—75-08283A
Dynamic uniaxial anisotropy in cobalt-doped ferrites.—75-05663A
Effect of anisotropy on the dispersion dependences of surface plasmon-phonon polaritons of zinc oxide.—75-09130A
Focusing of phonons and anisotropy of streamer breakdown in CdS crystals.—75-07891A
Gas-phase forming of anisotropic porous ceramic structures.—75-04054A
Influence of elastic anisotropy on stress concentrations around holes and notches in 2-D woven ceramic matrix composites.—75-04564A
Measurement of the anisotropy of two-photon absorption coefficients in zinc blende semiconductors.—75-05375A
Possible effects of elastic anisotropy on mechanical properties of ceramics.—75-07022A
Temporary properties of magnetic reversal of iron garnet single-crystal films with easy plane type anisotropies.—75-08246A
Texturing and texture-induced intergranular critical state anisotropy of superconducting $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ ceramics.—75-05849A
Transverse susceptibility and magnetic anisotropy of CoTi-doped barium hexaferrite single crystals.—75-00761A
Vortex structures in $YBa_2Cu_3O_7$.—75-00893A

annealing,
Annealing of massive vitreous waste forms.—75-03446A
Annealing of semimetal chalcogenide foils produced by ultrarapid melt quenching.—75-07781A
Annealing of the green luminescence centers in cadmium sulfide.—75-02962A
Annealing temperature and O_2 partial pressure dependence of T_c in $HgBa_2CuO_{4+\delta}$.—75-00771A
Conductivity and FTIR measurements of the hydrogen content of heat-treated diamond films.—75-01411A
Effect of annealing on the superconductivity of $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals.—75-00787A
Effect of composition and annealing conditions on the electrical properties of $Pb(Zr_xTi_{1-x})O_3$ thin films deposited by the sol-gel process.—75-03226A
Effect of mechanical deformation and annealing on the evolution of *c*-axis texture of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_x$ superconductor hot isostatic press cladded onto an Ag substrate.—75-05754A
Effect of short-time high-temperature annealing on kinetics of carbidic reactions in 2.7Cr-0.6Mo-0.3V [wt%] steel.—75-02817A
Effect of thermal annealing and γ-irradiation on EPR in $LiNbO_3$:Mg crystals.—75-06214A
Effect of thermal annealing on GaN nucleation layers deposited on (0001)sapphire by metallorganic chemical vapor deposition.—75-00465A
Effects of annealing on the structure of Ta_2N thin films deposited on Al_2O_3.—75-04016A
Effects of thermal annealing on the properties of niobium nitride thin films.—75-06597A
Influence of microwave annealing on the mechanical properties of alumina tiles.—75-00289A
Influence of post-deposition annealing and oxidation on structure and optical properties of CVD diamond films.—75-09339A
Kinetics of the tempering annealing of the charge in the gate SiO_2 of MOS structures irradiated by γ-quanta of Co^{60}.—75-03074A
Method and apparatus for manufacturing glass bottles.—75-08748P
Method for annealing thin-film superconductors.—75-08464P
Method for enhancing aluminum nitride.—75-08592P
Modification of a-$Si_{1-x}C_x$:H film properties during annealing.—75-07975A
Nature of the native defect ESR in thin diamond films.—75-01893A
Photoluminescence of zinc selenide single crystals annealed in zinc or selenium atmosphere.—75-01605A
Porous silicon luminescence study by imaging methods—relationship to pore dimensions.—75-00576A
Recombination-enhanced annealing in GaAs and AlGaAs layers.—75-08042A
Simulated annealing technique for multiobjective optimization of intelligent structures.—75-03257A
Solid-phase reaction of tungsten thin films with polycrystalline diamond.—75-01933A

anodes,
Dependence of thermal emission of anodized aluminum on the anodic oxide body.—75-06566A
Stabilization of the *n*-GaAs photoanode using the Te^{2-}/Te_2^{-2} redox couple.—75-03170A

anorthite,
Crystallization of sol-gel-derived glass-ceramic powders in the CaO-MgO-Al_2O_3-SiO_2 system.—75-04890A
Direction of liquid film migration induced by chromic oxide in alumina–anorthite.—75-09539A
Enthalpy of formation of wollastonite and anorthite by experimental phase equilibrium measurements and high-temperature solution calorimetry.—75-03795A
Phase stability and microstructure of some sol-gel-derived anorthite-based hybrid materials.—75-04135A
Sintering and crystallization behavior of a glass powder and block with a composition of anorthite and the microstructure dependence of its thermal expansion.—75-05043A
Solubility, reactivity, and nucleation effect of Cr_2O_3 in the CaO-MgO-Al_2O_3-SiO_2 glassy system.—75-04994A

antennas,
Development of a multilayer ceramic antenna switch for wireless communications.—75-00312A

antiferroelectrics,
Incommensuration and the distorted oxygen octahedron of antiferroelectric tin-modified lead zirconate titanate.—75-00668A

antiferromagnetism,
Elastic anharmonism in magnetoelectric tetragonal antiferromagnets.—75-08211A
Order by disorder in an anisotropic pyrochlore lattice antiferromagnet.—75-00754A
Spin dynamics of the quasi-two-dimensional Heisenberg antiferromagnet, Eu_2CuO_4.—75-08240A
State of degenerate antiferromagnetism in $ZnFe_2O_4$.—75-05711A

antimonia,
Water sorption-desorption characteristics of proton-conducting antimonic acids with cubic and monoclinic structures.—75-03863A

antimonides,
Cross-sectional scanning tunneling microscopy of III-V semiconductor structures.—75-00450A
Detailed analysis of carrier transport in $InAs_{0.3}Sb_{0.7}$ layers grown on GaAs substrates by metallorganic chemical vapor deposition.—75-00455A
Narrow gap semiconductors[—review].—75-03096A

antimony oxide,
Crystallization and physical properties of antimony orthoantimonate (β-$SbSbO_4$).—75-08897A
Electrical conductivity of V_2O_5-Sb_2O_3-TeO_2 glasses.—75-04957A
New route for the obtention of cadmium antimony oxide semiconducting ceramic powders.—75-03098A
Thermodynamic properties of alkaline-earth metal antimonates.—75-09092A

antimony,
Application of single crystals of bismuth and antimony chalcogenide solid solutions in miniature coolers.—75-05243A
Autosolitons in a heated and electric-field-pulse-excited electron-hole plasma of indium antimonide.—75-07788A
Compact thermoelectric materials based on solid solutions of the Bi_2Te_3-Sb_2Te_3-Sb_2Se_3 system.—75-05262A
Correction of statistical weights of condition equations for determining consistent thermodynamic data on the Ga-Sb system.—75-08648A
Crystallization and physical properties of antimony orthoantimonate (β-$SbSbO_4$).—75-08897A
Defect formation in $InAs_{1-x}Sb_x$ solid solutions.—75-05273A
Dependence of homogeneity of single crystals of $Bi_{0.5}Sb_{1.5}Te_3$ solid solutions on growth conditions.—75-05277A
Effect of antimony addition on sintering time to achieve 100 K of T_c of $Bi_{1.8}Pb_{0.4}Sr_2Ca_2Cu_3O_x$.—75-05749A
Effect of calcination temperature on the Sb-doped Bi-Sr-Ca-Cu-O system.—75-05750A
Effect of frequency on the electrical characteristics of tin-antimony-oxide mixtures.—75-05184A
Effect of Shubnikov-de Haas and energy spectra of $In_xSb_{2-x}Te_3$ solid solutions.—75-05295A

Electroluminescence due to localized carriers in type II broken-gap *p*-GaInAsSb/*p*-InAs single heterojunctions.—75-03013A
Experimental measurements of the energy of interface donor centers in GaSb/InAs/GaSb quantum well.—75-03025A
Ferrimagnetic-anitferromagnetic [F-AF] phase transition in $Mn_2Sb(As)$ melts under high pressure.—75-08217A
High carrier mobility in isotype *p*-GaInAsSb/*p*-InAs heterostructures.—75-07904A
Immiscibility region of $A_xB_{1-x}{}^3C_yD_{1-y}{}^5$ solid solutions in a quasi-chemical approximation.—75-06242A
Light polarization in InAsSb/InAsSbP double heterostructure lasers.—75-03078A
Low-temperature breakdown of donor states of Sb impurities in $Ge_{1-x}Si_x$ alloys.—75-07954A
Luminescence and structural quality of GaSb single crystals grown from nonstoichiometric melts.—75-03087A
Luminescent characteristics of epitaxial layers of GaSb doped with rare-earth metals.—75-06486A
Magnetophonon resonance in *p*-CdSb.—75-07962A
Magnetophonon resonance on heated electrons in indium antimonide.—75-05372A
Magnetothermoelectric properties of extruded lead-doped $Bi_{85}Sb_{15}$ solid solutions.—75-09158A
Mechanism for oxygen vacancy formation in antimony-doped tin(IV) oxide.—75-09513A
Microdefects in Te-doped GaSb.—75-05383A
Physicochemical study of the $Sb_2Te_3(Bi_2Te_3)$-TmTe system.—75-09041A
Preparation of $LiSbO_3$ thin films from metal alkoxides.—75-09399A
Process of radiative recombination in double heterostructures of InAsSbP/InAsSb/InAsSbP.—75-03137A
Production of antimony germanate, its structure, and some physical properties.—75-09172A
Properties of gallium antimonide doped with rare-earth metals during crystallization from tin-containing melts by LPE.—75-05449A
Properties of single crystals of solid solutions of Sb_2Te_3-Bi_2Te_3 systems.—75-05450A
Structural and FTIR spectroscopic studies of gel-xerogel-oxide transitions of SnO_2 and SnO_2:Sb powders and dip-coated films prepared via inorganic sol-gel route.—75-06371A
Synthesis and recrystallization of antimony orthoniobate and orthotantalate.—75-09080A
Thermal and thermoelectric properties of $[n\text{-}]Bi_{2-x}Sb_xTe_{3-y}Se_y$ ($x \leq 0.12$, $y \leq 0.36$) solid solutions.—75-08080A
Thin-layer elastically strained $InAs_{1-x-y}Sb_yBi_x$/InSb heterostructures: calculations of some physical parameters.—75-03186A
Tunnel-injection laser based on type II broken gap *p*-GaInAsSb/*p*-InAs single heterojunctions.—75-08089A
Type II GaInAsSb/InAs heterojunctions.—75-03194A
X-ray structural investigation of the redistribution of silver ions in ion-conducting channels of $AgSbOSiO_4$ after annealing at various temperatures.—75-09110A

apatite,
Apatite crystallization from metastable calcium phosphate solution on sol-gel prepared silica.—75-06159A
Apatite formation on various silica gels in a simulated body fluid containing excessive calcium ion.—75-09217A
Castability test of experimental apatite-based glass-ceramic for small castings.—75-05939A
Characterization of differently prepared apatites by adsorption behavior of albumin.—75-09532A
Growth kinetics of spherulitic apatite in some MgO-CaO-SiO_2-P_2O_5 glasses.—75-04902A
Physicochemical investigation of Khibini apatite and comparison of it with hydroxyapatite.—75-09168A
Spontaneous formation of bonelike apatite layer on chemically treated titanium metals.—75-02545A
Ytterbium-doped apatite structure crystals: a new class of laser materials.—75-01257A

apparatus,
Apparatus and method for synthesizing diamond in supercritical water.—75-01156P
Apparatus and process for manufacturing balls made of a ceramic material.—75-08551P
Apparatus for cooling neck rings in a glass molding machine.—75-08744P
Apparatus for sintering ceramic formed bodies.—75-01066P
Apparatus for the joining of ceramics using microwave hybrid heating.—75-00938A
Handling apparatus for ceramic green sheet.—75-05921P
Method and apparatus for manufacturing glass bottles.—75-08748P
Method and apparatus for vapor deposition of diamond film.—75-08587P
Method and apparatus of synthesizing diamond in vapor phase.—75-08588P
Method for forming a planarization etch stop.—75-08594P
Open coaxial microwave spot joining applicator.—75-00973A
Oxide superconducting film manufacturing apparatus.—75-08480P
Process and apparatus for chemical vapor deposition of diamond films using water-based plasma discharges.—75-08614P
Silicon nitride deposition.—75-08631P

appliances,
Emerging issues challenging the water heater market.—75-00092A
Porcelain enamel challenge: dare to compare.—75-00117A
Shinagawa's fibrous insulator [PYRO-FORM] supports the "MAGMA-POWER."—75-09734A

applications,
1995 Corporate Technical Achievement Award: Norton Advanced Ceramics—Cerbec silicon nitride bearing components.—75-06418A
Alumina.—75-06016A
Aluminum nitride sintered body and method of producing the same.—75-08818P
Aluminum nitride.—75-06017A
Andalusite.—75-06018A
Applicability of ceramics for cryogenic use.—75-01074A
Application of high-T_c superconducting $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ Ag-clad wires in a prototype fault current-limiter.—75-00772A
Application of vermiculite in construction.—75-08752A
Applications of microwaves for ceramic processing.—75-09218A
Ball clay.—75-06020A
Barium carbonate.—75-06021A
Barium titanate.—75-06022A
Bauxite.—75-06023A
Boron.—75-06024A
CAD/CAM review: solving problems with spreadsheets.—75-04683A
Century of SiC.—75-03688A
Ceramic gas turbine heat exchanger development.—75-01078A
Ceramic materials for gas turbine applications.—75-03689A
Ceramic membranes for ultra- and microfiltration (review).—75-09234A
Ceramic mirrors and method of manufacturing same.—75-07412P
Ceramic Precursor Technology and Its Applications.—75-02155B
Ceramic Sensors.—75-07104B
Ceramic technologies for portable radio applications.—75-00941A
Ceramic Transactions, Volume 63: Bioceramics: Materials and Applications, II.—75-04769B
Ceramic Transactions, Volume 67: Synthesis and Application of Lanthanide-Doped Materials.—75-04773B
Ceramic wood from diatomites.—75-07441A
Challenges in bioceramics.—75-07064A
Chromite.—75-06025A
Commercialization of the in situ vitrification [ISV] technology.—75-05890A
Commercializing microwave systems: paths to success or failure.—75-02119A
Current status of CVD diamond applications and prospects for the future.—75-09707A
Development and applications of refractories—the experience in the nonferrous metallurgical industry.—75-07512A
Development of high-performance silicon nitride ceramics and their applications.—75-03695A
Development of structural ceramic components for automobile applications.—75-00951A
Development of structural ceramic components for automobile applications.—75-08801A
Diamond/industrial.—75-06027A
Diatomite.—75-06028A
Dielectric ceramic composition for high-frequency applications.—75-07758P
Dolomite.—75-06029A
Electrical behavior of high-T_c superconducting ceramic bulk shapes and their applications in current-limiting devices.—75-00797A
Electronics application for fullerenes.—75-01147A
Feldspar.—75-06030A
Ferroelectric ceramics: materials and application issues.—75-03231A
Ferroelectric thin films for photonics: properties and applications.—75-05579A
Fluorspar.—75-06031A
Functionally gradient materials—hydroxyapatite-stainless steel composites.—75-00097A
Garnet/industrial.—75-06032A
Graphite, natural and synthetic.—75-06033A
Gypsum in modern buildings.—75-07151A
Ilmenite—a wide band gap semiconductor for novel electronic applications.—75-03050A
Image-wise poled ferroelectric layers for printing application.—75-05588A
Injection molding AlN for thermal management applications.—75-06659A
Injection molding of porcelain.—75-02872A
Issues related to the standardization of implantable ceramics.—75-07085A
Kaolin.—75-06036A
Layered ceramics.—75-09353A
Lithium minerals.—75-06038A
Manufacture of optical fibers for communications.—75-00959A
Mica.—75-06040A
Microporous refractory materials for high-temperature applications.—75-07602A
Modern applications of a new 300-kV field emission transmission electron microscopy to the study of advanced materials.—75-08685A
Mullite.—75-06043A
Nanophase ceramics for commercial application.—75-06691A
Nd-Fe-B rare-earth magnets—main applications.—75-08233A
New materials for electronic engineering.—75-04120A
New medical material based on metastable form of carbon.—75-08808A
New method of preparing lightweight keramzit.—75-07171A
New twist to glass fiber.—75-02734A
Newest refractory products for glass plants.—75-02825A
Olivine.—75-06045A
Overview of ASTM standard activities in support of advanced structural ceramics development.—75-07091A
Oxide superconducting material, process for preparing the same, and applications thereof.—75-08481P
Performance of ceramic-coated exhaust port of an air-cooled diesel engine.—75-03656A
Perlite.—75-06046A
Piezoelectric ceramic material including processes for preparation thereof and applications therefor.—75-08185P
Polyurethanes in the ceramic industry.—75-07092A
Preparation and properties of piezoelectric lead zirconate titanate thin films for microsensors and microactuators by sol-gel processing.—75-08164A
Production of basic castables and basic precast shapes for steel applications.—75-07634A
Prospects for nitrogen ceramics in engine applications.—75-03709A
Proven and probable use of/role of polymers in ceramics, refractories in particular.—75-07639A
Pyrophyllite.—75-06049A
Quality system in a production plant with continuous process: the case of Sardamag SpA (Italy).—75-07640A
Rare earths.—75-06050A
Recent developments in the design and application of blast furnace refractories.—75-07642A
Refractories for continuous casting in China.—75-07649A
Report from Beijing.—75-04745A
Role of lanthanides in optical materials.—75-06111A
Role of wireless communications in the National Information Infrastructure.—75-02147A
Scandia.—75-06054A
Separator scores for simplicity and reliability.—75-02887A
SiC—now and future: I.—75-06513A
SiC—now and future: II.—75-03713A
SIGRABOND-CC [carbon fiber-reinforced carbon]—examples of use in the glass industry.—75-08810A
Silica.—75-06055A
Silicon carbide.—75-06056A
Silicon nitride materials for engine applications.—75-03719A
Silicon nitride materials for heat engine applications.—75-03720A
Silicon nitride—from the past to the future—the career of an exceptional engineering material.—75-03722A
Silicon–electroceramics integration.—75-03161A
Sintering Theory and Practice.—75-07111B
Smart electroceramics.—75-09735A
Special steel pouring through fully partially stabilized zirconia.—75-07666A
Status of ferrite technology for high volume microwave applications.—75-00759A
Strontium.—75-06057A
Synthesis and application of nanoparticulate aluminosilicate sols: III, Single-phasic aluminosilicate sols.—75-09456A
Talc.—75-06058A
Thick film superconductors and their application in the microelectronics technology.—75-00889A
Thick film technology sensors meet the challange of today's applications.—75-00382A
Ultrafine cements for special applications.—75-02427A
Ultralow cement castables—applications in steel industries.—75-07686A
Vermiculite.—75-06060A
Weigh belt feeders- principles, design strategies and applications plus data on belt scales.—75-00990A
Wollastonite.—75-06061A
World advanced ceramics.—75-07100A
Zinc oxide.—75-06062A
Zircon.—75-06063A

aragonite,
Preparation conditions for aragonite whiskers by carbonation process.—75-09388A

archeology,
Ceramic analysis and social processes—pottery and society in antiquity.—75-00013A
Ceramic variability and production—a case study in pre-Islamic Southeast Arabia.—75-00014A
Chemical classification and provenance of some Roman glazed ceramics.—75-00015A
Chinese porcelain and technological discovery—a unique cultural environment.—75-00016A
Earthly aspect.—75-00018A
Late Predynastic Egyptian black-topped ware—a study in ceramic specialization and chronology.—75-00019A
Quantifying culture change in the ancient Near East—multivariative statistical analysis of Second Millenium BC pottery from Pella in Jordan.—75-00020A
Using pottery to interpret the past—Astarte figurines in Late Bronze Age Palestine, a case study.—75-00021A

architecture,
Architectural ceramics workshop in Costa Rica.—75-04787A
Barcelona's Castilla Fountain.—75-02197A
Conservation parameters related to Australia's First Government House.—75-00017A
French firm wins Benedictus Award.—75-02719A
Most famous ceramic landmark of the world.—75-02304A
Reconstructing the Augsburg Kachelofen.—75-04800A

argon,
Absorption coefficient in lead telluride implanted with high doses of argon.—75-07777A
Influence of bombardment with Ar^+ ions on the light scattering by single crystals of undoped indium phosphide.—75-03055A

armor,
Ceramic armor materials derived from combustion synthesized powders.—75-08797A
Ceramic armor.—75-03726P
Ceramic armor.—75-04872P
Method of armoring a vehicle with an antiballistic material.—75-00164P
Pressure cast alumina tile reinforced aluminum alloy armor and process for producing the same.—75-07272P
Transparent ceramic composite armor.—75-07279P

arsenate,
Heat capacity and thermodynamic functions of copper orthothioarsenate.—75-08945A

arsenic,
As incorporation during molecular beam epitaxy growth of GaN layers.—75-07787A

Classical Hall effect in an amorphous As_2S_3 semiconducting glass.—75-00435A
Conditions for LPE growth of $InAs_{1-x-y}Sb_xBi_y$/InSb heterostructures.—75-07811A
Defect formation in $InAs_{1-x}Sb_x$ solid solutions.—75-05273A
Determination of $CdAs_2$ band structure parameters by the optical transparency and photoconductivity methods.—75-02994A
Electrophotographic spectroscopy of deep levels in As_2Se_3 and As_2S_3.—75-03017A
Ferrimagnetic-antiferromagnetic [F-AF] phase transition in $Mn_2Sb(As)$ melts under high pressure.—75-08217A
Heat capacity and thermodynamic functions of $Ge_3As_2Te_3$ and $GeAs_2SeTe_3$ glassy phases in the range 55–320 K.—75-08946A
Hydrates of potassium, rubidium, and cesium dihydroarsenates.—75-05587A
Immobilization of arsenic in cement.—75-00044A
Kinetics of the dissolution of glasses of the As_2Se_3-CuO system in acidic oxidizing media.—75-07344A
Large-scale accumulation of electrically active defects in InP:As and InP:Ga single crystals.—75-03076A
Light polarization in InAsSb/InAsSbP double heterostructure lasers.—75-03078A
Magnetic and structural phase transitions in imperfect manganese arsenide.—75-08977A
Maximum operation temperature of diode lasers based on InAsSb/InAsSbP.—75-07963A
Mechanisms of high-temperature holographic recordings in As-S materials.—75-07966A
Microstructure of single crystals of indium and gallium selenides and germanium arsenide.—75-09569A
Nature of the reaction in the Eu-As-Te ternary system.—75-06284A
Optical property of InAsP/InP strained quantum wells grown on InP(111)B and (100) substrates.—75-00558A
Optical transitions in perfect undoped $CdAs_2$ single crystals at the edge of fundamental absorption and in the impurity region.—75-09001A
Parameters of the free volume theory for As-S-Br glasses.—75-02673A
Phase equilibria in the As_2O_5-ZnO system.—75-09015A
Phase formation in the CdP_4-ZnP_2-$CdAs_2$-$ZnAs_2$ system.—75-09027A
Photostructural transformations in amorphous and polycrystalline As_4S_4 films.—75-02602A
Physicochemical principles of arsenic extraction from sulfide ores.—75-06503A
Polarization of donor-acceptor photoluminescence of *p*-$CdSiAs_2$(In) single crystals.—75-08023A
Process of radiative recombination in double heterostructures of InAsSbP/InAsSb/InAsSbP.—75-03137A
Properties of $As_{40}S_{60-x}Se_x$ glasses for ir fiber optics.—75-02678A
Spin reorientation phase transition in melts of a unified system of $Mn_{2-x}A_xSb_{1-y}B_y$ (A=Cu, Zn, Ni, Fe; B=As, Sn).—75-08242A
Structural and magnetic properties of $Mn_{2-x}Ni_xAs$, $Mn_{2-x}Cu_xAs$, and $Mn_{2-x}Zn_xAs$ solid solutions with Cu_2Sb-type crystal structure.—75-09065A
Thermal conductivity and heat capacity of $(As_2S_3)_x(As_2Se_3)_{1-x}$ glasses.—75-04998A
Thermoelectric effects at the solid-liquid interface in $As_2(Se_{1-x}Te_x)_3$ systems.—75-08084A

arsenide,
Effect of scattering centers on the optical loss of As_2S_3 glass fibers in the infrared.—75-00186A
InAlAs/InP heterostructures: influence of a thin InAs layer at the interface.—75-00513A
Self-induced laterally modulated GaInP/InAsP structure grown by metallorganic vapor phase epitaxy.—75-03155A
Semiconducting phosphides and arsenides of silicon and germanium.—75-05471A
Structural and optical properties in ZnTe/GaAs strained heterostructures grown by temperature-gradient vapor transport deposition.—75-03171A
Structure of indium sulfide layers on InAs.—75-05489A

art/artware,
$1200 studio.—75-02175A
17th Fletcher Challenge Award.—75-02176A
1994 Fletcher Challenge Award.—75-02177A
19th Fletcher Challenge.—75-02178A
25 years at Frog Hollow[, Vermont].—75-02179A
25th anniversary show at Jane Hartsook Gallery.—75-02180A
2nd annual strictly functional.—75-02181A
49th Scripps Annual.—75-02182A
9th San Angelo Competition.—75-02184A
ACC Columbus.—75-04672A
Alabama's Monarch National.—75-02185A
American Way.—75-02186A
Andrea Johnson.—75-02187A
Andy Nasisse and Harvey Sadow.—75-02188A
Architectural ceramics workshop in Costa Rica.—75-04787A
Atmospheres.—75-02192A
Barbara Botting.—75-02196A
Barcelona's Castilla Fountain.—75-02197A
Bead making.—75-02198A
Bill Campbell.—75-02199A
Bill Grace: marks of process.—75-07119A
Bobby Silverman—an autobiography.—75-02201A
Bruce Winn.—75-02203A
Built, thrown, and touched.—75-02204A
Burlon Craig.—75-02205A
Byzantine Serres ceramics.—75-02207A
California clay conference.—75-02208A
Ceramic folklore of MUMYOI-Vaki.—75-04789A
Ceramic sculpture in Brazil.—75-02210A
Ceramics Israel.—75-02212A
Challenge of making pots at a university.—75-02213A
Challenge, renewal, and inspiration.—75-02214A
China paint—the ultimate in low fire.—75-02216A
Chris Carter.—75-02217A
Clay currents.—75-02218A
Clay Directions '94.—75-02762A
Clay on the Wall.—75-02219A
Close to the earth.—75-02221A
Collaborative throwing.—75-02223A
Collector's eye.—75-02224A
Contempo-baroque majolica—the art of Simona Alexandrov.—75-02226A
Continental drift.—75-02227A
Czeslaw Podlesny.—75-04790A
Daphne and Gary Hatcher.—75-04791A
David MacDonald.—75-07121A
Digging a hillside kiln.—75-02236A
Do not think about the blue door.—75-02237A
Echizen stoneware—800 years of Japanese tradition.—75-02239A
Edda Kallweit.—75-02240A
Eight steps to stop crazing.—75-02242A
Elisabeth Anderson.—75-02243A
Emma Luna.—75-04792A
Esperanza Romera.—75-02244A
Feats of Clay VI.—75-02246A
Feats of Clay VII.—75-02247A
Finding your niche.—75-04793A
Floating pottery of Myanmar.—75-04794A
Form and function in Baltimore.—75-02253A
Four steps of critical observation.—75-02255A
Frank Philipps—rollin' the dice.—75-02256A
Functional/sculptural concerns.—75-02257A
Gaining and maintaining exhibition support.—75-02259A
Gathering of tea.—75-02260A
Generic deities.—75-07123A
Glenda Taylor.—75-02262A
Greek folk pottery.—75-02263A
Gwen Heffner.—75-02265A
Handbuilding with suspended clay.—75-02266A
Hawaiian functional forms.—75-02267A
Heirlooms of the future.—75-02268A
High growth segment: high-resolution ceramic graphics on steel.—75-00100A
Hilary LaForce.—75-02269A
Hydnocerus series.—75-02270A
In search of Samarra soda.—75-04796A
In their cups.—75-07124A
International Cone Box Show.—75-02272A
Interplay of craft and wit: conceptual functional vessels by Eric Van Eimeren.—75-07125A
Jackie Chalkley anniversary exhibition.—75-02273A
James Lovera.—75-07126A
Jatun Molino—a pottery village in the Ecuadorian Amazon basin.—75-02274A
Jean-Luc Mas.—75-07127A
Jim Leedy—the reenchantment of clay.—75-02275A
Journeying 10 000 miles.—75-02278A
Joys of pottery making.—75-04797A
Justin Novak—consumer confidence.—75-02279A
Keiko Fukazawa and Joan Takayama-Ogawa—a confluence of American and Japanese cultures.—75-02280A
Ken Ferguson's legacy.—75-04798A
Korea's international ceramics workshop.—75-02283A
Low-fire-salt fuming.—75-02286A
Making a puzzle mug.—75-07128A
Making pots at Silver Dollar City.—75-02287A
Maria Alquilar—a perspective on public art.—75-02288A
Marian Baker.—75-04799A
Mary and Edwin Scheier.—75-02290A
Mary Lou Deal.—75-02291A
Memphis Mashiko stone.—75-02293A
Metamorphosis of a small business.—75-02294A
Mexican candelabra.—75-02295A
Micaceous clay—all that glitters.—75-02296A
Michael Magoto.—75-02297A
Mirek Oliva.—75-02299A
Mosaic challenges.—75-02303A
Mudflat Studio [Somerville, MA]: 25 years of community claywork.—75-07129A
My work as a potter.—75-02305A
Narrative mural.—75-02307A
National tea party.—75-02308A
NEA fellowships.—75-02309A
New artists tea party.—75-02310A
New York clay.—75-02312A
North American Free Clay Agreement.—75-02313A
Northern stars—women potters from Canada and Minnesota.—75-02314A
Object lessons at the European Ceramic Work Center [EKWC, Netherlands].—75-07130A
Overbeck studio.—75-02319A
Pat Charley—pattern and influences.—75-02321A
Patriciv Mateescv.—75-02322A
Patrick Hilferty—questioning criteria.—75-02324A
Penn State National.—75-02325A
Philadelphia's clay studio.—75-02327A
Philip Bellomo's ceramic screens.—75-02328A
Questions to ask a gallery.—75-02333A
Raku sculpture.—75-02335A
Raw and the cooked.—75-02336A
Reaching to the past.—75-02337A
Reconstructing the Augsburg Kachelofen.—75-04800A
Residential tile.—75-02340A
Rich Hepp's Robledo Mountain Pottery.—75-07131A
Richard Aerni.—75-02341A
Robert Sunday.—75-02345A
Ron Meyers: thirty years.—75-02347A
Ron Nagle—recent work.—75-02348A
Rules, rules, what rules. Sculptural freedom with paper clay.—75-04801A
Salty Dog Pottery: 20 years on.—75-02351A
San Francisco fair connections.—75-02353A
Shifting focus—from vessels to tile murals.—75-02355A
Side firing—where the life is.—75-02356A
Single-fired ash glazing.—75-02357A
Smoke-fired pottery.—75-02359A
Summer workshops 1996.—75-02363A
Svend Bayer.—75-02366A
Sylvia Netzer's Post-Toxic Neo-Plastic.—75-02367A
Table is set.—75-07132A
Texas pennypincher moves kiln Egyptian style.—75-02368A
Their own voices.—75-02370A
Thrapsano: Crete's center of traditional pottery.—75-04802A
Tim Taunton's narrative figures.—75-02373A
Trials and tribulations of turning professional.—75-02374A
Tribute to the sentinels.—75-04803A
Using natural clays.—75-02375A
Valuable offerings—the ceramic sculpture of Indira Freitas-Johnson.—75-02377A
Venturing into the unknown.—75-02378A
Virginia Clay.—75-07133A
Watershed—a new rawness.—75-02379A
Waylande Gregory.—75-02801A
West Coast clay—the new breed.—75-02380A
William Daley—ceramics and drawings.—75-02381A
Wilton Pottery.—75-04805A
Wood kiln for the lone potter.—75-04806A
Woodstoke: a cooperative anagama experience.—75-07134A

artists,
Anagama down under.—75-03605A
Ann Linnemann.—75-02190A
Architectural ceramics workshop in Costa Rica.—75-04787A
Challenge, renewal, and inspiration.—75-02214A
Contempo-baroque majolica—the art of Simona Alexandrov.—75-02226A
Creative process.—75-02228A
Czeslaw Podlesny.—75-04790A
Daphne and Gary Hatcher.—75-04791A
David Shaner—notes from a friend.—75-02229A
Diane Kenney.—75-02235A
Finding your niche.—75-04793A
Four steps of critical observation.—75-02255A
From Mali to Oregon—Baba Wague Diakite.—75-02773A
Hawaiian functional forms.—75-02267A
Maria Alquilar—a perspective on public art.—75-02288A
Mark Messenger.—75-02289A
Michael Magoto.—75-02297A
Modular inquiries.—75-02300A
Narrative mural.—75-02307A
New York clay.—75-02312A
Patrick Crabb—contemporary archaeologist in clay.—75-02323A
Questions to ask a gallery.—75-02333A
Ron Dale.—75-02346A
Ron Meyers: thirty years.—75-02347A
Ron Nagle—recent work.—75-02348A
Shopping for bargains at the tax fair.—75-04749A
Tim Taunton's narrative figures.—75-02373A
Venturing into the unknown.—75-02378A
Watershed—a new rawness.—75-02379A
Wilton Pottery.—75-04805A

asbestos,
Asbestos in bulk materials [analyzed] by X-ray diffraction: influence of grinding methods on the result.—75-06160A

ash,
Ash recycling by design in cement and concrete production.—75-02386A
Contact-condensation properties of hydrated ashes.—75-07141A
Structural features of vitreous and glass-ceramic materials prepared from brown coal ashes.—75-02610A

atmosphere,
Effect of ammonium nitrate on the thermal oxidation of gallium arsenide in a humid oxygen atmosphere.—75-07844A
Effect of atmosphere on the PTCR properties of $BaTiO_3$ ceramics.—75-05290A
Effect of oxygen gas concentration in the heat-treatment atmosphere and high-voltage pulse application on the electrical properties of carbon fibers.—75-07852A
Effect of reaction atmosphere on the early stage of carbothermal reduction of kaolinite: an XRD, ^{29}Si and ^{27}Al MAS NMR study.—75-06211A
Factors limiting the application of silicon nitride ceramics in sulfur-containing environments of low oxygen potential at high temperatures.—75-01991A
High-temperature stability of Nicalon under Ar or O_2 atmosphere.—75-06470A
Hydration of $YBa_2Cu_3O_{6+\delta}$ in a low-humidity atmosphere.—75-08338A
Influence of atmosphere and sample surface area on phase formation in melt-quenched Bi(Pb)-Sr-Ca-Cu-O glass-ceramics.—75-05778A

atomic orbitals,
Occupied and unoccupied orbitals of C_{60} and C_{70} probed with C 1*s* emission and absorption.—75-01316A

attenuation,
Piezoelectric effect and ultrasonic attenuation near T_c in single-crystal $YBa_2Cu_3O_{7-x}$ superconductors.—75-03393A
Ultrasound attenuation and velocity in $Bi_2Sr_{2-x}Ca_{1+x}Cu_2O_{8-\delta}$ [*x*=0, 0.25, 0.5, 0.75, and 1].—75-03423A

attrition,
Attritor grinding of refractories.—75-02808A
Effects of attrition on the densification of hydroxyapatite.—75-01468A

Auger electron spectroscopy,
Auger electron spectroscopy of metallic film/laser-irradiated alumina couples.—75-04298A

automation,
Automation of cement production.—75-07136A
Cartridge-type SGV system adapted to automation.—75-07487A
Development of wide range air/fuel sensors for internal combustion engine control.—75-00314A

Flat glass news.—75-02717A
Modernizing sanitary ware production.—75-05165A
New basic brick plant.—75-07450A
Optimization of control over glass founding in regenerative bath furnaces.—75-03624A
Overview of the U.S. refractories industry.—75-00267A
Particle sizer boosts refractory inspection.—75-02827A
Plant for automated product coating.—75-00977A
Repeat orders for materials transfer systems.—75-04743A
Revolution in ceramic tile sorting systems.—75-07453A

automobiles,
Automobile window glasses with complex shapes.—75-05001A
Ceramic target.—75-06104A
Ceramic-metal joining for automotive ceramic engines.—75-02443A
Ceramics for engines.—75-03691A
Development and application of automatic brazing machine for automobile fuel tank.—75-08516A
Development of structural ceramic components for automobile applications.—75-08801A
Modern automotive glasses.—75-07351A
Recent advances in the development of ceramic stationary components for automotive CGT [ceramic gas turbine].—75-09732A
Rotary capacitance transducers for automotive environments.—75-00373A
Silicon nitride materials for engine applications.—75-03718A
Test results of a ceramic-based carbon monoxide sensor in the automotive exhaust manifold.—75-03661A

ball bearing,
Silicon nitride bearing ball having a high rolling contact fatigue life.—75-08842P

ball clay,
Ball clay basics.—75-06019A
Ball clay.—75-06020A
Effect of ball clays on tile body formulations.—75-02770A
Experimental study of ball clays.—75-07550A

ball mills,
Ball charge dynamics in a planetary mill.—75-05894A
Crystallization of Fe-B-Si metallic glass during ball milling.—75-02449A
Dispersants in stirred ball mill grinding.—75-05898A
Effects of ball milling time on the properties of low-purity ß-phase silicon nitride powder and the hot-pressed body.—75-09292A
Equivalence of ball milling and thermal treatment for phase transitions in the Al_2O_3 system.—75-03796A
Fe-Al_2O_3 nanocomposite prepared by high-energy ball milling.—75-03292A
Fifty dollar ball mill.—75-04706A
Formation by ball milling and recrystallization of Y-Ba-Cu-O nanocrystalline phases.—75-00805A
Nitriding reactions of Ti-Al system induced by ball milling in ammonia gas.—75-04122A
Polymorphic transformations of titania induced by ball milling.—75-06323A
Properties of submicron cemented carbides prepared by using finely ball-milled powders.—75-00124A

band gap,
Elastic constants and phonon frequencies of wide band gap semiconductors.—75-07860A
Influence of interface properties and deep levels in the band gap on capacitance-voltage characteristics of InAs-based metal-insulator-semiconductor structures.—75-07924A
Optical band-gap shrinkage in highly transparent and conducting ZnO thin films deposited by the Pyrosol process.—75-01318A
Temperature dependence of the band gap width in GaAs.—75-03183A

band structure,
Absorption spectra of CuO single crystals in the region of the fundamental band and nature of the optical gap in copper oxides.—75-08858A
Anharmonic properties of wide band gap semiconductors.—75-07779A
Band offsets between group III nitrides.—75-01796A
Band structure of sodium nitrate.—75-08874A
Band theoretical investigation of substituted CrO_2 within the local density approximation.—75-00723A
Determination of $CdAs_2$ band structure parameters by the optical transparency and photoconductivity methods.—75-02994A
Direct experimental determination of the spin-orbital constants of the separated valence band of gallium arsenide.—75-07834A
Effect of antiferromagnetic ordering on band structure of La_2CuO_4.—75-08201A
Effects of molecular orientation on the electronic structure of the solid fullerites.—75-01277A
Features of the band spectra of an In_4Se_3 crystal.—75-08934A
Highly sensitive analysis for valence band edge of C_{60} films by total yield photoelectron spectroscopy.—75-01297A
Interband multiphoton absorption in superlattices.—75-05352A
Limited thermoelectric figure-of merit of crystalline semiconductor materials.—75-05359A
Pseudopotential calculation of band structure of SiC-AlN solid solution.—75-08031A
Selective imaging of metal atoms in the semiconducting layered compound MoS_2 by STM/STS.—75-01930A
Surface Fermi level position of diamond treated with plasma.—75-01957A
Thermal warming of wide-band semiconducting materials with a CO_2 laser.—75-08082A
Transport properties and band spectra of HTSCs of the bismuth system.—75-05854A
Use of band-to-band illumination to determine local level parameters in the noise spectroscopy technique.—75-05988A
Ways of heightening the figure-of-merit of semiconductor thermoelectrics.—75-03200A

baria,
BaO(CdO)-TeO_2-WO_3 systems in the TeO_2-rich regions.—75-08875A
Determination of copper ionic charges in yttrium barium cuprates based on the model of coulomb splitting of layers (BaO).—75-08285A
Single layer of BaO on tungsten(100): structure and work function.—75-09187A

barium carbonate,
Barium carbonate.—75-06021A

barium oxide,
Ceramic capacitor and method for fabricating the same.—75-02944P
Compositions of high frequency dielectric ceramics.—75-02948P
Dielectric ceramic composition for high frequency.—75-00395P
Effect of grain size on diffusion-induced grain boundary migration in $Ba(Zn_{1/3}Nb_{2/3})O_3$ ceramics.—75-04317A
Glass compositions and fibers therefrom.—75-07422P
Local range order of tellurium atoms in TeO_2-BaO and TeO_2-BaF_2 glassy systems.—75-04915A
Method of producing low-temperature firing dielectric ceramic composition containing B_2O_3.—75-05230P
Microstructure and superconductivity of ultrathin $YBa_2Cu_3O_7$ films.—75-00831A
Oxygen deficiency in $BaBi_{0.25}Pb_{0.75}O_{3-\delta}$ and its effect on the conduction behavior and crystal structure.—75-05808A
Phase formation and electrical properties in the system BaO-Li_2O-TiO_2.—75-06308A
Preparation of radiopaque SiO_2-BaO fillers by the sol-gel process for dental composite resins.—75-01091A

barium titanate,
Alternative route for synthesis of barium titanyl oxalate [BTO]: molecular precursor for microcrystalline barium titanate powders.—75-09216A
Barium titanate thin films on MgO substrates [investigated] by second harmonic generation.—75-01797A
Barium titanate.—75-06022A
$BaTiO_3$-$BaPbO_3$ ceramic composites.—75-03870A
$BaTiO_3$-$YBa_2Cu_3O_{6+\delta}$ ceramic composite system.—75-03343A
Bulk and surface properties of $BaTiO_3$.—75-00301A
Ceramic ferroelectric composite material—BSTO-MgO.—75-00711P
Ceramic ferroelectric composite material—BSTO-ZrO_2.—75-08177P
Characteristics and formation mechanism of $BaTiO_3$ powders prepared by twin-fluid and ultrasonic spray pyrolysis methods.—75-03963A
Characterization of barium titanate prepared by precipitation technique.—75-06176A
Characterization of the firing schedule for positive temperature coefficient of resistance $BaTiO_3$.—75-00431A
Charge-field hysteresis of $BaTiO_3$: PVDF composites.—75-06430A
Chemical processing and dielectric properties of $BaTiO_3$ ceramics.—75-00432A
Combining orthogonally polarized waves in barium titanate through parametric scattering.—75-08881A
Complex plane impedance analyses of electrical properties for $BaTiO_3$-based PTCR ceramics.—75-07808A
Crystallinity and stoichiometry of nanostructured sol-gel-derived $BaTiO_3$ monolithic gels.—75-08895A
Current-limiting property of *n*-$BaTiO_3$ ceramics.—75-05270A
Defect structure, electrical properties, and transport in barium titanate: I, Introductory remarks.—75-03877A
Defect structure, electrical properties, and transport in barium titanate: II, Consistency requirements between defect models and crystal properties.—75-03878A
Defect structure, electrical properties, and transport in barium titanate: III, Electrical conductivity, thermopower, and transport in single crystalline $BaTiO_3$.—75-03879A
Defect structure, electrical properties, and transport in barium titanate: IV, Thermopower of polycrystalline $BaTiO_3$ within the *n-p* transition range.—75-03880A
Defect structure, electrical properties, and transport in barium titanate: V, Work function.—75-03881A
Defect structure, electrical properties, and transport in barium titanate: VI, General defect model.—75-03882A
Defect structure, electrical properties, and transport in barium titanate: VII, Chemical diffusion in Nb-doped $BaTiO_3$.—75-03883A
Dielectric behavior and magnetoelectric effect in cobalt ferrite–barium titanate composites.—75-05662A
Dielectric properties of (Ba,Sr)TiO_3 films by rf sputtering.—75-00317A
Dynamic behavior of twins in $BaTiO_3$.—75-03225A
Effect of atmosphere on the PTCR properties of $BaTiO_3$ ceramics.—75-05290A
Effect of $BaTiO_3$ dispersion on the properties of cast tapes in processing of multilayer ceramic capacitor (MLCC).—75-07724A
Effect of buffer layers on the structural and electrical properties of (Ba,Sr)TiO_3 thin films deposited on indium tin oxide coated glass substrate by using an rf magnetron sputtering method.—75-01448A
Effect of crystallite size on the ferroelectric domain growth of ultrafine $BaTiO_3$ powders.—75-03227A
Effect of Nb on the gas/solid equilibration kinetics of $BaTiO_3$.—75-00323A
Effect of oxygen pressure on microstructure, texture, and growth characteristics of laser-ablated $BaTiO_3$ thin films.—75-05186A
Effect of particle size on the room-temperature structure of barium titanate.—75-01833A
Effects of monosubstituting chelating agents on $BaTiO_3$ prepared by the sol-gel process.—75-06593A
Effects of temperature and atmosphere on the formation mechanism of barium titanate using the citrate process.—75-04018A
Electrical characteristics of MOCVD deposited $Ba_{1-x}Sr_xTiO_3/YBa_2Cu_3O_{7-x}$ on $LaAlO_3$ substrate.—75-05190A
Electrical characterization of $BaTiO_3$ made by hydrothermal methods.—75-03889A
Electrical characterizations of polycrystalline and amorphous thin films of $Pb(Zr_xTi_{1-x})O_3$ and $BaTiO_3$ prepared by sol-gel technique.—75-05559A
Electronic and lattice excitations in $BaTiO_3$:La.—75-03890A
Electronic structure of barium titanate studied by the extended Huckel tight-binding method.—75-01287A
Epitaxial growth and dielectric properties of $BaTiO_3$ films on Pt electrodes by reactive evaporation.—75-00332A
Erasure of photorefractive gratings in barium titanate.—75-01289A
Evolution of large-scale inhomogeneities during the ferroelectric phase transition in $BaTiO_3$ crystals doped by trivalent bismuth.—75-08138A
Exaggerated growth of hexagonal barium titanate under reducing sintering conditions.—75-04323A
Fabrication and characterization of high-permittivity ceramics in the $Ba(Ti_{1-x-y}Sn_xZr_y)O_3$ system.—75-06604A
Fabrication of semiconducting $BaTiO_3$ ceramics at lower sintering temperatures.—75-07885A
Ferroelectric domains in $BaTiO_3$.—75-08143A
Fine $BaTiO_3$ powder produced by the glass crystallization technique.—75-01503A
Formation mechanism of barium titanate fine powder under hydrothermal conditions.—75-09313A
Formation mechanism of fine $BaTiO_3$ powder from spray pyrolysis.—75-01507A
Grain boundary controlled mechanical and dielectric properties of $BaTiO_3$-based nanocomposite.—75-01854A
Grain boundary oxidation rate of semiconductive Mn-doped $BaTiO_3$.—75-00498A
Grain orientation dependence of the PTCR effect in niobium-doped barium titanate.—75-03037A
Impedance spectroscopy of undoped $BaTiO_3$ ceramics.—75-02913A
Influence of Bi^{3+} ions in enhancing the magnitude of positive temperature coefficients of resistance in *n*-$BaTiO_3$ ceramics.—75-03054A
Influence of synthesis methods on the dielectric properties of $(Ba_{0.2}Pb_{0.8})TiO_3$ ceramics.—75-06657A
Internal friction study of transformation dynamics in $BaTiO_3$ ceramics.—75-03068A
Kinetics and mechanisms of hydrothermal synthesis of barium titanate.—75-08964A
Low-temperature epitaxial growth of $BaTiO_3$ films by radio-frequency-mode electron cyclotron resonance sputtering.—75-01564A
Lyothermal synthesis of nanocrystalline $BaTiO_3$ and TiO_2 powders.—75-01568A
Mechanical loss and elastic modulus associated with phase transitions in barium titanate ceramics.—75-04587A
Method for formation of barium titanate film.—75-03267P
Microstructural development on firing Nb_2O_5- and Bi_2O_3-doped $BaTiO_3$.—75-00350A
Microstructure and dielectric properties of $Ba_2(Ti_{8.472}Zr_{0.528})O_{20}$.—75-07738A
Microstructure in mixed phases of $BaTi_4O_9$-$BaPr_2Ti_4O_{12}$ ceramics.—75-06899A
Microwave sintering of $BaTiO_3$ thick films.—75-06488A
Modification of PTCR behavior of $(Sr_{0.2}Ba_{0.8})TiO_3$ materials by post-heat treatment after microwave sintering.—75-07976A
Multicolor-pumped oscillator in photorefractive $BaTiO_3$.—75-06491A
NMR study of the cubic-tetragonal phase transition in $BaTiO_3$.—75-06290A
Nonlinear dielectric effect in Cr-, Ni-doped $BaTiO_3$ ceramics.—75-07740A
NTC thermistor composition based on barium titanate.—75-00716P
Nucleation of twins by grain coalescence during the sintering of $BaTiO_3$ ceramics.—75-03814A
Orientation states of ferroelectric domains and {111} twins in $BaTiO_3$.—75-08157A
Oriented barium titanate thick films by reactive coating on rutile.—75-06703A
Phase diagram of the $BaTiO_3$-$SrTiO_3$ system.—75-06298A
Phase transitions in $BaTiO_3$-$KTaO_3$ solid solutions.—75-05204A
Piezoresistive ceramic sensor based on PTCR barium titanate.—75-00689A
Polymerized complex route to barium titanate powders using barium-titanium mixed-metal citric acid [CA] complex.—75-08161A
Positive temperature coefficient of resistivity effect in undoped barium titanate ceramics.—75-00577A
Preparation and characterization of $Ba_xSr_{1-x}TiO_3$ thin films by a sol-gel technique.—75-03250A
Preparation and characterization of spray-pyrolyzed $BaTiO_3$ films.—75-06715A
Preparation of a metallorganic deposition precursor for barium titanate.—75-01619A
Preparation of barium titanate fine particles from chelated titanium and barium nitrates by the mist decomposition method in air.—75-06725A
Preparation of semiconductive epitaxial $BaTiO_3$ thin film and its electrical properties.—75-08025A
Preparation of thin-film $(Ba_{0.5},Sr_{0.5})TiO_3$ by the laser ablation technique and electrical properties.—75-00366A
Process for making ultrafine barium titanate particles.—75-09492P
Processing and properties of barium titanate/polymer hybrid materials by sol-gel method.—75-02931A
Properties of mechanochemically pretreated precursors of doped $BaTiO_3$ ceramics.—75-06507A
PTC effect in doped $BaTiO_3$ ceramics: evidence for a bulk contribution.—75-03141A

Pulsed laser deposition of $BaTiO_3$.—75-09410A
Raman study of the relationship between room temperature tetragonality and the Curie point of barium titanate.—75-09046A
Role of lattice defects in the size effect of barium titanate fine particles—a new model.—75-09054A
Single crystal growth and electrical properties of lanthanum- and gadolinium-doped $BaTiO_3$.—75-08055A
Single-crystal neutron diffraction study of ferroelectric $Ba_{0.92}Ca_{0.08}TiO_3$.—75-05636A
Single-grain boundaries in PTC resistors.—75-03164A
Solubility of calcium oxide in barium titanate.—75-06360A
Structural and electrical properties of rf magnetron-sputtered $Ba_{1-x}Sr_xTiO_3$ thin films on indium tin oxide coated glass substrate.—75-03928A
Structural and microstructural evolution of barium titanate thin films deposited by the sol-gel process.—75-01940A
Structural and spectroscopic investigation of (111) twins in barium titanate.—75-04404A
Structure evolution in hydrothermally processed (<100°C) $BaTiO_3$ films.—75-01685A
Structure of barium titanate thin films [investigated] by Raman spectroscopy.—75-01948A
Subsolidus grain growth in donor-doped barium titanate.—75-06908A
Surface segregation in barium titanate.—75-01959A
Synthesis of barium titanate by the sol-gel process.—75-06803A
Synthesis of $BaTiO_3$ nanocrystals by stearic acid gel method.—75-04241A
Synthesis of porous barium titanate using emulsification techniques.—75-09475A
Temperature modulation of the electrooptic effect in $BaTiO_3$ and $LiNbO_3$—a theoretical approach.—75-00706A
Three-beam phase conjugation and mode competition in $BaTiO_3$.—75-01361A
Transport in $BaTiO_3$.—75-00385A
Variation of mechanism transition wavelength of self-pumped phase conjugation with Ce content in $BaTiO_3$:Ce crystals.—75-06403A

barium,
(Hg,Pb)-Ba-Ca-Cu-O superconductor and method of manufacturing the same.—75-03428P
Ac and dc electrochemical investigation of protonic conduction in calcium-doped barium cerate ceramics.—75-05174A
Angular dependence measurement of individual barium ferrite recording particles near the single-domain size.—75-03276A
Anomalous behavior of paramagnetic susceptibility of $GdBaCuO_{6.2}$ single crystals in a magnetic field.—75-08192A
Anomalous long-time tail behavior of spin-spin correlation in the normal state of $Tl_2Ba_2CuO_y$.—75-05726A
Ba ferrite thin-film media for high-density longitudinal recording.—75-03280A
Barium ferrite thin film for longitudinal recording.—75-08252P
Barium fluoride crystals for future hadron colliders.—75-00940A
Barium neodymium titanate electroceramics: phase equilibria studies of $Ba_{6-3x}Nd_{8+2x}Ti_{18}O_{54}$ solid solution.—75-02893A
Barium strontium titanate (BST) thin films by holmium donor doping.—75-03203P
Calculation of dipole moments and crystal field parameters in $TmBa_2Cu_3O_6$.—75-06168A
Ceramic materials and methods of making the same comprising yttrium, barium, silver, and either selenium or sulfur.—75-08560P
Characteristics of the electric and dielectric properties of fluorozirconate glasses.—75-04944A
Characterization of an *n*-channel 1T [transistor]–1C [capacitor] nonvolatile memory cell using ferroelectric $SrBi_2Ta_2O_9$ as the capacitor dielectric.—75-05537A
Characterization of $Ba_{0.5}Sr_{0.5}TiO_3$ [BSTO] thin-film capacitors produced by pulsed laser deposition.—75-05178A
Characterization of doped BST thin films prepared by a modified sol-gel method.—75-05539A
Charge-state stability and optical transitions of oxygen impurities in barium fluoride crystal.—75-01811A
Charge-transfer transitions of RE^{3+}-O^{2-} associates in BaF_2 crystal.—75-01812A
Co-Sn-substituted barium ferrite particles.—75-03282A
Compositional and structural study of the phase $BaZr_{1-x}Cu_xO_{3-z}$.—75-03348A
Deposition and conducting properties of $BaPbO_3$ thin films.—75-00453A
Dielectric ceramic compositions.—75-00397P
Dielectric properties of $(Pb_{1-x}A_x^{2+})(Mg_{1/3}Nb_{2/3})O_3$ (A^{2+}=Ba, Sr, Ca, Cd) ceramics.—75-08126A
Dielectric properties of $Ba(Mg_{1/3}Ta_{2/3})O_3$ ceramics at microwave frequencies.—75-00318A
Dielectric properties of ferroelectric thin films in the frequency range of mHz–GHz.—75-05545A
Dielectric-metal phase transition and superconductivity in the $Ba_{1-x}K_xBiO_3$ system.—75-08289A
Effect of impurities on the radiation damage of barium fluoride crystal.—75-01752A
Effect of Mn on aging of $(Pb_{0.63}Ba_{0.37})(Zr_{0.7}Ti_{0.3})O_3$ dielectric ceramics.—75-05185A
Effect of Na_2O additions in the crystallization of barium ferrite from a BaO-B_2O_3-Fe_2O_3 glass.—75-00213A
Effect of phase transformation on the sintering of lead barium metaniobate solid solutions.—75-03789A
Effect of the substitution of Sm for Ba on the superconductor $SmBa_2Cu_3O_y$.—75-08299A
Effects of additives on magnetic properties of sheet Sr-Ba ferrite magnets.—75-00732A
Effects of microstructure and composition on the Curie temperature of lead barium niobate solid solutions.—75-08133A
Elaboration and characterization of $BaZnGeO_4$ ceramics.—75-03793A
Electrical properties of barium strontium titanate (BST) thin films deposited on various Pt-base electrodes.—75-05191A
Electrical properties of nonconventional Bi-Ba-Cu-O glasses.—75-04960A
EXAFS study of Ba and La structural environments in fluorozirconate glasses.—75-04897A
Fabrication of dense, shaped barium cerate by the oxidation of solid metal-bearing precursors.—75-04033A
Features of formation of $SrTiO_3$ and $Ba_{0.5}Sr_{0.5}TiO_3$ films during magnetron sputtering.—75-08139A
Features of the dielectric-metal transition in the Ln-Ba-Cu-O and Ln-Sr-Nb-O (Ln=La, Nd, Gd, Dy, Tm, Lu) systems.—75-07730A
Flattening of dielectric constant by inhomogeneity control in $Ba(Ti_{1-x}Zr_y)O_3$ ceramics.—75-00333A
Fluorite-matrix-based $Ba_4R_3F_{17}$ (R=Y, Yb) crystal structure. Ordering of cations and features of the anionic motif.—75-08938A
Formation of barium-tantalum oxynitrides.—75-06613A
Glass formation and crystallization of barium ferrite in the Na_2O-BaO-Fe_2O_3-SiO_2 system.—75-03294A
Glasses for flat panel display.—75-07424P
Growth and superconducting properties of $TmBa_2Cu_3O_{7-\epsilon}$ crystals.—75-05772A
Growth of Bi-Sr-Ca-Cu-O superconducting crystals in the $Bi_2Sr_2CaCu_2O_x$-$BaBiO_3$ system.—75-05773A
High-temperature oxide superconductor.—75-05868P
High-temperature powder X-ray diffraction study of barium metaborate BaB_2O_4.—75-06240A
Influence of $BiFeO_3$ on the phase composition and magnetic properties of barium ferrite.—75-05676A
Infrared properties of barium borate glasses: application of the generalized Lyddane-Sachs-Teller relation.—75-04972A
Integration of BST thin film for DRAM fabrication.—75-05199A
Investigation of radiation damage induced by hydroxyl and oxygen impurities in BaF_2 crystal.—75-01761A
Low-frequency internal friction in $BaCuO_{2+\gamma}$ ceramics at high temperatures.—75-08974A
Low-temperature synthesis of $Ba(Mg_{1/3}Ta_{2/3})O_3$ ceramics from Ba-Mg-Ta alkoxide precursor.—75-05201A
Magnetic and magnetooptical properties of Co-, Cr-, Mn-, and Ni-substituted barium ferrite films.—75-03303A
Magnetic ordering of the Gd^{3+} sublattice in the $Gd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ system.—75-05791A
Magnetic properties of $Ba_2(Zn_xFe_{1-x})_2Fe_{28}O_{46}$ X-type hexaferrites.—75-00746A
Magnetic properties of modified Ba ferrite particles.—75-03306A
Magnetic transformations in $GdBaCuO_{6.2}$ single crystals below 20 K. Determination of spin interactions of Gd^{3+} ions.—75-05691A
Mechanism of slow component suppression in lanthanum-doped barium fluoride crystal.—75-01882A
Metallorganic CVD of YBCO using a new, stable and volatile barium precursor.—75-05796A
Metastable binary niobates and tantalates of barium and aluminum or gallium with perovskite structure.—75-06271A
Method for preparing copper oxide superconductor containing carbonate radicals.—75-03432P
Method for producing fine particles of barium ferrite.—75-00765P
Method of growing single crystal of ß-barium borate.—75-06837P
Method of producing highly oxidized superconductors containing barium, copper, and a third metal.—75-08255P
Microstructural investigation of barium ferrite longitudinal thin-film media.—75-03317A
Microstructure and dielectric characteristics of $(Pb_xBa_{0.5-x}Sr_{0.5})TiO_3$ ceramics.—75-00674A
Microstructure and properties of barium cerate based electrolytes for solid oxide fuel cells.—75-02918A
Monovariant and invariant equilibria in the BaO-Cu-O_2 ternary system.—75-08986A
New homologous series of $Ba_mBi_{m+n}O_x$ (m=1, 2,...; n=0, 1, 2,...).—75-08993A
New method for the synthesis of $HgBa_2Ca_2Cu_3O_{8+\delta}$.—75-08380A
Optical spectra of $LnBa_2Cu_3O_x$ compounds.—75-05807A
Oxygen ion conductivity in $Ba_3In_{3-x}Zr_xO_{7.5+x/2}$ (x=0.7-1.3).—75-05203A
Pathway for the low temperature synthesis of nanosized crystalline barium zirconate.—75-06704A
Phase composition and magnetic properties of the $(100-x)BaFe_{11.2}O_{17.8}$:$x(NaM)_{1/2}Fe_{12}O_{19}$ ferrites (M=Bi, Fe, Mn).—75-08236A
Phase equilibria in Li, Na, Ba||MoO_4 and Li, Ca, Ba||MoO_4 systems.—75-09013A
Physical principles of forming photoemissive properties of high-current pulse photocathodes with laser excitation on the basis of magnesium barium alloys.—75-06500A
Preparation and characterization of new mixed conducting oxides based on $BaCe_{1-x}Gd_xO_{3-x/2}$ [0<x<0.2].—75-02929A
Preparation and magnetic properties of BaM films with excellent crystallinity by Xe sputtering.—75-03327A
Preparation and properties of the $HgBa_2CuO_{4+\delta}$ superconducting phase.—75-08399A
Preparation of high-coercivity fine barium ferrite powder.—75-00756A
Preparation of oxynitride thin films of $BaNb(O_xN)_z$ and $LaNb(O_xN_2)_z$ using reactive sputtering from multiphase targets.—75-06732A
Process for preparing oxide superconductor.—75-00915P
Process of preparing superconductive oxide complexes containing L, Ba, Cu, and O and method of using the same.—75-05881P
Pyroelectrical properties of $BaBO_4$ [BBO] and $KTiOPO_4$ [KTP] crystals.—75-06508A
Radiation damage mechanisms in scintillator materials—applications to BaF_2 and CeF_3.—75-01771A
Radiation effect mechanism of some rare-earth-doped BaF_2 crystals.—75-01918A
Room temperature and 77-K dielectric properties of acetate-derived PZT, PLZT, PSZT, and PBZT thin films.—75-05634A
Room temperature preparation of crystallized $Ba_{1-x}Sr_xWO_4$ [0≤x≤1] solid-solution films by an electrochemical method.—75-09424A
Second harmonic generation in transparent barium borate glass-ceramics.—75-04993A
Simple double-layer cuprates: 60 K superconductivity in a lanthanum barium strontium copper oxide.—75-05829A
Sinterability improvement of $Ba(Mg_{1/3}Ta_{2/3})O_3$ dielectric ceramics.—75-02937A
Sorption behavior of barium sulfate colloids in the system $BaCl_2$-Na_2SO_4-H_2O cation exchanger.—75-06777A
Special properties of the superconducting 1-2-3 compounds; Cu(2) NQR and Tm NMR in $TmBa_2Cu_3O_x$ at low temperatures.—75-08415A
Standard enthalpy of formation of $BaCu_{1+x}O_{2+y}$.—75-09450A
Structural and dielectric properties of $Ba_{0.5}Sr_{0.5}TiO_3$ thin films grown on Si by off-axis sputtering.—75-05213A
Structure and optical properties of thin films of lead and barium titanates.—75-05644A
Structure of $Bi_2Ba_2CuO_{6+\delta}$ compounds and solid solutions of $Bi_2Ba_{2-x}M_xCuO_{6+\delta}$ (M=Sr, Ru, Rh, Pd, In, Sb, and Pb).—75-06786A
Superconducting properties of $GdBa_2Cu_4O_8$:Ca ceramics.—75-05838A
Superconductivity of the $Gd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ HTSC system.—75-08433A
Surface roughness and magnetic properties of in situ heated and postannealed thin films of perpendicular barium ferrite.—75-03334A
Synthesis and study of barium mercurate.—75-09463A
Synthesis and X-ray diffraction study of the phases (A´, A)CuO_2 (A´=Sr and Ba; A=Ca, Sr, and Ln) [Ln=rare-earth metals].—75-08435A
Ternary system of Na_2MoO_4-$BaMoO_4$-MoO_3.—75-06388A
Thermal and mechanical behavior of $Ba_{1+x}Zr_4P_{6-2x}Si_{2x}O_{24}$.—75-01356A
Thermal diffusivity of $BaLiF_3$ crystals.—75-06525A
Thermal expansion of solid proton electrolytes based on $BaCeO_3$.—75-06913A
Thermodynamic and kinetic studies of the phase transitions in $Tl_2Ba_2CuO_{6+\delta}$.—75-03854A
Thermodynamic properties of gaseous barium germanate, $BaGeO_2$, according to high-temperature mass spectrometry data.—75-09096A
Thermodynamics of oxidation of $La_3Ba_3Cu_6O_{14+\epsilon}$.—75-05853A
Transformation studies of M- to W-type hexaferrite in $BaFe_{12-2x}Co_xO_{19}$.—75-05718A
Tunneling measurement of the quasi-particle lifetime in $Ba_{1-x}K_xBiO_3$.—75-00892A
Viscous deformation of glass-ceramics in barium aluminosilicates.—75-02745A
X-ray analysis of two phases in the barium borate, sodium barium borate, and sodium borate ternary phase system.—75-06407A

barriers,
Al_2O_3 coatings as diffusion barriers deposited from particulate-containing sol-gel solutions.—75-01372A
Barrier materials for making metal matrix composites.—75-07241P
Barrier thermo-emf on *p-n* junction.—75-05251A
Capability of plasma-enhanced chemical vapor deposited SiO_2 films as diffusion barriers on InGaAs.—75-00419A
$CdSe_xTe_{1-x}$ surface barrier structures for solar cells.—75-02970A
Conductive exotic nitride barrier layer for high dielectric constant materials.—75-07752P
Frequency-capacitive method for determining the electrostatic constants of semiconducting structures with a potential barrier.—75-08670A
$GaAs_{1-x}P_x$/GaAs quantum well structures with tensile strained barriers.—75-05328A
Integrated circuit with a titanium nitride contact barrier having oxygen stuffed grain boundaries.—75-08103P
Lower critical field and surface barrier in sintered $Bi_2Sr_2CaCu_2O_{8+\delta}$ superconductor.—75-05790A
Method of making metal matrix composite with the use of a barrier.—75-07267P
Modeling and testing of thermal barrier coatings in diesel engines.—75-00112A
Pd/*n*-GaAs Schottky barrier [SB] as a hydrogen photodetector.—75-08002A
Surface barriers and two-dimensional collective pinning in single-crystal $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ superconductors.—75-00876A
Surface-barrier CdS structures with thin barrier layers.—75-03180A

basalt,
Mechanism of hydration of cement with basalt additions.—75-07165A
Relaxation properties of products made with basalt fiber.—75-09180A
Thermal conductivity of basalt fiber materials.—75-07675A

batteries,
Chemical routes to synthesize lithium cobalt oxide powders for rechargeable lithium batteries.—75-02897A
Electrical properties study of electrolyte in lithium rechargeable battery.—75-02905A
New synthesis route to electrode materials for rechargeable lithium batteries.—75-02923A
Positive electrode materials for nonaqueous secondary batteries.—75-02927A
Preparation of $Li_xMn_2O_4$ electrode materials for lithium ion batteries.—75-02930A

Sulfide ceramics in molten salt electrolyte batteries.—75-02939A
Thin-film rechargeable lithium batteries.—75-02941A
bauxite,
Bauxite.—75-06023A
Biobeneficiation of bauxite for refractory applications.—75-07483A
Composition, microstructure, and application of bauxite based on mineral separation.—75-02810A
Effect of bauxite substitution on high-temperature strength properties of zirconia-corundum mullite material.—75-02815A
High-performance refractories based on Chinese raw materials.—75-07565A
Jari Brazilian calcined bauxite—production and application in high-alumina refractories: MSL Minerais SA.—75-07586A
Mullite refractories from bauxites of the Iksinskoe Deposit.—75-06042A
bearings,
Ceramic bearing balls.—75-06103A
Engine bearing surface treatment.—75-00157P
Non-Newtonian effects of powder-lubricant slurries in hydrostatic and squeeze-film bearings.—75-04607A
Non-Newtonian temperature and pressure effects of a lubricant slurry in a rotating hydrostatic step bearing.—75-04608A
Steady-state dynamics of jewel bearing with a free ball.—75-04632A
belite,
Cement-containing activated belite.—75-07195P
belt,
Multi-ingredient proportioning for dry bulk solids.—75-00970A
bending,
Cylindrical bending of composite plates with piezoelectric and SMA [shape memory alloy] layers.—75-03219A
Density dependence of bending strength and Vickers hardness of mullite-silica and zirconia ceramics.—75-09613A
Discriminating between volume and surface integral theories for brittle materials.—75-04488A
Effect of creep on compliance of hot-pressed silicon nitride in bending tests under partial unloadings.—75-04495A
Measurement of bending strength using specimens cut from commercially produced high-strength porcelains.—75-08680A
Mixed-mode fracture of ceramics in asymmetric four-point bending: effect of crack-face grain interlocking/bridging.—75-09656A
Modification of surface band bending of diamond by low energy argon and carbon ion bombardment.—75-06490A
Piezoelectric ceramics with functional gradients: a new application in material design.—75-03248A
beneficiation,
Biobeneficiation of bauxite for refractory applications.—75-07483A
bentonite,
Zeta potential of bentonite clay in aqueous solution.—75-02805A
beryllia,
Anomalously long phosphorescence of BeO:Li ceramics.—75-08870A
Effect of anisotropy on the formation of incommensurate magnetic structures of Cr_3BeO_4.—75-08662A
Incommensurate magnetic structures in a crystal with two systems of equivalent positions: Cr_2BeO_4.—75-08955A
Luminescence of Eu^{3+} and Tb^{3+} ions in transparent beryllium ceramics.—75-06483A
Powered thermal transients modeling to compare AlN substitution for BeO.—75-02928A
Spontaneous emission of BeO and fluctuated reconstruction of the structure: II, Ceramics.—75-09063A
Transient absorption of autolocalized holes [ALHs] in beryllium oxide crystals.—75-09100A
beryllium,
Enhanced thermal conductivity of CVD SiC via beryllium and boron dopings.—75-04024A
Nonstationary optical absorption of two types of autolocalized excitons [ALEs] in beryllium oxide crystals.—75-09163A
binder burnout,
Binder burnout of aluminum nitride tape casting with YF_3 and Y_2O_3 additives.—75-01386A
Thermal removal of binders from ceramic particle bodies.—75-01004P
binders/binding,
D^- center binding energy in a quantum dot.—75-02955A
Acrylic binders for alumina and other nonclay ceramic extrusions.—75-03947A
Acrylic emulsion binder for tape casting.—75-03948A
Alumina-based castables with very low contents of hydraulic compound: I, The effect of binder and particle size distribution on flow and set.—75-07464A
Aqueous emulsion acrylic binders for low-foaming ceramic slips.—75-01382A
Binder for producing articles from particulate materials.—75-00991P
Binder segregation in the processing of ceramics.—75-09222A
Binders for ceramic products.—75-08554P
Binders for flexible ceramic sheet extrusion.—75-03955A
Ceramics binder mixture and binding method.—75-08566P
Computer simulations of binder removal from 2-D and 3-D model particulate bodies.—75-03978A
Control of dry pressing performance via binder optimization.—75-03979A
Corundum refractories with a combined nitride-containing binder.—75-05079A
Development of a technology for producing molds on gypsum binder.—75-05081A
Ecological problems due to the use of organic binders in the production of fibrous heat-insulating materials.—75-07533A
Effect of binder additions on the green and sintered properties of Mn-Zn ferrite ceramics.—75-03287A
Effect of poly(vinyl alcohol) adsorption on binder segregation during drying.—75-01462A
Evolution of gases from refractory mixtures on the BTSO phenol-furfural binder.—75-05091A
Features of structure formation of a high-carbon ash-based binder.—75-07149A
Glassy binder system for ceramic substrates, thick films, and the like.—75-00400P
Increase of water and frost resistance of articles based on gypsum binders.—75-07159A
Influence of preceramic binders on the microstructural development of silicon nitride.—75-06656A
Injection molding and catalytic debinding of zirconia (Y-TZP) ceramics with a polyacetal based binder system.—75-01550A
Injection molding of ceramics using a polyacetal-based binder system.—75-03522A
Inorganic ceramic paper, its method of manufacture, and articles produced therefrom.—75-01115P
Interaction between binder and powder in injection molding of alumina.—75-06660A
Laser-assisted tape winding of ceramic green parts.—75-09352A
Methods for fabricating shapes by use of organometallic, ceramic precursor binders.—75-00999P
Microwave debinding of ceramic injection molded body.—75-04109A
Multicomponent clinkerless waterproof gypsum binders.—75-07169A
Novel approach to injection molding.—75-05905A
Polymeric binders for enhancing green strength of pressed ceramics.—75-08613P
Process and molding compound for producing inorganic sintered products by injection molding.—75-01001P
Properties of lime and lime-periclase refractories on a ceramic binder.—75-05121A
Pyrolytic binder removal from injection-molded ceramic components: computer modeling of particle size effects on the critical heating rate.—75-09414A
Silicon carbide refractories with an SiAlON binder.—75-05137A
Slip casting alumina with Na-CMC [sodium carboxymethylcellulose].—75-09444A
Springback in dry pressing: time, additive, and processing effects.—75-04228A
Structure, physicomechanical properties, and production of cement-dacite binders.—75-07189A
Supercritical debinding.—75-01687A
Surface chemistry of lead titanate and its impact on binder removal.—75-04234A
Temporary preservative binders for lime and lime-periclase refractories.—75-05146A
Thermodynamic aspects of binder system strength.—75-07193A
Uniform compaction of ferrite potcores.—75-00762A
Using polymer blends to fine-tune binder performance.—75-04269A
Utilization of synthetic phillipsite as a means for decreasing the concentration of ammonium ions in waste waters.—75-03537A
Versatile clay conditioners with an international pedigree.—75-02799A
bioceramics,
Bioactive ceramic-coated surgical implant.—75-07242P
Bioactive composite material produced by the sol-gel method.—75-06540A
Bone cell assay system from Millenium Biologix Inc.[,Kingston, Canada].—75-05937A
Bone replacement part made of glass ionomer cement.—75-01100P
Calcium phosphate/atelopeptide collagen compositions for bone repair.—75-01101P
Ceramic Transactions, Volume 63: Bioceramics: Materials and Applications, II.—75-04769B
Challenges and opportunities in magnetic resonance force microscopy.—75-01014A
Challenges in bioceramics.—75-07064A
Challenges in ceramic development.—75-07065A
Clinical applications of hydroxyapatite-reinforced materials.—75-01081A
Development of ASTM standards for bioceramics.—75-02125A
Diamondlike carbon [DLC] for biomedical applications.—75-08804A
EELS imaging of biological materials.—75-01829A
Enhancing the strength of bioceramics.—75-06973A
Forming and sintering of multiphase bioceramics.—75-04051A
Fracture toughness of Bioglass/ceramic systems.—75-04542A
Functionally gradient structures in biological composites.—75-06068A
High-strength castable bioactive glass-ceramics.—75-03650A
In vivo and in vitro evaluation of a biomachinable glass-ceramic.—75-05951A
Ion beam modification of bioactive ceramics to accelerate biointegration of said ceramics.—75-08583P
Living ceramic gels for bioartificial organs.—75-03653A
Method for the production of an implant having an apatite coating layer using a hydrothermal treatment.—75-02570P
Physicochemical characterization of an invertebrate's skeleton and its possible use as biomaterial.—75-04387A
Physicochemistry and cytotoxicity of ceramics: II, Cytotoxicity of ceramics.—75-03915A
Preparation of bioactive titanium metal.—75-00119A
Process for the production of ceramic prostheses.—75-03680P
Proof-testing of ceramic hip joint heads.—75-05971A
Review of optical waveguides sensors for bio/chemical and environmental applications.—75-01093A
Thermal stability of synthetic hydroxyapatites.—75-01096A
Using glass in the body.—75-02152A
Zirconia crystals suitable for medicine: I, Implants.—75-03664A
bismuth oxide,
Acoustooptical efficiency of germanate glasses containing lead and bismuth oxides.—75-07320A
Aging phenomenon of stabilized bismuth oxides.—75-06861A
Bi and O valences in Ba-K-Bi-O, Ba-K-M-Bi-O (M=Rb, La, Eu, In, Tl, and Pb) and the related compounds.—75-06422A
Bismuth oxide, α-Bi_2O_3, studied by the muon method.—75-08877A
Bismuth-oxide-based solid electrolytes for fuel cells.—75-05176A
Cadmium-free and lead-free thick film conductor composition.—75-02943P
Chemistry and microwave properties of Bi_2O_3-doped $Ba_{4.5}Nd_9Ti_{18}O_{54}$-based ceramics.—75-01265A
Cobalt oxide and antimony oxide effects in the zinc oxide-bismuth oxide system.—75-01400A
Concentration dependences of elastooptic coefficients of germanate glasses containing lead and bismuth oxides.—75-02634A
Crystal structure and ionic conductivity of high-bismuth beta solid solution in Bi_2O_3-SrO-CaO system.—75-01209A
CuO-Bi_2O_3-B_2O_3 system.—75-08902A
Czochralski growth of photorefractive bismuth silicon oxide [BSO] crystals.—75-03985A
Determination of phase diagram cuts in the $BiO_{1.5}$-SrO-CaO-CuO system.—75-08287A
Effect of Bi_2O_3 on the microstructure and electrical conductivity of ZrO_2-Y_2O_3 ceramics.—75-03885A
Electric properties of PbO-Bi_2O_3-Ga_2O_3 glasses.—75-04955A
Glass formation and structure of glasses in the V_2O_5-MoO_3-Bi_2O_3 system.—75-04901A
Ir spectra and structure of V_2O_5-GeO_2-Bi_2O_3 glasses.—75-04910A
Low breakdown voltage varistors by grain boundary diffusion of molten Bi_2O_3 in ZnO.—75-03083A
Low-temperature synthesis of bismuth vanadium oxide isomorphous with γ-$Bi_4V_2O_{11}$.—75-06674A
Massive transformation in Gd_2O_3-Bi_2O_3 ceramics.—75-01227A
Method of manufacturing ferroelectric bismuth layered oxides.—75-00715P
Method of manufacturing ferroelectric bismuth-layered oxides.—75-08183P
Microstructural development on firing Nb_2O_5- and Bi_2O_3-doped $BaTiO_3$.—75-00350A
Observations on wetting in the Bi_2O_3-ZnO system.—75-06903A
Phase composition of bismuth oxide and bismuth germanate films produced by reactive cathodic sputtering.—75-06297A
Phase diagram of the bismuth-calcium oxide system.—75-01232A
Phase equilibria in the PbO-Bi_2O_3-CuO and PbO_2-CaO-CuO systems.—75-06304A
Phase relationships in the Bi_2O_3-CuO-GeO_2 system.—75-06309A
Structure and microwave dielectric properties of ceramics based on $Ba_{3.75}Nd_{9.5}Ti_{18}O_{54}$.—75-01247A
Synthesis of crystalline bismuth oxide by hydrolysis of bismuth ethoxide.—75-09468A
Tunneling measurement of the quasi-particle lifetime in $Ba_{1-x}K_xBiO_3$.—75-00892A
Verification of the standard model of the photorefractive nonlinearity in BSO crystals.—75-06533A
bismuth strontium calcium copper oxide (Bi-Sr-Ca-Cu-O),
Ag-clad $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ high-T_c superconducting wires and tapes.—75-00769A
Application of high-T_c superconducting $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ Ag-clad wires in a prototype fault current-limiter.—75-00772A
Crystal growth and superconductivity of Bi-Sr-Ca-Cu-Al-O materials.—75-00781A
Crystal growth by directional solidification and superconductivity of $Bi_2Sr_2CaCu_2O_{8+\delta}$.—75-00782A
Effect of annealing on the superconductivity of $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals.—75-00787A
Effect of degree of reduction in thermomechanical processing on the transport characteristics of Ag-clad $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ high-T_c superconducting wires and tapes.—75-00788A
Electrical behavior of high-T_c superconducting ceramic bulk shapes and their applications in current-limiting devices.—75-00797A
Growth morphology and stability of the solid-liquid interface in Bi-Sr-Ca-Cu-O oxides.—75-00809A
Important role of the interfaces in the high-temperature superconductors.—75-00812A
Influence of atmosphere and sample surface area on phase formation in melt-quenched Bi(Pb)-Sr-Ca-Cu-O glass-ceramics.—75-05778A
Mechanical properties of pure and epoxy-modified $(Bi,Pb)_2Sr_2Ca_2Cu_{10+x}$ (2223) superconductors.—75-00825A
Metal-ceramic intergrowths in Ag-clad Bi-Pb-Sr-Ca-Cu-O superconductor.—75-00829A
Powder processing of $Bi_{1.84}Pb_{0.35}Sr_{1.91}Ca_{2.05}Cu_{3.05}O_{10+x}$.—75-00844A
Preparation of high-T_c Bi-Pb-Sr-Ca-Cu-O superconducting tapes by electrophoretic deposition.—75-00851A
Superconductivity of Fe-substituted $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals.—75-00874A
TEM study of microstructure of longitudinal cross section of Ag-clad $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ tapes.—75-00886A
X-ray powder diffraction data for high-T_c superconductor $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ (2223).—75-00895A

bismuth strontium calcium copper oxide,
S- and *D*-condensate superpositions in the HTSC crystals with strong uniaxial crystalline fields.—75-05723A
70-K hysteretic Josephson effect in mesas patterned on $(Bi,Pb)_2Sr_2CaCu_2O_x$ single crystals.—75-00768A
Ac and dc susceptibility studies on silver-doped BPSCCO (2223) superconductors.—75-05724A
Ac susceptibility study of BiPbSrCaCuO (2223) superconductors.—75-08259A
Appearance of metastability and structural diversity in $Bi_{1.8}Pb_{0.2}Sr_2Ca_2Cu_3O_{10+x}$ films during amorphous state–crystal phase transitions.—75-08262A
Atomistic modeling of migration properties of oxygen in $Bi_2Sr_2CaCu_2O_8$.—75-08265A
Atomistic modeling of point defects in $Bi_2Sr_2CaCu_2O_8$.—75-05730A
Bi oxide superconductors.—75-08451P
$Bi_2Sr_2CaCu_2O_x$ films prepared by chemical vapor deposition (CVD).—75-08266A
Bi-Sr-Ca-Cu-O superconductor junction through a Bi-Sr-Cu-O barrier layer.—75-08452P
Blistering phenomenon in BiSCCO-2223 high-T_c superconducting tapes.—75-08267A
Calorimetric ac loss measurements of silver-sheathed Bi-2223 superconducting tapes.—75-08268A
Ceramic superconductor having a heterogeneous composition distribution and method of preparing the same.—75-08453P
Change of the Bi-2223 phase by repeat of mechanical grinding and heat treatment [at 850°C in air].—75-00775A
Characterization of monofilamentary and multifilamentary 2223-BSCCO tapes by magnetic loss measurements.—75-08270A
Co-doped $Bi_2Sr_2CaCu_2O_x$: Anderson localization and superconductivity.—75-05737A
Complex susceptibility of superconducting BiPbSrCaCuO ceramics fabricated through combined magnetic melt texturing and hot-pressing.—75-08273A
Composition studies for Ag-sheathed $Bi_2Sr_2CaCu_2O_8$ conductors processed in 100% O_2.—75-08275A
Controlled grain orientation at the surface of $Bi_2Sr_2CaCu_2O_x$ superconducting glass-ceramics.—75-03349A
Creep of silver at 900°C.—75-08278A
Current-carrying anisotropy and the effects on it of thermomechanical treatments for Ag-sheathed Bi(Pb)-Sr-Ca-Cu-O superconducting tapes.—75-08283A
Dc and ac electrical properties of amorphous $Bi_4Sr_3Ca_3Cu_4O_{16}$.—75-05741A
Decomposition products of superconducting $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$.—75-00784A
Dependence of dissipation on magnetic field orientation in high-T_c superconductor ceramics.—75-03352A
Determination of HTSC energy gaps during resistance measurements of the interface with a normal metal.—75-05745A
Development of microstructure and superconductivity of silver-clad Bi(2223) composite tapes in the process of heat treatment.—75-05746A
Dielectric relaxation and behavior in Li-doped semiconducting Bi-Sr-Ca-Cu-O glasses.—75-04950A
Direct evidence for residual, preferentially oriented cracks in rolled and pressed Ag-clad BSCCO-2223 tapes and their effect on the critical current density.—75-08290A
Direct joining of BSCCO superconducting glass-ceramics using a flame-melting method.—75-03357A
Distribution of components in metal oxide superconducting films produced by magnetron sputtering.—75-08291A
Distribution of the satellite reflection of the modulation and its thermal stability in single-crystal $Bi_2Sr_2CaCu_2O_x$.—75-00786A
Doping of the Bi-Sr-Ca-Cu-O system with V_B elements and the effect on $Bi_2Sr_2Ca_2Cu_3O_x$ phase formation.—75-03359A
Effect of antimony addition on sintering time to achieve 100 K of T_c of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_x$.—75-05749A
Effect of calcination temperature on the Sb-doped Bi-Sr-Ca-Cu-O system.—75-05750A
Effect of heating atmosphere on segregation and dissolution of the Pb compound in the Bi-2223 phase.—75-00789A
Effect of laser irradiation on the Bi system.—75-00790A
Effect of mechanical deformation and annealing on the evolution of *c*-axis texture of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_x$ superconductor hot isostatic press cladded onto an Ag substrate.—75-05754A
Effect of neutron and γ-irradiation on YBCO and B(Pb)SCCO high-T_c superconductors.—75-03360A
Effect of silver volume fraction on Bi (2223) phase in $Bi_{1.8}Pb_{0.3}Sr_2Ca_2Cu_3O_x$-Ag composite processed in air.—75-03361A
Effect of sintering periods on the pinning force, activation energy, and microstructure of high-T_c superconducting Bi-(Pb)-Sr-Ca-Cu-O tapes.—75-08297A
Effect of temperature on the coefficient of friction of $Bi_2Sr_2CaCu_2O_x$/$Bi_2Sr_2CaCu_2O_x$ and $Bi_2Sr_2CaCu_2O_x$/Ag.—75-05758A
Effect of transport superconducting current on the critical currents of Bi(2212) wires in silver sheath.—75-08300A
Effect of water, acetone, or acids on Bi system superconducting films prepared by use of sol-gel method.—75-00793A
Effects of composition, synthesis conditions, oxygen content, and F doping on superconductivity and structure for R-substituted Bi-2201.—75-08301A
Effects of MgO addition on phase evolution and flux pinning of Bi-2212/Ag tapes fabricated by electrophoretic deposition and partial melting processing.—75-08302A
Effects of sintering temperature on the superconducting and microstructural properties of $Bi_{1.7}Pb_{0.4}Sr_{1.6}Cu_{3.6}O_x/Ag_2O$ composites.—75-05761A
Effects of starting powder with various high-T_c phase contents on the expansion of Bi-Pb-Sr-Ca-Cu-O pellets.—75-05762A
Elastic anomalies in sodium-doped Bi-2212 single-phase HTSC materials.—75-08304A
Electrical contacts to CRT Bi-2212 superconductors: preparation, characterization, and analysis.—75-08307A
Enhancement in critical parameters of the 2212 phase during solid-state synthesis and sintering.—75-08310A
Excess conductivity analysis of the $Bi_2Cr_2Ca_{1-x}Y_xCu_2O_{8+y}$ system: an estimation of interlayer coupling strength.—75-03368A
Fabrication of $Bi_2Sr_2CaCu_2O_x$/Ag superconducting tape using a screen-printing method.—75-05767A
Fabrication of BiSrCaCuO superconducting films by use of sol-gel method and their properties.—75-00803A
Fabrication of stacked intrinsic Josephson junctions from $Bi_2Sr_2CaCu_2O_{8+x}$ thin films.—75-08318A
Fermi liquid coupled with a generalized Wigner polaronic CDW giving high-T_c superconductivity.—75-05768A
Filamentary superconducting Bi-Sr-Ca-Cu-O crystals: self-organization, growth, and modification of properties.—75-08323A
Formation of 2223 phase in Bi-Pb-Sr-Ca-Cu-O system via calcining at 1073 K.—75-07892A
Formation of the high-T_c phase and retrograde densification of Bi-Pb-Sr-Ca-Cu-O pellets.—75-03371A
Formation of the Pb-rich 2212 phase.—75-00807A
Glass-ceramic phase of $Bi_4Sr_3Ca_3Cu_4O_x$ high-T_c superconductor.—75-05771A
Growth and characterization of (00*n*)- and (11*n*)-oriented Bi-Ca-Sr-Cu-O superconducting films.—75-03372A
Growth of Bi-Sr-Ca-Cu-O superconducting crystals in the $Bi_2Sr_2CaCu_2O_x$-$BaBiO_3$ system.—75-05773A
Heterodyne mixing with a sandwich-type Josephson junction using a Bi-based high-T_c oxide superconductor.—75-08328A
High-T_c superconductivity in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_{2+x}O_y$ [x=1.6, 1.8, 2] compounds.—75-08332A
Influence of magnesium oxide on the properties of a high-temperature superconductor of $Bi_2Sr_2CaCu_2O_{8+x}$ synthesized by melt methods.—75-08342A
Influence of oxygen partial pressure on the crystal growth and texture formation of some high-T_c superconductors.—75-03374A
Influence of phase composition of a reactive mixture on the formation mechanism of HTSC phases of $Bi_2Sr_2CaCu_2O_{8+\delta}$ composition.—75-05782A
Influence of processing pressure on the formation of the high-T_c phase in Bi-Pb-Sr-Ca-Cu-O superconductors.—75-05783A
Influence of the cold deformation procedures on the critical current distribution in Ag-$(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes.—75-05786A
Infrared studies of the Bi cuprates.—75-08345A
Instability of Y- and rare-earth-substituted Bi(Pb)-2223 phase.—75-05787A
Internal friction in Bi-Sr-Ca-Cu-O glasses.—75-03376A
Josephson effects in Bi-2212 single crystals.—75-08350A
Lead-doped bismuth ceramics: superconducting properties and effect of particle size.—75-03377A
Lower critical field and surface barrier in sintered $Bi_2Sr_2CaCu_2O_{8+\delta}$ superconductor.—75-05790A
Magnetoconductivity of $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ in fluctuation regime.—75-00821A
Magnetotransport study of a Bi2223 superconductor produced by a high-pressure method.—75-08359A
Mass density evolution during manufacturing of Ag-sheathed BPSCCO tapes.—75-08360A
Mechanical grinding and reforming process of the Pb-substituted 2223 phase.—75-00824A
Mesoscopic-range order in amorphous BiPbSrCaCuO films and its evolution during crystallization.—75-08362A
Microstructure characterization of $Bi_2Sr_2CaCu_2O_x$ single crystal irradiated with 18-MeV Fe^{8+} ions.—75-08364A
Microstructures and mechanical properties of Bi-Sr-Ca-Cu-O/Ag superconductor composites.—75-08367A
Mode of lead addition and its effects on phase formation and microstructure development in Ag/$(Bi, Pb)_2Sr_2Ca_2Cu_3O_x$ composite conductors.—75-08371A
Modulation of $Bi_4Sr_4CaCu_3O_{14+x}$ superconductor structures.—75-08374A
Non-ohmic *I*-*V* behavior in granular $YBa_2Cu_3O_{7-\delta}$ and $(Bi, Pb)_2Sr_2Ca_2Cu_3O_{10}$ high-T_c superconductors.—75-08382A
Nonequilibrium effects on the thermal conductivity of Bi-based high-temperature superconductors.—75-05804A
Nonlinear electrical properties of thick $Bi_2Sr_2CaCu_2O_8$ films investigated by two frequency mixing method.—75-08385A
Nonlinearity in magnetic response of $Bi_2Sr_2CaCu_2O_8$.—75-08386A
Novel microwave-induced steps of intrinsic Josephson junctions in mesa-shaped BSCCO single crystals.—75-08387A
Novel synthetic pathway to Bi(Pb)-2223 phase with variable Ca:Sr ratio, $Bi_{1.7}Pb_{0.3}Sr_{4-x}Ca_xO_y$: $1.85 \le x \le 2.4$.—75-05805A
Potassium substitution in the $Bi_2Sr_2CaCu_2O_x$ superconductor.—75-05815A
Precipitation of the Pb compound from Pb-substituted Bi-2201 phase—comparison of precipitation behavior in the 2201 and the 2223 phase.—75-00845A
Preparation and characterization of Bi-based single crystals of high-T_c superconductors.—75-05816A
Preparation and critical current density of a Bi-based superconducting whisker composite.—75-00848A
Preparation of 2212-Ag laminated superconducting wires.—75-00850A
Preparation of Bi-Pb-Sr-Ca-Cu-O (2223) superconductors.—75-08482P
Radio-frequency magnetoabsorption in YBCO-Ag and BSCCO superconductors: the crossover between two-level and one-level critical state models.—75-08406A
Rapid consolidation of Bi-Pb-Sr-Ca-Cu-O powders by a plasma-activated sintering [PAS] process.—75-05822A
Rapid formation of phase-clean 110 K (Bi-2223) powders derived via freeze-drying process.—75-08484P
Rapid melting and solidification of (Bi, $Pb)_2Sr_2Ca_2Cu_3O_x$ bulk materials by CO_2 laser.—75-03396A
Real structure of $Bi_2Sr_2CaCu_2O_{8+\delta}$ prepared from various starting materials.—75-05823A
Room-temperature electrochemical synthesis of sequentially layered superconducting Bi-Sr-Ca-Cu-O films.—75-03399A
Scaling of the volume pinning force in superconducting wires and tapes based on $Bi_2Sr_2CaCu_2O_x$.—75-00861A
Self-field ac losses and critical currents in multitube Ag-Bi-2223 conductors.—75-08409A
Size dependence of properties of superconducting Bi-Ca-Sr-Cu-O fine particles prepared by a spray pyrolysis method.—75-03403A
Small-angle neutron scattering study of the flux-line lattice in a single crystal of $Bi_{2.15}Sr_{1.95}CaCu_2O_{8+y}$.—75-00865A
Stabilization of the high-T_c phase in the $Bi_{1.6}Pb_{0.3}M_{0.1}Sr_2Ca_2Cu_3O_x$ (M=W,Mo) superconducting system.—75-03404A
Statistical representation of the excess conductivity in a Bi-Sr-Ca-Cu-O superconductor.—75-08418A
Straightened voltage effect in high-T_c superconductors.—75-00868A
Structural evolution of $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals studied [by] in situ heating electron microscopy.—75-03408A
Structure of hot-pressed Ag-BiPbSrCaCuO composites.—75-05837A
Superconducting $Bi_2Sr_2Ca_1Cu_2O_x$ phase formed by penetration throughout metallic copper pipe.—75-08425A
Superconducting $Bi_2Sr_2CaCu_2O_8$ microstrip formation from micropatterned Bi-(Sr, Ca)F_2-Cu multilayers.—75-08426A
Superconducting properties of the 2212 phase in partially melted ceramics.—75-08430A
Synthesis and analysis of PbO-modified Bi-Sr-Ca-Cu-O superconductors.—75-05842A
Synthesis of $Bi_2Sr_3CaCu_2O_x$ from aqueous solutions using pyridine.—75-05844A
Synthesis of bismuth/strontium/calcium/copper and yttrium/barium/copper oxide systems from malonate precursors.—75-03412A
Synthesis of HTSC based on bismuth using oxalic acid.—75-05845A
Synthetic conditions of single 110-K phase of Bi-containing high-T_c superconductor.—75-08436A
Systematics of the physical properties of $Bi_{1.7}Pb_{0.3}Sr_2(Ca,Nd)_1Cu_2O_x$ compounds.—75-08437A
Texture of Bi-based superconductor tapes.—75-05847A
Texturing and texture-induced intergranular critical state anisotropy of superconducting $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ ceramics.—75-05849A
Thermoelectric power of the $Bi_2Sr_2Ca_{1-x}Ce_xCu_2O_{8+y}$ [x=0–0.4] system.—75-08440A
Thin-film growth of layered cobalt oxide $Bi_2Sr_1Co_2O_{9+\delta}$ nearly isomorphic to $Bi_2Sr_2CaCu_2O_{8+\delta}$ superconductor.—75-00891A
Transport critical current density above 10^5 A cm^{-2} at 77 K in $Bi_{1.8}Pb_{0.4}Sr_2Ca_{2.2}Cu_3O_x$ superconducting tapes made by the Ag wire-in-tube method.—75-08443A
Transport properties and band spectra of HTSCs of the bismuth system.—75-05854A
Ultrasound attenuation and velocity in $Bi_2Sr_{2-x}Ca_{1+x}Cu_2O_{8-\delta}$ [x=0, 0.25, 0.5, 0.75, and 1].—75-03423A
Ultrathin film preparation of superconducting 2223 Bi(Pb)SrCaCuO by sputter deposition and rapid annealing.—75-08444A
Unidirectional pinning in irradiated $Bi_2Sr_2CaCu_2O_8$.—75-03424A
Variation of structural and superconducting properties with initial stoichiometry variation in (Bi,Pb)-Sr-Ca-Cu-O bulk superconductor.—75-05858A
Virgin response of field-induced microwave absorption in BSCCO—RSJ (resistively shunted Josephson junction) model.—75-05859A
Visualization of the formation of the $(Bi, Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ phase.—75-08447A
Vortex phase diagram of $Bi_2Sr_2CaCu_2O_{8-x}$ near T_c.—75-05860A
X-ray absorption studies of Bi-based superconductors.—75-05862A
X-ray diffraction investigation of highly defective $Bi_4Sr_4CaCu_3O_x$ single crystals.—75-05863A
X-ray diffraction study of the incommensurate structure in $Bi_{2.2}Sr_{1.8}CaCu_2O_{8+x}$ single crystals.—75-03426A
X-ray investigations of epitaxial $Bi_2Sr_2CaCu_2O_{8+x}$ thin films grown on $SrTiO_3$ substrates with MgO and CeO_2 buffer layers for the fabrication of biepitaxial Josephson junctions.—75-08448A
YBCO and BSCCO thin films prepared by wet MOCVD.—75-05864A
Zone melting-refining in Bi-Pb-Sr-Ca-Cu-O superconductor prepared through the sol-gel method.—75-05865A

bismuth titanates,
Deposition and dielectric property of ion-beam-assisted bismuth titanate film.—75-00308A
Microstructure, electrical conductivity, and piezoelectric properties of bismuth titanate.—75-08152A
Preparation of barium strontium titanate thin-film capacitors on silicon by metallorganic decomposition.—75-00365A
Processing and characteristics of spin-cast ferroelectric $Bi_4Ti_3O_{12}$ thin films.—75-00692A
Raman study of low-temperature phase transitions in bismuth titanate, $Bi_4Ti_3O_{12}$.—75-01238A
Surface morphology of rf-sputtered bismuth titanate thin films.—75-06382A

bismuth,
Ac surface discharge on dielectric materials observed by advanced Pockels effect technique.—75-00299A

Accurate measurements of the frequency dependence of photorefractive grating formation in $Bi_{12}SiO_{20}$.—75-01260A

Acoustooptical and elastic constants of bismuth telluride.—75-09115A

Aluminum-containing oxide and process for producing aluminum-containing oxide.—75-01099P

Amphoteric behavior of bismuth atoms in lead selenide films.—75-02961A

Application of single crystals of bismuth and antimony chalcogenide solid solutions in miniature coolers.—75-05243A

Atomic structure of Si(100) surfaces coated by submonolayered films of Bi.—75-08873A

Babkinite $Pb_2Bi_2(S, Se)_3$—a new mineral.—75-08753A

Baksanite $Bi_6(Te_2S_1)$—a new mineral species from Tyrnyauz (Northern Caucasus).—75-08754A

$Bi_2W_{1-x}Cu_xO_{6-x}$ (0.7≤x≤0.8): a new oxide ion conductor.—75-05175A

Bulk and microscopic characterization of bismuth cuprate (2212) tin composites.—75-00774A

Characterization of $Bi_{0.5}Na_{0.5}TiO_3$-$PbTiO_3$ dielectric materials.—75-02896A

Characterization of coprecipitated ferroelectric $Bi_2VO_{5.5}$.—75-05538A

Characterization of Czochralski- and hydrothermal-grown $Bi_{12}SiO_{20}$.—75-01016A

Charge carrier transfer in Bi_2TeO_5 crystals.—75-06429A

Chemical etching of $Bi_{12}GeO_{20}$ and $Bi_{12}SiO_{20}$ single crystals.—75-09239A

Conditions for LPE growth of $InAs_{1-x-y}Sb_yBi_x$/InSb heterostructures.—75-07811A

Consideration of Bi_2CuO_4 in the Bi_2O_3-CuO system.—75-00777A

Correlating the Curie temperature of mixed bismuth oxides to the crystal chemical parameters of constituent ions.—75-08121A

Dependence of homogeneity of single crystals of $Bi_{0.5}Sb_{1.5}Te_3$ solid solutions on growth conditions.—75-05277A

Dependence of the $Bi_{0.5}Sb_{1.5}Te_3$/Bi-Sn and $Bi_2Te_{2.7}Se_{0.3}$/Bi-Sn junction resistances on the resistivity of the semiconductor crystal in the interfacial region.—75-07822A

Dielectric and magnetoelectric properties of Bi_5FeTi_{15}.—75-06444A

Effect of copper on the properties of pressed thermoelectric materials based on Bi_2Te_3-Sb_2Te_3-Sb_2Se_3 solid solutions.—75-09131A

Effect of pentavalent additives on the optical and photoconducting properties of $Bi_{12}TiO_{20}$.—75-06447A

Effect of the sensing capacitance in a Sawyer-Tower setup on hysteresis loops: model calculations and $SrBi_2Ta_2O_9$ [SBT] experimental results.—75-05552A

Effect of treatment in the corona discharge on the form of the hysteresis loop of Bi-containing iron garnet epitaxial films.—75-08209A

Electric-field dependence of the photocarrier hopping mobility in bismuth silicon oxide.—75-01281A

Electrical properties of nonconventional Bi-Ba-Cu-O glasses.—75-04960A

Electroactive and electroinactive dopants in Bi_2Te_3 and their interaction with antisite defects.—75-05309A

Electronic dynamical structure model of a $Ba_{0.87}K_{0.13}BiO_3$ crystal.—75-08922A

Electrophysical properties of $SrBi_2Nb_2O_9$-based solid solutions.—75-06462A

Evolution of large-scale inhomogeneities during the ferroelectric phase transition in $BaTiO_3$ crystals doped by trivalent bismuth.—75-08138A

Features of solid solutions of layered $A_{m-1}Bi_2M_mO_{3m+3}$-type ferroelectrics.—75-05572A

Ge-doped bismuth vanadate solid electrolytes: synthesis, phase diagram, and electrical properties.—75-06237A

Grain size effects on the dielectric properties of ferroelectric $Bi_2VO_{5.5}$ ceramics.—75-05585A

Growth of bismuth silicate films on Si and its dielectric properties.—75-05195A

Growth of epitaxial layers of gallium arsenide from solution in molten bismuth.—75-09323A

Hall coefficient (R) and resistance (π) anisotropy of germanium-doped $Bi_2Te_{2.85}Se_{0.15}$ single crystals.—75-07903A

Heat capacity and thermodynamic properties of eulytine, $Bi_4(SiO_4)_3$.—75-08948A

Improved mechanical properties of bismuth lead oxide.—75-06994A

Influence of Bi^{3+} ions in enhancing the magnitude of positive temperature coefficients of resistance in n-$BaTiO_3$ ceramics.—75-03054A

Influence of $BiFeO_3$ on the phase composition and magnetic properties of barium ferrite.—75-05676A

Influence of chromium on the formation of the bismuth system superconductors.—75-05779A

Influence of fusible phases of $BiFeO_3$ on physical properties of ferrites based on lithium ferrite.—75-05678A

Interface formation of Bi on ceramic ZnO: a simple model varistor grain boundary.—75-00523A

Intrinsic radiative background of $Bi_4Ge_3O_{12}$ crystals.—75-05355A

Limited absorption in $Bi_{12}SiO_{20}$ crystals.—75-06481A

Local centers in $Bi_{12}SiO_{20}$ crystals with nonstoichiometric composition.—75-09511A

Luminescence of bismuth(III) in $InBO_3$.—75-06482A

Magnetic characterization of epitaxial $Y_3Fe_5O_{12}$/$Bi_1Fe_5O_{12}$ and $Y_3Fe_5O_{12}$/$Eu_1Bi_2Fe_5O_{12}$ heterostructures grown by pulsed laser deposition.—75-00745A

Magnetoelectric effect and incommensurate spin structures in the $La_xBi_{1-x}FeO_3$ system.—75-05692A

Magnetothermoelectric properties of extruded lead-doped $Bi_{85}Sb_{15}$ solid solutions.—75-09158A

Mechanical properties of Bi_2Te_3<Cu> single crystals close to the p-n transition.—75-07964A

Method of making electrical contacts on Bi-based oxide superconductors.—75-08472P

Microstructure-property studies of BICUVOX ceramics.—75-02919A

Microwave dielectric ceramic composition.—75-07769P

Microwave resonance absorption in antiferromagnetic Bi_2CuO_4.—75-05695A

Neutron powder diffraction study of $(Bi_{0.35}Cu_{0.65})YSr_2Cu_2O_7$.—75-06286A

New homologous series of $Ba_mBi_{m+n}O_x$ (m=1, 2,...; n=0, 1, 2,...).—75-08993A

Nitrogen oxides control in bismuth nitrate synthesis.—75-04123A

Nonparabolicity of the electron spectra in Bi_2Te_3 and in $Bi_2Te_{2.7}Se_{0.3}$ solid solutions.—75-05407A

Nonstoichiometry and mass transport in bismuth titanate with sillenite structure.—75-09514A

Optical properties of Co-doped $Bi_{12}TiO_{20}$ and $Bi_{12}SiO_{20}$ single crystals.—75-06495A

Orientation dependence of dipole gaps in the magnetostatic wave spectrum of Bi-substituted iron garnets.—75-03324A

Original way to elaborate cermet thin films: cluster deposition.—75-00974A

Phase composition of $Bi_{12}MO_{20}$ and $Bi_4M_3O_{12}$ (M=Si, Ge, Ti) crystal surfaces during annealing in a vacuum.—75-06296A

Phase diagram of the Bi-Sr-Cu-O system.—75-06299A

Phase equilibria in the Bi_2S_3-Ln_2O_2S (Ln=La, Ce, Pr) systems.—75-09016A

Phase transformations and melting effects during the sintering of bismuth-doped zinc oxide powders.—75-05418A

Photoluminescence [PL] characterization of GaAs layers grown from Ga-Bi solutions.—75-05430A

Physical and magnetic microstructure of rapid thermally annealed thin-film bismuth-doped garnets.—75-03326A

Physical properties of Bi semimetals.—75-03129A

Physicochemical study of the Sb_2Te_3(Bi_2Te_3)-TmTe system.—75-09041A

Preparation and characterization of $(Bi_2S_3)_{1-x}(CdS)_x$ solid solution thin films.—75-00579A

Preparation and characterization of Bi-based single crystals of high-T_c superconductors.—75-05817A

Process for producing tubular parts of high-T_c superconductor material.—75-05880P

Properties of single crystals of solid solutions of Sb_2Te_3-Bi_2Te_3 systems.—75-05450A

Raman band shifts of γ-Bi_2MoO_6 and α-$Bi_2Mo_3O_{12}$ exchanged with ^{18}O tracer at active sites for reoxidation.—75-06330A

Refractive index and elastooptical properties of germanium sillenite.—75-09179A

Relationship between thermoelectric properties and formation of microstructure, and compressive strength and grain size of Bi-Te materials.—75-08044A

Relaxation phenomena in amorphous bismuth borate condensate prepared by plasma treatment of glass.—75-02683A

Structure and electrical properties of interfaces of $Bi_{0.5}Sb_{1.5}Te_3$ and $Bi_2Te_{2.7}Se_{0.3}$ with several melts.—75-05488A

Structure of $Bi_2Ba_2CuO_{6+\delta}$ compounds and solid solutions of $Bi_2Ba_{2-x}M_xCuO_{6+\delta}$ (M=Sr, Ru, Rh, Pd, In, Sb, and Pb).—75-06786A

Superconductive optoelectronic devices with the basic substance Bi_2O_3 of conductive-conjugate photoconductivity.—75-05886P

Synthesis and growth of self-activated scintillation crystals of $Bi_2Al_4O_9$.—75-06794A

Synthesis and luminescent properties of $Bi_2Ga_4O_9$ single crystals.—75-09458A

Synthesis and physicochemical properties of $LnBiOS_2$ [Ln=La, Ce, Pr, Nd, Sm, Gd, Dy, Yb] compounds.—75-09459A

Synthesis of bismuth cuprate.—75-06804A

Synthesis of bismuth germanate.—75-09466A

Synthesis of highly phase pure BSCCO superconductors.—75-05888P

Thallium-, bismuth-, and lead-containing oxide superconductor.—75-08493P

Thermal and X-ray studies of the pyrolysis process for bismuth-substituted iron garnet films.—75-06391A

Thermal expansion of sodium bismuth tungstate single crystals.—75-06912A

Thermal stability of $SrBi_2O_4$ compounds.—75-06529A

Thermochemistry and structure of bismuth(III) borate melts.—75-07317A

Thermodynamic evaluation of the Bi-Cu-O system.—75-01253A

Thermogalvanomagnetic effects in bismuth.—75-03185A

Thin-film high-T_c superconductor comprising a ferroelectric buffer layer.—75-00926P

Thin-layer elastically strained $InAs_{1-x-y}Sb_yBi_x$/InSb heterostructures: calculations of some physical parameters.—75-03186A

Top-seeded solution growth and characterization of $Bi_{12}TiO_{20}$ crystals.—75-03188A

Trapping levels in $Bi_{12}SiO_{20}$ crystals.—75-01363A

Uniformity of $Bi_2Te_{2.85}Se_{0.15}$ single crystals produced by the Czochralski method.—75-06826A

bismuthates,

Dielectric-metal phase transition and superconductivity in the $Ba_{1-x}K_xBiO_3$ system.—75-08289A

Growth of Bi-Sr-Ca-Cu-O superconducting crystals in the $Bi_2Sr_2CaCu_2O_x$-$BaBiO_3$ system.—75-05773A

Lithium alkaline earth bismuthate glasses.—75-07346A

Thermochromism and temperature dependence of the energy gap in cadmium aluminum bismuthate glasses.—75-07372A

bisque,

Modular inquiries.—75-02300A

blast-furnace slag,

Devitrification of granulated blast-furnace slag and slag-derived glass powders.—75-05994A

Production of stone castings from blast-furnace slag from the Cherepovetsk metallurgical plant.—75-03626A

Single fast-fired wall tiles containing Iranian iron slags.—75-00254A

Use of supplementary cementing materials to increase the resistance to chloride ion penetration of concretes cured at elevated temperatures.—75-02430A

blending,

Blending and packing specialist plasters.—75-02439A

Results of pressing and heating some solid industrial process wastes alone with water as a binder.—75-00984A

Steiger blending plant: processed clays from Meissen.—75-00987A

boehmite,

Effect of simultaneous additions of niobia and magnesia on the sintering and microstructure of seeded boehmite.—75-04010A

Enhanced densification by seeding of extruded boehmite gels derived by hydrothermal decomposition of basic aluminum acetate.—75-01484A

Green-state deformation of boehmite-coated silicon nitride compacts.—75-04056A

Microwave drying of boehmite sol intercalated smectites.—75-06687A

Preparation and properties of fibrous boehmite sol and its application for thin porous membranes.—75-06718A

Thermal stability of montmorillonite intercalated and alumina pillared by boehmite sol.—75-03938A

Transformation of γ-AlOOH (boehmite) and $Al(OH)_3$ (gibbsite) to α-Al_2O_3 (corundum) induced by high-energy ball milling.—75-04261A

bonds/bonding,

Ab initio calculation of the mechanical strength of the Si–O–Si bond.—75-06940A

Adhesion mechanisms in masonry.—75-02750A

Adhesive bonding of carbon and ceramic materials.—75-04418A

AEM investigation of ceramic/Incoloy 909 diffusional reactions after joining by HIP.—75-06838A

Anharmonicity of interatomic and intermolecular bonds and physicomechanical properties of polymer glasses.—75-02624A

Anodic bonding of diamond to glass.—75-08511A

Application of lead alkali-silicate bonding glass to ferrite heads.—75-05656A

Application of thermomechanical modeling to carbon-bonded refractory structures.—75-07474A

Applications of low temperature direct bonding in microsensor structures.—75-00300A

Atomic bonding at oxide surfaces.—75-04296A

Bond characteristics of pretensioned strand.—75-02388A

Bonding matrix for bauxite-based, high-alumina torpedo ladle brick for lower temperature firing.—75-02753A

Braze bonding of diamond, cBN, sapphire, and other nonmetallic hard materials for industrial devices.—75-08514A

Brazeless ceramic-to-metal bond for use in implantable devices.—75-07245P

Ceramic composites having a weak bond material selected from monazites and xenotimes.—75-08556P

Ceramic joining: II. Partial transient liquid phase bonding of alumina via Cu/Ni/Cu multilayer interlayers.—75-04841A

Ceramic semiconductor package having varying conductive bonds.—75-08098P

Characterization of glass-ceramic to metal bonds.—75-04844A

Compositions and chemical bonding in ceramics by quantitative electron energy loss spectrometry.—75-01817A

Criteria for misfit localization at interfaces.—75-04278A

Deuteron magnetic resonance and infrared absorption studies of structure and dynamics in amorphous hydrogenated carbon and carbon nitride.—75-01822A

Diffusion bonding interface structure of yttria-stabilized zirconia.—75-04313A

Diffusion bonding of Al_2O_3/TiC composite.—75-06845A

Direct bonding of copper composites to ceramics.—75-07260P

Direct bonding of copper to aluminum nitride substrates.—75-00156P

Effect of bond composition on the strength of partially bonded vitrified ceramic abrasives.—75-06962A

Effect of component size on thermal stress.—75-01452A

Features of the chemical bond and lattice magnetic susceptibility of A^3B^5, A^2B^6, and $A^2B^4C_2^5$ crystals.—75-07888A

Glass-bonded ceramic material from chrysotile.—75-06627A

Grain boundary structures in covalent-bonded ceramics.—75-01855A

Hydrogen and halogen bonding on the diamond (100)2×1 surface—an ab initio study.—75-01864A

Influence of brazing conditions on joint strength in Al_2O_3/Al_2O_3 bonding.—75-06648A

Interatomic spacings of transition metal-silicon and types of chemical bonds in binary transition metal silicides.—75-06478A

Intermetallic-bonded ceramic matrix composites.—75-07216A

Investigation on the mechanism of bonding Si_3N_4 to 40Cr steel by vacuum brazing.—75-02498A

Ion beam modification of bioactive ceramics to accelerate biointegration of said ceramics.—75-08583P

Isotropic materials with low or negative thermal expansion.—75-01880A

Laser bonding process.—75-08585P

Local structure and bonding states in a-$Si_{1-x}C_x$:H.—75-01225A

Metallurgical bonding of metals and/or ceramics.—75-00161P
Microstructure in reaction-bonded silicon nitride ceramics.—75-01888A
Nickel–alumina bonds: mechanical properties related to interfacial chemistry.—75-07222A
Phosphate-bonded castable.—75-07629A
Quantum-chemical study of interlayer interaction in vitreous B_2O_3.—75-02680A
Relationship between surface roughness and bonding strength in superplastic diffusion bonding.—75-01648A
Silicon to sapphire bond.—75-03549P
Solid-state bonding of silicon nitride ceramics to metal using nickel-chromium alloy.—75-07230A
Solid-state NMR studies of the bonding structure of diamondlike amorphous carbon films.—75-01934A
Stability of chemically bound complexes of S with group IB elements in Si.—75-08062A
Strong interface in CMCs, a condition for efficient multilayered interphases.—75-04403A
Structures of bonding interface by forming hydrogen bridges.—75-04409A
Thermal SiO_2-to-Si bonding interface for irradiation-hardness silicon-on-insulator (SOI) substrate.—75-02940A

bone china,
Decoration of porcelain, earthenware, and bone china.—75-05162A
Microstructural evidence for amorphous phase separation in bone china.—75-00290A
Washing agent attacks on bone china glazes.—75-05169A

bone replacement,
Bone replacement part made of glass ionomer cement.—75-01100P
Calcium phosphate/atelopeptide collagen compositions for bone repair.—75-01101P
Effective formulations for the preparation of calcium phosphate bone cements.—75-04014A
Effects of attrition on the densification of hydroxyapatite.—75-01468A

borates,
Absorption and emission spectra of Er^{3+}-doped fluoroborate glasses.—75-00176A
Ac conductivity studies of lithium thioborate glasses.—75-02621A
Choice of flux for growth of lithium triborate [LTB] single crystals.—75-06184A
Determination of important parameters for SHG in LBO.—75-06441A
Effect of composition of potassium borate glasses on relaxation properties.—75-04952A
Effect of composition of rubidium borate glasses on relaxation properties.—75-04953A
Effect of salt composition of a solution on transformations of natural borates.—75-06212A
Effect of spontaneous magnetostriction on the nuclear spin echo signal in $FeBO_3$.—75-08207A
Effect of the number of magnetic couplings on the surface properties of antiferromagnetic Fe_3BO_6 crystals.—75-05666A
Electrical and optical properties of Li-doped $LiBO_2$ and $LiNbO_3$ films.—75-01282A
Electrical conductivity studies of sodium tetraborate glasses containing copper.—75-04959A
Electron paramagnetic resonance and optical absorption of Cu^{2+} in NaF-B_2O_3 and NaF-Na_2O-B_2O_3 glasses.—75-07335A
Electron paramagnetic resonance of Fe^{3+} ions in borate glass: computer simulations.—75-02585A
Electron paramagnetic resonance spectra of VO^{2+} ions in alkali fluoroborate.—75-04894A
EPR and optical absorption spectra of VO^{2+} in NaF-B_2O_3 and NaF-Na_2O-B_2O_3 glasses.—75-07336A
Features of dimensional magnetoelastic resonance in iron borate in multidomain states.—75-05670A
$GaBO_3$ crystal growth from flux.—75-06626A
Heat capacity of $Y_xGd_{1-x}Al_3(BO_3)_4$ solid solutions.—75-06468A
High-temperature powder X-ray diffraction study of barium metaborate BaB_2O_4.—75-06240A
Infrared properties of barium borate glasses: application of the generalized Lyddane-Sachs-Teller relation.—75-04972A
Interaction of iron and nickel with borate melts.—75-02728A
Isotope substitution in B_2O_3 glass: a molecular dynamics study.—75-04911A
Lithium borate glasses: a quantitative study of strength and fragility.—75-04977A
Lithium-sodium metaborate glasses: structural aspects and vitrification chemistry.—75-04914A
Luminescence of bismuth(III) in $InBO_3$.—75-06482A
Mechanism of the 90° pulsed magnetization of iron borate single crystals.—75-09160A
Method of growing single crystal of ß-barium borate.—75-06837P
Method of manufacturing aluminum borate whiskers having a reformed surface based upon gamma-alumina.—75-08836P
Multiple boron sites in borate glass detected with dynamic angle spinning nuclear magnetic resonance.—75-04917A
Optical properties of Pr^{3+} ions in lithium borate glasses.—75-07358A
Phase equilibria in the system barium metaborate–lead oxide.—75-09024A
Photochemical hole burning [PHB] and local structural change in Sm^{2+}-doped borate glasses.—75-00173A
Piezoelectric properties of glass-ceramics based on lithium tetraborate.—75-05622A
Preparation and properties of some lithium borate based glasses.—75-05034A
Pyroelectrical properties of $BaBO_4$ [BBO] and $KTiOPO_4$ [KTP] crystals.—75-06508A
Raman and ^{11}B nuclear magnetic resonance spectroscopic studies of alkaline-earth lanthanoborate glasses.—75-04920A
Raman investigation of lead haloborate glasses.—75-02603A
Relaxation phenomena in amorphous bismuth borate condensate prepared by plasma treatment of glass.—75-02683A
Role of precession and longitudinal vibrations of magnetization in the dynamics of spin reorientation in Fe_3BO_6.—75-08239A
Second harmonic generation in transparent barium borate glass-ceramics.—75-04993A
Spectral luminescence of magnesium fluoroborates doped with manganese(II).—75-06362A
Spectroscopic investigation of the influence of uranium ions on the structure of borate glasses.—75-04929A
Structural investigation of rapidly quenched Li_3BO_3-Li_4GeO_4 glasses.—75-04931A
Temperature effects on structure and dynamics in borate and borosilicate liquids: high-resolution and high-temp. NMR results.—75-04935A
Temperature response of the photomagnetic effect in $FeBO_3$ crystals studied in a SKVID magnetometer.—75-05717A
Thermochemistry and structure of bismuth(III) borate melts.—75-07317A
Top-seeded solution growth of borate crystals for nonlinear optical applications.—75-04260A
Transport properties of semiconducting Fe_2O_3-PbO-B_2O_3 glasses.—75-02697A
Weak ferromagnetism along the third-order axis of $FeBO_3$ crystals.—75-08251A
X-ray analysis of two phases in the barium borate, sodium barium borate, and sodium borate ternary phase system.—75-06407A
X-ray structural investigation on sodium borate samples prepared by the sol-gel method.—75-02619A

boria,
Chemical basis of the structural modification in sodium borovanadate glasses: thermal and spectroscopic studies.—75-04884A
CuO-Bi_2O_3-B_2O_3 system.—75-08902A
Dielectric ceramic composition containing ZnO-B_2O_3-SiO_2 glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition.—75-07754P
Dielectric ceramic composition containing ZnO-B_2O_3-SiO_2 glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition.—75-07755P
Dielectric ceramic composition containing ZnO-B_2O_3-SiO_2 glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition.—75-07756P
Dielectric ceramic composition containing ZnO-$B_2O_3SiO_2$ glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition.—75-05221P
Effect of TiO_2 on properties of magnesium oxide obtained from seawater.—75-06586A
Effects of rapid thermal annealing on electrical properties of heavily doped silicon molecular beam epitaxial layer with B_2O_3 doping source.—75-01473A
Electric conductivity of glasses in the PbO-B_2O_3-$PbHal_2$ and 2PbO-B_2O_3-$PbHal_2$ systems (Hal=Cl, Br, and I).—75-02651A
Features of the relaxation α-process in vitreous B_2O_3.—75-04966A
Fracture toughness of CaO-P_2O_5-B_2O_3 glasses and glass-ceramics determined by indentation.—75-06985A
Glasses in the La_2O_3-B_2O_3-SiO_2 system and crystallization of the ferroelectric $LaBSiO_5$ phase.—75-07303A
Green sheets of controlled microporosity and method of producing same.—75-00007P
Ionic conduction in $(1-x)B_2O_3$+xLi_2O.—75-04909A
Method of producing low-temperature firing dielectric ceramic composition containing B_2O_3.—75-05230P
Microaggregation processes in B_2O_3-TeO_2 glasses.—75-05027A
Microstructure and electrical properties of zinc oxide ceramics doped with B_2O_3.—75-09559A
Optical glass.—75-05052P
$PbTiO_3$-PbO-B_2O_3 glass-ceramics by a sol-gel process.—75-07392A
Preparation of porous glass hollow fiber from glass based on SiO_2-B_2O_3-RO-ZrO_2 (R=Ca, Zn) system.—75-02737A
Quantum-chemical study of interlayer interaction in vitreous B_2O_3.—75-02680A
Quantum-chemical study of the destruction of the infinite random network in vitreous B_2O_3.—75-09666A
Relaxation transitions in vitreous B_2O_3 and their molecular mechanisms.—75-04992A

borides,
Atomic magnetic moment and electronic structure in Fe-B amorphous alloys based on XPS.—75-05657A
Ceramics in the system NbB_2–CrB_2.—75-03692A
Cermets based on transition metal borides, their production and use.—75-02566P
Effect of heating in air on the phase composition of a nickel boride composite.—75-06579A
New borides of $LnMo_3B_7$ (Ln=Tb, Dy, Ho, Er, Tm) with the YMo_3B_7 structure.—75-08992A
Onset of crystallization and appearance of brittleness in the $Fe_{77}Ni_1Si_9B_{13}$ and $Fe_{59}Ni_{20}Si_9B_{13}$ metallic glasses.—75-02672A
Phase composition of a nickel boride composite.—75-09009A
Reversible structural relaxation and thermal stability of amorphous $Fe_{40}Ni_{40}P_{14}B_6$ alloys.—75-09181A
Synthesis and characterization of metal boride/glass composite resistors.—75-00379A
Synthesis and thermoelectric properties of silicon-boron compounds with high boron contents.—75-03182A
Synthesis of TiB-TiB_2-reinforced titanium matrix composites by combustion synthesis.—75-07233A
X-ray photoemission study of $Fe_{40}Ni_{40}B_{20}$ metallic glass.—75-06412A

boron carbide,
Boron carbide cermet structural materials with high flexure strength at elevated temperatures.—75-07243P
Boron carbide particles formed from an amorphous boron/graphite powder mixture using a shock-wave technique.—75-03956A
Boron carbide preparation by highly reactive precursors.—75-09224A
Effects of aluminum on properties of hot-pressed C-B_4C-SiC composites.—75-03696A
ESCA characterization of boron and silicon carbide mixed layers deposited on HR [high strength] and HM [high modulus] carbon fibers by RCVD [reactive CVD]: properties of the as-coated fibers.—75-08926A
High-temperature oxidation of SiC-based monolithic refractories: II. Effect of B_4C on oxidation.—75-05099A
Lightweight boron carbide/aluminum cermets.—75-07262P
Microwave reaction sintering and properties of B_4C-Al composite.—75-07219A
Preparation and abrasive properties of eutectic compositions in the system B_4C-SiC-TiB_2.—75-04784A
Process for producing bodies based on boron carbide by pressureless sintering.—75-08618P
Sintered composite boron carbide body and production process thereof.—75-01199P
Tests on the oxidation-inhibiting effect of CaB_6 in refractory MgO-C materials.—75-02843A
Thermal conductivity and specific heat of boron carbides.—75-03934A
Wear-resistant materials in SiC-B_4C system.—75-09696A

boron nitride,
AlN-BN machinable ceramics.—75-02022A
B-N-C, hydrid coatings for inorganic fiber reinforcement materials.—75-01157P
Binary system of BN-Mg_3N_2 under high pressures and temperatures.—75-06165A
BN/RBSN composite materials.—75-03871A
Boron nitride and aluminum thermal spray powder.—75-07244P
Calculations of chemical equilibria in the Zr-B-N system.—75-03768A
Cathodoluminescence spectroscopy of boron nitride films.—75-00422A
Characterization of BN-rich layer on ammonia-treated Nextel 312 fibers.—75-04301A
Characterization of boron nitride films deposited from BCl_3-NH_3-H_2 mixtures in chemical vapor infiltration conditions.—75-03965A
Characterization of tubular boron nitride filaments.—75-06105A
Coated inorganic fiber reinforcement materials and ceramic composites comprising the same.—75-01109P
Deformation potential of wide band semiconductors.—75-07820A
Determination of Mg_3BN_3 structure from powder diffraction data by entropy maximization.—75-06201A
Diamond and CBN cutting tools.—75-03731P
Dielectric properties of cubic and pyrolytic boron nitrides (svetlanite).—75-09126A
Direct observation of hexagonal boron nitride at the grain boundary of cubic boron nitride by high-resolution electron microscopy.—75-09538A
Effect of boron nitride on the phase stability and phase transformations in silicon carbide.—75-08912A
Effect of the growth process on boron nitride thin film electrical properties.—75-09288A
Elastic constants of boron nitride.—75-01279A
Electronic structure of cubic boron nitride within the local density approximation.—75-06219A
Electrophysical properties of polycrystalline sphalerite boron nitride.—75-09142A
Energetic states of isolated native defects in cubic boron pnictides.—75-08925A
Epitaxial growth of B-doped high-quality diamond film on cBN surface by chemical vapor deposition.—75-09301A
Excimer laser-induced chemical vapor deposition of boron nitride films.—75-09302A
Fracture behavior of multilayer silicon nitride/boron nitride ceramics.—75-06980A
Growth of tubular boron nitride filaments.—75-04062A
High-temperature ceramic composite.—75-08830P
High-temperature tensile behavior of a boron nitride coated silicon carbide fiber glass-ceramic composite.—75-04559A
Influence of boron nitride and carbon additives on the behavior of sintered AlN in a steelmaking environment.—75-07576A
Initial stages of growth of thin films of III-V nitrides and silicon carbide polytypes by molecular beam epitaxy.—75-00521A
Ion-assisted pulsed laser deposition of cubic boron nitride films.—75-01553A
Laser physicochemical vapor deposition of cubic boron nitride thin films.—75-06669A
Low-energy threshold in the growth of cubic boron nitride films by ECR plasma-assisted magnetron sputtering.—75-01562A
Magnetic susceptibility of wide band gap semiconductors.—75-07961A
Mechanical properties of polycrystalline translucent cubic boron nitride as characterized by the Vickers indentation method.—75-02074A
Microstructure of BN/SiAlON multiphase ceramics.—75-04367A
Microstructure of cubic boron nitride thin films grown by ion-assisted pulsed laser deposition.—75-01889A
Microstructures of BN/SiC coatings on Nicalon fibers.—75-04375A
Molecular beam epitaxy of boron nitride thin films and their analytical characterization.—75-04118A
Orientation and growth of grains in copper-activated hot-pressed hexagonal boron nitride.—75-01230A

Oxidation of BN-coated SiC fibers in ceramic matrix composites.—75-02009A
Poly(B-alkenyl-borazine) ceramic precursors.—75-08838P
Polycrystalline cubic boron nitride abrasive particles and abrasive tools made therefrom.—75-04786P
Polycrystalline cubic boron nitride abrasive.—75-02173P
Preparation of diamondlike carbon and boron nitride films by high-intensity pulsed ion beam deposition.—75-09392A
Role of boron oxide in growth of boron nitride grains.—75-09423A
Sintered ceramic composite and molten metal contact member produced therefrom.—75-06101P
Sintering and crystallization of ground hexagonal boron nitride powders.—75-04218A
Sintering of hBN using polysilazane.—75-01667A
Spark plug insulator for use in internal combustion engine.—75-08850P
Sputter deposition of cubic boron nitride films.—75-09449A
Supercrystallite quasi-crystalline formations in boron nitride.—75-06378A
Synthesis and characterization of codeposited carbon nitride and boron materials.—75-09457A
Synthesis of boron nitride by self-propagating reactions at high pressure.—75-09467A
Synthesis of nanostructured composite materials in the B-Si-N system.—75-06812A
Theory of impurity vibrations in cubic boron nitride and boron phosphide.—75-09085A
Thin films of boron nitride grown by CVD.—75-06822A
Tribological properties of cBN films fabricated by the reactive ion plating method and modified by ion implantation.—75-09687A
Wear-resistant cubic boron nitride-based cutting tool.—75-06143P

boron,
Boron-doped diamond electrodes for electrochemical applications.—75-08795A
Boron-doped polycrystalline diamond films for strain-sensing applications.—75-08796A
Boron.—75-06024A
Capacitance spectroscopy of boron-doped silicon carbide.—75-02967A
Chemical gas-phase deposition of refractory boron-containing products on the basis of thermometallic reduction of boron halogenides.—75-07490A
Combustion patterns of thin layers of the Ti-B powder mixture.—75-06553A
Deep centers and electroluminescence of boron-doped 4H-SiC *p-n* structures.—75-07818A
Dependence of contact resistance on metal electronegativity for B-doped diamond films.—75-00307A
Determination of barrier height of boron-doped polycrystalline diamond thin-film Schottky diodes using a capacitance-voltage technique.—75-08654A
Development of Si-B-O-N fibers from polyborosilazane.—75-06571A
Effect of grain size and temperature on the field dependence of the resistivity of B-doped diamond.—75-09274A
Electronic coatings using filled borosilazanes.—75-01167P
Enhanced thermal conductivity of CVD SiC via beryllium and boron dopings.—75-04024A
Growth of boric acid crystallites on the surface of boron-doped silicon carbide samples.—75-04332A
High-temperature lifetime in air of SiC/C(B)/SiC microcomposites prepared by LPCVD.—75-04554A
Irradiation and annealing of ^{10}B-doped chemical vapor deposited diamond films.—75-08961A
Isothermal oxidation behavior of Mo-Si-B intermetallics at 1450°C.—75-09594A
Oxidation behavior of boron-modified Mo_5Si_3 at 800–1300°C.—75-04438A
Oxidation resistance and compressive creep behavior of boron-doped Mo_5Si_3.—75-09658A
Raman scattering in ferroelectric $LaBGeO_5$.—75-08168A
Reactivity of boron in solid-state reaction and sintering for consolidation of boron compounds.—75-09049A
Silicon nitride sintered body.—75-08846P
Transformation of radiation defects and their clusters in B^+ ion-implanted silicon.—75-03189A
Use of boron isotopes and neutron irradiation in preparing *p-n* junctions in diamond films.—75-08091A

borophosphates,
Dielectric properties of silver borophosphate glasses.—75-04949A

borosilicate glass,
Abrasive wear of borosilicate glass.—75-04942A
Angular emissivity at room temperature and spectral reflectance at near normal incidence of float glass, borosilicate glass, and glass-ceramics.—75-07323A
Borosilicate glass.—75-07409P
Change in refractive index of a borosilicate glass fiber annealed below the glass transformation temperature.—75-07327A
Characterization and structural developments of gel-derived borosilicate glasses: a multinuclear MAS-NMR study.—75-04883A
Chemical durability of a boroaluminosilicate glass [for use in a ceramic glaze].—75-02854A
Composition of surface layers formed upon interaction with solutions and electrode properties of alkali aluminum borosilicate glasses: III, Properties of electrodes.—75-07290A
Composition of surface layers formed upon interaction with solutions and electrolytic properties of alkali aluminum borosilicate glasses: II, Sodium aluminum borosilicate glass.—75-02578A
Crack initiation in borosilicate glass–SiC fiber composites.—75-02579A
Crystallization characteristics of some lithia calcia magnesia borosilicate glasses.—75-02705A
Early stage matrix cracking phenomena in fiber-reinforced brittle matrix composite.—75-02645A
Effect of incorporation of nitrogen on the structure and dielectric properties of modified oxide sol-precipitated borosilicate glasses and glass-ceramics.—75-02711A
Effect of strain rate on the fracture of ceramic fiber-reinforced glass matrix composites.—75-06969A
Environmental testing of WVDP waste glasses.—75-03463A
Highly chemically and thermally resistant borosilicate glass which is capable of forming a seal with tungsten.—75-05049P
Influence of synthesis conditions of porous glasses on their structure.—75-02726A
Method of fabricating a semiconductor device having a borosilicate glass spacer.—75-03207P
Migration of triplet excitations of benzaldehyde in a porous matrix of sodium borosilicate glass.—75-07349A
Novel alkali-resistant porous glass prepared from a mother glass based on the SiO_2-B_2O_3-RO-ZrO_2 (R=Mg, Ca, Sr, Ba, and Zn) system.—75-05030A
Occurrence of bimodal pore structure and leaching process in the preparation of porous glass from fluorine containing sodium borosilicate glass.—75-07391A
Phosphorescence of aromatic compounds in the porous matrix of sodium borosilicate glass and their interaction with pore walls.—75-07310A
Preparation and optical properties of sol-gel-derived ZnSe crystallites doped in glass films.—75-00219A
Preparation and thermal stability of an Si+aluminoborosilicate glass composite.—75-07360A
Preparation of C fiber borosilicate glass composites: influence of the fiber distribution on mechanical properties.—75-05035A
Preparation of C fiber borosilicate glass composites: influence of the fiber type of mechanical properties.—75-05036A
Preparation of glass-impregnated isotropic graphite and its gas permeability.—75-07397A
Processes of gel formation and glass formation in the borosilicate systems.—75-05038A
Sintering of cordierite glass-ceramic with lead borosilicate glass.—75-02606A
Solubility limits for troublesome components in a simulated low-level nuclear waste glass.—75-03496A
Spectrochemical studies of mesoporous silicate glasses.—75-02608A
Temperature effects on structure and dynamics in borate and borosilicate liquids: high-resolution and high-temp. NMR results.—75-04935A
Volatilization rates of troublesome components from a simulated low-level nuclear waste glass.—75-03506A

borosilicates,
Electrically heatable transparency.—75-00398P
Ferroelectrical properties of the borosilicates $LnBSiO_5$ (Ln=La, Pr) in the structural family of stilvellite.—75-05582A
Preparation and properties of borosilicate-coated alumina particles from alkoxides.—75-04154A

brazing,
Braze bonding of diamond, cBN, sapphire, and other nonmetallic hard materials for industrial devices.—75-08514A
Braze for silicon carbide bodies.—75-02564P
Brazing of diamond film to tungsten carbide.—75-07246P
Brazing of diamond film to tungsten carbide.—75-07247P
Development and application of automatic brazing machine for automobile fuel tank.—75-08516A
Evaluation of brazed silicon nitride joints: microstructure and mechanical properties.—75-02467A
Influence of brazing conditions on joint strength in Al_2O_3/Al_2O_3 bonding.—75-06648A
Recent development of brazing technology for Si_3N_4 to 40Cr steel.—75-02538A
Silicon nitride–stainless steel braze joining with an active filler metal.—75-04866A
Strength and microstructure of silicon nitride ceramics brazed with nickel-chromium-silicon alloys.—75-02546A
Zirconia-TZM brazed joints.—75-02563A

breakdown,
Breakdown mechanisms in PZT thin-film capacitors.—75-05533A
Mechanism of the low-temperature impurity breakdown.—75-07965A

brick industry,
Brickworks technology of the future.—75-00235A
Ecology and liveability become the motto of the brick industry.—75-00242A
Safety of machinery in the ceramic and building brick industries.—75-04746A
Topping a century of progress.—75-04760A

brick,
Applications of technology of compound lining of semigraphitized self-baking carbon block ceramic brickwork in large-sized blast furnaces.—75-03606A
Bonding matrix for bauxite-based, high-alumina torpedo ladle brick for lower temperature firing.—75-02753A
Brick firing in the countertravel kiln.—75-00234A
Brick handling system gets face-lift.—75-02754A
Byproducts of various industries as raw material for lightweight brick (block).—75-02755A
Causality of cracked rendering.—75-00236A
Ceramic wood from diatomites.—75-07441A
Ceramitec continues to grow.—75-02758A
Changing the plasticity by means of additives, clay disintegration and shaping temperature.—75-00238A
Choice of a brick-tile line of plastic forming.—75-07442A
Continued success for Italy's machinery suppliers.—75-07066A
Cost-efficient brickwork with ground bricks.—75-00240A
Determining brick strength during examination of stone structures.—75-07443A
Development of low-carbon MgO-C brick for tap hole sleeve of BOF.—75-05059A
Development of MgO-CaO-type bricks for sintering zone of cement rotary kiln.—75-05060A
Development of Skid Brick for pickling process.—75-07444A
Dryer modification to improve brick production.—75-02769A
Energy-saving devices used in brick production.—75-08720A
Express moisture gage of a brick body.—75-07447A
Filling of small, storey-high channels in reinforced masonry to give a sealed microstructure.—75-00243A
Gas purging—high-tech refractory systems.—75-07556A
Improvement of the transverse strength properties of lightweight verticle coring clay bricks and blocks by optimization of the web geometry.—75-05062A
Industrial production of high-porosity brick materials.—75-05064A
Keller [GmbH, Germany], a century of innovation.—75-02782A
Light facing brick from Cambrian clays.—75-07448A
Method of increasing strength of porous ceramic brick.—75-07449A
Mobile device for brick production.—75-08534A
New Australian and New Zealand specifications and standard methods of tests for masonry units and segmental pavers.—75-00246A
New method of assessing efflorescence [in brick].—75-05968A
New niche for a century old plant.—75-00247A
Possibilities and limits of fast firing in the brick and tile industry.—75-00248A
Potential applications for natural stone dusts and stands for brickmaking.—75-00249A
Raising the temperature of the green ware in order to reduce the risk of cracks during the drying process.—75-05065A
Reuse of water treatment residuals.—75-00252A
Robert Harrison's Gibson Gateway.—75-02344A
Use of recovery wastes of oil shales from the Volga basin in the production of ceramic bricks.—75-07456A
Versatile tool improves brick production.—75-02800A
Work team approach succeeds at Robinson Brick.—75-04766A

brickmaking equipment,
30-MN OP [oil hydraulic press] system.—75-05054A
New basic brick plant.—75-07450A

bricks,
Development of silica bricks of modern coke ovens.—75-07529A

bridging,
Grain bridging mechanism and *R*-curve behavior for in situ reinforced ceramics.—75-04329A
Inhomogeneous Josephson junction array model in HTSC granular bridges.—75-08346A
Mean-field description of the transition to the mixed state of superconducting microbridges with low vortex pinning forces.—75-00822A

brittle materials,
Biaxial fracture criterion for porous brittle ceramics.—75-06943A
Brittle failure prediction of ceramics using a multiscale approach.—75-08638A
Computer simulations of thermal expansion anisotropy induced microcracking in brittle ceramics.—75-02025A
Crack growth in elastically damaged materials.—75-06949A
Crack initiation in fiber-reinforced brittle laminates.—75-04469A
Crack-fiber interactions in fiber-reinforced brittle matrix composite.—75-02639A
Detailed analysis of debonding and frictional sliding in fiber-reinforced brittle matrix composites.—75-04487A
Discriminating between volume and surface integral theories for brittle materials.—75-04488A
Ductile regime machining of brittle materials.—75-05899A
Fracture of Brittle, Disordered Materials: Concrete, Rock, and Ceramics.—75-07107B
Influence of elastic mismatch between indenter and substrate on Hertzian fracture.—75-06995A
Influence of particle size distribution on ductile-phase toughening in brittle materials.—75-02067A
Length distribution of secondary cracks in brittle materials.—75-04575A
Methodology for the determination of the interfacial properties of brittle matrix composites.—75-05963A
Monitoring of effects of inclusions in model glass systems using acousto-ultrasonic techniques.—75-05964A
Numerical investigation into the microindentation of silicon.—75-02081A
Physics and mechanics of fiber-reinforced brittle matrix composites.—75-07020A
Probability of Hertzian fracture.—75-07023A
Pullout of a ductile fiber from a brittle matrix: I, Shear lag model.—75-07024A
Pullout of a ductile fiber from a brittle matrix: II, A simplified model.—75-07025A
Shear strength of shock-loaded brittle solids.—75-02094A
Single-crystal cleavage of brittle materials.—75-04626A
Strong and safe brittle ceramics—materials aspects of design with structural ceramics.—75-09677A
Theoretical investigation of the fracture energy of heterogeneous brittle materials.—75-07044A

brittleness,
Design of concrete mixes for minimum brittleness.—75-04811A

bromides,
Degradation behavior of LaOBr:Tb under cathode ray excitation.—75-01748A

bromine,
Characterization studies of quaternary superionic AgX-Ag_2O-MoO_3-P_2O_5 glasses. (X=Cl, Br).—75-07329A
Glass formation in the ternary $ZnBr_2$-$HgBr_2$-CsBr system.—75-07302A
New oxobromides of neodymium-tellurium and samarium-tellurium.—75-06287A
X-ray study of crystallographic parameters of Rb_2ZnBr_4 in the phase transition region.—75-09112A

bronze,
Electrode properties of oxide vanadium bronzes of $M_xY_2O_5$ type, where M is Na, Mg, Ca, Cu, Al, and Fe.—75-06460A
Electronic properties of sodium tungsten bronze.—75-08136A
Experimental and simulated scanning tunneling microscopy of the cleaved $Rb_{1/3}WO_3(0001)$ surface.—75-01849A
New compounds of $AB_xW_{1-x}O_9$ with hexagonal tungsten bronze type structure.—75-05611A
New superconductors with tetragonal tungsten bronze structure in the Sr-La-Nb-O system.—75-05802A
bubbles,
Bubble structure of enamel coatings and its determination.—75-02440A
Numerical simulation of bubble behavior in glass-melting tanks: I, Under ideal conditions.—75-07390A
building materials,
Application of vermiculite in construction.—75-08752A
Documentation on international technical articles relating to the heavy clay industry.—75-00241A
Effect of fillers on the properties of gypsum structural materials.—75-07145A
Gypsum in modern buildings.—75-07151A
High time for reconstruction.—75-07154A
Interest of research in building materials.—75-07082A
Method for evaluating ecological danger of heat engineering objects in the building materials industry.—75-08731A
Researching and appling of high-strength concrete in building engineering in Beijing.—75-00067A
Selecting ceramic bodies for the production of large-scale structural items.—75-07454A
Standardization of heat-engineering properties of ceramic wall materials.—75-07455A
Statistics.—75-02840A
Use of industrial waste for the production of building materials.—75-05069A
burners/burning,
Adaptation of an automotive exhaust gas analyzer to small periodic fuel kilns—a useful tool for calibration, control, and research.—75-01054A
Analytical modeling in support of the development of fiber-reinforced ceramic composite materials for reheater burners.—75-03686A
Ceramic foam low emissions burner for natural gas-fired residential appliances.—75-08745P
Effect of additives on the burning rate of carbon/carbon composites studied by variance analysis.—75-03999A
Environmental considerations in glass furnace selection.—75-01058A
Evolution of burner technology for cement.—75-01059A
Flint container furnace performance bolstered by oxy-fuel burner.—75-08723A
Mysterious hole—determining correct burner-orifice size.—75-02306A
Optimized binder burnout—more than just a time factor.—75-06006A
Oxy-fuel firing improves plant operation.—75-03625A
Theory and practice of cement burning system.—75-01065A
cable,
Ac losses and time constants of flat superconducting cables in inhomogeneous magnetic fields.—75-08258A
Dc transmission cable prototype using high-temperature superconductors.—75-08284A
Development of fiber optic cabling technology.—75-00950A
Fiberoptic cables pave road to new technology.—75-02716A
cadmium oxide,
Characterization of sprayed CdO thin films.—75-06867A
Preparation and properties of CdO-SnO_2 complex oxide powders.—75-05444A
Synthesis and study of solid solutions based on cadmium oxide in the CdO-In_2O_3 system.—75-08074A
cadmium selenide,
$CdSe_xTe_{1-x}$ surface barrier structures for solar cells.—75-02970A
Chemical dissolution of cadmium selenide and telluride single crystals in bromine ethanol solutions.—75-07807A
Determination of the number of molecules bonded to a CdSe nanocrystalline surface.—75-01821A
Electroabsorption and laser generation in ZnCdSe/ZnSeS quantum well diodes.—75-07867A
Hydrogen passivation of dislocations in ZnCdSe/GaAs heterostructures.—75-07911A
Index of refraction and its temperature coefficient in $CdSe_{0.18}Te_{0.82}$ at 10.2 μm wavelength.—75-00514A
Linear-circular dichroism during two-photon absorption of light in CdSe nanocrystals.—75-05361A
Luminescence and photoconductivity of highly pure cadmium selenide.—75-05367A
Luminescence of free excitons in disordered ZnCdSe solid solutions.—75-05368A
Magnetocircular polarization of luminescence and tunneling relaxation of excitons in $CdS_{1-x}Se_x$ solid solutions.—75-05371A
Nonlinear absorption in (Cd,Zn)Se/ZnSe single quantum wells.—75-00551A
Nonlinear optical properties of CdSe nano- and microcrystals.—75-05405A
Properties of CdSe layers grown on cubic and hexagonal substrates.—75-08029A
Radiative recombination in narrow-gap n-$Hg_{1-x}Cd_xSe$ solid solution.—75-08039A
Thermodynamic analysis of growth conditions of $Zn_{1-x}Cd_xSe$ solid solution single crystals.—75-08083A
Zinc-blende [*ZB*]–wurtzite [*W*] structural transition during change in composition of $Zn_xCd_{1-x}Se$ solid solutions.—75-08097A
cadmium sulfide,
Annealing of the green luminescence centers in cadmium sulfide.—75-02962A
Anomalies of the photoacoustic response in the CdS/Y zeolite system.—75-07782A
Centers of the red luminescence in CdS and CdS:Cu single crystals and their transformation under electron irradiation.—75-02971A
Change of intrinsic defect structure of CdS(ZnSe) during doping with O and Te isoelectronic impurities.—75-07798A
Deep levels in cadmium sulfide single crystals: a novel technique for the comparison of DLTS data.—75-02989A
Dependence of dark conductivity of CdS single crystals on the energy of bombarding electrons.—75-07821A
EPR spectra of shallow donors responsible for the electron-stimulated reactions of defects in CdS crystals.—75-07878A
Focusing of phonons and anisotropy of streamer breakdown in CdS crystals.—75-07891A
Gas phase epitaxy of CdS from separate components on silicon.—75-05330A
Influence of fundamental absorption edge on the green luminescence spectrum of CdS crystals.—75-07922A
Mossbauer studies of $CdIn_2S_4$.—75-07979A
Nature of metastable centers responsible for anomalous temperature dependence of (0001) plane conductivity in CdS crystals.—75-07981A
Nonactivated donor mobility with ultrasound in CdS crystals.—75-05400A
Optical uniformity of cadmium sulfide single crystals.—75-05410A
Photoelectric deep level relaxation spectroscopy in CdS single crystals with deviations from stoichiometry imposed during the growth process.—75-06313A
Photoemission studies of the ZnO/CdS interface.—75-00564A
Photogeneration of sound in the system of CdS thermally insulated microcrystals in zeolite.—75-08012A
Photomemory effect in high-ohmic and photosensitive CdS:Cu crystals.—75-03127A
Physical characteristics of single-crystal solid solutions of the SnTe-Cd(S, Se) system.—75-05436A
Polar dislocations in cadmium sulfide studied by cathodoluminescence and DLTS methods.—75-05438A
Preparation and characterization of $(Bi_2S_3)_{1-x}(CdS)_x$ solid solution thin films.—75-00579A
Preparation of fine particles of ZnS-CdS solid solution by spray pyrolysis.—75-09394A
Real-time hot-stage high-voltage transmission electron microscopy precipitation of CdS nanocrystals in glasses: experiment and theoretical analysis.—75-00221A
Silicate glasses doped with CdS-CdSe microcrystals and resulting optical waveguides.—75-02741A
Surface-barrier CdS structures with thin barrier layers.—75-03180A
Synthesis and optical properties of CdS clusters in type X zeolite.—75-05496A
cadmium telluride,
Anomalous photovoltage in $Cd_{0.8}Zn_{0.2}Te$ thin films.—75-05241A
Birefringence of cadmium telluride at 77 K induced by uniaxial stress.—75-07792A
Characteristic features of conductivity of $Cd_{0.95}Mn_{0.05}Te$:Co crystals.—75-02973A
Chemical dissolution of cadmium selenide and telluride single crystals in bromine ethanol solutions.—75-07807A
Composition and temperature dependence of the refractive index in $Hg_{1-x}Cd_xTe$.—75-00442A
Development and analysis of defects in CdTe single crystals and epitaxial layers by X-ray topography methods.—75-07826A
Dopant precipitation in CdTe doped with Ga and Cl.—75-05283A
Dopant precipitation in post-growth phosphorus-doped CdTe.—75-05284A
Effect of doping impurities on the formation of structural defects in CdTe irradiated by electrons and ions.—75-07846A
Effect of mercury segregation in $Cd_xHg_{1-x}Te$ [x=0.2] under [YAG:Nd^{3+}] laser pulse annealing.—75-03005A
Electrical characterization of $Hg_{1-x}Cd_xTe$ (0.1265≤x≤0.58) grown by organometallic vapor phase epitaxy.—75-00470A
Electroluminescence spectra of variable-gap $Cd_xHg_{1-x}Te$/CdTe structures at 300 K.—75-05310A
Electron mobility in $Cd_{0.8}Zn_{0.2}Te$.—75-05311A
Etching of CdTe in $K_2Cr_2O_7$-HCl-H_2O solutions.—75-06602A
Etching of CdTe in sulfuric acid-potassium bichromate aqueous solutions.—75-05316A
Evolution of impurity-defect system of an undoped CdTe of n- and p-types at room temperature.—75-03023A
Evolution of structural macrodefects in $Cd_xHg_{1-x}Te$ [x≈0.2] solid solutions.—75-07882A
Features in growing CdTe crystals from melt.—75-03028A
Features of free oxide film formation on the surface of cadmium telluride crystals.—75-05322A
Formation of structural defects in heteroepitaxial layers of CdTe and CdZnTe grown on GaAs.—75-07897A
General regularities of diffusion of impurities in $Cd_{0.2}Hg_{0.8}Te$.—75-07900A
HgCdTe crystal growth and infrared device technology.—75-03046A
Impurity precipitation in CdTe doped with indium after annealing and [I^+] ion and electron irradiation.—75-07918A
In situ ellipsometry during growth of cadmium-mercury-tellurium [CMT] solid solution films by the MBE method.—75-08673A
Index of refraction and its temperature coefficient in $CdSe_{0.18}Te_{0.82}$ at 10.2 μm wavelength.—75-00514A
Influence of $Cd_xHg_{1-x}Te$ properties on characteristics of long-channel IGFET.—75-05344A
Interface electron states at the smooth heterojunction HgTe-CdTe.—75-03067A
Light-controlled electric fields in a high-resistivity MISIM structure with tunnel-transparent dielectrics.—75-02915A
Localization of excitons in $Cd_{1-x}Mn_xTe$ crystals near the paramagnetic–spin glass phase transition temperature.—75-07952A
Magnetic susceptibility of crystals of $(InSb)_{1-x}(CdTe)_x$ solid solutions.—75-07960A
Measurement and control of ion-doping-induced defects in cadmium telluride films.—75-05374A
Mechanism of structural transformations in $Cu_{1.7}Cd_{0.05}Te$ crystals.—75-08981A
Microheterogeneity and extended defects in $Cd_xHg_{1-x}Te$ crystals.—75-05384A
Model for the high-temperature equilibrium of point defects in Sn-doped CdTe.—75-07973A
Nature of the lattice mode of 137 cm^{-1} in an $Hg_{1-x}Cd_xTe$ melt. Modeled calculation of ir-active lattice vibrations for CuAu-1-type ordered structure and partially ordered structures based on it in $A_{1-x}B_xC$ melts.—75-05394A
Orientation dependence of anodic oxides on $Cd_xHg_{1-x}Te$ surface.—75-07998A
Persistent photoconductivity in CdTe-based II-VI semiconductors.—75-05417A
Phonon spectrum of CdTe/HgTe semiconductor superlattices.—75-05421A
Photoelectric properties of polycrystalline $Cd_xHg_{1-x}Te$ layers on sapphire.—75-05427A
Photoelectrical effects in structures from semiconductor–thin dielectric layer interfaces in high-resistivity compensated crystals.—75-08010A
Photoinduced absorption of light in a solid solution of $Cd_{0.65}Mn_{0.35}Te$ with a high concentration of defects.—75-05429A
Photoluminescence and p-type conductivity in CdTe:N grown by molecular beam epitaxy.—75-00566A
Planar photodiodes based on epitaxial $Cd_xHg_{1-x}Te$ layers grown by the molecular beam epitaxy method.—75-08022A
Polarized luminescence of CdMnTe in the external magnetic field.—75-05440A
Potential barrier growth at the grain boundaries of p-$Hg_{1-x}Cd_xTe$ bicrystals (x=0.23) during uniaxial compaction.—75-08024A
Properties of $Cd_xHg_{1-x}Te$ epitaxial layers prepared by metallorganic chemical vapor deposition.—75-08028A
Properties of the $Cd_{1-x}Zn_xTe$ reflection spectra in the far-ir region of the spectrum.—75-08030A
Quantum-size effects on the band edge of CdTe clusters in glass.—75-02739A
Radiative recombination transitions via the states of bound and free excitons in a uniaxially stressed cadmium telluride.—75-03146A
Raman scattering in three-cation weak magnetic semiconductor, $Cd_{1-x-y}Mn_xMg_yTe$.—75-05458A
Recovery of structural perfection of CdTe and ZnTe bombarded by low-energy ions as a result of subthreshold electron irradiation.—75-05460A
Relaxation processes in semiinsulating CdTe(Cl).—75-06511A
Self-cleaning in p-CdTe crystals during heat treatment.—75-05470A
Spectrum of point defects in cooled crystals of Sn-doped CdTe.—75-08060A
Structural, optical, and magnetic properties of $Cd_{0.77}Mn_{0.23}Te$ thin films.—75-06518A
Substrate photoluminescence: an aid in the evaluation of pulsed laser evaporation and epitaxial growth of $Cd_{1-x}MnTe$ epilayers on (111)GaAs.—75-05491A
Surface properties of crystals of $Cd_xHg_{1-x}Te$ solid solutions.—75-08069A
Temperature dependence of magnetic resistivity in the hopping conductivity regime with variable range hopping: results for doped CdTe.—75-08078A
Transformation of the defect system across the width of CdTe wafers under diffusional doping with gallium.—75-03190A
Two-dimensional electron gas on the surface of $Cd_xHg_{1-x}Te$ near a gap-less narrow-gap phase transition.—75-08090A
Zeeman pattern of semimagnetic (CdMn)Te/(CdMg)Te quantum wells in in-plane magnetic fields.—75-05519A
cadmium,
Auger interband transitions and carrier lifetime in p-type degenerate narrow gap semiconductors.—75-05248A
Band structure and optical properties of zinc and cadmium diphosphides in the absorption edge range.—75-08194A
Cd_2SnO_4 thick layers prepared by the squeezing and sintering technique.—75-06543A
CdSe-Ga_2Se_3-$GeSe_2$ system.—75-06174A
Composition dependence of the elastic moduli of mixed lithium-cadmium ferrites.—75-03284A
Determination of $CdAs_2$ band structure parameters by the optical transparency and photoconductivity methods.—75-02994A
Determination of lead and cadmium in the surface layers of implants based on α-Al_2O_3.—75-03645A
Dilatometric and thermooptic properties of alkaline earth and cadmium fluorides between 300 and 1300 K.—75-01273A
Effect of aluminum hydride on the synthesis of CdI_2 from CdS and I_2 initiated by hydrogen.—75-09269A
Effect of temperature of reactor walls on growth of the layers of cadmium telluride by the reaction of dimethylcadmium with diethyltelluride.—75-05296A
Growth and structural perfection of cadmium-mercury and manganese-mercury chalcogenides.—75-05332A
Influence of gamma radiation on photoelectrical properties of thin cadmium thiogallate films.—75-09151A
Influence of surface range of a space charge on the photoconductivity of $Cd_xHg_{1-x}Te$ (x≈0.3).—75-05350A
International standards for lead and cadmium release from ceramic foodware surfaces.—75-04714A
Lead and cadmium release under conditions of consumer use: FDA experiments with cookware, glass tumblers, lead crystal baby bottles, and ceramic mugs.—75-04720A

Luminescence of localized electron-hole pairs in the range of the fundamental absorption of Zn(S,Se)-(Zn,Cd)Se structures having quantum wells.—75-05369A
Luminescence of undoped and chlorine-doped $Zn_{1-x}Cd_xSe$ and $Zn_{1-x}Mg_xS_ySe_{1-y}$ layers grown by molecular beam epitaxy.—75-07956A
Magnetic properties of cadmium-doped Y-Ba-Cu-O high-temperature superconductors.—75-03382A
Magnetic properties of nickel cadmium ferrites studied by Mossbauer and magnetic methods.—75-05688A
Magnetophonon resonance in *p*-CdSb.—75-07962A
Mechanism of formation of conducting channels in CdS crystals under the action of the electric field.—75-03091A
Nature of intrinsic defects in $CdGa_2S_4$ polycrystalline films.—75-05393A
New route for the obtention of cadmium antimony oxide semiconducting ceramic powders.—75-03098A
Optical and ESR spectra of the uv-induced defects in the glasses containing cadmium and zinc oxides.—75-02600A
Optical transitions in perfect undoped $CdAs_2$ single crystals at the edge of fundamental absorption and in the impurity region.—75-09001A
Phase formation in the CdP_4-ZnP_2-$CdAs_2$-$ZnAs_2$ system.—75-09027A
Polarization of donor-acceptor photoluminescence of *p*-$CdSiAs_2$(In) single crystals.—75-08023A
Properties of Cd_2SnO_4 conducting powder for ohmic contacts.—75-02934A
Properties of ZnSe single-crystal layers doped with Cd.—75-05452A
Quaternary reciprocal system of Cd, Zn‖S, Se, Te.—75-05457A
Recombination characteristics of ion-implanted (I, III, and VIII groups) and thermally annealed $Cd_xHg_{1-x}Te$ crystals.—75-05459A
Selective etching of zinc, cadmium, and mercury chalcogenides.—75-05468A
Temperature dependence of the $Cd_xHg_{1-x}Te$ refractive index.—75-05500A

calcia,
Abrasive grain comprising calcium oxide and/or strontium oxide.—75-07113P
Auto-ignition processing of nanocrystalline CaO-doped ZrO_2 powders.—75-09220A
Calculation of optimum mixtures based on sandy-calcareous clay.—75-05056A
Calculation of the molecular composition of CaO-Al_2O_3 melts.—75-06170A
Ceramic capacitor and method for fabricating the same.—75-02944P
Characterization and preparation of glass-ceramics in the system Fe_2O_3-CaO-SiO_2: II.—75-07328A
Computer simulation of CaO-WO_3 liquid oxides.—75-08646A
Conditions for occurrence of ternary compounds of the FeO-Fe_2O_3-CaO system.—75-06188A
Crystal structure and ionic conductivity of high-bismuth beta solid solution in Bi_2O_3-SrO-CaO system.—75-01209A
Crystallization and properties of Fe_2O_3-CaO-SiO_2 glasses.—75-02640A
Crystallization characteristics of some lithia calcia magnesia borosilicate glasses.—75-02705A
Crystallization of inviscid melt spun calcia-alumina eutectic fibers.—75-03781A
Development of CaO-containing basicity casting.—75-07517A
Development of MgO-CaO-type bricks for sintering zone of cement rotary kiln.—75-05060A
Effect of CaO and temperature on *t*-ZrO_2 retention in mullite-zirconia body produced by reaction sintering route.—75-07535A
Effect of oxides on the sintering process and the hydration resistance of CaO clinkers.—75-07540A
Effect of the ZrO_2-CaO substrate on superconducting properties of thick [$YBa_2Cu_3O_{7-x}$] high-T_c films.—75-05759A
Improvements in hydration resistance of CaO clinkers.—75-00046A
Infrared studies of calcia-alumina fibers.—75-06245A
Interface degradation in CAS/Nicalon during elevated temperature aging.—75-04570A
Inviscid melt spinning and phase identification of CaO-Al_2O_3-MgO fiber.—75-04087A
Kinetics of alkali release from CaO-Al_2O_3-SiO_2 slags.—75-02413A
Magnetic properties of materials in the CaO-P_2O_5-Fe_2O_3 system.—75-03905A
Mechanical loss measurements on yttria- and calcia-stabilized zirconia.—75-03804A
Model to compute phase diagrams in oxides with empirical or first-principles energy methods and application to the solubility limits in the CaO-MgO system.—75-06275A
Oxidation of CoO into Co_3O_4 in CoO-ZrO_2(CaO) and $Co_{1-x}Ni_xO$-ZrO_2(CaO) lamellar eutectic structures.—75-04443A
Phase diagram of the bismuth-calcium oxide system.—75-01232A
Phase equilibria in the CaO-SrO-CuO system (≥70 mol% CuO).—75-06303A
Phase equilibria of the SrO-CaO-CuO system at 950°C in 1 atm of oxygen and at 10 kbar.—75-01234A
Phase reactions in samples of the CaO-TiO_2-H_2O system produced by the sol-gel method in highly alkaline media.—75-06705A
Phase relations in the system CaO-SiO_2-ZrO_2 at 1573 K.—75-03818A
Phase relations of La_2O_3-CaO-CuO ternary system and Ca^{2+} substitution for La^{3+} in La_2CuO_4.—75-03392A
Preparation of press-formable CaO-MgO-SiO_2-TiO_2-Ag_2O glass for dental crown.—75-08769A
Preparation, characterization, and crystallization of calcium silicate glasses derived from melt and sol-gel routes.—75-00220A
Properties of CaO-MgO-P_2O_5 glasses.—75-04989A
Solid-state phase transformation in ZrO_2-CaO system induced by high-energy ball milling.—75-03837A
Solubility of calcium oxide in barium titanate.—75-06360A
Solubility of CaO in $CaTiO_3$.—75-06361A
Structure and magnetic properties of ferrites in the $Ni_{0.35}Zn_{0.65}Fe_2O_4$-CaO-$Fe_2O_3$ system.—75-08243A
Wollastonite as sintering aid in zirconium oxide/calcium oxide composites.—75-09490A

calciners/calcination,
Effect of calcination temperature on the Sb-doped Bi-Sr-Ca-Cu-O system.—75-05750A
Formation mechanism of strontium barium niobate ceramic powders.—75-06612A
Formation of 2223 phase in Bi-Pb-Sr-Ca-Cu-O system via calcining at 1073 K.—75-07892A
Functional ceramics.—75-08579P
Influence of calcination on the reactivity of gel-derived Y-TZP powders—compaction, sintering, and mechanical behavior.—75-01540A
Influence of water vapor on grain growth during the calcination of hydroxyapatite.—75-01548A
Structure of spinnable solution of triethylaluminum and ethylsilicate-40 and calcination process of drawn alumina gel fiber.—75-09072A
Thermal stability and pozzolanic activity of calcined kaolin.—75-03937A

calcite,
Physicochemical characterization of an invertebrate's skeleton and its possible use as biomaterial.—75-04387A

calcium aluminate,
R-curve behavior of in situ toughened Al_2O_3:$CaAl_{12}O_{19}$ ceramic composites.—75-09602A
Calcium aluminate cements.—75-04808A
Calcium aluminate wool: a new fiber for high-temperature thermal insulation—a healthy solution for up to 1250°C.—75-07486A
Chemically bonded ceramic matrix composites—densification and conversion to diffusion bonding.—75-03969A
Chemically bonded ceramic processing of monocalcium aluminate.—75-03970A
Conversion of calcium aluminate cement hydrates reexamined with synchrotron energy dispersive diffraction.—75-04810A
Mass spectrometric study of thermodynamic properties of melts of calcium aluminates.—75-06268A
Strontium calcium aluminate glasses.—75-07401A
Surface tension of calcium aluminosilicate glass using computerized drop shape analysis.—75-03599A
Synthesis and characteristic feature of 4CaO·Al_2O_3·Fe_2O_3-based glass with and without SiO_2.—75-07404A
Test methods for calcium aluminate cements.—75-07673A
Unreacted cement content in macrodefect-free composites: impact on processing-structure-property relations.—75-04837A

calcium fluoride,
Effect of growth temperature and doping concentration on the distribution of the emitting centers in CaF_2:Er molecular beam epitaxial layers.—75-06577A
Electrical and mechanical properties in CaF_2/SiC whisker composites.—75-01478A
Enhanced luminescence from rare-earth-doped thin films.—75-00484A
Preparation of CaF_2 fibers.—75-09390A
Rf magnetron sputtering deposition of CaF_2 on Si.—75-03152A

calcium phosphate,
Calcium Phosphate (Ca-P) Coating Draft Guidance for preparation of Food and Drug Administration (FDA) submissions for orthopedic and dental endosseous implants.—75-00075A
Calcium phosphate conversions in water and H_3PO_4 solutions.—75-09225A
Calcium phosphate materials prepared from precipitates with various calcium:phosphorus molar ratios.—75-09226A
Calcium phosphate precipitation on calcium-ion-implanted titanium in electrolyte.—75-01076A
Calcium phosphate type reference material—development, preparation, and characterization.—75-01077A
Calcium phosphate/atelopeptide collagen compositions for bone repair.—75-01101P
Changes in characteristics arising from processing and the effect on in vitro stability of calcium phosphate ceramics.—75-00077A
Development of an octocalcium phosphate cement.—75-03991A
Development of some calcium phosphate cements from combinations of α-TCP, MCPM, and CaO.—75-03995A
Effect of calcium phosphate ceramic composition and structure on in vitro precipitation reactions.—75-01830A
Effect of nucleating agents on the crystallization of calcium phosphate glasses.—75-04893A
Effective formulations for the preparation of calcium phosphate bone cements.—75-04014A
Effects of glass composition on compressive strength of bioactive cement based on CaO-SiO_2-P_2O_5 glass powders.—75-02648A
Hydration reactions in the system CaO-P_2O_5-SiO_2-(H_2O).—75-04070A
Interaction of pyrophosphase with calcium phosphate.—75-06247A
Method for production of platelike hydroxyapatite.—75-01119P
Method for the production of an implant having an apatite coating layer using a hydrothermal treatment.—75-02570P
Microsphere-filled lightweight calcium phosphate cements.—75-06071A
Morphology and composition of nanograde calcium phosphate needlelike crystals formed by simple hydrothermal treatment.—75-03810A
Optimization of a calcium orthophosphate cement formulation occurring in the combination of monocalcium phosphate monohydrate with calcium oxide.—75-03655A
Phase relation in the system $Ca_3(PO_4)_2$-$MgSiO_3$.—75-09029A
Preparation of α- and ß-tricalcium phosphate ceramics, with and without magnesium addition.—75-04155A
Preparation of high-strength calcium phosphate ceramics with low modulus of elasticity containing ß-$Ca(PO_3)_2$ fibers.—75-06073A
Self-setting calcium phosphate cements and methods for preparing and using them.—75-08785P
Sintering of $(Ca_{1-x}Mg_x)Zr_4(PO_4)_6$ [x=0, 0.1, and 0.4] ceramics.—75-04223A
Thermal diffusivity, specific heat, and thermal conductivity of $(Ca_{1-x}Mg_x)Zr_4(PO_4)_6$ ceramic.—75-03935A
X-ray diffraction method for the quantitative characterization of calcium phosphate coatings.—75-01977A

calcium silicate hydrate,
^{17}O MAS NMR investigation of the structure of calcium silicate hydrate gel.—75-02383A
^{29}Si and ^{17}O NMR investigation of the structure of some crystalline calcium silicate hydrates.—75-06146A
^{29}Si MAS NMR study of the structure of calcium silicate hydrate.—75-06147A
Calcium silicate hydrate [observed] by the precipitation method.—75-04809A
Mesostructure of calcium silicate hydrate (C-S-H) gels in portland cement paste: short-range ordering, nanocrystallinity, and local compositional order.—75-04822A
Morphological forms of tobermorite in hydrothermally treated calcium silicate hydrate gels.—75-04823A
Sr^{2+} sorption and leach rate studies on synthetic calcium silicate hydroxy hydrate.—75-03926A
Structures and phase relations of aluminum-substituted calcium silicate hydrate.—75-03844A

calcium silicate hydrates (CSH),
^{29}Si NMR investigation of the CaO-SiO_2-Na_2O-H_2O system related to the chemistry of cement.—75-00257A

calcium silicate,
Computer calculation of the phase diagrams of silicate systems: II, Regression treatment for systems containing incongruently melting compounds.—75-03775A
Computer simulation of the electrical conductivity of CaO-SiO_2 melts.—75-09121A
Experimental determination of phase relations in the $CaSiO_3$ system from 8 to 15 GPa.—75-03797A
Hydration and hardening of CaO-MgO-SiO_2 cement as biomaterial.—75-07157A
Hydration reactions in the system CaO-P_2O_5-SiO_2-(H_2O).—75-04070A
In situ Raman spectroscopy study of the hydration of tricalcium silicate.—75-03702A
In situ solid-state NMR studies of C_3SiO_5: hydration at room temperature and at elevated temperatures using ^{29}Si enrichment.—75-06243A
Intrinsic sorption potential of aluminum-substituted calcium silicate hydroxy hydrate for cesium-137.—75-03901A
Phase stability study on the remelting reaction in Ca_2SiO_4 solid solutions.—75-01235A
Structural investigation of calcium silicates from ^{29}Si chemical shift measurements.—75-00702A
Structure change in strontium oxide-doped dicalcium silicates.—75-09069A
Thermal hysteresis for the α′$_L$↔ß transformations in strontium oxide-doped dicalcium silicates.—75-09087A
Thermoelastic behavior in Ca_2SiO_4 solid solutions.—75-09097A

calcium titanate,
Dielectric ceramic compositions.—75-07759P
Microwave dielectric properties of $CaTiO_3$-$Ca(Al_{1/2}Ta_{1/2})O_3$ ceramics.—75-07739A
Solubility of CaO in $CaTiO_3$.—75-06361A

calcium,
Calcium carbide and acetylene produced from wastes from coal mining at the Kan-Achin basin.—75-08755A
Change in refractive index of alkali calcium aluminosilicate glasses upon equimolar replacement of sodium oxide by potassium oxide and in Na^+_{glass}-K^+_{melt} ion exchange.—75-02627A
Compositions and thicknesses of grain boundary films in Ca-doped silicon nitride ceramics.—75-04306A
Crystal structure of a new natural K,Na,Ca titanoberyllosilicate.—75-06190A
Crystal structure of calcyborosilite and its place in the datolite-gadolinite isomorphous series.—75-08893A
Crystal structure of $LaCaGaO_4$ and $NdSrGaO_4$.—75-06192A
Crystal-chemical and magnetic properties of $Ca_{1-x}Mn_x(VO_3)_2$.—75-09123A
Dependence of parameters of the deep level centers in calcium fluoride grown on silicon by molecular beam epitaxy.—75-02993A
Development of porous AlCaP ceramics.—75-01083A
Distortion of the crystal lattice near Cd^{2+} impurity centers in CaF_2 and SrF_4 crystals.—75-08909A
Effect of Ca compound addition on synthesis of AlN powder by carbothermal reduction–nitridation method.—75-01449A
Effect of calcium doping on the atomistic structure of the (Ī104) twin boundary in alumina.—75-06870A
Effect of nonstoichiometry of calcium tungstate on luminescence in a 420-nm band.—75-08913A
Effect of Pr and Ca substitution on superconductivity in $Y_{(1-x-y)}Pr_xCa_yBa_2Cu_3O_{7-\delta}$.—75-05756A
Electrodeposition of calcium-lithium-sodium alloys from calcium, lithium, and sodium nitrate melts.—75-06599A
Electrophysical characteristics of Au/CaF_2/*n*-Si(111) structures with ultrathin (less than 20 nm) CaF_2 layers grown by molecular beam epitaxy.—75-07876A
Etching figure of $CaNdAlO_4$ single crystals.—75-06601A
Exchange stiffness of Ca-doped YIG.—75-00734A

Ferroelectric thin films of calcium-modified lead titanate by sol-gel processing.—75-05580A
Heat capacity and thermodynamic functions of $LaCaMn_2O_{5.5}$ in the range 298–673 K.—75-08947A
High-temperature dilatometery of fiber-reinforced calcium hydrosilicates.—75-03568A
Influence of $CaFe_2O_4$ additive on the magnetic properties of nickel zinc ferrite.—75-05677A
Kinetics and mechanism of surface nucleation of calcium sulfate during its crystallization on the heat exchange surface.—75-06251A
Kinetics of surface crystallization of calcium sulfate in a temperature gradient.—75-06254A
$LiYF_4$–$2CaF_2$·$5YF_3$ join of the LiF-CaF_2-YF_3 ternary system.—75-08972A
Mechanical characterization of calcium-modified lead titanate ceramics by indentation methods.—75-07003A
New ternary nitride ceramics: $CaSiN_2$.—75-06109A
NTC thermistor composition based on barium titanate.—75-00716P
Phase complex of the Li, Ca||F, MoO_4 system.—75-09008A
Phase equilibria in the CaS-Y_2S_3 system.—75-09017A
Phase formation and thermal stability of calcium lanthanum sulfide powder.—75-03817A
Photoluminescence of rare-earth elements in $CaGa_2S_4$ compounds.—75-05434A
Piezoelectric ceramics.—75-00719P
Preparation of Ca α-SiAlON ceramics by pressureless sintering.—75-01621A
Preparation of Ca-α-SiAlON/SiC nanophase composites.—75-04157A
Preparation of fine-grained calcium α-SiAlON.—75-06728A
Properties of $Ca_{1-x}Sr_xCuO_2$ infinite layer films grown by laser ablation deposition.—75-05819A
Proton and hole conductivity of $SrY_{2-2x}Ca_{2x}O_{4-\alpha}$ in a moist atmosphere.—75-05453A
Raman scattering of ferroelectric $Sr_{1-x}Ca_xTiO_3$, x=0.007.—75-05706A
Role of water in the formation of the crystal structure of $Ca(PUO_6)_2{\cdot}nH_2O$ and $Ca(AsUO_6)_2{\cdot}nH_2O$ compounds.—75-08509A
Similarities in the behavior of magnesium and calcium in silicate glasses.—75-04927A
Single-crystal neutron diffraction study of ferroelectric $Ba_{0.92}Ca_{0.08}TiO_3$.—75-05636A
Sintering of Li_2CO_3-doped $CaCO_3$.—75-01668A
Stable $CaWO_4$-$BaWO_4$-NaCl and $CaWO_4$-$BaCl_2$-NaCl triangles of a four-component reciprocal system of sodium, calcium, and barium chlorides and tungstates.—75-06367A
Structure and optical properties of $Ca_3Ga_2Ge_4O_{14}$ thin films.—75-09192A
Structure of anions in melts R_xO_y-SiO_2 (R=Ca, Pb, and Bi).—75-02613A
Structure of MD [molecular dynamics] simulated calcium aluminosilicate systems.—75-09071A
Synthesis of Ca-doped Y124 [$YBa_2Cu_3O_8$] superconductor by polymerized complex method followed by O_2-HIP technique and discussion of Ca site selectivity in the crystal structure.—75-00884A
Tensile creep and recovery of SiC/CAS-II composites.—75-04647A
Thermal dissociation of Ca_2CuO_3.—75-09202A
Thermodynamic properties of anorthite, $CaAl_2Si_2O_8$, and gehlenite, $Ca_2Al_2SiO_7$.—75-06395A
Tungsten oxidation state and the effect on PCT [lead calcium titanate] electrical properties.—75-02020A
X-ray study of single crystals of the $Ca_{0.65}Ho_{0.35}F_{2.35}$ solid solution with modified fluorite structure.—75-09113A

calculations,
Approximate calculations of some thermodynamic characteristics of a hydrocarbon-X-zeolite system from gas chromatography data.—75-08872A
Brittle failure prediction of ceramics using a multiscale approach.—75-08638A
Calculation of electron and magnetic characteristics of CuO_2 planes in the framework of the modified approximation of the middle field.—75-08639A
Calculation of energy levels of cerium in inorganic scintillator crystals.—75-01798A
Calculation of formation enthalpy of several complex coordinated oxides.—75-06541A
Calculation of Weibull life expectancy parameters from fracture data using the maximum likelihood criterion and a Nelder-Mead simplex minimization algorithm.—75-08640A
Calculations of internal stresses during sintering in two dimensions.—75-05938A
Electronic structure of barium titanate studied by the extended Huckel tight-binding method.—75-01287A
Estimation of Hamaker constants of ceramic materials from optical data using Lifshitz theory.—75-01021A
Experimental and theoretical studies of the slow oxidation stage of YBCO ceramics.—75-08314A
Fractography and the surface crack in flexure (SCF) method for evaluating fracture toughness of ceramics.—75-04532A
Fracture toughness estimation by fractographic analysis of tensile specimens.—75-04540A
More glaze calculations software.—75-02302A
Numerically calculated effective permittivity of dielectric composites.—75-02924A
Paired correlations in large two-dimensional Cu-O clusters: new Monte Carlo nonlocalized trajectory algorithm.—75-08692A
Possibilities for calculating properties of liquid and glassy oxides on computer.—75-08695A
Problems calculating and classifying production costs in cement industry production.—75-09731A
Spreadsheet calculates glaze compositions: II.—75-02888A
Stacking fault energy calculations in 6H- and 15R-SiC.—75-00601A

calorimeters/calorimetry,
Barium fluoride crystals for future hadron colliders.—75-00940A
Calorimetric ac loss measurements of silver-sheathed Bi-2223 superconducting tapes.—75-08268A
Calorimetric investigations on As-Te-Se and Ge-As-Se glasses.—75-04882A
Crystal detectors in particle physics.—75-01018A
Lead tungstate for high-energy calorimetry.—75-01089A
Progress on scintillator research by the Crystal Clear collaboration.—75-02143A
Status of cerium fluoride performances.—75-01154A
Test of a diamond-tungsten sampling calorimeter.—75-01043A
Use of modified ac calorimetry to measure the thermal properties of CVD diamond.—75-08711A

capacitors,
Breakdown mechanisms in PZT thin-film capacitors.—75-05533A
Capacitor for semiconductor integrated circuit and method of manufacturing the same.—75-00388P
Capacitor having a changeable dielectric capacity and manufacturing method thereof.—75-00389P
Ceramic capacitor and method for fabricating the same.—75-02944P
Characterization of $Ba_{0.5}Sr_{0.5}TiO_3$ [BSTO] thin-film capacitors produced by pulsed laser deposition.—75-05178A
Dielectric strength of diamondlike carbon (DLC) thin films for energy storage capacitors.—75-07723A
Dry etching of Pt/$PbZr_xTi_{1-x}O_3$/Pt thin-film capacitors in an inductively coupled plasma (ICP).—75-05547A
Effect of RuO_x bottom electrode annealing temperature on sol-gel-derived PZT capacitors.—75-05551A
Effects of interfacial roughness on the leakage properties of $SrTiO_3$ thin-film capacitors.—75-05189A
Effects of temperature on the ferroelectric properties of $PbZr_{0.53}Ti_{0.47}O_3$-based capacitors prepared by pulsed laser ablation deposition.—75-05554A
Electrical characterization of instabilities in 6H silicon carbide metal-oxide-semiconductor capacitors.—75-00471A
Enhanced fatigue and retention in ferroelectric thin film memory capacitors by post-top-electrode anneal treatment.—75-00658A
Exposure to water vapor of MOS capacitors passivated with PbO-based glasses.—75-07729A
Ferroelectric capacitor nondestructive readout memory [NDRO].—75-05576A
High-frequency dielectric properties of thin-film PZT capacitors.—75-05586A
Imprint mechanism in ferroelectric capacitors.—75-05589A
Integration of BST thin film for DRAM fabrication.—75-05199A
Integration of thin film decoupling capacitors.—75-00342A
Integration technology of ferroelectrics and the performance of the integrated ferroelectrics.—75-05593A
Method for screening early failure of ceramic capacitor.—75-07766P
Method of forming a nonvolatile random access memory capacitor cell having a metal-oxide dielectric.—75-02952P
Method of manufacturing laminated ceramic capacitors.—75-02953P
Modeling of the metal-ferroelectric-metal capacitor: I. Theoretical considerations.—75-00676A
Modeling of the metal-ferroelectric-metal capacitor: II. Experimental verification.—75-00677A
Multilayered ceramic capacitor.—75-00405P
OH-related capacitance-voltage recovery effect in MOS capacitors passivated by PbO-B_2O_3-SiO_2-GeO_2 glasses—the effects of OH content.—75-05031A
Olt-related capacitance-voltage recovery effect in metal oxide semiconductor capacitors passivated by ZnO-B_2O_3-P_2O_5-SiO glasses: I. The effects of MgO content.—75-05409A
Optical study of PZT thin-film capacitors.—75-05615A
Optically controlled characteristics of an ion-implanted hetero-MIS capacitor.—75-03104A
Preparation of barium strontium titanate thin-film capacitors on silicon by metallorganic decomposition.—75-00365A
Properties of MOS structure fabricated on 3C-SiC grown by reactive magnetron sputtering.—75-00368A
Reliability of ceramic capacitor, past, present, and future.—75-00372A
Surface-mount-type ceramic capacitor.—75-00410P
Variable capacitor.—75-00411P
Voltage-controlled capacitor for wide-band tuning.—75-00387A

capillarity,
Approach in relating torque rheometer and capillary viscosity data of ceramic/polymer mixes.—75-08637A
Capillary infiltration rates into porous media with applications to Silcomp processing.—75-01388A
New method for performing capillary absorption test.—75-05967A

carbides,
Calcium carbide and acetylene produced from wastes from coal mining at the Kan-Achin basin.—75-08755A
Chromium carbide based ceramics composite block gauge.—75-06117P
Corrosion resistance of porous binary titanium and chromium carbides.—75-06920A
Diamond semiconductor device with carbide interlayer.—75-05523P
Effect of short-time high-temperature annealing on kinetics of carbidic reactions in 2.7Cr-0.6Mo-0.3V [wt%] steel.—75-02817A
Effects of post-sinter hot isostatic pressing processes on microstructures and mechanical properties of Al_2O_3-Cr_3C_2 composites.—75-01472A
Electrodischarge machining of Al_2O_3/Cr_3C_2 composite.—75-06600A
Heat conduction in ionic polycrystalline nanocomposites.—75-05196A
High toughness carbide ceramics by slip casting and method thereof.—75-03734P
Internal synthesis method for mullite-chromium carbide composite in a vacuum system.—75-06663A
Magnetic properties of carbon-coated ferromagnetic nanoparticles produced by a carbon-arc method.—75-03305A
Magnetic properties of carbon-coated rare-earth carbide nanocrystallites produced by a carbon arc method.—75-03904A
Manufacturing of iron carbides in fluidized bed reactors.—75-04100A
Method of obtaining porous solids based on refractory carbide.—75-06131P
Microstructure and mechanical properties of Cr_3C_2 particulate-reinforced Al_2O_3 matrix composites.—75-06895A
Microwave synthesis of nonoxide ceramic powders.—75-01584A
Model for intermetallic/ceramic composite microstructures from solid-state displacement reactions between metal carbides and silicon.—75-07220A
Phase transitions in carbides, nitrides, monooxides of transition metals and defects of their structure.—75-06854A
Plasma production of ultrafine ceramic carbides.—75-08837P
Preparation of porous Cr_3C_2 grains with Cr_2O_3.—75-06733A
Production of carbides and nitrides.—75-08839P
Protective materials on the base of the Cr-C-system with phase gradient.—75-02537A
Synthesis of Cu-NbC nanocomposites by mechanical alloying.—75-02549A
Toughening mechanism for ceramics by a ductile metallic phase.—75-07051A
Vaporization behavior of nonstoichiometric refractory carbide materials and direct observations of the vapor phase using laser diagnostics.—75-00276A

carbon dioxide,
Carbon dioxide reforming of methane over nickel catalyst supported on ceramic foam.—75-09228A

carbon fibers,
R-curve and fracture of carbon fibers/fused quartz composite.—75-04446A
Carbon fiber reinforced silicate polymer composite materials.—75-06426A
Carbon fiber with electroless copper plating.—75-02441A
Carbon fibers produced from graphite fluoride by thermal decomposition in an inert environment.—75-01142A
Carbon nanocapsules grown on carbon fibers.—75-09526A
Compatibility of pitch-based carbon fibers with aluminum for the improvement of aluminum-matrix composites.—75-06555A
Effect of oxygen gas concentration in the heat-treatment atmosphere and high-voltage pulse application on the electrical properties of carbon fibers.—75-07852A
Effect of oxygen partial pressure on the oxidation behavior of carbon fibers and carbon fiber/glass matrix composites.—75-06922A
Fatigue behavior of a ceramic matrix composite (CMC), 2-D C_{fiber}/SiC_{matrix}.—75-04525A
Influence of alloying on the solubility of carbon fibers in aluminum-based composites: nonempirical approach.—75-04857A
Mechanical and electronic manipulation of nanometer-sized wires.—75-03526A
Mechanical performance of carbon-fiber- and glass-fiber-reinforced epoxy I-beums: I, Mechanical behavior.—75-07004A
Mechanisms and processes leading to changes in time in the properties of CFRC [carbon fiber reinforced cement].—75-04821A
Microstructure and mechanical properties of pitch-based carbon fibers.—75-07013A
Preparation of C fiber borosilicate glass composites: influence of the fiber distribution on mechanical properties.—75-05035A
Preparation of C fiber borosilicate glass composites: influence of the fiber type of mechanical properties.—75-05036A
Reexamination of the analysis of in-plane matrix failures in fibrous composite laminates.—75-07027A
SIGRABOND-CC [carbon fiber-reinforced carbon]—examples of use in the glass industry.—75-08810A
Single-fiber pullout method for evaluating interfacial strength in CFRP [carbon fiber-reinforced plastic composite].—75-08702A
Size effect of tensile characteristics of carbon fiber-reinforced cement composites [CFRCs].—75-07183A
Technique for measuring thermal conductivity of carbon fibrous insulators by transient hot wire method.—75-08705A

carbon monoxide,
Test results of a ceramic-based carbon monoxide sensor in the automotive exhaust manifold.—75-03661A

carbon,
Adhesive bonding of carbon and ceramic materials.—75-04418A
Advances in magnesia carbon refractories.—75-07459A
AEM and HREM evaluation of carbon nanostructures in silica aerogels.—75-01783A
Alumina–silicon carbide–carbon-based low-cement castable and ramming masses for BF applications.—75-07463A
Amorphous hydrogenated carbon [AHC] films for tribological applications.—75-08794A
Application of spinel-carbon brick in steel ladle.—75-07473A
Application of thermomechanical modeling to carbon-bonded refractory structures.—75-07474A
Atomic carbon vapor as a diamond growth precursor in thermal plasmas.—75-01383A

Atomic structure modifications of diamondlike nanocomposite films—observation by Raman spectroscopy, FTIR, and STM.—75-01262A
Behavior of antioxidants added to carbon-containing refractories.—75-07482A
C:N single-crystal growth and its properties.—75-09525A
Carbon and oxide coatings on continuous ceramic fibers.—75-03957A
Carbon components of silica fume.—75-01206A
Carbon doping and growth rate reduction by CCl_4 during metallorganic chemical vapor deposition of GaAs.—75-01389A
Carbon fiber-reinforced silicon nitride composites by slurry infiltration.—75-03958A
Carbon incorporation in InP grown by metallorganic chemical vapor deposition and application to InP/InGaAs heterojunction bipolar transistors.—75-00420A
Carbon nanocapsules grown on carbon fibers.—75-09526A
Catalytic growth of carbon nanofibers and nanotubes.—75-01391A
Characterization of pseudoporous SiC/C coatings on Nextel 440 and Nicalon fibers.—75-04302A
Characterization of SiC layer formed by C ion implantation (ESR and ir studies).—75-00430A
Chemical vapor deposition of SiC+C in electric and temperature fields.—75-09240A
Coated fibers.—75-01108P
Comparative mechanical evaluation of two 2.5-D C/SiC composites processed via chemical vapor infiltraton and powder infiltration/polymer injection routes.—75-04459A
Complex components from ceramic matrix composites.—75-01143A
Computer simulation of Si and C atoms on SiC surfaces.—75-00444A
Conditions for the equilibrium between cubic niobium carbonitride and nitrogen gas.—75-08887A
Controlled formation of buried layers of carbon.—75-01413A
Correlation between the intensity distribution of the 1.49-eV carbon luminescence band and the arsenic-vacancy concentration in semiinsulating undoped GaAs crystals.—75-05266A
Covalent carbon nitride films synthesized by ablated graphite plasma under ion beam coprocessing.—75-09248A
Creep behavior of a pitch-based carbon filament.—75-02032A
Current status on development of alumina carbon composite refractories for continuous casting of steel.—75-07502A
Dense, self-sintered silicon carbide/carbon-graphite composite and process for producing same.—75-01163P
Deposition and characterization of CN_x films.—75-01820A
Determination of selected properties of magnesia-carbon bricks after firing at intermediate temperatures.—75-07509A
Deuteron magnetic resonance and infrared absorption studies of structure and dynamics in amorphous hydrogenated carbon and carbon nitride.—75-01822A
Development of Al_2O_3-SiC-C refractories for torpedo ladle cars.—75-07515A
Development of low-carbon MgO-C brick for tap hole sleeve of BOF.—75-05059A
Development of magnesia—spinel-carbon brick for ladles of secondary metallurgy.—75-07522A
Distribution function, density, and hydrogen content of amorphous diamondlike carbon films obtained by X-ray and neutron scattering.—75-01274A
Effect of additives on the properties and formation of MgO dense layer in MgO-C permeable samples.—75-07534A
Effect of amorphous carbon layers on the growth of diamond in dual-frequency plasma.—75-01447A
Effect of metallic additives on the oxidation-reduction reaction in magnesia-carbon bricks under vacuum at elevated temperature.—75-07537A
Effect of polymer addition on the strength of carbon fiber-reinforced reaction-bonded SiC matrix composites.—75-04007A
Effect of porous carbon on the permeability of a gas injection submerged nozzle.—75-05087A
Effect of refractory oxides on the oxidation of graphite and amorphous carbon.—75-05088A
Effect of starting materials characteristics on microstructures and properties of magnesia-carbon refractories.—75-07543A
Effect of substrate bias on selected properties of Ta-C [tetrahedral amorphous carbon] films deposited by FCVA [filtered cathodic vacuum arc] technique.—75-09285A
Effects of CaO and Al_2O_3 added to MgO-C refractories on MgO-C reaction.—75-07544A
Effects of carbon coatings on SiC (Nicalon)-Pyrex composites.—75-02713A
Effects of deposition temperature and thermal treatment on the structure of C_{60} and C_{70} films.—75-01469A
Effects of nanosized filler dispersion on mechanical properties of carbon fiber reinforced epoxy composites.—75-02046A
Effects of pitch addition on MgO-C bricks.—75-07546A
Electron energy loss spectroscopy of mass selected ion beam deposited diamondlike carbon.—75-01841A
Electron properties of 3C-SiC containing structural defects.—75-06847A
Electrophysical properties of a-C:H films which are likely to be applied for making protective coatings of electrophotographic information carriers.—75-03018A
Evidence of carbon retention in $YBa_2Cu_3O_{7-x}$ ceramics and its effect on the superconducting properties.—75-08312A
Evidence of hexagonal diamond in plasma-deposited carbon films.—75-06873A
EXELFS [extended energy loss fine structure] studies of CN_x thin films.—75-08932A
Features of variation of oxygen activity and solubility on cooling and crystallization of quaternary Fe-C-Si-O melts.—75-08937A
Fibonacci superlattices of PbS-C type produced by pulsed laser ablation: optical and electrical properties.—75-03030A
First-principles determination of the polarizabilities of carbon tubules as a function of length.—75-01293A
Fracture behavior of Al_2O_3-C refractories used in continuous casting.—75-07554A
Fullerene/tubule-based hollow carbon nanogears.—75-01853A
Functionally graded C/SiC films from CH_3SiCl_3-C_2H_4 mixtures.—75-09319A
Growth phenomena of carbon nanotubes produced by arc discharge.—75-01860A
Hard high-density carbon thin films for X-ray multilayer optics.—75-01149A
Hard, amorphous carbon deposited from a fullerene discharge.—75-09326A
Hardness measurements on anode- and cathode-mounted, plasma-deposited amorphous hydrogenated carbon.—75-02057A
High precision machining of carbon products.—75-09327A
High-density production of carbon nanotubes in contact arc discharge at low helium pressure.—75-01522A
High-temperature lifetime in air of SiC/C(B)/SiC microcomposites prepared by LPCVD.—75-04554A
Hot-filament-assisted chemical vapor deposition of carbon: film growth and filament reactions.—75-01527A
Hydration resistances and reactions with CO of Al_4O_4C and Al_2OC formed in carbon-containing refractories with Al.—75-07570A
Hydrogen concentration and mass density of diamondlike carbon films obtained by X-ray and neutron reflectivity.—75-01528A
Hydrothermal synthesis of carbon films on SiC fibers and particles.—75-01531A
Improvement of the oxidation resistance of carbon-bearing materials.—75-04430A
In situ ellipsometric monitoring of the electron cyclotron resonance etching of diamondlike carbon.—75-01534A
Influence of boron nitride and carbon additives on the behavior of sintered AlN in a steelmaking environment.—75-07576A
Influence of heat treatment temperature on room temperature and high temperature tensile strength of unidirectional carbon fiber reinforced carbon.—75-04568A
Influence of magnesia particle size distribution on the physical properties of MgO-C bricks.—75-07581A
Influence of residual carbon on the behavior of superconducting $YBa_2Cu_3O_{7-x}$ derived from sol-gel-based precursors.—75-05784A
Influence of silicon incorporation on the properties of hard a-C:H films.—75-01545A
Influence of special silica on the in situ growth of silicon carbide whiskers in Al_2O_3-C refractories.—75-05101A
Interface and mechanical properties of ceramic fiber-reinforced silicon nitride composites prepared by a preceramic polymer impregnation method.—75-03900A
Ion-beam-assisted sputtered carbon nitride films.—75-09347A
Lifetime performance of bioceramics for biomedical prosthesis applications.—75-06108A
Low temperature–high pressure oxidation of 3C-SiC.—75-03084A
Lower carbon-containing MgO-C bricks with high spalling resistance.—75-07590A
Magnetic properties of carbon-coated rare-earth carbide nanocrystallites produced by a carbon arc method.—75-03904A
Magnetic susceptibility of MgO-C brick.—75-07597A
Magnetron-sputtered CN_x films.—75-09357A
Measurements of the conductivity of individual 10 nm carbon nanotubes.—75-00349A
Mechanical and implant behavior of chemically modified carbon braids.—75-03704A
Mechanical behavior and thermal shock parameters of carbon anode materials.—75-02072A
Mechanical properties of continous carbon fiber reinforced silicon nitride: influence of fiber coatings.—75-04591A
Mechanical properties of unidirectional reinforced carbon-SiC composite fabricated by hot-press sintering method: III.—75-02075A
Method of manufacturing a honeycomb structure of thermostructural composite material.—75-00997P
Microstructural dependence of sputtering temperature in magnetron sputtered Al-Si-Cu films.—75-02507A
Microwave regeneration of activated carbon for gold processing applications.—75-01579A
Military turbojet component design and validation with thermostructural composite materials.—75-03706A
Mobility of tungsten clusters and microstructure of tungsten films on amorphous carbon substrates.—75-02511A
Modeling of the desorption behavior of microporous amorphous hydrogenated carbon films.—75-06489A
Modeling of the thermomechanical behavior of magnesia-carbon refractory materials.—75-07605A
Modeling the flow of molten silicon in porous carbon preforms and the subsequent formation of silicon carbide.—75-04115A
New medical material based on metastable form of carbon.—75-08808A
Nickel-mediated transformation of amorphous carbon to graphite.—75-01594A
Nitrogen pressure on cubic stoichiometric and nonstoichiometric transition metal nitrides and carbonitrides.—75-06697A
Novel carbon fibers by laser-assisted chemical vapor deposition (LCVD).—75-00003A
Novel carbon source for diamond synthesis.—75-01597A
Novel guniting material for steel industry.—75-07617A
Novel structure of microporous activated carbon fibers and their gas adsorption.—75-01900A
Optical characterization and modeling of amorphous hydrogenated carbon films.—75-01319A
Optical properties of amorphous carbon doped with copper.—75-01324A
Oxidation behavior of MgO-C bricks with various additives.—75-07623A
Oxidation of carbon constituents from multiphase microstructures.—75-09597A
Parameter optimization for the arc-ADLC-deposition process.—75-00975A
Phase equilibria in the quaternary system Ti-Al-C-N.—75-06306A
Photoluminescence by hydrogenated carbon solids [HAC] in interstellar space.—75-01904A
Photostimulated thermoluminescence in C-doped α-Al_2O_3 crystals.—75-03913A
Porous media and the use of thermobalances—the kinetics of combustion processes.—75-02014A
Preparation and characterization of aerogel-based carbon nanocomposites.—75-01611A
Preparation and characterization of C_{60} powder.—75-04146A
Preparation and characterization of SiC nanofibrils.—75-09382A
Preparation of diamondlike carbon films by high-intensity pulsed ion beam deposition.—75-01622A
Preparation of titanium carbonitride powders from titanium alloy chips.—75-06740A
Process dependence of orientation of ribbonlike aromatic molecules in glassy carbon.—75-01910A
Process for coating diamondlike carbon film and coated thin strip.—75-06137P
Process for producing carbon bodies having a silicon carbide coating.—75-01188P
Processing, structure, and morphology of graphitic carbon foams produced from anisotropic pitch.—75-01153A
Production of titanium-aluminum-carbon ternary composites with dispersed fine TiC particles by combustion synthesis and their microstructure observations.—75-07228A
Properties of C_xC_y bistable pairs in silicon.—75-03139A
Properties of continuous carbon fiber reinforced aluminum depending on the infiltration process and local fiber variations.—75-02536A
Properties of vacuum arc-deposited amorphous hard carbon [AHC] films.—75-09176A
Pulsed-laser deposition and characterization of amorphous diamondlike carbon films.—75-01635A
Raman fingerprinting of amorphous carbon films.—75-01922A
Reaction of silicon carbide grains with molten iron penetrating in carbon-based refractories.—75-07641A
Reactive wetting in the liquid-silicon/solid-carbon system.—75-04199A
Reactivity of C_{60} in fuming sulfuric and chlorosulfonic acids.—75-01647A
Reduction of lead(II) and (IV) oxides by carbon in solid phase.—75-09052A
Residual stress and Raman spectra of laser-deposited highly tetrahedral-coordinated amorphous carbon films.—75-01649A
SiC-based fibers with low free carbon content.—75-04211A
Silicon carbide coated carbon composite material and method for making same.—75-06140P
Size effect on the fracture toughness and the *R*-curve of carbon materials.—75-09670A
Stratification of fullerenes.—75-01244A
Structural and electrical characterization of highly tetrahedral-coordinated diamondlike carbon films grown by pulsed-laser deposition.—75-00604A
Structure and electronic properties of diamondlike amorphous carbon.—75-01345A
Structure and oxidation behavior of pitch and resin resultant carbon.—75-05144A
Structure and performance of carbon aerogel electrodes.—75-01946A
Study on the purification methods of carbon nanotubes and STM imaging of the carbon nanotubes.—75-01686A
Surface modification of glass microspheres by carbon.—75-07403A
Synthesis and characterization of codeposited carbon nitride and boron materials.—75-09457A
Synthesis and characterization of nitrogen-containing diamondlike carbon films made by ion beam deposition.—75-01698A
Synthesis of diamond from carbon disulfide in hydrogen.—75-01707A
Synthesis of single-walled buckytubes.—75-01718A
Tensile behavior of a 2-D woven C/SiC composite at ambient and elevated temperatures.—75-04646A
Tests on the oxidation-inhibiting effect of CaB_6 in refractory MgO-C materials.—75-02843A
Thermal history and mechanical behavior of MgO-C-based refractories.—75-07676A
Thermal shock behavior of carbon anode materials.—75-02104A
Thermal stability studies of diamondlike carbon films.—75-01359A
Toughened ceramic composite materials comprising coated refractory fibers in a ceramic matrix wherein the fibers are coated with carbon and an additional coating of ceramic material and carbon mixture.—75-07703P
Trigonal ordered structure in titanium carbonitride.—75-09101A
Vapor-phase grown bundles of carbon nanotubes.—75-01740A
Vitreous selenium containing fullerenes.—75-02699A

carbon-carbon composites,
Alpha-Si_3N_4 precipitation in C/C-SiC composites from inherent fiber impurity sources.—75-03952A
Analysis of densification process of carbon/carbon composites.—75-01378A

Antioxidative protective coatings for carbon materials.—75-03687A
Carbon-carbon composites inductively heated and rapidly densified by thermal gradient chemical vapor infiltration: density distributions and densification mechanism.—75-09229A
Ceramic coating on the carbon/carbon composites through the sol-gel technique.—75-03960A
Characterizations of carbon-carbon composites elaborated by a rapid densification process.—75-03966A
CMC intake ramp for hypersonic propulsion systems.—75-03693A
Critical review on oxidation protection for carbon-based composites.—75-04422A
Effect of additives on the burning rate of carbon/carbon composites studied by variance analysis.—75-03999A
Fabrication of advanced C/C composites by a hybrid process of CVI/liquid precursor impregnation.—75-04031A
Failure-related microstructure of 2-D-carbon/carbon under shear conditions.—75-04524A
High-temperature strength of C/C and C/C-SiC composites under shear loading.—75-04558A
Impregnation/densification of carbon-carbon composites.—75-09332A
Laser densification of glass ceramic coatings on carbon-carbon composite materials.—75-01171P
Multilayer plasma-assisted CVD [PACVD] coating for oxidation protection of carbon-carbon composites.—75-09366A
Nanoscale microstructure of 2-D C/C-SiC ceramic composites processed via silicon capillary impregnation.—75-04380A
Oxidation behavior of 2-D and 3-D carbon/carbon thermostructural materials protected by CVD polylayer coatings.—75-04437A
Oxidation behavior of SiC-coated carbon/carbon composites.—75-04440A
Rapid densification of carbon-carbon composites by thermal gradient chemical vapor infiltration.—75-04190A
Rapid processing of carbon-carbon composites by forced flow–thermal gradient chemical vapor infiltration (FCVI).—75-04191A
Sublimatable carbon-carbon structure for nose tip for reentry space vehicle.—75-01200P
Tensile and cyclic fatigue behavior of a carbon-carbon composite at room temperature.—75-04645A
Tribological study of two-dimensional carbon-carbon composites.—75-04658A
Wear of graphite and PAN-pitch carbon-carbon composites.—75-04665A

carbonates,
Alkali-carbonate reaction.—75-03762A
Carbonate strata of the Luchuiskoe and Larginskoe ore fields [investigated] using statistical methods.—75-08756A
Characteristics of AUC [ammonium uranyl carbonate] powder prepared with the waste AC [ammonium carbonate] solution.—75-08497A
Dynamics of the interaction of zircon with hydrothermal carbonate fluid.—75-09128A
Effect of carbonates on wall tile bodies.—75-02771A
Morphology of lanthanum carbonate particles prepared by homogeneous precipitation.—75-09571A
Oxidation of vanadium during magnetic roasting of titanium magnetite concentrates by natural gas in the presence of sodium carbonate.—75-06932A
Rheological behavior of the system portland clinker-Na_2CO_3-sulfonated polyphenolate-H_2O.—75-02423A
Sintering of Li_2CO_3-doped $CaCO_3$.—75-01668A

carbonation,
Effect of carbonation on the nitrogen BET surface area of hardened portland cement paste.—75-04814A

carbonitrides,
Carbonitriding of alumina to produce aluminum nitride.—75-08555P
Elemental composition and microstructure of reactively sputtered carbon nitride thin films.—75-01845A
Properties of carbon nitride films with composition ratio C/N=0.5–3 prepared by the ion and vapor deposition method.—75-01334A
Silicon oxycarbonitride by pyrolysis of polycyclosiloxanes in ammonia.—75-03944P
Synthesis of carbonitride films using high-energy shock plasma deposition.—75-01706A

carbosilanes,
Process for manufacturing SiC-based ceramic precursors.—75-01186P

carbothermal reduction,
Carbothermal synthesis of submicrometer ß-SiC powder using double precursor reaction mixture.—75-01390A
Carbothermal synthesis of TiC whiskers via a vapor-liquid-solid [VLS] growth mechanism.—75-09230A
Compositional variation of SiAlON phase produced after carbothermal reduction of a vermiculite-polyacrylonitrile intercalation compound.—75-01408A
Effect of Ca compound addition on synthesis of AlN powder by carbothermal reduction–nitridation method.—75-01449A
Effect of reaction atmosphere on the early stage of carbothermal reduction of kaolinite: an XRD, ^{29}Si and ^{27}Al MAS NMR study.—75-06211A
Novel synthesis of α-Si_3N_4 fibers.—75-06698A
Preparation of aluminum oxynitride by carbothermal reduction of aluminum oxide in a flowing N_2 atmosphere.—75-06724A
Preparation of Si_3N_4 by carbothermal reduction of digested rice husk.—75-04165A
Preparation of zirconium boride powder.—75-04175A
Production of stabilized and nonstabilized ZrO_2 by carbothermic reduction of $ZrSiO_4$.—75-06751A
Reduction of carbon/alumina powder mixture in a flowing nitrogen stream: the effect of catalysts on the reaction kinetics.—75-06756A
Solid-state NMR examination of the formation of ß-SiAlON by carbothermal reduction and nitridation of halloysite clay.—75-06357A
Stacking faults in ß-SiC formed during carbothermal reduction of SiO_2.—75-06369A

carriers,
c-axis optical response of fully oxygenated $YBa_2Cu_3O_{7-\delta}$ observation of dirty-limit-like superconductivity and residual unpaired carriers.—75-05721A
Avalanche multiplication coefficients of carriers in *p-n* structures.—75-07789A
Behavior of charge carrier mobility in the inversion channel of Si MIS structures.—75-07791A
Carrier recombination in a periodically ß-doped multiple quantum well structure.—75-05255A
Critical currents in composites of HTSC+semiconductor at different concentrations of carriers.—75-08280A
Dispersion of charge carriers in point defects in semiconducting structures.—75-05281A
Dosage dependence of the charge carrier concentration in electron irradiated lead sulfide.—75-07836A
Effective carrier lifetime in tracks of α-particles during diffusion-drift transport in Si.—75-07857A
Fast recombination of excess carrier in 6H-SiC.—75-01756A
Free carrier absorption in *n*-type 6H-SiC.—75-00494A
Generation of electron carriers in insulating thin films of $MgIn_2O_4$ spinel by Li^+ implantation.—75-00335A
Lifetimes and diffusion lengths of nonequilibrium charge carriers in SiC *p-n* structures.—75-03077A
Migration of nonequilibrium charge carriers in polycrystalline ferroelectrics.—75-08153A
Nonideality coefficient of volt-ampere characteristics of *p-n* junctions during heating of charge carriers and phonons.—75-05404A
Photoluminescence of the three- and two-dimensional carriers in N-AlGaAs/GaAs heterostructures.—75-08016A
Super-fast mechanism of vertical drift of current carriers in MSM [metal-semiconductor-metal] barrier heterostructures.—75-08066A
Titania-based catalyst carriers.—75-08787P
Weak binding approximation for calculating the carrier spectrum in heterostructures.—75-08712A

cast iron,
Controlling product design, foundry practices, and enamel plant processes to improve cast iron and porcelain enamel compatibility.—75-00080A
Fabrication of porous cast iron bonded diamond grinding wheels and their evaluation to grind hard-to-grind ceramics.—75-08523A
Microstructural transformations in ferritic nodular cast iron after laser remelting.—75-03318A
Physical properties of grate enamel systems.—75-00116A
Taguchi experiments for cast iron grates: 1995 PEI Technical Forum.—75-00140A

castables,
Advanced refractory castables.—75-07458A
Al_2O_3-SiO_2-based castables containing andalusite.—75-02807A
Applied technology of roller of stainless steel, fiber-reinforced castable.—75-07476A
Chemistry and reactions of additives in castables.—75-05076A
Development of chemical-free, high-purity, zero-cement castable.—75-07518A
Development of new generation easy-to-use castable.—75-07524A
Effects of curing temperature on hardening and properties of low cement castables.—75-04815A
Experience with castable linings for coal-fired reduction kilns in the Republic of South Africa.—75-07548A
Formation of mullite in the matrix of low- and ultralow-cement castables.—75-00039A
High-strength castable bioactive glass-ceramics.—75-03650A
High-temperature oxidation of SiC-based castable by mass spectrometric gas analysis.—75-07567A
Influence of calcined alumina and deflocculant on low-cement castable properties.—75-07577A
Influence of coarse aggregate content on the thermal conductivity of alumina-spinel castables.—75-07578A
Low-moisture regular corundum/spinel castables with superior properties.—75-07589A
Magnesia-containing basic castables.—75-07592A
Mineral composition change in matrix of alumina-spinel castable.—75-07604A
New generation castables for the hydrocarbon processing industry.—75-07611A
Nonhazardous pumpable refractory insulating composition.—75-00277P
Particle size distribution and its relevance in refractory castables.—75-07625A
Phosphate-bonded castable.—75-07629A
Porous mullite aggregate and lightweight castable.—75-07631A
Recent trends in refractories.—75-00269A
Revolution in monolithic refractory installation—an overview.—75-05132A
Role of alumina cement in castable refractories.—75-07655A
Selection of castables used in iron and steel production.—75-07656A
Ultralow cement castables—applications in steel industries.—75-07686A

casting,
Application of ß-Al_2O_3 to immersion nozzle for continuous casting of stainless steel.—75-05073A
Castability test of experimental apatite-based glass-ceramic for small castings.—75-05939A
Casting of particle-based hollow shapes.—75-00992P
Ceramic core for investment casting and method for preparation of the same.—75-05154P
Conditions to obtain reliable high-strength alumina via centrifugal casting.—75-01410A
Direct Coagulation Casting (DCC)—fundamentals of a new forming process for ceramics.—75-00952A
Direct coagulation casting (DCC)—principles of a new green shaping technique.—75-03996A
Flexible molds for ceramics.—75-02251A
Formation of complex ceramic miniaturized structures by pyrolysis of poly(vinylsilazane).—75-04050A
Gel casting of silicon compositions for SRBSN [sintered reaction-bonded Si_3N_4].—75-04055A
Gelcasting of alumina for prosthetics.—75-01086A
Graded casting: process control for producing tailored profiles.—75-01514A
High-strength alumina produced by Direct Coagulation Casting.—75-01524A
Impregnated ceramic core and method of making same.—75-05156P
In situ liquid pressure measurements using a hypodermic needle: constant rate pressure casting.—75-03570A
Investigation of the porcelain enameling of die cast aluminum.—75-00108A
Magnetic shielding scheme around the T/D of the continuous casting foundry.—75-07596A
Mold for pressure cast molding a ceramic article formed from an open cell porous material.—75-08610P
Molten cast materials of the Al_2O_3-MgO system.—75-02824A
New aspects of alumina-pressure casting.—75-01592A
New processing techniques for the production of pressureless sintered SiC parts.—75-01593A
Preliminary investigation of sanitary ware slip and influencing factors for a pressure cast system.—75-02883A
Pressure casting in the sanitary ware industry.—75-02885A
Pressure casting rate analysis using a baroid filter press.—75-03593A
Pressure casting rates.—75-06744A
Pressure casting sanitary ware.—75-05167A
Process for producing a casting ceramic.—75-08617P
Processing of Al_2O_3 by direct coagulation casting (DCC).—75-04183A
Production of stone castings from blast-furnace slag from the Cherepovetsk metallurgical plant.—75-03626A
Quick change system for submerged entry nozzles.—75-05124A
Quick tube change [QTC] system.—75-05125A
Rise and fall of cast glaze.—75-02343A
Slip casting and pressure slip casting of Si_3N_4 aqueous suspensions.—75-01672A
Smoothly varying composition profiles by graded casting.—75-09446A
Thixotropic casting of ceramic matrix composites.—75-01733A
Thixotropic casting of fiber-reinforced ceramic matrix composites.—75-06823A
Yttria-zirconia slurries and mold face coats for casting reactive metals.—75-06102P

catalyst supports,
Alumina catalyst support preparation.—75-08770P
Alumina catalysts support manufacture.—75-08771P
Preparation of high-temperature catalytic support from gibbsite: II, Properties of amorphous alumina [AA] as precursor of catalyst support.—75-09396A

catalysts/catalysis,
Acidic and catalytic properties of ground glass microspheres of different chemical composition.—75-02573A
Adsorption and catalytic reaction of CFC-11 on NaX zeolite.—75-08865A
Aluminosilicate catalyst, a process for the manufacture thereof, and a process for the skeletal isomerization of linear olefins.—75-07238P
Catalyst for cleaning exhaust gas with alumina, ceria, zirconia, nickel oxide, alkaline earth oxide, and noble metal catalyst, and method for preparing.—75-08773P
Catalyst for exhaust gas purification.—75-07248P
Catalysts for emission control of aldehyde.—75-01102P
Catalysts for the purification of exhaust gas.—75-00150P
Catalytic activity of ferrisilicates.—75-09584A
Catalytic growth of carbon nanofibers and nanotubes.—75-01391A
Ceramic catalysts for environmental protection.—75-03643A
Ceramic honeycomb structural body and catalyst comprising the same.—75-08558P
Ceramic honeycomb substrates for automobile exhaust catalysts.—75-06065A
Ceramic sheet with catalyst and its manufacturing method.—75-08563P
Ceria-alumina oxidation catalyst.—75-06084P
CMS [carbon molecular sieves]/SiO_2/Al_2O_3 catalysts for improved selectivity in the synthesis of amines from methanol and/or dimethyl ether and ammonia.—75-08822P
Development of oxide catalysts, applied on a metallic carrier, for complete oxidation of CO and carbon-containing gases.—75-06569A
Formation of the ionic states of coating palladium in catalysts based on zirconium oxide.—75-06621A
Fullerene-based catalysts for methane activation.—75-01512A
Noble metal/Zn-Al_2O_3 reforming catalysts with enhanced reforming performance (C-2714).—75-07268P
Oxidation catalyst with bulk ceria, a second bulk metal oxide, and platinum.—75-07269P
Pillared metakandite clay compositions as sorbents, catalysts, and ceramic and refractory precursors.—75-01072P
Process for producing spherical zeolite catalyst and apparatus for producing the same.—75-06100P
Process for the inorganic chemical modification of rhodium alumina catalysts and automotive catalyst made by the process.—75-08784P
Process for the preparation of zirconia.—75-03679P
Reduction of carbon/alumina powder mixture in a flowing nitrogen stream: the effect of catalysts on the reaction kinetics.—75-06756A

Spectroscopic characterization of magnesium vanadate catalysts: I. Vibrational characterization of $Mg_3(VO_4)_2$, $Mg_2V_2O_7$, and MgV_2O_6 powders.—75-06363A
Synthesis of functional copolymer of 4-methyl-1-pentene via organoborane.—75-04243A
Titania-based catalyst carriers.—75-08787P
Use of spent catalysts for synthesis of undercoat enamels.—75-07715A
Utilization of waste catalyst in refractory concrete.—75-07692A

cathodes,
Cathodic electrosynthesis of ceramic deposits.—75-09231A
Graphene nanotubule cold field emission electron sources.—75-00499A
Titanium dioxide-based material.—75-05232P

cathodoluminescence,
Cathodoluminescence and depth profiles of tin in float glass.—75-02626A
Cathodoluminescence spectroscopy of boron nitride films.—75-00422A
Cathodoluminescent characteristics of $ZnGa_2O_4$ phosphor grown by radio-frequency magnetron sputtering.—75-00423A
Low-voltage cathodoluminescent properties of europium-activated anion-deficient fluorites.—75-00538A
Polar dislocations in cadmium sulfide studied by cathodoluminescence and DLTS methods.—75-05438A
Polarized cathodoluminescence study of stress for GaAs grown selectively on patterned Si(100).—75-00575A

cations,
Cation concentration profiles in float glass surfaces during corrosion in aqueous solutions.—75-07285A
Elastic anomaly and structure of phosphate glasses containing divalent cations.—75-02649A
Elementary diffusive displacements of modifier cations in network structures.—75-04282A
Intercalation compounds [IC] of vanadium(V) phosphate dihydrate with univalent cations: synthesis and properties.—75-09345A
Ion exchange between NH_4^+-saturated zeolites and essential cations of the soil solution (K^+, Na^+, Ca^{2+}, and Mg^{2+}).—75-08959A

cavitation,
Cavitation induced by high-temperature plastic deformation in aluminum nitride ceramics.—75-09605A
Cavitation mechanisms during tensile creep of an advanced silicon nitride.—75-09606A
Creep cavitation in a siliconized silicon carbide tested in tension and flexure.—75-04473A
Creep damage mechanisms in Si_3N_4.—75-04474A
High-temperature deformation and cavitation in fine-grained alumina.—75-06991A
Microgeometrical cavitation in oscillating slider contacts.—75-04596A

cells,
Observation of cell structures developed by Marangoni convection in glass thick films.—75-00218A
System for high sensitivity measurement of twisted nematic liquid crystal display cell gap by using a photoelastic modulator.—75-04252A

celsian,
Sol-gel synthesis of monoclinic phase of barium aluminosilicate ceramics.—75-06772A
Synthesis of celsian ceramics from zeolite precursors.—75-06805A

cement industry,
Application of air-impact devices in cement production.—75-08716A
Automatic sampling improves QA procedures.—75-02387A
Basic principles for selecting terminals.—75-07137A
Environmental technology for cement plants.—75-00038A
Experience of operating the Moscow cement market.—75-09713A
Foundations for rotary kilns.—75-08724A
From the plant's history[—an AO Maltsovsky Portland Cement Co. presentation].—75-07150A
Highly effective and reliable equipment. Technological innovations to solve cement industry problems.—75-07155A
How is the oldest cement plant in Russia today.—75-07156A
Implementation of reforms—a task for professional managers.—75-09721A
Investigative approach and analytical components concerning the state of the cement market in Central Russia.—75-07162A
Long-term forecast for the development of the American cement industry.—75-07163A
Technical equipment and problems of ecology.—75-07191A

cemented carbide,
Coated cemented carbides.—75-07256P
CVD coating of alumina film on WC-8-Co cemented carbide by using hydrogen-sulfide-containing atmosphere.—75-00084A
Effect of Ti(C,N) addition on sintering behavior and properties of binder-modified WC·10Co cemented carbide.—75-04849A
Microstructural control of boundary region between CVD diamond film and cemented carbide substrate.—75-04357A
Properties of submicron cemented carbides prepared by using finely ball-milled powders.—75-00124A
Testing method for cemented carbides triboperformance evaluation.—75-08706A

cements,
^1H NMR investigation of the influence of SO_3 on the hydration process of white cement.—75-00022A
^{29}Si solid state NMR study of tricalcium silicate and cement hydration at high temperature.—75-00258A
Accelerated OPC performance in high early-strength concrete.—75-00023A
Advanced refractory castables.—75-07458A
Application of secondary ettringite formation in steam-cured expansive cement to friction pile technology.—75-02384A
Ash recycling by design in cement and concrete production.—75-02386A
Aspects of changeover to new standards.—75-07135A
Automation of cement production.—75-07136A
Behavior of cement-based matrices reinforced by randomly dispersed microfibers.—75-04807A
Blended waste form for Cd^{2+}- and Na^+-rich liquid waste stream.—75-03449A
Calcium aluminate cements.—75-04808A
Calcium silicate hydrate [observed] by the precipitation method.—75-04809A
Cement concrete modified through high-molecular hydrocarbon impregnation.—75-00026A
Cement production and use in Italy.—75-02390A
Cement production can be ecology-friendly.—75-07139A
Cement-containing activated belite.—75-07195P
Changes in chemical and phase composition of materials when firing in kilns.—75-08718A
Chemical and physical properties of white cement concrete.—75-02391A
Chloride ion permeability of mortar containing fly ash, blast-furnace slag, and silica fume.—75-00027A
Combined method of cement production at Sebryakovski Cement plant.—75-08515A
Combustion of anthracite and petroleum coke in cement kiln systems.—75-01056A
Conversion of calcium aluminate cement hydrates reexamined with synchrotron energy dispersive diffraction.—75-04810A
Coprocessing of waste products.—75-00028A
Crucible and method for its use.—75-07258P
Deformation of cements with increased magnesium oxide content with changes in hardening conditions.—75-07142A
Designed cements for waste encapsulation.—75-00029A
Designing ecologically safe cement production upgrades.—75-07143A
Deterioration of the nitrogen BET surface area of dried cement paste with storage time.—75-04812A
Determining cement composition by Fourier transform infrared spectroscopy.—75-02396A
Development of an octocalcium phosphate cement.—75-03991A
Development of glasses for novel polyphosphonate dental cements.—75-01082A
Development of new generation easy-to-use castable.—75-07524A
Development of some calcium phosphate cements from combinations of α-TCP, MCPM, and CaO.—75-03995A
Dielectric spectra of fresh cement paste below freezing point using an insulated electrode.—75-02397A
Direct observation of Al guest ions in the silicate phases of cement minerals by ^{27}Al MAS NMR spectroscopy.—75-04813A
Dolomite, the successful approach for the burning zone of the cement rotary kiln.—75-01057A
Ecology and cement production.—75-07144A
Effect of corrosion on flexural behavior of ferrocement.—75-00030A
Effect of fiber volume fraction on the off-crack-plane fracture energy in strain-hardening engineered cementitious composites [ECC's].—75-00031A
Effect of fillers (fine particles) on the kinetics of cement hydration.—75-00032A
Effect of Melment superplasticizer on C_3S hydration—from suspension to paste.—75-00034A
Effect of plasma treatment of polyethylene fibers on interface and cementitious composite properties.—75-02399A
Effect of supplementary cementing materials on the composition of cement hydration products.—75-02401A
Effective formulations for the preparation of calcium phosphate bone cements.—75-04014A
Effectiveness of new technological schemes in cement production.—75-08519A
Effects of an organotitanate cross-linking additive on the processing and properties of macro-defect-free cement.—75-02402A
Effects of curing temperature on hardening and properties of low cement castables.—75-04815A
Effects of poly(vinyl alcohol) on fiber cement interfaces: I, Bond stress–slip response.—75-02403A
Effects of poly(vinyl alcohol) on fiber cement interfaces: II, Microstructures.—75-02404A
Effects of sulfate, pyrophosphate, and citrate ions on the physicochemical properties of cements made of ß-tricalcium phosphate–phosphoric acid–water mixtures.—75-02405A
Electrically induced shape changes in hardened cement pastes and porous silica gels: the dynamic nature of gel pore structures during water transport.—75-00035A
Emission of SO_2 and NO_x from cement kilns.—75-00036A
Evaluation and forecast of material hardness.—75-07147A
Evidence of self-organization of the structure of cement stone.—75-07148A
Evolution of burner technology for cement.—75-01059A
Evolution of the microstructure in styrene acrylate polymer-modified cement pastes at the early stage of cement hydration.—75-04816A
Exergetic analysis with reduction of power consumption in cement technology.—75-08721A
Fiber-reinforced cement-based composites under tensile impact.—75-02407A
Formation of mullite in the matrix of low- and ultralow-cement castables.—75-00039A
High time for reconstruction.—75-07154A
High-performance cement-based materials.—75-00041A
Hydration and hardening of CaO-MgO-SiO_2 cement as biomaterial.—75-07157A
Hydrothermal cement/metal interfaces.—75-00042A
Imaging voids in cement slurries.—75-00043A
Immobilization of arsenic in cement.—75-00044A
Improvement of methods of controlling trace content of chlorides in cement production materials.—75-07158A
In situ solid-state NMR studies of C_3SiO_5: hydration at room temperature and at elevated temperatures using ^{29}Si enrichment.—75-06243A
Industrial waste as raw material for cement production.—75-07160A
Influence of calcined alumina and deflocculant on low-cement castable properties.—75-07577A
Influence of matrix fracture toughness on tensile behavior of fiber-reinforced cementitious composites.—75-00047A
Influence of microcracking on the mechanical behavior of cement based materials.—75-02410A
Influences of mixing methods on the microstructure and rheological behavior of cement paste.—75-02411A
Infrared and Raman spectroscopy applied to cement chemistry—complementary with NMR techniques.—75-00048A
Interaction of concrete aggregates with alkalis in cements and additives.—75-07161A
Interpretation of the impedance spectroscopy of cement paste via computer modeling.—75-04819A
Introduction to ^{27}Al and ^{29}Si NMR spectroscopy of cements and concretes.—75-00049A
Investigation of repaired reinforced square short columns using ferrocement.—75-00051A
Investigation techniques to analyze hydration characteristics of CSA cements.—75-00052A
Kinetics of hydration and other reactions of calcium silicates and cements.—75-00263A
Leachability of a blended cement waste form for Cd^{2+}- and Na^+-rich liquid waste.—75-03476A
Magnesia cements and concretes.—75-07164A
Magotteaux-Slegten-Sturtevant optimized cement grinding system.—75-00053A
Manufacturing costs of cement industry production.—75-09727A
Mechanical properties of cement pastes and mortars at early ages.—75-04820A
Mechanism of hydration of cement with basalt additions.—75-07165A
Mechanisms and processes leading to changes in time in the properties of CFRC [carbon fiber reinforced cement].—75-04821A
Mechanisms of the formation of structures of cement block and concrete with additives of ultradispersed materials.—75-07166A
Micronized α-Al_2O_3 in zero-cement castables.—75-07601A
Microsphere-filled lightweight calcium phosphate cements.—75-06071A
Microstructural studies on pleochroite.—75-00054A
Modeling the microstructure of cement.—75-00055A
Modeling the properties of concrete on gypsumless cement with a complex chemical additive.—75-07167A
Modern burning technique with PYRORAPID short rotary kiln and PYROCLON-LowNO_x precalciner.—75-01061A
Modernization of Volga-75 grate coolers at AO Gornozavodsktsement Co.—75-08733A
New generation of grate coolers—the challenge for high efficiency.—75-00056A
New generation of process optimization systems for the cement industry.—75-00057A
New pycnometer (specific gravity bottle) for determining cement density.—75-08689A
Observations of microcracking in cement paste upon drying and rewetting by environmental scanning electron microscopy.—75-04825A
Optimization of a calcium orthophosphate cement formulation occurring in the combination of monocalcium phosphate monohydrate with calcium oxide.—75-03655A
Physicochemical features of producing anhydrite cement from phosphogypsum.—75-07173A
Possible ways to save energy in cement production.—75-08737A
Prediction of thickening times of oil field cements using artificial neural networks and Fourier transform infrared spectroscopy.—75-02416A
Press filters for dehydration of cement slurry.—75-08538A
Pricing the extraction of minerals in cement industry.—75-07175A
Priority trend in cement research—development of a new generation of technology.—75-07177A
Problems calculating and classifying production costs in cement industry production.—75-09731A
Problems of cement packing.—75-07178A
Process of sulfate attack on cement mortars.—75-04826A
Production and properties of alkali-activated slag cement (ASC) based on synthetic slag from fly ashes.—75-00059A
Production of chemically stable magnesia cement based on industrial wastes and nontraditional raw materials.—75-04827A
Progress in the ^{27}Al MAS NMR spectroscopy monitoring the hydration of calcium aluminate cements.—75-00060A
Properties of cement with scorched rocks and concretes based on them.—75-07179A
Properties of metakaolin blended cements.—75-02418A
Properties of mortars containing fine-ground cements.—75-02419A
Proton high-resolution solid-state NMR spectroscopy using CRAMPS techniques for studies in silicate and cement science.—75-01914A
Proton MR microimaging and relaxation of hydrating synthetic cement pastes.—75-00061A
Questions to Dr. Damian J. Kulash, Executive Director, Strategic Highway Research Program, National Research Council, Washington, D.C.—75-04734A
Rapid determination of clinker-free lime for process control—design and development of an apparatus.—75-00063A
Rare-earth elements in cement production materials.—75-07180A
Reaction mechanism of blended cements—a ^{29}Si NMR study.—75-00064A
Recent trends in refractories.—75-00269A

Relationship between the ovality of a cement kiln and the wear rate of refractories.—75-06009A
Research on polymer-modified cement mortar.—75-00066A
Retarding effects of cement mortar setting.—75-07181A
Rheological behavior of fresh cement paste as measured by squeeze flow.—75-02422A
Self-setting calcium phosphate cements and methods for preparing and using them.—75-08785P
Shear behavior of engineered cementitious composites.—75-02424A
Ship to shore[—based on the materials supplied by EstMineral and BMH Marine Companies].—75-07182A
Size effect of tensile characteristics of carbon fiber-reinforced cement composites [CFRCs].—75-07183A
Sodium metasilicate-modified lightweight high alumina cements for use as geothermal well-cementing materials.—75-04833A
Sr^{2+} sorption and leach rate studies on synthetic calcium silicate hydroxy hydrate.—75-03926A
State of the art in high compression comminution.—75-00068A
Status of certification of cement industry production.—75-07185A
Structure, physicomechanical properties, and production of cement-dacite binders.—75-07189A
Study of a new cement with high iron and magnesium contents.—75-00069A
Sulfur polymer cement [SPC] encapsulation of RCRA toxic metals and metal oxides.—75-03499A
Surface electronic states.—75-07190A
Surface relaxation and surface area measurements in soft and hardened pastes.—75-01693A
Technological and economic aspects of transporting and handling cement—a review.—75-07192A
Tensile behavior of cement-based composites with random discontinuous steel fibers.—75-00070A
Theory and practice of cement burning system.—75-01065A
Third series cement in China.—75-00071A
Ultrafine cements for special applications.—75-02427A
Ultralow cement castables—applications in steel industries.—75-07686A
Ultrasonic measurements on hydrating cement slurries.—75-02428A
Unreacted cement content in macrodefect-free composites: impact on processing-structure-property relations.—75-04837A
Unsaturated polyester/cement/sand composite: II, Mechanical properties and applications.—75-02429A
Use of alumina clay with cement fly ash mixtures.—75-07196P
Use of chain filters for recovery of cement dust.—75-07194A
Use of differential thermal analysis for hydrothermally cured cement products.—75-00072A
Use of oil shale as nozzle fuel in rotary cement kilns.—75-08743A
Viscoelastic behavior of macrodefect-free cement.—75-04838A
Woven fabric reinforcement of cement matrix.—75-02432A
Zeolite-based additives for high alumina cement [HAC] products.—75-04839A

centers,
D^- center binding energy in a quantum dot.—75-02955A
n(=1,2,3) dimensional, FT-EPR spectroscopy and MNDO [molecular neglect differential overlap] calculations for the interpretation of the HC_1 center detected in silicate glasses.—75-07281A
Chemical bond and reconstructed state of impurity centers in semiconductors.—75-05260A
Concentration of a two-dimensional electron gas in selectively doped heterostructures under equilibrium and nonequilibrium filling of impurity centers.—75-07810A
Deep centers in $In_xGa_{1-x}As/InP$ photodiodes obtained by metallorganic gaseous epitaxy.—75-02987A
Effect of scattering centers on the optical loss of As_2S_3 glass fibers in the infrared.—75-00186A
Electron paramagnetic resonance of beryllium, deep boron, and scandium acceptors in silicon carbide.—75-08920A
Energy estimation of photolytical centers in Ag_2O.—75-05314A
Formation of donor centers during annealing of erbium-implanted silicon.—75-07894A
Hydrogen-containing center with negative-U properties in silicon.—75-07913A
Identification of one- and two-electron impurity centers in semiconductors by Mossbauer spectroscopy.—75-07914A
Kinetics of photoconductivity in ZnSe crystals upon photoexcitation of deep centers.—75-05357A
La^{3+} and Lu^{3+} isoelectronic centers in YAG.—75-08224A
Local centers in $Bi_{12}SiO_{20}$ crystals with nonstoichiometric composition.—75-09511A
Mechanism of the formation of tunneling Al-O^- centers in quartz studied using EPR.—75-06269A
Multifrequency EPR spectroscopy and MNDO [molecular neglect diatomic orbital] calculations for the interpretation of the Si-CN^- defect center detected in oxynitride glasses for the first time.—75-07353A
Multiphonon carrier capture in deep centers in quantum wells.—75-03095A
Nature of metastable centers responsible for anomalous temperature dependence of (0001) plane conductivity in CdS crystals.—75-07981A
Nonmonotonic dependence on the barrier width of the tunnel transparency of disordered superlattices containing impurity centers in barriers.—75-05406A
One- and two-electron exchange between neutral and ionized impurity centers on semiconductors by Mossbauer spectroscopy.—75-07988A
Reconstructed impurity centers in II-VI compounds.—75-08043A
Regularities of the electron spectrum of impurity centers of d-elements in silicon.—75-03148A
Sinks for radiation-induced vacancies and interstitial atoms in as-grown silicon crystals.—75-03165A

centrifuges,
Centrifugal slip casting of components.—75-03959A

ceramic industry,
1993 supplier of the year—Ferro Corporation.—75-04670A
Agile Manufacturing concepts and opportunities in ceramics.—75-02111A
Ceramitec '94.—75-04687A
Cersaie.—75-04689A
Cost-Effective Ceramics Program in the United States.—75-04696A
Creating a virtual ceramic corporation.—75-04697A
Delegation visits the Chinese Ceramic Society.—75-04700A
Didactis for the ceramic industry presented at ECerS [European Ceramic Society].—75-09710A
Edward Orton Jr. Ceramic Foundation.—75-04704A
Ever larger companies.—75-09712A
GATT negotiations—a world market for ceramics.—75-04709A
GBC Materials [Latrobe, PA], job shop in the '90s.—75-04710A
Heimsoth [Heimsoth, Dubois, and Netzsch—a new giant: the] most versatile plant supplier in the ceramics industry based in Aachen[, Germany].—75-07078A
International activities in research and production of ceramics.—75-07083A
Isostatic pressing technology making headway in the ceramics industry.—75-06665A
Italy: the ceramic sector balance sheets.—75-09724A
Japanese center leads ceramic technology.—75-04717A
Polyurethanes in the ceramic industry.—75-07092A
Quality and ISO certification.—75-04733A
Siu Fung, a Chinese leader.—75-04750A
Spending right to make money.—75-04751A
Voice for ceramics in Washington.—75-04765A
What do the others have that we do not.—75-07099A

ceramic matrix composites,
Advanced refractory ceramic-matrix composites from polymer precursor for working temperatures up to 1700°C.—75-02806A
Analysis of Ti compound particle distribution in AlN-matrix composites.—75-01786A
Ceramic composite attachments for transmission of high-torque loads.—75-07063A
Ceramic materials for gas turbine applications.—75-03689A
Ceramic matrix composite material.—75-08561P
Ceramic Transactions, Volume 57: High-Temperature Ceramic-Matrix Composites I: Design, Durability, and Performance.—75-02158B
Ceramic Transactions, Volume 58: High-Temperature Ceramic-Matrix Composites II: Manufacturing and Materials Development.—75-02159B
Chemical vapor infiltration.—75-06550A
Chemically bonded ceramic matrix composites—densification and conversion to diffusion bonding.—75-03969A
CMC intake ramp for hypersonic propulsion systems.—75-03693A
Compositional gradation between silicon nitride and superalloys using Si_3N_4/TiN CMC and TiN/Ni MMC layers.—75-02447A
Computational simulation of high-temperature ceramic matrix composites behavior.—75-03553A
Concept for a damage-tolerant ceramic composite with strong interfaces.—75-02026A
Contribution of thermal radiation to the temperature profile of ceramic composite materials.—75-06869A
Cost-effective production techniques for continuous fiber-reinforced ceramic matrix composites.—75-01416A
Crack-fiber interaction and interfacial failure models in fiber-reinforced ceramics.—75-06952A
CVI processing of ceramic matrix composites.—75-03984A
Cyclic fatigue at high temperatures of ceramic matrix composites.—75-04477A
Damage assessment of fiber/matrix interface in ceramic matrix composites using elastic stress waves.—75-03554A
Damage mechanisms in CMCs as assessed by ultrasonic measurements.—75-04481A
Damage processes and nonlinearity in ceramic matrix composites.—75-04483A
Databook on Mechanical and Thermophysical Properties of Particulate-Reinforced Ceramic Matrix Composites.—75-04775B
Databook on Mechanical and Thermophysical Properties of Whisker-Reinforced Ceramic Matrix Composites.—75-04776B
Design with ceramic matrix composites.—75-03555A
Determination of parameters of CMC materials using slice compression tests.—75-03558A
Development of interfaces in oxide and silicate matrix composites.—75-03992A
Effect of environment and loading velocity on fatigue damage in ceramic matrix composites.—75-04496A
Effect of interfacial shear strength on crack-fiber interaction behavior in ceramic matrix composites.—75-02039A
Effect of oxidation on the mechanical properties of Nextel 312/BN/Blackglas composites.—75-04499A
Effect of the environment on CMCs.—75-03560A
Elastic behavior of fibrous ceramic matrix composites at high temperature under tensile stress.—75-03887A
Elevated temperature creep and cyclic creep behavior of fiber reinforced ceramics.—75-04508A
Evolution of internal stresses in composites during creep.—75-04516A
Fabrication of SiC matrix composites using a liquid polycarbosilane as the matrix source.—75-04037A
Fabrication of SiC-SiC whisker composite by repeated infiltration of polycarbosilane.—75-01497A
Fiber-reinforced ceramic matrix composite fabrication by electrophoretic infiltration.—75-04043A
Fiber-reinforced CMC with polymer/filler derived matrix.—75-01499A
Fibers and ceramic matrix composites from polymer precursors: methodology of production and properties.—75-04044A
Fracture characterization of silicon-joined ceramic matrix composites.—75-04537A
Fracture toughness determination of SiC/SiC fabric composites.—75-04539A
Handbook on Continuous Fiber-Reinforced Ceramic Matrix Composites.—75-04777B
High-temperature chemical stability of plasma-sprayed $Ca_{0.5}Sr_{0.5}Zr_4P_6O_{24}$ [CS50] coatings on Nicalon/SiC ceramic matrix composite and Ni-based superalloy substrates.—75-09148A
High-temperature embrittlement of ceramic matrix composites—interface effects.—75-01862A
Hysteresis loops and the inelastic deformation of 0/90 ceramic matrix composites.—75-02064A
Influence of elastic anisotropy on stress concentrations around holes and notches in 2-D woven ceramic matrix composites.—75-04564A
Interfacial microstructure and stability of BN-coated Nicalon fiber/glass-ceramic matrix composites.—75-04349A
Intermetallic-bonded ceramic matrix composites.—75-07216A
Interphases in ceramic matrix composites.—75-09346A
Liquid infiltration and pyrolysis of SiC matrix composite materials.—75-04094A
Macroscopic modeling and damage processes in CMC's.—75-04581A
Measurement and analysis of the $p(u)$ curve giving the bridging tractions vs crack opening displacement in fiber-reinforced ceramic matrix composites.—75-04583A
Measurement and interpretation of thermal transport in directionally reinforced ceramic matrix composites.—75-03576A
Measurement of interfacial micromechanics in ceramic matrix composites.—75-01029A
Mechanical behavior of several hybrid ceramic matrix composite laminates.—75-07002A
Mechanical properties and modeling of high-performance ceramic matrix composites.—75-04590A
Mechanical properties of 3-D ceramic matrix composites.—75-03654A
Method of making a modified ceramic-ceramic composite.—75-01123P
Methodology for the determination of the interfacial properties of brittle matrix composites.—75-05963A
Microstructural evaluation of ceramic matrix composites produced by polymer pyrolysis.—75-01884A
Microstructural evolution and critical properties of advanced ceramics and ceramic matrix composites.—75-04360A
Military turbojet component design and validation with thermostructural composite materials.—75-03706A
Modeling and simulation of the mechanical behavior of CMCs.—75-04605A
Models of high-temperature, environmentally assisted embrittlement in ceramic matrix composites.—75-07016A
Nanostructures: the next generation of high-performance bulk materials and coatings.—75-06692A
Need for advanced characterization techniques in product manufacturing: a case study on ceramic matrix composites.—75-06902A
Nondestructive characterization of woven fabric ceramic composites.—75-03587A
Nondestructive inspection of the interface by X-ray refraction and high resolution computer tomography.—75-03588A
Nonlinear behavior model for SiC/SiC composites.—75-04382A
Novel organosilicon precursors for Si-C ceramics and ceramic matrix composites.—75-04124A
Numerical analysis of crack growth in microcracking ceramics and ceramic composites.—75-04610A
Numerical simulation of the nonlinear stress-strain behavior of SiC/SiC composites.—75-04612A
Polysiloxane-derived ceramic matrix composites.—75-04142A
Prediction of the fiber-matrix interface failure due to longitudinal tensile loading using finite element methods.—75-03590A
Processing of CMCs from organometallic precursors.—75-04184A
Rapid fabrication of ceramic composite tubes using chemical vapor infiltration.—75-09416A
Reinforced ceramics via oxidation of molten metals.—75-04201A
S-curve behavior and temperature increase of ceramic matrix composites during fatigue testing.—75-04623A
Silicon nitride ceramic matrix for CMC's from silane-derived Si powders and preceramic polymers.—75-03715A
Strain fields and damage around notches in ceramic matrix composites.—75-02098A
Strong interface in CMCs, a condition for efficient multilayered interphases.—75-04403A
TEM and EDX investigations of experimental SiC_f-YMAS composites.—75-04411A
Tensile damage development in fiber-reinforced ceramic matrix composites.—75-04649A
Theoretical modeling of the chemical vapor infiltration process for fabricating ceramic matrix composites.—75-04254A
Thermal shock behavior of two-dimensional woven fiber-reinforced ceramic composites.—75-06528A
Thermostructural CMCs—an overview of the French experience.—75-03723A
Thixotropic casting of ceramic matrix composites.—75-01733A
Thixotropic casting of fiber-reinforced ceramic matrix composites.—75-06823A
Wear studies of fiber-reinforced ceramic matrix composites.—75-04668A

ceramic-metal systems,
Aluminum matrix composite powder.—75-00149P
Atomic structure of metal/ceramic interfaces.—75-07200A
Brazeless ceramic-to-metal bond for use in implantable devices.—75-07245P
Ceramic base and metallic member assembly.—75-07250P
Ceramic composite and methods of making the same.—75-00151P
Ceramic composite bodies with increased metal content.—75-07251P
Ceramic composite containing a spinel phase and an oxide phase and the preparation thereof.—75-07252P
Ceramic materials, method of preparing the same, and hydrogenation and oxidation processes using the same.—75-07254P
Ceramic-coated metal sheet.—75-00152P
Ceramic-metal joining for automotive ceramic engines.—75-02443A
Combustion synthesis technology for metal-ceramic composite production.—75-04845A
Designing ceramic/metal composites.—75-04847A
Effect of graded interlayer in a ceramic-metal joint on stress distribution and failure probability.—75-02457A
Engine components including ceramic-metal composites.—75-07261P
Experimental and theoretical investigation of the residual stress distribution in brazed ceramic steel components.—75-02468A
First-principles calculations for metal/ceramic interfaces.—75-04325A
Formation mechanism of Al_2O_3/metal composites by the directed oxidation of molten Al-Mg-Si alloys.—75-02479A
Influence of ceramic particle content on the cyclic fatigue and fracture behavior of an aluminum alloy metal-matrix composite.—75-00105A
Mechanically retained wear-resistant ceramic pad.—75-00160P
Metal-containing ceramic coatings.—75-07263P
Metal-reinforced ceramics.—75-02504A
Metal/metalloid nitride/carbide ceramic powders prepared by flash pyrolysis.—75-07264P
Metallurgical bonding of metals and/or ceramics.—75-00161P
Method and apparatus for preparing metal-ceramic composite body.—75-04877P
Microwave-induced combustion synthesis of ceramic and ceramic-metal composites.—75-00111A
Near-net-shape processing of metal-ceramic composites by reactive metal penetration.—75-04861A
Part made from ceramic composite having a metallic coating, process for producing same, and powder composition used.—75-00166P
Production of ceramic and ceramic-metal composite articles with surface coatings.—75-08625P
Reaction sintering of an iron-based ceramic-metal composite.—75-00127A
Shaped ceramic-metal composites.—75-07276P
Stress redistribution around a ceramic/metal interface.—75-00137A
Structure and composition of metal/ceramic interfaces.—75-07232A
Weibull analyses applied to the pull adhesion test and fracture of a metal-ceramic interface.—75-02561A

ceramics,
17th Fletcher Challenge Award.—75-02176A
19th Fletcher Challenge.—75-02178A
49th Scripps Annual.—75-02182A
ACC Columbus.—75-04672A
ACerS 96th Annual Meeting/Exposition.—75-04673A
Andrea Johnson.—75-02187A
Andy Nasisse and Harvey Sadow.—75-02188A
Animals & Co., 1983-1992.—75-02189A
Ann Linnemann.—75-02190A
Arch 191.—75-02191A
Are the names of ceramic materials protected.—75-07060A
Atmospheres.—75-02192A
Bill Stewart.—75-02200A
Built, thrown, and touched.—75-02204A
Byzantine Serres ceramics.—75-02207A
California clay conference.—75-02208A
Capacitor having a changeable dielectric capacity and manufacturing method thereof.—75-00389P
Celia Cymbalista—an autobiography.—75-02209A
Ceramic filter with a transmission zero.—75-00390P
Ceramic manufacturing—optimizing a multivariable system.—75-02115A
Ceramic orthodontic bracket with debonding channel.—75-03667P
Ceramic Transactions, Volume 64: Fractography of Glasses and Ceramics, III.—75-04770B
Ceramics in Canada—an update.—75-04686A
Ceramics in Northern Ireland—more there than the troubles.—75-02211A
China Diary.—75-02215A
China's state of art on ceramic components in diesel engines.—75-03511A
Clay currents.—75-02218A
Clay on the Wall.—75-02219A
Clay without borders.—75-02220A
Collector's eye.—75-02224A
Continental drift.—75-02227A
Creative learning and training towards competence.—75-02122A
Deco '94, SGCD's 31st Annual Seminar and Exhibition.—75-04699A
Decorating in a changing world—SGCD [Society of Glass and Ceramic Decorators] '94.—75-02230A
Development of new low expansion ceramics—CMZP and modified ß-eucryptite.—75-01145A
Development of structural ceramic components for automobile applications.—75-00951A
Don't put out the flames.—75-02238A
Edda Kallweit.—75-02240A
Electrophoretic deposition of ceramics.—75-01481A
Elisabeth Anderson.—75-02243A
Expanding the assortment of articles in the current production of fine ceramics.—75-07446A
Feats of Clay VI.—75-02246A
Four functional potters.—75-02254A
Fusz Gyorgy.—75-02258A
Gaining and maintaining exhibition support.—75-02259A
Gift to Renwick.—75-02261A
Glass and ceramic waste forms—applications and materials properties.—75-03467A
Glenda Taylor.—75-02262A
Gwen Heffner.—75-02265A
International Cone Box Show.—75-02272A
Jindra Vikova.—75-02276A
John Woodward.—75-02277A
Ken Eastman.—75-02281A
Korea's international ceramics workshop.—75-02283A
Low thermal expansion ceramics—a retrospective.—75-01881A
Low-fire-salt fuming.—75-02286A
Mary and Edwin Scheier.—75-02290A
Method for preparing a ceramic gas-turbine nozzle with cooling fine holes.—75-01117P
Mirek Oliva.—75-02299A
Monk potter.—75-02301A
Most famous ceramic landmark of the world.—75-02304A
Nondestructive evaluation of ceramics.—75-01036A
Northwest ceramics pioneers.—75-02315A
Old and new in Jingdezhen.—75-02316A
Overbeck studio.—75-02319A
Patriciv Mateescv.—75-02322A
Patrick Hilferty—questioning criteria.—75-02324A
Penn State National.—75-02325A
Piezoceramic capsule for telephone instruments.—75-05652P
Piezoelectric ceramic transformer.—75-03270P
Pinched for time.—75-02330A
Plate impact response of ceramics and glasses.—75-02085A
Reflection of environment.—75-02338A
Reliability analysis of LTCC MCM's utilizing silver conduntives.—75-00371A
Report from Beijing.—75-04745A
Richard Shaw.—75-02342A
Ron Dale.—75-02346A
Ron Nagle—recent work.—75-02348A
Sadashi Inuzuka.—75-02350A
Saint-Gobain/Norton Industrial Ceramic Corp.—75-04747A
San Francisco fair connections.—75-02353A
Scope and limits of climate-controlled convection drying.—75-00253A
Silver via metallization for low temperature cofired ceramic tape.—75-00132A
Sister Dennis Frandrup.—75-02358A
Strictly functional.—75-02362A
Structure-property relationships in low-temperature cofired ceramic.—75-01346A
Supplier awards recognize service to industry.—75-04758A
Technical ceramics—where do they stand and where are they heading.—75-07096A
They call him Lud.—75-02371A
Tiles of Ohio.—75-02372A
Topping a century of progress.—75-04760A
Vallauris Biennial.—75-02376A
West Coast clay—the new breed.—75-02380A
William Daley—ceramics and drawings.—75-02381A
Worker's compensation.—75-04767A

ceria,
Angle-resolved time-of-flight spectrometry of neutrals laser ablated from $Nd_{1.85}Ce_{0.15}CuO_4$.—75-01787A
Assessment of the phase diagram in the ZrO_2-CeO_2 system.—75-06161A
$CeO_{1.5}$-stabilized tetragonal ZrO_2.—75-06175A
Ceria-alumina oxidation catalyst.—75-06084P
Crystallization and sinterability of cordierite-based glass powders containing CeO_2.—75-04946A
Deformation and fracture of CeO_2-stabilized zirconia ceramics: I, Strength and deformability.—75-06957A
Deformation and fracture of zirconia ceramics stabilized by CeO_2: II, Crack resistance.—75-06958A
Diffusion bonding interface structure of yttria-stabilized zirconia.—75-04313A
Dislocation-related plasticity of ceria-stabilized zirconia polycrystals.—75-04490A
Domain structure of cubic zirconia in ZrO_2-CeO_2.—75-03786A
Effect of CeO_2 on sintering and hydration resistance of natural dolomite.—75-05084A
Effect of grain size of sputtered cerium oxide films on their electrical and kinetic behavior at high temperatures.—75-01455A
Effect of structural defects formed in alloying of yttrium oxide by CeO_2 and in heat treatment on phase transformations.—75-09505A
Fabrication of dense, shaped barium cerate by the oxidation of solid metal-bearing precursors.—75-04033A
Grain growth in CeO_2: dopant effects, defect mechanism, and solute drag.—75-06878A
Hydrothermal synthesis of cerium(IV) oxide.—75-04072A
Injection molding of ceria-zirconia powder mixtures using an aqueous [hydroxy propyl methyl cellulose] HPMC-PVA binder system.—75-01551A
Internal friction in ceria ceramics doped with alkali-earth metal oxides.—75-04573A
Lapping of composite Y-TZP and Ce-TZP.—75-06667A
Mechanical alloying of ceramics in zirconia-ceria system.—75-04101A
Mechanical property characterization of 9 mol% Ce-TZP ceramic material: II, Fracture toughness.—75-09653A
Method for making abrasive grain containing alumina and ceria.—75-00012P
Micromolding of ceramics using photolithographic polyimide patterns.—75-01571A
Microstructure of melt-textured Y-Ba-Cu-O oxides with CeO_2 addition and formation mechanism of the Ba-Cu-O platelet structure.—75-08365A
Optical absorption in CeO_2-V_2O_5 thin films.—75-06292A
Optical characteristics of Ce_2O_3 single crystals.—75-06493A
Oxidation catalyst with bulk ceria, a second bulk metal oxide, and platinum.—75-07269P
Point of zero charge [pzc] of CeO_2.—75-03823A
Preparation and characterization of CeO_2-based superconducting field effect transistors.—75-00846A
Preparation of an alkali element-doped CeO_2-Sm_2O_3 system and its operation properties as the electrolyte in planar solid oxide fuel cells.—75-07745A
Processing and densification of ceria-zirconia ceramic through extrusion of ceramic-polymer mixture.—75-04180A
Properties of CeO_2-Al_2O_3-SiO_2 glasses prepared in air.—75-04990A
Raman and X-ray studies of $Ce_{1-x}RE_xO_{2-y}$, where RE=La, Pr, Nd, Eu, Ge, and Tb.—75-01920A
Raman spectroscopic study of the Pt-CeO_2 interaction in the Pt/Al_2O_3-CeO_2 catalyst.—75-06335A
Sintering and microstructural development of ceria-gadolinia dispersed powders.—75-04219A
Sintering of fine oxide powders: I, Microstructural evolution.—75-09574A
Sm_3BaCuO_5 refinement via an attrition milling and CeO_2 addition in Sm-Ba-Cu-O systems melt textured at oxygen partial pressures of 0.001~1 atm.—75-08412A
Sol-gel process for spinning of continuous (Zr,Ce)O_2 fibers.—75-04227A
Solid solutions based on indium oxide with additions of HfO_2, CeO_2, and TiO_2 and some of their properties.—75-05139A
Titanium/zirconium/cerium oxide granular particulates/agglomerates.—75-08635P
Trivalent Ce_2O_3 and CeO_{2-x} intermediate oxides induced by laser irradiation of CeO_2 powders.—75-06400A
Zirconia crystals with yttrium and cerium oxides.—75-05152A

cerium,
Ac and dc electrochemical investigation of protonic conduction in calcium-doped barium cerate ceramics.—75-05174A
Calculation of energy levels of cerium in inorganic scintillator crystals.—75-01798A
Cerium-doped orthophosphate scintillators.—75-00425A
Copper content and superconductivity of $Nd_{1.85}Ce_{0.15}Cu_{1+\delta}O_y$.—75-05739A
Cordierite-cerium(IV) oxide system—microstructure and properties.—75-04309A
Crystal growth and scintillation properties of CeF_3.—75-00182A
Effect of sintering atmosphere on the pore-structure stability of cerium-doped nanostructured alumina.—75-01465A
Effects of grain size and specimen geometry on the transformation and *R*-curve behavior of 9Ce-TZP ceramics.—75-06971A
Electronic structure and associated optical properties of $LaPO_4$:Ce.—75-01842A
Fatigue of phase transformation toughened Ce-TZP and Y-TZP ceramics.—75-06977A
First results on large cerium fluoride crystals in a test beam.—75-00187A
Fluorescence properties of CeF_3 and of some other cerium-doped crystals and glasses under VUV and X-ray synchrotron excitation.—75-00188A
Luminescence of cerium ions in ultraphosphate glasses [UPhG] under fast flow of electrons.—75-04978A
Microstructure and properties of barium cerate based electrolytes for solid oxide fuel cells.—75-02918A
Optical properties and radiation damages of cerium fluoride crystals doped with alkali-earth and rare-earth elements.—75-01323A
Optical spectroscopy of Ce^{3+}, Tb^{3+}, and Eu^{3+} in new scintillating glasses.—75-07359A
Preparation and characterization of new mixed conducting oxides based on $BaCe_{1-x}Gd_xO_{3-x/2}$ [0<x<0.2].—75-02929A
Proton conductor of $SrCe_{0.95}Ln_{0.05}$ (Ln=Eu, Sm, Ho, Tm).—75-05211A
Radiation damage mechanisms in scintillator materials—applications to BaF_2 and CeF_3.—75-01771A
Scintillation mechanism and radiation damage in $Ce_xLa_{1-x}F_3$ crystals.—75-01773A
Scintillation mechanism in Gd-based crystals doped with RE^{3+} ions.—75-01338A
Status of cerium fluoride performances.—75-01154A
Thermal expansion of solid proton electrolytes based on $BaCeO_3$.—75-06913A
Thermoelectric power of the $Bi_2Sr_2Ca_{1-x}Ce_xCu_2O_{8+y}$ [x=0~0.4] system.—75-08440A
Ultraviolet absorption and fluorescence spectra of cerium and the effect of glass composition.—75-07374A
Variation of mechanism transition wavelength of self-pumped phase conjugation with Ce content in $BaTiO_3$:Ce crystals.—75-06403A

cermets,
Boron carbide cermet structural materials with high flexure strength at elevated temperatures.—75-07243P
CBED procedure for determining local residual stresses from nanoscale areas in cermets.—75-01799A
Cermet alloy.—75-04873P
Cermet cutting tool and process for producing the same.—75-00153P
Cermet sintered body.—75-04874P
Cermets based on transition metal borides, their production and use.—75-02566P
Composite alumina/metal powders, cermets made from said powders, and processes of production.—75-04876P

Developing a thick-film cermet.—75-07721A
Effect of particle-diameter ratio of YSZ to Ni on polarization of Ni/YSZ cermet anode.—75-07206A
Fabrication and properties of TiB_2 cermets.—75-00094A
Lightweight boron carbide/aluminum cermets.—75-07262P
Method for preparing a cermet-coated article.—75-07266P
Microstructure and mechanical properties of Ti(C,N) based cermets.—75-02509A
Original way to elaborate cermet thin films: cluster deposition.—75-00974A
Preparation, characterization, and wear behavior of TiN_x-coated cermets obtained by plasma-enhanced chemical vapor deposition.—75-04864A
Processing of ceramic-metal composites (cermets) Al_2O_3-TiC_xN_{1-x}-Mo_2C-Ni.—75-00121A
Titanium carbonitride-based cermet cutting insert.—75-07278P
Wear-resistant titanium carbonitride-based cermet cutting insert.—75-04879P

cesium oxide,
Phase equilibria in the Na_2O-Cs_2O-SiO_2 system.—75-09021A
Water resistance of aluminophosphate glasses with increased content of cesium oxide.—75-07375A

cesium,
^{133}Cs NMR study of Cs reaction with clay minerals.—75-03445A
Cesium/oxide interactions for ultrathin films on α-Al_2O_3(0001) and α-Al_2O_3(1$\bar{1}$02).—75-04299A
High-emission CsI-coated diamond dynodes for an electron multiplier.—75-07906A
Immobilization of Cs-contaminated zeolite by portland cement.—75-00045A
Intrinsic sorption potential of aluminum-substituted calcium silicate hydroxy hydrate for cesium-137.—75-03901A
Nanosecond uv scintillations in cesium iodide.—75-01313A
Reversible changes of bands on the surface of *p*-GaAs(Cs, O) at RT studied by X-ray photoelectron spectroscopy.—75-05466A
Sequestration of cesium and strontium by tobermorite synthesized from fly ashes.—75-03495A
Structure of $La_3Cs_{15}P_{24}O_{72}$·$6H_2O$ crystals.—75-06375A
Synthesis and crystal structures of cesium and manganese(II,III) double cyclophosphates with $Cs_3Mn_3^{II}Mn^{III}(P_6O_{18})_2$, $CsMn^{II}Mn^{III}P_2O_{18}$-I, and $CsMn^{II}Mn^{III}P_2O_{18}$-II compositions.—75-09077A
Waste forms based on Cs-loaded silicotitanates.—75-03507A

chalcogenides,
Annealing of semimetal chalcogenide foils produced by ultrarapid melt quenching.—75-07781A
Application of single crystals of bismuth and antimony chalcogenide solid solutions in miniature coolers.—75-05243A
Chalcogenide films: electric conductivity and preparation by chemical deposition.—75-02702A
Chalcogenide glasses containing metal chlorides.—75-07286A
Electrical conduction mechanism in amorphous thin films of the system $Ge_{20}Bi_xSe_{70}B_5Te_{10}$ [x=7, 9, 11, and 13].—75-07726A
Electrochemical properties of complex transition metal dichalcogenides and their intercalated compounds.—75-06458A
Epitaxial growth of two-dimensional dichalcogenides and modification of their surfaces with scanning probe microscopes.—75-01848A
Growth and structural perfection of cadmium-mercury and manganese-mercury chalcogenides.—75-05332A
Light transmission characteristics of telluride-based chalcogenide glass for infrared fiber application.—75-04976A
Multistep thawing of chalcogenide glass structure in the softening point interval.—75-04918A
Origin of structural instability in metal-intercalated layered dichalcogenides.—75-07999A
Passivation of GaAs(100) surface by gallium chalcogenides $A_2^{III}B_3^{IV}$(110).—75-05415A
Preparation of chalcogenide glasses in chlorine reactive atmosphere.—75-07396A
Selective etching of zinc, cadmium, and mercury chalcogenides.—75-05468A
Synthesis and study of new palladium(II) chalcogenochlorides.—75-09464A
Thermal dissociation of copper chalcogenides during melting.—75-09519A
Transmission loss characterization of telluride-based chalcogenide glass optical fibers.—75-00206A

chalcopyrite,
Structural, optical, and electrical properties of epitaxial chalcopyrite $CuIn_3Se_5$ films.—75-00607A

chamotte,
Ponholz: clay and chamotte from the Naab Valley[, Germany].—75-06047A

characterization,
Atomic scale flattening and characterization of a YBCO film surface.—75-08263A
Calcium Phosphate (Ca-P) Coating Draft Guidance for preparation of Food and Drug Administration (FDA) submissions for orthopedic and dental endosseous implants.—75-00075A
Ceramic substrates with molybdenum-copper layered foil conductors for power hybrids.—75-00076A
Characteristics and formation mechanism of $BaTiO_3$ powders prepared by twin-fluid and ultrasonic spray pyrolysis methods.—75-03963A
Characteristics of solar cells at low temperatures.—75-02975A
Characterization and sintering of precipitated hydroxyapatite.—75-01801A
Characterization of barium titanate prepared by precipitation technique.—75-06176A
Characterization of composite hydroxyapatite (HAp) coatings for medical and dental devices.—75-01080A
Characterization of defects in Si and SiO_2-Si using positrons.—75-01744A
Characterization of differently prepared apatites by adsorption behavior of albumin.—75-09532A
Characterization of doped BST thin films prepared by a modified sol-gel method.—75-05539A
Characterization of nanocrystalline oxide powders prepared by CO_2 laser evaporation.—75-06864A
Characterization of porous glasses by means of porosimetry.—75-02630A
Characterization of sprayed CdO thin films.—75-06867A
Characterization of thin films and multilayers by specular X-ray reflectivity.—75-01809A
Characterization of tubular boron nitride filaments.—75-06105A
D.O.R.—a new NMR method for high-resolution characterization in solids of quadrupolar nuclei with half-integer spins.—75-01420A
Deposition and characterization of CN_x films.—75-01820A
Deposition of epitaxially oriented films of cubic SiC on silicon by laser ablation of elemental targets.—75-00454A
Detailed evaluation of alternative high power substrates for thick film circuits.—75-00456A
Documentation on international technical articles relating to the heavy clay industry.—75-00241A
Electrical characterization of AlN ball/pad grid array MCM-C/D.—75-00329A
Fabrication of diamond and diamondlike carbon by low-pressure inductively coupled plasma CVD.—75-04034A
Group behavior of SAPO-11 molecular sieves containing various metals (Mg, Zn, Mn or Cd, Ni, Cr).—75-06880A
Growth and characterization of epitaxial $SrTiO_3$ thin films with prominent polarizability.—75-00336A
Growth of beta silicon carbide film on Si by hot-filament CVD.—75-01515A
Hectorite as a critical element in the manufacturing of high-grade ceramic slips, bodies, and glazes.—75-03638A
Heteroepitaxy and characterization of $CuGaSe_2$ layers grown by low-pressure metallorganic chemical vapor deposition.—75-00505A
Ilmenite—a wide band gap semiconductor for novel electronic applications.—75-03050A
Impedance-loss profile characterization of interconnection structures.—75-00340A
In situ characterization of ceramic fine powders produced by a nebulization process.—75-04341A
Influences of electrochemical vapor deposit conditions on growth rate and characteristics of YSZ thin films: I.—75-09342A
Interface characterization using an SEM-based microindentor.—75-03574A
Kaolins in southwest England.—75-03639A
Master sintering curve: a practical approach to sintering.—75-09358A
Microcutting characteristics on the single-crystal diamond tool with edge radius using molecular dynamics.—75-08684A
Molecular beam epitaxy of boron nitride thin films and their analytical characterization.—75-04118A
Need for advanced characterization techniques in product manufacturing: a case study on ceramic matrix composites.—75-06902A
New ferromagnetic oxide La_2MnIrO_6: synthesis, characterization, and calculation of its electronic structure.—75-00753A
NIST metrology program on electromagnetic characterization of materials.—75-02136A
Nondestructive characterization of hydroxyapatite-coated dental implants by XRD method.—75-01897A
Novel synthesis and characterization of silicon nitride fibers.—75-04125A
Perturbed-angular-correlation spectroscopy on indium and cadmium complexes in silicon carbide.—75-00563A
Phenylation of fullerene-C60.—75-01604A
Preparation and characterization of fine Y-ZrO_2 powders by spray pyrolysis.—75-04147A
Preparation and characterization of PZT submicron powders using a spray pyrolysis process.—75-01613A
Preparation and characterization of SnO_2 thin films deposited by spray pyrolysis from $SnCl_2$ and $SnCl_4$ precursors.—75-04148A
Preparation of sinterable ultrafine zirconia [ZrO_2-3 mol% Y_2O_3] powder by emulsion method.—75-04169A
Preparation of SOFC electrode powders by the aerosol flow pyrolysis method and characteristics of the electrodes.—75-08537A
Processing and characteristics of spin-cast ferroelectric $Bi_4Ti_3O_{12}$ thin films.—75-00692A
Processing and properties of $La_{1-x}A_xCo_{1-y}Fe_yO_{3-\delta}$ (A=Sr,Ca) perovskites.—75-02932A
Properties of ferroelectric (Pb,La)(Zr,Ti)O_3 thin films by MOCVD.—75-05629A
Properties of Silicon Carbide.—75-02168B
Rate of SiC deposition from methyltrichlorosilane and influence of HCl addition.—75-04193A
Reaction mechanism of blended cements—a ^{29}Si NMR study.—75-00064A
Reactive wetting taxonomy.—75-04200A
RF design considerations for passive elements in LTCC.—75-01041A
SiC fibers from modified polyorganosilanes: production, properties, and applications.—75-04209A
Surface resistance, residual losses, and granularity in Ag-doped $YBa_2Cu_3O_{7-\delta}$ thin films.—75-00880A
Synthesis and characterization of nanocrystalline Y-TZP.—75-01697A
Synthesis and characterization of ultrafine zircon powder.—75-04236A
Tin dioxide films prepared by a rapid chemical vapor deposition method.—75-04259A
Two members of the ABC-D6R family of zeolites: zeolite phi and Linde D.—75-06074A
Ultrasonic characterization of zirconia-toughened alumina ceramics.—75-09583A
Wideband electrical characterization of LTCC systems.—75-01053A

charge density wave,
Fermi liquid coupled with a generalized Wigner polaronic CDW giving high-T_c superconductivity.—75-05768A

charge,
Anharmonic temperature factors and charge density in ZnS.—75-06158A
Ball charge dynamics in a planetary mill.—75-05894A
Charge relaxation in silicon at grain boundaries enriched with oxygen and carbon.—75-02979A
Dependence of charging on crystallographic orientations of an as-grown α-quartz.—75-01216A
Dispersion of charge carriers in point defects in semiconducting structures.—75-05281A
Effect of elastic force nonlinearities and the charge state on the type of equilibrium distortions of defects with an initial electron state of t_2 symmetry.—75-03003A
Formation mechanism of the stationary reverse *I-V* characteristics of MIS structures with charge transport.—75-03032A
Kinetics of the tempering annealing of the charge in the gate SiO_2 of MOS structures irradiated by γ-quanta of Co^{60}.—75-03074A
Low-temperature transfer of a charge in *n*-GaAs by nonequilibrium electrons in magnetic field.—75-03086A
Modern system for process control in the production of charge glass.—75-08732A
Phonon fluctuations and effect of pseudodoping in inhomogeneous amorphous semiconductors: III, Optical and thermal excitation of charge carriers with regard to fluctuations of phonon fields.—75-08006A
Quasi-stationary charge transport by a surface acoustic wave.—75-08033A
Simultaneous measurement of particle size and electrostatic charge by using the Laser Doppler method.—75-05978A
Spatial charge of injected ballistic electrons having the negative effective mass.—75-05478A
Threshold energies of high-field-induced hole currents and positive charges in SiO_2 layers of metal-oxide-semiconductor structures.—75-00620A
Two pathways of positive oxide charge buildup during electron tunneling into silicon dioxide film.—75-00386A
Use of the partial charge model and multinuclear NMR techniques in aqueous chemistry.—75-01050A

checker brick,
Unburned spinel checker brick for glass furnace regenerators.—75-06014A

chemical analysis,
Chemical analyses and morphologies of some solid industrial process wastes with possible use as raw materials in the clay-based ceramic industry.—75-00944A
Remarkable raw material from Wesko [Druschkowka, Ukraine].—75-06053A

chemical industry,
R. T. Vanderbilt Co. Inc.—75-04739A

chemical properties,
Chemical and structural evolution of sol-gel-derived hydroxyapatite thin films under rapid thermal processing.—75-03771A
Chemical and structural properties of the system Fe_2O_3-Nd_2O_3.—75-04303A
Chemical classification and provenance of some Roman glazed ceramics.—75-00015A
Dependence of Curie temperature on the crystal chemical parameters of multicomponent PZT-based solid solutions.—75-08123A
Features of the chemical rearrangement of interphase boundaries of metal-GaAs in the presence of a second component of metallization.—75-07211A

chemical reaction,
Alkali-carbonate reaction.—75-03762A
Application of microwaves to rapid chemical synthesis.—75-01380A
Nanoindentation studies of the chemomechanical effect in sapphire.—75-06282A
New innovation in powder metallurgy—self-propagating high-temperature synthesis (SHS).—75-03584A
Shock-induced and shock-assisted solid-state chemical reactions in powder mixtures.—75-01659A

chemical vapor deposition (CVD),
Apparatus and method for chemical vapor deposition of diamond.—75-01155P
Apparatus and method for chemical vapor deposition of diamond.—75-03943P
$Bi_2Sr_2CaCu_2O_x$ films prepared by chemical vapor deposition (CVD).—75-08266A
Bias-enhanced nucleation of diamond during microwave-assisted chemical vapor deposition.—75-01385A
Ceramic insulated electrical conductor wire and method for manufacturing such a wire.—75-05217P
Ceramic vapor deposited coating using a steam-containing carrier gas and nonalkoxy silane precursors.—75-01106P
Characterization of CVD diamond films used for radiation detection.—75-01395A
Characterization of InTlSb/InSb grown by low-pressure metallorganc chemical vapor deposition on a GaAs substrate.—75-05258A
Characterization of pulsed supersonic CVD system for diamond growth.—75-00943A
Charged cluster model in the synthesis of diamond by CVD.—75-08879A
Chemical vapor deposited ß-SiC for optics applications.—75-03967A
Chemical vapor deposition furnace and furnace apparatus.—75-06116P
Chemical vapor deposition of diamond films using water-based plasma discharges.—75-01158P

Chemical vapor deposition of dispersed phase composites in the B-Si-C-H-Cl-Ar system.—75-03968A
Chemical vapor deposition of polycrystalline diamond films on steel substrates.—75-07201A
Chemical vapor deposition of polycrystalline diamond with orientation and growth facets.—75-03729P
Chemical vapor deposition of silicon nitride filaments from silicon subhydrides and ammonia.—75-09241A
Chemical vapor deposition of Ti_3SiC_2 from $TiCl_4$-$SiCl_4$-CH_4-H_2 gas mixtures: I, Thermodynamic approach.—75-06182A
Chemical vapor deposition of Ti_3SiC_2 from $TiCl_4$-$SiCl_4$-CH_4-H_2 gas mixtures: II, An experimental approach.—75-06549A
Chemical vapor deposition of ZrO_2 thin films monitored by ir spectroscopy.—75-06183A
Closed CVD system for the deposition of diamond films.—75-09242A
Comparative study of nucleation enhancement techniques for plasma CVD of diamond thin films.—75-01407A
Current status of CVD diamond applications and prospects for the future.—75-09707A
CVD diamond production using preheating.—75-08823P
CVD growth of low-doped 6H-SiC epitaxial films.—75-00451A
CVD of silicon-based ceramic materials on internal surface of a reactor.—75-01162P
Cyclic hot-filament CVD of diamond.—75-08572P
Design of metals coordination compounds precursors for MOCVD synthesis of functionally gradient materials.—75-02452A
Development of Si-Ti-C-O fiber-reinforced SiC composites by chemical vapor infiltration and polymer impregnation & pyrolysis.—75-03994A
Diamond chemical vapor deposition—gas compositions and film properties.—75-01217A
Diamond film deposited on a silica substrate with a ZnO:Al intermediate layer by hot-filament chemical vapor deposition.—75-01436A
Driving force for deposition in the chemical vapor deposition process.—75-06573A
Dynamic modeling of CVD for real-time control of microstructure.—75-03559A
Effect of conditions of polycrystalline ZnS CVD on its microstructure.—75-09540A
Effect of plasma flow on diamond growth by arc discharge plasma jet CVD.—75-09279A
Electrical characterization of PLT thin films by LP-MOCVD.—75-05557A
Electron cyclotron resonance plasma chemical vapor deposition of silicon carbide thin films using ditertiary butyl silane.—75-00474A
Ellipsometric investigation of metallorganic chemical vapor deposition of niobium oxide films.—75-03794A
Enhanced adherence of diamond coatings by combustion flame CVD.—75-00158P
Enhanced chemical vapor deposition of diamond and related materials.—75-08575P
Excimer laser-induced chemical vapor deposition of boron nitride films.—75-09302A
Experimental measurements and numerical simulations of the gas composition in a hot-filament-assisted diamond chemical vapor deposition reactor.—75-01022A
Fine grain diamond workpieces.—75-03732P
Finite element modeling of a hot-filament CVD [HFCVD] diamond deposition reactor optimized for large-area deposition.—75-08526A
Fluorinated silicon nitride films.—75-06122P
Growth of beta silicon carbide film on Si by hot-filament CVD.—75-01515A
Growth of diamond films using C_3F_8 and H_2 in a new system.—75-01517A
Growth of oriented aluminum nitride films on silicon by chemical vapor deposition.—75-06631A
Growth rate of diamond film by hot-filament CVD.—75-06633A
HF-CVD method for forming diamond.—75-01169P
High-rate deposition of titanium silicides under high gas flow rate by chemical vapor deposition.—75-06636A
High-temperature corrosion resistance of chemically vapor deposited silicon carbide against hydrogen chloride and hydrogen gaseous environments.—75-01992A
Hot-filament-assisted chemical vapor deposition of carbon: film growth and filament reactions.—75-01527A
Intelligent process control of silicon nitride chemical vapor deposition.—75-03523A
Kinetic studies of laser chemical vapor deposition of titanium nitride.—75-01556A
Kinetics of diamond-like film growth using filament-assisted chemical vapor deposition.—75-04089A
Laser physicochemical vapor deposition of cubic boron nitride thin films.—75-06669A
Laser-induced chemical vapor deposition of silicon carbide.—75-04091A
Local stoichiometry measurement of Y-Ba-Cu-O thin layers grown by metallorganic chemical vapor deposition.—75-00817A
Local thermal conductivity in chemical vapor deposited diamond.—75-01303A
Low-temperature SiC film coating on metals by microwave plasma chemical vapor deposition.—75-07217A
Manufacturing of perovskite thin films using liquid delivery MOCVD.—75-05601A
Metallorganic chemical vapor deposition of ferroelectric oxide thin films for electronic and optical applications.—75-05605A
Metallorganic chemical vapor deposition of high-purity GaAs with the cryogenic purification of arsine.—75-05382A
Metallorganic CVD of YBCO using a new, stable and volatile barium precursor.—75-05796A
Method for chemical vapor depositing a titanium nitride layer on a semiconductor wafer and method of annealing TiN films.—75-00635P
Method for enhancing the toughness of CVD diamond.—75-03737P
Method for forming metal-oxide-modified porous ceramic membranes.—75-01116P
Method for low-temperature plasma-enhanced chemical vapor deposition (PECVD) of an oxide and nitride antireflection coating on silicon.—75-01174P
Method for making high thermal conducting diamond.—75-03741P
Method of forming crystalline silicon carbide coatings at low temperatures.—75-01176P
Micromachining of CVD diamond films using a focused ion beam.—75-08533A
Microstructural evolution and flaws in CVD diamond.—75-09557A
MOCVD of high-quality $YBa_2Cu_3O_{7-\delta}$ films: in situ preparation of fluorine-free layers from a fluorinated barium source.—75-05798A
Modeling routes for the chemical vapor deposition process.—75-04114A
Multilayer CVD diamond films.—75-08612P
New region for HFCVD [hot filament-assisted CVD] diamond growth at low temperature.—75-09368A
Novel carbon fibers by laser-assisted chemical vapor deposition (LCVD).—75-00003A
Nucleation and growth mechanism of diamond during hot filament chemical vapor deposition.—75-06699A
Nucleation and growth processes during the chemical vapor deposition of diamond.—75-01598A
Optical waveguide-type bistable devices.—75-04985A
Organometallic chemical vapor deposition: the roles of precursor design and growth ambient in film properties.—75-04130A
PECVD and ozone CVD deposition rate, uniformity, and step coverage.—75-04132A
Performance of 1.3 μm ridge waveguide distributed feedback lasers fabricated by one-step metallorganic chemical vapor deposition.—75-03114A
Plasma CVD process for forming amorphous silicon thin film.—75-03212P
Preparation of YBCO superconducting nanocomposite films by MOCVD.—75-00852A
Preparation of zinc oxide films by low-pressure chemical vapor deposition method.—75-04174A
Process analysis of AP-CVD of silicon carbide.—75-00580A
Process and apparatus for chemical vapor deposition of diamond films using water-based plasma discharges.—75-08614P
Producing and controlling substrate temperature uniformity from 600°C to 1100°C in CVD rotating disk reactors.—75-03534A
Properties of ferroelectric (Pb,La)(Zr,Ti)O_3 thin films by MOCVD.—75-05629A
Pulsed power processing of CVD diamond.—75-09411A
Pyrolytic growth of ZnS on Si.—75-03142A
PZT, PLZT, LSC [La-Sr-Co], and platinum thin films produced in the open atmosphere using combustion chemical vapor deposition.—75-05633A
Quantitative in situ growth measurements of chlorine-activated homoepitaxial diamond CVD.—75-01637A
Remote plasma deposition of SiN_x:H layers from hexamethylcyclotrisilazane.—75-09420A
Reproducible synthesis by metallorganic chemical vapor deposition and thallium vapor diffusion of oriented thin-film $Tl_{1+x}Ba_2Ca_2Cu_3O_{9+x}$: intergrowth of $TlBa_2Ca_2Cu_3O_9$ and $Tl_2Ba_2Ca_2Cu_3O_{10}$ structures.—75-08408A
Role of penetration twins in the morphological development of vapor-grown diamond films.—75-01655A
Round robin thermal conductivity measurements on CVD diamond.—75-08699A
Shifting-order-type kinetics may explain diethylsilane pyrolysis to silicon carbide deposition.—75-06346A
Silicon nitride filaments from silicon and ammonia.—75-01661A
Silicon nitride films grown by hydrogen radical enhanced chemical vapor deposition utilizing trisdimethylaminosilane.—75-04216A
Simulation of MOCVD-process for Y-Ba-Cu-O film production in stagnation zone reactor.—75-05830A
Structure and properties of heteroepitaxial $Pb(Zr_{0.35}Ti_{0.65})O_3$/$SrRuO_3$ multilayer thin films on $SrTiO_3$(100) prepared by MOCVD and rf sputtering.—75-05645A
Synthesis of fine composite powders of AlN-TiN-YN system by floating-type fluidized-bed CVD.—75-01708A
Synthesis of ultrafine metallic powders in a dc plasma reactor by chemical vapor deposition.—75-04250A
TEM investigation of CVD graphite on nickel.—75-04412A
Theoretical analysis of diamond chemical vapor deposition in a rotating disk reactor.—75-08707A
Thermally annealed GaN nucleation layers and the device-quality metallorganic chemical vapor deposition growth of Si-doped GaN films on (00.1)sapphire.—75-03184A
Thin films of boron nitride grown by CVD.—75-06822A
Tin dioxide films prepared by a rapid chemical vapor deposition method.—75-04259A
Twin-determined growth of diamond films.—75-04262A
Two-dimensional model of the chemical vapor deposition of silicon nitride in a low-pressure hot-wall reactor including multicomponent diffusion.—75-04263A
Using simultaneous deposition and rapid growth to produce nanostructured composite films of AlN/TiN by chemical vapor deposition.—75-04270A
Visualization of atmospheric pressure chemical vapor deposition and powder spray pyrolysis by laser light scattering.—75-03604A
YBCO and BSCCO thin films prepared by wet MOCVD.—75-05864A

chemical vapor infiltration,
Carbon-carbon composites inductively heated and rapidly densified by thermal gradient chemical vapor infiltration: density distributions and densification mechanism.—75-09229A
Characterization of boron nitride films deposited from BCl_3-NH_3-H_2 mixtures in chemical vapor infiltration conditions.—75-03965A
Chemical vapor infiltration.—75-06550A
CVI processing of ceramic matrix composites.—75-03984A
Development of a two-step, forced chemical vapor infiltration process.—75-03990A
Fabrication of advanced C/C composites by a hybrid process of CVI/liquid precursor impregnation.—75-04031A
Forced chemical vapor infiltration of tubular geometries—modeling, design, and scale-up.—75-04048A
Fracture toughness of 2-D woven SiC/SiC CVI composites with multilayered interphases.—75-04541A
Optimization of bundle infiltration in the forced chemical vapor infiltration (FCVI) process.—75-04127A
Preparation and economics of silicon carbide matrix composites by chemical vapor infiltration.—75-04149A
Rapid densification of carbon-carbon composites by thermal gradient chemical vapor infiltration.—75-04190A
Rapid fabrication of ceramic composite tubes using chemical vapor infiltration.—75-09416A
Rapid processing of carbon-carbon composites by forced flow–thermal gradient chemical vapor infiltration (FCVI).—75-04191A
Theoretical modeling of the chemical vapor infiltration process for fabricating ceramic matrix composites.—75-04254A

chemisorption,
Heat of water chemisorption on a-Al_2O_3 at 200–400°C.—75-06238A

chemistry,
^{29}Si NMR investigation of the CaO-SiO_2-Na_2O-H_2O system related to the chemistry of cement.—75-00257A
Characterization of the surface chemistry of silicon nitride powders.—75-01807A
Chemical Processing of Ceramics.—75-02163B
Influence of chemistry on crack propagation in silicon nitride.—75-04563A
Infrared and Raman spectroscopy applied to cement chemistry—complementary with NMR techniques.—75-00048A
Introduction to portland cement chemistry.—75-00050A
Preceramic polycyclomethylsilazanes: chemistry of processing.—75-04145A

china clay,
TQM concepts boost productivity at Lenox Inc.—75-02798A

chlorides,
Chalcogenide glasses containing metal chlorides.—75-07286A
Chemical reaction in a five-component reciprocal system of lithium, sodium, and potassium fluorides, chlorides, and metavanadates.—75-06181A
Dephosphorization of the Fe-C-P melts by slags on the basis of Ba, Ca, and Al oxides, fluorides, and chlorides in weakly oxidizing atmosphere: I.—75-09252A
Emissions of sulfur dioxide and hydrogen chloride from the firing of clay ceramics.—75-03613A
Features of the electrical properties connected with reorganization of domain structure in Rb_2ZnCl_4 ferroelectrics.—75-08141A
Formation and segregation of copper, cadmium, and silver chlorides in photochromic glass.—75-02588A
Improvement of methods of controlling trace content of chlorides in cement production materials.—75-07158A
Near-ultraviolet upconversion fluorescence and low-temperature fluorescence properties in Er^{3+}-doped $ZnCl_2$-based glass.—75-07355A
Oxidation of GaAs in the presence of $CeCl_3$.—75-05413A
Phase equilibria in rare-earth chloride–fluoride and rare-earth chloride–magnesium fluoride systems.—75-09014A
Potentiometric determination of chloride in glass and glassmaking raw materials.—75-08696A
Reaction study of aluminum chloride with ammonia and mechanisms leading to aluminum nitride.—75-09047A
Recurrent phenomena during dissolution of copper in chloride solutions.—75-06339A
Solubility in the zirconium oxychloride–hafnium oxychloride–water system at 25 and 50°C.—75-06359A
Stable $CaWO_4$-$BaWO_4$-NaCl and $CaWO_4$-$BaCl_2$-NaCl triangles of a four-component reciprocal system of sodium, calcium, and barium chlorides and tungstates.—75-06367A
Thermal oxidation of indium phosphide in the presence of S_2Cl_2.—75-05502A

chlorination,
Effect of chlorination on optical absorption in sol-gel-derived optical fibers.—75-02708A

chlorine,
Characteristic features of self-compensation in PbSe:Cl:Se_{ex} films.—75-07801A
Characterization studies of quaternary superionic AgX-Ag_2O-MoO_3-P_2O_5 glasses. (X=Cl, Br).—75-07329A
Deep electron states in chlorine-doped ZnSe films grown by molecular beam epitaxy.—75-02988A
Dopant precipitation in CdTe doped with Ga and Cl.—75-05283A
High-temperature chlorine corrosion of Fe-Mn-Al-C alloy in Cl_2/O_2/Ar mixtures at 600 and 900°C.—75-04428A
Interaction of lithium perchlorate and calcium perchlorate with superoxide and sodium peroxide.—75-06661A
Optically enhanced forced diffusion of sulfur and chlorine in diamond.—75-09515A
Preparation of chalcogenide glasses in chlorine reactive atmosphere.—75-07396A
Relaxation processes in semiinsulating CdTe(Cl).—75-06511A

chlorites,
Ceramic properties of a Spanish clay containing illite, chlorite, and quartz.—75-00237A
chromates,
Combustion synthesis of $LaCrO_3$ powders.—75-01403A
Etching of CdTe in sulfuric acid-potassium bichromate aqueous solutions.—75-05316A
Formation of calcium chromate hydroxyapatite on the surface of a calcium-doped lanthanum chromite sintered body.—75-06614A
Magnetoelectrical effect and magnetic phase transitions in $(Fe_xCr_{1-x})_2O_3$ single crystals.—75-08229A
Mechanical properties of slip-cast $La_{0.8}Sr_{0.2}CrO_{3-\delta}$.—75-07011A
Synthesis and properties of a new ß polymorph of Li_3CrO_4.—75-06795A
chrome,
Development and performance of improved quality magnesia chrome refractory in AOD converter.—75-07513A
Development of magnesia-chrome bricks for tuyeres in AOD vessels.—75-07523A
Distribution and properties of secondary spinel in magnesia-chrome bricks.—75-07531A
Magnesia-chrome refractories with excellent spalling resistance obtained by microstructure control techniques.—75-07591A
Preparation and characterization of chrome-bearing high-aluminosilicate refractories.—75-07633A
Superdense direct-bonded magnesia-chrome brick for AOD and OTBC applications.—75-07669A
chromia,
Abrasive and thermal properties of Al_2O_3-Cr_2O_3 solid solutions.—75-09114A
Band theoretical investigation of substituted CrO_2 within the local density approximation.—75-00723A
Consecutive reversible first-order two-stage reaction model for reduction of Cr_2O_3.—75-03776A
Conversion coatings on silicon carbide.—75-01161P
Cr_2O_3-based clinkers and Cr_2O_3-Al_2O_3-ZrO_2 refractories for sewage sludge melting furnace.—75-07500A
Effects of some additives on Al_2O_3/Cr_2O_3 coating contacts.—75-03646A
Formation, characterization, and hot isostatic pressing of Cr_2O_3-doped ZrO_2 (0.3 mol% Y_2O_3) prepared by hydrazine method.—75-01510A
Kinetics of reaction between chromium sesquioxide and anhydrous sodium carbonate in oxidizing atmospheres.—75-03803A
Nonstoichiometric Cr_2O_3 raw material for photoconducting system A_2B_6—a-Cr_2O_3.—75-00553A
Performance of chromia and picrochromite refractories developed for the HYCOL coal gasification pilot plant reactor.—75-07626A
Photometric analysis of chromium oxide refractories.—75-02828A
Production and properties of Cr_2O_3 raw material for refractories.—75-02829A
Reaction bonding of Cr_2O_3 ceramics.—75-01642A
Sintering and characterization of gelcast alumina-chromia reaction bonded ceramics.—75-01663A
Solid solution formation in the Al_2O_3-Cr_2O_3 system assisted by ball milling.—75-07229A
Solid solutions of $Al_{2-x}Cr_xO_3$ produced by the sol-gel method.—75-06774A
Solubility, reactivity, and nucleation effect of Cr_2O_3 in the CaO-MgO-Al_2O_3-SiO_2 glassy system.—75-04994A
Thermal interaction of mechanically activated mixtures of CrO_3 and $Al(OH)_3$.—75-06392A
Thermal shock acoustic emission and microstructure of refractories: II, Basic refractories.—75-02845A
chromite,
Chromite.—75-06025A
Effect of sintering on the mechanical properties of SOFC ceramic interconnect materials.—75-06583A
Formation of calcium chromate hydroxyapatite on the surface of a calcium-doped lanthanum chromite sintered body.—75-06614A
Impregnation of a periclase-chromite lining with nickel matte.—75-05100A
$La(Sr)CrO_3$ for use in a magnetohydrodynamic generator.—75-03299A
Low-temperature synthesis of magnesium chromite spinel via suspension of $Mg_5(CO_3)_4(OH)_2{\cdot}4H_2O$ in aqueous Cr(III) solution.—75-04097A
Microstructural aspects of reduction of Zimbabwe chromite to high-carbon ferrochromium.—75-04354A
Stress in alkali-earth-doped lanthanum chromites from oxygen potential gradients.—75-05212A
Synthesis and characterization of doped lanthanum chromite.—75-01695A
chromium oxide,
Chromic oxide blocks for use in glass container industry.—75-07492A
Corrosion of dense chromic oxide refractory in E glass.—75-07496A
Vaporization of $LaCrO_3$: partial and integral thermodynamic properties.—75-09102A
chromium,
Ceramic interconnectors for planar solid oxide fuel cells through tape casting of reaction-sprayed powders.—75-00302A
Ceramics in the system NbB_2–CrB_2.—75-03692A
Chromium carbide based ceramics composite block gauge.—75-06117P
Chromium-zircon pigment.—75-02855A
Circular dichroism in Cr^{3+}-activated alum under electric and magnetic fields: III, Circular dichroism induced by a magnetic field on transitions of Cr^{3+} ions in alum crystals.—75-06431A
Dephosphorization and chromium transfer from Fe-C-Cr-P-containing melts to slag on the basis of oxides and fluorides of Ba, Ca, and Na in weakly oxidizing atmosphere: II.—75-09251A
Deviations from mercury chalcochromite, $HgCr_2Se_4$, stoichiometry.—75-07827A
Effect of anisotropy on the formation of incommensurate magnetic structures of Cr_2BeO_4.—75-08662A
Effect of Cr_3C_2 addition on the sintering of SiC-TiC composite.—75-09271A
Effects of ZrC and VC addition on the diffusion-induced recrystallization of TiC-Cr_3C_2.—75-08916A
Electrical conductivity and dielectric properties of the magnetic semiconductor $HgCr_2Se_4$ in strong super high-frequency electrical fields.—75-05305A
Electrical conductivity of $CoCr_2S_{3.5}Se_{0.5}$ in a variable field.—75-05307A
Electrodischarge machining of Al_2O_3/Cr_3C_2 composite.—75-06600A
Electron spin resonance investigation of Cr^{3+} diffusion in rutile.—75-06848A
Epitaxial growth and characterization of lattice-matched $MgO/Cr_{0.7}Mo_{0.3}/MgO(001)$ layered structures.—75-04025A
EPR of chromium ions in synthetic forsterite in the submillimeter range.—75-06223A
Features of the magnetic interaction in alloys of the Fe-Cr-Co system.—75-08216A
Fracture behavior of alumina composites toughened by chromium particles.—75-02483A
Heat conduction in ionic polycrystalline nanocomposites.—75-05196A
Hole-phonon scattering in a ferromagnetic $HgCr_2Se_4$ semiconductor.—75-03048A
Incommensurate magnetic structures in a crystal with two systems of equivalent positions: Cr_2BeO_4.—75-08955A
Influence of chromium on the formation of the bismuth system superconductors.—75-05779A
Influence of crystallographic orientation, chemical inhomogeneities, material transport anisotropy, and elastic strain energy on the migration of grain boundaries in chromium-doped alumina during internal reduction.—75-04283A
Interaction of Si_3N_4 with Cr.—75-06248A
Interactions of Sb_2X_3 with Cr_2X_3 (X=Se, Te).—75-06249A
Ir spectra of $H_2V_{12-x}Me_xO_{31\pm\delta}{\cdot}nH_2O$ (Me=Mo, Cr).—75-08960A
Kinetic parameters of the reaction of an aqueous chromium trioxide solution with formic acid.—75-08963A
Magnetic and electrical properties of new thiospinels containing Fe, Cr, and Sn.—75-05370A
Magnetic structure of $CuCr_2S_4$ spinels doped with antimony.—75-08151A
Microstructure and mechanical properties of Cr_3C_2 particulate-reinforced Al_2O_3 matrix composites.—75-06895A
MOCVD yttria-stabilized zirconia on Co-Cr.—75-02512A
Molded ceramic articles.—75-03546P
Optical absorption and photoconductivity of $ZnCr_2S_4$ single crystals.—75-07989A
Optical and magnetooptical properties and giant magnetoresistivity of Fe/Cr superlattices with noncollinear ordering of Fe layers.—75-08235A
Particle size effects in YAG:Cr phosphors.—75-01903A
Phase relations and magnetic properties of tellurides in the Cr-Te system.—75-09030A
Physicochemical and magnetic properties of iron solid solutions in chromium telluride, Cr_1Te_4.—75-06501A
Physicochemical properties of $Nd_{1-x}Ca_xCr_{1-x}Zn_xO_3$ solid solutions.—75-09169A
Possibility of the existence of quasi-particles in antiferromagnetic semiconducting solid solutions of $xCoCr_2S_4$-(1–x)/$CuCr_{1.5}Sb_{0.5}S_4$ (x=0.25, 0.5).—75-05443A
Preparation and characterization of fine La-Cr-Zr oxide ceramics by chemical coprecipitation at high temperatures.—75-09380A
Preparation of porous Cr_3C_2 grains with Cr_2O_3.—75-06733A
Prestress toughened $Al_2O_3/Cr_3C_2/Ni/Al_2O_3/Cr_3C_2$ with symmetric gradient structure.—75-02530A
Protective materials on the base of the Cr-C-system with phase gradient.—75-02537A
Quantum chemical interpretation of the catalytic action of $Cu_{1-x}Zn_xCr_{2-y}Al_yO_4$ on ammonium nitrate decomposition.—75-06754A
Reaction bonding of Cr_2O_3 ceramics.—75-01642A
Segregation-induced surface structures for Cr-doped CoO.—75-00593A
Structural modeling of rhombohedrally distorted phases for $Cu_{1-x}Ni_xCr_2O_4$ solid solutions.—75-06373A
Structural relaxation around substitutional Cr^{3+} ions in sapphire.—75-02100A
Surface tension of aqueous solutions of chromium sulfate and sodium dodecylsulfate solutions.—75-07041A
Temperature and magnetic field shift of the long-wave region of photoelectric effects in $HgCr_2Se_4$.—75-05498A
Thermodynamic properties of chromium phosphides.—75-09093A
Thermodynamic properties of chromium-phosphorus melts.—75-09094A
Toughening mechanism for ceramics by a ductile metallic phase.—75-07051A
Transmission lines for high frequency and high density packaging.—75-00145A
Transparent Cr^{4+}-doped YAG ceramics for tunable lasers.—75-00624A
Transport kinetics of Cr in undoped CoO.—75-00625A
Tribological potential of physical vapor deposited CrN coating for machine element application.—75-03724A
Voltage-current characteristics of *n-p-p*$^+$ structures based on silicon-germanium solid solution compensated with chromium.—75-08094A
chrysotile,
Glass-bonded ceramic material from chrysotile.—75-06627A
circuit board,
Aluminum nitride circuit board and method of producing same.—75-05216P
Ceramic substrate provided with metallized layers for connection with chip, circuit board, or the like.—75-07751P
Circuit board.—75-00392P
Method for manufacturing multilayer ceramic substrate.—75-07765P
Method of and apparatus for producing multilayer ceramic board.—75-05227P
Method of fabricating ceramic circuit substrate.—75-05228P
circuits,
Ceramic substrate for an electronic circuit.—75-07750P
Ceramic technologies for portable radio applications.—75-00941A
Challenges to obtaining high efficiency in solid oxide fuel cells.—75-02895A
Crosstalk noise in a mixed-signal silicon-on-silicon multichip module.—75-00306A
Detailed evaluation of alternative high power substrates for thick film circuits.—75-00456A
Development and characterization of miniaturized circuits for high-frequency applications using micromatching techniques.—75-00311A
Development of a three dimensional power circuit package for aircraft applications.—75-00458A
Diamond transistors and circuits.—75-07832A
Heterodyne microwave mixing in a superconducting $YBa_2Cu_3O_{7-\delta}$ coplanar waveguide circuit containing a single engineered grain boundary junction.—75-00810A
High-frequency piezoceramic equivalent circuit.—75-03237A
Magnetically coupled SQUID for the digital readout of integrated HTS circuits.—75-08358A
Multiceramic layer switch circuit.—75-07770P
Power hybrid packaging technique remains the packaging tecnique of choice for high power density circuits.—75-00363A
Process for producing circuitized layers and multilayer ceramic sublaminates and composites thereof.—75-07773P
Silicon carbide thin film circuit element and method of manufacturing the same.—75-08116P
Superconducting FET circuits for analogue VLSI signal processing.—75-08427A
Surface-mount-type ceramic capacitor.—75-00410P
Thin-film circuit fabrication on diamond substrates for high-power applications.—75-08086A
Transition via fill material for silver-gold interconnects.—75-00384A
clacium phosphate,
Early history of calcium phosphate materials and coatings.—75-01084A
cladding,
Cladding glass-ceramic for use in high-powered lasers.—75-08099P
classification,
Hydrodynamic modeling of swirling flow and particle classification in large-scale hydrocyclones.—75-05949A
classifiers/classification,
Contacts and coordination numbers in a compact of polyhedral particles.—75-01207A
Fine particle separation by revised type air cyclone classifier.—75-05947A
Revolution in ceramic tile sorting systems.—75-07453A
clays,
^{133}Cs NMR study of Cs reaction with clay minerals.—75-03445A
Analysis of the microporosity in pillared clays.—75-06420A
Assessing the plastic properties of Australian paver clays by triaxial compression testing.—75-00233A
Barbara Botting.—75-02196A
Bead making.—75-02198A
Bill Stewart.—75-02200A
Built, thrown, and touched.—75-02204A
Calculation of optimum mixtures based on sandy-calcareous clay.—75-05056A
Ceramic properties of a Spanish clay containing illite, chlorite, and quartz.—75-00237A
Ceramic sculpture in Brazil.—75-02210A
Clay Directions '94.—75-02762A
Clay on the Wall.—75-02219A
Clay without borders.—75-02220A
Cogeneration installations on clay spray dryers.—75-00946A
Conducting polymer-clay composites for electrochemical applications.—75-05179A
Creep and stability of pollucite.—75-02031A
David Shaner—notes from a friend.—75-02229A
Detection of hydrogen fluoride emissions from firing clay ceramics using Fourier transform infrared (FTIR) spectroscopy.—75-03611A
Earthly aspect.—75-00018A
Electrical double layer of a disk-shaped clay mineral particle: effect of particle size.—75-05163A
Emissions of sulfur dioxide and hydrogen chloride from the firing of clay ceramics.—75-03613A
Feats of Clay VII.—75-02247A
From Mali to Oregon—Baba Wague Diakite.—75-02773A
Giants in structural clay.—75-02774A
Gregory Zeorlin.—75-02264A
Gypsum handling.—75-02778A
Handbuilding with suspended clay.—75-02266A
Heirlooms of the future.—75-02268A
Increasing the turnover of saggers for firing ceramic articles.—75-02822A
Interplay of craft and wit: conceptual functional vessels by Eric Van Eimeren.—75-07125A
Jim Leedy—the reenchantment of clay.—75-02275A
Keiko Fukazawa and Joan Takayama-Ogawa—a confluence of American and Japanese cultures.—75-02280A

Kentucky-Tennessee Clay Co.—75-04718A
Leslie Lee.—75-02285A
Light facing brick from Cambrian clays.—75-07448A
Marbles take center stage at hand glass meeting.—75-04722A
Materials handbook.—75-04727A
Memphis Mashiko stone.—75-02293A
Micaceous clay—all that glitters.—75-02296A
Microwave drying kinetics of a clay plate.—75-02784A
Modified heat-insulating refractories from clay-polystyrene mixtures.—75-05107A
NEA fellowships.—75-02309A
New Australian and New Zealand specifications and standard methods of tests for masonry units and segmental pavers.—75-00246A
New York clay.—75-02312A
Oregon Showcase '94.—75-02317A
Out of the Earth Into the Fire: A Course in Ceramic Materials for the Studio Potter.—75-02166B
Patrick Crabb—contemporary archaeologist in clay.—75-02323A
Penn State National.—75-02325A
Peruvian expressions.—75-02326A
Philadelphia's clay studio.—75-02327A
Pillared metakandite clay compositions as sorbents, catalysts, and ceramic and refractory precursors.—75-01072P
Pinched for time.—75-02330A
Plymouth meets the extrusion market.—75-02788A
Ponholz: clay and chamotte from the Naab Valley[, Germany].—75-06047A
Properties and microstructure of clay-derived B-SiAlON.—75-01912A
Properties and microstructure of clay-derived B-SiAlON.—75-04389A
Quality assurance of ceramic clays—a deeper understanding.—75-01070A
Rapid prototyping applied to industrial design of ceramic processing in a fluidized bed.—75-00251A
Raw and the cooked.—75-02336A
Reaching to the past.—75-02337A
Reliable plastic raw materials.—75-06052A
Remarkable raw material from Wesko [Druschkowka, Ukraine].—75-06053A
Reminiscences of an old building ceramics clay preparation method—washing: II.—75-00983A
Richard Aerni.—75-02341A
Ron Roy's ole black magic.—75-02349A
Rules, rules, what rules. Sculptural freedom with paper clay.—75-04801A
San Diego consortium.—75-02352A
Sandy Vitarelli—a potter in Maui.—75-02354A
Single-fired ash glazing.—75-02357A
Sister Dennis Frandrup.—75-02358A
Special features of the evaluation of the pore structure of ceramic filtering materials.—75-05141A
Standard methods of clay mining.—75-01071A
Steiger blending plant: processed clays from Meissen.—75-00987A
Strong growth in ball and china clays.—75-02796A
Table is set.—75-07132A
Using natural clays.—75-02375A
Valuable offerings—the ceramic sculpture of Indira Freitas-Johnson.—75-02377A
Versatile clay conditioners with an international pedigree.—75-02799A
Virginia Clay.—75-07133A
Waylande Gregory.—75-02801A
West Coast clay—the new breed.—75-02380A

cleaners/cleaning,
Aerodynamic purification, disintegration, and separation of quartz sands and similar bulk materials.—75-07440A
Catalyst for cleaning exhaust gas with alumina, ceria, zirconia, nickel oxide, alkaline earth oxide, and noble metal catalyst, and method for preparing.—75-08773P
Comparison of surface cleaning processes for diamond C(001).—75-00439A
Introduction of unshaped products without SiO_2 in secondary metallurgy for cleanliness of metal.—75-07585A
Self-cleaning in *p*-CdTe crystals during heat treatment.—75-05470A
Surface cleaning, topography, and temp. measurements of single-crystal diamond.—75-01955A
Use of sulfates in eliminating loose oxides on the unenameled steel surface.—75-00146A

clinkers,
Bag-house dust used in clinkerization of portland cements.—75-00024A
Cr_2O_3-based clinkers and Cr_2O_3-Al_2O_3-ZrO_2 refractories for sewage sludge melting furnace.—75-07500A
Effect of oxides on the sintering process and the hydration resistance of CaO clinkers.—75-07540A
Effects of impurities on the hydration of magnesia clinkers.—75-07545A
Heat consumption for formation of portland cement clinker made of natural mineral mixes.—75-07153A
Improvements in hydration resistance of CaO clinkers.—75-00046A
Microstructural studies on pleochroite.—75-00054A
Modern concepts of the process of formation of portland cement clinker.—75-07168A
Optimization of a precalciner kiln—a case study.—75-01063A
Pendulum clinker cooler with horizontal air jets.—75-00976A
Prevention mechanism of $3CaO·SiO_2$ formation in clinker with excess SO_3.—75-00058A
Properties of MgO-Al_2O_3 spinel clinkers synthesized in China.—75-07637A
Rapid determination of clinker-free lime for process control—design and development of an apparatus.—75-00063A
Sintered MgO clinker containing Al_2O_3.—75-07660A
Statistical analysis of properties of portland cement clinkers.—75-07184A
Third series cement in China.—75-00071A

clusters,
Anomalies of the photoacoustic response in the CdS/Y zeolite system.—75-07782A
Atomic mobility and thermodynamics of ultrasmall clusters of a substance.—75-06162A
Cluster model of the localized electron pairs in mixed valence metal oxides.—75-05736A
Detection of graphitelike clusters in DLC [diamondlike carbon] by intercalation of copper.—75-08652A
Folding CuO_2 planes into fullerene-like clusters.—75-06232A
Generation of electron-hole pairs at the surface of a semiconductor in the edge fields of macroscopic charged clusters: effects of electrical inhomogeneities of different scales.—75-03035A
Heteroflocculation in binary colloidal suspensions: Monte Carlo simulations.—75-08949A
Hydrogen and halogen bonding on the diamond (100)2×1 surface—an ab initio study.—75-01864A
Large-scale clusters of electrically active defects in GaAs single crystals.—75-05358A
Local strain and autolocalization energy of clusters with S=2 and 3/2 in $YBa_2Cu_3O_7$.—75-08353A
Morphology of Cu clusters on $SrTiO_3$(001) at initial stages of metal film growth.—75-04379A
Paired correlations in large two-dimensional Cu-O clusters: new Monte Carlo nonlocalized trajectory algorithm.—75-08692A
Quantum-size effects on the band edge of CdTe clusters in glass.—75-02739A
Synthesis and characterization of structured metal/silica clusters.—75-00138A
Three-dimensional cluster lattices.—75-03187A

coagulation,
Direct Coagulation Casting (DCC)—fundamentals of a new forming process for ceramics.—75-00952A
Direct coagulation casting (DCC)—principles of a new green shaping technique.—75-03996A
High-strength alumina produced by Direct Coagulation Casting.—75-01524A
Processing of Al_2O_3 by direct coagulation casting (DCC).—75-04183A

coal,
Ash-based ceramic materials.—75-08553P
Evolution of burner technology for cement.—75-01059A
Performance of chromia and picrochromite refractories developed for the HYCOL coal gasification pilot plant reactor.—75-07626A
Plasticity enhancement of coal fry ash-clay bodies.—75-08736A
Preparation of high-density graphite materials from coal tar pitch.—75-00004A
Thermodynamic calculation of gas/slag/refractory equilibria in coal gasification.—75-08710A

coarsening,
Coarse reaction-bonded silicon nitride.—75-08567P
Effect of liquid phase on microstructural coarsening in ceramic systems.—75-09541A

coatings,
$(Ca_{1-x}Mg_x)Zr_4(PO_4)_6$ [CMZP] and ZrP_2O_7 coatings and foams.—75-01259A
Abrasive and erosive wear of thermally sprayed ceramic and cermet coatings.—75-09603A
Abrasive wear of protective coatings of thermitic gunite mixtures.—75-05071A
Adhesion testing of hydroxyapatite coatings.—75-01008A
Al_2O_3 coatings as diffusion barriers deposited from particulate-containing sol-gel solutions.—75-01372A
Alumina sol-coated recording sheet.—75-08814P
Aluminum nitride sintered body having a metallized coating layer on its surface.—75-07239P
Antioxidative protective coatings for carbon materials.—75-03687A
Antioxidative protective coatings for carbon materials.—75-03687A
Apparatus and method for applying a coating to glass using a screen printing process.—75-08549P
Apparatus and method for forming diamond coating.—75-08550P
Article having a protective coating simulating brass.—75-07240P
B-N-C_x hydrid coatings for inorganic fiber reinforcement materials.—75-01157P
Bioactive ceramic-coated surgical implant.—75-07242P
Bonelike coatings onto ceramics by reactive magnetron sputtering.—75-09223A
Bubble structure of enamel coatings and its determination.—75-02440A
Calcium Phosphate (Ca-P) Coating Draft Guidance for preparation of Food and Drug Administration (FDA) submissions for orthopedic and dental endosseous implants.—75-00075A
Calibrated method for crystallinity determination of hydroxyapatite coatings.—75-01205A
Can recycling of refractory material be economical.—75-02809A
Carbon and oxide coatings on continuous ceramic fibers.—75-03957A
Carbon fiber with electroless copper plating.—75-02441A
Ceramic coating composition for a hybrid scavengeless development donor roll.—75-06077P
Ceramic coatings on polymers by high-energy beam for tribology application.—75-06544A
Ceramic coatings.—75-03727P
Ceramic engineers in the 21st century.—75-02113A
Ceramic vapor deposited coating using a steam-containing carrier gas and nonalkoxy silane precursors.—75-01106P
Ceramic-coated metal sheet.—75-00152P
Ceramic-like opaque glass.—75-07413P
Changes in characteristics arising from processing and the effect on in vitro stability of calcium phosphate ceramics.—75-00077A
Characterization of a zirconia-yttria-titania thermal barrier coating.—75-04843A
Characterization of composite hydroxyapatite (HAp) coatings for medical and dental devices.—75-01080A
Characterization of pseudoporous SiC/C coatings on Nextel 440 and Nicalon fibers.—75-04302A
Chemical interaction during the chemical vapor deposition of silicon carbide on aluminosilicate fibers from halogenated precursors.—75-06547A
Chemical resistance of decorated film coatings based on iron-containing industrial waste.—75-02631A
Coated cemented carbides.—75-07256P
Coated ceramic article.—75-02567P
Coated fibers.—75-01108P
Coating composition for glass containers.—75-05047P
Coating of fine-grained silicon nitride whiskers on fiberlike silicon nitride.—75-01399A
Coating solution suitable for the manufacture of a magnesium oxide layer and a method of manufacturing such a layer.—75-08568P
Coating solutions for forming transparent conductive ceramic coatings, substrates coated with transparent conductive ceramic coatings and process for preparing same, and uses of substrates coated with transparent conductive ceramic coatings.—75-00393P
Cold process for hydroxyapatite coatings.—75-06085P
Combination thermal barrier and wear coating for internal combustion engines.—75-01159P
Combustible slurry for joining metallic or ceramic surfaces or for coating metallic, ceramic, and refractory surfaces.—75-04875P
Comparative biological properties of HAp plasma-sprayed coatings having different crystallinities.—75-03873A
Compositional coatings with lead sulfide matrices for photoconducting layers.—75-02980A
Concept of functionally graded materials for advanced thermal barrier coating applications.—75-07202A
Conversion coatings on silicon carbide.—75-01161P
Corrosion properties of ion-plated TiN and CrN coatings.—75-01987A
Decorating reaches new heights with Brittains papers.—75-02232A
Dense silica coatings on ceramic powder particles.—75-01423A
Detailed microstructural study of electroplated metal matrix composites for gradient hard coatings.—75-02453A
Diamond coating of metal alloys.—75-07204A
Diamond coatings for aluminum alloys.—75-00155P
Diamond coatings on integrated circuits.—75-07828A
Diamond-coated inserts, drills, and end mills.—75-08803A
Diamond-coated microcomposite sintered body.—75-02568P
Diamondlike carbon [DLC] for biomedical applications.—75-08804A
Diamondlike carbon films for antireflection coatings of infrared optical materials.—75-01441A
Early history of calcium phosphate materials and coatings.—75-01084A
Effect of intermediate layers on residual stress distributions and debonding of sprayed thermal barrier coatings.—75-02458A
Effect of segmentation of conductive coatings on the radio wave reflection from solar control sheet glass.—75-07331A
Effect of the composition of film-forming solutions and the temperature and time regimes on the colorimetric characteristics of film coatings.—75-02584A
Effects of carbon coatings on SiC (Nicalon)-Pyrex composites.—75-02713A
Effects of coating layer on mechanical properties of LAS/Nicalson SiC fibre composites.—75-00089A
Electrophoretic coating of metal and ceramic substrates by hydroxyapatite.—75-01480A
Enhanced adherence of diamond coatings by combustion flame CVD.—75-00158P
Evolution of thermal barrier coatings in gas turbine engine applications.—75-07072A
Experimental investigation of the dynamic elastic modulus and vibration damping in molybdenum- and alumina-coated Ti-25Al-10Nb-3V-1Mo aluminides cycled at elevated temperatures.—75-07209A
Fabrication of thin oxide coatings on ceramic fibers by a sol-gel technique.—75-04039A
Fiber-reinforced ceramic matrix composites exhibiting improved high-temperature strength.—75-01110P
Functionally gradient SiC coatings produced by chemical vapor reaction.—75-04052A
Granular materials having an improved ceramic coating, methods of preparing same, and composite sheets including same.—75-01112P
Gray and other colors for pickle-free cover coat systems.—75-00098A
High emissive refractory coating for industrial furnaces.—75-07561A
High-emissive ceramic coating: an approach to save energy at high temperature.—75-07563A
High-temperature chemical stability of plasma-sprayed $Ca_{0.5}Sr_{0.5}Zr_4P_6O_{24}$ [CS50] coatings on Nicalon/SiC ceramic matrix composite and Ni-based superalloy substrates.—75-09148A
High-temperature investigations of composite gradient materials in nonequilibrium air plasma.—75-02488A
Hydroxyapatite coating with EDTA chelate compound.—75-03651A
Hydroxyapatite coatings for nonprecision implant placements.—75-00103A
Hydroxyapatite powders for implant coatings.—75-01088A
Improvement in flowability, oxidation resistance, and water wettability of graphite powders by TiO_2 coating.—75-07572A

Improvement of adhesion of diamond coatings to WC(Co) tool substrates.—75-02490A
Improvement of the oxidation resistance of carbon-bearing materials.—75-04430A
India-stabilized zirconia coating for composites.—75-01170P
Influence of coating configuration on cyclic thermal shock fracture behavior of plasma-sprayed coatings.—75-02492A
Initiation of surface cracks in multilayer ceramic thermal barrier coatings under thermal loads.—75-04569A
Interfacial properties of as-received and coated SiC (SCS-6) fiber-reinforced reaction-formed SiC matrix composites.—75-04350A
Laser densification of glass ceramic coatings on carbon-carbon composite materials.—75-01171P
Low dielectric constant coatings.—75-07763P
Low substrate temperature deposition of diamond coatings derived from glassy carbon.—75-03735P
Low-temperature SiC film coating on metals by microwave plasma chemical vapor deposition.—75-07217A
Magnetite coating prepared by ferrite plating on expanded polytetrafluoroethylene membrane for medical use.—75-03309A
Manipulation know-how facilitates novel coating system.—75-03525A
Manufacturing of specialty optical fibers.—75-00960A
Measurement of porosity in ceramic coatings by thermogravimetric volatilization of liquids [TVL].—75-08682A
Mechanism of surface brittleness of electroless Ni-P coatings.—75-02503A
Metal-containing ceramic coatings.—75-07263P
Metallurgical bonding of metals and/or ceramics.—75-00161P
Method for coating metal cookware.—75-00162P
Method for forming titanium nitride film and vessel coated by same.—75-02569P
Method for preparing a cermet-coated article.—75-07266P
Method for the cold end coating of glassware using a vaporizer having an internal flow path from a reservoir of liquid coating material to a vapor deposition chamber.—75-08750P
Method for the production of an implant having an apatite coating layer using a hydrothermal treatment.—75-02570P
Method of coating a ceramic body.—75-00995P
Method of forming crystalline silicon carbide coatings at low temperatures.—75-01176P
Method of forming crystalline silicon carbide coatings.—75-06128P
Method of making high performance, durable, low-E glass.—75-00227P
Method of obtaining a SiAlON-based ceramic material by reducing an aluminosilicate material, and use thereof in forming a ceramic coating on a refractory substrate.—75-01178P
Microstructural investigations of plasma-sprayed yttria partially stabilized zirconia thermal barrier coatings.—75-06893A
Microstructure and crystallographic orientation of anatase coatings produced from chemically modified titanium tetraisopropoxide.—75-04363A
Microstructure development in particulate ceramic coatings.—75-01887A
Modeling and testing of thermal barrier coatings in diesel engines.—75-00112A
Multilayer diamond-coated WC tools.—75-07221A
Multilayer plasma-assisted CVD [PACVD] coating for oxidation protection of carbon-carbon composites.—75-09366A
Nanophase diamond films.—75-06133P
Nanostructures: the next generation of high-performance bulk materials and coatings.—75-06692A
New synthetic route to hydroxyapatite coatings.—75-06695A
Nonchromated oxide coating for aluminum substrates.—75-00165P
One firing of two-coat enamel.—75-02517A
Optimization of the fugitive coating thickness in pressure-infiltrated mullite alumina composites.—75-04128A
Oriented barium titanate thick films by reactive coating on rutile.—75-06703A
Oxidation behavior of 2-D and 3-D carbon/carbon thermostructural materials protected by CVD polylayer coatings.—75-04437A
Oxide-coated cutting tool.—75-07270P
Part made from ceramic composite having a metallic coating, process for producing same, and powder composition used.—75-00166P
Periodic cracking of FGM coatings.—75-04615A
Phase decomposition of 8 wt% yttria-stabilized zirconia coatings at high temperature.—75-04134A
Phase transformations in multilayered CVD mullite coatings.—75-03821A
Plant for automated product coating.—75-00977A
Plasma spraying techniques for functional gradient coatings.—75-02524A
Plasma-sprayed hydroxyapatite coating: effect of different calcium phosphate ceramics.—75-02525A
Porous silica-coated α-Fe_2O_3 ceramics for humidity measurement at elevated temperature.—75-03132A
Porous thermal barrier coating.—75-07271P
Precursor for ceramic coatings.—75-03748P
Preparation and characterization of phenol resin coatings containing silicon.—75-09381A
Preparation and properties of borosilicate-coated alumina particles from alkoxides.—75-04154A
Preparation and sintering of alumina-coated SiC whiskers and particles.—75-01618A
Preparation of thin sections of coated fibers for characterization by transmission electron microscopy.—75-06739A
Preparing vitreous coatings on metals by the sol-gel method.—75-07225A
Process for coating ceramic powder with alumina by sol-gel process and improved densification.—75-03675P
Process for coating diamondlike carbon film and coated thin strip.—75-06137P
Process for coating fiber-reinforced ceramic composites.—75-01002P
Process for forming a refractory oxide coating.—75-01131P
Process for manufacture of synthetic diamond layers on substrates.—75-03753P
Process for producing carbon bodies having a silicon carbide coating.—75-01188P
Processing and behavior of chemically graded EB-PVD [e-beam CVD] MCrAlY bond coats.—75-02531A
Production of thick alumina coatings on graphite by sol-gel processing.—75-01634A
Protective electronic coatings using filled polysilazanes.—75-01190P
Research and application of coating material for tundish.—75-02838A
Sealed glass coating of high-temperature ceramic superconductors.—75-00917P
Self-lubricating, TiN-MoS_2 composite coatings produced by simultaneous deposition from $Ti((CH_3)_2N)_4/NH_3/MoF_6/H_2S$ gas mixtures.—75-04204A
Silicon-containing diamondlike carbon coatings formed by ion-beam-assisted deposition (IBAD): processing and properties of a new category of hard, wear-resistant thin films.—75-08811A
Siloxane coating process for metal or ceramic substrates.—75-08632P
Sol-gel optical coatings for lasers: III.—75-01673A
Sol-gel-derived hydroxyapatite ceramic coatings.—75-01678A
Sol-gel-derived thick ZrO_2 coatings by liquid thermal spraying.—75-00133A
Stress in ceramic films and coatings.—75-07039A
Structural changes of plasma-sprayed hydroxyapatite coatings during in vitro testing.—75-01941A
Surface coating of mullite fibers with microporous titanium silicate and aluminophosphate.—75-06788A
Synthesis and friction behavior of chemically vapor deposited composite coatings containing discrete TiN and MoS_2 phases.—75-04237A
Synthesis, properties, and applications of superhard amorphous coatings.—75-09194A
Temperature dependence of dynamic Young's modulus and internal friction in LPPS NiCr AlY.—75-04868A
Thermal barrier coatings for diesel engines.—75-02552A
Thermal barrier coatings on turbine blades by plasma spraying with improved coating.—75-04869A
Thermal cyclic response of laser-glazed plasma-sprayed ZrO_2-19.5 wt% Y_2O_3/Ni-22Cr-10Al-1Y thermal barrier coatings.—75-02553A
Thermal fracture of multilayer ceramic thermal barrier coatings.—75-07045A
Thermal stress analysis of ceramic thermal barrier coatings under loading.—75-04652A
Thermoplastic/thermoset table coatings or inks for glass ceramic and other hard surfaces.—75-00298P
Thin film coatings and the glass industry.—75-00223A
Thin-film diamond coatings on glass.—75-07406A
Titanium nitride coated valve and method for making.—75-02572P
Tribological behavior of nanocrystalline TiN ceramics and coatings.—75-09685A
Tribological potential of physical vapor deposited TiN coating for machine element application.—75-03725A
Use of CVD AlN films as protective coatings in $MoSi_2$ composites.—75-02558A
Vapor deposition material for the production of optical coatings of medium refractive index.—75-01138P
Vapor deposition of ceramic materials.—75-01006P
Viability of oxide fiber coatings in ceramic composites for accommodation of misfit stresses.—75-04662A
Wear and micromechanical properties of microstructurally improved ceramic plasma-sprayed coatings.—75-09691A
Wear of tin coating and Al-Si alloy substrate against carburized steel under mixed lubrication.—75-04666A
Wear-resistant coatings with graded structure.—75-02560A
Wear-resistant, self-lubricating surfaces of diamond coatings.—75-09697A
X-ray diffraction characterization of percent crystallinity and contaminants in plasma-sprayed hydroxyapatite coatings.—75-01256A
X-ray diffraction method for the quantitative characterization of calcium phosphate coatings.—75-01977A

cobalt oxide,
Chemical routes to synthesize lithium cobalt oxide powders for rechargeable lithium batteries.—75-02897A
Effect of cobalt(II) oxide and manganese(IV) oxide on sintering of tin(IV) oxide.—75-04000A
Effect of nonstoichiometry on the semiconducting properties of CoO.—75-00464A
Electrical properties of CoO thin films.—75-00473A
Electrical transport properties and electronic structure of $La_{2-x}Sr_xCoO_4$ [0≤x≤1.2].—75-09138A
In situ growth of layered, spinel, and rock-salt $LiCoO_2$ by laser ablation deposition.—75-01535A
Influence of Al_2O_3 addition on the sintering behavior of NiO-CoO solid solution.—75-09337A
Interface structure of directionally solidified CoO-$ZrO_2(Y_2O_3)$ eutectic.—75-01875A
Magnetic and structural properties of Co/CoO bilayers.—75-03903A
Magnetic recording pattterns of obliquely evaporated Co-O thin films observed by using ultrafine Co particles.—75-00748A
Microstructure of $(Fe_{0.2}Co_{0.8})_{0.8}(Fe_{2.38}Co_{0.62}O_4)$: a magnetic oxidation-resistant composite formed by coprecipitation.—75-05694A
Microstructure of NiO-CoO solid solutions sintered with Al_2O_3 additive.—75-09568A
Nonchromated oxide coating for aluminum substrates.—75-00165P
Oxidation of CoO into Co_3O_4 in CoO-ZrO_2(CaO) and $Co_{1-x}Ni_xO$-ZrO_2(CaO) lamellar eutectic structures.—75-04443A
Phase equilibria, oxygen potentials, and activities in the system Ni-Co-Si-O at 1373 K.—75-09026A
Segregation-induced surface structures for Cr-doped CoO.—75-00593A
Spinel solid solution $Co_2Ru_{1-x}Fe_xO_4$.—75-05710A
Transport kinetics of Cr in undoped CoO.—75-00625A

cobalt,
H_c enhancement of Co-adsorbed γ-Fe_2O_3 particles via surface treatment with sodium polyphosphate.—75-03273A
770-K isothermal section of the Zr-Co-Sn phase diagram and crystal structure of $Zr_6Co_{1.65}Sn_{1.35}$.—75-08857A
Anisotropy and Faraday effect in Co spinel ferrite films.—75-03277A
Carbide products of electrospark dispersion of hard metals containing tungsten and titanium.—75-04840A
Characteristic features of conductivity of $Cd_{0.95}Mn_{0.05}Te$:Co crystals.—75-02973A
Characterization of the Mn and Co volume-doped acicular γ-Fe_2O_3 particles.—75-00724A
Co-doped $Bi_2Sr_2CaCu_2O_x$: Anderson localization and superconductivity.—75-05737A
Co-Sn-substituted barium ferrite particles.—75-03282A
Cobalt silicide ohmic contacts to 6H-SiC.—75-00436A
Coloring effects of synthetic inorganic cobalt pigments in fast-fired porcelainized tiles.—75-02860A
Complex susceptibilities of Co-doped $YBa_2Cu_3O_{7-\delta}$ synthesized by the polymerized complex method: II.—75-00776A
Dielectric behavior and magnetoelectric effect in cobalt ferrite–barium titanate composites.—75-05662A
Dilatometric study of the processing of WC-Co based gradient materials.—75-02454A
Dynamic uniaxial anisotropy in cobalt-doped ferrites.—75-05663A
Effect of laser irradiation on adhesion strength of diamond films on WC-6 wt%/Co hard metal substrate.—75-07205A
Effect of surface structure on the adsorption of Co(II) on α-Al_2O_3—a glancing angle XAFS study.—75-04319A
Electrical and magnetic properties of $Li_{3-x}Ni_xN$ and $Li_{3-x}Co_xN$ solid solutions.—75-06450A
Electrically active state of Co impurities in PbTe.—75-07866A
Electron band structure and conductivity of skutterudites of MP_3 (M=Co, Ni).—75-08919A
Evaporation thermodynamics of the FeO, CoO, NiO oxides.—75-08929A
Fabrication and properties of gradient hard metals.—75-02474A
Features of the magnetic interaction in alloys of the Fe-Cr-Co system.—75-08216A
Fine structure and magnetic properties of Mn- and Co-doped nanocrystalline γ-Fe_2O_3.—75-03293A
Fluorination of organic compounds of cobalt trifluoride (review).—75-09311A
Gel to glass conversion in the cobalt silicate system.—75-02720A
Green strength of WC/Co bilayer compacts.—75-02487A
Growth, magnetic properties, and the effect of cobalt addition in metallorganic chemical vapor deposited (MOCVD) gamma iron oxide thin films for magnetic recording applications.—75-05674A
High resolution transmission electron microscopy of the CoGa/GaAs heterostructure grown by MBE.—75-05335A
Intracenter transitions in the Faraday effect of Co-containing semimagnetic semiconductors.—75-07940A
Liquid phase sintering of gradient WC/Co materials.—75-02500A
Magnetic and structural properties of Co/CoO bilayers.—75-03903A
Magnetic properties of phosphate glasses containing nickel, cobalt, and iron oxides.—75-07347A
Melting of cobalt glass in a small furnace with electrical heating.—75-03619A
Microstructures and electrical characterization of CVD W and Mo films as contacts in photocells.—75-04374A
MOCVD yttria-stabilized zirconia on Co-Cr.—75-02512A
Mossbauer characteristics of Sr_2CoFeO_6 obtained by electrochemical oxidation.—75-05696A
Mossbauer effect study on the acicular cobalt ferrite particles.—75-00750A
Negative electron affinity effects and Schottky barrier height measurements of cobalt on diamond (100) surfaces.—75-07983A
Physicochemical processes at the interface of $MnSi_{1.75}$ and CoSi.—75-06317A
Preparation of Co-Zn ferrite films at low substrate temperature by plasma-free dc sputtering for magnetic recording media.—75-03328A
Processing and characterization of WC-Co functional gradient materials.—75-02532A
Properties and structure of Cu/Co superlaminates prepared by electroplating and repeated rolling.—75-04390A
Resistibility and structure of Zn-Co coatings.—75-09600A
Spontaneous topotactic oxidation of La_2CuO_4 at RT.—75-06935A
Surface characterization and catalytic activity of $Co_xMg_{1-x}Al_2O_4$ solid solutions. Oxidation of CO by oxygen.—75-06936A
Thin-film growth of layered cobalt oxide $Bi_2Sr_1Co_2O_{9+\delta}$ nearly isomorphic to $Bi_2Sr_2CaCu_2O_{8+\delta}$ superconductor.—75-00891A
WC-Co graded materials: heat flux measurements and estimation.—75-02559A
Wear mechanism of magnesia ramming material for cobalt-melting induction furnace.—75-03636A

coercivity,
Coercivity and switching field of single-domain γ-Fe_2O_3 particles under consideration of the demagnetizing field.—75-00725A
Coercivity enhancement in γ-Fe_2O_3 by surface treatment with phosphate ions.—75-03283A
Coercivity of Fe-SiO_2 nanocomposite materials prepared by ball milling.—75-01267A
Preparation of high-coercivity fine barium ferrite powder.—75-00756A
cofiring,
Composition for producing low-temperature cofired substrate.—75-05219P
Green ceramic via metallization technique.—75-05524P
Highly reliable cofiring technologies of AlN PGA type packages.—75-00339A
Low-temperature cofired ceramic (LTCC) high density interconnect package with circuitry within the cavity walls.—75-05225P
cold isostatic pressing,
Cycling pressure during cold isostatic pressing.—75-01419A
Densification of mullite precursor powders [cold] isostatically pressed of ultrahigh pressure.—75-01429A
Fabrication of optical fiber preform by CIP forming technique.—75-08522A
High-pressure cold isostatic pressing of ultrafine oxide powders.—75-06635A
Role of cold isostatic pressing in the formation of the properties of ZrO_2-based ceramics obtained from ultradisperse powders.—75-05133A
collectors,
Synergistic mechanisms of composite collector.—75-09076A
colloid chemistry,
Colloidal processing of structurally reliable Si_3N_4.—75-03973A
Uniform inorganic colloid dispersions. Achievements and challenges.—75-06825A
colloids,
Ceramic Transactions, Volume 54: Science, Technology, and Applications of Colloidal Suspensions.—75-02156B
Characterization of concentrated suspensions of particles using electroacoustics.—75-01015A
Colloidal processing and fracture strength of alumina prepared from partially agglomerated theta-phase powder.—75-09243A
Colloidal processing and sintering of nanoscale TiN.—75-01401A
Colloidal processing of ceramics—technology and science.—75-01402A
DEM [discrete element method] simulation of particle packing dynamics during colloidal forming processes.—75-01422A
Kinetics of colloid formation during the hydrolysis of zirconium *n*-propoxide.—75-01557A
Kinetics of colloid formation during the hydrolysis of zirconium *n*-propoxide.—75-01558A
Numerical simulation of aggregation in a magnetic colloid.—75-08997A
color centers,
Calculation of the formation energies of anion vacancies, F^+-, and *F*-centers in an MgO crystal by the molecular statics method.—75-06169A
Formation kinetics of *V* centers in α-Al_2O_3 during irradiation by high-energy electrons.—75-06233A
Nature of color center formation in corundum studied by the reflection spectra with application of synchrotron irradiation.—75-06283A
color/coloring,
Amber photochromic glasses.—75-07408P
Analyzing the color of reddish glazes.—75-02850A
Brown photochromic glasses.—75-07410P
Ceramic color composition and method of forming ceramic color film on glass plate using same.—75-00224P
Ceramic decoration by the four-color process.—75-04788A
Ceramic-like opaque glass.—75-07413P
Coat of many colors.—75-02858A
Cobalt-free, black, dual-purpose porcelain enamel glass.—75-07257P
Color revolution.—75-02763A
Color trends 1995-96.—75-04691A
Colored glass-ceramics and method.—75-07414P
Colored nonfritted glazes from available raw materials for facade ceramics.—75-02859A
Colored, opaque glass-ceramic.—75-07415P
Coloring of SUS304 stainless steel by current pulse method and characteristic properties of the colored film.—75-03974A
Colorless ophthalmic glasses.—75-07416P
Colors for ceramic bodies.—75-02861A
Decorating options advance with pad printing.—75-02231A
Decorators converge for DECO '95.—75-02862A
Designing for an Italian factory.—75-02234A
Gray and other colors for pickle-free cover coat systems.—75-00098A
Interference colors with copper raku.—75-02271A
Light facing brick from Cambrian clays.—75-07448A
Modern automotive glasses.—75-07351A
Nature of color of anodic oxide obtained in integral color anodizing electrolyte.—75-09161A
New method of producing zinc sulfide with pigment purity.—75-05398A
Numerical simulation of unsteady color change in glass-melting tank.—75-08734A
Optimization of porcelain whiteness—especially in fast firing.—75-05166A
Potters of San Vicente de Nicoya[, Guanacaste, Costa Rica].—75-02332A
Pure-colored iron oxide direct red pigments, a process for their production, and their use.—75-00297P
Tabletops sizzle with color.—75-07714A
combustion synthesis,
Ceramic armor materials derived from combustion synthesized powders.—75-08797A
Characteristics of the combustion synthesis of TiC and Fe-TiC composites.—75-06545A
Combustion synthesis and properties of zirconia-alumina powders.—75-03976A
Combustion synthesis of TiB and TiB_2 under vacuum.—75-06554A
Combustion synthesis technology for metal-ceramic composite production.—75-04845A
Combustion synthesis/dynamic densification of a TiB_2-SiC composite.—75-01404A
Combustion-synthesized β′-SiAlON reinforced with SiC [20 vol%] monofilaments.—75-03977A
Controlled combustion synthesis and properties of fine-particle nasicon materials.—75-06561A
Engineering aspects of scalable stagnation-flow reactors for combustion synthesis of diamond.—75-08520A
Evidence for slip and double spiral growth mechanism in combustion flame-synthesized diamond.—75-08930A
Exciton recombination radiation from highly pure diamond synthesized by pressurized combustion flame method.—75-08931A
High-rate, high-quality diamond synthesis by the combustion flame process.—75-01523A
Materials bonding by combustion synthesis.—75-04858A
Microwave-induced combustion synthesis of ceramic and ceramic-metal composites.—75-00111A
Morphology evolution in diamonds in combustion synthesis.—75-08987A
New innovation in powder metallurgy—self-propagating high-temperature synthesis (SHS).—75-03584A
Relationship between field direction and wave propagation in activated combustion synthesis.—75-06757A
Synthesis and application of intermetallic compounds produced by combustion synthesis process.—75-04867A
Synthesis and sintering of amorphous cordierite powders by a combustion method.—75-06798A
Synthesis of red-emitting, small particle size luminescent oxides using an optimized combustion process.—75-09476A
Synthesis of TiB-TiB_2-reinforced titanium matrix composites by combustion synthesis.—75-07233A
combustion,
Ceramic valve for internal combustion engines having a reduced tendency to stress fracture.—75-08821P
Combustion of anthracite and petroleum coke in cement kiln systems.—75-01056A
Combustion patterns of thin layers of the Ti-B powder mixture.—75-06553A
Engine components including ceramic-metal composites.—75-07261P
Industrial refuse incinerator.—75-05903A
Kiln for the production of ceramic products and process for the operation of the kiln.—75-06015P
Optical characterization of low-pressure combustion growth of diamond.—75-09164A
Porous media and the use of thermobalances—the kinetics of combustion processes.—75-02014A
PZT, PLZT, LSC [La-Sr-Co], and platinum thin films produced in the open atmosphere using combustion chemical vapor deposition.—75-05633A
Semigasification-type refuse incinerator.—75-08541A
Submerged combustion furnace for glass melts.—75-06010A
comminution,
Grinding aids.—75-06628A
State of the art in high compression comminution.—75-00068A
compacts/compaction,
Characteristics and formation mechanisms of defects in alumina powder compacts.—75-01800A
Computer simulation method for sintering in three-dimensional powder compacts.—75-06557A
Constitutive model for dry cohesive powders with application to powder compaction.—75-06558A
Coprecipitation conditions and compaction behavior of Y-TZP nanometric powders.—75-03980A
Effect of characteristics of compressive deformation of ceramic granules on CIP compaction behavior and sinterability: II, The effect of characteristics of ceramic granules on density graduation in CIP compact.—75-09618A
Electrophoretic deposition of ceramics.—75-01481A
Electrophoretic deposition of nanosized ceramic powders.—75-01482A
Expansion behavior of powder compacts during spinel formation.—75-09547A
Features of the failure of hydrostatically compacted zirconium dioxide.—75-09636A
Influence of granule character and compaction on the mechanical properties of sintered silicon nitride.—75-04567A
Influence of viscous deformation at the contact point of primary particles on compaction of alkoxide-derived fine SiO_2 granules under ultrahigh isostatic pressure.—75-06999A
Magnetic properties of nanocrystalline magnets fabricated by the shock compaction technique.—75-05687A
Mechanical behavior of sintering powder compacts.—75-01308A
Mechanisms and kinetics of nitridation in silicon powder compacts.—75-04107A
Method for drying ceramic compact.—75-08591P
Method of manufacturing ceramic laminated compact.—75-08607P
Morphology and cold compaction behavior of alkoxide-derived $Pb(Zr_{0.5}Ti_{0.5})O_3$ powders.—75-01312A
Oxidation behavior of reaction-bonded alumina compacts using an $Al_{88}Si_{12}$ alloy precursor.—75-06928A
Plastic-to-brittle transition of saturated, alumina powder compacts.—75-09662A
Preparation of sintered compacts of anatase by hydrothermal hot-pressing.—75-06736A
Shock compaction of nanosized diamond powder, as examined by microstructural analysis.—75-01657A
Sinter forging of zirconia-toughened alumina.—75-06763A
Small-specimen compact tension testing of ceramics.—75-05981A
Structural and mechanical properties of TiB_2 and TiC prepared by self-propagating high temperature synthesis/dynamic compaction.—75-07040A
TEM investigation of impurity phases and the penetration of liquid aluminum in hot isostatically pressed TiB_2 compacts.—75-04413A
Temperature profile of anatase-TiO_2 powder compact during microwave heating.—75-09483A
Theoretical description of a two-dimensional compaction process of cylinders.—75-01729A
Theoretical model for compaction of granular materials.—75-08708A
Ultrasonic compacting of zirconium ceramics from ultradispersed powders.—75-08545A
Ultrasonic evaluation of elastic parameters of sintered powder compacts.—75-05985A
Uniform compaction of ferrite potcores.—75-00762A
Variables encountered in the dry pressing of technical ceramics.—75-04273A
composites,
AEM and HREM evaluation of carbon nanostructures in silica aerogels.—75-01783A
Alumina–rare earth oxide ceramic-metal bodies.—75-04871P
Aluminum matrix composite powder.—75-00149P
Analytical composite model of a piezoelectric traveling-wave motor for optimal design and manufacture.—75-00637A
Barrier materials for making metal matrix composites.—75-07241P
Bioactive composite material produced by the sol-gel method.—75-06540A
Ceramic armor.—75-04872P
Ceramic composite bodies with increased metal content.—75-07251P
Ceramic composite material.—75-08774P
Ceramic composites having a weak bond material selected from monazites and xenotimes.—75-08556P
Ceramic cutting tool reinforced by whiskers.—75-06078P
Ceramic fiber tow reinforced metal matrix composite.—75-07253P
Ceramic fiber-reinforced composite articles and their production.—75-01104P
Ceramic Transactions, Volume 79: Advanced Synthesis and Processing of Composites and Advanced Ceramics, II.—75-09742B
Ceramic veneer composite structure.—75-01107P
Ceramic veneer composite structure.—75-03540P
Ceramic-zeolite composite membranes and use for separation of vapor/gas mixtures.—75-06083P
Characteristics of composites based on PMMA-modified gel silica glasses.—75-06427A
Charge-field hysteresis of $BaTiO_3$: PVDF composites.—75-06430A
Chemical vapor deposition of dispersed phase composites in the B-Si-C-H-Cl-Ar system.—75-03968A
Chemical widths at composite interfaces—relationships to structural widths and methods for measurement.—75-04305A
Coated inorganic fiber reinforcement materials and ceramic composites comprising the same.—75-01109P
Combustion synthesis technology for metal-ceramic composite production.—75-04845A
Comparative study of machining effects on the surface texture of a ceramic composite.—75-01406A
Compatibility of pitch-based carbon fibers with aluminum for the improvement of aluminum-matrix composites.—75-06555A
Complex components from ceramic matrix composites.—75-01143A
Composite alumina/metal powders, cermets made from said powders, and processes of production.—75-04876P
Composite ceramic materials with SiC fiber.—75-05077A
Composite ceramic sintered material.—75-06118P
Composite ceramics sintered body.—75-06086P
Composite fibers having a diamond surface.—75-03730P
Composite laminates in plane stress—constitutive modeling and stress redistribution due to matrix cracking.—75-04462A
Composite silicide/silicon carbide mechanical alloy.—75-06119P
Composite superconductor and method of the production thereof.—75-00006P
Composite superconductor and method of the production thereof.—75-08454P
Composite ultrafine particles of aluminum nitride and rare earth nitride, method for production, and sintered article thereof.—75-06120P
Composite wear-resistant glass-ceramic materials with various fillers.—75-03875A
Composition and process for making an engine valve.—75-00154P
Computer simulation of percolation structure in composites.—75-08886A
Constitutive equation for unidirectional composites under tensile impact.—75-06947A
Containerless automated processing of single-crystal NiAl and intermetallic polyphase composites.—75-09245A
Crack branching in all-oxide ceramic composites.—75-02028A
Critical currents in composites of HTSC+semiconductor at different concentrations of carriers.—75-08280A
Crystalline Si_3N_4/amorphous Si_3N_4 composite.—75-02034A
Cyclic fatigue behavior of SiC/SiC composites at room and high temperatures.—75-09611A

Damage mechanisms modeling for ceramic composites.—75-04482A
Deformation textures in hot-worked polyphase ceramics.—75-06959A
Dense, self-sintered silicon carbide/carbon-graphite composite and process for producing same.—75-01163P
Design and processing of all-oxide composites.—75-03989A
Designing ceramic/metal composites.—75-04847A
Determination of interfacial properties in function of temperature using a single fiber microcomposite test.—75-03556A
Determination of interfacial properties using a single-fiber microcomposite test.—75-03557A
Development of metal matrix composite baseplate technology for high current power modules.—75-00086A
Diamond film and solid particle composite structure and methods for fabricating same.—75-01166P
Diamond metal matrix composites as an electronic packaging material.—75-00087A
Direct bonding of copper composites to ceramics.—75-07260P
Effect of fiber misalignment on fracture behavior of fiber-reinforced composites: II. Theoretical modeling.—75-06964A
Effect of fiber volume fraction on the fatigue behavior of GRP [glass-fiber-reinforced polyester] pultruded rod composites.—75-06965A
Effect of fiber volume fraction on the off-crack-plane fracture energy in strain-hardening engineered cementitious composites [ECC's].—75-00031A
Effect of staking sequence of laminated composite with different cure on the fracture mechanics at elevated temperature.—75-04501A
Effective medium theory of piezoelectric composites.—75-00652A
Effects of Al_2O_3 particles on the precipitation of AA6061 aluminum based metal matrix composites.—75-02460A
Effects of inclusions on the densification of ceramic composites.—75-01471A
Effects of nanosized filler dispersion on mechanical properties of carbon fiber reinforced epoxy composites.—75-02046A
Effects of rigid platelet additions on matrix, texture, and microstructural development in a model platelet-reinforced composite.—75-06595A
Elastic moduli measurements of composite ceramics at high temperatures using laser ultrasonics.—75-05943A
Electromechanical properties of 1-3 piezoelectric ceramic/piezoelectric polymer composites.—75-00656A
Evidence of self-organization of the structure of cement stone.—75-07148A
Experimental and theoretical investigation of stick-slip, steady-state, and roughness dominated sliding in fiber-reinforced composites.—75-04518A
Experimental determination of the stress field in fiber/matrix interphases of microcomposites.—75-04519A
Fabrication of fiber-reinforced composites.—75-05920P
Fabrication process and mechanical properties of SiC/SiC composites.—75-09307A
Fiber twist test—a new test technique to measure composite interface properties.—75-03564A
Fiber-reinforced cement-based composites under tensile impact.—75-02407A
Fiber-reinforced ceramic matrix composites exhibiting improved high-temperature strength.—75-01110P
Formation of composite latex particles by deposition of amphoteric particles.—75-06615A
Geometrical model for a two-layer woven composite reinforcement fabric.—75-06875A
Graded casting: process control for producing tailored profiles.—75-01514A
Heat treatment for particle-reinforced alumina ceramic composite.—75-01113P
High flexural strength ceramic fiber-reinforced silicon carboxide composite.—75-06089P
High-temperature ceramic composite.—75-06091P
High-temperature ceramic composite.—75-08830P
High-temperature cyclic fatigue behavior of two kinds of ceramic composites.—75-04551A
High-temperature toughening mechanisms of particle and particle-fiber reinforced SiC composites.—75-04560A
Hydroacoustic evaluation of 1-3 piezocomposite plate and ring structures.—75-00666A
In situ production of silicon carbide-containing ceramic composite powders.—75-06123P
Influence of residual stresses, interface roughness, and fiber coatings on interfacial properties in ceramic composites.—75-01544A
Injection molding of polysiloxane/filler mixtures or oxycarbide ceramic composites.—75-09344A
Interface structure and composition in the mechanical behavior of fiber-reinforced composites.—75-04571A
Interfacial characterization of SiC/SiC composites with multilayered interphases.—75-04572A
Inverse shape replication method of making ceramic composite articles.—75-08582P
Knowledge-based expert systems for composites manufacturing.—75-04719A
Layered Si_3N_4-based composites.—75-01559A
Machinability of light alloy MMCs [metal matrix composites].—75-07218A
Manufacturing tailored property ceramic composites.—75-00961A
Measurement of mixed-mode delamination fracture toughness of unidirectional glass/epoxy composites with mixed-mode bending apparatus.—75-05956A
Mechanically retained wear-resistant ceramic pad.—75-00160P
Mechanochemical synthesis of dispersed composites with layer structure from kaolinite and some organic and inorganic acids: ir study.—75-08982A
Method and apparatus for preparing metal-ceramic composite body.—75-04877P
Method for enhancing superplasticity in composites.—75-00163P
Method for increasing the surface area of ceramics, metals, and composites.—75-05923P
Method for making fiber-reinforced silicon nitride composites.—75-08834P
Method for making rare-earth superconductive composite.—75-08466P
Method for making Si/SiC composite material.—75-01175P
Method for manufacturing whisker preforms and composites.—75-06125P
Method for producing ceramics reinforced with three-dimensional fibers.—75-08599P
Method of forming a ceramic composite.—75-03671P
Method of forming a diamond composite structure.—75-03744P
Method of making a multilayer piezoelectric composite.—75-08182P
Method of making ceramic composite bodies having a protective surface region thereon and bodies made thereby.—75-08604P
Method of making metal matrix composite with the use of a barrier.—75-07267P
Method of manufacturing composite ferrite.—75-05720P
Method of modifying ceramic composite bodies by a post-treatment process and articles produced thereby.—75-02571P
Method of preparing fiber-reinforced glass composites.—75-07376P
Methods for densifying and strengthening ceramic-ceramic composites by transient plastic phase processing.—75-03672P
Methods of making composite aluminum nitride ceramic articles having embedded filler.—75-01180P
Microstructure and mechanical properties of 2-D SiC-reinforced carbon matrix composites.—75-04365A
Microstructure and mechanical properties of Si_3N_4 composite for tappet sleeve.—75-03705A
Microstructure and properties of AlN matrix composites produced by the directed nitridation of molten aluminum.—75-06896A
Microstructure and thermal stability of a glass-coated SiC/SiC composite.—75-09563A
Modeling of the stress-strain behavior during monotonic and cyclic tensile testing of unidirectional SiC fiber-reinforced BMAS glass-ceramic composites.—75-02669A
Near-net-shape processing of metal-ceramic composites by reactive metal penetration.—75-04861A
Normal domains in large multifilamentary composite superconductors.—75-03384A
Numerical analysis of fracture and high-temperature creep characteristics of composites with discontinuous ductile reinforcements.—75-04611A
Obtention of highly dispersed platelet-reinforced Al_2O_3 composites.—75-06700A
Oxidation behavior of nitrides and borides as monolithic and composite ceramics.—75-02008A
Oxidation-resistant diamond composite and method of forming the same.—75-01182P
Parallam—new structural wood composite.—75-02139A
Physics and mechanics of fiber-reinforced brittle matrix composites.—75-07020A
Piezoelectric ceramics and ceramic composites for intelligent mechanical behaviors.—75-00687A
Piezoelectric constant for binary piezoelectric 0-3 connectivity composites and the effect of mixed connectivity.—75-00688A
Potential for diamond fiber composites.—75-08809A
Prediction of fracture in ceramic composites by measurement of electrical resistivity.—75-02086A
Preparation and economics of silicon carbide matrix composites by chemical vapor infiltration.—75-04149A
Process for coating fiber-reinforced ceramic composites.—75-01002P
Processing of ceramic-metal composites (cermets) Al_2O_3-TiC_xN_{1-x}-Mo_2C-Ni.—75-00121A
Processing of molybdenum disilicide[—review].—75-06747A
Processing of mullite and its composites: II.—75-06748A
Producing ceramic laminate composites by EPD.—75-08540A
Product property between thermal expansion and piezoelectricity in piezoelectric composites: pyroelectricity.—75-05628A
Production of carbon-metal and graphite-metal composites from oxidized graphites.—75-07227A
Production of ceramic and ceramic-metal composite articles with surface coatings.—75-08625P
Properties of SiC-SiC composites produced using CVR converted graphite cloth to SiC cloth.—75-04188A
Pyroelectric ceramic bimorph structures.—75-00370A
Rapid prototyping of functional ceramic composites.—75-05909A
Reexamination of the analysis of in-plane matrix failures in fibrous composite laminates.—75-07027A
Reinforced glass and/or ceramic matrix composites.—75-00230P
Relation of dynamic elastic moduli, mechanical damping, and mass density to the microstructure of some glass-matrix composites.—75-04391A
Relic processing of fine-scale, large-area piezoelectric ceramic fiber/polymer composites.—75-03255A
Residual stresses in unidirectional composites with closely spaced fibers.—75-02090A
Set up for making shaped ceramic composites with the use of a barrier means and articles produced thereby.—75-00167P
Shaped ceramic-metal composites.—75-07276P
Shear behavior of engineered cementitious composites.—75-02424A
Shock wave compression and release of aluminum/ceramic composites.—75-01658A
Si/SiC composite material and method for making Si/SiC composite material.—75-08840P
Silicon carbide bodies and methods of making the same.—75-01193P
Silicon carbide coated carbon composite material and method for making same.—75-06140P
Simplified statistical analysis of constituent scaling in composites.—75-05976A
Strength of fiber-reinforced ceramics on the basis of a micromechanical analysis.—75-07034A
Stress modeling and dilatometric study of glass-based fiber and microchannel composites.—75-02687A
Stress transfer from axially loaded fiber to matrix in a microcomposite.—75-04639A
Synthesis and friction behavior of chemically vapor deposited composite coatings containing discrete TiN and MoS_2 phases.—75-04237A
Tensile behavior of cement-based composites with random discontinuous steel fibers.—75-00070A
Tensile strength of a fiber-reinforced ceramic composite containing a crack-like flaw.—75-07043A
Thermomechanical behavior of mullite-zirconia composite.—75-09209A
Thermomechanical durability of CVI-processed two-dimensionally woven and three-dimensionally braided SiC fiber-reinforced SiC composites.—75-07047A
Thick-section AS4-graphite/E-glass/PPS [poly(phenylene sulfide)] hybrid composites: I, Tensile behavior.—75-07048A
Titanium metal matrix composite inserts for stiffening turbine engine components.—75-02433P
Toughening and strengthening of ceramic materials through discontinuous reinforcement.—75-07050A
Toughening of layered ceramic composites with residual surface compression.—75-02105A
Toughness and fracture surface energy of wet SiO_2-SiO_2 sonogel composites.—75-07054A
Toward economical processing of composites.—75-04761A
Transparent ceramic composite armor.—75-07279P
Unsaturated polyester/cement/sand composite: II, Mechanical properties and applications.—75-02429A
Viscous phase sintering of particle-reinforced glass matrix composites.—75-07407A
Whisker- and particle-reinforced ceramic cutting tool material.—75-01140P
Zirconia-based composite material and method of manufacturing the same product.—75-08791P

composition,
1995 Corporate Technical Achievement Award: Transelco Div., Ferro Corp.—X5000 dielectric for multilayer capacitors.—75-05173A
Amber chromophore in float glass.—75-00169A
Analyzing the structure of ceramics.—75-09524A
Atom probe microscopy and its future.—75-01791A
Atomic resolution chemical analysis at 100 kV in the scanning transmission electron microscope.—75-01792A
Borosilicate glass.—75-07409P
Calcium phosphate materials prepared from precipitates with various calcium:phosphorus molar ratios.—75-09226A
Calculation of the molecular composition of CaO-Al_2O_3 melts.—75-06170A
Chemical composition and microstructure study for the proto-porcelain glaze.—75-07120A
Colored glass crumb for finishing.—75-02577A
Composition and possibilities of nitrate section of phosphorites of Kohl's peninsula.—75-06026A
Composition dependence of the electrical conductivity of *n-p* ceramic composite.—75-02898A
Composition of the critical nucleus in phase-separating glasses.—75-07291A
Compositional and spectroscopic study of the growth of diamond films from several gaseous mixtures.—75-01816A
Compositional dependence of optical properties of Nd^{3+} in gallate glasses.—75-07292A
Compositional gradation between silicon nitride and superalloys using Si_3N_4/TiN CMC and TiN/Ni MMC layers.—75-02447A
Compositions and chemical bonding in ceramics by quantitative electron energy loss spectrometry.—75-01817A
Computation of enamel mixtures with complex composition.—75-07705A
Computer modeling of composition changes of complex and multilayer structures during ionic sputtering.—75-08644A
Dependence of the properties of vibration-cast refractory mullite-corundum articles on their composition by the method of experimental design.—75-07505A
Detailed microstructural study of electroplated metal matrix composites for gradient hard coatings.—75-02453A
Determination of the number of molecules bonded to a CdSe nanocrystalline surface.—75-01821A
Determining cement composition by Fourier transform infrared spectroscopy.—75-02396A
Determining the content of natural radionuclides in raw materials and ceramic articles.—75-08500A
Diamond chemical vapor deposition—gas compositions and film properties.—75-01217A
Dielectric ceramic compositions.—75-07760P
Effect of chemical composition on the sintering of mullite powders obtained by γ-Al_2O_3 and kaolin.—75-01451A
Effect of composition and annealing conditions on the electrical properties of $Pb(Zr_xTi_{1-x})O_3$ thin films deposited by the sol-gel process.—75-03226A
Effect of composition and temperature on electric fatigue of La-doped lead zirconate titanate ceramics.—75-03002A
Effect of composition on the oxygen tracer diffusion in transparent yttrium aluminum garnet (YAG) ceramics.—75-04281A

Effect of compositional variations in the lead lanthanum zirconate stannate titanate system on electrical properties.—75-08129A
Effect of salt composition of a solution on transformations of natural borates.—75-06212A
Effect of supplementary cementing materials on the composition of cement hydration products.—75-02401A
Effect of the composition and age of solution on the properties of thin films deposited on glass.—75-07332A
Effect of the composition fluctuations on the dislocation kinetics in films of solid solutions of semiconductors.—75-05297A
Effect of the composition of film-forming solutions and the temperature and time regimes on the colorimetric characteristics of film coatings.—75-02584A
Effect of variation in framework composition on the thermal expansivity of NZP phases.—75-01834A
Effects of chemical composition on microstructure and properties of mullite substrate ceramics.—75-09293A
Effects of composition, synthesis conditions, oxygen content, and F doping on superconductivity and structure for R-substituted Bi-2201.—75-08301A
Electron cyclotron resonance plasma chemical vapor deposition of silicon carbide thin films using ditertiary butyl silane.—75-00474A
Elemental composition and microstructure of reactively sputtered carbon nitride thin films.—75-01845A
Enamel for cast iron.—75-02465A
ESP [electrostatic precipitator] dust as a potential feedstock for alumina-based ceramics.—75-01486A
Features of the process of hot-pressing glass compositions.—75-07385A
Fluorinated glasses.—75-07418P
General rule of design for the optimum compositional gradation of ceramic/metal functionally gradient materials.—75-02486A
Growth and properties of PZT thin films on a 6–8-in. wafer by MOCVD.—75-00664A
Growth morphology and stability of the solid-liquid interface in Bi-Sr-Ca-Cu-O oxides.—75-00809A
Growth of olivine, $(Fe_xMg_{1-x})_2SiO_4$ [$0 \le x \le 1$], single crystals with uniform composition along the growth direction by the floating zone method.—75-04061A
Hardness, indentation fracture toughness, and compositional formula of X-phase SiAlON.—75-06988A
Influence of phase composition of a reactive mixture on the formation mechanism of HTSC phases of $Bi_2Sr_2CaCu_2O_{8+\delta}$ composition.—75-05782A
Influence of powder composition and milling media on the formation of molybdenum disilicide by a mechanically induced self-propagating reaction [MSR].—75-06654A
Intergranular film in silicon nitride ceramics—a diffuse interface approach.—75-04351A
Introduction to portland cement chemistry.—75-00050A
Morphology and composition of nanograde calcium phosphate needlelike crystals formed by simple hydrothermal treatment.—75-03810A
New option for investigating the ceramotechnological behavior of argillaceous materials, with special allowance for the mineralogical constitution.—75-05969A
Nonreducible dielectric ceramic composition.—75-07772P
Oxidation of yttrium barium cuprate, $YBa_2Cu_3O_{6.09}$, under polythermal conditions.—75-08390A
Polymer-derived silicon carbide fibers with near-stoichiometric composition and low oxygen content.—75-03916A
Precipitation of hydroxyapatite under stearic acid monolayers.—75-06710A
Predicting the relative machinability of optical glass from composition.—75-00196A
Principles for establishing concrete compositions under fast hardening conditions.—75-07176A
Product consistency testing of three reference glasses in stainless steel and Teflon vessels.—75-03488A
Production of stone castings from blast-furnace slag from the Cherepovetsk metallurgical plant.—75-03626A
Rare-earth melilite solid solution and its phase relations with neighboring phases.—75-06337A
Reference relations for the evaluation of the materials properties of orthorhombic $YBa_2Cu_3O_x$ superconductors.—75-03397A
Reference relations for the evaluation of the materials properties of orthorhombic $YBa_2Cu_3O_x$ superconductors[—correction].—75-08407A
Refractories testing at Orton/RTRC.—75-02834A
Review of ceramic powder compositions and their manufacturing routes.—75-00985A
Special features of structure formation in sintering ultradisperse powders of TiN-AlN compositions.—75-05140A
Spreadsheet calculates glaze compositions: II.—75-02888A
Statistical experimental design of a waste glass study.—75-03497A
Structure and composition of metal/ceramic interfaces.—75-07232A
Structure, composition, and mechanical behavior at high temperature of the oxygen-free Hi-Nicalon fiber.—75-03930A
Structure, formation, and stability of oxynitride glasses.—75-02690A
Theoretical principles and experimental investigations on the choice of technological ways to obtain variable-density materials.—75-05149A
Thermochromism and temperature dependence of the energy gap in cadmium aluminum bismuthate glasses.—75-07372A
Third series cement in China.—75-00071A
Variations in composition and crystallinity of hydroxyapatite (HAp) preparations.—75-01098A
Young's modulus determination of functionally gradient Al-Al_3Ni material by a resonance method.—75-02562A

compounds,
Dependence of standard formation enthalpies of related quasi-binary inorganic compounds on the relative size of their molecules.—75-09250A
Luminescence of hafnium compounds.—75-06484A
compressors/compression,
Anharmonic properties of wide band gap semiconductors.—75-07779A
Appearance of self-deformation during hydrostatic compression of powders consisting of submicronic ionic-covalent single crystals.—75-09604A
Compressive testing of ceramics.—75-03552A
Shock wave compression and release of aluminum/ceramic composites.—75-01658A
Static and dynamic compressive behavior of aluminum nitride under moderate confinement.—75-04630A
Toughening of layered ceramic composites with residual surface compression.—75-02105A
Zirconia vane for rotary compressors.—75-08790P
computers,
Agglomerated packings.—75-05934A
Automatic iterative evaluation of complex material constants in piezoelectric ceramics.—75-05532A
CAD/CAM review—a computer database of thermochemical properties.—75-04680A
CAD/CAM review—finite element analysis revisited.—75-04681A
CAD/CAM review—graphics program replaces darkroom.—75-04682A
CAD/CAM review: solving problems with spreadsheets.—75-04683A
Challenging issues in bulk crystal growth modeling.—75-03769A
Computational simulation of high-temperature ceramic matrix composites behavior.—75-03553A
Computer calculation of the phase diagrams of silicate systems: II, Regression treatment for systems containing incongruently melting compounds.—75-03775A
Computer simulation method for sintering in three-dimensional powder compacts.—75-06557A
Computer simulation of CaO-WO_3 liquid oxides.—75-08646A
Computer simulation of the electrical conductivity of CaO-SiO_2 melts.—75-09121A
Computer simulation of the tweed microstructure in high-T_c superconductors.—75-05738A
Computer simulation software to assist material design.—75-09706A
Computer-aided manufacturing of laminated engineering materials [CAM-LEM].—75-03512A
Controlled reflection design in high speed digital computers.—75-00447A
Database system DIAGRAMMA on phase diagrams of semiconducting systems.—75-05271A
Database system for the properties of ternary inorganic compounds (IBM PC version).—75-08650A
Density functional theory as a major tool in computational materials science.—75-05941A
Electronic structure theory in the new age of computational materials science.—75-07068A
European ceramic tile industry.—75-07070A
Forced chemical vapor infiltration of tubular geometries—modeling, design, and scale-up.—75-04048A
From the potter's wheel to the computer.—75-04795A
Kiln control system maximizes management data.—75-03617A
Knowledge-based expert systems for composites manufacturing.—75-04719A
Microgeometrical cavitation in oscillating slider contacts.—75-04596A
More glaze calculations software.—75-02302A
New basic brick plant.—75-07450A
New porcelain enamel plant and its use of new technology software for process control.—75-00114A
Optimized binder burnout—more than just a time factor.—75-06006A
Possibilities for calculating properties of liquid and glassy oxides on computer.—75-08695A
Probabilistic design for manufacturability.—75-02140A
Smart/intelligent sensors.—75-00698A
Understanding and improving processing through interpreting and manipulating predictive models.—75-03601A
Use of boundary element method to design glass and metal components.—75-05918A
Various media fill different information needs.—75-09739A
concretes,
Approach to determine diffusivity in hardening concrete based on measured humidity profiles.—75-02385A
Basic properties of neopore-concrete.—75-07138A
Beam reinforcement ratio effect on column capacity and behavior in braced frames.—75-00025A
Bond characteristics of pretensioned strand.—75-02388A
Cement concrete modified through high-molecular hydrocarbon impregnation.—75-00026A
Cement production and use in Italy.—75-02390A
Comparison of the Jenq-Shah two-parameter procedure and the cohesive zone procedure for predicting the failure of large concrete structures.—75-02392A
Concrete and articles based on S-containing industrial wastes.—75-07140A
Cracking characteristics of reinforced steel fiber concrete beams under short- and long-term loadings.—75-02393A
Creep and shrinkage revisited.—75-02394A
Design of concrete mixes for minimum brittleness.—75-04811A
Determination of the first-crack strength and flexural toughness of steel fiber-reinforced concrete.—75-02395A
Durability of concrete incorporating high volumes of fly ash from sources in the U.S.—75-02398A
Effect of corrosion-inhibitor-added deicing salts and salt substitutes on reinforcing steels: I, Influence of concentration.—75-04424A
Effect of corrosion-inhibitor-added deicing salts and salt substitutes on reinforcing steels: II, Influence of temperature and oxygen content.—75-04425A
Energy savings using autoclaved aerated concrete.—75-00037A
Fractal dimension as a measure of roughness of concrete fracture trajectories.—75-02408A
Fracture of Brittle, Disordered Materials: Concrete, Rock, and Ceramics.—75-07107B
Guide for evaluation of concrete structures prior to rehabilitation.—75-02409A
Gypsum-based aerated concretes.—75-07152A
Handbook of Polymer-Modified Concrete and Mortars: Properties and Process Technology.—75-07108B
Heat-cured-induced expansion.—75-00040A
Hot isostatically pressed concrete as a radwaste form.—75-03472A
Hydration and strength of high-performance concrete.—75-04818A
Interaction of concrete aggregates with alkalis in cements and additives.—75-07161A
Interfacial transition zone in concrete.—75-02412A
Introduction to ^{27}Al and ^{29}Si NMR spectroscopy of cements and concretes.—75-00049A
Loss of freeze-thaw durability of concrete containing accelerating admixtures.—75-02414A
Magnesia cements and concretes.—75-07164A
Mechanism of silica fume action in concrete studied by solid state ^{29}Si MAS NMR.—75-00264A
New generation refractory concretes. Interrelation between structure formation and strengthening.—75-05112A
New generation refractory concretes. Thermal processes, structure, and high-temperature properties.—75-05113A
New items in the standardization of concrete.—75-07170A
NMR study of concrete alkali-aggregates reaction.—75-00265A
Practical problems of electrical heat treatment of concrete.—75-07174A
Principles for establishing concrete compositions under fast hardening conditions.—75-07176A
Properties of cement with scorched rocks and concretes based on them.—75-07179A
Properties of cementitious systems containing silica fume or nonreactive microfillers.—75-02417A
Properties of silica fume concrete and mortar.—75-02420A
Pullout behavior of corrugated steel fibers.—75-04829A
Questions to Dudley R. Morgan, Chief Materials Engineer, HBT AGRA Limited, Burnaby, British Columbia, Canada.—75-04736A
Questions to Pierre-Claude Aitcin, Program Leader, Network of Centres of Excellence on High Performance Concrete, Universite de Sherbrooke.—75-04737A
Questions to Richard D. Gaynor, Executive Vice President, National Ready Mixed Concrete Association/National Aggregate Association, Silver Springs, Maryland.—75-02421A
Questions to Thomas J. Pasko, Jr., Director, Office of Advanced Research, Federal Highway Administration, McLean, Virginia.—75-04738A
Recycled crushed concrete as subbase pavement material.—75-00065A
Researching and appling of high-strength concrete in building engineering in Beijing.—75-00067A
Robert Harrison's Gibson Gateway.—75-02344A
Status of fiber-reinforced plastic reinforcement development and cement-based research needs.—75-02425A
Steps and possibilities for developing a theory of reinforced concrete.—75-07186A
Strength formation in lightweight concrete and the mechanism of its deformation and failure.—75-07188A
Testing of concrete under closed-loop control.—75-04834A
Thin bonded overlays: about the role of fiber reinforcement on the limitation of their debonding.—75-04835A
Use of supplementary cementing materials to increase the resistance to chloride ion penetration of concretes cured at elevated temperatures.—75-02430A
condensers/condensation,
Structural and kinetic studies for the condensation of silica gels by HR ^{29}Si NMR.—75-01245A
conductance,
Formation of conductive network in diamondlike carbon [DLC] by intercalation of copper.—75-07731A
conductivity,
Analytical studies on multiple delta doping in diamond thin films for efficient hole excitation and conductivity enhancement.—75-01379A
Conductivity enhancement in fluorides by grain boundary activation.—75-09535A
Conductivity measurements of various yttria-stabilized zirconia samples.—75-06434A
Conductivity relaxation in germanate glasses.—75-00181A
Conductivity type of ZnS_xSe_{1-x} crystals and deep trapping centers in them.—75-05263A
Dependence of dark conductivity of CdS single crystals on the energy of bombarding electrons.—75-07821A
Excess conductivity analysis of the $Bi_2Cr_2Ca_{1-x}Y_xCu_2O_{8+y}$ system: an estimation of interlayer coupling strength.—75-03368A
Functionally graded interphases: meso-continuum concept and effective properties.—75-03895A
High-frequency conductivity of 2-D electrons under weak localization conditions.—75-07907A
Influence of prolonged illumination on the properties of a compensated *a*-Si:H.—75-07926A
Intervalley mechanism of forming negative differential *S*-type conductivity in short heterostructures.—75-03070A
Nanostructures detected by conductivity spectroscopy.—75-00172A
Nature of a linear phonon in tunneling conductivity of metal oxides: pressure effects.—75-08376A

Nature of metastable centers responsible for anomalous temperature dependence of (0001) plane conductivity in CdS crystals.—75-07981A
Negative capacitance in semiconductor structures.—75-07982A
Origin of *n*-type conductivity of low-temperature grown InP.—75-00559A
Statistical representation of the excess conductivity in a Bi-Sr-Ca-Cu-O superconductor.—75-08418A
Strong anisotropy of the electron *g*-factor of conductivity in GaAs/AlGaAs quantum wells.—75-05486A
Structure of titania hydrolysates.—75-01951A
Temperature dependence of magnetic resistivity in the hopping conductivity regime with variable range hopping: results for doped CdTe.—75-08078A

conductors,
Ceramic Transactions, Volume 65: Roie of Ceramics in Advanced Electrochemical Systems.—75-04771B
Diamond film structures and methods related to same.—75-07753P
Method of preparing a plurality of ceramic green sheets having conductor films thereon.—75-07767P
Mutlilayer glass-ceramic substrate and method of fabricating the same.—75-07771P

conferences,
ACerS 96th Annual Meeting/Exposition.—75-04673A
Automation of cement production.—75-07136A
Bacia Edelman.—75-02193A
Bringing the world of ceramics together.—75-07062A
Ceramitec '94.—75-04687A
Cersaie.—75-04689A
Cevisama '95.—75-02760A
Clay Directions '94.—75-02762A
Collector's eye.—75-02224A
Delegation visits the Chinese Ceramic Society.—75-04700A
Fifth Annual California Conference.—75-02248A
Glass Problems Conference focuses on environmental issues.—75-09715A
Glassman '96 focuses on the environment and industry progress.—75-09716A
Heirlooms of the future.—75-02268A
McConnell receives 1995 Phoenix Award.—75-09728A
Oregon Showcase '94.—75-02317A
Preparing for fairs.—75-02789A
Summer workshops 1996.—75-02363A
What do the others have that we do not.—75-07099A
World Congress on Microwave Processing.—75-02154A

consolidation,
Consolidation at constant flow rate and load to determine permeability and yield curve behavior.—75-08647A
Dynamic consolidation of combustion-synthesized alumina-titanium diboride composite ceramics.—75-09265A
Pressure consolidation of fiber-reinforced oxide matrix composites: experiments and simulations.—75-03594A
Rheology and consolidation of colloidal alumina-coated silicon nitride suspensions.—75-04202A

contacts,
Anderson impurity in the symmetrical inverted semiconducting heterocontact.—75-05239A
Characterization of MS, MiS, and MOS contacts to type IIB diamond by capacitance-voltage and current-voltage.—75-00427A
Contacts and coordination numbers in a compact of polyhedral particles.—75-01207A
Controlled texturing of HTSC materials: technology, properties, and application in the protection of contacts of superconducting devices.—75-08277A
Current-voltage characteristics of electric contacts on *p*-type ZnSe.—75-02986A
Degradation of the strength of glass after light contact with other materials.—75-02641A
Dependence of contact resistance on metal electronegativity for B-doped diamond films.—75-00307A
Electrical contacts to CRT Bi-2212 superconductors: preparation, characterization, and analysis.—75-08307A
Electroless plated nickel contacts to hydrogenated amorphous silicon.—75-02464A
Evaluation of the gas response of ZnO/La_2CuO_4 heterocontacts with different electrode materials.—75-00487A
Formation of ohmic contacts to *p*-type diamond using carbide-forming metals.—75-00492A
Friction process diagrams for analyzing interfacially complex sliding contacts.—75-04543A
Gas sensing by ac impedance under dc bias or CuO/ZnO *pn* heterocontact.—75-00497A
Gas-sensitive properties of contacts of platinum oxide vanadium phosphate glass.—75-07339A
Influence of the semiconductor substrate surface treatment on electrical characteristics of the metal–gallium arsenide contact.—75-07929A
Metal–gallium arsenide contact low-frequency noise during various treatments of the semiconductor substrate surface.—75-07968A
Method for making multilayer ceramic packages.—75-07764P
Method of making electrical contacts on Bi-based oxide superconductors.—75-08472P
Microgeometrical cavitation in oscillating slider contacts.—75-04596A
Modeling of electrical characteristics of the metal–gallium arsenide contact.—75-07974A
Ohmic contacts on diamond by B ion implantation and TiC-Au and $TaSi_2$-Au metallization.—75-00115A
Phase transformations in the region of the metal–amorphous semiconductor microcontact.—75-08004A
Photoeffect in an epitaxial *p-n* structure having an *n* region of variable thickness and a metal oxide tunneling contact.—75-05426A
Photoelectrical characteristics of Ni-ZnSe contacts.—75-03120A
Photoelectrical properties of semiconductor contact with green leaves.—75-03122A
Quantum Hall effect in a sample of nonstandard geometry.—75-05456A
Reproducibility of the contact angle of enamel on steel substrate.—75-02539A
Schottky barrier height of metal contacts to *p*-type alpha 6H-SiC.—75-00592A
Small area contacts of different metals to *p*-type germanium.—75-08057A
Stress analysis of contact deformation in quasi-plastic ceramics.—75-09672A
Stress analysis of elastic-plastic contact damage in ceramic coatings on metal substrates.—75-09673A

containers,
1994 Discovery Awards—the latest in decorating design and technical excellence.—75-02847A
Anchor Glass chairman prods industry to expand R&D funding and marketing drive.—75-09703A
Development of large ceramic container technology for nuclear waste disposal.—75-03457A
Glass container reuse: refillables hold opportunity for glass industry.—75-07076A
Good news for the glass container industry—containers see major growth in two key segments.—75-04712A
Lightweighting, joint-venture help container maker increase market share.—75-04721A
New products for glass container manufacturers.—75-02733A
Opportunities and obstacles, challenges and changes in the glass container industry.—75-02137A
Thermal efficiencies of float and container furnaces.—75-06012A

controls,
Air entrainment and dust generation from a falling stream of bulk material.—75-05892A
Argon stirring—development of a novel system for safe and controllable operation.—75-07478A
Automatic control during microwave heating of ceramics.—75-01010A
Closed-loop control of flow rate for dry bulk solids.—75-00945A
Colored, opaque glass-ceramic.—75-07415P
Control of nanostructures for soft magnetic materials.—75-00727A
Demonstration on an ultralow-NO_x oxygen-fuel glass-melting system.—75-05992A
Development of an advanced hermetic power package for a solid state power controller.—75-00459A
Dryer modification to improve brick production.—75-02769A
Dynamic modeling of CVD for real-time control of microstructure.—75-03559A
Glass container forming machine with a controller for controlling controllers.—75-03543P
Glass furnace NO_x control with gas reburn.—75-05997A
Importance of grain boundary character distribution (GBCD) to grain boundary design and control in ceramics.—75-01868A
Kiln control system maximizes management data.—75-03617A
Measurement and control in ceramics.—75-06002A
New porcelain enamel plant and its use of new technology software for process control.—75-00114A
Optimization of control over glass founding in regenerative bath furnaces.—75-03624A
Overview of integrated circuits for control networks.—75-00560A
Parameter for the evaluation of sintering of ceramic materials.—75-03532A
Predictive process control: varying raw materials properties can produce constant body properties.—75-03591A
Replacement filters reduce dust emissions.—75-04744A
Self-sensing control as applied to a PZT stack actuator used as a micropositioner.—75-03256A
Synchronous flow management—how to win not merely survive.—75-07095A
Tracing ware without using bar codes.—75-07098A
Vibration control [analyzed] using piezoceramics in planar flexible linkage mechanisms.—75-03264A
Weigh belt feeders- principles, design strategies and applications plus data on belt scales.—75-00990A

conversion,
Calcium phosphate conversions in water and H_3PO_4 solutions.—75-09225A
Conversion mechanism of perhydropolysilazane into silicon nitride based ceramics.—75-06562A
Evaluation of conversion efficiency of tandem thermoelectric devices.—75-03891A
Gel to glass conversion in the cobalt silicate system.—75-02720A
Glassmakers share conversion stories at air products/combustion TEC oxy-fuel symposium.—75-02724A
Gradient potential design for functionally gradient energy conversion materials.—75-03036A
Multiple-tube permeable element for combined blowing converter.—75-03620A
Performance analysis of FGM-based direct energy conversion system for space power applications.—75-03912A
Refractories usage in nickel smelting furnaces in China.—75-02835A
Short-circuited semiconductor thermomechanical energy converter.—75-05474A
TV glass oxy-fuel conversion addresses both environmental and economic issues.—75-08742A
Wet chemical syntheses of ultrafine multicomponent ceramic powders through gel to crystallite conversion.—75-06829A

conveyors,
Pneumatic conveying characteristics of fine and granular bulk solids.—75-05907A

coolers/cooling,
Apparatus for cooling neck rings in a glass molding machine.—75-08744P
Ceramic parts having small hole(s) and method of manufacturing the same.—75-08562P
Cooling capacity of water-air mixtures in hardening of thin glass.—75-07378A
Cooling effect due to negative luminescence.—75-02981A
Crystallization of PbTe-SnTe alloys at ultrahigh cooling rates.—75-07816A
Evaluation of critical cooling rate for $30Na_2O$-$10MgO$-$60SiO_2$ glass based on viscosity.—75-07384A
Method for cooling ceramics, especially ceramic tiles produced in roller kilns, and the relative plant.—75-05171P
New generation of grate coolers—the challenge for high efficiency.—75-00056A
Pendulum clinker cooler with horizontal air jets.—75-00976A
Post-consolidation cooling-induced distortion and residual stress in ceramic/metal composition-graded laminates.—75-02526A
Resonant optical cooling of a nuclear spin system in GaAs/AlGaAs quantum wells.—75-08046A
Slow cooling dynamics of the Ising *p*-spin interaction spin-glass model.—75-09057A
Using thermoelectric coolers and diamond films for temperature control of power electronic circuits.—75-08546A
X-ray analysis of melts of the Sn-Te system produced by super-high speed cooling.—75-05516A

copper oxides,
a-axis superconductor on a yttrium oxide film.—75-00899P
(Hg,Pb)-Ba-Ca-Cu-O superconductor and method of manufacturing the same.—75-03428P
Absorption spectra of CuO single crystals in the region of the fundamental band and nature of the optical gap in copper oxides.—75-08858A
Absorption spectra of CuO single crystals irradiated by electrons.—75-06152A
Acoutic plasmons as a possible cause for the anomalous peak of thermal conductivity in high-temperature superconductors below the critical temperature.—75-08260A
Anisotropy of the magnetic properties of cuprate single crystals, $R_2Cu_2O_5$ (R=Y, Lu, Tm, Yb, Tb).—75-08261A
Anomalous behavior of paramagnetic susceptibility of $GdBaCuO_{6.2}$ single crystals in a magnetic field.—75-08192A
Anomalous nature of magnetostriction of $R_2Cu_2O_5$ (R=Dy, Ho).—75-05655A
Appearance of the effects of strong electron correlations in X-ray and X-ray electron spectra of copper of high-temperature superconductors.—75-05727A
Atmosphere control of interface migration and its effect on dielectric property of CuO-infiltrated strontium titanate.—75-02892A
Atomic structure features of high-temperature superconducting 1212, 2201, and 2212 Tl-containing phases.—75-08264A
Calculation of dipole moments and crystal field parameters in $TmBa_2Cu_3O_6$.—75-06168A
Calculation of electron and magnetic characteristics of CuO_2 planes in the framework of the modified approximation of the middle field.—75-08639A
Calculation of formation enthalpy of $RBa_2Cu_3O_7$ compounds.—75-05732A
Calculation of the formation enthalpy of mercury-containing high-temperature superconductors.—75-05733A
Catalytic decomposition of methane: CuO supported on high specific area spinels synthesized by a sol-gel process.—75-06542A
Change of magnetic and superconducting properties of layered cuprates with substitution of copper by zinc and nickel.—75-08269A
CO gas sensitivity of CuO-infiltrated ZnO ceramics.—75-05261A
Coated precursor powder for oxide superconductors.—75-05866P
Commensurate variant of the $A_{14}Cu_{24}O_{41}$-type crystal structure of a new $(Nd,Y,Sr,Ca)_{14}(Cu,Ca,Sr)_{24}O_{41}$ compound.—75-08882A
Composition of thallium high-T_c superconductors prepared via ceramic route.—75-08274A
Copper oxide superconductor, a process for its production, and a copper complex used therein.—75-08455P
Cu NMR studies of the $Nd_2CuO_{4-y}F_y$ system.—75-06199A
CuO-Bi_2O_3-B_2O_3 system.—75-08902A
Cuprate-titanate superconductor and method for making.—75-00902P
Delocalized valence electrons of a 2-D CuO_2 layer in high-temperature superconductors.—75-05743A
Deposition of polycrystalline SnO_2 and SnO_2(CuO) films by laser ablation.—75-07823A
Effect of Anderson disorder on superconducting paired correlations with s^*- and *d*-symmetry in high-temperature superconductors.—75-08294A
Effect of antiferromagnetic ordering on band structure of La_2CuO_4.—75-08201A
Effect of pressure-induced oxygen ordering on the superconducting properties of $GdBa_{2-x}Sr_xCu_3O_z$.—75-08296A
Electrical properties of nonconventional Bi-Ba-Cu-O glasses.—75-04960A
Electronic structure of $Y_2Cu_2O_{5-x}S_x$ (x=0, 0.25, 0.75) [investigated] by X-ray emission spectroscopy and X_n scattered wave calculation methods.—75-03365A
Enthalpy stabilization of T^* phase (La, R, $Sr)_2CuO_{4-\delta}$, where R=Sm–Er, Y.—75-06463A
EPR in copper monoxide.—75-08665A
Fast X-ray method for determining the structure and properties of the $MA'A_2''Cu_2O_{6-\delta}$ phases.—75-05946A
Features of the dielectric-metal transition in the Ln-Ba-Cu-O and Ln-Sr-Nb-O (Ln=La, Nd, Gd, Dy, Tm, Lu) systems.—75-07730A
Fine structure in the electron density of states, paramagnetic

impurities, and anomalous isotopic effect of T_c in LSCO:Fe systems.—75-08324A
Folding CuO_2 planes into fullerene-like clusters.—75-06232A
Growth and superconducting properties of $TmBa_2Cu_3O_{7-x}$ crystals.—75-05772A
Growth of CuO films by pulsed laser deposition in conjunction with a pulsed oxidation source.—75-01516A
High-T_c superconductor and process for preparing it.—75-00904P
High-temperature oxide superconductor.—75-05868P
Identification of CuO as a minority phase in YBCO: X-ray diffraction vs emf and coulometric titration measurements.—75-05776A
Influence of ionic substitution on the magnetic behavior of $Y_2Cu_2O_5$.—75-05780A
Influence of the effects of strong electron correlations on the form of X-ray Cu*K* absorption spectra of $La_{2-x}Sr_xCuO_4$.—75-08343A
Ion transport in copper boromolybdate glasses.—75-04908A
Kinetics of the dissolution of glasses of the As_2Se_3-CuO system in acidic oxidizing media.—75-07344A
Lead perovskite based ceramic compositions without any free lead oxide.—75-06093P
$Li_xLa_2CuO_{4\pm y}$ [I], $Li_xNd_2CuO_{4\pm y}$ [II], and $Li_xLa_{2-z}Nd_zCuO_{4\pm y}$ [III] solid solutions.—75-08352A
Longitudinal nonlinear magnetic susceptibility of magnets in the second harmonics of excitation frequency and the stray signal.—75-09155A
Low-frequency internal friction in $BaCuO_{2+\gamma}$ ceramics at high temperatures.—75-08974A
Low-temperature thermoluminescence of cuprate high-temperature superconductors.—75-05789A
Magnetic ordering of Pr in $Pb_2Sr_2PrCu_3O_8$.—75-01226A
Magnetic ordering of the Gd^{3+} sublattice in the $Gd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ system.—75-05791A
Magnetic transformations in $GdBaCuO_{6.2}$ single crystals below 20 K. Determination of spin interactions of Gd^{3+} ions.—75-05691A
Magnetoelectrical effects in antiferromagnetic Gd_2CuO_4.—75-08230A
Method for harvesting rare-earth barium copper oxide single crystals.—75-08465P
Method for preparing copper oxide superconductor containing carbonate radicals.—75-03432P
Method of manufacturing an oxide superconductor thin film.—75-05872P
Method of producing highly oxidized superconductors containing barium, copper, and a third metal.—75-08255P
Modified CuO surface appropriate for selective CO gas sensing at CuO/ZnO heterocontact.—75-07977A
Monovariant and invariant equilibria in the BaO-Cu-O_2 ternary system.—75-08986A
Multilayer distorted lattice copper oxide perovskite structures including NdCeCuO and YBaCuO multilayers.—75-08477P
Nature of the anomalous isotopic effect of T_c in the LSCO:Fe system.—75-08377A
Nd_2O_3-SrO-CuO system: compounds and phase relations.—75-03812A
Neutron and calorimetric studies of the excitation spectra of La_2CuO_{4+y} compounds (y=0.08, 0).—75-08379A
New phases with a perovskite structure in the La_2O_3-BaO-CuO_x-NiO system.—75-08995A
Nonequilibrium nature of the destruction of an elementary cell of an HTSC crystal during field evaporation.—75-08383A
Nonuniform magnetic state of $La_{0.9}Na_{0.1}Mn_{1-x}(Cu, V)_xO_3$.—75-05700A
Nuclear quadrupole interaction in high-temperature superconductors based on copper oxide metals (review).—75-05806A
One-phonon ir absorption induced by magnetic ordering in Nd_2CuO_4.—75-08998A
Optical phonons in $GdBa_2Cu_3O_{7-\delta}$ compounds.—75-08389A
Optical spectra of $LnBa_2Cu_3O_x$ compounds.—75-05807A
Oxide superconductor and a method for manufacturing an oxide superconductor.—75-00913P
Paired correlations in large two-dimensional Cu-O clusters: new Monte Carlo nonlocalized trajectory algorithm.—75-08692A
Phase equilibria and crystal chemistry in the system Sr-Ca-Cu-O under high oxygen pressure.—75-08391A
Phase equilibria in the CaO-SrO-CuO system (≥70 mol% CuO).—75-06303A
Phase equilibria in the PbO-Bi_2O_3-CuO and PbO_2-CaO-CuO systems.—75-06304A
Phase equilibria of the SrO-CaO-CuO system at 950°C in 1 atm of oxygen and at 10 kbar.—75-01234A
Phase relations in the system (Y, Dy, Yb)$_2Cu_2O_5$-CuO_x.—75-09032A
Phase relations of La_2O_3-CaO-CuO ternary system and Ca^{2+} substitution for La^{3+} in La_2CuO_4.—75-03392A
Phase relationships in the Bi_2O_3-CuO-GeO_2 system.—75-06309A
Phase separation in cuprate superconductors: magnetic resonance analyses.—75-08393A
Phase stability and oxygen diffusion in $RBa_2Cu_3O_{6+x}$ (R=Y or Nd).—75-08394A
Phonon wind and exciton transport in Cu_2O semiconductors.—75-08007A
Photoinduced optical phonons in La_2CuO_4 single crystals.—75-05205A
Point defects of La_2CuO_4-based ceramics: I, Oxygen interstitials.—75-04288A
Preparation and characterization of nanocrystalline powders of cuprous oxide by using γ-radiation.—75-06713A
Preparation and properties of new perovskite-like compounds in Ba-Pb-Cu-O system.—75-00849A
Preparation and properties of the $HgBa_2CuO_{4+\delta}$ superconducting phase.—75-08399A
Preparation of superconducting fluorinated neodymium cuprate.—75-08400A
Process for preparing a superconducting thin film.—75-05878P
Process for preparing oxide superconductor.—75-00915P
Process for producing tubular parts of high-T_c superconductor material.—75-05880P
Process of preparing superconductive oxide complexes containing L, Ba, Cu, and O and method of using the same.—75-05881P
Production of oxide superconductors having large magnetic levitation force.—75-05882P
Properties of $Ca_{1-x}Sr_xCuO_2$ infinite layer films grown by laser ablation deposition.—75-05819A
Rare earth oxide superconducting material and process for producing the same.—75-00916P
$REBa_2Cu_3O_{7-y}$-type oxide superconductive material having high critical current density and process for preparation thereof.—75-08485P
Self-propagating high-temperature synthesis [SHS] of alkali metal cuprates.—75-05911A
Sol-gel synthesis of fine Gd_2CuO_4 particles: influence of synthesis variables.—75-01675A
Special properties of the superconducting 1-2-3 compounds; Cu(2) NQR and Tm NMR in $TmBa_2Cu_3O_x$ at low temperatures.—75-08415A
Spin dynamics of the quasi-two-dimensional Heisenberg antiferromagnet, Eu_2CuO_4.—75-08240A
Spin structures of tetragonal lamellar copper oxides.—75-06366A
Stacked Josephson junction device composed of oxide superconductor material.—75-05883P
Structure of $Bi_2Ba_2CuO_{6+\delta}$ compounds and solid solutions of $Bi_2Ba_{2-x}M_xCuO_{6+\delta}$ (M=Sr, Ru, Rh, Pd, In, Sb, and Pb).—75-06786A
Substitution of lithium in copper oxide.—75-06787A
Superconducting device structure with Pr-Ba-Cu-O barrier layer.—75-03440P
Superconducting properties of $GdBa_2Cu_4O_8$:Ca ceramics.—75-05838A
Superconductive copper-containing oxide materials of the formula $A_pB_qCu_2O_{4+r}$.—75-03442P
Superconductive material, a superconductive body, and a method of forming such a superconductive material or body.—75-05885P
Superconductive oxide single crystal and manufacturing method thereof.—75-03443P
Superconductivity of the $Gd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ HTSC system.—75-08433A
Synthesis and X-ray diffraction study of the phases (A′, A)CuO_2 (A′=Sr and Ba; A=Ca, Sr, and Ln) [Ln=rare-earth metals].—75-08435A
Synthesis of bismuth cuprate.—75-06804A
Synthesis of highly phase pure BSCCO superconductors.—75-05888P
Temperature behavior of optical anisotropy in R_2CuO_4 (R=La, Nd) crystals.—75-06523A
Thallium-calcium-barium-copper-oxide superconductor with silver and method.—75-08494P
Theory of La_2CuO_4 structure.—75-06389A
Thermal analysis of 3 mol% yttria-stabilized tetragonal zirconia powder doped with copper oxide.—75-01250A
Thermal dissociation of Ca_2CuO_3.—75-09202A
Thermal transformations of mercury superconductor $HgBa_2CuO_{4+\delta}$ and its precursor Ba_2CuO_{3+y}.—75-05852A
Thermo-emf and electrical resistivity of CuO single crystals under high pressures.—75-09207A
Thermodynamic evaluation of the Bi-Cu-O system.—75-01253A
Thermodynamics of oxidation of $La_3Ba_3Cu_6O_{14+x}$.—75-05853A
Thin-film high-T_c superconductor comprising a ferroelectric buffer layer.—75-00926P
Viscous mobility of two-dimensional vortexes in layered superconducting structures.—75-08446A

copper,
Accelerating effect of pyrophosphate ions on the copper discharge process in sulfate solution.—75-08859A
Aluminum nitride circuit board and method of producing same.—75-05216P
Carbon fiber with electroless copper plating.—75-02441A
Centers of the red luminescence in CdS and CdS:Cu single crystals and their transformation under electron irradiation.—75-02971A
Ceramic joining: III, Bonding of alumina via Cu/Nb, Cu interlayers.—75-04842A
Ceramic multilayer wiring board.—75-02946P
Ceramic via composition, multilayer ceramic circuit containing same, and process for using same.—75-05218P
Charge transfer transitions of copper(II) in drying silicate xerogels.—75-07288A
Copper and nickel ultrathin films on metal oxide crystal surfaces.—75-01414A
Copper diffusion in SnO_2 polycrystalline films.—75-06841A
Copper effect on the sensor properties of SnO_2 polycrystalline films.—75-09122A
Copper phthalocyanine titanium oxide multilayers.—75-00448A
CuI-PbI_2-As_2Se_3 thin films prepared by chemical deposition.—75-07379A
$CuInSe_2$-InSe ($SnSe_2$, Bi_2Se_3) system.—75-05268A
Determination of kinetic parameters in acidic $CuSO_4$ solutions containing accelerating agents—H_2SeO_3 and Na_2Se.—75-08903A
Direct bonding of copper composites to ceramics.—75-07260P
Direct bonding of copper to aluminum nitride substrates.—75-00156P
Direct observation of diffraction arcs from nanoscale precipitates in steels by highly brilliant and focused synchrotron radiation beam and imaging plate.—75-01824A
Effect of copper ions on the oxidation of Sn(II) in halogenide solutions.—75-09588A
Effect of copper ions on the tin(II) oxidation reaction in sulfuric acid solutions.—75-09589A
Effect of Cu-implanted joining interface on oxygen grain boundary diffusion in $SrTiO_3$ bicrystal.—75-09590A
Effect of external pressure on phase precipitation in copper halide photochromic glasses.—75-02710A
Effect of heat treatment on the magnetic and resonant properties of $CuGeO_3$.—75-09133A
Effects of proton irradiation on the luminescence of ZnS(Cu) ceramic.—75-06594A
Electrical properties of Si^{4+} substituted copper ferrite.—75-06456A
Electrically conductive paste based on silver-copper functionally gradient powder.—75-05192A
Electrodeposition of Cu in acidic $CuSO_4$ solutions containing sulfite-accelerating additive: II, Effect of sulfite ions on the voltammetric behavior of Cu/Cu^{2+} system at initial Pt electrode.—75-08918A
Electrodeposition of nanoscaled multilayer thin films.—75-04022A
Electron paramagnetic resonance and optical absorption of Cu^{2+} in NaF-B_2O_3 and NaF-Na_2O-B_2O_3 glasses.—75-07335A
Electron spin lattice relaxation in high-temperature superconductors: Cu^{2+} in Y-Ba-Cu-O.—75-08309A
Electroprecipitation of copper onto highly porous cellular electrodes for electrolytes with decreased concentration of copper ions.—75-08924A
Encapsulation of electroless copper patterns into diamond films.—75-07208A
Experimental investigation of fatigue-crack propagation in room temperature bending tests with Cu-Ni graded alloys.—75-02469A
Fabrication and mechanical properties of Cu/Ni and Ag/Ni superlaminates.—75-02472A
Fabrication of Cu/TiO_2 composite by powder sintering method.—75-02475A
Fabrication of TiB_2-Cu functionally gradient materials using gas-pressure combustion sintering.—75-04040A
Ferro- and ferrimagnetism of $La_{0.9}Na_{0.1}Cu_xMn_{1-x}O_3$.—75-05672A
Formation and reduction of a mixed three-dimensional perovskite of copper and titanium.—75-01506A
Formation of Cu-Al_2O_3 composite particles by mechanofusion: a consideration on the formation relating to the effects of vacuum and temperature increase of particle surfaces.—75-06616A
Formation of ultrafine $CuInS_2$.—75-07898A
Glass formation and transport properties of glasses in the CuI-PbI_2-As_2Se_3 system.—75-07340A
Growth of diamond film on Cu-SiC electrocodeposited layers.—75-07213A
Growth of single-crystal copper films on diamond using fcc iron seed layers.—75-01520A
Growth of TiO_x overlayers by CVD on a single-crystal copper substrate.—75-06632A
Heat capacity and thermodynamic functions of copper orthothioarsenate.—75-08945A
High-pressure liquid-encapsulated directional solidification of copper-deficient copper indium selenides.—75-03047A
High-temperature ion implantation into quartz.—75-04066A
Holographic atom imaging from experimental photoelectron angular distribution patterns.—75-01863A
In situ observation of oxide monolayer formation on copper solid-liquid interfaces.—75-01997A
Influence of copper and iron doping on cubic yttria-stabilized zirconia.—75-06649A
Influence of residual stresses on the tensile behavior of a Cu-Ni FGM.—75-02495A
Interference colors with copper raku.—75-02271A
Magnetic structure of $CuCr_2S_4$ spinels doped with antimony.—75-08151A
Magnetization reversal and magnetic clusters in copper ferrite films.—75-03311A
Mechanical properties of Bi_2Te_3:<Cu> single crystals close to the *p-n* transition.—75-07964A
Mechanism of structural transformations in $Cu_{1.7}Cd_{0.05}Te$ crystals.—75-08981A
Mechanism of the chemical reduction of copper(II) by an ion of hypophosphite.—75-06677A
Microstructural evolution of copper thick films observed by environmental scanning electron microscopy.—75-04362A
Microstructural imaging of localized chemical reactions using valence photoelectrons.—75-01885A
Molded ceramic articles.—75-03546P
Morphology of Cu clusters on $SrTiO_3$(001) at initial stages of metal film growth.—75-04379A
NMR spectrum of Cu^{2+} Jahn-Teller ions in ferrospinels.—75-05699A
NMR studies of electronic and local structure in Cu-Au alloys.—75-01896A
Observation of CuPt-ordered $CuInSe_2$.—75-00557A
Optical absorption of copper phosphate glasses in the visible spectrum.—75-04919A
Optical properties of amorphous carbon doped with copper.—75-01324A
Oxygen dope in layer ordered copper perovskites.—75-00561A
Particle volume graded Ni-Al_2O_3 and Cu-Al_2O_3 composite deposits: production and performances.—75-02519A
Photomemory effect in high-ohmic and photosensitive CdS:Cu crystals.—75-03127A
Photovoltaic activity of electrodeposited *p*-$CuInSe_2$/electrolyte junction.—75-00571A
Preparation of copper-ruby glasses by sputtering: the effect of atmosphere on the growth of copper particles.—75-02736A
Processing and properties of Al_2O_3-Cu composites.—75-07226A
Processing of copper thick film materials for hybrid

circuits.—75-00367A
Properties and structure of Cu/Co superlaminates prepared by electroplating and repeated rolling.—75-04390A
Reactivity of products of the interaction of zinc oxide with zinc and copper(II) salt solutions.—75-09050A
Reciprocal ternary system Cu, Pb||Se, Te.—75-09051A
Recurrent phenomena during dissolution of copper in chloride solutions.—75-06339A
Reverse current in Cu$_x$S/ZnS(Cu) heterojunctions.—75-05465A
Spin-Peierls transition in $CuGeO_3$: electron paramagnetic resonance study.—75-03841A
Standard enthalpy of formation of $BaCu_{1+x}O_{2+y}$.—75-09450A
Structural and magnetic properties of epitaxially grown fcc Fe/Cu(100) and Fe/CaF_2/Si(111).—75-01939A
Structural and magnetic properties of $Mn_{2-x}Ni_xAs$, $Mn_{2-x}Cu_xAs$, and $Mn_{2-x}Zn_xAs$ solid solutions with Cu_2Sb-type crystal structure.—75-09065A
Superconductive optoelectronic devices with the basic substance Bi_2O_3 of conductive-conjugate photoconductivity.—75-05886P
Synthesis of Cu-NbC nanocomposites by mechanical alloying.—75-02549A
Temperature and concentration dependences of structural and thermal properties of $CuAl_xIn_{1-x}Se_2$ chalcopyrite solid solutions.—75-06522A
Thermal dissociation of copper chalcogenides during melting.—75-09519A
Thermally stimulated conductivity in plastically deformed ZnS-Cu,Mn crystals.—75-05503A
Thermodynamic and catalytic properties of solid solutions of copper and zinc oxides.—75-06394A
Uv photoelectron yield spectroscopy of chalcopyrite structure Cu-In-Se thin films.—75-05512A

coprecipitation,
Aging effects on the characteristics and sintering behavior of coprecipitated Al_2O_3-ZrO_2 powders.—75-03950A
Characterization of coprecipitated Fe_2O_3-Al_2O_3 powders.—75-06863A
Characterization of coprecipitated ferroelectric $Bi_2VO_{5.5}$.—75-05538A
Coprecipitation and processing of mullite precursor phases.—75-06563A
Coprecipitation conditions and compaction behavior of Y-TZP nanometric powders.—75-03980A
High coercivity maghemite particles.—75-03295A
Preparation of δ-FeOOH by coprecipitation method and its magnetic properties.—75-08237A
Synthesis of HTSC based on bismuth using oxalic acid.—75-05845A

cordierite,
Ceramic honeycomb substrates for automobile exhaust catalysts.—75-06065A
Controlled phase transformations by glass particle size in spodumene and cordierite glass-ceramics.—75-04888A
Cordierite-cerium(IV) oxide system—microstructure and properties.—75-04309A
Crystallization and sinterability of cordierite-based glass powders containing CeO_2.—75-04946A
Crystallization kinetics of high-cordierite glass.—75-02581A
Crystallization of nickel-bearing stoichiometric cordierite glasses.—75-06564A
Effect of ZrO_2 addition on strength and dilation behavior of cordierite ceramics.—75-06970A
Extended application of ceramic heat exchanger.—75-03647A
Influence of liquid media on oscillating sliding wear of cordierite glass and cordierite ceramic.—75-04971A
Influence of some pollutants on the durability of cordierite filters for diesel cars.—75-03703A
Method of making cordierite bodies.—75-01124P
Microstructural development on crystallizing hot-pressed pellets of cordierite melt-derived glass containing B_2O_3 and P_2O_5.—75-02595A
Movement of channel H_2O in cordierite observed with quasi-elastic neutron scattering.—75-03811A
Nucleation at cordierite glass surfaces: kinetic aspects.—75-07308A
Orientation, location, and total energy of hydration of channel H_2O in cordierite investigated by ab initio total energy calculations.—75-03815A
Problems with FEM stress analysis of cordierite monolith as diesel particle filters.—75-03657A
Processing of thermal insulation materials with controlled porosity.—75-01911A
Reaction sintering and mechanical behavior of cordierite containing sapphirine dispersoids.—75-06755A
Sintering of cordierite glass-ceramic with lead borosilicate glass.—75-02606A
Sol-gel coating of ceramic powders.—75-04226A
Sol-gel synthesis of a mixture for preparing cordierite.—75-09448A
Synthesis and sintering of amorphous cordierite powders by a combustion method.—75-06798A
Synthesis of cordierite and cordierite-$ZrSiO_4$ composite by colloidal processing.—75-06806A

cores,
Ceramic core for investment casting and method for preparation of the same.—75-05154P
Impregnated ceramic core and method of making same.—75-05156P
Role of core levels in scintillation processes.—75-00934A

corrosion resistance,
Coated ceramic article.—75-02567P
Corrosion resistance of Al_2O_3-SiC castables to molten ash from incinerators.—75-07498A
Corrosion resistance of porous binary titanium and chromium carbides.—75-06920A
Corrosion testing of resin-bonded magnesia-carbon refractories.—75-00260A
Development of high-alkaline solution-resistant silicon nitride ceramics.—75-08800A
Development of magnesia spinel slide gate plate for Ca-treated steel.—75-07521A
Effect of manganese oxide on the corrosion behavior of alumina-silica-graphite shroud nozzle in continuous casting.—75-07536A
High-temperature corrosion resistance of chemically vapor deposited silicon carbide against hydrogen chloride and hydrogen gaseous environments.—75-01992A
High-temperature corrosion resistance of glass refractories and electrodes.—75-09592A
Mechanical performance of a commercial silicon nitride preexposed to a sulphidizing atmosphere at high temperature.—75-04588A
Refractory for use in casting operations.—75-07701P
SV [slide valve] plates for special steel.—75-07671A
Thermally grown oxide film of AISI 430 stainless steel on the influence of corrosion.—75-02555A

corrosion,
Advanced surface techniques for the investigation of corrosion problems.—75-01009A
Attempting to predict the high-temperature corrosion of oxide ceramics by molten silicates.—75-01982A
Burner rig hot-salt corrosion of Si_3N_4 in the temperature range 800°C to 1300°C.—75-01983A
Ceramic Transactions, Volume 78: Corrosion of Materials by Molten Glass.—75-09741B
Characterization of Si_3N_4 coated with chemically vapor deposited mullite after Na_2SO_4-induced corrosion.—75-06866A
Corrosion [of refractories]: a review of some fundamentals.—75-07494A
Corrosion and electrochemical protection of molybdenum in molten silicate glasses.—75-07293A
Corrosion and fretting damage of nonoxide ceramics in presence of water vapor.—75-01984A
Corrosion behavior of Al_2O_3 toughened by Ag particles.—75-09585A
Corrosion behavior of DWPF glasses.—75-03454A
Corrosion behavior of infiltrated reaction-sintered silicon carbide.—75-06917A
Corrosion behavior of TiN films obtained by plasma-assisted chemical vapor deposition.—75-04420A
Corrosion mechanism of magnesia spinel refractory by CaO-enriched converter slag.—75-07495A
Corrosion model for metals in molten glass.—75-07294A
Corrosion of ceramics by liquid metals.—75-01985A
Corrosion of ceramics in special gas atmospheres.—75-01986A
Corrosion of dense chromic oxide refractory in E glass.—75-07496A
Corrosion of molybdenum electrodes in lead glass melts: I, Reaction products and effect of alkalis.—75-06918A
Corrosion of mullite by molten salts.—75-06919A
Corrosion of zinc-containing cabal glasses by various leaching solutions.—75-02636A
Corrosion properties of ion-plated TiN and CrN coatings.—75-01987A
Corrosion rate of alumina [evaluated] by rotating cylinder method.—75-07497A
Crevice corrosion behavior of 304 stainless steel—crevice depth effect.—75-04421A
Discontinuous phase formation and selective attack of SiC materials exposed to low oxygen partial pressure environments.—75-01988A
Durability of silica-protected ceramics in combustion atmospheres.—75-04423A
Effect of corrosion on flexural behavior of ferrocement.—75-00030A
Effect of corrosion-inhibitor-added deicing salts and salt substitutes on reinforcing steels: I, Influence of concentration.—75-04424A
Effect of corrosion-inhibitor-added deicing salts and salt substitutes on reinforcing steels: II, Influence of temperature and oxygen content.—75-04425A
Effect of sizing agent on corrosion of glass fibers in water.—75-04954A
Effects of hot corrosion on the microstructure of a silicon carbide fiber-reinforced calcium aluminosilicate.—75-04426A
Electrode corrosion in simulated low-level nuclear waste glass melts.—75-08503A
Exudation and corrosion behavior of fusion-cast AZS refractories.—75-07551A
Factors limiting the application of silicon nitride ceramics in sulfur-containing environments of low oxygen potential at high temperatures.—75-01991A
Galvanic corrosion behavior of aluminum alloys under thin-layer electrolyte.—75-04427A
High-alumina refractory corrosion in wastewater incinerator of a chemical plant.—75-07562A
High-temperature chlorine corrosion of Fe-Mn-Al-C alloy in Cl_2/O_2/Ar mixtures at 600 and 900°C.—75-04428A
Hot corrosion of oxide ceramics.—75-01994A
Hot corrosion—the experience from metals and intermetallics.—75-01995A
Hot gas corrosion of structural ceramics.—75-01996A
Hydrothermal corrosion of mullite powder.—75-06924A
Influence of oxy-fuel combustion atmosphere in glass furnaces on refractory corrosion.—75-08730A
Laboratory testing of West Valley reference 6 glass [WV6].—75-03475A
Locating an oxygen probe for the measurement of oxygen activity in commercial glass melts.—75-00191A
Long-term performance of glasses for Hanford low-level waste.—75-03477A
Micro-Raman spectroscopy for phase identification and stress measurement in advanced ceramics.—75-01033A
Microstructural imaging of localized chemical reactions using valence photoelectrons.—75-01885A
Molten salt corrosion of ceramics.—75-02003A
New corrosion testing method by X-ray transmission.—75-07609A
Ongoing investigation of oxy-fuel firing impact on corrosion of nonglass contact refractories: II.—75-05116A
Oxidation of silicon-based ceramics in the presence of alkali halides.—75-02010A
Oxygen diffusion in silica and corrosion of ceramics.—75-01770A
Phase equilibrium relationships and the liquid-phase-assisted oxidative corrosion of silicon nitride.—75-02013A
Strength-flaw relationship of corroded pristine silica studied by atomic force microscopy.—75-00202A
Theory and experiment in corrosion of advanced ceramics.—75-02017A

corundum,
Abrasive material based on zirconium corundum, a process for its production, and its use.—75-07115P
Corundum refractories with a combined nitride-containing binder.—75-05079A
Dependence of the properties of vibration-cast refractory mullite-corundum articles on their composition by the method of experimental design.—75-07505A
Diffusion of nonequilibrium phonons in ceramics based on corundum.—75-09499A
Effect of iron oxides on mullite-corundum refractories under the conditions of oxidizing and reducing media.—75-05085A
Efficiency of radiation technology for preparing high-strength corundum-zirconium ceramics.—75-05089A
Increasing the wear resistance of linings of ore furnaces for melting normal electrocorundum.—75-07575A
Interaction of mullite-corundum refractories and alkalis under conditions of variable gas media.—75-05103A
Low-moisture regular corundum/spinel castables with superior properties.—75-07589A
Mullite-corundum refractories with silicon carbide for linings of transportable mixers.—75-05111A
Nature of color center formation in corundum studied by the reflection spectra with application of synchrotron irradiation.—75-06283A
Phenomena at the corundum matrix/fiber interface.—75-09036A
Properties and performances of high-purity corundum bricks for chemical and petrochemical industries in China.—75-02830A
Self-propagating high-temperature synthesis and properties of abrasive material based on corundum.—75-04785A
Sintering of corundum ceramics based on aluminum hydroxide.—75-04224A

cost reduction,
Cost reduction of VOD ladle.—75-07499A
Cutting costs and competing globally chief goals in '96.—75-09708A
How Anchor established more effective customer relationships.—75-09720A
Refractories as a major input for quality and cost control in steelmaking.—75-07646A
Selecting ceramic bodies for the production of large-scale structural items.—75-07454A

cost,
Ceramic Transactions, Volume 66: Challenges in Ceramic Product Development, Manufacture, and Commercialization.—75-04772B
Cerdec bulk bag doser evaluation.—75-02852A
Cost savings and other benefits from ready-to-use materials.—75-00081A
Cost-Effective Ceramics Program in the United States.—75-04696A
Dry glazing.—75-02768A
Early vendor involvement and how to reduce your fabrication costs.—75-00088A
Economic considerations of relations between silicon nitride powder quality and material properties.—75-02126A
Evaluation of a high-quality, low-cost carbothermal silicon nitride powder for use in making cost-effective engine components.—75-03698A
Experience of operating the Moscow cement market.—75-09713A
Fifty dollar ball mill.—75-04706A
Government actions to help reconcile interrelationship of energy, environment, and economic development.—75-02131A
Low-cost diamond production with large plasma torches.—75-08532A
Manufacturing costs of cement industry production.—75-09727A
New emphasis on drying.—75-03528A
Preparing for fairs.—75-02789A
Pros and cons of using a premill in a job shop.—75-00125A
Reminiscences of an old building ceramics clay preparation method—washing: II.—75-00983A
Saving money by proper handling of steel.—75-00131A
Status and perspective for processing of advanced ceramics.—75-04752A
Tracing ware without using bar codes.—75-07098A

couplers/coupling,
Effect of the number of magnetic couplings on the surface properties of antiferromagnetic Fe_3BO_6 crystals.—75-05666A
Excess conductivity analysis of the $Bi_2Cr_2Ca_{1-x}Y_xCu_2O_{8+y}$ system: an estimation of interlayer coupling strength.—75-03368A

crack branching,
Crack bifurcation in laminar ceramic composites.—75-06948A
Crack branching in all-oxide ceramic composites.—75-02028A
Mechanisms for hackle formation and crack branching.—75-02664A

crack bridging,

Improvement of strength and toughness of silicon nitride ceramics.—75-04561A
Mixed-mode fracture of ceramics in asymmetric four-point bending: effect of crack-face grain interlocking/bridging.—75-09656A
crack growth resistance,
Arrest of fatigue cracks in transformation-toughened ceramics.—75-04452A
Crack suppression in strongly bonded homogeneous/heterogeneous laminates: a study on glass/glass-ceramic bilayers.—75-02638A
Retardation of fatigue crack growth in ceramics by glassy ligaments: a rationalization.—75-04622A
Subcritical crack growth resistance in silicon nitride ceramics.—75-04642A
crack growth,
Causality of cracked rendering.—75-00236A
Compressive fatigue crack growth behavior of alumina and glass.—75-06945A
Crack growth characteristics of silicon nitride and alumina—the dependence on crack extension and load cycling.—75-02029A
Crack growth in elastically damaged materials.—75-06949A
Crack initiation and crack growth in ceramics and glass under thermal stress.—75-06950A
Crack initiation during Hertzian indentation of normal and anomalous glasses—a study using fractography and acoustic emission.—75-02637A
Crack stability and its effect on fracture toughness of hot-pressed silicon nitride beam specimens.—75-06951A
Cyclic fatigue–crack growth in Si_3N_4 ceramics.—75-04479A
Effect of growth and coalescence of multisurface cracks on static fatigue behavior of glass-ceramics.—75-00184A
Effect of rising *R*-curve behavior on the high-temperature delayed failure resistance of Si_3N_4 ceramics under elastic slow crack growth [SCG] regime.—75-09625A
Fatigue crack growth mechanisms in ceramics.—75-02050A
Fatigue crack growth of monolithic and composite ceramics.—75-02051A
Fatigue crack growth rate and fracture toughness of 25 wt% silicon carbide whisker-reinforced alumina composite with residual porosity.—75-09634A
Fracture mechanics fatigue tests and crack growth behaviors of ceramic materials up to very high temperatures.—75-02054A
In situ formation and characterization of α-Si_3N_4 whiskers from nanoamorphous Si-N-C powders.—75-04075A
In situ observation of slow crack growth in a whisker-reinforced alumina matrix composite.—75-09642A
Indentation crack shapes and their evolution during subcritical crack growth in ion-exchanged glasses.—75-02659A
Influence of oxidation on long-term reliability of silicon nitride.—75-01998A
Lifetime prediction of ceramics—importance of the test method.—75-04578A
Numerical analysis of crack growth in microcracking ceramics and ceramic composites.—75-04610A
Observation of the fracture path development in mortar beam specimens.—75-04824A
Strength and crack growth behavior of sintered silicon nitride in cyclic fatigue.—75-02099A
Subcritical crack growth in silica optical fibers in a wide range of crack velocities.—75-00203A
Subcritical crack growth of Si_3N_4 under thermal loading by light irradiation.—75-04641A
Surface damage and crack growth in indented ceramics.—75-09678A
Tensile creep rupture and subcritical crack growth of silicon nitride.—75-04648A
Thermal loading and corrosion of ceramics by light irradiation.—75-02018A
Toughening mechanisms in the high temperature fracture of high purity alumina.—75-07052A
cracks/cracking,
Composite laminates in plane stress—constitutive modeling and stress redistribution due to matrix cracking.—75-04462A
Crack configuration beneath Vickers indentation in Y_2O_3-containing tetragonal zirconia polycrystals.—75-09610A
Crack healing using an ion current in alkali halide crystals.—75-06189A
Crack initiation and crack growth in ceramics and glass under thermal stress.—75-06950A
Crack initiation in borosilicate glass–SiC fiber composites.—75-02579A
Crack initiation in fiber-reinforced brittle laminates.—75-04469A
Crack propagation behavior and mechanism of a sintered silicon nitride under cyclic load.—75-02030A
Crack sensing intelligent materials.—75-06106A
Crack-fiber interactions in fiber-reinforced brittle matrix composite.—75-02639A
Crack-interface interactions in a tungsten yttria-stabilized zirconia directionally solidified eutectic.—75-00082A
Cracking characteristics of reinforced steel fiber concrete beams under short- and long-term loadings.—75-02393A
Cracking of laminates subjected to biaxial tensile stresses.—75-06953A
Detection of crack formation during slag-penetration-spalling test by AE analysis.—75-07508A
Determination of short-crack toughness curves.—75-02036A
Determination of the first-crack strength and flexural toughness of steel fiber-reinforced concrete.—75-02395A
Direct evidence for residual, preferentially oriented cracks in rolled and pressed Ag-clad BSCCO-2223 tapes and their effect on the critical current density.—75-08290A
Dislocation mechanism of crack nucleation in cubic zirconia single crystals.—75-04489A
Driving force for cracking by indentation in ceramics containing transformable particles.—75-06961A
Early stage matrix cracking phenomena in fiber-reinforced brittle matrix composite.—75-02645A
Effects of crack face boundary conditions on the fracture mechanics of piezoelectric solids.—75-03230A
Eight steps to stop crazing.—75-02242A
Experimental and analytical study on thermocracking of alumina ceramic ring in a mechanical seal.—75-04517A
Fatigue of silicon nitride at 1000°C.—75-04528A
High-temperature crack annealing effects on fracture toughness of alumina and alumina-SiC composite.—75-06989A
High-temperature fatigue fracture of Al_2O_3-33 vol% SiC_w.—75-02060A
Influence of chemistry on crack propagation in silicon nitride.—75-04563A
Initiation of surface cracks in multilayer ceramic thermal barrier coatings under thermal loads.—75-04569A
Kink and crack interfaces in deformed 6H-SiC single crystals.—75-03075A
Length distribution of secondary cracks in brittle materials.—75-04575A
Matrix cracking in brittle matrix composites with tailored interfaces.—75-04582A
Mechanical behavior and thermal shock parameters of carbon anode materials.—75-02072A
Nature of cracks emerging in glass insulators in the course of manufacturing 2RMG plugs.—75-02670A
Notch fatigue limit of metal materials.—75-04609A
Periodic cracking of FGM coatings.—75-04615A
Post-disintegration of thin $MoSi_2$ films by oxidation at 500°C.—75-06934A
Quantitative analysis of closure stress-crack separation curve in grain bridge toughening of polycrystalline ceramics.—75-07026A
Raising the temperature of the green ware in order to reduce the risk of cracks during the drying process.—75-05065A
Surface crack initiation in 2Y-TZP ceramics by low-temperature aging.—75-04643A
Technical problems encountered in the manufacture of lead calcium titanate.—75-01726A
Thermal shock acoustic emission and microstructure of refractories: I. High alumina refractories (60-90% Al_2O_3).—75-02844A
Thermal shock behavior of carbon anode materials.—75-02104A
Threshold stress intensity for oxidative crack healing in sintered silicon nitride.—75-06937A
Trapped cracks at indentations: I. Experiments on yttria-tetragonal zirconia polycrystals.—75-07055A
Zirconia-based tipped blades having macrocracked structure.—75-08792P
creep,
Analysis of flexural creep for an SiC fiber-reinforced Si_3N_4 composite.—75-06941A
Cavitation mechanisms during tensile creep of an advanced silicon nitride.—75-09606A
Comparison of bend stress relaxation and tensile creep of CVD SiC fibers.—75-02024A
Compressive creep of a fine-grained polycrystalline yttria.—75-04463A
Constant stress tensile creep behavior of a superplastic zirconia-alumina composite.—75-06946A
Creep and rupture of advanced ceramic fiber reinforcements.—75-04470A
Creep and shrinkage revisited.—75-02394A
Creep and stability of pollucite.—75-02031A
Creep behavior of a 0-90° SiC_f-MLAS composite.—75-04471A
Creep behavior of a pitch-based carbon filament.—75-02032A
Creep behavior of SiC_f-YMAS composites.—75-04472A
Creep cavitation in a siliconized silicon carbide tested in tension and flexure.—75-04473A
Creep damage mechanisms in Si_3N_4.—75-04474A
Creep deformation in an alumina-silicon carbide composite produced via a directed metal oxidation [DIMOX] process.—75-06954A
Creep deformation of ceramic matrix composites.—75-04475A
Creep failure process for fine powder beds by tensile loading.—75-06955A
Creep mechanisms in silicon nitride ceramics.—75-04476A
Creep of porcelain containing silica and alumina.—75-05161A
Creep of silver at 900°C.—75-08278A
Damage tolerance of high-temperature composite systems.—75-04484A
Deformation of interparticle necks by diffusion-controlled creep.—75-04279A
Effect of creep on compliance of hot-pressed silicon nitride in bending tests under partial unloadings.—75-04495A
Effect of oxidation on creep of silicon-nitride-based ceramics.—75-01989A
Effects of grain boundary structure on creep behavior for Si_3N_4/SiC nanocomposites.—75-02045A
Elevated temperature creep and cyclic creep behavior of fiber reinforced ceramics.—75-04508A
Enhancement of creep resistance of a sintered Si_3N_4 ceramic by microwave annealing.—75-04512A
Environmental effects on creep and stress-rupture properties of advanced SiC fibers.—75-04513A
Evolution of internal stresses in composites during creep.—75-04516A
Grain size effect on creep deformation of alumina-silicon carbide composites.—75-04545A
High-temperature creep of yttrium aluminum garnet single crystals.—75-06990A
Influence of oxygen partial pressure on the creep characterization of a superplastic 4 mol% yttria partially stabilized zirconia.—75-06996A
Life prediction model for continuous fiber-reinforced ceramic composites under creep conditions.—75-04576A
Mechanical behavior of an alumina fiber-reinforced silicon carbide matrix composite at high temperature.—75-04585A
Microstructural stability and creep behavior of Si-C-O (Nicalon) fibers in carbon monoxide and argon environments.—75-09655A
Newtonian flow process in polycrystalline silicon carbides: diffusional creep or Harper-Dorn creep.—75-07018A
Numerical analysis of fracture and high-temperature creep characteristics of composites with discontinuous ductile reinforcements.—75-04611A
Particle/matrix interface and its role in creep inhibition in alumina/silicon carbide nanocomposites.—75-02084A
Phenomenological relation between final stage densification and creep rate in hot isostatically pressed Si_3N_4-based ceramics.—75-09660A
Relation between internal friction and tensile creep deformation on alumina ceramics.—75-04620A
Residual stresses in joined ceramic-metal structures—FEM studies of interlayer and creep effects.—75-02541A
Space-charge-controlled diffusional creep: volume diffusion case.—75-01776A
Tensile creep behavior of a vitreous-bonded aluminum oxide under static and cyclic loading.—75-07042A
Tensile creep rupture and subcritical crack growth of silicon nitride.—75-04648A
cristobalite,
Effect of cristobalite seed on the crystallization of fused silica based ceramic core—a kinetic study.—75-03787A
New "incipient-wetness" method for the synthesis of chemically stabilized ß-cristobalite.—75-03527A
Positive temperature coefficient of resistance effect in hot-pressed cristobalite-silicon carbide composites.—75-05442A
Pressure behavior of α-cristobalite.—75-03825A
Pressure-induced phase transition in cristobalite: an X-ray powder diffraction study to 4.4 GPa.—75-03826A
critical current density,
Bi oxide superconductors.—75-08451P
Correlation of transport and magnetic critical currents in melt-processed $YBa_2Cu_3O_{7-\delta}$ thick films.—75-00778A
Critical currents in composites of HTSC+semiconductor at different concentrations of carriers.—75-08280A
Effect of an intermediate SnI_4 coating treatment on the critical transport current of the high-T_c superconductor YBCO.—75-08293A
Effect of rhenium oxide addition on the superconducting characteristics in $YBa_2Cu_3O_x$.—75-00792A
High-temperature superconducting current limiter.—75-08458P
Influence of hydrogenation on inter- and intragranular critical currents in $YBa_2Cu_3O_{7-\delta}$.—75-00813A
Influence of the cold deformation procedures on the critical current distribution in Ag-$(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes.—75-05786A
Magnetic properties of fullerene superconductors.—75-08357A
Preparation and critical current density of a Bi-based superconducting whisker composite.—75-00848A
$REBa_2Cu_3O_{7-x}$-type oxide superconductive material having high critical current density and process for preparation thereof.—75-08485P
Redistribution of local current densities in high-T_c ceramics in external magnetic fields.—75-00857A
Self-field ac losses and critical currents in multitube Ag-Bi-2223 conductors.—75-08409A
Superconductor and method of producing same.—75-08491P
Thickness dependence of critical current density for electrophoretically deposited $YBa_2Cu_3O_{7-x}$ films.—75-00890A
Transport critical current density above 10^5 A cm^{-2} at 77 K in $Bi_{1.8}Pb_{0.4}Sr_2Ca_{2.2}Cu_3O_x$ superconducting tapes made by the Ag wire-in-tube method.—75-08443A
critical fields,
Fluctuation shift of T_c and width of the critical field in high-temperature superconductors.—75-05769A
Lower critical field and surface barrier in sintered $Bi_2Sr_2CaCu_2O_{8+\delta}$ superconductor.—75-05790A
crucibles,
Crucible and method for its use.—75-07258P
Crucible materials for the plasma treatment of radioactive waste.—75-08499A
Operation of graphite-containing crucibles in nonferrous metallurgy.—75-07618A
Quick change crucible for vacuum melting furnace.—75-00278P
crushing,
Equipment for fine crushing of ceramic materials (review).—75-08521A
Results of pressing and heating some solid industrial process wastes alone with water as a binder.—75-00984A
cryogenics,
Applicability of ceramics for cryogenic use.—75-01074A
cryolite,
Reaction of molten cryolite with refractory ceramics.—75-00268A
crystal chemistry,
Crystal chemical modeling of the Li ion distribution in $Li_xMn_2O_4$.—75-03777A
Phase equilibria and crystal chemistry in the system Sr-Ca-Cu-O under high oxygen pressure.—75-08391A
Physics and Chemistry of Earth Materials.—75-02167B
crystal growth,
Ceramic Transactions, Volume 60: Crystal Growth of Novel Electronic Materials.—75-02161B
Challenging issues in bulk crystal growth modeling.—75-03769A
Classification of growth microdefects in silicon crystals grown by the Czochralski method.—75-06840A
Crystal growth and phase transition of piezoelectric $KAlSiO_4$.—75-08122A
Crystal growth and scintillation properties of CeF_3.—75-00182A

Crystal growth and superconductivity of Bi-Sr-Ca-Cu-Al-O materials.—75-00781A
Crystal growth of nonstoichiometric oxide materials using double-crucible CZ [Czochralski] method.—75-03983A
Czochralski growth of photorefractive bismuth silicon oxide [BSO] crystals.—75-03985A
Determination of optimal crystal growth conditions of complex compounds using phase solubility diagrams of ternary systems. Growth and properties of single crystals.—75-06202A
Devitrification behavior of oxynitride glasses.—75-02643A
Directionally solidified mullite fibers.—75-03884A
Effect of crystal growth on Ti^{3+} centers in $KTiOPO_4$.—75-01453A
Effect of gadolinium on the properties of IV-VI crystals grown from melt.—75-05291A
Features in growing CdTe crystals from melt.—75-03028A
Features of dislocationless Si crystals grown by the floating crucible method.—75-06607A
Features of growth and properties of Tb-doped Y-123-type single crystals.—75-08320A
$GaBO_3$ crystal growth from flux.—75-06626A
Growth morphology and stability of the solid-liquid interface in Bi-Sr-Ca-Cu-O oxides.—75-00809A
Growth of crystals for infrared detectors and second harmonic generation devices.—75-03039A
Growth of olivine, $(Fe_xMg_{1-x})_2SiO_4$ [$0 \le x \le 1$], single crystals with uniform composition along the growth direction by the floating zone method.—75-04061A
Growth, preparation, and surface modification of microcrystalline diamond powder for the synthesis of diamond ceramics.—75-09325A
HgCdTe crystal growth and infrared device technology.—75-03046A
Imaging single nacreous tablets with the atomic force microscope.—75-01865A
Nucleation and crystal growth of $Li_2O{\cdot}2SiO_2$ in a microwave field.—75-00217A
Reasons for formation of crystals with the *c*-axis oriented parallel to the substrate plane in $YBa_2Cu_3O_{7-\delta}$ films.—75-05824A
Single-crystal growth of complex oxides by floating zone method.—75-06762A
Stochastic model of the growth of an A-type crystal by molecular beam epitaxy.—75-09451A
Supercrystallite quasi-crystalline formations in boron nitride.—75-06378A
Thermodynamic analysis of growth conditions of $Zn_{1-x}Cd_xSe$ solid solution single crystals.—75-08083A
Thermodynamic analysis of the precipitation process from gas phase of $(AlN)_x(SiC)_{1-x}$ solid solutions.—75-06393A
Top-seeded solution growth of borate crystals for nonlinear optical applications.—75-04260A
Y_2O_3 single crystals: growth, structure, and photoinduced effects.—75-06415A

crystal structure,
S- and *D*-condensate superpositions in the HTSC crystals with strong uniaxial crystalline fields.—75-05723A
Characterization of BN-rich layer on ammonia-treated Nextel 312 fibers.—75-04301A
Classification of phyllosilicates according to the symmetry of their octahedral sheets.—75-03772A
Cluster simulation of the ideal and defect structures of ZnO by the self-consistent-field X_α scattered wave method.—75-09495A
Commensurate variant of the $A_{14}Cu_{24}O_{41}$-type crystal structure of a new $(Nd,Y,Sr,Ca)_{14}(Cu,Ca,Sr)_{24}O_{41}$ compound.—75-08882A
Creep and stability of pollucite.—75-02031A
Crystal structure of a new representative of the ring silicates.—75-06191A
Crystal structure of Al-rich mullite.—75-03778A
Crystal structure of endohedral metallofullerene LaC_{82}.—75-01210A
Crystal structure of neptunyl oxalate hexahydrate $(NpO_2)_2C_2O_4{\cdot}6H_2O$.—75-08894A
Crystal structure of proton-exchanged $LiNbO_3$ waveguides.—75-00642A
Crystalline phases and mechanical properties of TZP ceramics prepared from sol-gel powders.—75-06437A
Effect of crystal dynamics on properties of inorganic materials.—75-06210A
Electronic properties of $C_{59}BN$ fullerenes.—75-01286A
Heat treatment of ilmenite concentrates.—75-06034A
Influence of quantizing magnetic field on the energy spectrum of electrons in quasi-two-dimensional layers of multivalley semiconductors.—75-03062A
Interphases in ceramic matrix composites.—75-09346A
Intervalley redistribution of electrons under impact ionization of neutral donors in uniaxially strained germanium crystals.—75-03071A
Magnetic Ceramics.—75-02165B
Magnetic state of crystals with tetragonal symmetry.—75-06267A
Mosaic structure of PbTe crystals.—75-08989A
New look at the nature of 1-2-3 polymorphism.—75-05801A
New possibilities of X-ray diffraction analysis in assessing structural perfection of III-V and II-VI compounds.—75-05970A
Rietveld refinement of the crystal structures of the yttrium silicon oxynitrides $Y_2Si_3N_4O_3$ (N-melilite) and $Y_4Si_2O_7N_2$ (J-phase).—75-09053A
Role of water in the formation of the crystal structure of $Ca(PUO_6)_2{\cdot}nH_2O$ and $Ca(AsUO_6)_2{\cdot}nH_2O$ compounds.—75-08509A
Scanning tunneling microscopy (STM) and scanning force microscopy (SFM) of liquid crystals and polymers.—75-01929A
State and crystal structure of products of the interaction of SiC and SiO_2.—75-06370A
Straightforward identification of the *a* and *b* crystalline axes in $YBa_2Cu_3O_7$ single crystal by a polarizing microscope setup.—75-08419A
Stratification of fullerenes.—75-01244A
Structure and oxidation behavior of pitch and resin resultant carbon.—75-05144A
Structure perfection features of SiC-6H crystals grown by modified Lely method.—75-05490A
Studies of C_{60} films deposited using ionized cluster beam deposition technique.—75-01248A
Synthesis and crystal structure of $Li_2NaTa_3O_{10}$.—75-05215A
Synthesis of $CsM^{II}M^{III}P_6O_{18}$ cyclohexaphosphates with M^{II}=Mg, Co, Zn, or Mn and M^{III}=Al, Ga, V, or Fe. The crystal structure of $CsZnVP_6O_{18}$.—75-09469A
Three-dimensional cluster lattices.—75-03187A

crystalline materials,
^{27}Al MAS NMR of crystalline and amorphous materials.—75-01367A
Crystalline ceramic fiber and method of manufacturing same.—75-08570P
Dielectric properties and phase transition temperature of ferroelectric liquid crystals.—75-03222A
Fixing large zeolite and zeolite-like molecular sieve crystals on moldings.—75-01111P
Microscopic characterization of crystalline phases in waste forms.—75-03480A
Microwave absorption in ionic crystalline ceramics with various concentrations of point defects.—75-01228A
Process for the production of silicon nitride.—75-06139P
Quantitative HRTEM—measuring projected potential, surface roughness, and chemical composition.—75-01916A
Synthesis of crystalline ferrites below 60°C.—75-08245A

crystallinity,
Aspects of crystalline silica in silica fume.—75-02112A
Calibrated method for crystallinity determination of hydroxyapatite coatings.—75-01205A
Carbon components of silica fume.—75-01206A
Comparative biological properties of HAp plasma-sprayed coatings having different crystallinities.—75-03873A
Crystallinity and stoichiometry of nanostructured sol-gel-derived $BaTiO_3$ monolithic gels.—75-08895A
Low-frequency vibrational spectra of the vitreous and crystalline germanium dioxide.—75-02593A
Properties of a loess-cinder-flotation waste system using a simplex-latticed design.—75-07362A
Pseudomorphic transformations of euhedral crystals of γ-AlOOH into aluminas.—75-03829A
Si-B-(N,C)—a new ceramic material for high performance applications.—75-03712A
Variations in composition and crystallinity of hydroxyapatite (HAp) preparations.—75-01098A

crystallites,
System for high sensitivity measurement of twisted nematic liquid crystal display cell gap by using a photoelastic modulator.—75-04252A
Wet chemical syntheses of ultrafine multicomponent ceramic powders through gel to crystallite conversion.—75-06829A

crystallization,
Apatite crystallization from metastable calcium phosphate solution on sol-gel prepared silica.—75-06159A
Blue light electroluminescence from doped μc-SiC prepared by excimer (ArF) laser crystallization.—75-01141A
Computer modeling of the crystallization of 2-D anharmonic glasses.—75-08645A
Controlled crystallization and properties of zirconium fluoride-based glass-ceramics.—75-04887A
Correlation of crystallization character of glass melts with the temperature dependence of their viscosity and the degree of spatial structural connectiveness.—75-02635A
Crystallizability of optical glasses and their melts.—75-02580A
Crystallization and crystallizing processes to produce controlled-properties solid particles.—75-05895A
Crystallization and densification of sol-gel mullite powders.—75-01211A
Crystallization and sinterability of cordierite-based glass powders containing CeO_2.—75-04946A
Crystallization and transformation of aluminum orthophosphates in organic solvent containing a small amount of water.—75-06196A
Crystallization behavior and microstructure evolution of $(Al,Fe)_2O_3$ synthesized from liquid precursors.—75-06197A
Crystallization kinetics of Fe-doped Al_2O_3.—75-03779A
Crystallization kinetics of high-cordierite glass.—75-02581A
Crystallization of Fe-B-Si metallic glass during ball milling.—75-02449A
Crystallization of glass phase in compositions of high-aluminous ceramics with copper and boron oxide additives.—75-04889A
Crystallization of grain boundary phases in silicon nitride and SiAlON ceramics.—75-03780A
Crystallization of hydroxyapatite under Langmuir monolayers.—75-08899A
Crystallization of inviscid melt spun calcia-alumina eutectic fibers.—75-03781A
Crystallization of lanthanide-doped $YBa_2Cu_3O_{7-\delta}$ ceramics as a method for preparing yttrium-containing high-T_c superconductors with high critical current densities.—75-08281A
Crystallization of mullite from rapidly quenched melt.—75-01212A
Crystallization of sol-gel-derived lead zirconate titanate thin films in argon and oxygen atmospheres.—75-00644A
Crystallization of the nanophase in silicon nitrides.—75-03782A
Crystallization of TiO_2-doped glass-ceramic in the system $MgO\text{-}CaO\text{-}SiO_2\text{-}P_2O_5$.—75-00210A
Crystallization of ZBLAN glass.—75-04891A
Crystallization of zirconia under hydrothermal conditions.—75-01213A
Crystallization process of vitreous sodium trimetaphosphate: I, Crystallochemical aspect.—75-06198A
Densification and crystallization of zirconia thin films prepared by sol-gel processing.—75-01424A
DTA study of nucleation and crystallization of $MgO\text{-}CaO\text{-}SiO_2\text{-}P_2O_5$ glass-ceramics containing ZrO_2, $BaCO_3$, and Li_2CO_3.—75-00170A
Effect of cristobalite seed on the crystallization of fused silica based ceramic core—a kinetic study.—75-03787A
Effect of crystallization on the chemical durability of simulated nuclear waste glasses.—75-03460A
Effect of crystallization on the durability of mixed waste glasses.—75-03461A
Effect of nucleating agents on the crystallization of calcium phosphate glasses.—75-04893A
Effect of TiO_2, ZrO_2, and P_2O_5 on the crystallization of $SiO_2\text{-}Al_2O_3\text{-}MgO\text{-}CaO\text{-}N_2O$ glass system.—75-07297A
Effects of some physical parameters on diamond crystallization in the NaOH+Ni+C system at 1 atm.—75-09296A
Europium(III) phosphate crystallization via two intermediate modifications.—75-08927A
Fine $BaTiO_3$ powder produced by the glass crystallization technique.—75-01503A
Formation of a new bioactive glass-ceramic.—75-03648A
FTIR, DTA, and XRD study of sphene ($CaTiSiO_5$) crystallization in a ceramic frit and a nonborate base glass.—75-06236A
High-temperature properties of Yb-containing Si_3N_4.—75-03899A
Hydrogen-catalyzed crystallization of strontium titanate.—75-01221A
Influence of crystallization and washing medium on the characteristics of nanocrystalline Y-TZP.—75-09338A
Kinetics of surface crystallization of calcium sulfate in a temperature gradient.—75-06254A
Metastable crystallization of glasses in the pseudobinary diopside-akermanite system.—75-02665A
Orientation control and laser-beam-assisted crystallization of sol-gel-derived, titanium-doped $LiNbO_3$ [LNT] thin films.—75-05616A
Phase transitions in the processes of fracture and crystallization.—75-06312A
Precipitation of crystalline and noncrystalline materials from (Ca, Cd, Co, Mg, Ni, and Zn)-hydrogen carbonate solutions under stearic acid monolayer.—75-01610A
Sintering and crystallization of ground hexagonal boron nitride powders.—75-04218A
Surface and internal crystallization in glasses as determined by differential thermal analysis.—75-07316A
Synthesis and crystallization of yttrium aluminum garnet and related compounds.—75-03335A
Temperature-induced phase development in titanium-implanted silicon carbide.—75-03849A

crystallography,
3-D imaging of crystals at atomic resolution.—75-01781A
Crystallography of arbitrary grain boundaries by O lattice constructions: application to bulk $YBa_2Cu_3O_{7-\delta}$.—75-03350A
Crystallography of epitaxial growth of wurtzite-type thin films on sapphire substrates.—75-01215A

crystals,
Amorphization process of neutron-irradiated crystalline quartz studied by Brillouin scattering.—75-06157A
Ceramic substrate and a method for producing the same.—75-08564P
Correlation of the secondary electron emission coefficient of vitreous and crystalline materials with their atomization energies.—75-08889A
Crystal defect characterization with scanning tunneling microscopy: vacancies and steps on GaAs(110).—75-02983A
Determination of the preferred crystal orientation of diamond films using polarized Raman spectra.—75-08905A
Diffusional mobility of nonequilibrium phonons in nonideal crystals.—75-09501A
Energy localization and decay in highly ionic crystals.—75-01288A
Features of the chemical bond and lattice magnetic susceptibility of A^3B^5, A^2B^6, and $A^2B^4C_2^5$ crystals.—75-07888A
First results on large cerium fluoride crystals in a test beam.—75-00187A
Inorganic scintillating crystals and their radiation damage.—75-04284A
Method for forming tabular diamond crystals.—75-03738P
Optical characterization of Ho^{3+} ions in $LiNbO_3$ and in $LiNbO_3$:MgO crystals.—75-06293A
Optical processes in semiconductor nanocrystallites (quantum dots)—review.—75-07995A
Photoelectrical phenomena in structures based on high-resistivity crystals with interface semiconductor–thin insulating layer.—75-05428A
Photorefraction in crystals with a nonstationary photovoltaic current.—75-06316A
Piezoelectric crystal element.—75-03271P
Problem of interrelation between electronic structures in noncrystalline substances and crystals.—75-02677A
Scratching experiments on quartz crystals: orientation effects in chipping.—75-07029A
Van de Graaff ion beams as a useful instrument of scintillation study of crystals.—75-01051A

cullet,
Cullet and recycling products.—75-02582A

cuprates,
^{139}La nuclear quadrupole resonance and relaxation in Zn-doped La_2CuO_4.—75-03760A
^{35}Cl nuclear magnetic resonance study of magnetic ordering in $Sr_2CuO_2Cl_2$ single crystal.—75-03761A
$(BaTiO_3)_m(Gd,Ce)_2Cu_2O_7$: a new homologous series of layered cuprates containing various layers of perovskite units.—75-06148A
$(Hg_{0.8}Tl_{0.2})Sr_2(Ca_{1-x}Y_x)\ Cu_2O_{6+\delta}$: a new series of mercury-based 1212 superconductors.—75-08257A

Angle-resolved time-of-flight spectrometry of neutrals laser ablated from $Nd_{1.85}Ce_{0.15}CuO_4$.—75-01787A
Annealing temperature and O_2 partial pressure dependence of T_c in $HgBa_2CuO_{4+\delta}$.—75-00771A
Anomalous T^3 inverse Hall mobilities observed in $Sr_{1-x}Ca_xCuO_2$ and $Sr_{0.9}Nd_{0.1}CuO_2$ infinite layer thin films.—75-05725A
Anomalous long-time tail behavior of spin-spin correlation in the normal state of $Tl_2Ba_2CuO_x$.—75-05726A
$Bi_2W_{1-x}Cu_xO_{6-x}$ ($0.7\leq x\leq 0.8$): a new oxide ion conductor.—75-05175A
Bulk and microscopic characterization of bismuth cuprate (2212) tin composites.—75-00774A
Characterization of $GdBa_2Cu_3O_{7-x}$ superconducting thin films by a new optical interference fringe method.—75-05735A
Characterization of $Tl_2Ba_2CaCu_2O_8$ films prepared by laser ablation of $Ba_2CaCu_2O_x$ precursor targets and ex situ thalliation.—75-08272A
Collective magnetic excitations of Ho^{3+} ions in grain-aligned $HoBa_2Cu_3O_7$.—75-03346A
Combined electronic nuclear magnetic ordering of the Ho^{3+} ions and magnetic stacking faults in $HoBa_2Cu_3O_x$ (x=7, 6.8, 6.3).—75-03347A
Compositional and structural study of the phase $BaZr_{1-x}Cu_xO_{3-2x}$.—75-03348A
Consideration of Bi_2CuO_4 in the Bi_2O_3-CuO system.—75-00777A
Copper content and superconductivity of $Nd_{1.85}Ce_{0.15}Cu_{1+\delta}O_y$.—75-05739A
Cu site substitution effect on the Hall coefficient of $La_{2-x}Sr_xCuO_4$.—75-05740A
Dependence of the magnetic properties of $Gd_{2-x}Ce_xCuO_4$, $0\leq x\leq 0.15$, on their particle size.—75-03353A
Determination of phase diagram cuts in the $BiO_{1.5}$-SrO-CaO-CuO system.—75-08287A
Disappearance of three-dimensional magnetic ordering in Gd_2CuO_4.—75-03358A
Doping effects on transition temperature of La_{2-x}(Ca, Na, K)$_xCuO_4$ superconductors.—75-05747A
Dy_2BaCuO_5 pattern formation in isothermally nonseeded melt-textured $DyBa_2Cu_3O_7$ – with 15 wt% Dy_2O_3 addition.—75-08292A
Effect of the substitution of Sm for Ba on the superconductor $SmBa_2Cu_3O_x$.—75-08299A
Ejection of positive ions from plasmas induced by laser ablation of Si and $Nd_{1.85}Ce_{0.15}CuO_4$.—75-01477A
Energy bands, Fermi surface, and density of states in the superconducting state of $La_{2-x}Sr_xCuO_4$.—75-05766A
Enhancement of T_c in argon-pretreated $NdSrBaCu_3O_{6+z}$.—75-00800A
Formation and decomposition of $LaBa_2Cu_3O_{7-\delta}$.—75-05770A
Formation kinetics of polycrystalline $Eu_{2-x}Ce_xCuO_{4-y}$ obtained from a sol-gel precursor.—75-00806A
High-resolution X-ray scattering studies of epitaxial $GdBa_2Cu_3O_{7-\delta}$ thin films.—75-03373A
Hydrostatic pressure on $HgBa_2CaCu_2O_{6+\delta}$ and $HgBa_2Ca_2Cu_3O_{8+\delta}$.—75-00811A
Influence of chromium on the formation of the bismuth system superconductors.—75-05779A
Influence of the annealing atmosphere on the superconductivity in $(Pb,Sr)Sr_2(Cu,Ca)Cu_2O_y$.—75-05785A
Liquid-phase-assisted synthesis of single thallium layer superconductors.—75-00815A
Local chemical composition of HgBaCaCuO high-temperature superconductors.—75-00816A
Low magnetic relaxation in a single-crystal and a melt-processed $NdBa_2Cu_3O_{7-\delta}$ sample.—75-08354A
Magnetic order of Pr ions in related perovskite-type Pr 123 compounds.—75-03380A
Magnetic ordering and electric polarizability of Zn-doped $La_2CuO_{4+\delta}$ single crystals.—75-03381A
Magnetic susceptibility studies in Gd_2CuO_4 below 300 K.—75-01307A
Microwave resonance absorption in antiferromagnetic Bi_2CuO_4.—75-05695A
Mossbauer emission measurements on highly dilute ^{57}Fe impurities in the high-T_c superconductors $La_{2-x}Sr_xCuO_4$.—75-00834A
Neutron powder diffraction study of $(Bi_{0.35}Cu_{0.65})YSr_2Cu_2O_7$.—75-06286A
New method for the synthesis of $HgBa_2Ca_2Cu_3O_{8+\delta}$.—75-08380A
Out-of-plane magnetoresistivity for fields parallel to the c-axis in single-crystalline $(La_{1-x}Sr_x)_2CuO_y$.—75-00840A
$Pb_2Sr_2Y_{1-x}Eu_xCu_3O_{8+\delta}$ [x=0, 0.25, 0.5, 0.75, 1] system by ^{151} Mossbauer resonance and X-ray diffraction.—75-09006A
Phase diagram and phase separation in $La_{2-x}Sr_xCuO_{4+\delta}$.—75-03391A
Phase diagram of the Bi-Sr-Cu-O system.—75-06299A
Phase equilibria of the La_2O_3-SrO-CuO system at 950°C and 10 kbar.—75-08392A
Polaron imprints in the ir spectra of Nd_2CuO_{4-y}.—75-06321A
Preparation and characterization of Bi-based single crystals of high-T_c superconductors.—75-05817A
Properties of $(Tl_{1-x}Pb_x)Sr_2Ca_{2.05}Cu_{3.2}O_y$.—75-00853A
Properties of polycrystalline samples of $Nd_{2-x}Ce_xCuO_{4-y}$ obtained from a sol-gel precursor.—75-00854A
Redox response model for partly substituted cuprates.—75-00858A
Relationship between weak ferromagnetism, superconductivity, and lattice parameter in the $A_{2-x}B_xCe_yCuO_4$ (A,B≡La, Pr, Nd, Sm, Eu, Gd, Y) compounds.—75-03398A
Relaxation of dc magnetization of Gd_2CuO_4.—75-05707A
Reproducible synthesis by metallorganic chemical vapor deposition and thallium vapor diffusion of oriented thin-film $Tl_{1+x}Ba_2Ca_2Cu_3O_{9+\delta}$: intergrowth of $TlBa_2Ca_2Cu_3O_9$ and $Tl_2Ba_2Ca_2Cu_3O_{10}$ structures.—75-08408A
Scaling behavior of virgin magnetization curve of $DyBa_2Cu_3O_x$ crystal prepared by melt-textured growth method.—75-00860A
Simple double-layer cuprates: 60 K superconductivity in a lanthanum barium strontium copper oxide.—75-05829A
Sm_2BaCuO_5 refinement via an attrition milling and CeO_2 addition in Sm-Ba-Cu-O systems melt textured at oxygen partial pressures of 0.001–1 atm.—75-08412A
Stabilization of superconducting phases in thallium-barium-copper oxide system by fluorine substitution $[TlBa_2CuO_{5-\delta}F_\delta]$.—75-05834A
Structural and defect properties of high-T_c oxides determined by atomistic lattice simulation.—75-05835A
Structural transition and superconductivity of Mo-stabilized $R_{1-x}Ca_xSr_2Cu_3O_{7-\delta}$ compounds (R=Pr, Nd, Y).—75-00870A
Structures of high-temperature cuprate superconductors.—75-00871A
Superconducting properties of (1223) and (2223) phases in Tl-Ba-Ca-Cu-O thin films.—75-08429A
Superconducting thallium cuprates obtained by substitution of copper for thallium in the double-thallium layer cuprate.—75-05839A
Superconductivity of 1212-type phase $TlSr_2(Ca, Cr)Cu_2O_7$ and $TlSr_2(Sr, Tm)Cu_2O_7$.—75-05840A
Surface barriers and two-dimensional collective pinning in single-crystal $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ superconductors.—75-00876A
Susceptibility of $ErBa_2Cu_3O_8$ single crystal: a dipolar antiferromagnet.—75-00882A
Thallium solubility range in $Tl_{2-x}Ba_2Ca_{n-1}Cu_nO_{2n+4-x}$ superconductors.—75-05850A
Theory of spin dynamics in the metallic cuprates.—75-00887A
Thermodynamic and kinetic studies of the phase transitions in $Tl_2Ba_2CuO_{6+x}$.—75-03854A
Tl-based superconductors for high-current, high-field applications.—75-08442A
Transport and magnetic properties of polycrystalline $Sm_{2-x}Ce_xCuO_{4-y}$ [$0.15\leq x<0.18$].—75-03420A
Two-dimensional magnetic order in $Pb_2Sr_2TbCu_3O_8$.—75-03421A
Two-magnon absorption in Nd_2CuO_4.—75-01255A
Unconventional oxygen doping behavior in $HgBa_2Ca_2Cu_3O_{8+\delta}$.—75-05857A

Curie temperature,
Domain inversion in $KTiOPO_4$ crystal near the Curie point.—75-01826A
Process for producing lithium niobate single crystal.—75-08188P

curing,
Curing of preceramic articles with gaseous hydrogen halide.—75-08571P
Effect of staking sequence of laminated composite with different cure on the fracture mechanics at elevated temperature.—75-04501A
Effects of curing temperature on hardening and properties of low cement castables.—75-04815A
Heat-cured-induced expansion.—75-00040A
Monitoring the cure of thin-layer polymides on glass substrates with photoacoustic infrared spectroscopy.—75-00353A
Ultraviolet curing of highly loaded hydroxyapatite suspension.—75-04266A

currents,
Current kinetics and kinetic coefficients in pulse fields.—75-05269A
Forward and reverse current in 6H-SiC-based p-n structures prepared by container-free liquid-phase epitaxy.—75-05326A
Influence of sample geometry on the current-voltage characteristics of p-n junctions in a high microwave field.—75-07927A
Intermediate state of a controlled four-layer p-n-p-n structure.—75-05353A
Limited thermoelectric figure-of merit of crystalline semiconductor materials.—75-05359A
Mechanical and electronic manipulation of nanometer-sized wires.—75-03526A
Microwave testing of high-T_c-based direct current to a single flux quantum converter.—75-00833A
Nonlinear dynamics of the normal band in thin HTSC films with transport current.—75-08384A
Polarization currents in zinc oxide varistors from 77 to 450 K.—75-00574A
Quantum Hall effect in a sample of nonstandard geometry.—75-05456A
Reverse current in Cu_xS/ZnS(Cu) heterojunctions.—75-05465A
Special features of temperature dependence of threshold current density of DH lasers with a thin active region based on GaInAsSb.—75-05480A
Spontaneous switching of the impact ionization current in p-n junction.—75-03168A
Thermally stimulated current of n^+-p junction with high resistance in series.—75-05504A
Variations of order parameter and bias current distribution with time in thin-film superconducting lines.—75-08445A
Voltage-current characteristic of the heterostructure on the basis of disordered zinc selenide.—75-05514A

cutting tools,
Agile and green manufacturing and superhard-coated cutting tools.—75-08510A
Ceramic cutting tool reinforced by whiskers.—75-06078P
Cermet cutting tool and process for producing the same.—75-00153P
Cermet sintered body.—75-04874P
Chemical interaction between a SiAlON cutting tool and iron-based alloys.—75-02445A
Cutting tool.—75-07259P
Diamond and CBN cutting tools.—75-03731P
Diamond-coated inserts, drills, and end mills.—75-08803A
Dynamic cutting forces during machining with ceramic cutting tools.—75-00953A
Effect of mechanical properties of the matrix of the diamond tool on cutting ability.—75-02041A
Evaluation of advanced alumina-based ceramic tool inserts when machining high-tensile steel.—75-04850A
Functionally gradient carbide superhard alloy for cutting tool.—75-04855A
Group IVB boride based cutting tools for machining group IVB based materials.—75-01168P
In situ temperature measurement on diamond-coated tools: a new instrument for optimizing cutting processes.—75-08674A
Machining performance of zirconia cutting tools.—75-01028A
Materials bonding by combustion synthesis.—75-04858A
Method of coating a ceramic body.—75-00995P
Methods for forming artificial diamond.—75-06132P
Microcutting characteristics on the single-crystal diamond tool with edge radius using molecular dynamics.—75-08684A
Oxide-coated cutting tool.—75-07270P
PCD [polycrystalline diamond]-tipped cutting tool systems for best-in-class manufacturing.—75-07224A
Polycrystalline cubic boron nitride abrasive particles and abrasive tools made therefrom.—75-04786P
SiC whisker- and particle-reinforced ceramic cutting tool material.—75-01135P
Silicon carbide whisker reinforced cutting tool material.—75-03682P
Silicon nitride based cutting tool insert.—75-01196P
Silicon nitride ceramic and cutting tool made thereof.—75-08843P
TiC-base/SiC whisker composite ceramic cutting tools.—75-03758P
Titanium carbonitride-based cermet cutting insert.—75-07278P
Wear mechanism of diamond-coated cutting tools.—75-09693A
Wear mechanisms in ceramic cutting tools.—75-09694A
Wear-resistant cubic boron nitride-based cutting tool.—75-06143P
Wear-resistant titanium carbonitride-based cermet cutting insert.—75-04879P
Whisker- and particle-reinforced ceramic cutting tool material.—75-01140P

cutting,
Applications for precision cutting of sharpening CVD diamond film.—75-08512A
Cutting technology expands glass production.—75-02706A
Particulate paste cutting.—75-05906A

cyclic fatigue,
Cyclic fatigue at high temperatures of ceramic matrix composites.—75-04477A
Cyclic fatigue behavior of in situ toughened silicon nitrides.—75-02035A
Cyclic fatigue behavior of SiC/SiC composites at room and high temperatures.—75-09611A
Cyclic fatigue of hot isostatically pressed silicon nitride at elevated temperatures.—75-06956A
Cyclic fatigue–crack growth in Si_3N_4 ceramics.—75-04479A
Fracture mechanics fatigue tests and crack growth behaviors of ceramic materials up to very high temperatures.—75-02054A
High-temperature cyclic fatigue behavior of two kinds of ceramic composites.—75-04551A
Influence of ceramic particle content on the cyclic fatigue and fracture behavior of an aluminum alloy metal-matrix composite.—75-00105A
Room-temperature cyclic fatigue of reaction-bonded silicon nitride using the double cleavage drilled compression specimen.—75-02093A
S-curve behavior and temperature increase of ceramic matrix composites during fatigue testing.—75-04623A
Statistical aspect on fatigue fracture of structural ceramics under cyclic loading.—75-02097A
Tensile and cyclic fatigue behavior of a carbon-carbon composite at room temperature.—75-04645A

cyclones,
Cyclone separators for fine particles and difficult operating conditions.—75-05897A

cylinders,
Theoretical description of a two-dimensional compaction process of cylinders.—75-01729A

damage,
Amorphization and recrystallization of 6H-SiC by ion beam irradiation.—75-00414A
Comparison of microwave ECR and rf plasmas for dry etching of single-crystal 6H-SiC.—75-00438A
Concept for a damage-tolerant ceramic composite with strong interfaces.—75-02026A
Contact damage in plasma-sprayed alumina-based coatings.—75-04846A
Corrosion and fretting damage of nonoxide ceramics in presence of water vapor.—75-01984A
Cyclic damage in lead zirconate titanate.—75-05542A
Damage and failure in model unidirectional CVI composites.—75-04480A
Damage assessment of fiber/matrix interface in ceramic matrix composites using elastic stress waves.—75-03554A
Damage detection in composite structures using piezoelectric materials.—75-03220A
Damage evaluation of functionally gradient materials caused by cyclic thermal shock.—75-02450A
Damage mechanisms in CMCs as assessed by ultrasonic measurements.—75-04481A
Damage mechanisms modeling for ceramic composites.—75-04482A
Damage processes and nonlinearity in ceramic matrix composites.—75-04483A
Damage tolerance of silicon carbide and alumina matrix surface composites.—75-04485A

Documentation on international technical articles relating to the heavy clay industry.—75-00241A
Effect of materials properties on spherical particle impact damage for ceramics.—75-02040A
Generation of delocalized E_δ' defects in buried Si oxide by hole injection.—75-01757A
Impact damage behavior of CVD-coated silicon nitride for gas turbines.—75-06107A
Inorganic scintillating crystals and their radiation damage.—75-04284A
Life prediction model for continuous fiber-reinforced ceramic composites under creep conditions.—75-04576A
Machining damage in engineering ceramics [analyzed] by fracture mechanics, fractography, and X-ray diffraction.—75-04579A
Nondestructive characterization of structural ceramic components.—75-03586A
Overview of impact damages in ceramic materials for impact velocity below 2 km/s.—75-07019A
Photorefractive damage in $LiNbO_3$ thin-film optical waveguides grown by liquid phase epitaxy.—75-00684A
Spatially resolved measurement of lattice damage in alpha-particle-irradiated type IIa natural diamond by confocal photoluminescence microscopy.—75-01936A
Statistical criterion of characterization on failure and damage of ceramic materials after thermal shock.—75-04631A
Strain fields and damage around notches in ceramic matrix composites.—75-02098A
Stress analysis of elastic-plastic contact damage in ceramic coatings on metal substrates.—75-09673A
Surface damage and crack growth in indented ceramics.—75-09678A
Surface damage of yttria–tetragonal zirconia polycrystals and magnesia-partially-stabilized zirconia in single-point abrasion.—75-01042A
Tensile damage development in fiber-reinforced ceramic matrix composites.—75-04649A
Thermal shock damage in a two-dimensional woven fiber-reinforced CVI SiC matrix composite.—75-09680A
Thermal shock testing of refractories and the energy balance approach to damage assessment.—75-07680A

damping,
ShearDamping of advanced ceramic structures.—75-08542A
Vibration damping of laminated composites with viscoelastic layer.—75-04274A

databases,
ACerS/NIST phase equilibria update.—75-02110A
CAD/CAM review—a computer database of thermochemical properties.—75-04680A
CIC [Ceramic Information Center] supports ceramics community.—75-02117A
Database system DIAGRAMMA on phase diagrams of semiconducting systems.—75-05271A
Database system for the properties of ternary inorganic compounds (IBM PC version).—75-08650A
NCECA GlazeBase—an international database of glazes.—75-02878A
NCECA GlazeBase—how to access the Ceramics Gopher.—75-02879A

debonding,
Ceramic orthodontic bracket with debonding channel.—75-03667P
Detailed analysis of debonding and frictional sliding in fiber-reinforced brittle matrix composites.—75-04487A
Interfacial debonding behavior of mullite/SiC continuous fiber composite.—75-02069A
Thin bonded overlays: about the role of fiber reinforcement on the limitation of their debonding.—75-04835A

decal,
New decorating technique for tiles.—75-00292A
Ron Nagle—recent work.—75-02348A

decay,
Dye mixtures for ultrafast wavelength shifters.—75-01444A
Energy localization and decay in highly ionic crystals.—75-01288A
Forward volume wave microwave envelope solitons in yttrium iron garnet films: propagation, decay, and collision.—75-00736A
Modified fast analog technique for determining luminescence decay times of scintillators.—75-01311A
Time-resolved spectroscopy of scintillation materials using X-ray synchrotron radiation.—75-01970A

decomposition,
Catalytic decomposition of methane: CuO supported on high specific area spinels synthesized by a sol-gel process.—75-06542A
Characteristics of ferroelectric 60/40 PZT films deposited by metallorganic decomposition technology for memory applications.—75-03217A
Decomposition of methyltrichlorosilane [MTS] in hydrogen and helium.—75-03986A
Decomposition products of superconducting (Bi, Pb)$_2$Sr$_2$Ca$_2$Cu$_3$O$_{10+\delta}$.—75-00784A
Diamondlike hydrogenated amorphous carbon prepared using saddle-field glow-discharge decomposition of methane.—75-09263A
Dynamical scaling for spinodal decomposition—a small angle neutron scattering study of porous Vycor glass with fractal properties.—75-04951A
Microwave interaction with ceramics and its application to spinodal decomposition.—75-09363A
Stability of hydroxyapatite in glassy matrices.—75-02685A

decoration,
1994 Discovery Awards—the latest in decorating design and technical excellence.—75-02847A
Ceramic decoration by the four-color process.—75-04788A
Ceramic-coated metal sheet.—75-00152P
Cerdec Corp. [, Washington, PA].—75-02853A
Creative process.—75-02228A
Deco '94, SGCD's 31st Annual Seminar and Exhibition.—75-04699A
Decorating for trouble-free product.—75-02765A
Decorating in a changing world—SGCD [Society of Glass and Ceramic Decorators] '94.—75-02230A
Decorating news.—75-02707A
Decorating porcelain ware with precious and semiprecious stones and colored glass.—75-07122A
Decorating reaches new heights with Brittains papers.—75-02232A
Decorators converge for DECO '95.—75-02862A
Designing for an Italian factory.—75-02234A
Esperanza Romera.—75-02244A
Fire and light—combining ceramic and photographic processes.—75-02249A
First half sales strong in several key markets.—75-04707A
Ken Price—personal influences.—75-02282A
Method of applying a ceramic image to a complex ceramic article.—75-00296P
Micaceous clay—all that glitters.—75-02296A
New decorating technique for tiles.—75-00292A
Outside in bowls.—75-02318A
Pat Charley—pattern and influences.—75-02321A
Potters of San Vicente de Nicoya[, Guanacaste, Costa Rica].—75-02332A
Process for the production of decorative glass-ceramic articles.—75-07436P
Rotary ceramic tile glazing and decorating machine.—75-05930P
Susan Gamble—Rio de Mi Corazon.—75-02364A
Thermoplastic/thermoset table coatings or inks for glass ceramic and other hard surfaces.—75-00298P
Ultraviolet drying in ceramic decoration technology.—75-04804A

decorations,
Color trends 1995-96.—75-04691A

defects,
W defect in *n*-InP.—75-07776A
Adsorption of liquid and vapor water on TiO_2(110) surfaces—the role of defects.—75-04276A
Application of positron age momentum correlation measurement to the study of defects in electron-irradiated synthetic silica glass.—75-00179A
Atomic-scale characterization of defects on cleaved vanadium and molybdenum oxide surfaces using STM.—75-04297A
Atomistic modeling of point defects in $Bi_2Sr_2CaCu_2O_8$.—75-05730A
Atomistic simulation methods applied to defect structure and transport phenomena in solid materials.—75-09219A
Blistering phenomenon in BiSCCO-2223 high-T_c superconducting tapes.—75-08267A
Bulk and surface properties of $BaTiO_3$.—75-00301A
Ceramic Transactions, Volume 60: Crystal Growth of Novel Electronic Materials.—75-02161B
Ceramic Transactions, Volume 71: Mass and Charge Transport in Ceramics.—75-09740B
Character mechanism of formation and transformation of point defects in type IV silica glass.—75-02703A
Characteristics and formation mechanisms of defects in alumina powder compacts.—75-01800A
Characterization of a thick homoepitaxial CVD diamond film.—75-01802A
Characterization of defects in *n*-type 6H-SiC single crystals by optical admittance spectroscopy.—75-01743A
Characterization of defects in Si and SiO_2-Si using positrons.—75-01744A
Charged defects in vitreous silica.—75-06839A
Charged state of intrinsic atomic defects and thermodynamic *n-p* transition in lead selenide films.—75-07805A
Chemical Kinetics of Solids.—75-07105B
Classification of growth microdefects in silicon crystals grown by the Czochralski method.—75-06840A
Cluster simulation of the ideal and defect structures of ZnO by the self-consistent-field X_α scattered wave method.—75-09495A
Comparison of defect structure in N_2O- and NH_3-nitrided oxide dielectrics.—75-00304A
Crystal defect characterization with scanning tunneling microscopy: vacancies and steps on GaAs(110).—75-02983A
Decrease of defects of sol-gel-derived $PbTiO_3$ thin film and its grain size effect on ferroelectric properties.—75-00645A
Defect formation in ß-Al_2TiO_5 and its influence on structure stability.—75-06842A
Defect formation in silicon exposed to proton bombardment.—75-02990A
Defect formation in surface region of silicon during thermal oxidation.—75-05274A
Defect ordering in epitaxial α-GaN(0001).—75-01745A
Defect structure of pure and Sn-, Ca-doped In_2O_3.—75-09496A
Defect structure, electrical properties, and transport in barium titanate: I, Introductory remarks.—75-03877A
Defect structure, electrical properties, and transport in barium titanate: II, Consistency requirements between defect models and crystal properties.—75-03878A
Defect structure, electrical properties, and transport in barium titanate: III, Electrical conductivity, thermopower, and transport in single crystalline $BaTiO_3$.—75-03879A
Defect structure, electrical properties, and transport in barium titanate: IV, Thermopower of polycrystalline $BaTiO_3$ within the *n-p* transition range.—75-03880A
Defect structure, electrical properties, and transport in barium titanate: V, Work function.—75-03881A
Defect structure, electrical properties, and transport in barium titanate: VI, General defect model.—75-03882A
Defect structure, electrical properties, and transport in barium titanate: VII, Chemical diffusion in Nb-doped $BaTiO_3$.—75-03883A
Defect-based description of lithium diffusion into lithium niobate.—75-01746A
Defects and growth of diamond wafers.—75-01747A
Defects and hydrogen in amorphous silicon nitride.—75-06843A
Defects in superconductor thin films.—75-03351A
Defects of rare-earth garnet-germanates of calcium, strontium, and cobalt.—75-06844A
Dependence of characteristic sizes of the large-scale electrically active defect clusters on their location along the longitudinal axis of a single-crystalline ingot of InP:Fe.—75-02992A
Dependence of scintillators optical properties on intrinsic structural defects.—75-01749A
Development and analysis of defects in CdTe single crystals and epitaxial layers by X-ray topography methods.—75-07826A
Dielectric relaxation of paired defects in perovskite-type oxides.—75-05180A
Diffusion of radiation-induced intrinsic point defects in *p*-GaAs.—75-09500A
Dilatational volumes of oxygen point defects of the basal plane in perovskite structures.—75-09503A
Dispersion of charge carriers in point defects in semiconducting structures.—75-05281A
Dynamic behavior of twins in $BaTiO_3$.—75-03225A
Dynamics of point defects in HgTe-based alloys.—75-06846A
Effect of as-grown structural imperfections on defect formation in silicon under ambient treatment.—75-03000A
Effect of doping impurities on the formation of structural defects in CdTe irradiated by electrons and ions.—75-07846A
Effect of elastic force nonlinearities and the charge state on the type of equilibrium distortions of defects with an initial electron state of t_2 symmetry.—75-03003A
Effect of quasi-local In states influence on defect formation in PbTe.—75-07853A
Effect of random fields of defects on long-range order in disordered dipole systems.—75-05187A
Effect of structural defects formed in alloying of yttrium oxide by CeO_2 and in heat treatment on phase transformations.—75-09505A
Electroactive and electroinactive dopants in Bi_2Te_3 and their interaction with antisite defects.—75-05309A
Electron properties of 3C-SiC containing structural defects.—75-06847A
Electron spin resonance evidence for an impurity-related E'-like hole trapping defect in thermally grown SiO_2 on Si.—75-01753A
Energetic states of isolated native defects in cubic boron pnictides.—75-08925A
Energies and atomic structures of grain boundaries in diamond—comparison with grain boundaries in silicon.—75-01847A
EPR of radiation-induced defects in fluoroaluminate glasses.—75-04963A
EPR spectra of shallow donors responsible for the electron-stimulated reactions of defects in CdS crystals.—75-07878A
Errors of the glass viscosity measurements by the beam-bending method as a result of defects of specimen surface and shape.—75-02587A
Evaluation of LPDs [light point defects] on Si wafer surface.—75-09508A
Evolution of impurity-defect system of an undoped CdTe of *n*- and *p*-types at room temperature.—75-03023A
Evolution of structural macrodefects in $Cd_xHg_{1-x}Te$ [$x \approx 0.2$] solid solutions.—75-07882A
Features of dislocationless Si crystals grown by the floating crucible method.—75-06607A
Field emission gun scanning electron microscope-high resolution at low beam energies.—75-00954A
Flux distributions of superconductors in the presence of structural defects.—75-08325A
Formation of radiation defects in binary compounds.—75-07896A
Formulating lead-free glazes.—75-07707A
Forward conduction mechanisms in SiC *p-n* junctions.—75-00493A
Generation of delocalized E_δ' defects in buried Si oxide by hole injection.—75-01757A
Grain boundary induced perturbations in electrical ceramics.—75-09509A
High-temperature deformation and point defects in yttria.—75-09510A
Highly sensitive fluoroscopy test for ceramics with image subtraction.—75-08671A
Identification of defects and impurities in chemical vapor deposited diamond through infrared spectroscopy.—75-01758A
Identification of point defects localized near the semiconductor interface by acoustic wave perturbation.—75-07915A
Influence of light on individual defect noise in a-Si:H/a-SiN_x:H double barrier structures.—75-06475A
Influence of structural defects on the dielectric properties of ceramic microwave resonators.—75-01759A
Interaction of atomic and electron-hole subsystems and role of point defects during diffusion in semiconductors.—75-03065A
Intrinsic defects and luminescence of zinc oxide.—75-06851A
Investigation of structural defects in 4H SiC wafers.—75-01762A
Large-scale clusters of electrically active defects in GaAs single crystals.—75-05358A
Measurement and control of ion-doping-induced defects in cadmium telluride films.—75-05374A
Mechanical loss measurements on yttria- and calcia-stabilized zirconia.—75-03804A
Melt-textured YBCO [investigated] by a radioscopic technique.—75-08361A
Microheterogeneity and extended defects in $Cd_xHg_{1-x}Te$ crystals.—75-05384A

Microstructure and properties of high-temperature superconducting materials[—review].—75-05797A
Model for the high-temperature equilibrium of point defects in Sn-doped CdTe.—75-07973A
Multifrequency EPR spectroscopy and MNDO [molecular neglect diatomic orbital] calculations for the interpretation of the Si-CN^- defect center detected in oxynitride glasses for the first time.—75-07353A
Multiphonon carrier capture in deep centers in quantum wells.—75-03095A
Native defects and impurities in cubic and wurtzite GaN.—75-01766A
Native defects in wurtzite GaN and AlN.—75-01767A
Nature of defect levels in A^4B^6-type semiconducting compounds.—75-07980A
Near-surface defects created by 355-nm laser irradiation of rutile.—75-01768A
New bistable defect with deep levels in Si-doped $Al_xGa_{1-x}As$.—75-05397A
Nondestructive sonic testing of unfired refractories.—75-07616A
Observation and electronic characterization of new E' center defects in technologically relevant thermal SiO_2 on Si: an additional complexity in oxide charge trapping.—75-00555A
Observation and measurement of atomic scale imperfections in materials using CBED+EBI/H.—75-01901A
Optical and ESR spectra of the uv-induced defects in the glasses containing cadmium and zinc oxides.—75-02600A
Origin of strength-limiting defects in a toughened SiC (HEXOLOY SX-SiC).—75-04614A
Photoinduced absorption of light in a solid solution of $Cd_{0.65}Mn_{0.35}Te$ with a high concentration of defects.—75-05429A
Photoresponse of granular YBaCuO thin films.—75-08396A
Photovoltaic effect in ferroelectric ceramics with various defects.—75-08158A
Point defects and transport of matter and charge in nonstoichiometric oxides.—75-04287A
Point defects and transport of matter and charge in nonstoichiometric oxides: II.—75-09375A
Point defects of La_2CuO_4-based ceramics: I, Oxygen interstitials.—75-04288A
Problems in microelectronics (1. Diffusion. 2. Defect Formation. 3. Degradation.).—75-03136A
Process- and radiation-induced defects in electronic materials and devices.—75-04289A
Properties of C_iC_s bistable pairs in silicon.—75-03139A
Pulsed switching in triglycine sulfate crystals with defects.—75-06855A
Question of the formation of structural defects due to the stopping of fast ions in silicon.—75-03144A
Radiation defects in SiC—electron irradiation with different energies.—75-01772A
Radiative recombination and impurity-defect interaction in neutron transmutation doped gallium arsenide obtained under various conditions of crystal growth and irradiation.—75-08038A
Relationship between defect luminescence in 6H-SiC and deep level centers.—75-05461A
Resonant inspection of production parts.—75-08698A
Role of lattice defects in the size effect of barium titanate fine particles—a new model.—75-09054A
Role of macrodefects in PZT thin films for microelectromechanical systems.—75-00695A
Role of silicon particle defect structure during low-temperature nitriding.—75-04392A
Spectrum of point defects in cooled crystals of Sn-doped CdTe.—75-08060A
Strain-induced electrically active stoichiometric defects in $InAs_xP_{1-x}$ deposited onto (100)InP by gas source molecular beam epitaxy.—75-00603A
Structural and defect properties of high-T_c oxides determined by atomistic lattice simulation.—75-05835A
Structural defects in glow discharge a-Si:C:H investigated by positron annihilation spectroscopy.—75-01777A
Structural defects in semiconductors with diamondlike lattice.—75-05487A
Structural nanodefects in α-silicon nitride.—75-09517A
Substrate defects and variations in interfacial ordering of monolayer molecular films on graphite.—75-06858A
Subsurface defect detection in ceramics using an optical gated scatter reflectometer.—75-03598A
Surface chemistry of tin(IV) oxide—defects, doping, and conductivity.—75-01954A
Surface defects and local strain in polished silicon [characterized] by transmission electron microscopy.—75-09578A
Synchrotron radiation X-ray absorption of ion-bombardment-induced defects on diamond(100).—75-01779A
Systematic understanding of ceramic processing and related interfacial phenomena.—75-01725A
TEM study of growth defects in CVD diamond films.—75-04292A
Temperature quenching in luminescence of anion-defective α-Al_2O_3 crystals.—75-06859A
Transformation of the defect system across the width of CdTe wafers under diffusional doping with gallium.—75-03190A
Transmission electron microscopy and high resolution electron microscopy studies of structural defects induced in 6H α-SiC single crystals irradiated by swift Xe ions.—75-06914A
Trends in atomic resolution electron microscopy.—75-01047A
Vacancy defects in silicon carbide.—75-09523A
Vacancy defects in silicon single crystals irradiated at 77 K.—75-03195A
Vibrational states of photoinduced defects in silica fibers.—75-06405A
Visualization of large-scale electrically active defect clusters in indium phosphide and gallium arsenide single crystals [by scanning small-angle light scattering method].—75-03199A
X-ray diffraction investigation of highly defective $Bi_4Sr_4CaCu_3O_x$ single crystals.—75-05863A
X-ray topographic studies of defects in PVT 6H-SiC substrates and epitaxial 6H-SiC thin films.—75-01780A

deflocculation,
Influence of wastewaters, recovery muds, and exhausted lime upon mix deflocculation.—75-08531A
Role of deflocculants during concentration of the simulated high-level radioactive wastes.—75-03493A

deformation,
Appearance of self-deformation during hydrostatic compression of powders consisting of submicronic ionic-covalent single crystals.—75-09604A
Cavitation induced by high-temperature plastic deformation in aluminum nitride ceramics.—75-09605A
Comparative investigation of high-temperature plastic deformation of fully and unfully dense 3Y-TZP.—75-04458A
Creep deformation of ceramic matrix composites.—75-04475A
Deep levels in cadmium sulfide single crystals: a novel technique for the comparison of DLTS data.—75-02989A
Deformation and Fracture Mechanics of Engineering Materials.—75-07106B
Deformation and fracture of CeO_2-stabilized zirconia ceramics: I, Strength and deformability.—75-06957A
Deformation and fracture of zirconia ceramics stabilized by CeO_2: II, Crack resistance.—75-06958A
Deformation of interparticle necks by diffusion-controlled creep.—75-04279A
Deformation potential of wide band semiconductors.—75-07820A
Deformation textures in hot-worked polyphase ceramics.—75-06959A
Double-shear geometry for the deformation and flow of ceramics at elevated temperatures.—75-02037A
Effect of additives on densification and deformation of tetragonal zirconia.—75-06574A
Effect of defomation on thermostimulated luminescence of irradiated LiF crystals.—75-06963A
Effect of die material in molding equipment on deformation of plastic ceramic mixtures.—75-09619A
Effect of elastic deformation during electron bombardment of Si single crystals.—75-07847A
Effect of ferroelastic deformation in the parent phase on the superconducting transition temperature of $YBa_2Cu_3O_{7-\delta}$.—75-05753A
Effect of mechanical deformation and annealing on the evolution of c-axis texture of $Bi_{1.8}Pb_{0.4}Sr_2Ca_2Cu_3O_x$ superconductor hot isostatic press cladded onto an Ag substrate.—75-05754A
Green-state deformation of boehmite-coated silicon nitride compacts.—75-04056A
High-temperature deformation and cavitation in fine-grained alumina.—75-06991A
High-temperature deformation and point defects in yttria.—75-09510A
High-temperature deformation of single-crystal yttrium aluminum garnet (YAG).—75-04552A
Hysteresis loops and the inelastic deformation of 0/90 ceramic matrix composites.—75-02064A
Induced intracenter radiative transitions in a strongly deformed *p*-Ge.—75-07920A
Influence of the cold deformation procedures on the critical current distribution in Ag-$(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes.—75-05786A
Influence of uniaxial deformation on the conductivity and photoconductivity of PbS films.—75-07930A
Influence of viscous deformation at the contact point of primary particles on compaction of alkoxide-derived fine SiO_2 granules under ultrahigh isostatic pressure.—75-06999A
Interpretation of lattice fringes on electron microscopy images.—75-06884A
Mechanism for the effect of surface-active substances on the destruction of silica materials (review).—75-04595A
Near-surface deformation in alumina–silicon carbide whisker composite due to surface machining.—75-07017A
Plastic deformation and deformation softening of LiF single crystals at high temperatures.—75-09661A
Plastic Deformation of Ceramics.—75-04780B
Polarization-dependent photoconductivity in uniaxially deformed narrow-gap semiconductors.—75-03131A
Polytypic transformation and gliding behavior in polycrystalline α-SiC deformed by compression at high temperatures.—75-07021A
Post-consolidation cooling-induced distortion and residual stress in ceramic/metal composition-graded laminates.—75-02526A
Role of mechanical deformation in the acoustoelectrical effect in $YBa_2Cu_3O_{7-x}$ films.—75-05826A
Rupture of Incoloy 800 tubes in a reform furnace.—75-03630A
Spontaneous magnetoelastic deformation of the crystal lattice in the spin reorientation temperature region of the $SmFe_2$ compound.—75-09064A
Stress analysis of contact deformation in quasi-plastic ceramics.—75-09672A
Testing of concrete under closed-loop control.—75-04834A
Viscous deformation of glass-ceramics in barium aluminosilicates.—75-02745A
X-ray Berg-Barrett topography of the deformation substructure of stabilized zirconium oxide single crystals deformed at 1673 K.—75-03865A
X-ray diffraction identification of plastic deformation and quantitative measurements of high density dislocations in single-crystalline layers of heteroepitaxial systems with mismatch of lattice spacing.—75-08713A
X-ray study of the effect of adsorbed materials on the formation of dislocations during deformation of aluminum oxide microcrystals.—75-07057A

degassing,
Development of RH degasser linings at British Steel PLC.—75-07528A
Techniques in extension of campaign life for RH degasser vessel with oxygen top blowing equipment.—75-07672A

degradation,
Characteristic properties of the degradation of semiinsulating gallium arsenide during thermal treatment.—75-05177A
Degradation behavior of LaOBr:Tb under cathode ray excitation.—75-01748A
Degradation in ionic conductivity of yttria fully stabilized zirconia.—75-07720A
Degradation of photoluminescence of porous silicon exposed to ^{60}Co γ-irradiation.—75-02991A
Degradation of SiC-based fibers in high-temperature high-pressure water.—75-06921A
Degradation processes in porous high-temperature materials.—75-09612A
Diffusion of degradation products in ceramic moldings during pyrolysis: effect of geometry.—75-04280A
Fatigue life prediction of structural ceramics.—75-04527A
Oxidation and properties degradation of SiC fibers below 850°C.—75-04435A
Photodegradation of porous silicon luminescence under pulse excitation.—75-03117A
Role of O^{2-}, OH^-, and anion vacancies in the degradation of Y-TZP in moist environments.—75-06343A
Structural degradation of tobermorite during vibratory milling.—75-03842A
X-ray photoelectron spectroscopy investigation on the low-temperature degradation of 2 mol% Y_2O_3-ZrO_2 ceramics.—75-09108A

dehydration,
Dehydration and hydration of montmorillonite at elevated temperatures and pressures using synchrotron radiation.—75-03783A
Hollow ceramic microspheres by sol-gel dehydration with improved control over size and morphology.—75-08581P
Mixed hydroxide hydrogel in the ternary system ZrO_2-Al_2O_3-SiO_2: I, Kinetics of thermal dehydration in the synthetic hydrogel.—75-03806A

dehydroxylation,
Kinetics of thermal dehydroxylation and carbonation of magnesium hydroxide.—75-06255A

demixing,
Structure and composition of demixing phases in Ti-Zr-N ternary ceramic composite.—75-09067A

densification,
Analysis of densification process of carbon/carbon composites.—75-01378A
Applied dilatometry and intelligent processing of ceramics.—75-01381A
Carbon-carbon composites inductively heated and rapidly densified by thermal gradient chemical vapor infiltration: density distributions and densification mechanism.—75-09229A
Characterizations of carbon-carbon composites elaborated by a rapid densification process.—75-03966A
Constitutive law for the densification of fused silica, with applications in polishing and microgrinding.—75-02704A
Correlation of densification kinetics of polycrystalline ceramics with colloid/interface variables.—75-01415A
Crystallization and densification of sol-gel mullite powders.—75-01211A
Densification and crystallization of zirconia thin films prepared by sol-gel processing.—75-01424A
Densification and mechanical properties of shock-treated alumina and its composites.—75-06438A
Densification and properties of sol-gel-derived PZT-fibers for 1-3 composites.—75-01271A
Densification and thermal conductivity of AlN doped with Y_2O_3, CaO, and Li_2O.—75-09124A
Densification behavior and properties of Y_2O_3-containing α-SiAlON-based composites.—75-04310A
Densification behavior of metal and dielectric films on rigid substrates.—75-01425A
Densification behavior of silicone-infiltrated alumina.—75-06439A
Densification of large-size alumina objects by continuous microwave sintering.—75-01426A
Densification of Mg-PSZ.—75-01427A
Densification of mixed α′/β′-SiAlON ceramics and evaluation of their grain-boundary phase.—75-01428A
Densification of mullite precursor powders [cold] isostatically pressed of ultrahigh pressure.—75-01429A
Densification process and mechanical strength of feldspathic porcelain body.—75-08758A
Densification studies of SRBSN [sintered reaction-bonded Si_3N_4] with unstabilized zirconia by means of dilatometry and electron microscopy.—75-04311A
Development of dense nanocrystalline titanium nitride.—75-01432A
Effect of additives on densification and deformation of tetragonal zirconia.—75-06574A
Effect of cobalt(II) oxide and manganese(IV) oxide on sintering of tin(IV) oxide.—75-04000A
Effect of drying control chemical additives [DCCA] in sol-gel-glass monolith processing.—75-02709A
Effect of MnO_2 and TiO_2 doping on the densification and microstructural development of alumina.—75-01460A
Effect of Si_3N_4 powder surface chemistry on densification and secondary phase distribution.—75-01463A
Effect of sintering atmosphere on the densification and abnormal grain growth of ZnO.—75-01464A
Effects of inclusions on the densification of ceramic composites.—75-01471A
Enhanced densification by seeding of extruded boehmite gels derived by hydrothermal decomposition of basic aluminum acetate.—75-01484A
Formation of densified material.—75-00993P
Impregnation/densification of carbon-carbon composites.—

75-09332A
Influence of phase transformation on densification behavior and grain growth of fine silicon nitride powder.—75-08956A
Influence of temperature nonuniformity on ceramic sintering.—75-01547A
Internal interfaces in silicon nitride studied by high-resolution electron microscopy.—75-01879A
Methods for densifying and strengthening ceramic-ceramic composites by transient plastic phase processing.—75-03672P
Microwave densification of alumina.—75-06686A
Monolithic silicon nitride having high fracture toughness.—75-03745P
Phenomenological relation between final stage densification and creep rate in hot isostatically pressed Si_3N_4-based ceramics.—75-09660A
Post-reaction sintering of silicon nitride ceramics.—75-04144A
Powder preparation and densification of $MgSiN_2$.—75-01609A
Preparation of TiC/Ni_3Al FGMs—sintering and structure.—75-02529A
Processing and densification of ceria-zirconia ceramic through extrusion of ceramic-polymer mixture.—75-04180A
Rapid densification of carbon-carbon composites by thermal gradient chemical vapor infiltration.—75-04190A
Reaction mechanism of hot-pressed calcium α-SiAlON.—75-01643A
Self-propagating high-temperature synthesis in the production of functionally gradient material.—75-02542A
Simultaneous synthesis and densification of $MoSi_2$ by field-activated combustion.—75-05913A
Static dielectric constant and dielectric relaxation of densified SiO_2 glass.—75-02686A
Synthesis and densification of Si_3N_4 powders by carbothermic reduction of colloidal SiO_2.—75-01700A
Transformation and densification of nanocrystalline θ-alumina during sinter forging.—75-09099A
Varistor performance of ZnO-based ceramics related to their densification and structural development.—75-03196A

density,
Achieving high nucleation density of diamond film under low pressures in hot-filament chemical vapor deposition.—75-03946A
Anharmonic temperature factors and charge density in ZnS.—75-06158A
Band theoretical investigation of substituted CrO_2 within the local density approximation.—75-00723A
Calculation of concentration, density, and stress fields in glass upon ion exchange: statement of the problem.—75-07325A
Clean grain boundaries in aluminum nitride ceramics densified without additives by a plasma-activated sintering process.—75-06868A
Correlation between stimulated gyrotropy and light scattering from spin density fluctuations in A_3B_5 semiconductors.—75-07813A
Correlations between the density distributions of C_2, CH, and OH and the growth of diamond in an oxyacetylene flame measured by LIF [laser-induced fluorescence].—75-09247A
Densely sintered, tabular ceramic parts of aluminum oxide having improved thermal shock resistance.—75-08573P
Density and refractive index of silica aerogels after low- and high-temperature supercritical drying and thermal treatment.—75-06440A
Density maps of ceramic bodies using X-ray radiography.—75-01019A
Density of xNa_2S-$(1-x)B_2S_3$ (x=0 to 0.8) glasses: correlation with short-range order.—75-00183A
Effect of local variations in density in monolithic ceramic bodies.—75-04005A
Electronic structure of cubic boron nitride within the local density approximation.—75-06219A
Empirical evaluation of process operations affecting sintered density.—75-08664A
High-density green bodies.—75-08826P
High-density titanium carbide ceramics.—75-08827P
High-density zirconium diboride ceramics prepared with preceramic polymer binders.—75-08828P
Hydrogen concentration and mass density of diamondlike carbon films obtained by X-ray and neutron reflectivity.—75-01528A
Mass density evolution during manufacturing of Ag-sheathed BPSCCO tapes.—75-08360A
Measurements of density and viscosity of aqueous aluminum nitrate solutions.—75-09159A
Metallorganic chemical vapor deposition of high-purity GaAs with the cryogenic purification of arsine.—75-05382A
New pycnometer (specific gravity bottle) for determining cement density.—75-08689A
Process study for making high-density bulk silica from silicone resin.—75-09407A
Properties analysis of diamondlike thin films by in situ X-ray diffraction.—75-09173A
Residual electron density study of α-aluminum oxide through refinement of experimental atomic scattering factors.—75-06340A
Sintering of nanophase γ-Al_2O_3 powder.—75-06767A
Theoretical principles and experimental investigations on the choice of technological ways to obtain variable-density materials.—75-05149A

dental ceramics,
Austromat furnaces.—75-07061A
Ceramic orthodontic bracket with debonding channel.—75-03667P
Completely ceramic dental prosthesis based on alumina/magnesia spinel and a process for its manufacture.—75-03668P
Cubic leucite stabilization in feldspathic dental porcelain.—75-03644A
Development of glasses for novel polyphosphonate dental cements.—75-01082A
Functionally gradient dental implant.—75-04856A
Hardness of nine machinable ceramics for dental applications.—75-06987A
Machining effects of dental feldspathic porcelain and glass-ceramics.—75-04580A
Mechanical properties and failure analysis of alumina-glass dental composites.—75-07005A
Orthodontic device with a ceramic tooth attachment.—75-03674P
Preparation of press-formable CaO-MgO-SiO_2-TiO_2-Ag_2O glass for dental crown.—75-08769A
Preparation of radiopaque SiO_2-BaO fillers by the sol-gel process for dental composite resins.—75-01091A
Ranking machinability of nine machinable ceramics by dental high-speed cutting tests.—75-04619A
Thermal radiation treatment of all-ceramic dentures.—75-08544A
Wear of enamel against glass-ceramic, porcelain, and amalgam.—75-06075A

depolarization,
Depolarization characteristics of ferroelectric $Pb(Zr_{0.4}Ti_{0.6})O_3$ and $SrBi_2Ta_2O_9$ thin films.—75-05544A

deposition,
Activated reactive laser deposition of GeO_2 films.—75-01370A
Ceramic/ceramic laminates by electrophoretic deposition: potentially strong, tough ceramics.—75-09235A
Chemical beam deposition [CBD] of MgF_2 thin films.—75-09238A
Chemical gas-phase deposition of refractory boron-containing products on the basis of thermometallic reduction of boron halogenides.—75-07490A
Deposition and dielectric property of ion-beam-assisted bismuth titanate film.—75-00308A
Deposition of diamond using an electron cyclotron resonance plasma system.—75-01430A
Deposition of epitaxially oriented films of cubic SiC on silicon by laser ablation of elemental targets.—75-00454A
Deposition of hydroxyapatite film on silicon single crystal from solution.—75-03987A
Driving force for deposition in the chemical vapor deposition process.—75-06573A
Effect of deposition condition and postgrowth irradiation treatment on the physical properties of diamondlike carbon [DLC] films.—75-09272A
Effect of pressure during deposition on the growth of gold thin films on polycrystalline γ-Al_2O_3.—75-06581A
Effect of reactive ion bombardment on the properties of silicon nitride and oxynitride films deposited by ion beam sputtering.—75-04009A
Effects of deposition process on the phosphorus content of electroless Ni-P coatings.—75-02461A
Electrodeposition of Cu in acidic $CuSO_4$ solutions containing sulfite-accelerating additive: II, Effect of sulfite ions on the voltammetric behavior of Cu/Cu^{2+} system at initial Pt electrode.—75-08918A
Electrophoretic deposition (EPD): mechanisms, kinetics, and application to ceramics.—75-05900A
Fabrication of alumina body by electrophoretic deposition.—75-01496A
FDC [fused deposition of ceramics], rapid fabrication of structural components.—75-08525A
Films of amorphous hydrated silicon deposited at elevated temperatures.—75-07890A
Functionally gradient SiC coatings produced by chemical vapor reaction.—75-04052A
Hydrogen atom concentration measurements by multiphotonic excitation LIF [laser-induced fluorescence] technique—spatial distribution in a microwave bell jar reactor.—75-08672A
II-VI compound thin-film deposition by resonant laser sputtering.—75-05338A
Influences of electrochemical vapor deposit conditions on growth rate and characteristics of YSZ thin films: I.—75-09342A
Influences of electrochemical vapor deposition conditions on growth rate and characteristics of YSZ thin films: II.—75-09343A
Ion-assisted pulsed laser deposition of cubic boron nitride films.—75-01553A
Kinetics of vapor phase deposition of oxides from rare-earth dipivaloylmethanates.—75-09350A
Liquid source misted chemical deposition (LSMCD)—a critical review.—75-05904A
Local film deposition for microwave devices.—75-07951A
Low substrate temperature deposition of diamond coatings derived from glassy carbon.—75-03735P
Low-temperature deposition of hexagonal ferrite films by sputtering.—75-03300A
Mass and energy transport in an H_2 microwave plasma obtained under diamond deposition discharge conditions: role of the spatial distribution of the microwave power density.—75-08979A
Mechanism and kinetics of electrophoretic deposition [EPD] of Al_2O_3.—75-04103A
Metallization of Si_3N_4 ceramics by molten salt reactions.—75-02505A
Method for the cold end coating of glassware using a vaporizer having an internal flow path from a reservoir of liquid coating material to a vapor deposition chamber.—75-08750P
Method for the deposition of diamond film by high density direct current glow discharge.—75-06126P
Modeling of droplet velocity during spray deposition process.—75-03582A
Nitrogen implantation induced enhanced adhesion of amorphous SiC films deposited on stainless steel and Cu.—75-01595A
Orientation of $YBa_2Cu_3O_{7-x}$ films on buffered and CeO_2-buffered yttria-stabilized zirconia substrates.—75-00839A
Oxide ceramic films for electronic applications—atmospheric rf plasma technique.—75-01090A
Parameter optimization for the arc-ADLC-deposition process.—75-00975A
Preparation of a metallorganic deposition precursor for barium titanate.—75-01619A
Process for deposition of ultrafine-grained polycrystalline diamond films.—75-01185P
Properties of carbon nitride films with composition ratio C/N=0.5–3 prepared by the ion and vapor deposition method.—75-01334A
Pulsed laser ablation deposition and characterization of superconductive/ferroelectric bilayers.—75-08404A
Pulsed laser deposition of $BaTiO_3$.—75-09410A
Radio-frequency sputtering and the deposition of high-temperature superconductors.—75-03395A
Rapid photochemical deposition of silicon dioxide films using an excimer lamp.—75-01639A
Rate of SiC deposition from methyltrichlorosilane and influence of HCl addition.—75-04193A
Rf magnetron sputtering deposition of CaF_2 on Si.—75-03152A
Selective deposition of diamond thin films on field emitter tips in dense arrays.—75-08053A
Si-rich surface layer of photochemically deposited silicon nitride.—75-06348A
Silicon nitride deposition.—75-08631P
Sodium metal deposition by electron beam irradiation during SEM observation.—75-07747A
Sputter deposition of cubic boron nitride films.—75-09449A
Structural and electronic studies of C_{60} films deposited using a new technique of neutral cluster beam deposition.—75-01938A
Studies of C_{60} films deposited using ionized cluster beam deposition technique.—75-01248A
Synthesis and characterization of nitrogen-containing diamondlike carbon films made by ion beam deposition.—75-01698A
Ultraviolet spectroscopy of gaseous species in a hot filament diamond deposition system when C_2H_2 and H_2 are the input gases.—75-06402A
Vapor deposition method for depositing a film of fluorine-containing glass on a substrate.—75-05053P
Vapor deposition of ceramic materials.—75-01006P

deposits,
Carbonate strata of the Luchuiskoe and Larginskoe ore fields [investigated] using statistical methods.—75-08756A
Chemically stable ceramics based on porcelain stone from the Boinaksaiskoe deposit.—75-08757A
High-alumina raw materials in Russia.—75-06035A
Kaolins of the Prosyanovskoe and Kyshtymskoe Deposits as raw materials for synthesizing cordierite.—75-06037A
Olivine rocks of the Topchulskoe Deposit in Kuznetsk Ala Tau.—75-06044A
Problems with raw material security in the Russian ceramic industry.—75-06048A
Raw materials base of Central Russia for refractory enterprises of the Moscow region.—75-08764A
Refractories from kaolins of the Angrenskoe Deposit.—75-06051A
Steady expansion in Thai production.—75-02795A

design,
1994 Discovery Awards—the latest in decorating design and technical excellence.—75-02847A
1994 Fletcher Challenge Award.—75-02177A
19th Fletcher Challenge.—75-02178A
25th anniversary show at Jane Hartsook Gallery.—75-02180A
ACC Columbus.—75-04672A
Advancing nanophase technology.—75-04676A
American Way.—75-02186A
Anagama down under.—75-03605A
Andrea Johnson.—75-02187A
Back to basics.—75-02194A
Baptism through fire.—75-02195A
Basic principles for selecting terminals.—75-07137A
Benefits from supplier participation in designing parts for porcelain enamel application.—75-00074A
Biomimetics: a novel approach to materials design and processing.—75-04678A
Blast furnace design for long campaigns and easy maintenance.—75-07484A
Bond characteristics of pretensioned strand.—75-02388A
Brick handling system gets face-lift.—75-02754A
Burlon Craig.—75-02205A
CAD/CAM review—finite element analysis revisited.—75-04681A
CAD/CAM review—graphics program replaces darkroom.—75-04682A
Ceramic Transactions, Volume 68: Hybrid Microelectronic Materials.—75-04774B
Ceramics in Northern Ireland—more there than the troubles.—75-02211A
Challenge, renewal, and inspiration.—75-02214A
Chamber dryer purpose-designed for modernized tile plant.—75-02761A
China Diary.—75-02215A
Clay without borders.—75-02220A
Color revolution.—75-02763A
Color trends 1995-96.—75-04691A
Computer simulation software to assist material design.—75-09706A
Crystal detectors in particle physics.—75-01018A
Decorators converge for DECO '95.—75-02862A
Decorators identify trends in the industry.—75-02766A
Design and development of a low-k silica dielectric.—75-02899A
Design and durability assure Denby's [Denby, UK] popularity.—75-00283A
Design and experimental investigation of ceramic combustion chamber in diesel engines.—75-03516A

Design and production of diamond devices.—75-09254A
Design for manufacturability—what, when & how.—75-02123A
Design methodology of engine using ceramic components and thermos structure.—75-03694A
Design of a possible microstructure for high temperature service.—75-04312A
Design of high-temperature ceramic components against fast fracture and time-dependent failure using CARES/LIFE.—75-00948A
Design of processing technology for advanced structural ceramics.—75-00949A
Design principles of multiphase ceramic materials.—75-09255A
Design tradeoffs/recent developments for low-cost piezoelectric sensors.—75-00646A
Design with ceramic matrix composites.—75-03555A
Designing ceramic/metal composites.—75-04847A
Designing for manufacturing—an update.—75-02124A
Designing in ceramic tile.—75-02767A
Dynamic gas/oxy superstructure refractory testing.—75-07532A
Feats of Clay VI.—75-02246A
Fifth Annual California Conference.—75-02248A
Foundations for rotary kilns.—75-08724A
From Mali to Oregon—Baba Wague Diakite.—75-02773A
From the potter's wheel to the computer.—75-04795A
Functional gradient electrode/electrolyte for solid oxide fuel cells: gradient materials design for an electrochemical energy conversion device.—75-02911A
Gathering of tea.—75-02260A
General rule of design for the optimum compositional gradation of ceramic/metal functionally gradient materials.—75-02486A
Handbook on Continuous Fiber-Reinforced Ceramic Matrix Composites.—75-04777B
Hilary LaForce.—75-02269A
Hot blast stove design—Indian perspective.—75-07569A
Hydnocerus series.—75-02270A
Importance of grain boundary character distribution (GBCD) to grain boundary design and control in ceramics.—75-01868A
Improvement of the stack design for firing faience and porcelain ware.—75-08729A
Improving the design and technology of molds for ceramic articles.—75-08530A
Jatun Molino—a pottery village in the Ecuadorian Amazon basin.—75-02274A
John Woodward.—75-02277A
Ken Eastman.—75-02281A
Kiln car.—75-08747P
Korea's international ceramics workshop.—75-02283A
Loss-in-weight feeders—principles, design strategies and applications.—75-00956A
Meditations on the garden pot.—75-02292A
Mexican candelabra.—75-02295A
Michael Magoto.—75-02297A
Microstructural design of ceramics for optimum wear resistance.—75-09654A
Modular sanitary ware plant concept.—75-07087A
Multiple-tube permeable element for combined blowing converter.—75-03620A
National tea party.—75-02308A
North American Free Clay Agreement.—75-02313A
Northern stars—women potters from Canada and Minnesota.—75-02314A
Optimum design for fine and ultrafine grinding mechanisms using grinding media.—75-06702A
Organometallic chemical vapor deposition: the roles of precursor design and growth ambient in film properties.—75-04130A
Overview of solid oxide fuel cell developments—designs, materials, properties, current status.—75-02138A
Patrick Crabb—contemporary archaeologist in clay.—75-02323A
Patrick Hilferty—questioning criteria.—75-02324A
Philip Bellomo's ceramic screens.—75-02328A
Pigeon castles in Saudi Arabia.—75-02329A
Probabilistic design for manufacturability.—75-02140A
Problems with FEM stress analysis of cordierite monolith as diesel particle filters.—75-03657A
Project MAXWELL—a technical overview.—75-02144A
Qualicer '94.—75-02791A
Raku sculpture.—75-02335A
Rapid prototyping applied to industrial design of ceramic processing in a fluidized bed.—75-00251A
Raw and the cooked.—75-02336A
Recent developments in the design and application of blast furnace refractories.—75-07642A
Reducing PIM [powder injection molding] design-to-manufacture cycle time with process modeling and die design expert system.—75-05972A
Reflection of environment.—75-02338A
Reliability assessment of multiwell distributed feedback laser source for direct detection links at 2.6 Gbits.—75-03150A
Residential tile.—75-02340A
Restaurant trends heat up tableware market.—75-00293A
Sadashi Inuzuka.—75-02350A
Science and Design of Engineering Materials.—75-04781B
Shifting focus—from vessels to tile murals.—75-02355A
Strictly functional.—75-02362A
Susan Gamble—Rio de Mi Corazon.—75-02364A
Susan Low-Beer.—75-02365A
Tabletops sizzle with color.—75-07714A
Teaching DOE for quality improvement.—75-09737A
Thermal stage for nanoscale structure studies with the scanning force microscope.—75-01045A
They call him Lud.—75-02371A
Thrapsano: Crete's center of traditional pottery.—75-04802A
Tim Taunton's narrative figures.—75-02373A
Tubular solid oxide fuel cell developments[—review].—75-02942A
Use of boundary element method to design glass and metal components.—75-05918A
Venturing into the unknown.—75-02378A
Voltage-controlled capacitor for wide-band tuning.—75-00387A
Watershed—a new rawness.—75-02379A
Waylande Gregory.—75-02801A
Wood kiln for the lone potter.—75-04806A

desorption,
Modeling of the desorption behavior of microporous amorphous hydrogenated carbon films.—75-06489A

desulfurization,
Zinc titanate (Zn_2TiO_4) based spinels as desulfurization sorbents.—75-03867A

detectors,
Bolometers for infrared and millimeter waves[—review].—75-01011A
Cerium-activated lanthanum beryllate as a gamma detector material.—75-00942A
CVD diamond films for X-ray detectors.—75-08798A
Detection of wear transitions of unlubricated silicon nitride rubbing surfaces using acoustic emission technique.—75-08653A
Diamond film metal-semiconductor-metal photodetector.—75-07829A
Growth of crystals for infrared detectors and second harmonic generation devices.—75-03039A
Methods for a systematic, comprehensive search for fast, heavy scintillator materials.—75-01031A
New narrow bandwidth a-Si:H photodetector.—75-03097A
Performance analysis of a new metal-insulator-semiconductor capacitor incorporated with Pt-SnO_x catalytic layers for the detection of O_2 and CO gases.—75-00562A
Postgrowth tuning of quantum well infrared detectors by rapid thermal annealing.—75-03134A
Research and development works on BaF_2 crystals in Shanghai Institute of Ceramics.—75-02146A
Self-monitoring function in ceramic based materials.—75-09667A
Simultaneous bolometric and nonbolometric microwave response in biepitaxial Y-Ba-Cu-O thin films.—75-00864A
Subsurface defect detection in ceramics using an optical gated scatter reflectometer.—75-03598A
Superconducting fast microbolometers operating below their critical temperature.—75-00872A
Superconducting particle detectors.—75-08428A
Use of plastic optical fibers for charged particle tracking in high-energy physics.—75-01049A

deuterium,
Deuterium quadrupole coupling constant of H-doped Y-Ba-Cu-O systems.—75-03355A
Generation of products of nuclear DD synthesis in high-temperature $YBa_2Cu_3O_{7-\delta}D_x$ superconductors near the superconducting phase transition.—75-08327A

device,
Application of air-impact devices in cement production.—75-08716A
Application of ferrites and ferromagnets in tuning rf cavities for accelerators.—75-03279A
Ceramic device.—75-03204P
Dc transmission cable prototype using high-temperature superconductors.—75-08284A
Design and production of diamond devices.—75-09254A
Device for forming a compound oxide superconductor thin film.—75-05867P
Device to process green-tape type circuits.—75-03542P
Diamond film electronic devices.—75-00394P
High-power and high-frequency silicon carbide devices.—75-00508A
Large-band-gap SiC, III-V nitride, and II-VI ZnSe-based semiconductor device technologies.—75-00532A
Low-power high-speed deep submicron VLSI- device technologies and interconnect modeling issues.—75-00537A
Materials aspects of diamond-based electronic devices.—75-00539A
Metal nitride oxide semiconductor device.—75-08105P
Method and device for forming a glass product.—75-08749P
Method for making monolithic prestressed ceramic devices.—75-05226P
Method for manufacturing a superconducting device having an extremely thin superconducting channel.—75-08468P
Method for manufacturing three-terminal oxide superconducting devices.—75-08469P
Methods for a systematic, comprehensive search for fast, heavy scintillator materials.—75-01031A
Microfabricated and micromachined chemical and gas sensor developments.—75-00543A
Millimeter wave ceramic package.—75-03210P
Minimal capture pads applied to ceramic vias in ceramic substrates.—75-05528P
Multichannel high-T_c SQUID system and its application.—75-08375A
Nonlinear effects in high-temperature superconducting bolometers.—75-00837A
Nonmonocrystalline silicon carbide semiconductor and semiconductor device employing the same.—75-08107P
Oxide superconducting device.—75-08479P
Oxide superconduction grain boundary tunneling device.—75-00912P
Photodetectors with a controlled spectrum of photosensitivity.—75-08693A
Positive temperature coefficient thermistor device.—75-00721P
Process and device for the inspection of glass.—75-05928P
Semiconductor ceramic device having a ceramic element with negative temperature coefficient of resistance.—75-08112P
Silicon carbide electronic device manufacturing method.—75-08841P
Sources of strain-measurement error in flag-based extensometry.—75-03597A
Superconducting device having an extremely thin superconducting channel formed of oxide superconductor material.—75-08487P
Superconducting device having an thin superconducting channel formed of oxide superconducting material.—75-00919P
Surface skimming bulk wave generation in $KTiOPO_4$ and its analogs.—75-03272P

devices,
High-T_c transistors.—75-08334A

devitrification,
α-SiAlON ceramics with a crystalline melilite grain-boundary phase.—75-04293A
Devitrification of granulated blast-furnace slag and slag-derived glass powders.—75-05994A
Effect of grain boundary devitrification on the wear of glass-bonded alumina ceramics.—75-06966A
Spectroscopic studies of the kinetics of devitrification of Nd^{3+}-doped glasses in the akermanite-gehlenite system.—75-04930A

diagrams,
Friction process diagrams for analyzing interfacially complex sliding contacts.—75-04543A

diamond,
Achieving high nucleation density of diamond film under low pressures in hot-filament chemical vapor deposition.—75-03946A
Addition of metals into rf plasma for diamond synthesis.—75-07197A
Adhesion interface of CVD diamond films.—75-08864A
Adhesion of diamond coatings synthesized by oxygen-acetylene flame CVD on tungsten carbide.—75-09213A
Affected layer of polished single[-crystal] and CVD diamonds.—75-09214A
Agile and green manufacturing and superhard-coated cutting tools.—75-08510A
Analytical studies on multiple delta doping in diamond thin films for efficient hole excitation and conductivity enhancement.—75-01379A
Anodic bonding of diamond to glass.—75-08511A
Apparatus and method for chemical vapor deposition of diamond.—75-01155P
Apparatus and method for chemical vapor deposition of diamond.—75-03943P
Apparatus and method for forming diamond coating.—75-08550P
Apparatus and method for synthesizing diamond in supercritical water.—75-01156P
Applications for precision cutting of sharpening CVD diamond film.—75-08512A
Atomic carbon vapor as a diamond growth precursor in thermal plasmas.—75-01383A
Atomic scale and microscale friction studies of graphite and diamond using friction force microscopy.—75-01794A
Auger electron spectroscopic analysis of chemical vapor deposited diamond/substrate interfaces.—75-06164A
Bias-enhanced nucleation of diamond during microwave-assisted chemical vapor deposition.—75-01385A
Boron-doped diamond electrodes for electrochemical applications.—75-08795A
Boron-doped polycrystalline diamond films for strain-sensing applications.—75-08796A
Brazing of diamond film to tungsten carbide.—75-07246P
Brazing of diamond film to tungsten carbide.—75-07247P
Capacitance-voltage characteristics of diamond/silicon MIS structures.—75-07796A
Carrier diffusion lengths in diamond and gallium nitride.—75-09493A
Changes of work function of CVD diamond with ultraviolet light.—75-07800A
Characterization of a thick homoepitaxial CVD diamond film.—75-01802A
Characterization of CVD diamond films used for radiation detection.—75-01395A
Characterization of diamond films grown on AlN/silicon substrates and of heterostructures with such films.—75-09530A
Characterization of diamond nucleation-enhancing layer formed during bias treatment on silicon.—75-09531A
Characterization of MS, MiS, and MOS contacts to type IIB diamond by capacitance-voltage and current-voltage.—75-00427A
Characterization of pulsed supersonic CVD system for diamond growth.—75-00943A
Charged cluster model in the synthesis of diamond by CVD.—75-08879A
Chemical reaction mechanisms of diamond growth.—75-01397A
Chemical standardization of the surface of diamond.—75-08880A
Chemical vapor deposition of diamond films using water-based plasma discharges.—75-01158P
Chemical vapor deposition of polycrystalline diamond films on steel substrates.—75-07201A
Chemical vapor deposition of polycrystalline diamond with orientation and growth facets.—75-03729P
Chemically vapor deposited diamond films grown on titanium nitride coated and uncoated iron substrates.—75-01398A
Closed CVD system for the deposition of diamond films.—75-09242A
Comparative study of nucleation enhancement techniques for plasma CVD of diamond thin films.—75-01407A
Comparison of surface cleaning processes for diamond C(001).—75-00439A
Composite fibers having a diamond surface.—75-03730P
Composite honing of metals inlaid with ceramics.—75-02225A
Compositional and spectroscopic study of the growth of diamond films from several gaseous mixtures.—75-01816A
Conductivity and FTIR measurements of the hydrogen content of heat-treated diamond films.—75-01411A

Continuous thin diamond film and method for making same.—75-01160P
Conversion of fullerenes to diamonds.—75-06121P
Correlations between electrical and material properties of CVD diamond.—75-01270A
Correlations between the density distributions of C_2, CH, and OH and the growth of diamond in an oxyacetylene flame measured by LIF [laser-induced fluorescence].—75-09247A
Crystalline and amorphous diamond coatings on silicon field emitters.—75-07815A
Current status of CVD diamond applications and prospects for the future.—75-09707A
CVD diamond films for X-ray detectors.—75-08798A
CVD diamond production using preheating.—75-08823P
CVD diamond resistor as heater and temperature sensor.—75-08799A
Cyclic hot-filament CVD of diamond.—75-08572P
Defects and growth of diamond wafers.—75-01747A
Dependence of contact resistance on metal electronegativity for B-doped diamond films.—75-00307A
Dependence of diamond growth rate on hydrogen dissociation in a dc arc jet plasma.—75-06565A
Deposition of diamond using an electron cyclotron resonance plasma system.—75-01430A
Deposition of diamondlike films by ECR microwave plasma.—75-01164P
Deposition of flame-grown diamond films in an enclosed chamber.—75-01431A
Design and production of diamond devices.—75-09254A
Determination of barrier height of boron-doped polycrystalline diamond thin-film Schottky diodes using a capacitance-voltage technique.—75-08654A
Determination of the preferred crystal orientation of diamond films using polarized Raman spectra.—75-08905A
Development of diamond tools for superprecision machining with compositionally graded layers from silicon carbide shank to diamond chip.—75-01144A
Diamond and CBN cutting tools.—75-03731P
Diamond chemical vapor deposition—gas compositions and film properties.—75-01217A
Diamond coating of metal alloys.—75-07204A
Diamond coatings for aluminum alloys.—75-00155P
Diamond coatings on integrated circuits.—75-07828A
Diamond field effect transistors.—75-00460A
Diamond film and method of producing same.—75-01165P
Diamond film and solid particle composite structure and methods for fabricating same.—75-01166P
Diamond film deposited on a silica substrate with a ZnO:Al intermediate layer by hot-filament chemical vapor deposition.—75-01436A
Diamond film electronic devices.—75-00394P
Diamond film metal-semiconductor-metal photodetector.—75-07829A
Diamond film structures and methods related to same.—75-07753P
Diamond films on nondiamond substrates.—75-08100P
Diamond growth precursor dependence in an electron cyclotron resonance plasma system.—75-08906A
Diamond growth rates and quality—dependence of gas phase composition.—75-01437A
Diamond homoepitaxy kinetics—growth, etching, and the role of oxygen.—75-01438A
Diamond metal matrix composites as an electronic packaging material.—75-00087A
Diamond negative electron affinity [NEA] surfaces, structures, and devices.—75-07830A
Diamond nucleation and growth of mirror-polish silicon wafer pretreated by silicon ion implantation.—75-09258A
Diamond nucleation studies on refractory metals and nickel.—75-01439A
Diamond optics: status for infrared applications.—75-07380A
Diamond photovoltaics: characterization of CVD diamond film-based heterostructures for light to electricity conversion.—75-07831A
Diamond precipitation and single-crystal homoepitaxial growth in the system Ag-C-H.—75-09259A
Diamond semiconductor device with carbide interlayer.—75-05523P
Diamond synthesis via hydrothermal pyrolysis of hydrocarbons and halogenated hydrocarbons on diamond seeds.—75-09260A
Diamond thin film and single crystal etching under critical ECR plasma conditions.—75-09261A
Diamond thin-film flow sensor.—75-08802A
Diamond thin-film growth mechanism in a filament-assisted excimer laser ablation system.—75-01440A
Diamond transistors and circuits.—75-07832A
Diamond-coated inserts, drills, and end mills.—75-08803A
Diamond-coated microcomposite sintered body.—75-02568P
Diamond-graphite phase transition in ultradispersed diamond [UDD]. X-ray and Raman characterization of diamond clusters.—75-08907A
Diamond/industrial.—75-06027A
Diamond: an erosion-resistant aerospace material.—75-09125A
Diamondlike carbon films for antireflection coatings of infrared optical materials.—75-01441A
Diffusion of impurities under bias in CVD diamond films.—75-01750A
Dynamics at a step on the diamond (111) surface.—75-01828A
Effect of amorphous carbon layers on the growth of diamond in dual-frequency plasma.—75-01447A
Effect of grain size and temperature on the field dependence of the resistivity of B-doped diamond.—75-09274A
Effect of ion implantation on the CVD diamond nucleation density on Si substrates.—75-09276A
Effect of laser irradiation on adhesion strength of diamond films on WC-6 wt%/Co hard metal substrate.—75-07205A
Effect of mechanical properties of the matrix of the diamond tool on cutting ability.—75-02041A
Effect of oxygen on the textured diamond growth over nickel substrates.—75-01832A
Effect of plasma flow on diamond growth by arc discharge plasma jet CVD.—75-09279A
Effect of pressure on the morphology and growth of HFCVD [hot filament-assisted CVD] diamond at low filament and substrate temperatures.—75-09280A
Effect of substrate surface temperature on the morphology and quality of diamond films produced by the oxyacetylene combustion method.—75-06585A
Effects of friction and wear on PECVD diamond films.—75-01837A
Effects of methane concentration and hydrogen treatment on preferred orientation in diamond films grown by chemical vapor deposition.—75-01838A
Effects of some physical parameters on diamond crystallization in the NaOH+Ni+C system at 1 atm.—75-09296A
Effects of temperature and filament poisoning on diamond growth in hot filament reactors.—75-01474A
Electrical and photoelectrical properties of heterostructures based on nanocrystalline diamond films.—75-09136A
Electrochemical surface modification of diamond.—75-09298A
Electron emission observations from as-grown and vacuum-coated chemical vapor deposited diamond.—75-07871A
Electron emission properties of the negative electron affinity (111)2×1 diamond-TiO interface.—75-01840A
Electron energy loss spectroscopy of mass selected ion beam deposited diamondlike carbon.—75-01841A
Electron-beam-activated diamond devices.—75-07875A
Electronic structure and bonding at interfaces between CVD diamond and silicon.—75-01843A
Electronic structure of diamond, silicon carbide, and the group-III nitrides.—75-00479A
Encapsulation of electroless copper patterns into diamond films.—75-07208A
Energies and atomic structures of grain boundaries in diamond—comparison with grain boundaries in silicon.—75-01847A
Engineering aspects of scalable stagnation-flow reactors for combustion synthesis of diamond.—75-08520A
Enhanced adherence of diamond coatings by combustion flame CVD.—75-00158P
Enhanced chemical vapor deposition of diamond and related materials.—75-08575P
Enhancement of diamond growth under uv irradiation.—75-09299A
Epitaxial growth of B-doped high-quality diamond film on cBN surface by chemical vapor deposition.—75-09301A
Evidence for slip and double spiral growth mechanism in combustion flame-synthesized diamond.—75-08930A
Evidence of hexagonal diamond in plasma-deposited carbon films.—75-06873A
Excimer laser planarization of diamond films.—75-00489A
Exciton recombination radiation from highly pure diamond synthesized by pressurized combustion flame method.—75-08931A
Experimental measurements and numerical simulations of the gas composition in a hot-filament-assisted diamond chemical vapor deposition reactor.—75-01022A
Exposure of diamond to atomic hydrogen—secondary electron emission and conductivity effects.—75-01850A
Fabrication and characterization of diamond field emitter diode with built-in anode.—75-07884A
Fabrication of diamond and diamondlike carbon by low-pressure inductively coupled plasma CVD.—75-04034A
Fabrication of porous cast iron bonded diamond grinding wheels and their evaluation to grind hard-to-grind ceramics.—75-08523A
Femtosecond laser processing of CVD diamond.—75-09309A
Fine grain diamond workpieces.—75-03732P
Finite element modeling of a hot-filament CVD [HFCVD] diamond deposition reactor optimized for large-area deposition.—75-08526A
Formation of highly oriented diamond film.—75-08824P
Formation of ohmic contacts to *p*-type diamond using carbide-forming metals.—75-00492A
Gas phase diagnostics for CVD diamond growth.—75-08943A
Ground-state wavefunctions of a noncoulomb acceptor in diamondlike semiconductors.—75-07902A
Growth of diamond film by CVD on near-net-shape fabricated ß-SiC/TiC composites synthesized using SHS.—75-04058A
Growth of diamond film on Cu-SiC electrocodeposited layers.—75-07213A
Growth of diamond films using C_3F_8 and H_2 in a new system.—75-01517A
Growth of diamond on Au (selective) and Al_2O_3 surfaces.—75-06630A
Growth of diamond particles on sharpened silicon tips for field emission.—75-09322A
Growth of single-crystal copper films on diamond using fcc iron seed layers.—75-01520A
Growth rate of diamond film by hot-filament CVD.—75-06633A
Growth, preparation, and surface modification of microcrystalline diamond powder for the synthesis of diamond ceramics.—75-09325A
Halogenation of diamond (100) and (111) surfaces by atomic beams.—75-06634A
Heteroepitaxial diamond formed on silicon wafer observed by high resolution electron microscopy.—75-04333A
Heteroepitaxy of diamond film on silicon.—75-09549A
HF-CVD method for forming diamond.—75-01169P
High rate finishing of polycrystalline diamond films with hyperthermal oxygen atoms.—75-08528A
High sensitivity and wide temperature tolerance hydrogen gas sensors utilizing PECVD diamond technology.—75-07905A
High-emission CsI-coated diamond dynodes for an electron multiplier.—75-07906A
High-rate deposition of diamond films in $CH_4/O_2/H_2$ microwave plasmas.—75-09329A
High-rate, high-quality diamond synthesis by the combustion flame process.—75-01523A
High-temperature diamond film deposition on a natural diamond anvil.—75-09330A
High-temperature light-emitting diodes on insulating diamonds.—75-07908A
Highly oriented diamond film thermistor.—75-08102P
Hydrogen and halogen bonding on the diamond (100)2×1 surface—an ab initio study.—75-01864A
Hydrogen atom concentration measurements by multiphotonic excitation LIF [laser-induced fluorescence] technique—spatial distribution in a microwave bell jar reactor.—75-08672A
Identification of defects and impurities in chemical vapor deposited diamond through infrared spectroscopy.—75-01758A
Improved wear of amorphic diamond-coated medical and dental implant substrates.—75-09641A
Improvement of adhesion of diamond coatings to WC(Co) tool substrates.—75-02490A
In situ OES [optical emission spectroscopy] diagnosis of the dc arc plasma jet in the synthesis of diamond.—75-08954A
In situ Raman spectroscopy during diamond growth in a microwave plasma reactor.—75-01870A
In situ temperature measurement on diamond-coated tools: a new instrument for optimizing cutting processes.—75-08674A
Inexpensive technique for estimating the thermal conductivity of CVD diamond from the optical absorption.—75-08675A
Influence of neutron irradiation on the thermal conductivity of vapor-deposited diamond.—75-01542A
Influence of post-deposition annealing and oxidation on structure and optical properties of CVD diamond films.—75-09339A
Infrared glass window adhering to diamond film.—75-07388A
Interaction of hydrogen, methane, ethylene, and cyclopentane with hot tungsten: implications for the growth of diamond films.—75-01552A
Interaction of hyperthermal hydrogen with the diamond surface.—75-01999A
Ion-beam-induced luminescence in natural diamond.—75-01300A
Irradiation and annealing of ^{10}B-doped chemical vapor deposited diamond films.—75-08961A
Is it possible to deposit diamond in a microwave plasma CVD process without H_2.—75-09348A
Kinetics of diamond-like film growth using filament-assisted chemical vapor deposition.—75-04089A
Laser finishing and measurement of diamond surface roughness.—75-08586P
Laser polishing of diamond films.—75-09351A
Laser processing of diamond substrates for multichip modules: I.—75-07946A
Laser processing of diamond substrates for multichip modules: II.—75-07947A
Local thermal conductivity in chemical vapor deposited diamond.—75-01303A
Low substrate temperature deposition of diamond coatings derived from glassy carbon.—75-03735P
Low-cost diamond production with large plasma torches.—75-08532A
Low-temperature diamond growth with CF_4 addition in a hot filament reactor.—75-01563A
Low-temperature synthesis of diamond films by pulse-modulated magnetoactive microwave plasma CVD.—75-09356A
Mass and energy transport in an H_2 microwave plasma obtained under diamond deposition discharge conditions: role of the spatial distribution of the microwave power density.—75-08979A
Materials aspects of diamond-based electronic devices.—75-00539A
Materials bonding by combustion synthesis.—75-04858A
Measurement of the fracture toughness of polycrystalline diamond using the double-torsion test.—75-07001A
Measurements of thermal conductivity of diamond films by photothermal deflection technique.—75-03579A
Metal/insulator/semiconductor tunnel diodes formed by the oxidation of polycrystalline diamond films.—75-00540A
Metal/intrinsic semiconductor/semiconductor field effect transistor fabricated from polycrystalline diamond films.—75-00541A
Method and apparatus for vapor deposition of diamond film.—75-08587P
Method and apparatus of synthesizing diamond in vapor phase.—75-08588P
Method for diamond coating by microwave plasma.—75-08590P
Method for enhancing the toughness of CVD diamond.—75-03737P
Method for forming tabular diamond crystals.—75-03738P
Method for growing continuous diamond films.—75-03739P
Method for making high thermal conducting diamond.—75-03741P
Method for production of diamond particles.—75-06095P
Method for the deposition of diamond film by high density direct current glow discharge.—75-06126P
Method of fabricating oriented diamond films on nondiamond substrates and related structures.—75-03743P
Method of forming a diamond composite structure.—75-03744P
Method of making a diamond film.—75-01177P
Method of making a free-standing diamond film with reduced bowing.—75-08601P
Method of making synthetic diamond wear component.—75-00008P
Method of producing diamond of controlled quality.—75-08609P

Methods for forming artificial diamond.—75-06132P
Micro-Raman analysis of stress state in diamond thin films.—75-08984A
Microcutting characteristics on the single-crystal diamond tool with edge radius using molecular dynamics.—75-08684A
Micromachining of CVD diamond films using a focused ion beam.—75-08533A
Microstructural control of boundary region between CVD diamond film and cemented carbide substrate.—75-04357A
Microstructural evolution and flaws in CVD diamond.—75-09557A
Modification of surface band bending of diamond by low energy argon and carbon ion bombardment.—75-06490A
Morphology evolution in diamonds in combustion synthesis.—75-08987A
Morphology of diamond plate grown in the C-H-O system.—75-08988A
Multilayer CVD diamond films.—75-08612P
Multilayer diamond-coated WC tools.—75-07221A
Nanocrystalline diamond membrane growth by cyclic renucleation.—75-09367A
Nanophase diamond films.—75-01181P
Nanophase diamond films.—75-06133P
Nature of the native defect ESR in thin diamond films.—75-01893A
Negative electron affinity effects and Schottky barrier height measurements of cobalt on diamond (100) surfaces.—75-07983A
New region for HFCVD [hot filament-assisted CVD] diamond growth at low temperature.—75-09368A
Nickel-related absorption lines in high-pressure synthetic diamond.—75-01895A
Novel carbon source for diamond synthesis.—75-01597A
Novel metallization scheme for diamond.—75-07223A
Nucleation and growth mechanism of diamond during hot filament chemical vapor deposition.—75-06699A
Nucleation and growth of oriented diamond films on Ni substrates.—75-09371A
Nucleation and growth processes during the chemical vapor deposition of diamond.—75-01598A
Nucleation and growth processes during the chemical vapor deposition of diamond.—75-04126A
Nucleation and growth processes of diamond films [investigated] by atomic force microscopy.—75-01599A
Nucleation enhancement and growth of diamond films using an enclosed combustion flame.—75-01600A
Ohmic contacts on diamond by B ion implantation and TiC-Au and $TaSi_2$-Au metallization.—75-00115A
Optical characterization of low-pressure combustion growth of diamond.—75-09164A
Optical properties of diamond at elevated temperatures.—75-09165A
Optically enhanced forced diffusion of sulfur and chlorine in diamond.—75-09515A
Oriented diamond film structures on nondiamond substrates.—75-08108P
Origin of the broadband luminescence and the effect of nitrogen doping on the optical properties of diamond films.—75-01325A
Oxidation and ion damage of diamond by reactive ion etching.—75-02007A
Oxidation-resistant diamond composite and method of forming the same.—75-01182P
Patterned polycrystalline diamond microtip vacuum diode arrays.—75-08001A
PCD [polycrystalline diamond]-tipped cutting tool systems for best-in-class manufacturing.—75-07224A
Peculiarities of structure and properties formation of diamond-containing functional gradient materials in the SHS regime.—75-02520A
Phase transformation of smooth diamond films grown by hot filament chemical vapor deposition on positively biased silicon substrates.—75-01603A
Photoelectric emission studies of CVD diamond films.—75-09039A
Photoelectron diffraction studies of oriented diamond nucleation on silicon(100).—75-09040A
Photoinduced scanning tunneling microscopy of insulating diamond films.—75-02925A
Photoresponse study of polycrystalline diamond thin-film Schottky diodes.—75-00570A
Physicochemistry and cytotoxicity of ceramics: II, Cytotoxicity of ceramics.—75-03915A
Picosecond optical studies of amorphous diamond and diamondlike carbon: thermal conductivity and longitudinal sound velocity.—75-01332A
Piezoresistive gauge factor of polycrystalline diamond measured at different fields and temperatures.—75-08160A
Polishing of thick CVD diamond by an excimer laser and a cast iron wheel.—75-09376A
Polycrystalline CVD diamond films with optical properties close to those of type II diamonds.—75-09170A
Potential for diamond fiber composites.—75-08809A
Preparation of diamond films on silicon substrates.—75-05529P
Preparation of diamondlike carbon films by high-intensity pulsed ion beam deposition.—75-01622A
Preparation of highly oriented diamond thin film by microwave plasma-assisted chemical vapor deposition [MPCVD].—75-09398A
Pressure and temperature effects on the kinetics and quality of diamond films.—75-01628A
Process and apparatus for chemical vapor deposition of diamond films using water-based plasma discharges.—75-08614P
Process for coating diamondlike carbon film and coated thin strip.—75-06137P
Process for deposition of ultrafine-grained polycrystalline diamond films.—75-01185P
Process for fabricating diamond by supercritical electrical current.—75-03752P
Process for manufacture of synthetic diamond layers on substrates.—75-03753P
Processing of CVD diamond with uv and green lasers.—75-09408A
Properties of CVD diamond domes.—75-09174A
Properties of CVD diamond for optical applications.—75-09175A
Pulsed power processing of CVD diamond.—75-09411A
Quantitative in situ growth measurements of chlorine-activated homoepitaxial diamond CVD.—75-01637A
Range of metals that work in the LPSSS [low-pressure solid-state source] process of diamond synthesis.—75-09415A
Rapid polishing of thick polycrystalline white CVD diamond by liquid metal films.—75-09417A
Recent advances in diamond-based multichip modules (MCMs).—75-08040A
Recombination process of the broadband and 1.681 eV optical centers in diamond films.—75-00585A
Role of diamond in precision machining of plasma sprayed fine ceramics.—75-00010A
Role of penetration twins in the morphological development of vapor-grown diamond films.—75-01655A
Round robin thermal conductivity measurements on CVD diamond.—75-08699A
Rutiles from diamond-bearing rocks.—75-08765A
SAW filters based on diamond.—75-08051A
Seeding with purified ultrafine diamond particles for diamond synthesis by CVD.—75-09426A
Selective deposition of diamond thin films on field emitter tips in dense arrays.—75-08053A
Shock compaction of nanosized diamond powder, as examined by microstructural analysis.—75-01657A
Shock-wave micron-size diamond synthesis from fullerenes.—75-09431A
Shock-wave micron-size diamond synthesis from fullerites.—75-06760A
Single-crystal diamond of very high thermal conductivity.—75-01198P
Solid-phase reaction of tungsten thin films with polycrystalline diamond.—75-01933A
Solid-state NMR studies of the bonding structure of diamondlike amorphous carbon films.—75-01934A
Spatially resolved measurement of lattice damage in alpha-particle-irradiated type IIa natural diamond by confocal photoluminescence microscopy.—75-01936A
Spectral characteristic of diamond-silicon sandwich structures of photodiode, photoconductor, and MISFET.—75-08058A
Spin resonance study of the 2.9 eV luminescence centers in natural and synthetic diamond.—75-00600A
Strain and impurity content of synthetic diamond crystals.—75-01344A
Structural defects in semiconductors with diamondlike lattice.—75-05487A
Structure of thin diamond films—a ^1H and ^{13}C nuclear magnetic resonance study.—75-01950A
Subnanosecond scintillations in diamond.—75-01347A
Surface cleaning, topography, and temp. measurements of single-crystal diamond.—75-01955A
Surface energies and morphologies of chemical vapor deposited diamond films.—75-01956A
Surface Fermi level position of diamond treated with plasma.—75-01957A
Surface morphology of diamond thin films using photoinduced scanning tunneling microscopy.—75-01958A
Surface preparation of single-crystal C(001) substrates for homoepitaxial diamond growth.—75-01692A
Surface structure of HFCVD [hot filament-assisted CVD] diamond films.—75-09579A
Surface studies relevant to the initial stages of diamond nucleation.—75-01961A
Symmetrical orthogonalization of the framework Bloch functions in diamond.—75-03181A
Synchrotron radiation studies of diamond nucleation and growth on Si.—75-01962A
Synchrotron radiation X-ray absorption of ion-bombardment-induced defects on diamond(100).—75-01779A
Synthesis of diamond from carbon disulfide in hydrogen.—75-01707A
Synthetic diamond product.—75-08852P
Techniques for diamond thinning and polishing by diffusional reactions with metals.—75-08543A
TEM study of growth defects in CVD diamond films.—75-04292A
Temperature and stress issues in devices with diamond substrates during manufacturing and operation.—75-08077A
Test of a diamond-tungsten sampling calorimeter.—75-01043A
Theoretical analysis of diamond chemical vapor deposition in a rotating disk reactor.—75-08707A
Theoretical studies of C(100) surface reconstruction and reaction with CH_3.—75-01967A
Thermal aspects of high-performance packaging with synthetic diamond.—75-08081A
Thermal conductivity of diamond film.—75-09197A
Thermal conductivity of MW-CVD diamond films synthesized with varying CH_4 concentration [2.5–10%].—75-09200A
Thermal diffusivity measurement of CVD diamond.—75-08709A
Thermal stress in diamond films.—75-09682A
Thermal-sensitive device fabricated with diamond film and a planar microelectrode.—75-08812A
Thermally stable metallizations on polycrystalline diamond films.—75-07234A
Thermodynamic paradox of diamond deposition with simultaneous graphite etching in the low-pressure synthesis of diamond: approach by charged cluster model.—75-09091A
Thin-film circuit fabrication on diamond substrates for high-power applications.—75-08086A
Thin-film diamond coatings on glass.—75-07406A
Time-resolved and cw photoluminescence spectra of polycrystalline diamond films.—75-09098A
Titanium acoustic diaphragm coated with polycrystal diamond film.—75-08813A
Twin-determined growth of diamond films.—75-04262A
Ultrasonic phase velocity and elastic modulus in isotopically enhanced manufactured diamonds.—75-01364A
Ultraviolet spectroscopy of gaseous species in a hot filament diamond deposition system when C_2H_2 and H_2 are the input gases.—75-06402A
Use of boron isotopes and neutron irradiation in preparing *p-n* junctions in diamond films.—75-08091A
Use of modified ac calorimetry to measure the thermal properties of CVD diamond.—75-08711A
Using thermoelectric coolers and diamond films for temperature control of power electronic circuits.—75-08546A
Wear mechanism of diamond-coated cutting tools.—75-09693A
Wear-resistant, self-lubricating surfaces of diamond coatings.—75-09697A
X-ray photoelectron spectroscopy study of substrate surface pretreatments for diamond nucleation.—75-01978A

diamondlike carbon,
Biocompatibility and surface analysis of nitrogen-containing DLC [diamondlike carbon].—75-08876A
Characteristics of Si-containing diamondlike films deposited at low temperature.—75-09527A
Controlling properties of DLC [diamondlike carbon]: effects of pressure and precursor dilution.—75-09246A
Deposition and characterization of [diamondlike carbon] DLC/SiO_2 nanocomposite prepared by ion-assisted PECVD.—75-09253A
Detection of graphitelike clusters in DLC [diamondlike carbon] by intercalation of copper.—75-08652A
Diamondlike atomic-scale composite films: surface properties and stability studied by STM and AFM.—75-09537A
Diamondlike carbon [DLC] for biomedical applications.—75-08804A
Diamondlike carbon [DLC] for high-temperature superconductor encapsulation.—75-08805A
Diamondlike carbon film on ZnSe by ac sputtering and MPCVD [microwave power] hybrid method for infrared window applications.—75-08806A
Diamondlike carbon films prepared from polymer.—75-09262A
Diamondlike hydrogenated amorphous carbon prepared using saddle-field glow-discharge decomposition of methane.—75-09263A
Dielectric strength of diamondlike carbon (DLC) thin films for energy storage capacitors.—75-07723A
Effect of deposition condition and postgrowth irradiation treatment on the physical properties of diamondlike carbon [DLC] films.—75-09272A
Electrical characterization of *p-n* and *p-i-n* diode structures made by ion beam deposition of doped diamondlike carbon [DLC].—75-07864A
Formation of conductive network in diamondlike carbon [DLC] by intercalation of copper.—75-07731A
Improvement of solar cell [SC] efficiency and stability by deposition of [diamondlike carbon] DLC films.—75-09334A
In situ [diamondlike carbon] DLC/TiC composite coating by plasma-enhanced chemical vapor deposition.—75-09335A
Infrared reflectance and transmittance of diamondlike carbon films at normal, as well as glancing, angles of incidence.—75-09152A
Multilayer interference structures for X-ray mirrors based on carbon films.—75-08807A
Preparation of diamondlike carbon and boron nitride films by high-intensity pulsed ion beam deposition.—75-09392A
Properties analysis of diamondlike thin films by in situ X-ray diffraction.—75-09173A
Silicon-containing diamondlike carbon coatings formed by ion-beam-assisted deposition (IBAD): processing and properties of a new category of hard, wear-resistant thin films.—75-08811A
STM and photoconductivity studies of a:DLC [amorphous diamondlike carbon] films.—75-08063A

diaphragm,
Titanium acoustic diaphragm coated with polycrystal diamond film.—75-08813A
Zirconia diaphragm structure and piezoelectric/electrostrictive element incorporating same.—75-08789P

diatomaceous earth,
Filtering beer by ceramics.—75-06067A

diatomite,
Ceramic wood from diatomites.—75-07441A
Diatomite.—75-06028A

dielectric materials,
Process engineering of multilayered ceramic capacitors.—75-05208A

dielectric materials/dielectrics,
Accurate measurements of electrical properties of dielectric resonators and substrate materials.—75-01007A
Capacitor having a changeable dielectric capacity and manufacturing method thereof.—75-00389P
Ceramic compositions for BZN dielectric resonators.—75-02945P
Ceramic duplex filter.—75-07749P
Ceramic filter with a transmission zero.—75-00390P
Ceramic-filled transmission lines for circuit miniaturization.—75-00424A
Comparison of defect structure in N_2O- and NH_3-nitrided oxide dielectrics.—75-00304A
Composition of dielectric ceramics.—75-05220P
Compositions of high frequency dielectric ceramics.—75-02948P
Design and development of a low-*k* silica dielectric.—75-02899A

Dielectric ceramic composition containing ZnO-B_2O_3-SiO_2 glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition.—75-05221P
Dielectric ceramic composition for high frequencies and method for preparation of the same.—75-07757P
Dielectric ceramic composition for high frequency.—75-00395P
Dielectric ceramic composition for high-frequency applications.—75-07758P
Dielectric ceramic composition for low temperature sintering.—75-00396P
Dielectric ceramic composition.—75-02949P
Dielectric ceramic compositions and dielectric resonators.—75-05222P
Dielectric ceramic compositions.—75-00397P
Dielectric ceramic compositions.—75-07759P
Dielectric ceramic compositions.—75-07760P
Dielectric ceramic compound.—75-07761P
Diffusion of direct surface magnetostatic waves [SMSWs] in the structure of a ferrite-dielectric-metal linearly magnetized by a nonuniform magnetic field.—75-08197A
Dynamic behavior of lead nanoparticles in a dielectric matrix.—75-01827A
Effect of thickness on the transverse thermal conductivity of thin dielectric films.—75-00325A
Evaluation of microwave dielectric ceramics.—75-07728A
Glassy binder system for ceramic substrates, thick films, and the like.—75-00400P
High-temperature superconducting dielectric resonator having mode-absorbing means.—75-05223P
How to analyze relaxation and leakage currents of dielectric thin films: simulation of voltage-step and voltage-ramp techniques.—75-05198A
Integrated ferrite-dielectric ceramic structure for microwave devices.—75-00522A
Light-controlled electric fields in a high-resistivity MISIM structure with tunnel-transparent dielectrics.—75-02915A
Mechanisms of the dielectric-semiconductor transition during ionic thermal treatment.—75-07967A
Method of forming a nonvolatile random access memory capacitor cell having a metal-oxide dielectric.—75-02952P
Method of making TA_2O_5 thin film by low-temperature ozone plasma annealing (oxidation).—75-05229P
Method of producing low-temperature firing dielectric ceramic composition containing B_2O_3.—75-05230P
Method of tuning a ceramic duplex filter using an averaging step.—75-07768P
Microwave dielectric ceramic composition and preparing method thereof.—75-05231P
Microwave dielectric ceramic composition.—75-02954P
Microwave dielectric ceramic composition.—75-07769P
Microwave dielectric properties of $CaTiO_3$-$Ca(Al_{1/2}Ta_{1/2})O_3$ ceramics.—75-07739A
Monitoring the cure of thin-layer polymides on glass substrates with photoacoustic infrared spectroscopy.—75-00353A
NIST metrology program on electromagnetic characterization of materials.—75-02136A
Nonlinear dielectric effect in Cr-, Ni-doped $BaTiO_3$ ceramics.—75-07740A
Nonreducible dielectric ceramic composition.—75-07772P
Numerically calculated effective permittivity of dielectric composites.—75-02924A
Photoelectrical effects in structures from semiconductor–thin dielectric layer interfaces in high-resistivity compensated crystals.—75-08010A
Photon tunneling microscopy applications.—75-01905A
Process for producing piezoelectric ceramic sheet and dielectric ceramic sheet.—75-08620P
Property change of AgO_x recordable compact disk with various dielectric films.—75-01092A
PZT ceramic compositions having reduced sintering temperatures and process for producing same.—75-00408P
Structure and composition of interfacial silicon oxide layer in chemical vapor deposited Y_2O_3-SiO_2 bilayer dielectrics for metal-insulator-semiconductor devices.—75-00374A
Suppression of interface-state generation in reoxidized nitrided oxide gate dielectrics.—75-00378A

dielectric properties,
1995 Corporate Technical Achievement Award: Transelco Div., Ferro Corp.—X5000 dielectric for multilayer capacitors.—75-05173A
Calculation of the dielectric and optical properties of wide-band semiconductors.—75-07794A
Chemical processing and dielectric properties of $BaTiO_3$ ceramics.—75-00432A
Chemistry and microwave properties of Bi_2O_3-doped $Ba_{4.5}Nd_9Ti_{18}O_{54}$-based ceramics.—75-01265A
Compositional tailoring of the dielectric and ferroelectric properties of sol-gel-derived PLZT thin films.—75-05540A
Conductive exotic nitride barrier layer for high dielectric constant materials.—75-07752P
Crystallization behavior and improved properties for sol-gel-derived PZT and PLZT thin layers processsed with a lead oxide cover coating.—75-00643A
Deposition and dielectric property of ion-beam-assisted bismuth titanate film.—75-00308A
Dielectric and conductivity properties of lanthanum-modified strontium copper niobate.—75-06443A
Dielectric and microstructure studies of lead magnesium niobate prepared by partial oxalate route.—75-08125A
Dielectric and piezoelectric properties of lead zirconate titanate doped with chromium oxide.—75-00647A
Dielectric and pyroelectric characteristics of PZT doped with gadolinium.—75-06445A
Dielectric hysteresis in multilayered structures based on strontium titanate.—75-07722A
Dielectric loss properties of magnesia-stabilized zirconia.—75-00315A
Dielectric loss tangent of ceramic with high alumina content [>97%] in microwave region.—75-00316A
Dielectric properties and phase transition temperature of ferroelectric liquid crystals.—75-03222A
Dielectric properties of $(Ba,Sr)TiO_3$ films by rf sputtering.—75-00317A
Dielectric properties of $(Pb_{1-x}A_x^{2+})(Mg_{1/3}Nb_{2/3})O_3$ (A^{2+}=Ba, Sr, Ca, Cd) ceramics.—75-08126A
Dielectric properties of cubic and pyrolytic boron nitrides (svetlanite).—75-09126A
Dielectric properties of ferroelectric thin films in the frequency range of mHz–GHz.—75-05545A
Dielectric properties of lanthanum gallate ($LaGaO_3$) crystal.—75-01272A
Dielectric properties of silver borophosphate glasses.—75-04949A
Dielectric properties of silver tantalates in the infrared range.—75-06203A
Dielectric properties of stable and metastable WO_3 ceramics depending on temperature and γ-irradiation dose.—75-09127A
Dielectric property measurement of zirconia fibers at high temperatures.—75-00319A
Dielectric relaxations in ceramics with compositions $(1-x)Pb(Mg_{1/3}Nb_{2/3})O_{3-x}PbTiO_3$ (x=0, 0.05, 0.1, and 0.25).—75-05182A
Dielectric relaxations in yttria-stabilized zirconia alloys at lower temperatures.—75-00320A
Dielectric response of ferroelectric films at intermediate frequencies.—75-05546A
Dielectric spectra of fresh cement paste below freezing point using an insulated electrode.—75-02397A
Dielectric strength of diamondlike carbon (DLC) thin films for energy storage capacitors.—75-07723A
Effect of deposition temperature on dielectric properties of PECVD Ta_2O_5 thin film.—75-04001A
Effect of dopants on high-frequency dielectric properties of lead zirconate.—75-01454A
Effect of top metallization on the dielectric and ferroelectric properties of sol-gel-derived PZT thin films.—75-00651A
Effects of silver and palladium doping on the dielectric properties of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$–$0.1PbTiO_3$ ceramic.—75-00328A
Electrical characterization of $BaTiO_3$ made by hydrothermal methods.—75-03889A
Epitaxial growth and dielectric properties of $BaTiO_3$ films on Pt electrodes by reactive evaporation.—75-00332A
Excess dielectric nonlinearity of inhomogeneous ferroelectrics: I, Bulk effects.—75-05567A
Features of dielectric and spectral characteristics of polydomain lithium tantalate [LT] single crystals.—75-05570A
Features of low-frequency conductivity and polaronic transport in the dielectric phase of $YBaCuO$.—75-08321A
Ferroelectric ceramics: materials and application issues.—75-03231A
Ferroelectric materials with high permittivity.—75-05577A
Growth of bismuth silicate films on Si and its dielectric properties.—75-05195A
High-frequency dielectric properties of thin-film PZT capacitors.—75-05586A
High-temperature dielectric constant measurement—another analytical tool for ceramic studies.—75-01025A
Importance of dielectric properties in modeling of microwave sintering of ceramics.—75-01533A
Influence of internal interfaces on the dielectric properties of ceramic microwave resonators.—75-02914A
Low dielectric constant coatings.—75-07763P
Microelectronics packaging moves toward miniaturization.—75-02917A
Microstructures and dielectric properties of ferroelectric glass-ceramics.—75-00192A
Microwave dielectric resonance of a fluoride glass.—75-02668A
Optical constants of sapphire (α-Al_2O_3) single crystals.—75-01322A
Parallel Measurement Programme in high-temperature dielectric property measurements: an update.—75-01038A
Preparation and characterization of spray-pyrolyzed $BaTiO_3$ films.—75-06715A
Preparation and electrical properties of $SrTiO_3$ thin films by plasma-enhanced metallorganic chemical vapor deposition.—75-07744A
Preparation and microwave dielectric properties of pure and doped magnesium titanate ceramics.—75-01616A
Pyroelectric ceramic bimorph structures.—75-00370A
Reversible and irreversible changes in dielectric properties of ZnSe crystals induced by CO_2 laser radiation.—75-08048A
Role of dielectric effects in the red-green switching of porous silicon luminescence.—75-00590A
Role of the addition of $Pb(Li_{1/4}Fe_{1/4}W_{1/2})O_3$ in the low-temperature sintering and dielectric characteristics of $Pb(Mg_{1/2}Nb_{2/3})O_3$ ceramics.—75-08170A
Room temperature and 77-K dielectric properties of acetate-derived PZT, PLZT, PSZT, and PBZT thin films.—75-05634A
Sol-gel processing of highly oriented $PbTiO_3$-based thin films.—75-06771A
Static dielectric constant and dielectric relaxation of densified SiO_2 glass.—75-02686A
Structural and dielectric properties of $Ba_{0.5}Sr_{0.5}TiO_3$ thin films grown on Si by off-axis sputtering.—75-05213A
Structural and dielectric properties of $Pb(Mn_{1/4}X_{1/4}Nb_{1/2})O_3$ (X=Zn, Cd, or Ni) ferroelectric ceramics.—75-05641A
Structure and microwave dielectric properties of ceramics based on $Ba_{3.75}Nd_{9.5}Ti_{18}O_{54}$.—75-01247A
Structure of $Ba(Y_{1/2}^{3+}Ta_{1/2}^{5+})O_3$ and its dielectric properties in the range 10^2–10^{14} Hz, 20–600 K.—75-00375A
Synthesis of $Pb(Mg_{1/3}Nb_{2/3})O_3$ powder by solvent evaporation and its dielectric property.—75-08175A
Ultrasonic and dielectric characterization of microwave-sintered and conventionally sintered zinc oxide.—75-09582A

dies,
Easing the availablity of bare die—die information exchange (DIE) format.—75-00322A
Extrusion die for protrusion and/or high cell density ceramic honeycomb structures.—75-08578P
Intelligent forming.—75-09722A

differential thermal analysis,
Differential thermal analysis of exothermic reactions in the synthesis of $MoSi_2$.—75-06204A

diffraction,
Diffraction method detection of local lattice distortion in AlN ceramics by convergent beam electron[—comment].—75-06205A
Electron diffraction and microscope studies of zirconium oxides stabilized by several metal oxides.—75-06217A

diffusion,
AEM investigation of ceramic/Incoloy 909 diffusional reactions after joining by HIP.—75-06838A
Aspects of grain-boundary diffusion in oxides.—75-01742A
Atomistic mechanisms of oxygen diffusion in $YBa_2Cu_3O_{7-x}$ and $YBa_2Cu_4O_8$.—75-05729A
Carrier diffusion lengths in diamond and gallium nitride.—75-09493A
Ceramic Transactions, Volume 71: Mass and Charge Transport in Ceramics.—75-09740B
Contactless method of finding diffusion-recombination parameters of semiconductors.—75-05265A
Contribution of electric force to sintering: II, Nature of the applied electric field for driving ionic diffusion.—75-04277A
Copper diffusion in SnO_2 polycrystalline films.—75-06841A
Defect-based description of lithium diffusion into lithium niobate.—75-01746A
Defect-enhanced interdiffusion at the InGaAs/InAlAs interface due to Si ion implantation.—75-05275A
Deformation of interparticle necks by diffusion-controlled creep.—75-04279A
Development and investigation of epitaxial diffusion of 6H-SiC *p-n* structures.—75-02996A
Diffusion of degradation products in ceramic moldings during pyrolysis: effect of geometry.—75-04280A
Diffusion of group III and group V elements in silicon during short heat treatments.—75-09498A
Diffusion of impurities under bias in CVD diamond films.—75-01750A
Diffusion of nonequilibrium phonons in ceramics based on corundum.—75-09499A
Diffusion of nonequilibrium tera-Hertz acoustic phonons in dense crystalline ceramics based on α-Al_2O_3.—75-08908A
Diffusion of radiation-induced intrinsic point defects in *p*-GaAs.—75-09500A
Diffusion-induced grain boundary phenomena in metals and oxide ceramics.—75-01751A
Diffusional mobility of nonequilibrium phonons in nonideal crystals.—75-09501A
Diffusive phenomena in Si_3N_4 ceramics with MgO.—75-09502A
Effect of composition on the oxygen tracer diffusion in transparent yttrium aluminum garnet (YAG) ceramics.—75-04281A
Electron spin resonance investigation of Cr^{3+} diffusion in rutile.—75-06848A
Elemental diffusion during the drawing and heat treatment of glass optical fibers.—75-06849A
Estimation of diffusion coefficients for zirconia.—75-01755A
Glass melting under microgravity.—75-05014A
Impurity diffusion in a semiconductor in two states distinguished by diffusion coefficients and degrees of impurity ionization.—75-03052A
Influence of fast-diffusing impurities on the kinetics of thermodonor generation in silicon at 300–500°C.—75-03057A
Influence of ion bombardment on the gold diffusion in silicon.—75-05347A
Interaction of atomic and electron-hole subsystems and role of point defects during diffusion in semiconductors.—75-03065A
Interdiffusion between Y-Ba-Cu-O thin films and Al_2O_3 substrates studied by applying Rutherford backscattering spectrometry combined with atomic force microscopy.—75-01760A
Interdiffusion in SiC-AlN and AlN-Al_2OC systems.—75-06850A
Low-temperature diffusion of oxygen and formation of thermodonors in silicon doped with an isovalent impurity of germanium.—75-05365A
Microwave-enhanced sintering of ceramics.—75-01587A
Monte Carlo simulation of cation diffusion via vacancies in quasi-binary spinel solid solutions involving multiple types of cation-vacancy exchanges.—75-01765A
Multicomponent diffusion in glasses in terms of flow switching and conjugation.—75-07352A
Nearly cut-off modes caused by diffusion in lithium niobate.—75-01769A
New approach to investigating surface transport in ceramics.—75-08688A
Oxygen diffusion and reaction of residual carbon in sol-gel-derived silica xerogel.—75-02601A
Oxygen diffusion and reordering in $RBa_2Cu_3O_{6+x}$.—75-03388A
Oxygen diffusion in silica and corrosion of ceramics.—75-01770A
Oxygen diffusion in $YBa_2Cu_3O_{6+x}$ ceramics.—75-05809A
Oxygen diffusion in $YBa_2Cu_3O_{7-\delta}$ mixed conductors: interpretation of *T*-jump measurements and experiments on hysteresis of conductivity.—75-05810A
Oxygen isotope exchange reaction in diffusion coefficient measurements using gas phase analysis.—75-09516A
Oxygen self-diffusion in MgO grain boundaries.—75-04286A
Problems in microelectronics (1. Diffusion. 2. Defect Formation. 3. Degradation.).—75-03136A

Relationship between surface roughness and bonding strength in superplastic diffusion bonding.—75-01648A
Secondary ion mass spectrometry study of magnesium diffusion in lithium niobate.—75-01774A
Self-diffusion in α-Al_2O_3: I, Aluminum diffusion in single crystals.—75-04290A
Self-diffusion in indium antimonide.—75-01775A
Solid-state diffusive amorphization in TiO_2/ZrO_2 bilayers.—75-06856A
Space-charge-controlled diffusional creep: volume diffusion case.—75-01776A
Stability criterion of the production technology for diffusers from flashed opal glass.—75-07369A
Surface diffusion processes in molecular beam epitaxial growth of GaAs and AlAs as studied on GaAs(001)-(111)B facet structures.—75-01778A
Thermalization and diffusion of streams of sputtered atoms in gases.—75-09520A
Toward determination of reliable grain boundary diffusion coefficients for oxides.—75-09521A

diffusivity,
Oxygen diffusivity in cation-defective lanthanum manganite.—75-04285A

dilatometers/dilatometry,
Applied dilatometry and intelligent processing of ceramics.—75-01381A

dinnerware,
Coalition advocates safe ceramic ware.—75-02857A
Coille McLaughlin Hooven.—75-02222A
Designing for an Italian factory.—75-02234A
Pfaltzgraff, a pioneer in new technology.—75-02881A

diodes,
W defect in *n*-InP.—75-07776A
Dynamics of variation of forward voltage drop on *pin* diodes under transient neutron irradiation.—75-07839A
Electrical characterization of *p-n* and *p-i-n* diode structures made by ion beam deposition of doped diamondlike carbon [DLC].—75-07864A
Fabrication and characterization of diamond field emitter diode with built-in anode.—75-07884A
Generation and amplification region in resonant-tunneling diodes.—75-07901A
High-brightness InGaN/AlGaN double heterostructure blue-green light-emitting diodes.—75-00507A
High-temperature light-emitting diodes on insulating diamonds.—75-07908A
Measurement of *n*-type dry thermally oxidized 6H-SiC metal-oxide-semiconductor diodes by quasi-static and high-frequency capacitance versus voltage and capacitance transient techniques.—75-03090A
Mechanism of the blue emission of light diodes based on zinc selenide.—75-03092A
Metal/insulator/semiconductor tunnel diodes formed by the oxidation of polycrystalline diamond films.—75-00540A
Nonequilibrium characteristics of the gate-controlled diode in 6H-SiC.—75-05402A
Optimized epitaxial growth of GaAs:Si single-heterojunction infrared emitting diodes [SH-IREDs].—75-03107A
Photoresponse study of polycrystalline diamond thin-film Schottky diodes.—75-00570A
Planar photodiodes based on epitaxial $Cd_xHg_{1-x}Te$ layers grown by the molecular beam epitaxy method.—75-08022A
Properties of avalanche photodiodes on the basis of Si-TiO_2 heterojunction.—75-03138A
Reverse *I-V* and *c-v* characteristics of Schottky-barrier-type diodes on Zn-doped InP epilayers grown by metallorganic vapor phase epitaxy.—75-00589A
Surface barrier height in Schottky diodes based on *n*-SiC-6H.—75-05493A
Uniform and high-power characteristics of 780-nm AlGaAs laser diodes fabricated by large-scale MOCVD.—75-05511A

diopside,
Development of low-temperature fast-firing glazed tiles using diopside.—75-02864A
Diopside porcelain.—75-03637A
Diopside: raw material for porcelain production.—75-08759A
Joining of zirconia to zirconia using CaO-MgO-SiO_2-Al_2O_3 glasses.—75-09349A
Metastable crystallization of glasses in the pseudobinary diopside-akermanite system.—75-02665A
Solubility, reactivity, and nucleation effect of Cr_2O_3 in the CaO-MgO-Al_2O_3-SiO_2 glassy system.—75-04994A

dipoles,
Effect of random fields of defects on long-range order in disordered dipole systems.—75-05187A

discharge,
Ac surface discharge on dielectric materials observed by advanced Pockels effect technique.—75-00299A
Flow mechanism of granular materials discharging from bin-hopper system.—75-05948A

dislocations,
Criteria for misfit localization at interfaces.—75-04278A
Deformation and Fracture Mechanics of Engineering Materials.—75-07106B
Dislocation mechanism of crack nucleation in cubic zirconia single crystals.—75-04489A
Electron-beam-induced loop formation on dislocations in yttria fully stabilized zirconia.—75-09544A
Generation of dislocations during the growth of Si crystals from the melt.—75-09320A
Interactions of dislocations and antiphase (inversion) domain boundaries in III-V/IV heteroepitaxy.—75-03066A
Polar dislocations in cadmium sulfide studied by cathodoluminescence and DLTS methods.—75-05438A
Role of holes in building the population coefficient of charged dislocations in *n*-type semiconductors.—75-03153A
Spiral growth mechanisms in partially melted bulk $YBa_2Cu_3O_{7-\delta}$.—75-05833A
X-ray study of the effect of adsorbed materials on the formation of dislocations during deformation of aluminum oxide microcrystals.—75-07057A

disorder,
Effect of Anderson disorder on superconducting paired correlations with s^*- and *d*-symmetry in high-temperature superconductors.—75-08294A
Effect of disorder on the Raman spectra of glasses.—75-02583A
Geometric probability of reproducibility of disordered sphere packing as a model of metallic glass.—75-03567A
Measurement of the static disorder contribution to the temperature factor in cubic stabilized ZrO_2.—75-03577A
Nonstoichiometry of zirconia.—75-05115A
Order–disorder phase formation in the complex perovskite compounds $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$.—75-08156A
Order-disorder transition in $(A'A'')BO_3$ and $A(B'B'')O_3$ complex perovskite crystals.—75-00682A
Phonon Raman scattering in disordered silicon carbides.—75-03822A
Raman spectroscopic study of order-disorder in lead magnesium niobate.—75-01924A

dispersants/dispersion,
Citric acid—a dispersant for aqueous alumina suspensions.—75-06185A
Critical factors determining the activity of oligomeric dispersants.—75-01417A
Dielectric dispersion of polycrystalline aluminum nitride at microwave frequencies.—75-02900A
Dispersant for α-Al_2O_3 slip.—75-03997A
Dispersants in stirred ball mill grinding.—75-05898A
Dispersion and electronic structure of TiO_2-supported cobalt and cobalt oxide.—75-06207A
Dispersion of SiC whiskers in SiC whisker-reinforced Si_3N_4 composite and related microstructural characteristics.—75-01825A
Effect of $BaTiO_3$ dispersion on the properties of cast tapes in processing of multilayer ceramic capacitor (MLCC).—75-07724A
Effects of polyacrylate and sodium silicate dispersant on plaster mold characteristics.—75-02867A
Evaluation of the effectiveness of a phosphate ester in Al_2O_3 tape casting slips.—75-01487A
Filter pressing of alumina dispersions.—75-04045A
Improved aqueous dispersion of silicon nitride with aminosilanes.—75-04073A
Improved aqueous dispersion of silicon nitride with aminosilanes.—75-08952A
Improved dispersion of silicon nitride whiskers.—75-04074A
Liquid bridge adhesion force and dispersion of aggregate particles.—75-06261A
Magnetic silica dispersions: preparation and stability of surface-modified silica particles with a magnetic core.—75-05689A
Mechanistic understanding of silicon nitride dispersion using cationic and anionic polyelectrolytes.—75-06270A
New approaches to preparation of ensemble of semiconductor nanocrystals with narrow size distribution.—75-05396A
Photoelectrochemical properties of dye-sensitized TiO_2 films containing dispersed gold metal particles prepared by sol-gel method.—75-09166A
Physical metallurgy of mechanically alloyed oxide dispersion strengthened MA956 and MA957 stainless steels: I, Recrystallization mechanism.—75-02521A
Physical properties of Bi semimetals.—75-03129A
Preparation of monodispersed spherical zirconia particles by homogeneous precipitation.—75-04161A
Role of cold isostatic pressing in the formation of the properties of ZrO_2-based ceramics obtained from ultradisperse powders.—75-05133A
Spatial charge of injected ballistic electrons having the negative effective mass.—75-05478A
Stabilization of fine SiC particles dispersed in a molten Al alloy: application to composite casting.—75-07231A
Structural formation in highly dispersed hydrated aluminum oxides.—75-06372A
Uniform inorganic colloid dispersions. Achievements and challenges.—75-06825A
Viscoelasticity of nanoalumina dispersions.—75-03942A

display devices,
Phosphors for flat panel emissive displays.—75-05422A
Tentative anatomy of ZnS-type electroluminescence.—75-00614A

disposal,
Recycling and disposal of refractories.—75-00270A

dissolution,
Chemical dissolution of cadmium selenide and telluride single crystals in bromine ethanol solutions.—75-07807A
Dense hydroxyapatite (HAp) and microporous HAp resorption.—75-01819A
Discontinuous dissolution of spinel precipitates in the Al_2O_3-Fe_2O_3 system.—75-03785A
Dissolution kinetics of silica glass as a function of pH between 40° and 85°C.—75-02644A
Dissolution of amorphous aluminosilicate zeolite precursors in alkaline solutions: II, Mechanism of the dissolution.—75-06208A
Dissolution of lead crystal glass (24% PbO) in aqueous solutions of ethyl and methyl alcohols.—75-07381A
Dissolution of MgO in stagnant CaO-FeO-SiO_2 slags.—75-04316A
Dissolution of rising helium bubbles in a soda-lime-silica glass melt.—75-05995A
Effects of addition of polyacrylic ammonium [PAA] on dissolution of α-alumina in solutions containing Mg^{2+} ions.—75-09291A
High-temperature dissociation of silicon nitride.—75-09149A
Prediction of nuclear waste glass dissolution as a function of composition.—75-03485A
Prevention mechanism of 3CaO-SiO_2 formation in clinker with excess SO_3.—75-00058A
Recurrent phenomena during dissolution of copper in chloride solutions.—75-06339A
Role of particle dissolution in the stability of binary yttria-silica colloidal suspensions.—75-04203A
Thermal dissociation of copper chalcogenides during melting.—75-09519A
Thermic-radiative effect of dissolution of parasitic phases in ceramic materials.—75-09088A

distribution,
Analyzing glass strength data using the distribution of flaw depth.—75-00178A
Distribution of components in metal oxide superconducting films produced by magnetron sputtering.—75-08291A
Distribution of isotopes formed in GaAs under irradiation by high-energy protons, deuterons, and ^{3}He nuclei.—75-05282A
Distribution of the satellite reflection of the modulation and its thermal stability in single-crystal $Bi_2Sr_2CaCu_2O_x$.—75-00786A
Mechanisms of oxygen gettering in silicon wafers having nonuniform distribution of mechanical stresses.—75-05378A
Molecular orbital models of silica.—75-06277A
NMR imaging applied to water distribution in porous media.—75-01035A
Nonaxisymmetric residual stress distribution in axisymmetric glass articles.—75-07356A
Rare-earth distribution behavior and lattice parameter changes on rare-earth-substituted garnet single crystals.—75-06336A

dolomite,
Dolomite, the successful approach for the burning zone of the cement rotary kiln.—75-01057A
Dolomite.—75-06029A
Effect of CeO_2 on sintering and hydration resistance of natural dolomite.—75-05084A
Kinetics and optimization of temperature and time regimes for sintering naturally pure Russian dolomites.—75-08761A

domain,
90° domain reversal in $Pb(Zr_xTi_{1-x})O_3$ ceramics.—75-03215A
Chemical and polar nanodomain fluctuations in relaxor-type lead scandium tantalate.—75-01813A
Coercivity and switching field of single-domain γ-Fe_2O_3 particles under consideration of the demagnetizing field.—75-00725A
Domain boundary and domain switching in a ceramic rare-earth orthoniobate $LaNbO_4$.—75-03223A
Domain inversion in $KTiOPO_4$ crystal near the Curie point.—75-01826A
Domain structure in modified lead titanate ferroelectrics.—75-03224A
Domain structure of cubic zirconia in ZrO_2-CeO_2.—75-03786A
Domain structure–second harmonic generation correlation in potassium niobate thin films deposited on a strontium titanate substrate.—75-08127A
Dynamic conversion of optical modes in magnetic garnet films induced by resonances of periodic stripe domains.—75-00731A
Dynamics of domain walls in Fe garnet films near the compensation point of the magnetic moment.—75-07838A
Effect of crystallite size on the ferroelectric domain growth of ultrafine $BaTiO_3$ powders.—75-03227A
Ferroelectric domains in $BaTiO_3$.—75-08143A
Irreversible alterations of ferroelectric domain structure in paramagnetic rare-earth molybdates induced by a magnetic field.—75-03238A
Large dynamic magnetic domains in a variable field with an axial symmetric gradient.—75-08225A
$LiNbO_3$ single crystals with periodic modulation of domain structure.—75-08969A
Low-temperature observation of relaxor ferroelectric domains in lead zinc niobate.—75-00671A
Magnetization of oxygen-deficient YBCO domain prepared by melt texture processing.—75-05793A
Microstructural model on the evolution of domain structure during processing of $PbTiO_3$ thin films on MgO(100) substrates.—75-03241A
Nanoscale control of ferroelectric domain structure by AFM.—75-03243A
Normal domains in large multifilamentary composite superconductors.—75-03384A
Orientation states of ferroelectric domains and {111} twins in $BaTiO_3$.—75-08157A
SREELS analysis of oxygen-rich inversion domain boundaries in aluminum nitride.—75-04402A
Strain and domain evolution in $YBa_2Cu_3O_x$.—75-03407A
Transient current during switching in increasing electric field as a basis for a new testing method.—75-05651A
Transition of a domain wall to nonlinear mobility in the presence of a planar field.—75-08249A

donors,
Features of initial generation kinetics of thermal donors in hydrogenated Si(O) crystals.—75-08933A
Intervalley redistribution of electrons under impact ionization of neutral donors in uniaxially strained germanium crystals.—75-03071A
Neutralization of group VI donors by H in GaAs.—75-05395A
Nonactivated donor mobility with ultrasound in CdS crystals.—75-05400A
Spin ordering of electrons localized at deep donors in multivalley semiconductors.—75-08061A
Surface donor states induced by metal atoms adsorbed in broad-band semiconductors.—75-05494A
Thermal donors in oxygen-containing silicon.—75-09203A

dopants/doping,
Analytical studies on multiple delta doping in diamond thin films for efficient hole excitation and conductivity enhancement.—75-01379A

Chemical binding and structural distortions in silicon doped with nontransition elements.—75-07806A
Chromophore doped glasses as scintillator materials.—75-00209A
Co-doped $Bi_2Sr_2CaCu_2O_y$: Anderson localization and superconductivity.—75-05737A
Correlations between the thermoelectric power and Hall effect of Sn or Ge doped In_2O_3 semiconductors.—75-05267A
Current-limiting property of *n*-$BaTiO_3$ ceramics.—75-05270A
CVD growth of low-doped 6H-SiC epitaxial films.—75-00451A
Defect structure of pure and Sn-, Ca-doped In_2O_3.—75-09496A
Densification and thermal conductivity of AlN doped with Y_2O_3, CaO, and Li_2O.—75-09124A
Dielectric confinement and linear and nonlinear optical properties of semiconductor-doped glasses.—75-04948A
Dopant solubility in off-stoichiometric GeTe.—75-05285A
Doping effects on transition temperature of $La_{2-x}(Ca, Na, K)_xCuO_4$ superconductors.—75-05747A
Doping of the Bi-Sr-Ca-Cu-O system with V_B elements and the effect on $Bi_2Sr_2Ca_2Cu_3O_y$ phase formation.—75-03359A
Doping of ZnSe with a highly effective active nitrogen source during molecular beam epitaxy.—75-07835A
Dynamics of the nitrogen-bound excitons in 6H- and 3C-SiC.—75-00461A
Effect of doping impurities on the formation of structural defects in CdTe irradiated by electrons and ions.—75-07846A
Effect of MnO_2 and TiO_2 doping on the densification and microstructural development of alumina.—75-01460A
Effects of dopants and oxygen vacancies on the dielectric loss tangent of $(Zr_{0.8}Sn_{0.2})TiO_4$ dielectric ceramics.—75-00326A
Effects of dopants on arsenic precipitation in GaAs deposited at low temperatures.—75-02902A
Effects of titanium doping on surface properties of alumina.—75-04019A
Electron transport in Sb-doped metallorganic epitaxial GaAs grown at moderate As-rich conditions.—75-00476A
Fluorescence properties of CeF_3 and of some other cerium-doped crystals and glasses under VUV and X-ray synchrotron excitation.—75-00188A
Friction properties of metal oxide-doped silicon nitride.—75-09638A
Grain growth in CeO_2: dopant effects, defect mechanism, and solute drag.—75-06878A
Impurity doping effect on piezoelectricity and strain induced by electric field in piezoelectric ceramics.—75-08148A
Influence of TiO_2 doping on the quantum efficiency of α-Fe_2O_3 electrodes in water photoelectrolysis.—75-04084A
Internal stresses in semiinsulating gallium arsenide single crystals.—75-05354A
Introducing acceptor impurities under the photonuclear doping of gallium arsenide.—75-07941A
Lanthanide and actinide doped glasses as reference standards for dye doped systems.—75-04912A
Luminescence properties of Ti-doped gem-grade zirconia particles.—75-06485A
Metal-ceramic microstructures in the Fe-Mn-O system—morphology control by impurity addition.—75-04353A
Metal-insulator electron phase transition in a strongly doped compensated semiconductor (SDCS).—75-05381A
Multiphase composites of tetragonal zirconia agglomerate dispersed into alumina and alumina-zirconia matrices.—75-06690A
Nature and magnitude of the influence of deep electroactive doping on the band spectra of IV-VI compounds studied based on the valence band of lead telluride.—75-05392A
Nonlinear dielectric effect in Cr-, Ni-doped $BaTiO_3$ ceramics.—75-07740A
Nonstoichiometry and dopant-related phenomena in low temperature GaAs grown by molecular beam epitaxy.—75-05408A
Optical and electrical properties of radio-frequency-sputtered tin oxide films doped with oxygen vacancies, F, Sb, or Mo.—75-01317A
Optical properties and radiation damages of cerium fluoride crystals doped with alkali-earth and rare-earth elements.—75-01323A
Perturbed-angular-correlation spectroscopy on indium and cadmium complexes in silicon carbide.—75-00563A
Photoluminescence [PL] of doped multiple GaAs/$Al_xGa_{1-x}As$ quantum wells at high excitation level.—75-05431A
Photoluminescence of GaAs doped with dimethylaluminum methoxide during organometallic vapor phase epitaxy.—75-05432A
Preparation of Ca-2,2,2-trifluoroethanolate as a sintering additive for AlN ceramics.—75-06726A
Properties of mechanochemically pretreated precursors of doped $BaTiO_3$ ceramics.—75-06507A
Recombination process of the broadband and 1.681 eV optical centers in diamond films.—75-00585A
Red to blue upconversion emission of Tm^{3+} ions in Yb^{3+}-doped glass-ceramic.—75-00197A
Sol-gel processing of $Pb(Zr_{0.52},Ti_{0.48})O_3$ thin films: dopant compensation mechanism and leakage current characteristics.—75-03166A
Sublimation method in obtaining doped films of polycrystalline silicon.—75-03174A
Subsolidus grain growth in donor-doped barium titanate.—75-06908A
Superplastic alumina at temperatures below 1300°C using charge-compensating dopants.—75-01688A
Synthesis and superconductivity of $YBa_2Cu_3O_y$ ceramics doped with Sb, Ag, and Te.—75-05843A
Te doping of GaAs using diethyl tellurium.—75-00612A
Temperature dependence of magnetic resistivity in the hopping conductivity regime with variable range hopping: results for doped CdTe.—75-08078A
Temperature dependence of the internal friction and modulus change in Y_2O_3- and MgO-doped ZrO_2 polycrystals.—75-03932A
Theoretical analysis of dopant redistribution in silicon after implantation through an SiO_2 mask.—75-00615A

drawing,
Drawing and observation of electrified images on ceramic substrates using electron beam.—75-08518A
Elemental diffusion during the drawing and heat treatment of glass optical fibers.—75-06849A
William Daley—ceramics and drawings.—75-02381A

drilling,
Rotary ultrasonic drilling and milling of ceramics.—75-00986A

dry pressing,
Control of dry pressing performance via binder optimization.—75-03979A
Dry grinding.—75-03518A
Pfaltzgraff, a pioneer in new technology.—75-02881A
Springback in dry pressing: time, additive, and processing effects.—75-04228A
Variables encountered in the dry pressing of technical ceramics.—75-04273A

dry processing,
Dryout, heat-up procedures for refractories.—75-02813A
New applications for vertical roller mills and dryers in the ceramics industry.—75-00971A
Ultrafine dry grinding of α-SiC powders for advanced ceramics.—75-05916A

dryers/drying,
Accelerated drying of tableware.—75-02848A
Chamber dryer purpose-designed for modernized tile plant.—75-02761A
Chemical effects of DCCA [drying control chemical additives] to the sol-gel reaction process.—75-06546A
Convection drying of porous material.—75-02764A
Data on moist air—drying technology.—75-05991A
Deterioration of the nitrogen BET surface area of dried cement paste with storage time.—75-04812A
Development of drying schedules for one-side-heating drying of refractory concrete slabs based on a finite element model.—75-02811A
Dryer modification to improve brick production.—75-02769A
Drying technology for today's manufacturer.—75-03519A
Effect of drying air pressure on the slip casting process.—75-04003A
Effect of drying temperature on the physical properties of titania aerogels.—75-06576A
Effect of poly(vinyl alcohol) adsorption on binder segregation during drying.—75-01462A
Method for drying ceramic compact.—75-08591P
Microwave drying kinetics of a clay plate.—75-02784A
Microwave drying of boehmite sol intercalated smectites.—75-06687A
Microwave energy versus convected hot air for rapidly drying ceramic tile.—75-00291A
New applications for vertical roller mills and dryers in the ceramics industry.—75-00971A
New emphasis on drying.—75-03528A
Observations of microcracking in cement paste upon drying and rewetting by environmental scanning electron microscopy.—75-04825A
Raising the temperature of the green ware in order to reduce the risk of cracks during the drying process.—75-05065A
Scope and limits of climate-controlled convection drying.—75-00253A
Ultraviolet drying in ceramic decoration technology.—75-04804A

ductility,
High-temperature flow of SiC continuous fiber–glass-ceramic matrix composites—the effect of interface/interphase ductility.—75-04553A
Pullout of a ductile fiber from a brittle matrix: I, Shear lag model.—75-07024A
Tensile ductility in zirconia-dispersed alumina at high temperatures.—75-02102A

durability,
Ceramic Transactions, Volume 57: High-Temperature Ceramic-Matrix Composites I: Design, Durability, and Performance.—75-02158B
Ceramic Transactions, Volume 58: High-Temperature Ceramic-Matrix Composites II: Manufacturing and Materials Development.—75-02159B
Conservation parameters related to Australia's First Government House.—75-00017A
Design and durability assure Denby's [Denby, UK] popularity.—75-00283A
Durability of vitrified ceramic waste forms produced from simulated low-level wastes using a plasma centrifugal furnace.—75-03458A
Effect of B_2O_3, CaO, and Al_2O_3 on the chemical durability of silicate glasses for Hanford low-level waste immobilization.—75-03459A
Evaluation of models of waste glass durability.—75-03464A
Loss of freeze-thaw durability of concrete containing accelerating admixtures.—75-02414A
Thermomechanical durability of CVI-processed two-dimensionally woven and three-dimensionally braided SiC fiber-reinforced SiC composites.—75-07047A
Vitreous ceramic waste form for Hanford tank wastes.—75-03502A

dust,
Air entrainment and dust generation from a falling stream of bulk material.—75-05892A
Bag-house dust used in clinkerization of portland cements.—75-00024A
Dust pressing process speeds plate production.—75-02865A
ESP [electrostatic precipitator] dust as a potential feedstock for alumina-based ceramics.—75-01486A
Extracting aerograph overspray.—75-02471A
Replacement filters reduce dust emissions.—75-04744A
Use of chain filters for recovery of cement dust.—75-07194A

dye,
Dye mixtures for ultrafast wavelength shifters.—75-01444A

dynamics,
Ball charge dynamics in a planetary mill.—75-05894A
Microscopic model for two-level system dynamics in glasses.—75-02667A
Structure and dynamics in CaO-Al_2O_3 and SiO_2-Al_2O_3 liquids—investigation by ion dynamics simulation.—75-00273A
Theory of spin dynamics in the metallic cuprates.—75-00887A

dysprosium,
Accumulation of weak optical signals and spectral memory in InSe(Dy) single crystals.—75-05235A
Angular momentum of an Ising antiferromagnet of $DyAlO_3$ during metamagnetic phase transitions.—75-05654A
Anomalous nature of magnetostriction of $R_2Cu_2O_5$ (R=Dy, Ho).—75-05655A
Anomalous thermal expansion of Ising magnets in the low-temp. region.—75-08193A
Dy_2BaCuO_5 pattern formation in isothermally nonseeded melt-textured $DyBa_2Cu_3O_{7-x}$ with 15 wt% Dy_2O_3 addition.—75-08292A
$Dy_3Fe_5O_{12}$ garnet thin films grown from sputtering of metallic targets.—75-03286A
Electron paramagnetic resonance of Dy^{3+} ions in yttrium-aluminum garnet.—75-08212A
Phase relations in the system (Y, Dy, Yb)$_2Cu_2O_5$-CuO_x.—75-09032A
Properties and hydrogenation activity of Pd-Dy/alpha-Al_2O_3 and Dy/γ-Al_2O_3 catalysts: I, Preparation and characterization.—75-03658A
Properties and hydrogenation activity of Pd-Dy/alpha-Al_2O_3 and Dy/γ-Al_2O_3 catalysts: II, Hydrogenation of vinyl and divinylbenzenes.—75-03659A
Properties and hydrogenation activity of Pd-Dy/alpha-Al_2O_3 and Dy/γ-Al_2O_3 catalysts: III, Cyclohexene and indene hydrogenation.—75-03660A
Scaling behavior of virgin magnetization curve of $DyBa_2Cu_3O_x$ crystal prepared by melt-textured growth method.—75-00860A
Slow isothermal relaxation of dark resistance in dysprosium-doped indium selenide single crystals.—75-05477A
X-ray and thermodynamic study of $DySrMn_2O_{5.5}$.—75-06410A

earthenware,
Atmospheres.—75-02192A
Bacia Edelman.—75-02193A
Bruce Cochrane.—75-02202A
Ceramics Israel.—75-02212A
Decoration of porcelain, earthenware, and bone china.—75-05162A
Esperanza Romera.—75-02244A
Floating pottery of Myanmar.—75-04794A
Generic deities.—75-07123A
Gift to Renwick.—75-02261A
Mark Messenger.—75-02289A
New artists tea party.—75-02310A
Slumping earthenware in a sodium vapor atmosphere.—75-00294A

economics,
As U.S. market improves, North American operations become bright spot for Glaverbel.—75-04677A
Big producer between Europe and Asia.—75-02752A
Ceramic analysis and social processes—pottery and society in antiquity.—75-00013A
Congress and science & engineering funding.—75-02120A
Critical role of raw material suppliers in market development.—75-04698A
Demand of refractories in Saudi Arabia and technoeconomic feasibility for setting up a refractory plant.—75-07504A
Economic forecast 1994-95.—75-04702A
Economics of electronic ceramics.—75-04703A
Help yourself.—75-07560A
Integrated approach to product development and manufacturing.—75-07081A
Interaction between specialized sciences and refractory and metallurgical enterprises undergoing reconstruction.—75-09723A
Material supplier's role in market development.—75-02133A
Reengineering program helps container maker take a fresh look at new ways to do business.—75-04741A
Shopping for bargains at the tax fair.—75-04749A
Starting a manufacturing business in New York State—economic and technology issues.—75-02148A
Toward economical processing of composites.—75-04761A
Trend reversal.—75-03535A

education,
50 years at the School for American Craftsmen.—75-02183A
Bringing the world of ceramics together.—75-07062A
Ceramic Science & Technology Days—National Engineers Week.—75-04685A
Ceramics enrollment continues decline.—75-02116A
Challenge of making pots at a university.—75-02213A
Creative learning and training towards competence.—75-02122A
Didactis for the ceramic industry presented at ECerS [European Ceramic Society].—75-09710A
Edward Orton Jr. Ceramic Foundation.—75-04704A
Engineering's future: more complex, but more interesting.—75-07069A
Feats of Clay VII.—75-02247A
Four steps of critical observation.—75-02255A
Implementation of reforms—a task for professional managers.—75-09721A
Ken Ferguson's legacy.—75-04798A
Mudflat Studio [Somerville, MA]: 25 years of community claywork.—75-07129A
Questions to Arnon Bentur, Head, National Building Research Institute, Technion, Israel Institute of Technology, Haifa.—75-07093A

Ron Meyers: thirty years.—75-02347A
Teaching DOE for quality improvement.—75-09737A
What can New York State colleges do for the glass industry.—75-02153A

efficiency,
Available options in porcelain enamel systems.—75-00073A
Challenges to obtaining high efficiency in solid oxide fuel cells.—75-02895A
Evaluation of conversion efficiency of tandem thermoelectric devices.—75-03891A
Optimizing throughput in tile plants.—75-02786A

efflorescence,
New method of assessing efflorescence [in brick].—75-05968A

elastic constants,
Elastic constant degradation from microcracking in ceramic-ceramic composites cycled by slow thermal loading.—75-04507A
Elastic constants of boron nitride.—75-01279A
Single-crystal elastic constants of fluorapatite, $Ca_5F(PO_4)_3$.—75-03925A

elastic materials,
Elastic scintillation materials based on polyorganosiloxane.—75-01280A

elastic properties,
Characteristics of titanium nitride elasticity in the homogeneity region studied by ultrasonic resonance.—75-06428A
Coupled thermal-mechanical model on elastic-plastic response of suddenly heated ceramic-metal gradient materials.—75-02448A
Effect of γ-irradiation on the elastic properties of ferroelectrics within the range of phase transitions.—75-05548A
Effect of elastic force nonlinearities and the charge state on the type of equilibrium distortions of defects with an initial electron state of t_2 symmetry.—75-03003A
Elastic anharmonism in magnetoelectric tetragonal antiferromagnets.—75-08211A
Elastic anomalies in sodium-doped Bi-2212 single-phase HTSC materials.—75-08304A
Elastic behavior of fibrous ceramic matrix composites at high temperature under tensile stress.—75-03887A
Elastic behavior of $PbTiO_3$ crystals near ferroelectric phase transition.—75-05555A
Elastic moduli measurements of composite ceramics at high temperatures using laser ultrasonics.—75-05943A
Elastic properties and cohesive energy of glasses in the R_2O-TeO_2 system.—75-02650A
Elastic properties of monoclinic and orthorhombic ZrO_2.—75-03888A
Elastic properties of silicon carbide polytypes.—75-06449A
First-principles calculation of the elastic stiffness tensor of aluminum nitride under high pressure.—75-03894A
Fourier spectroscopy of elastic modes and anharmonic effects in $LiNbO_3$.—75-00663A
Hardness, elasticity modulus, and flexion strength of dry set plaster.—75-04817A
High-modulus glasses and glass fibers.—75-00189A
Influence of elastic strain on crystallization of epitaxial layers of semiconducting solid solutions.—75-05345A
Influence of micromechanical approaches on macroelastic-plastic response of C/M FGMs: I, Steady-state problem.—75-02493A
Influence of micromechanical approaches on macroelastic-plastic response of C/M FGMs: II, Transient problem.—75-02494A
Keating-Harrison model for the description of elastic properties of wide-gap semiconductors.—75-07943A
Mechanical properties and modeling of high-performance ceramic matrix composites.—75-04590A
Molecular dynamics simulation of the elastic deformation of nanometer diameter metal clusters.—75-02079A
Nanoindentation on contamination-free gold films using the atomic force microscope.—75-02080A
Polarization spectroscopy of luminescent excitation as a method for controlling elastic stresses in epitaxial GaAs layers.—75-08694A
Possible effects of elastic anisotropy on mechanical properties of ceramics.—75-07022A
Relation of dynamic elastic moduli, mechanical damping, and mass density to the microstructure of some glass-matrix composites.—75-04391A
Structural implications of elastic properties, fracture toughness, and fracture surface energies of R_2O-Al_2O_3-SiO_2 glasses.—75-02688A
Thermoelastic behavior in Ca_3SiO_4 solid solutions.—75-09097A
Third-order elastic constants of fused silica and silicate glasses.—75-02696A
Three-phase model of the elastic and shrinkage properties of mortar.—75-04836A
Ultrasonic evaluation of elastic parameters of sintered powder compacts.—75-05985A
Versatile tool improves brick production.—75-02800A

elasticity,
Changes in elasticity and viscosity of an SiYAlON glass during structural relaxation in the transformation range.—75-04943A
Evaluation of ultrasonically determined elasticity-porosity relations in zinc oxide.—75-03562A
Functionally graded interphases: meso-continuum concept and effective properties.—75-03895A
Influence of elastic mismatch between indenter and substrate on Hertzian fracture.—75-06995A
Magnetoelastic interaction in yttrium iron garnet films with magnetic inhomogeneities through the film thickness.—75-03313A

electric field,
Contribution of electric force to sintering: II, Nature of the applied electric field for driving ionic diffusion.—75-04277A
Dc electric field effect on the microwave properties of $YBa_2Cu_3O_7/SrTiO_3$ layered structures.—75-00783A
Delamination detection and suppression in a composite laminate using piezoceramic layers.—75-03221A
Direct visualization of electromagnetic microfields by interference of three-electron waves.—75-08661A
Effect of a permanent electrical field on the optical properties of parabolic quantum wells.—75-05288A
Effect of a strong electric field on the properties of nonequilibrium two-dimensional electron gas in nonideal structures.—75-07842A
Effect of a uniform electric field and nonequilibrium optical phonons on electron radiation in high-frequency field.—75-07843A
Effect of electrical field on the *I-V* characteristics of YBCO HTSC ceramics with an oxygen deficiency after hydrogen treatment.—75-05752A
Electric field effect and transport properties of 90° grain boundary in $YBa_2Cu_3O_{7-x}$ thin films.—75-08305A
Field-assisted self-propagating synthesis of B-SiC.—75-01500A
Light-controlled electric fields in a high-resistivity MISIM structure with tunnel-transparent dielectrics.—75-02915A
Numerical simulation of electrical characteristics of multilayer ceramic capacitors.—75-00358A
Observation and characterization of electric fields at grain boundaries.—75-04383A
Occurrence of large-scale inhomogeneous states during a phase transition induced by an electrical field in lead magnesium niobate crystals.—75-05614A
Silicon double-collector strain transistor with accelerating base electric field.—75-05475A
Theory of electroded thin thermopiezoelectric plates subjected to large driving voltages.—75-00707A
Twinning-induced stress and electric field concentrations in ferroelectric ceramics.—75-00709A

electrical components,
Ceramic coatings.—75-03727P
Ceramic properties of electrical porcelain containing alumina.—75-02894A
Dielectric ceramic compositions.—75-07760P
Electronic coatings using filled borosilazanes.—75-01167P
Large ceramic articles and method of manufacturing.—75-02950P
Method of providing a sintered ceramic body having a concave portion.—75-00403P
Process for preparing fine powder of perovskite-type compound.—75-03676P
Projected research on high-efficiency energy conversion materials.—75-02535A
Protective electronic coatings using filled polysilazanes.—75-01190P

electrical conductance,
Conduction mechanism of $SrTiO_3$ thin films by rf sputtering.—75-00641A
Electrical conduction in the $Sr_{1-x}La_xTi_{1-x}Co_xO_3$ ($x<0.4$) system.—75-02903A
Electrical conduction mechanism in amorphous thin films of the system $Ge_{20}Bi_xSe_{70}\delta_1Te_{10}$ [x=7, 9, 11, and 13].—75-07726A
Electrical conduction properties of NbN thin films [studied] using NbN/MgO/NbN double-tunnel junctions.—75-08306A
Nonlinear conduction mechanism in perovskite-type ceramics.—75-01315A
Oxygen deficiency in $BaBi_{0.25}Pb_{0.75}O_{3-\delta}$ and its effect on the conduction behavior and crystal structure.—75-05808A

electrical conductivity,
Ac conductivity for amorphous TeO_2-P_2O_5 glass system.—75-02620A
Ac conductivity studies of lithium thioborate glasses.—75-02621A
Baric hysteresis of electrical conductivity and thermo-emf of the high-pressure phases of germanium telluride.—75-07790A
Calculation of the dc conductivity activation energy of ionically conducting glasses.—75-04881A
Ceramic cell for measuring electrical conductivity of liquid solution.—75-08715P
Ceramic semiconductor package having varying conductive bonds.—75-08098P
Chalcogenide films: electric conductivity and preparation by chemical deposition.—75-02702A
Composition dependence of the electrical conductivity of *n-p* ceramic composite.—75-02898A
Computer simulation of the electrical conductivity of CaO-SiO_2 melts.—75-09121A
Conducting polymer-clay composites for electrochemical applications.—75-05179A
Control of electrical conductivity in laser-deposited $SrTiO_3$ thin films with Nb doping.—75-00305A
Dielectric and conductivity properties of lanthanum-modified strontium copper niobate.—75-06443A
Effect of ferric oxide additives on the electrical conductivity of yttria-stabilized tetragonal zirconia solid electrolytes.—75-09132A
Effect of nonstoichiometry on the semiconducting properties of CoO.—75-00464A
Electrical conductivity and gas sensitivity of sintered zinc oxide films in saturated steam.—75-09137A
Electrical conductivity and thermodynamics of the process of indium oxide reduction and solid solutions based on it.—75-06216A
Electrical conductivity in mixed alkali aluminosilicate melts.—75-04956A
Electrical conductivity in the $Gd_2(Ti_{1-x}Sn_x)_2O_7$ [$x\leq0.6$] pyrochlore system.—75-02904A
Electrical conductivity of rutile single crystals after heating by pulsed laser.—75-06452A
Electrical conductivity of zinc oxide varistor ceramics with prolonged electrical current.—75-05308A
Electrical conductivity studies of sodium tetraborate glasses containing copper.—75-04959A
Electrical properties of C_{60} and its partially decomposed thin films fabricated by vacuum evaporation and ion plating methods.—75-01284A
Electrical properties of CoO thin films.—75-00473A
Evaluation of some commercial thick-film resistor materials for strain gages.—75-05193A
High-temperature electrical conductivity of AlN ceramics.—75-00338A
High-temperature thermoelectric properties of In_2O_3-based mixed oxides and their applicability to thermoelectric power generation.—75-06473A
Large enhancement of electrical conductivity in magnesium phosphate glasses by ion implantation of proton.—75-07345A
Measurements of the conductivity of individual 10 nm carbon nanotubes.—75-00349A
Microstructure, electrical conductivity, and piezoelectric properties of bismuth titanate.—75-08152A
Mixed oxide effect in an ion-exchanged glass.—75-02731A
Semiconducting properties of TiO_2.—75-00594A
Simple mathematical model for the electrical conductivity of highly porous ceramics.—75-01341A
Simple mathematical model for the electrical conductivity of highly porous ceramics[—comment].—75-09185A
Simple mathematical model for the electrical conductivity of highly porous ceramics[—reply].—75-09186A
Sintering and electrical conductivity of doped WO_3.—75-08056A
Theoretical analysis of the simultaneous detection method of thermally stimulated conductivity and luminescence: application to an α-Al_2O_3 monocrystal.—75-03933A
Transport in $BaTiO_3$.—75-00385A

electrical conductors,
Cadmium-free and lead-free thick film conductor composition.—75-02943P
Coating solutions for forming transparent conductive ceramic coatings, substrates coated with transparent conductive ceramic coatings and process for preparing same, and uses of substrates coated with transparent conductive ceramic coatings.—75-00393P
Exhaust gas filter.—75-00399P
Method of producing electrically conductive ceramic film for interconnectors of solid oxide fuel cells.—75-00402P

electrical insulation/electrical insulators,
Ceramic insulated electrical conductor wire and method for manufacturing such a wire.—75-05217P
Fabrication of FGM for the electric insulation of fusion reactor components.—75-02476A
Nonconductive aluminum oxide-titanium carbide ($Al_2O_3$3-TiC) thin film computer head substrate, method of making same, and slider element incorporating same.—75-00406P

electrical properties,
I-V characteristics of $YBa_2Cu_3O_{7-x}$ single crystals near T_c analyzed with a modulated procedure.—75-05722A
Accurate measurements of electrical properties of dielectric resonators and substrate materials.—75-01007A
Aging of yttria-stabilized zirconia electrolytes at 1000°C.—75-01261A
Anisotropy of electrical conductivity of indium selenide.—75-07780A
Changes induced in the electrical properties of Si-SiO_2 systems by pulsed magnetic fields.—75-05257A
Characterization of MS, MiS, and MOS contacts to type IIB diamond by capacitance-voltage and current-voltage.—75-00427A
Complex plane impedance analyses of electrical properties for $BaTiO_3$-based PTCR ceramics.—75-07808A
Correlations between electrical and material properties of CVD diamond.—75-01270A
Current-voltage characteristics of electric contacts on *p*-type ZnSe.—75-02986A
Dc and ac electrical properties of amorphous $Bi_4Sr_1Ca_3Cu_4O_{16}$.—75-05741A
Defect structure, electrical properties, and transport in barium titanate: I, Introductory remarks.—75-03877A
Defect structure, electrical properties, and transport in barium titanate: II, Consistency requirements between defect models and crystal properties.—75-03878A
Defect structure, electrical properties, and transport in barium titanate: III, Electrical conductivity, thermopower, and transport in single crystalline $BaTiO_3$.—75-03879A
Defect structure, electrical properties, and transport in barium titanate: IV, Thermopower of polycrystalline $BaTiO_3$ within the *n-p* transition range.—75-03880A
Defect structure, electrical properties, and transport in barium titanate: V, Work function.—75-03881A
Defect structure, electrical properties, and transport in barium titanate: VII, Chemical diffusion in Nb-doped $BaTiO_3$.—75-03883A
Effect of As_4/Ga flux ratio on electrical and optical properties of low-temperature GaAs grown by molecular beam epitaxy.—75-02999A
Effect of elastic deformation during electron bombardment of Si single crystals.—75-07847A
Effect of grain size of sputtered cerium oxide films on their electrical and kinetic behavior at high temperatures.—75-01455A
Effect of microstructure of $YBa_2Cu_3O_x$ films on power handling capability studied with microstrip resonators.—75-00791A
Effect of oxygen gas concentration in the heat-treatment atmosphere and high-voltage pulse application on the electrical properties of carbon fibers.—75-07852A
Effect of rapid heat treatments on electrical properties of polymer-derived ceramic fibers.—75-04008A
Effect of the growth process on boron nitride thin film electrical properties.—75-09288A
Effects of additive elements on electrical properties of tantalum oxide films.—75-05188A

Effects of deposition variables on the spray pyrolysis of ZnO thin film.—75-06591A
Effects of impurity contents of the starting materials of $YBa_2Cu_3O_x$ on superconducting characteristics.—75-00795A
Effects of rapid thermal annealing on electrical properties of heavily doped silicon molecular beam epitaxial layer with B_2O_3 doping source.—75-01473A
Electric loss in a high-resistance silicon with deep levels.—75-07863A
Electrical and mechanical properties in CaF_2/SiC whisker composites.—75-01478A
Electrical and optical properties of Li-doped $LiBO_2$ and $LiNbO_3$ films.—75-01282A
Electrical and optical properties of vanadium in bulk *n*-type silicon carbide.—75-00468A
Electrical and photoelectrical properties of heterostructures based on nanocrystalline diamond films.—75-09136A
Electrical behavior of compressed magnesia powder.—75-06451A
Electrical characteristics of (100), (111), and randomly aligned lead zirconate titanate thin films.—75-01283A
Electrical characteristics of MOCVD deposited $Ba_{1-x}Sr_xTiO_3/YBa_2Cu_3O_{7-x}$ on $LaAlO_3$ substrate.—75-05190A
Electrical characterization of *p-n* and *p-i-n* diode structures made by ion beam deposition of doped diamondlike carbon [DLC].—75-07864A
Electrical characterization of aluminum nitride films on silicon grown by chemical vapor deposition.—75-00090A
Electrical characterization of electron beam evaporated indium tin oxide/indium phosphide junctions.—75-00469A
Electrical characterization of $Hg_{1-x}Cd_xTe$ ($0.1265 \le x \le 0.58$) grown by organometallic vapor phase epitaxy.—75-00470A
Electrical characterization of PLT thin films by LP-MOCVD.—75-05557A
Electrical characterization of PZT on rapid thermally annealed ruthenium oxide electrodes.—75-05558A
Electrical characterization of rapid thermal nitrided and reoxidized plasma-enhanced chemical vapor deposited silicon dioxide metal-oxide-silicon structures.—75-00472A
Electrical characterizations of polycrystalline and amorphous thin films of $Pb(Zr_xTi_{1-x})O_3$ and $BaTiO_3$ prepared by sol-gel technique.—75-05559A
Electrical contacts to CRT Bi-2212 superconductors: preparation, characterization, and analysis.—75-08307A
Electrical double layer of a disk-shaped clay mineral particle: effect of particle size.—75-05163A
Electrical properties of barium strontium titanate (BST) thin films deposited on various Pt-base electrodes.—75-05191A
Electrical properties of metal-semiconductor diode structures based on disordered GaP layers.—75-07865A
Electrical properties of Mg-In oxide spinel solid solution.—75-06453A
Electrical properties of pulsed excimer laser deposited strontium titanate films.—75-06454A
Electrical properties of pure vanadium phosphate phases and of VPO catalysts used in the partial oxidation of *n*-butane to maleic anhydride.—75-06455A
Electrical properties of PZT thin films for memory application.—75-05560A
Electrical properties of Si^{4+} substituted copper ferrite.—75-06456A
Electrical properties of sol-gel-processed PLZT thin films.—75-05561A
Electrical relaxation in glasses and melts with large concentrations of mobile ions.—75-04962A
Electrical, optical properties, and surface morphology of high-purity InP grown by chemical beam epitaxy.—75-00002A
Electrically active state of Co impurities in PbTe.—75-07866A
Electrochemical properties of complex transition metal dichalcogenides and their intercalated compounds.—75-06458A
Electrophysical and photoelectric properties of InAs photosensitive elements.—75-05313A
Electrophysical properties of heavily doped InSb(Mn).—75-06461A
Fabrication and electrical properties of lead zirconate titanate thick films.—75-05569A
Fabrication of BiSrCaCuO superconducting films by use of sol-gel method and their properties.—75-00803A
Frequency-capacitive method for determining the electrostatic constants of semiconducting structures with a potential barrier.—75-08670A
High-temperature electrical properties in the ThO_2-rich region of ThO_2-RE_2O_3 systems.—75-03898A
Influence of chemistry and processing on the electrical properties of $Ba_{6-3x}Ln_{8+2x}Ti_{18}O_{54}$ solid solutions.—75-00341A
Influence of gamma irradiation on electrical parameters of thin SmS films.—75-03058A
Influence of high-temperature annealing on electrical properties of compensated *a*-Si:H films containing boron and phosphorus.—75-07923A
Interfaces in zirconia-based electrochemical systems and their influence on electrical properties.—75-01299A
Irreversible and reversible changes in silica glasses observed by electrical properties: I. Synthetic silica glass by flame fusion.—75-00190A
Links between electrical and optical fatigue in $Pb(Zr,Ti)O_3$ thin films.—75-03239A
Low-temperature electrical properties of $Me_xV_{1-x}S$.—75-09156A
Microstructure and electrical properties of YBCO films.—75-08363A
Modeling of electrical characteristics of the metal–gallium arsenide contact.—75-07974A
Modification of the properties of HTSC YBCO thin films on silicon by superfast laser annealing in oxygen with a cw CO_2 laser.—75-03383A
Multilayer ceramic capacitors with nickel electrodes.—75-00355A
Nature of defect levels in A^4B^6-type semiconducting compounds.—75-07980A
Nonlinear electrical properties of thick $Bi_2Sr_2CaCu_2O_8$ films investigated by two frequency mixing method.—75-08385A
Nonohmic characteristics of ZnO-V_2O_5 ceramics.—75-00552A
Photoelectrical properties of highly compensated lead sulfide films produced by radiation technologies.—75-03121A
Preparation and electrical properties of high-quality PZT thin films on RuO_x electrode.—75-05626A
Preparation and electrical properties of $SrTiO_3$ thin films by plasma-enhanced metallorganic chemical vapor deposition.—75-07744A
Preparation of semiconductive epitaxial $BaTiO_3$ thin film and its electrical properties.—75-08025A
Processing and electrical properties of plasma-sprayed yttria-zirconia.—75-05209A
Properties of shielded microstrip line resonators made from double-sided $Y_1Ba_2Cu_3O_x$ films.—75-00855A
Properties of ZnSe crystals doped with phosphorus.—75-05451A
Relationship between crystal structure and electric properties for lithium-containing spinels.—75-01239A
Stabilization of the high-T_c phase in the $Bi_{1.6}Pb_{0.3}M_{0.1}Sr_2Ca_2Cu_3O_x$ (M=W,Mo) superconducting system.—75-03404A
Steatite diary: I, Technical ceramics: the early years [618 AD through the 1930s].—75-02149A
Structural and electrical characterization of highly tetrahedral-coordinated diamondlike carbon films grown by pulsed-laser deposition.—75-00604A
Structural and electrical properties of $PbTiO_3$ thin films grown on silicon substrates.—75-08172A
Structure-property relationships in low-temperature cofired ceramic.—75-01346A
Superconducting properties of epoxy-modified $YBa_2Cu_3O_{7-x}$ (123) composites.—75-00873A
Surface electrical properties of ionic solids.—75-01348A
Thermal and electrical properties of $K_{2x}M_{1-x}Zr_4(PO_4)_6$ (M=Sr, Ba) systems.—75-09195A
Wideband electrical characterization of LTCC systems.—75-01053A

electrical resistivity,
$BaTiO_3$-$BaPbO_3$ ceramic composites.—75-03870A
$BaTiO_3$-$YBa_2Cu_3O_{6+\delta}$ ceramic composite system.—75-03343A
Effect of grain boundary structure and segregation on electrical resistivity in aluminum.—75-01275A
High-temperature electrical resistivity of solid-solution $LaSr(Cu,M)O_4$ ceramics.—75-06472A
Magnetotransport study of a Bi2223 superconductor produced by a high-pressure method.—75-08359A
Prediction of fracture in ceramic composites by measurement of electrical resistivity.—75-02086A
Preparation of zinc oxide films by low-pressure chemical vapor deposition method.—75-04174A
Properties of Cd_2SnO_4 conducting powder for ohmic contacts.—75-02934A
Synthesis of ruthenium dioxide thin films by a solution chemistry technique.—75-01714A
Thermo-emf and electrical resistivity of CuO single crystals under high pressures.—75-09207A
Variations in the electrical resistivity of Y_2O_3-doped ZrO_2 ceramics with microstructural design.—75-04416A

electrical resistors,
Resistivity control by solid-state reaction of perovskite-type oxides.—75-02935A

electricity,
Electric steelmaking and refractories.—75-07547A
Electrically heated glass.—75-07383A
Practical problems of electrical heat treatment of concrete.—75-07174A
Quenching of persistent photoconductivity by electric pulses.—75-08035A

electrocatalysis,
Electrocatalytic activity of Ag-based electrodes for solid-state electrochemical devices.—75-02906A

electroceramics,
Grain boundary induced perturbations in electrical ceramics.—75-09509A
Growth in near net shaping.—75-07077A
Method for making monolithic prestressed ceramic devices.—75-05226P
Silicon–electroceramics integration.—75-03161A
Smart electroceramics.—75-09735A

electrochemical properties,
Comparison of the electrokinetic properties of silica surfaces.—75-06432A

electrochemistry,
Ceramic Transactions, Volume 65: Role of Ceramics in Advanced Electrochemical Systems.—75-04771B
Direct energy conversion in single gas mixture by an oxide solid electrolyte electrochemical cell and its applications in multi-gas sensing.—75-00321A
Electrochemical thin films fabricated by an ambient plasma technique.—75-04021A
Influences of electrochemical vapor deposition conditions on growth rate and characteristics of YSZ thin films: II.—75-09343A
Interfaces of ionically conducting materials—electrochemical properties.—75-04347A
Room-temperature electrochemical synthesis of sequentially layered superconducting Bi-Sr-Ca-Cu-O films.—75-03399A
Single-component solid oxide bodies.—75-07774P

electrochromic properties,
Electrochromic and photoelectrochromic behavior of thin WO_3 films prepared from quantum size colloidal particles.—75-06459A

electrodeposition,
Cathodic electrosynthesis of ceramic deposits.—75-09231A
Electrodeposition of nanoscaled multilayer thin films.—75-04022A

electrodes,
Air electrode property of La-based perovskite-type oxides: I. Thermal expansion coefficient and electric conductivity.—75-07719A
Applications of ceramic electrolytes and electrodes in the beta battery and solid oxide fuel cell: current assessment.—75-02891A
Boron-doped diamond electrodes for electrochemical applications.—75-08795A
Ceramic motor.—75-03265P
Corrosion of molybdenum electrodes in lead glass melts: I. Reaction products and effect of alkalis.—75-06918A
Electrical corrosion of Inconel 690 as an electrode material for waste glass melters.—75-08501A
Electrocatalytic activity of Ag-based electrodes for solid-state electrochemical devices.—75-02906A
Electrochemical corrosion and protection of electrodes for a simulated high-level waste high-temperature glass melter.—75-08502A
Electroprecipitation of copper onto highly porous cellular electrodes for electrolytes with decreased concentration of copper ions.—75-08924A
Fabrication and AFM characterization of a coplanar tunnel junction with a less than 30-nm interelectrode gap.—75-03026A
Method for manufacturing three-terminal oxide superconducting devices.—75-08469P
Modification of PZT nucleation and growth using oxide layer in multilayered electrodes.—75-05610A
New LSCO electrode material for ZrO_2 oxygen sensor.—75-02922A
Oxygen sensor.—75-03211P
Photoelectrochemical behavior of the TiO_2 semiconductor electrodes obtained by thermal oxidation of the titanium foils.—75-03123A
Polarization behavior of YBCO electrodes on YSZ electrolytes.—75-00843A
Positive electrode materials for nonaqueous secondary batteries.—75-02927A
Positive temperature coefficient thermistor device.—75-00721P
Preparation of SOFC electrode powders by the aerosol flow pyrolysis method and characteristics of the electrodes.—75-08537A
Reliability of Ag terminal electrode under heat cycle.—75-00128A
Spark plug having titanium diboride electrodes.—75-08849P
Stability of the potentials of glassy electrodes and their asymmetric potential.—75-04995A
Structure and performance of carbon aerogel electrodes.—75-01946A
Thin film of $MgIn_2O_4$ for use as an electrode in a ferroelectric device.—75-05653P
Variable capacitor.—75-00411P

electroluminescence,
Effect of ultraviolet radiation on a ZnS:Tb thin film electroluminescent device.—75-05299A
Electroluminescence from radiation decay of surface plasmons in aluminum-insulator-indium tin oxide structures.—75-02908A
Electroluminescence spectra of variable-gap $Cd_xHg_{1-x}Te$/CdTe structures at 300 K.—75-05310A
High-temperature light-emitting diodes on insulating diamonds.—75-07908A
Satellite peak generation in the electroluminescence spectrum of ZnS:Sm grown by metallorganic chemical vapor deposition with Cl codoping.—75-00591A

electroluminescent materials,
Influence of ultraviolet irradiation on excitation efficiency and space charge in ZnS thin-film electroluminescent devices.—75-00517A
Observation and simulation of space-charge effects and hysteresis in ZnS:Mn ac thin film electroluminescent devices.—75-00556A
Tentative anatomy of ZnS-type electroluminescence.—75-00614A

electrolysis,
Multilayered ceramic capacitor.—75-00405P

electrolytes,
Applications of ceramic electrolytes and electrodes in the beta battery and solid oxide fuel cell: current assessment.—75-02891A
Ceramic heater for oxygen sensor of the type having oxygen ion conductive tube of solid electrolyte.—75-03666P
Development of wide range air/fuel sensors for internal combustion engine control.—75-00314A
Electrical properties study of electrolyte in lithium rechargeable battery.—75-02905A
Galvanic corrosion behavior of aluminum alloys under thin-layer electrolyte.—75-04427A
Ge-doped bismuth vanadate solid electrolytes: synthesis, phase diagram, and electrical properties.—75-06237A
Influence of aluminum alloy components on the process of color anodizing in vanadate electrolyte.—75-09150A
Influence of electrolytes on the casting properties of porcelain slips.—75-07709A
Ionic conductivity of microwave sintered zirconia-yttria electrolytes.—75-00344A
Modeling and scaleup of galvanic deoxidation of molten metals using solid electrolyte cells.—75-02513A
Nature of color of anodic oxide obtained in integral color anodizing electrolyte.—75-09161A
Solid electrolyte ceramic.—75-07277P
Solid oxide electrolyte fuel cell having dimpled surfaces of a power generation film.—75-07775P
Sulfide ceramics in molten salt electrolyte batteries.—75-02939A

electromagnetic properties,
Electromagnetic and thermomagnetic properties of high-T_c superconductor in its mixed state: the single vortex motion model.—75-08308A
Electromagnetic interference study of a multi-chip carrier power hybrid.—75-00331A
Features of the electromagnetic absorption in high-J_c melt-textured samples.—75-03370A
Generation of radio impulses by an electromagnetic shock wave in a transmission line with a ferrite.—75-08219A
Microwave component of compound oxide superconductor having crystal orientation for reducing electromagnetic field penetration.—75-08475P
electromechanical properties,
Electromechanical properties of 1-3 piezoelectric ceramic/piezoelectric polymer composites.—75-00656A
Role of macrodefects in PZT thin films for microelectromechanical systems.—75-00695A
electromotive force,
Electromotive force generation in metal-insulator-metal structures of Langmuir-Blodgett [LB] films.—75-02909A
electron beam,
Drawing and observation of electrified images on ceramic substrates using electron beam.—75-08518A
Effect of an electron beam on the energy distribution of localized states in amorphous SiN_x.—75-06446A
Electron-beam-activated diamond devices.—75-07875A
Electron-beam-induced loop formation on dislocations in yttria fully stabilized zirconia.—75-09544A
Proximity function in electron-beam lithography on high-T_c superconducting thin films.—75-08403A
electron diffraction,
Application of high spatial resolution electron diffraction techniques to the study of local properties of crystalline solids.—75-01789A
Determination of the structure of the cubic phase in high-ZrO_2 Y_2O_3-ZrO_2 alloys by convergent-beam electron diffraction.—75-03784A
electron microscopy,
Annular dark field imaging in STEM.—75-01788A
Carbon nanocapsules grown on carbon fibers.—75-09526A
Direct observation of hexagonal boron nitride at the grain boundary of cubic boron nitride by high-resolution electron microscopy.—75-09538A
Electron microscopy and microanalysis of ceramics.—75-08663A
HREM of ceramic high-T_c superconductors.—75-08337A
In situ electron microscopy studies of the behavior of metal particles on ceramic substrates.—75-04342A
Moire patterns in high-resolution electron microscopy images.—75-01890A
Trends in atomic resolution electron microscopy.—75-01047A
electron paramagnetic resonance,
Electron paramagnetic resonance of Fe^{3+} ions in borate glass: computer simulations.—75-02585A
Electron paramagnetic resonance spectra of VO^{2+} ions in alkali fluoroborate.—75-04894A
Polycrystalline $PbMg_{1/3}Nb_{2/3}O_3$ studied by electron paramagnetic resonance of Fe^{3+} ions.—75-03249A
Spin-Peierls transition in $CuGeO_3$: electron paramagnetic resonance study.—75-03841A
Zircon EPR revisited: 10-K EPR of three low-symmetry centers in irradiated zircon.—75-03868A
electron spectroscopy,
Interfaces in ceramics [investigated] by electron spectroscopic imaging.—75-03524A
electron spin resonance,
Electron spin resonance study of the effect of thermal history on the structure of potassium silicate glasses.—75-04895A
Measurement of small concentrations of vanadium in rutile (TiO_2) using electron spin resonance.—75-05957A
Nature of the native defect ESR in thin diamond films.—75-01893A
electronic conduction,
Mixed conducting ceramic membranes for partial oxygenation of methane.—75-02920A
electronic equipment,
Ceramic substrate for an electronic circuit.—75-07750P
Crosstalk noise in a mixed-signal silicon-on-silicon multichip module.—75-00306A
Design aid for multichip module.—75-00309A
Electrical characterization of AIN ball/pad grid array MCM-C/D.—75-00329A
High power rf package using aluminum nitride ceramic.—75-01150A
Low-power high-speed deep submicron VLSI- device technologies and interconnect modeling issues.—75-00537A
Miniature high frequency planar thick film transformer.—75-00544A
Multifunctional ceramic substrates and packages for telecommunication applications.—75-00354A
Residual thermal stresses in multilayer electronic ceramic devices.—75-00130A
Study of a novel multichip module interchip radiative interconnection system.—75-00376A
electronic packaging,
Ceramic microelectronics package.—75-05522P
CIMID, a technology for high density integration of electronic systems.—75-00303A
Composition for the formation of ceramic vias.—75-02947P
Crosstalk noise in a mixed-signal silicon-on-silicon multichip module.—75-00306A
Design aid for multichip module.—75-00309A
Design of experiments case study- optimizing the laser matching of cavities in LTCC.—75-00310A
Development of a three dimensional power circuit package for aircraft applications.—75-00458A
Diamond metal matrix composites as an electronic packaging material.—75-00087A
Easing the availablity of bare die—die information exchange (DIE) format.—75-00322A
Electromagnetic interference study of a multi-chip carrier power hybrid.—75-00331A
Laser via ablation technology for MCMs thin film packaging-past, present, and future at IBM microelectronics.—75-00346A
Low loss, low temperature cofired ceramic for microwave multichip modules.—75-00347A
Low profile metal-ceramic-metal packaging.—75-03206P
Low-temperature cofired ceramic (LTCC) high density interconnect package with circuitry within the cavity walls.—75-05225P
Low-temperature sintering route for aluminum nitride ceramics.—75-01172P
Method of forming a diamond composite structure.—75-03744P
Millimeter wave ceramic package.—75-03210P
Multifunctional ceramic substrates and packages for telecommunication applications.—75-00354A
Time domain characterization and circuit modeling of a multilayer ceramic package.—75-00383A
Time domain techniques applied to measurement and modeling of microwave packages.—75-01046A
electronic properties,
Collisional versus electronic sputtering of SiO_2.—75-03972A
Electron spin resonance studies of donors in bulk and thin-film ß-SiC.—75-00475A
Electronic and lattice excitations in $BaTiO_3$:La.—75-03890A
Electronic polarizabilities of ions in lithium niobate crystal.—75-05563A
Electronic properties and formation mechanism of metallocarbohedrenes.—75-01285A
Electronic properties of C_{59}BN fullerenes.—75-01286A
Electronic Raman scattering study on $YBa_2Cu_3O_7$ in the superconducting state.—75-05764A
Epitaxial GaAs growth using atomic hydrogen as the reactant.—75-00486A
Mechanism of leakage current through the nanoscale SiO_2 layer.—75-06487A
Shallow levels in *n*-type 6H-silicon carbide as determined by admittance spectroscopy.—75-06345A
Structure and electronic properties of diamondlike amorphous carbon.—75-01345A
Surface electronic states.—75-07190A
electronic structure,
3-D imaging of crystals at atomic resolution.—75-01781A
Advances in multilayer ceramic capacitor technology.—75-02890A
Atomic position and electronic field gradient of Fe dopant in Y-124 superconductor.—75-00773A
Atomic resolution chemical analysis at 100 kV in the scanning transmission electron microscope.—75-01792A
Atomic resolution electronic structure using spatially resolved electron energy loss spectroscopy.—75-01793A
Atomic structure modifications of diamondlike nanocomposite films—observation by Raman spectroscopy, FTIR, and STM.—75-01262A
CIMID, a technology for high density integration of electronic systems.—75-00303A
Controlled reflection design in high speed digital computers.—75-00447A
Density functional theory as a major tool in computational materials science.—75-05941A
Design of experiments case study- optimizing the laser matching of cavities in LTCC.—75-00310A
Dispersion and electronic structure of TiO_2-supported cobalt and cobalt oxide.—75-06207A
Easing the availablity of bare die—die information exchange (DIE) format.—75-00322A
Effects of molecular orientation on the electronic structure of the solid fullerites.—75-01277A
Electronic structure of a near $\Sigma 11$ *a*-axis tilt grain boundary in α-Al_2O_3.—75-04322A
Electronic structure of anatase TiO_2 oxide.—75-06218A
Electronic structure of barium titanate studied by the extended Huckel tight-binding method.—75-01287A
Electronic structure of cubic boron nitride within the local density approximation.—75-06219A
Electronic structure of the bulk and surface of spinels.—75-07727A
Electronic structure of $Y_2Cu_2O_{5-z}S_z$ (z=0, 0.25, 0.75) [investigated] by X-ray emission spectroscopy and X_α scattered wave calculation methods.—75-03365A
Electronic structure theory in the new age of computational materials science.—75-07068A
Electronic structures of ß-SiC(001) surfaces and Al/ß-SiC(001) interface.—75-00480A
Electronic structures of Ln^{3+} α-SiAlONs with correlations to solubility and solution effects.—75-08923A
Impedance-loss profile characterization of interconnection structures.—75-00340A
Interfacial electronic structure and full spectral Hamaker constants of Si_3N_4 intergranular films from VUV and SR-VEEL spectroscopy.—75-04348A
Laser induced vertical vias for programmable MCMs.—75-00345A
Manufacturing considerations for mcm-d large format fabrication.—75-00348A
Nature of grain boundaries in the high-T_c superconductors.—75-05800A
NMR studies of electronic and local structure in Cu-Au alloys.—75-01896A
Problem of interrelation between electronic structures in noncrystalline substances and crystals.—75-02677A
Quantitative electronic structure analysis of α-Al_2O_3 using spatially resolved valence electron energy loss spectra.—75-01915A
Quantitative X-ray microanalysis for the study of nanometer-scale phases in the AEM.—75-01917A
STM studies at electrochemically controlled interfaces.—75-01937A
Structural and electronic studies of C_{60} films deposited using a new technique of neutral cluster beam deposition.—75-01938A
Test challenges for an ASEM MCM foundry.—75-00005A
Thermal effects in integratable power semiconductor devices.—75-00616A
Thick film multilayer material systems for thermal cycle applications.—75-00381A
Trace analysis of nanoscale materials by analytical electron microscopy.—75-01971A
Transition via fill material for silver-gold interconnects.—75-00384A
Using DOE to reduce costs and improve the quality of microelectronic manufacturing processes.—75-00631A
Vortex structures in $YBa_2Cu_3O_7$.—75-00893A
Wannier states in magnetite.—75-00764A
Wideband electrical characterization of LTCC systems.—75-01053A
electronics,
Ceramic engineers in the 21st century.—75-02113A
Ceramic Transactions, Volume 60: Crystal Growth of Novel Electronic Materials.—75-02161B
Economics of electronic ceramics.—75-04703A
Electronics application for fullerenes.—75-01147A
Electronics processing in the '90s.—75-04705A
Glass enamels in the electronics industry (review).—75-07732A
Microwave processing of polyimide thin films for electronics.—75-00352A
New materials for electronic engineering.—75-04120A
Problems in microelectronics (1. Diffusion. 2. Defect Formation. 3. Degradation.).—75-03136A
Process- and radiation-induced defects in electronic materials and devices.—75-04289A
R&D trends of electronic ceramics in Japan.—75-02145A
Silicon carbide electronic device manufacturing method.—75-08841P
Smart/intelligent sensors.—75-00698A
electrons,
Appearance of the effects of strong electron correlations in X-ray and X-ray electron spectra of copper of high-temperature superconductors.—75-05727A
Boundary electron states in semiconducting superlattices.—75-05254A
Delocalized valence electrons of a 2-D CuO_2 layer in high-temperature superconductors.—75-05743A
Dependence of dark conductivity of CdS single crystals on the energy of bombarding electrons.—75-07821A
Diamond negative electron affinity [NEA] surfaces, structures, and devices.—75-07830A
Dynamics and resonance oscillations of ballistic electrons in an inhomogeneous semiconductor.—75-02998A
Effect of mirror image intensity on electron photoemission from GaAs with negative electron affinity.—75-07851A
Electron drag by solitons in superlattices in external magnetic fields.—75-07870A
Electron mobility in $Cd_{0.8}Zn_{0.2}Te$.—75-05311A
Electron mobility in doped modulated structures of $In_xGa_{1-x}As$/GaAs multiple quantum wells.—75-05312A
Function of spatial distribution of nonequilibrium electron-hole pairs in direct-gap semiconductors under one-photon excitation.—75-03033A
Generation of electron-hole pairs at the surface of a semiconductor in the edge fields of macroscopic charged clusters: effects of electrical inhomogeneities of different scales.—75-03035A
High-frequency conductivity of 2-D electrons under weak localization conditions.—75-07907A
Influence of quantizing magnetic field on the energy spectrum of electrons in quasi-two-dimensional layers of multivalley semiconductors.—75-03062A
Magnetophonon resonance on heated electrons in indium antimonide.—75-05372A
Method of enveloping functions for description of electron states in microstructures with smooth variation of the potential at heterointerfaces.—75-07970A
Monte Carlo simulation of electron behavior in an electron cyclotron resonance microwave discharge using circular TM_{11} mode fields.—75-08686A
Negative electron affinity effects and Schottky barrier height measurements of cobalt on diamond (100) surfaces.—75-07983A
Parameters characteristic of electron-hole scattering in semiconductors under low level of charge carrier injection.—75-03109A
Quantum beats of electron Lormor precession in GaAs wells.—75-05454A
Radiation effects in InP solar cells irradiated with 5-MeV electrons.—75-08036A
Residual electron density study of α-aluminum oxide through refinement of experimental atomic scattering factors.—75-06340A
Separate transport of electrons and holes through the system of undoped quantum wells.—75-03159A
Spatial charge of injected ballistic electrons having the negative effective mass.—75-05478A
Spectrum of levels of an electron-hole pair in semiconductor nanocrystals.—75-08059A
Stark broadening diagnostics of the electron density in the laser ablation plume of $YBa_2Cu_3O_{7-\delta}$ and $PbZr_xTi_{1-x}O_3$.—75-00867A
System of fast surface electron states on the real surface of germanium.—75-08076A
electrooptic properties,
Calculation of phase-matching electrooptical modulation of SHG in KTP.—75-06425A
Electrooptical properties of the uniform chevron state of a ferroelectric smectic liquid crystal.—75-05564A
Evaluation of electrooptic phenomena in ferroelectric thin films using ellipsometric techniques.—75-05566A
Guided-wave electrooptic applications for tungsten bronze ferroelectrics.—75-03236A

Measurement of electrooptic properties of ferroelectric thin films using the Ultimate Ellipsometer.—75-05602A
Temperature modulation of the electrooptic effect in $BaTiO_3$ and $LiNbO_3$—a theoretical approach.—75-00706A
electrophoresis,
Ceramic/ceramic laminates by electrophoretic deposition: potentially strong, tough ceramics.—75-09235A
Development of mullite matrix ceramic fiber composites using electrophoretic deposition [EPD].—75-09256A
Electrophoretic deposition (EPD): mechanisms, kinetics, and application to ceramics.—75-05900A
Electrophoretic deposition [EPD] of Y_2O_3-stabilized ZrO_2 electrolyte films in solid oxide fuel cells.—75-02910A
Electrophoretic deposition of ceramics.—75-01481A
Electrophoretic deposition of nanosized ceramic powders.—75-01482A
Fabrication of alumina body by electrophoretic deposition.—75-01496A
Fiber-reinforced ceramic matrix composite fabrication by electrophoretic infiltration.—75-04043A
Mechanism and kinetics of electrophoretic deposition [EPD] of Al_2O_3.—75-04103A
Preparation of high-T_c Bi-Pb-Sr-Ca-Cu-O superconducting tapes by electrophoretic deposition.—75-00851A
Producing ceramic laminate composites by EPD.—75-08540A
electrophysical properties,
Dielectric properties of cubic and pyrolytic boron nitrides (svetlanite).—75-09126A
Electrophysical properties of *p*- and *n*-type InSe intercalated with Li and Ba.—75-00481A
Electrophysical properties of a-C:H films which are likely to be applied for making protective coatings of electrophotographic information carriers.—75-03018A
Electrophysical properties of Al-Al_2O_3 structures synthesized by molecular stratification.—75-09139A
Electrophysical properties of polycrystalline sphalerite boron nitride.—75-09142A
electrostatic processes,
Electrostatic forces between a metallic tip and semiconductor surfaces.—75-00482A
Electrostatic potential and temperature distribution in case of a series of a parallel configuration of two thermoelectric conversion phases.—75-09545A
Fundamentals of electrostatic precipitation at high temperatures and high pressures.—75-05901A
Simultaneous measurement of particle size and electrostatic charge by using the Laser Doppler method.—75-05978A
ellipsometry,
Spectroscopic ellipsometry measurement of the oxide thickness on silicon nitride ceramics.—75-03838A
embrittlement,
Glass-ceramic matrix composites with high oxidation embrittlement resistance.—75-05015A
Models of high-temperature, environmentally assisted embrittlement in ceramic matrix composites.—75-07016A
emission,
Ceramic filtration reduces emissions.—75-03607A
Ceramic foam low emissions burner for natural gas-fired residential appliances.—75-08745P
Ceramic two-stroke methanol engine.—75-03690A
Correlation of the secondary electron emission coefficient of vitreous and crystalline materials with their atomization energies.—75-08889A
Crystalline and amorphous diamond coatings on silicon field emitters.—75-07815A
Effect of mirror image intensity on electron photoemission from GaAs with negative electron affinity.—75-07851A
Emission of SO_2 and NO_x from cement kilns.—75-00036A
Identification of tunneling emission in Si-SiO_2 interfaces by multipoint correlation method with binomial weighting coefficients.—75-00510A
Lowering furnace flue emission levels.—75-03618A
Monitoring for hydrogen fluoride emissions.—75-03583A
NO_x emissions—an overview.—75-03623A
Particulate emissions in oxy-fuel-fired glass furnaces.—75-06008A
Phosphors for flat panel emissive displays.—75-05422A
Raw materials influence the alpha-particle emission rate of AlN.—75-08508A
Red to blue upconversion emission of Tm^{3+} ions in Yb^{3+}-doped glass-ceramic.—75-00197A
Selective deposition of diamond thin films on field emitter tips in dense arrays.—75-08053A
Shape of the emission spectrum of electron-hole plasma in direct gap semiconductors under one-photon excitation.—75-05473A
Spontaneous emission of BeO and fluctuated reconstruction of the structure: II, Ceramics.—75-09063A
emissivity,
High emissive refractory coating for industrial furnaces.—75-07561A
High-emissive ceramic coating: an approach to save energy at high temperature.—75-07563A
Low-E glass coating system and insulating glass units made therefrom.—75-07431P
Refractory ceramic fiber composites and high-emissivity materials for energy savings in the industry: a state-of-the-art review.—75-05128A
emitters,
Blue-green emitters in wide-gap II-VI quantum-confined structures.—75-05253A
emitters/emission,
Oxidic and oxygen-free refractories [OFR] as thermionic emitters—a review.—75-07624A
emulsion,
Acrylic emulsion binder for tape casting.—75-03948A
Low-temperature synthesis of mullite powders by the emulsion route.—75-06675A
Preparation of spherical TiO_2 particles by an emulsion method using $TiCl_4$.—75-04171A
Preparation of ultrafine zirconia powder by emulsion method.—75-09401A
enameling metals,
Method for coating metal cookware.—75-00162P
enamels/enameling,
Bubble structure of enamel coatings and its determination.—75-02440A
Computation of enamel mixtures with complex composition.—75-07705A
Electrically heatable transparency.—75-00398P
Enamel for cast iron.—75-02465A
Firing PbO-free glass enamels using the cw-CO_2 laser.—75-07386A
Fitting and successful celebration for the 100th anniversary [of Reimbold & Strick, Cologne, Germany].—75-07074A
Glass enamels in the electronics industry (review).—75-07732A
Long-term prediction of the activity of an enameling plant.—75-02874A
One firing of two-coat enamel.—75-02517A
Reproducibility of the contact angle of enamel on steel substrate.—75-02539A
Use of fused-cast AZS products and their monolithic derivatives in applications for the ceramic industry.—75-07689A
Use of spent catalysts for synthesis of undercoat enamels.—75-07715A
encapsulation,
Designed cements for waste encapsulation.—75-00029A
Diamondlike carbon [DLC] for high-temperature superconductor encapsulation.—75-08805A
Encapsulation of electroless copper patterns into diamond films.—75-07208A
Living ceramic gels for bioartificial organs.—75-03653A
energy conservation,
Energy management—waste management. Programs and initiatives for energy conservation and waste recycling.—75-09711A
Energy savings using autoclaved aerated concrete.—75-00037A
Energy-saving devices used in brick production.—75-08720A
Exergetic analysis with reduction of power consumption in cement technology.—75-08721A
New glass tempering system substantially reduces energy costs.—75-02732A
Possible ways to save energy in cement production.—75-08737A
Principles of new energy-saving technology in the production of silicate wall materials.—75-07451A
Quality of refractories is the main way to power saving and efficiency.—75-05123A
Sources for saving fuel and power resources.—75-08738A
Suggestions on resource-saving refractory technologies.—75-07668A
energy gap,
Temperature dependence of the energy gap in GaN bulk single crystals and epitaxial layer.—75-01352A
energy,
D^- center binding energy in a quantum dot.—75-02955A
Atomistic study of energy and structure of surfaces in NiO.—75-02964A
Calculation of energy spectra of binary semiconductors doped with rare-earth elements.—75-02966A
Capacitance spectroscopy of electron energy levels in InAs quantum dots in GaAs matrix.—75-07795A
Effect of an electron beam on the energy distribution of localized states in amorphous SiN_x.—75-06446A
Effect of specimen shape on fracture toughness and effective fracture energy in SiC-SiC composite.—75-09627A
Energetic states of isolated native defects in cubic boron pnictides.—75-08925A
Energy relaxation of hot carriers in a short-period semiconductor superlattice.—75-03019A
Energy spectrum of $Pb_{0.995}Sn_{0.005}Na_xSe$ deduced from optical absorption data.—75-03021A
Local strain and autolocalization energy of clusters with S=2 and 3/2 in $YBa_2Cu_3O_7$.—75-08353A
Numerical analysis of energetic heterogeneity in complexing silicas.—75-08691A
Performance analysis of FGM-based direct energy conversion system for space power applications.—75-03912A
Short-circuited semiconductor thermomechanical energy converter.—75-05474A
Special C_{44} isomers.—75-01343A
Superconducting transition temperature and energy gap in $YBa_2Cu_3O_{6+x}$ superconductors, where x=0.41–0.88.—75-08432A
Theoretical and experimental investigations of fullerene derivatives—$C_{60}H_2$, $C_{60}H_4$, $C_{70}H_2$, and $C_{60}(CH_2)_2$.—75-01355A
Ultrasonic determination of the superconducting energy gap in domain boundaries of melt-textured $YBa_2Cu_3O_7$.—75-05856A
engineers/engineering,
Ceramic Science & Technology Days—National Engineers Week.—75-04685A
Engineering's future: more complex, but more interesting.—75-07069A
Mechanical property and behavior of railway sleeper materials.—75-04593A
Topping a century of progress.—75-04760A
engines,
Atomization and fuel saving of ceramic needle valves for diesel engine.—75-03642A
Ceramic two-stroke methanol engine.—75-03690A
Ceramic valve for internal combustion engines having a reduced tendency to stress fracture.—75-08821P
Ceramics for engines.—75-03691A
China's state of art on ceramic components in diesel engines.—75-03511A
Design and experimental investigation of ceramic combustion chamber in diesel engines.—75-03516A
Engine components including ceramic-metal composites.—75-07261P
Evaluation of a high-quality, low-cost carbothermal silicon nitride powder for use in making cost-effective engine components.—75-03698A
Evolution of thermal barrier coatings in gas turbine engine applications.—75-07072A
Modeling and testing of thermal barrier coatings in diesel engines.—75-00112A
O'+β' SiAlON composites for turbine engine applications.—75-03707A
Performance of ceramic-coated exhaust port of an air-cooled diesel engine.—75-03656A
Prospects for nitrogen ceramics in engine applications.—75-03709A
Silicon nitride ceramic piston crown for uncooled diesel engine.—75-03716A
Silicon nitride components for reciprocating engines.—75-03717A
Silicon nitride materials for engine applications.—75-03719A
Silicon nitride materials for heat engine applications.—75-03720A
Silicon nitride—from the past to the future—the career of an exceptional engineering material.—75-03722A
Thermomechanical analysis of ceramic components for engines.—75-03940A
engobes,
Sludge reuse in glazes and engobes.—75-05066A
enstatite,
Compressional study of $MgSiO_3$ orthoenstatite up to 8.5 GPa.—75-03774A
enthalpy,
Dependence of standard formation enthalpies of related quasi-binary inorganic compounds on the relative size of their molecules.—75-09250A
Enthalpy of formation of wollastonite and anorthite by experimental phase equilibrium measurements and high-temperature solution calorimetry.—75-03795A
entropy,
Determination of Mg_3BN_3 structure from powder diffraction data by entropy maximization.—75-06201A
Melting entropy of semiconductors.—75-03093A
environment,
1993 supplier of the year—Ferro Corporation.—75-04670A
Cement production can be ecology-friendly.—75-07139A
Ceramic catalysts for environmental protection.—75-03643A
Ceramic Transactions, Volume 61: Environmental Issues and Waste Management Technologies in the Ceramic and Nuclear Industries.—75-02162B
Close to the earth.—75-02221A
Coors Ceramics [Golden, CO]—a diverse operation in the '90s.—75-04695A
Creating a virtual ceramic corporation.—75-04697A
Current environmental regulatory activities.—75-00083A
Designing ecologically safe cement production upgrades.—75-07143A
Eco-audit order and development of environmental management systems.—75-07067A
Ecology and cement production.—75-07144A
Ecology and liveability become the motto of the brick industry.—75-00242A
Effect of the environment on CMCs.—75-03560A
Environmental conservation—what does the future hold?—75-02127A
Environmental technology for cement plants.—75-00038A
Environmental testing of WVDP waste glasses.—75-03463A
Glass Problems Conference focuses on environmental issues.—75-09715A
Glassmakers share conversion stories at air products/combustion TEC oxy-fuel symposium.—75-02724A
Glassman '96 focuses on the environment and industry progress.—75-09716A
Government actions to help reconcile interrelationship of energy, environment, and economic development.—75-02131A
Hermetic protection for integrated circuits.—75-07762P
Installation of monolithic refractories: critical issues for successful performance.—75-05102A
New look at some old glazes.—75-02311A
New technologies must continue to meet increasing environmental demands.—75-02598A
Summer glass technology seminar covers environmental issues, controls, and partial oxy-fuel conversions.—75-02616A
Technogerma Mexico '94.—75-02842A
Title V permits in the glass industry: making them simple, comprehensive, and flexible.—75-07097A
Visions in industrial furnace technology.—75-03635A
Wastewater treatment in today's regulatory environment.—75-03538A
epitaxy,
Cryogenic scanning tunneling microscopy/spectroscopy on the (001) surfaces of $YBa_2Cu_3O_x$ epitaxial thin films.—75-00780A
Diamond precipitation and single-crystal homoepitaxial growth in the system Ag-C-H.—75-09259A
Epitaxial growth of two-dimensional dichalcogenides and modification of their surfaces with scanning probe microscopes.—75-01848A
Gas phase epitaxy of CdS from separate components on silicon.—75-05330A
Heteroepitaxial growth of MgO films on NiO(100) single-crystal surfaces.—75-03044A
Heteroepitaxy and characterization of $CuGaSe_2$ layers grown by low-pressure metallorganic chemical vapor deposition.—75-00505A
Heteroepitaxy of diamond film on silicon.—75-09549A
Initial stages of epitaxial growth of Y-stabilized ZrO_2 thin films on a-SiO_x/Si(001) substrates.—75-06883A
Interface reaction enhanced epitaxial growth of barium ferrite magnetic thin films.—75-03298A

Method for epitaxially growing α-silicon carbide on *a*-axis α-silicon carbide substrates.—75-08593P
Microstructure and epitaxial characteristics of $PbTiO_3$ ferroelectric thin film on NaCl by MOCVD.—75-05606A
Novel solid-phase epitaxial growth of $YBa_2Cu_3O_{7-\delta}$ films from precursor oxides.—75-00838A
Possibility of applying relaxation liquid epitaxy during the growth of very thin homoepitaxial A^3B^5 layers.—75-09377A
Strain effects in epitaxial GaN grown on AlN-buffered Si(111).—75-00602A
Undoped semiinsulating GaAs epitaxial layers and their characterization.—75-00630A
ZnSe grown on GaAs by laser-assisted vapor phase epitaxy.—75-03202A

equations,
Constitutive equation for unidirectional composites under tensile impact.—75-06947A
Ground-state wavefunctions of a noncoulomb acceptor in diamondlike semiconductors.—75-07902A
Hole states in ultrathin quantum wells.—75-07909A
Normal and abnormal grain growth rates in a spherical grain matrix.—75-09572A
Stress analysis of functionally gradient materials based on a heterogenization procedure.—75-04636A

equilibria,
Nonequilibrium effects on the thermal conductivity of Bi-based high-temperature superconductors.—75-05804A
Three-dimensional dynamic calculation of the equilibrium shape of a coherent tetragonal precipitate in Mg partially stabilized cubic ZrO_2.—75-03859A

equilibrium,
Monovariant and invariant equilibria in the BaO-Cu-O_2 ternary system.—75-08986A
Nonequilibrium and bolometric photoresponse in patterned $YBa_2Cu_3O_{7-\delta}$ thin films.—75-00836A

equipment,
1994's top products.—75-04671A
Apparatus for producing nanoscale ceramic powders.—75-03539P
Application of air-impact devices in cement production.—75-08716A
Arc-induced fractures from lampmaking test equipment.—75-02625A
Ceramitec continues to grow.—75-02758A
Ceramitech '94.—75-04688A
Changing installation methods for refractory products.—75-03608A
Commercialization of microwave processes.—75-01405A
Creating a complete pressing center.—75-05057A
Current developments in equipment for refractory placement.—75-05080A
Decorating news.—75-02707A
Developing optimal pressing.—75-05058A
Drying technology for today's manufacturer.—75-03519A
Effect of a strong electric field on the properties of nonequilibrium two-dimensional electron gas in nonideal structures.—75-07842A
Equipment for fine crushing of ceramic materials (review).—75-08521A
Equipment supplier's role in process development.—75-02128A
Evolution of glazing and glazes.—75-07445A
Heat exchange systems for wet kilns.—75-08727A
Highly effective and reliable equipment. Technological innovations to solve cement industry problems.—75-07155A
Materials and equipment data file.—75-04723A
Materials and equipment data file.—75-04724A
Materials and equipment data file.—75-04725A
Mobile device for brick production.—75-08534A
Modernization of Volga-75 grate coolers at AO Gornozavodsktsement Co.—75-08733A
Morphological analysis of structural features of equipment for semidry pressing.—75-07608A
New developments in the field of technologies and equipment for refractories production.—75-07610A
New products from overseas.—75-03529A
Problems of cement packing.—75-07178A
Product review—the latest in technology.—75-04731A
Product showcase '95.—75-04732A
Spray drying.—75-06780A
Tray, particularly for use with ceramic ware.—75-01005P
Trends in laboratory testing equipment.—75-03536A

erbium oxide,
Ceramic abrasive grains, method of producing the same, and abrasive products made of the same.—75-00011P
Effect of Er_2O_3 addition on microstructure and physical properties of Mn-Zn ferrites for high-power use.—75-03288A
Liquidus surface in the ZrO_2-Y_2O_3-Er_2O_3 system.—75-08971A
System HfO_2-Y_2O_3-Er_2O_3.—75-03846A
Ultraviolet-induced thermoluminescence in ZrO_2 doped by Er_2O_3.—75-03860A

erbium,
^{27}Al NMR in $Y_{3-x}Er_xAl_5O_{12}$ [x=0, 0.09, 0.18, 0.27] garnets.—75-08190A
Active glasses for the near-infrared.—75-00177A
Bidirectional erbium-doped fiber amplifiers.—75-07324A
Bulk magnetostriction and change of magnetization at hydrostatic pressure in melts and compounds of rare-earth metals with iron: II, Crystalline compounds of Y_2Fe_{17} and Er_2Fe_{17}.—75-05658A
Clustering in erbium-doped silica glass fibers analyzed using 980-nm excited-state absorption.—75-00180A
Compositional dependence of Er^{3+} upconversion luminescence in MF-LiF-ZrF_4 glasses (M=alkali metals).—75-04885A
Electroluminescence of erbium-doped silicon.—75-07868A
Er^{3+}-doped soda-lime glasses and planar waveguide devices.—75-05010A
Formation of donor centers during annealing of erbium-implanted silicon.—75-07894A
Growth studies of erbium-doped GaAs deposited by metallorganic vapor phase epitaxy using novel cyclopentadienyl-based erbium sources.—75-00504A
Infrared to visible upconversion in Er^{3+}-doped lead germanate glasses.—75-04973A
Ion clustering and crystallization of sol-gel-derived erbium silicate glass.—75-02592A
Light-emitting Si:Er structures. Technology and physical properties[—review].—75-03079A
Low threshold, room temperature 1.64-μm Yb:Er:$Y_3Al_5O_{12}$ waveguide laser.—75-00535A
Near-ultraviolet upconversion fluorescence and low-temperature fluorescence properties in Er^{3+}-doped $ZnCl_2$-based glass.—75-07355A
Photoluminescence and electrical properties of erbium-doped indium oxide films prepared by rf sputtering.—75-01328A
Photoluminescence at wavelength of 1.54 μm in an erbium-doped amorphous hydrogenated silicon.—75-08015A
Spectroscopic properties of Er^{3+} in fluorozirconate, germanate, tellurite, and phosphate glasses.—75-07368A
Spectroscopy and green upconversion laser emission of Er^{3+}-doped crystals at room temperature.—75-00599A
Spin reorientation in $ErFeO_3$ during uniaxial compaction: NMR investigation.—75-08241A
Susceptibility of $ErBa_2Cu_3O_6$ single crystal: a dipolar antiferromagnet.—75-00882A

erosion,
Abrasive and erosive wear of thermally sprayed ceramic and cermet coatings.—75-09603A
Cavitation erosion of structural ceramics.—75-04419A
Development and application of scum weir for a tundish and exploration for its antislag erosion mechanism.—75-07511A
Development of wear maps for the abrasion and erosion of ceramic materials.—75-09616A
Diamond: an erosion-resistant aerospace material.—75-09125A
Effect of attack angles on erosion behavior of ZrO_2-Al_2O_3-TiC ceramic composites.—75-04491A
Erosion of functionally graded coatings under fluidized bed conditions.—75-02466A
Erosion of structural ceramics.—75-04514A
Erosion-resistant, ceramic fiber lining.—75-08576P
Method to prevent molten steel from penetrating into purging plug.—75-07599A
Wet erosive wear behavior of fine-grain zircon ceramic.—75-09698A

etchants/etching,
Comparison of microwave ECR and rf plasmas for dry etching of single-crystal 6H-SiC.—75-00438A
Diamond homoepitaxy kinetics—growth, etching, and the role of oxygen.—75-01438A
Dry etching of Pt/PbZr,$Ti_{1-x}O_3$/Pt thin-film capacitors in an inductively coupled plasma (ICP).—75-05547A
Effect of surface roughness on the acid etching of amorphous silica.—75-04011A
Etching of CdTe in $K_2Cr_2O_7$-HCl-H_2O solutions.—75-06602A
In situ ellipsometric monitoring of the electron cyclotron resonance etching of diamondlike carbon.—75-01534A
Ion milling and reactive ion etching of III-V nitrides.—75-00528A
Low temperature synchrotron radiation excited etching of silicon dioxide with surface hexafluoride adsorption.—75-00534A
Mechanism of self-formation of nanodimensional structures of porous silicon under currentless etching in water.—75-05377A
Method of manufacturing a ferroelectric device using a plasma etching process.—75-03269P
Method of preparing nonglare glass.—75-00228P
Oxidation and ion damage of diamond by reactive ion etching.—75-02007A
Properties of Silicon Carbide.—75-02168B
Selective and decorative chemical etching of epitaxial layers of $Al_xGa_{1-x}As$|GaAs in iron(III) salt solutions.—75-05467A
Thermodynamic paradox of diamond deposition with simultaneous graphite etching in the low-pressure synthesis of diamond: approach by charged cluster model.—75-09091A

etching,
Diamond thin film and single crystal etching under critical ECR plasma conditions.—75-09261A

ettringite,
Application of secondary ettringite formation in steam-cured expansive cement to friction pile technology.—75-02384A

eucryptite,
In situ whisker-reinforced $AlPO_4$-modified ß-eucryptite glass-ceramic: I, Morphology and crystallization kinetics.—75-02590A

europium,
Effect of modifier ions on fluorescence and absorption of Eu^{3+} in alkali and alkaline-earth silicate glasses.—75-02647A
Electronic trap defects in Y_2O_3:Eu and (Y, Gd)$_2O_3$:Eu X-ray scintillators.—75-01754A
Europium(III) phosphate crystallization via two intermediate modifications.—75-08927A
Europium-doped yttrium oxide phosphor.—75-08577P
Low-voltage cathodoluminescent properties of europium-activated anion-deficient fluorites.—75-00538A
Luminescence of Eu^{3+} and Tb^{3+} ions in transparent beryllium ceramics.—75-06483A
Nature of the reaction in the Eu-As-Te ternary system.—75-06284A
Neutron studies of the magnetic properties of $EuMn_2O_5$.—75-09162A
Nonequilibrium nature of the destruction of an elementary cell of an HTSC crystal during field evaporation.—75-08383A
Optical and ultrasonic properties of europium phosphate glasses.—75-04982A
Pressure-induced amorphization in $Eu(OH)_3$: a luminescence study.—75-06504A
Solid-state reactions and some physical properties of reduced europium niobates Eu_xNbO_x ($0.5 \le x \le 2$).—75-09059A
Spectroscopic characterization of doped sol-gel silica gels and glasses: evidence of inner sphere complexation of europium(III).—75-04928A
Spin dynamics of the quasi-two-dimensional Heisenberg antiferromagnet, Eu_2CuO_4.—75-08240A
Thermodynamic properties of europium oxides.—75-09095A

evaporation,
Effect of evaporation of lead oxide on the crystalline structure and properties of ferroelectrics based on PZT.—75-08130A
Epitaxial growth and dielectric properties of $BaTiO_3$ films on Pt electrodes by reactive evaporation.—75-00332A
Formation of ZnO films by CO_2 laser evaporation at atmospheric pressure on glass and organic substrates.—75-06623A
Radio-frequency-enhanced soil vapor extraction for in situ remediation.—75-00982A

excitons,
Dynamics of the nitrogen-bound excitons in 6H- and 3C-SiC.—75-00461A
Excitation conditions for quantitative determination of quadrupolar spins with a spin-echo sequence; cancellation of spurious signals.—75-01490A

exhaust gases,
Catalysts for emission control of aldehyde.—75-01102P
Catalysts for the purification of exhaust gas.—75-00150P
Exhaust gas filter element.—75-06087P
Exhaust gas filter.—75-00399P

expansion,
Application of secondary ettringite formation in steam-cured expansive cement to friction pile technology.—75-02384A
Effect of carbonates on wall tile bodies.—75-02771A
Expansion behavior of powder compacts during spinel formation.—75-09547A
Expansion during sintering of NaCl powders.—75-04026A
Moisture expansion kinetics as a function of conditioning.—75-00245A
Renewed glass division reaps the rewards.—75-04742A

explosive processing,
Carbon fibers produced from graphite fluoride by thermal decomposition in an inert environment.—75-01142A
Explosive reaction pressing of intermetallic compounds from stoichiometric powder mixtures.—75-01493A
New preparative procedure for ultrafine spinel ferrites.—75-05698A

extraction,
Extracting aerograph overspray.—75-02471A
Fine metallic and ceramic fibers by melt extraction.—75-04046A
Pricing the extraction of minerals in cement industry.—75-07175A
Standard methods of clay mining.—75-01071A
Synthesis of ultrafine ceramic powders with integration of solvent extraction.—75-04249A

extruders/extrusion,
Acrylic binders for alumina and other nonclay ceramic extrusions.—75-03947A
Binders for flexible ceramic sheet extrusion.—75-03955A
Dorst America Inc.—75-04701A
Effect of mixing procedure on fine alumina paste extrusion.—75-01459A
Extrusion die for protrusion and/or high cell density ceramic honeycomb structures.—75-08578P
Extrusion of AlSi/SiC_p composite alloys in the semisolid state.—75-04851A
Forming textured ceramics by multiple coextrusion.—75-01511A
Hybridized fabrication of optical fibers by extrusion forming process.—75-08529A
Optimizing the capacity of mining operations in cement production.—75-08762A
Plymouth meets the extrusion market.—75-02788A
Properties of thermoplastic mixtures for forming ceramics by extrusion.—75-03920A

fabrication,
α′/ß′ SiAlON composites—attractive science and great potential for high-performance applications.—75-01368A
Advanced glass-ceramic materials for high-density multilayer glass-ceramic substrate.—75-00207A
Alumina-aluminide alloys (3A).—75-07198A
Applications of low temperature direct bonding in microsensor structures.—75-00300A
Carrier gradient thermoelectric material of $Bi_2Te_{2.85}Se_{0.15}$ single crystal fabricated with Czochralski technique.—75-02969A
Ceramic-metal functional gradient materials by sedimentation.—75-02442A
Characterization of InP/GaInAs nanometer-sized columns produced by aerosol deposition and plasma etching.—75-00426A
Combined method of cement production at Sebryakovski Cement plant.—75-08515A
Composition of thallium high-T_c superconductors prepared via ceramic route.—75-08274A
Controlled reflection design in high speed digital computers.—75-00447A
Convex line type thermal printing head.—75-01017A
Cost-effective fabrication technology for high-performance ceramic heat engine components.—75-03515A
Design and fabrication of metal matrix composites for microwave and millimeter wave integrated circuit packages.—75-00085A
Design of experiments case study- optimizing the laser matching of cavities in LTCC.—75-00310A

Design, fabrication, switching, and optical characteristics of new magnetooptic spatial light modulator.—75-00729A
Development and characterization of miniaturized circuits for high-frequency applications using micromatching techniques.—75-00311A
Development of a multilayer ceramic antenna switch for wireless communications.—75-00312A
Development of functionally gradient cast material by means of temperature difference heat treatment.—75-03517A
Development of metal matrix composite baseplate technology for high current power modules.—75-00086A
Development of polymide substrate for Gb/s-class MCM-D/C.—75-00313A
Diopside: raw material for porcelain production.—75-08759A
Early vendor involvement and how to reduce your fabrication costs.—75-00088A
Electrochemical thin films fabricated by an ambient plasma technique.—75-04021A
Energy-saving devices used in brick production.—75-08720A
Expanding the assortment of articles in the current production of fine ceramics.—75-07446A
Fabrication and characterization of diamond field emitter diode with built-in anode.—75-07884A
Fabrication and characterization of high-permittivity ceramics in the $Ba(Ti_{1-x-y}Sn_xZr_y)O_3$ system.—75-06604A
Fabrication and characterization of NiO bicrystals.—75-04027A
Fabrication and characterization of PZT thin films for micromotors.—75-05568A
Fabrication and characterization of reaction-bonded silicon carbide and reaction-bonded silicon carbide/molybdenum disilicide composite.—75-04028A
Fabrication and electrical properties of lead zirconate titanate thick films.—75-05569A
Fabrication and high-temperature properties of silicon nitride ceramics with transition metal silicide dispersion.—75-04029A
Fabrication and mechanical behavior of Al_2O_3/Mo nanocomposites.—75-04852A
Fabrication and mechanical properties of α′-SiAlON-12H multiphase ceramics.—75-04030A
Fabrication and mechanical properties of TiB_2-TiN_xC_y composites by reaction sintering of B_4C and TiN powders.—75-09304A
Fabrication and optoelectronic properties of a-C:H/a-Se (or alloy)/Al_2O_3/Al structures.—75-02473A
Fabrication and properties of 1-3 PZT polymer composites.—75-00660A
Fabrication and properties of TiB_2 cermets.—75-00094A
Fabrication of advanced ceramic substrates for multichip module applications.—75-01494A
Fabrication of Al_2O_3/SiC nanocomposites using a polymeric precursor for SiC.—75-01495A
Fabrication of dense, shaped barium cerate by the oxidation of solid metal-bearing precursors.—75-04033A
Fabrication of diamond and diamondlike carbon by low-pressure inductively coupled plasma CVD.—75-04034A
Fabrication of $MgAl_2O_4$ spinel/niobium laminar composites by plasma spraying.—75-04035A
Fabrication of semiconducting $BaTiO_3$ ceramics at lower sintering temperatures.—75-07885A
Fabrication of SiC-SiC whisker composite by repeated infiltration of polycarbosilane.—75-01497A
Fabrication of silicon quantum wires by conventional silicon processing.—75-07886A
Fabrication of textured silicon carbide via seeded anisotropic grain growth.—75-04038A
Fabrication of the in-plane, aligned *a*-axis-oriented $YBa_2Cu_3O_{7-x}$ thin films.—75-08319A
Fabrication of TiB_2/TiC composites by the directional reaction of Ti with B_4C.—75-06605A
Fabrication process and mechanical properties of SiC/SiC composites.—75-09307A
Fabrication technology for a high-density Josephson LSI using an electron cyclotron resonance etching technique and a bias-sputtering planarization.—75-08524A
Fabrication, microstructure, and superconductivity of textured $YBa_2Cu_3O_{7-x}$ bulk material of large size.—75-00804A
FDC [fused deposition of ceramics], rapid fabrication of structural components.—75-08525A
Fiber reinforcement of reaction-bonded oxide ceramics.—75-04042A
Formation of densified material.—75-00993P
Formation of gradient composites by using the filtration mechanism of binary particulate mixture.—75-02482A
Freeform fabrication of ceramics via stereolithography.—75-08527A
Gypsum-based aerated concretes.—75-07152A
High-T_c SQUID magnetometers for biomagnetic measurements.—75-08329A
High-T_c SQUIDs fabricated by inhibiting ion implantation.—75-08330A
High-T_c superconducting quantum interference device with an alternating current bias DOIT [direct offset integrated technique] and additional positive feedback.—75-08331A
Hot-pressed 3Y-TZP matrix composites with mullite whiskers and alumina platelets.—75-04069A
Hybridized fabrication of optical fibers by extrusion forming process.—75-08529A
Influence of synthesis conditions on the magnetic properties of iron oxide pigments produced from industrial wastes.—75-09341A
Intelligent multichip module analyzer- a thermal design tool.—75-00343A
Joint stock company in the coming-to-be market.—75-07587A
Keiko Fukazawa and Joan Takayama-Ogawa—a confluence of American and Japanese cultures.—75-02280A
Kiln technology for sanitary ware production.—75-02873A
Kinetics of decomposition of titanium carbide powders produced from titanium alloy chips in H_2O_2 and H_2SO_4 solutions.—75-06666A
Laser induced vertical vias for programmable MCMs.—75-00345A
Metal/intrinsic semiconductor/semiconductor field effect transistor fabricated from polycrystalline diamond films.—75-00541A
Method of fabricating ceramic circuit substrate.—75-05228P
Method of fabricating high-voltage silicon carbide MESFETs.—75-05526P
Miniature high frequency planar thick film transformer.—75-00544A
Mobile device for brick production.—75-08534A
Modern system for process control in the production of charge glass.—75-08732A
Modular mass flow sensor design.—75-00545A
Multichannel high-T_c SQUID system and its application.—75-08375A
Multielement microelectrode array sensors and compact instrumentation development at Lawrence Livermore National Laboratory.—75-00547A
New compounds in the MoO_3-V_2O_5 system.—75-06693A
New method of preparing lightweight keramzit.—75-07171A
New method of producing zinc sulfide with pigment purity.—75-05398A
New products from overseas.—75-03529A
Nonequilibrium characteristics of the gate-controlled diode in 6H-SiC.—75-05402A
Overview of solid oxide fuel cell developments—designs, materials, properties, current status.—75-02138A
Phosphogypsum-based foam plaster.—75-07172A
Pilot study related to the continuous fabrication of FGM strip by powder metallurgy.—75-02523A
Possible replacement of raw materials in continuous production of glass articles.—75-07394A
Preparation of high-T_c Bi-Pb-Sr-Ca-Cu-O superconducting tapes by electrophoretic deposition.—75-00851A
Preparation of high-density graphite materials from coal tar pitch.—75-00004A
Preparation of ZrO_2 powder and ZrO_2-based composites.—75-09404A
Preparing magnesium titanate $MgTiO_3$ from metal alcoholates.—75-09405A
Press filters for dehydration of cement slurry.—75-08538A
Principles of new energy-saving technology in the production of silicate wall materials.—75-07451A
Process for fabricating diamond by supercritical electrical current.—75-03752P
Production and structure of a new diphosphate, $Rb(Ni_{0.35}Cr_{0.3}Ti_{0.35})P_2O_7$.—75-06749A
Production of chemically stable magnesia cement based on industrial wastes and nontraditional raw materials.—75-04827A
Production of refractories from Chinese periclase.—75-05119A
Production of refractories with specified properties.—75-05120A
Report from Beijing.—75-04745A
Scientific-technological solutions ensuring the production of high-alumina lightweight refractories.—75-05135A
Selecting ceramic bodies for the production of large-scale structural items.—75-07454A
Silicon carbide articles for linings of reactors for the production of aluminum chloride.—75-07658A
Single-layer and integrated YBCO gradiometer coupled SQUIDs.—75-08410A
Sources for saving fuel and power resources.—75-08738A
Structure of the production and use of magnesia refractories.—75-05145A
Study of a novel multichip module interchip radiative interconnection system.—75-00376A
Styrene-butadiene tapered block copolymer (TBC) having a functionally graded molecular structure (FGM).—75-04232A
Thick film multilayer material systems for thermal cycle applications.—75-00381A
Thick film superconductors and their application in the microelectronics technology.—75-00889A
Trend reversal.—75-03535A
Use of industrial waste for the production of building materials.—75-05069A
Use of recovery wastes of oil shales from the Volga basin in the production of ceramic bricks.—75-07456A
Use of spent catalysts for synthesis of undercoat enamels.—75-07715A

failure,
Atomic scale simulations of tensile failure in metal oxides.—75-04453A
Brittle failure prediction of ceramics using a multiscale approach.—75-08638A
Comparison of the Jenq-Shah two-parameter procedure and the cohesive zone procedure for predicting the failure of large concrete structures.—75-02392A
Compressive properties of yttrium oxide.—75-04464A
Crack-fiber interaction and interfacial failure models in fiber-reinforced ceramics.—75-06952A
Creep failure process for fine powder beds by tensile loading.—75-06955A
Cyclic fatigue life of SiAlON at room temperature.—75-04478A
Damage and failure in model unidirectional CVI composites.—75-04480A
Delayed failure of ceramic fibers at elevated temperatures.—75-04486A
Design of high-temperature ceramic components against fast fracture and time-dependent failure using CARES/LIFE.—75-00948A
Effect of rising *R*-curve behavior on the high-temperature delayed failure resistance of Si_3N_4 ceramics under elastic slow crack growth [SCG] regime.—75-09625A
Failure analysis of a fiberglass-reinforced plastic pressure vessel.—75-04521A
Failure analysis of an α-SiC tube subjected to thermal cycling in an oxygen-steam atmosphere.—75-04522A
Failure mechanism of single-crystal alumina in machining.—75-09633A
Failure mechanisms in CAS/SiC composite as a function of the strain rate.—75-04523A
Failure-related microstructure of 2-D-carbon/carbon under shear conditions.—75-04524A
Features of the failure of hydrostatically compacted zirconium dioxide.—75-09636A
High-temperature *R*-curve behavior and failure mechanisms of in situ toughened composites.—75-04550A
High-temperature reliability of silicon nitride.—75-04557A
Method for screening early failure of ceramic capacitor.—75-07766P
Prediction of failure in tiling systems.—75-00250A
Prediction of the fiber-matrix interface failure due to longitudinal tensile loading using finite element methods.—75-03590A
Quantum-chemical study of the destruction of the infinite random network in vitreous B_2O_3.—75-09666A
Static and dynamic compressive behavior of aluminum nitride under moderate confinement.—75-04630A
Statistical criterion of characterization on failure and damage of ceramic materials after thermal shock.—75-04631A

Faraday effect,
Measurement of the Faraday effect of garnet film in alternating magnetic fields.—75-03316A
New Faraday rotation glass with a large Verdet constant.—75-02671A

fatigue,
Arrest of fatigue cracks in transformation-toughened ceramics.—75-04452A
Behavior of 3 mol% yttria-stabilized tetragonal zirconia polycrystal (3Y-TZP) with submicron and nanosized microstructure after compressive/compressive fatigue tests.—75-04454A
Burner rig thermal fatigue failure of SiC continuous fiber/Si_3N_4 ceramic composites.—75-04455A
Compositional control of ferroelectric fatigue in perovskite ferroelectric ceramics and thin films.—75-00640A
Crack propagation behavior and mechanism of a sintered silicon nitride under cyclic load.—75-02030A
Cyclic fatigue life of SiAlON at room temperature.—75-04478A
Dc voltage and cycling induced recovery of switched polarization in fatigued ferroelectric thin films.—75-05543A
Effect of composition and physical properties of silicon nitride on rolling wear and fatigue performance.—75-04494A
Effect of composition and temperature on electric fatigue of La-doped lead zirconate titanate ceramics.—75-03002A
Effect of environment and loading velocity on fatigue damage in ceramic matrix composites.—75-04496A
Effect of fiber volume fraction on the fatigue behavior of GRP [glass-fiber-reinforced polyester] pultruded rod composites.—75-06965A
Effect of growth and coalescence of multisurface cracks on static fatigue behavior of glass-ceramics.—75-00184A
Effect of microstructures of SiAlON ceramics on fatigue properties at room temperature.—75-09622A
Effect of yttrium doping on the ferroelectric fatigue and switching characteristics of $Pb(Zr_{0.65}Ti_{0.35})O_3$ thin films prepared by sol-gel processing.—75-05553A
Elevated temperature static fatigue of a Nicalon fiber-reinforced SiC composite.—75-04509A
Fatigue behavior of a ceramic matrix composite (CMC), 2-D C_{fiber}/SiC_{matrix}.—75-04525A
Fatigue behavior of structural ceramics at elevated temperatures.—75-02049A
Fatigue crack growth of monolithic and composite ceramics.—75-02051A
Fatigue fracture behavior of gas pressure sintered silicon nitride.—75-04526A
Fatigue life prediction of structural ceramics.—75-04527A
Fatigue of silicon nitride at 1000°C.—75-04528A
Fatigue wear mechanism of alumina-based ceramics under synchronized cyclic normal and tangential loads.—75-09635A
Ferroelectric properties and fatigue of $PbZr_{0.51}Ti_{0.49}O_3$ thin films of varying thickness: blocking layer model.—75-00661A
Fractal behavior in fatigue of materials.—75-04530A
High-temperature fatigue properties for some types of SiC and Si_3N_4 and the unified strength estimation method.—75-02061A
Improved endurance limit of zirconia ceramics by overloading.—75-06993A
Lifetime prediction of ceramics—importance of the test method.—75-04578A
Links between electrical and optical fatigue in $Pb(Zr,Ti)O_3$ thin films.—75-03239A
Lubricated rolling contact fatigue on silicon nitride rods.—75-04352A
Minimization of fatigue in ferroelectric films.—75-03242A
Notch fatigue limit of metal materials.—75-04609A
Preloading technique in dynamic fatigue testing of glass and ceramics with an indentation flaw system.—75-03592A
Proof testing and subsequent fatigue characteristics in ceramics.—75-02087A
Quasi-static and fatigue damage accumulation in a Nicalon-lithium magnesium aluminosilicate composite material.—75-04618A
Retardation of fatigue crack growth in ceramics by glassy ligaments: a rationalization.—75-04622A
Rolling fatigue of hot isostatically pressed silicon nitride bearing balls with emphasis on statistical properties.—75-02092A
Silicon nitride bearing ball having a high rolling contact fatigue life.—75-08842P
Silicon nitride ceramic having high fatigue life and high toughness.—75-08630P

Static fatigue resistance of Si_3N_4+Si_3N_4 whisker ceramics at 1200°C.—75-07031A
Strength-flaw relationship of corroded pristine silica studied by atomic force microscopy.—75-00202A
Thermal fatigue behavior of ZTM ceramics.—75-04650A
Utilization of fractography in the evaluation of high-temperature dynamic fatigue experiments.—75-04660A

feeding apparatus,
Closed-loop control of flow rate for dry bulk solids.—75-00945A
Forming technology affects refractory performance.—75-02818A
Loss-in-weight feeders—principles, design strategies and applications.—75-00956A
Multi-ingredient proportioning for dry bulk solids.—75-00970A
Weigh belt feeders- principles, design strategies and applications plus data on belt scales.—75-00990A

feldspar,
Al_2O_3-strengthened feldspathic porcelain bodies: effects of the amount and particle size of alumina.—75-02849A
Compositional parameters to evaluate feldspathic fluxes for ceramic tiles.—75-00281A
Densification process and mechanical strength of feldspathic porcelain body.—75-08758A
Feldspar industry in Europe.—75-02130A
Feldspar.—75-06030A
Mossbauer study of the low-temperature crystallization of ferrisilicate feldspars.—75-08687A
New feldspar producer enters market.—75-01067A
Two-phase K-Na feldspar from Sikhote-Alin and the structure of its K component.—75-08767A

Fermi surface,
Fermi liquid coupled with a generalized Wigner polaronic CDW giving high-T_c superconductivity.—75-05768A
Surface Fermi level position of diamond treated with plasma.—75-01957A

ferrimagnetic materials,
Rare-earth-substituted ferrimagnetics.—75-00757A

ferrites,
Aging embrittlement and microstructure observation in a CF8 duplex stainless steel aged at 400°C.—75-03274A
Angular dependence measurement of individual barium ferrite recording particles near the single-domain size.—75-03276A
Anisotropy and Faraday effect in Co spinel ferrite films.—75-03277A
Anisotropy of nuclear spin echo damping in yttrium iron garnet films.—75-08191A
Application of ferrites and ferromagnets in tuning rf cavities for accelerators.—75-03279A
Application of lead alkali-silicate bonding glass to ferrite heads.—75-05656A
Ba ferrite thin-film media for high-density longitudinal recording+—75-03280A
Barium ferrite thin film for longitudinal recording.—75-08252P
Barium hexaferrite-silicon nitride-carbon magnetic recording medium.—75-05719P
Bulk magnetostriction and change of magnetization at hydrostatic pressure in melts and compounds of rare-earth metals with iron: II, Crystalline compounds of Y_2Fe_{17} and Er_2Fe_{17}.—75-05658A
Characterization and low-temperature sintering of reactive Mn-Zn ferrite powder.—75-08195A
Characterization of high-area $Mg_xFe_2O_{3+x}$ ($0 \le x \le 2$) monophase powders by vibrational spectroscopies.—75-06177A
Co-Sn-substituted barium ferrite particles.—75-03282A
Combustion synthesis and properties of fine-particle Mg-Zn ferrites.—75-05659A
Composition dependence of the elastic moduli of mixed lithium-cadmium ferrites.—75-03284A
Dependence of rate of domain walls on magnetic field in uniaxial ferrite-garnet films with different attenuation.—75-05660A
Diffusion of direct surface magnetostatic waves [SMSWs] in the structure of a ferrite-dielectric-metal linearly magnetized by a nonuniform magnetic field.—75-08197A
Dispersion observed in electrical properties of titanium-substituted lithium ferrites.—75-03285A
Distribution of blocking temperature in bilayered $Ni_{81}Fe_{19}$/NiO films.—75-00730A
Dynamic properties of Sm-containing ferrite garnet films.—75-08198A
Dynamic uniaxial anisotropy in cobalt-doped ferrites.—75-05663A
Effect of an external premagnetizing field on the formation of permanent acoustic memory in magnetostricted polycrystalline ferrite.—75-08200A
Effect of binder additions on the green and sintered properties of Mn-Zn ferrite ceramics.—75-03287A
Effect of cooling in vacuum on the electrical properties of Mn-Zn off-stoichiometric ferrites.—75-08202A
Effect of Er_2O_3 addition on microstructure and physical properties of Mn-Zn ferrites for high-power use.—75-03288A
Effect of isovalent and heterovalent substituent ions on the structure and properties of nickel zinc ferrites.—75-08204A
Effect of MG [mechanical grinding] on the preparation of Mn-Zn ferrites and Ni-Zn ferrites with fine grains.—75-01457A
Effect of Na_2O additions in the crystallization of barium ferrite from a $BaO-B_2O_3-Fe_2O_3$ glass.—75-00213A
Effect of substitution of In^{3+} ions on the electrical and magnetic properties and Mossbauer study of $Mg_{0.9}Mn_{0.1}In_xFe_{2-x}O_4$ ferrites.—75-05665A
Effect of treatment in the corona discharge on the form of the hysteresis loop of Bi-containing iron garnet epitaxial films.—75-08209A
Effects of addition of Na_2O, Sb_2O_3, CaO, and ZrO_2 on the properties of lithium zinc ferrite.—75-05667A
Effects of the rare-earth ions on some properties of a nickel-zinc ferrite.—75-03290A
Electrical conductivity of Mn-Zn ferrites.—75-03291A
Electrical properties of Si^{4+} substituted copper ferrite.—75-06456A
Far-infrared spectra of lithium-titanium mixed ferrites.—75-05669A
Generation of radio impulses by an electromagnetic shock wave in a transmission line with a ferrite.—75-08219A
Glass formation and crystallization of barium ferrite in the $Na_2O-BaO-Fe_2O_3-SiO_2$ system.—75-03294A
Glass-added strontium ferrite of high coercivity.—75-08220A
High field effective linewidth and eddy current losses in moderate conductivity single-crystal Zn-Y hexagonal ferrite at 10–35 GHz.—75-00737A
Influence of $BiFeO_3$ on the phase composition and magnetic properties of barium ferrite.—75-05676A
Influence of $CaFe_2O_4$ additive on the magnetic properties of nickel zinc ferrite.—75-05677A
Influence of demagnetizing factors on the field dependence of the magnetoelectric effect in ferrite-piezoelectric ceramics.—75-08223A
Influence of ferrous content on the second maximum permeability temperature of Mn-Zn ferrites.—75-03296A
Influence of fusible phases of $BiFeO_3$ on physical properties of ferrites based on lithium ferrite.—75-05678A
Influence of heat treatments on order-disorder phenomena in a naturally occurring manganese ferrite.—75-00739A
Influence of mole ratio of CaO to SiO_2 on magnetic properties and grain size of Mn-Zn ferrites.—75-05679A
Instability mechanism of collective spin wave oscillations in finite-size ferrite samples.—75-03297A
Integrated ferrite-dielectric ceramic structure for microwave devices.—75-00522A
Interface reaction enhanced epitaxial growth of barium ferrite magnetic thin films.—75-03298A
Interface reactions between glass melts containing transition metal oxides and ferrites.—75-04907A
Ir spectroscopic investigation of ferrite formation in the MgO-Fe_2O_3 system.—75-05680A
Layered magnetoelectric composites based on nickel ferrite and lead zirconate titanate materials.—75-05681A
Low-temperature anomaly of ionic conductivity in an $Na_{4+x}FeP_2O_{8+x}F_{1-x}$ ($x \approx 0.5$) superionic conductor.—75-05683A
Low-temperature deposition of hexagonal ferrite films by sputtering.—75-03300A
Low-temperature magnetic relaxation of organic-coated $NiFe_2O_4$ particles.—75-03301A
Low-temperature specific heat of $NdMO_3$ (M=Co, Fe, Cr, Ni): magnetic ordering of Nd.—75-05684A
Magnetic and magnetooptical properties of Co-, Cr-, Mn-, and Ni-substituted barium ferrite films.—75-03303A
Magnetic anisotropy and energy spectra of thullium iron garnet.—75-05685A
Magnetic Ceramics.—75-02165B
Magnetic properties of $Ba_2(Zn_xFe_{1-x})_2Fe_{28}O_{46}$ X-type hexaferrites.—75-00746A
Magnetic properties of modified Ba ferrite particles.—75-03306A
Magnetic properties of nickel cadmium ferrites studied by Mossbauer and magnetic methods.—75-05688A
Magnetism of disordered nickel-zinc ferrites.—75-08228A
Magnetite coating prepared by ferrite plating on expanded polytetrafluoroethylene membrane for medical use.—75-03309A
Magnetization reversal and magnetic clusters in copper ferrite films.—75-03311A
Magnetoelectric effect and incommensurate spin structures in the $La_xBi_{1-x}FeO_3$ system.—75-05692A
Mechanically induced reactivity of $ZnFe_2O_4$.—75-05693A
Mechanism for crack formation of Mn-Zn ferrites in the heating stage.—75-02076A
Method for producing fine particles of barium ferrite.—75-00765P
Method of manufacturing composite ferrite.—75-05720P
Microstructural investigation of barium ferrite longitudinal thin-film media.—75-03317A
Microstructure of $(Fe_{0.2}Co_{0.8})_{0.8}(Fe_{2.38}Co_{0.63}O_4)$: a magnetic oxidation-resistant composite formed by coprecipitation.—75-05694A
Microstructure of zirconia-(Mn Zn ferrite) composites.—75-04372A
Microwave absorbing and resonance phenomena of Y-type hexagonal ferrite microwave absorbers.—75-03319A
Modeling the formation potential of intragranular acicular ferrite in welding microstructure.—75-03320A
Mossbauer characteristics of Sr_2CoFeO_x obtained by electrochemical oxidation.—75-05696A
Mossbauer effect study on the acicular cobalt ferrite particles.—75-00750A
Mossbauer spectrometry study of magnesioferrite particles.—75-00751A
Mossbauer study of oxygen-deficient Zn^{II}-bearing ferrites and their reactivity toward CO_2 decomposition to carbon.—75-05697A
New preparative procedure for ultrafine spinel ferrites.—75-05698A
Nonepitaxial sputter synthesis of aligned strontium hexaferrite, SrO·6(Fe_2O_3), films.—75-03322A
Order-disorder and magnetic exchange interactions in substituted strontium hexaferrite $SrA_xFe_{12-x}O_{19}$ (A=Ga,In).—75-03323A
Phase composition and magnetic properties of the $(100-x)BaFe_{11.2}O_{17.8}$·$x(NaM)_{1/2}Fe_{12}O_{19}$ ferrites (M=Bi, Fe, Mn).—75-08236A
Phase diagrams of dynamic systems of magnetic domains.—75-05703A
Phase transformation of ZrO_2 in MnZn ferrite under magnetic field.—75-00755A
Preparation and magnetic properties of BaM films with excellent crystallinity by Xe sputtering.—75-03327A
Preparation and magnetic properties of nanocrystalline $LiFe_5O_8$.—75-05704A
Preparation of Co-Zn ferrite films at low substrate temperature by plasma-free dc sputtering for magnetic recording media.—75-03328A
Preparation of cobalt-doped nickel ferrite thin films on optical fibers by dip-coating technique.—75-03329A
Preparation of high-coercivity fine barium ferrite powder.—75-00756A
Production of Mn-Zn ferrite ceramics by injection molding.—75-05705A
Removal of zinc from aqueous solutions by means of their contact with a manganese zinc ferrite powder.—75-05708A
Search for new high-temperature ferromagnets with enhanced magnetoelectric interaction.—75-05709A
Solid-state synthesis and sintering below 1000°C of lithium ferrite freeze-dried powders.—75-00758A
State of degenerate antiferromagnetism in $ZnFe_2O_4$.—75-05711A
Status of ferrite technology for high volume microwave applications.—75-00759A
Steatite diary: I, Technical ceramics: the early years [618 AD through the 1930s].—75-02149A
Structure analysis of coprecipitated $ZnFe_2O_4$ by extended X-ray absorption fine structure.—75-00760A
Substitution for iron by nonmagnetic constituents in spinel lithium ferrite.—75-05714A
Surface magnetostatic waves [SMSWs] in exchange-coupled ferrite films.—75-08244A
Surface roughness and magnetic properties of in situ heated and postannealed thin films of perpendicular barium ferrite.—75-03334A
Synthesis of crystalline ferrites below 60°C.—75-08245A
Temperature dependences of related residual magnetization of gadolinium ferrite-garnet sublattices in the region of the point of compensation.—75-05716A
Temporary properties of magnetic reversal of iron garnet single-crystal films with easy plane type anisotropies.—75-08246A
Thermodynamic analysis of the hydrothermal synthesis of the $Mn_{0.5}Zn_{0.5}Fe_2O_4$ ferrite.—75-03337A
Threshold of two-wave decay of a surface magnetostatic wave in a magnetized cubically anisotropic ferrite film in a dipole approximation.—75-08248A
Transformation studies of M- to W-type hexaferrite in $BaFe_{12-2x}Co_{2x}O_{19}$.—75-05718A
Uniform compaction of ferrite potcores.—75-00762A

ferroelastic materials,
Ferroelastic properties of lead zirconate titanate ceramics.—75-08142A
Pressure-induced migration of ferroelectric interfaces.—75-03251A

ferroelectric materials/ferroelectrics,
Ac drive-enhanced relaxor characteristics and domain breakdown in ferroelectrics containing quenched impurities.—75-08120A
Antiferroelectric-ferroelectric-paraelectric phase sequence in lead lanthanum zirconate titanate ceramics with 8% Ti content.—75-03216A
Bulk photovoltaic effect [BPE] in ferroelectric $Pb(Zr,Ti)O_3$ thin films.—75-05534A
Ceramic ferroelectric composite material—BSTO-MgO.—75-00711P
Compositional control of ferroelectric fatigue in perovskite ferroelectric ceramics and thin films.—75-00640A
Compositional tailoring of the dielectric and ferroelectric properties of sol-gel-derived PLZT thin films.—75-05540A
Determining the polarization vectors in lead magnesium niobate.—75-08124A
Dielectric properties and phase transition temperature of ferroelectric liquid crystals.—75-03222A
Dielectric response of ferroelectric films at intermediate frequencies.—75-05546A
Domain configurations due to multiple misfit relaxation mechanisms in epitaxial ferroelectric thin films: I, Theory.—75-00649A
Domain configurations due to multiple misfit relaxation mechanisms in epitaxial ferroelectric thin films: II, Experimental verification and implications.—75-00650A
Effect of γ-irradiation on the elastic properties of ferroelectrics within the range of phase transitions.—75-05548A
Effect of ferroelectric polarization on current response of PZT thin films.—75-05549A
Effect of polarization switch upon stress in thickness vibration of a ferroelectric plate.—75-03228A
Effect of top metallization on the dielectric and ferroelectric properties of sol-gel-derived PZT thin films.—75-00651A
Effects of temperature on the ferroelectric properties of $PbZr_{0.53}Ti_{0.47}O_3$-based capacitors prepared by pulsed laser ablation deposition.—75-05554A
Electron emission from a weak ferroelectric of lithium heptagermanate.—75-08135A
Electrostrictive coefficients of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$·$0.1PbTiO_3$ relaxor ferroelectric ceramics in the ferroelectricity-dominated temperature range.—75-00657A
Evaluation of electrooptic phenomena in ferroelectric thin films using ellipsometric techniques.—75-05566A
Excess dielectric nonlinearity of inhomogeneous ferroelectrics: I, Bulk effects.—75-05567A
Fabrication of ferroelectric domain reversals.—75-00712P
Ferroelectric capacitor nondestructive readout memory [NDRO].—75-05576A
Ferroelectric ceramics: materials and application issues.—75-03231A
Ferroelectric domains in $BaTiO_3$.—75-08143A
Ferroelectric materials with high permittivity.—75-05577A
Ferroelectric thin films for integrated devices.—75-05578A

Ferroelectric thin films for photonics: properties and applications.—75-05579A
Ferroelectric-based microactuators.—75-05581A
Guided-wave electrooptic applications for tungsten bronze ferroelectrics.—75-03236A
High-T_c superconducting band reject ferroelectric filter (TFF).—75-08179P
High-T_c superconducting monolithic ferroelectric tunable band pass filter.—75-08180P
Identification of phase transitions in superconductors and ferroelectrics by the secondary electron emissions method.—75-05950A
Image-wise poled ferroelectric layers for printing application.—75-05588A
Imprint mechanism in ferroelectric capacitors.—75-05589A
Integration technology of ferroelectrics and the performance of the integrated ferroelectrics.—75-05593A
Low-temperature observation of relaxor ferroelectric domains in lead zinc niobate.—75-00671A
Manufacturing technology of multilayered transducers.—75-00962A
Measurement of electrooptic properties of ferroelectric thin films using the Ultimate Ellipsometer.—75-05602A
Metal oxide heterostructures[—review].—75-05380A
Metal-alkoxide-derived oriented and epitaxial ferroelectric thin films.—75-00673A
Metallorganic chemical vapor deposition of ferroelectric oxide thin films for electronic and optical applications.—75-05605A
Method of controlling crystal orientation of PZT and PLZT thin films on platinum substrates.—75-03268P
Method of manufacturing a ferroelectric device using a plasma etching process.—75-03269P
Method of manufacturing ferroelectric bismuth layered oxides.—75-00715P
Method of manufacturing ferroelectric bismuth-layered oxides.—75-08183P
Microstructure of epitaxial ferroelectric/metal oxide electrode thin-film heterostructures on $LaAlO_3$ and silicon.—75-00675A
Microstructures and dielectric properties of ferroelectric glass-ceramics.—75-00192A
Migration of nonequilibrium charge carriers in polycrystalline ferroelectrics.—75-08153A
Minimization of fatigue in ferroelectric films.—75-03242A
Modeling of high-temperature ferroelectric-piezoelectric ceramic materials.—75-05608A
Modeling of the hysteresis of ferroelectric thin films.—75-05609A
Modeling of the metal-ferroelectric-metal capacitor: I. Theoretical considerations.—75-00676A
Modeling of the metal-ferroelectric-metal capacitor: II. Experimental verification.—75-00677A
Nanoscale control of ferroelectric domain structure by AFM.—75-03243A
Nonvolatile ferroelectric superconducting field effect transistor [FSuFET].—75-05613A
Phase transition in ferroelectric $Sr_2Nb_2O_7$.—75-05619A
Polarization relaxation in disordered ferroelectrics.—75-05624A
Possibility of coexistence of weak ferromagnetism and spatially modulated spin structure in ferroelectrics.—75-08162A
Precipitation hardening in $PbTiO_3$ ferroelectric crystals.—75-05625A
Preparation and evaluation of ferroelectric thin films.—75-00690A
Pyroelectric sensors and arrays based on P(VDF/TrFE) copolymer films.—75-05632A
PZT, PLZT, LSC [La-Sr-Co], and platinum thin films produced in the open atmosphere using combustion chemical vapor deposition.—75-05633A
Rainbows and Ferrofilms—smart materials for hybrid microelectronics.—75-03254A
Scanning of ultrasonic beams in ferroceramics by a nonuniform electrical field.—75-08700A
Size-effect stabilization of the low-T ferroelectric phase in nanocrystalline WO_3.—75-00697A
Sol-gel technology for ferroelectric thin films.—75-00699A
Sol-gel-derived ferroelectric films as high dielectric constant materials.—75-03259A
Soliton solutions in theory of slot waveguide transmission lines with nonlinear ferroelectric films.—75-05639A
Switching of ferroelectric thin films.—75-05646A
Synthesis of thin-film ferroelectrics on Si and shape memory effect TiNi substrates.—75-03263A
Temperature dependence of ferroelectric imprint.—75-05648A
Transient current during switching in increasing electric field as a basis for a new testing method.—75-05651A
Twinning-induced stress and electric field concentrations in ferroelectric ceramics.—75-00709A

ferroelectricity,
Ferroelectric properties and fatigue of $PbZr_{0.51}Ti_{0.49}O_3$ thin films of varying thickness: blocking layer model.—75-00661A

ferromagnetic materials/ferromagnets,
Application of ferrites and ferromagnets in tuning rf cavities for accelerators.—75-03279A
Effect of a second-order superconductor on the basic state of a uniaxial ferromagnetic film.—75-05664A
Hidden magnetically ordered phases in materials with competing ferro-antiferromagnetic interactions.—75-05675A
Indirect exchange of RKKI and magnetic states of ferromagnetic-superconducting superlattices.—75-08339A
Magnetic properties of carbon-coated ferromagnetic nanoparticles produced by a carbon-arc method.—75-03305A
New ferromagnetic oxide La_3MnIrO_6: synthesis, characterization, and calculation of its electronic structure.—75-00753A
Nonlinear electromagnetic excitation of longitudinal ultrasound in ferromagnets in the saturation region.—75-08234A
Thin ferromagnetic films in a ferromagnetic/semiconductor structure studied by an optical orientation method.—75-08247A
Wet process preparation of amorphous Y-Fe oxide films ferromagnetic at room temperature.—75-03340A

ferromagnetism,
Controlling high-frequency chaos in circular YIG films.—75-00728A
Relationship between weak ferromagnetism, superconductivity, and lattice parameter in the $A_{2-x-y}B_yCe_xCuO_4$ (A,B≡La, Pr, Nd, Sm, Eu, Gd, Y) compounds.—75-03398A

fiber reinforcement,
Applied technology of roller of stainless steel, fiber-reinforced castable.—75-07476A
B-N-C_x hydrid coatings for inorganic fiber reinforcement materials.—75-01157P
Behavior of cement-based matrices reinforced by randomly dispersed microfibers.—75-04807A
Ceramic composite attachments for transmission of high-torque loads.—75-07063A
Ceramic fiber tow reinforced metal matrix composite.—75-07253P
Ceramic fiber-reinforced composite articles and their production.—75-01104P
Ceramic fiber-reinforced silicon carboxide composite.—75-06079P
Characterization of sol-gel-derived alumina-silica matrices for continuous fiber-reinforced composites.—75-09237A
Coated inorganic fiber reinforcement materials and ceramic composites comprising the same.—75-01109P
Cost-effective production techniques for continuous fiber-reinforced ceramic matrix composites.—75-01416A
Crack-fiber interaction and interfacial failure models in fiber-reinforced ceramics.—75-06952A
Crack-fiber interactions in fiber-reinforced brittle matrix composite.—75-02639A
Cracking characteristics of reinforced steel fiber concrete beams under short- and long-term loadings.—75-02393A
Creep and rupture of advanced ceramic fiber reinforcements.—75-04470A
Databook on Mechanical and Thermophysical Properties of Whisker-Reinforced Ceramic Matrix Composites.—75-04776B
Detailed analysis of debonding and frictional sliding in fiber-reinforced brittle matrix composites.—75-04487A
Determination of the first-crack strength and flexural toughness of steel fiber-reinforced concrete.—75-02395A
Development of Si-Ti-C-O fiber-reinforced SiC composites by chemical vapor infiltration and polymer impregnation & pyrolysis.—75-03994A
Effect of fiber misalignment on fracture behavior of fiber-reinforced composites: II, Theoretical modeling.—75-06964A
Effect of interphase carbon thickness on environmental resistance of continuous fiber-reinforced ceramic matrix composites.—75-04318A
Effect of loading rate on the monotonic tensile behavior of a continuous-fiber-reinforced glass-ceramic matrix composite.—75-00185A
Effect of polymer addition on the strength of carbon fiber-reinforced reaction-bonded SiC matrix composites.—75-04007A
Effect of strain rate on the fracture of ceramic fiber-reinforced glass matrix composites.—75-06969A
Elevated temperature creep and cyclic creep behavior of fiber reinforced ceramics.—75-04508A
Experimental and theoretical investigation of stick-slip, steady-state, and roughness dominated sliding in fiber-reinforced composites.—75-04518A
Fabrication and mechanical properties of 3-dimensional Tyranno fiber-reinforced SiC composites by repeated infiltration of polycarbosilane.—75-09303A
Fabrication of continuous fiber-reinforced ceramics with a nanosized mullite precursor.—75-04032A
Fabrication of fiber-reinforced composites.—75-05920P
Fabrication of optically transparent short-fiber-reinforced glass matrix composites.—75-02715A
Fiber deformation and residual strain in silicon carbide fiber-reinforced glass composites.—75-02052A
Fiber reinforcement of reaction-bonded oxide ceramics.—75-04042A
Fiber-matrix interaction in microfiber-reinforced mortar.—75-02406A
Fiber-reinforced cement-based composites under tensile impact.—75-02407A
Fiber-reinforced ceramic matrix composites exhibiting improved high-temperature strength.—75-01110P
Fiber-reinforced CMC with polymer/filler derived matrix.—75-01499A
Fire-resistant glass and process for production thereof.—75-02746P
Handbook on Continuous Fiber-Reinforced Ceramic Matrix Composites.—75-04777B
High flexural strength ceramic fiber-reinforced silicon carboxide composite.—75-07428P
Influence of heat treatment temperature on room temperature and high temperature tensile strength of unidirectional carbon fiber reinforced carbon.—75-04568A
Influence of matrix fracture toughness on tensile behavior of fiber-reinforced cementitious composites.—75-00047A
Measurement and interpretation of thermal transport in directionally reinforced ceramic matrix composites.—75-03576A
Mechanical behavior and environmental stability of continuous fiber-reinforced glass-ceramic matrix composites.—75-07348A
Method for making fiber-reinforced silicon nitride composites.—75-08834P
Method for producing ceramics reinforced with three-dimensional fibers.—75-08599P
Method of preparing fiber-reinforced glass composites.—75-07376P
Physics and mechanics of fiber-reinforced brittle matrix composites.—75-07020A
Pressure consolidation of fiber-reinforced oxide matrix composites: experiments and simulations.—75-03594A
Process for coating fiber-reinforced ceramic composites.—75-01002P
Production of fiber-reinforced zirconium ceramics by the sol-gel method.—75-04186A
Properties of continuous carbon fiber reinforced aluminum depending on the infiltration process and local fiber variations.—75-02536A
Questions to Dudley R. Morgan, Chief Materials Engineer, HBT AGRA Limited, Burnaby, British Columbia, Canada.—75-04736A
Reinforced glass and/or ceramic matrix composites.—75-00230P
SIGRABOND-CC [carbon fiber-reinforced carbon]—examples of use in the glass industry.—75-08810A
Status of fiber-reinforced plastic reinforcement development and cement-based research needs.—75-02425A
Strength of fiber-reinforced ceramics on the basis of a micromechanical analysis.—75-07034A
Tensile strength of a fiber-reinforced ceramic composite containing a crack-like flaw.—75-07043A
Thermal shock behavior of fiber-reinforced ceramic composites.—75-04651A
Thin bonded overlays: about the role of fiber reinforcement on the limitation of their debonding.—75-04835A
Thixotropic casting of fiber-reinforced ceramic matrix composites.—75-06823A
Titanium metal matrix composite inserts for stiffening turbine engine components.—75-02433P
Wear studies of fiber-reinforced ceramic matrix composites.—75-04668A
Woven fabric reinforcement of cement matrix.—75-02432A

fiberglass,
Failure analysis of a fiberglass-reinforced plastic pressure vessel.—75-04521A

fibers,
Alumina sol-gel fiber.—75-08772P
Aluminum nitride-coated silicon carbide fiber.—75-08819P
$Ba(Mg_{1/3}Ta_{2/3})O_3$ single crystal fiber grown by the laser-heated pedestal growth technique.—75-01384A
Calcium aluminate wool: a new fiber for high-temperature thermal insulation—a healthy solution for up to 1250°C.—75-07486A
Carborundum Co., Ceramic Fibers Group.—75-04684A
Ceramic fiber and occupational health and safety—a review of the literature.—75-02114A
Ceramic fiber and process therefor.—75-03728P
Ceramic fibers for functional composite materials.—75-03961A
Change in refractive index of a borosilicate glass fiber annealed below the glass transformation temperature.—75-07327A
Coated fibers.—75-01108P
Composite ceramic materials with SiC fiber.—75-05077A
Composites take glass into the 21st century.—75-04694A
Consideration of radial dependences of axial stresses in the shear-lag model for fiber pullout.—75-04465A
Crystalline ceramic fiber and method of manufacturing same.—75-08570P
Degradation of SiC-based fibers in high-temperature high-pressure water.—75-06921A
Delayed failure of ceramic fibers at elevated temperatures.—75-04486A
Design and processing of all-oxide composites.—75-03989A
Development of a two-step, forced chemical vapor infiltration process.—75-03990A
Development of mullite matrix ceramic fiber composites using electrophoretic deposition [EPD].—75-09256A
Dielectric property measurement of zirconia fibers at high temperatures.—75-00319A
Directionally solidified mullite fibers.—75-03884A
Ecological problems due to the use of organic binders in the production of fibrous heat-insulating materials.—75-07533A
Effect of the loading system on the stress distribution in the fully embedded fiber pullout test.—75-04503A
Elevated temperature fiber pushout testing.—75-03561A
Erosion-resistant, ceramic fiber lining.—75-08576P
Experimental determination of the stress field in fiber/matrix interphases of microcomposites.—75-04519A
Fiber-reinforced aluminum matrix composite with improved interfacial bonding.—75-00159P
Fibers and ceramic matrix composites from polymer precursors: methodology of production and properties.—75-04044A
Fine metallic and ceramic fibers by melt extraction.—75-04046A
Flexible ceramic thermal protection system resistant to high aeroacoustic noise comprising a three-dimensional woven-fiber structure having a multilayer top fabric layer, a bottom fabric layer, and an intermediate rib fabric layer.—75-03670P
Forming textured ceramics by multiple coextrusion.—75-01511A
Freeze-formed ceramic fibers: effect of preaging the gel.—75-06625A
High-strength aluminum nitride fibers and composites and processes for the preparation thereof.—75-08829P
High-temperature ceramic composite.—75-06091P
High-temperature thermal insulation wools: their benefits, hazard, and future.—75-09719A
Improved alumina fibers using sisal fiber substrates.—75-09333A
Influence of loading rate and processing atmosphere on pullout of SiC fibers from Pyrex glass.—75-02725A

Inorganic ceramic paper, its method of manufacture, and articles produced therefrom.—75-01115P
Interfacial debonding and fiber pullout stresses: V. A methodology for evaluation of interfacial properties.—75-05952A
Low-loss fiber-matched diluted multiple quantum well waveguides.—75-03085A
Mechanism of oxidation of low-oxygen SiC fiber prepared by electron radiation curing method.—75-02002A
Monolithic heat-insulating linings with cellular ceramic fiber structure.—75-05110A
New kilns for old.—75-03621A
Novel carbon fibers by laser-assisted chemical vapor deposition (LCVD).—75-00003A
Novel structure of microporous activated carbon fibers and their gas adsorption.—75-01900A
One-pot synthesis of polyzirconoxane as a precursor for continuous zirconia fibers.—75-06701A
Optimum control of the sphere-fiber and fiber-fiber binary packing systems.—75-01037A
Oxygen-free ceramic fibers from organosilicon precursors and e-beam curing.—75-04131A
Parallam—new structural wood composite.—75-02139A
Phenomena at the corundum matrix/fiber interface.—75-09036A
Polymer-derived silicon carbide fibers with near-stoichiometric composition and low oxygen content.—75-03916A
Potential for diamond fiber composites.—75-08809A
Preparation of alumina fiber by sol-gel processing.—75-06721A
Preparation of CaF_2 fibers.—75-09390A
Preparation of mullite fiber.—75-04162A
Preparation of thin sections of coated fibers for characterization by transmission electron microscopy.—75-06739A
Production of composite ceramics based on zirconia fibers and binary ammonium-cobalt and ammonium-magnesium diphosphates.—75-09409A
Pullout behavior of corrugated steel fibers.—75-04829A
Pullout of a ductile fiber from a brittle matrix: I, Shear lag model.—75-07024A
Pullout of a ductile fiber from a brittle matrix: II, A simplified model.—75-07025A
Reaction mechanisms of SiC fiber synthesis from radiation-cured polycarbosilane fiber.—75-04194A
Refractory ceramic fiber composites and high-emissivity materials for energy savings in the industry: a state-of-the-art review.—75-05128A
Relaxation properties of products made with basalt fiber.—75-09180A
Residual stresses in unidirectional composites with closely spaced fibers.—75-02090A
Rise and fall of cast glaze.—75-02343A
Scanning force microscopy study of ceramic fibers for advanced composites.—75-06905A
Self-consistent method to calculate fiber interactions in an SiC/Al_2O_3 ceramic composite.—75-03596A
Silicon nitride fiber synthesis from polycarbosilane fiber by radiation curing and pyrolysis under ammonia.—75-04215A
Sol-gel process for spinning of continuous $(Zr,Ce)O_2$ fibers.—75-04227A
Structural and mechanical characterization of some alumina and SiC based fibers.—75-03929A
Structural characterization of $LaPO_4$ [monazite] fiber coatings.—75-09577A
Synthesis and processing of silicon carbide fibers—state-of-the-art.—75-01701A
Synthesis of mullite fiber from an aluminosiloxane precursor.—75-06811A
Synthesis of Si_3N_4 fibers by a gas-phase process.—75-01715A
Synthesis of silicon carbide fiber from blended precursor of organosilicon polymers.—75-01717A
Theoretical and technological principles of creating lightweight refractories reinforced by fine disperse refractory fibers.—75-05148A
Thermal conductivity of basalt fiber materials.—75-07675A
Toughened ceramic composite materials comprising coated refractory fibers in a ceramic matrix wherein the fibers are coated with carbon and an additional coating of ceramic material and carbon mixture.—75-07703P
Water-soluble preceramic polymers and methods of their production.—75-03684P
Zirconium oxide fibers and process for their preparation.—75-08793P

fibrous materials,
Ceramic fibers from sol-gel precursors.—75-01392A
Ceramic veneer composite structure.—75-01107P
Ceramic veneer composite structure.—75-03540P
Fibrous ceramic monoliths.—75-09310A
Method of producing phosphate ceramic pipe cladding.—75-01126P
Shinagawa's fibrous insulator [PYRO-FORM] supports the "MAGMA-POWER."—75-09734A

field effect transistor,
6H-SiC field effect transistor with Schottky diode gate.—75-02958A
Diamond field effect transistors.—75-00460A
Diamond transistors and circuits.—75-07832A
High-performance complementary metal-oxide-superconductor field effect transistor (CMoSuFET) current-mode operational amplifier.—75-08336A
High-power and high-frequency silicon carbide devices.—75-00508A
Improved passive model for transient prediction of GaAs E/D MESFET analog switches.—75-03051A
Influence of $Cd_xHg_{1-x}Te$ properties on characteristics of long-channel IGFET.—75-05344A
Influence of electron-electron scattering on the charge carrier transport in the *n* channel of a silicon submicron MOS field effect transistor: Monte Carlo method.—75-03056A
Influence of neutron and cosmic irradiations on the characteristics of Schottky gate field effect transistor.—75-03060A
Investigation of self-heating effects in submicron SOI MOSFETs.—75-00526A
Lateral power MOSFET structure using silicon carbide.—75-08104P
Metal/intrinsic semiconductor/semiconductor field effect transistor fabricated from polycrystalline diamond films.—75-00541A
Method of fabricating a silicon carbide vertical MOSFET and device.—75-03208P
Method of fabricating high-voltage silicon carbide MESFETs.—75-05526P
Nonvolatile ferroelectric superconducting field effect transistor [FSuFET].—75-05613A
Power MOSFET in silicon carbide.—75-08109P
Silicon carbide junction field effect transistor device for high-temperature applications.—75-08115P
Simulation-based parameter extraction, its implementation, and some applications.—75-03163A
Superconducting FET circuits for analogue VLSI signal processing.—75-08427A
Superconducting transistors using InAs inserted channel InAlAs/InGaAs inverted HEMTs.—75-08431A

field effect transistors,
Preparation and characterization of CeO_2-based superconducting field effect transistors.—75-00846A

filaments,
Ceramic fiber yarn, and a method of, and a spinning machine for making the same.—75-08775P
Characterization of monofilamentary and multifilamentary 2223-BSCCO tapes by magnetic loss measurements.—75-08270A
Characterization of tubular boron nitride filaments.—75-06105A
Chemical vapor deposition of silicon nitride filaments from silicon subhydrides and ammonia.—75-09241A
Creep behavior of a pitch-based carbon filament.—75-02032A
Cyclic hot-filament CVD of diamond.—75-08572P
Filamentary superconducting Bi-Sr-Ca-Cu-O crystals: self-organization, growth, and modification of properties.—75-08323A
Growth of tubular boron nitride filaments.—75-04062A
Interaction of uninterrupted ß-SiC filaments with aluminum melt and Al-Si alloys.—75-07215A
Multifilamentary oxide superconducting wire and coil formed by the same.—75-08476P
Silicon nitride filaments from silicon and ammonia.—75-01661A
Solution spinning of high-T_c oxide superconductors: VII. The effect of polyvinyl alcohol spinning medium on the sintering of $YBa_2Cu_3O_x$ superconducting filaments.—75-08413A
Synthesis of monocrystalline silicon nitride filaments.—75-06810A
Use of a variable frequency source with a single-mode cavity to process ceramic filaments.—75-01738A

fillers,
Composite wear-resistant glass-ceramic materials with various fillers.—75-03875A
Effect of fillers (fine particles) on the kinetics of cement hydration.—75-00032A
Effect of fillers on the properties of gypsum structural materials.—75-07145A
Injection molding of polysiloxane/filler mixtures or oxycarbide ceramic composites.—75-09344A
Method for closing holes in ceramic substrates.—75-08589P
Properties of ceramic materials with fillers of talc-chlorite shales.—75-07452A
Sealing glass compositions using ceramic composite filler.—75-07275P
Tube-making mechanism having a fill tube for depositing a ceramic powder into the tube as it is being made.—75-08636P

films,
c-axis-oriented high-temperature superconductors deposited onto single crystals of gadolinium gallium garnet and method of making the same.—75-00900P
Application of electrochemical oxide films to technology of semiconducting silicon carbide.—75-07786A
Ceramic device.—75-03204P
Ceramic resistor wherein a resistance film is embedded.—75-00391P
Characterization of CVD diamond films used for radiation detection.—75-01395A
Chemical modification of magnetooptic garnet film properties.—75-03281A
Chemical vapor deposition of diamond films using water-based plasma discharges.—75-01158P
Closed CVD system for the deposition of diamond films.—75-09242A
Coloring of SUS304 stainless steel by current pulse method and characteristic properties of the colored film.—75-03974A
Conversion of fullerenes to diamonds.—75-06121P
Deposition of diamondlike films by ECR microwave plasma.—75-01164P
Developing a thick-film cermet.—75-07721A
Diamond film and method of producing same.—75-01165P
Diamond film and solid particle composite structure and methods for fabricating same.—75-01166P
Diamond film electronic devices.—75-00394P
Diamondlike atomic-scale composite films: surface properties and stability studied by STM and AFM.—75-09537A
Direct current magnetron sputtered In_2O_3 films as tunnel barriers.—75-05183A
Distribution function, density, and hydrogen content of amorphous diamondlike carbon films obtained by X-ray and neutron scattering.—75-01274A
Distribution of blocking temperature in bilayered $Ni_{81}Fe_{19}/NiO$ films.—75-00730A
Effect of a second-order superconductor on the basic state of a uniaxial ferromagnetic film.—75-05664A
Effect of combined treatment on the oxidation of thin titanium films.—75-09587A
Effect of substrate bias on selected properties of Ta-C [tetrahedral amorphous carbon] films deposited by FCVA [filtered cathodic vacuum arc] technique.—75-09285A
Effect of the composition of film-forming solutions and the temperature and time regimes on the colorimetric characteristics of film coatings.—75-02584A
Effects of deposition temperature and thermal treatment on the structure of C_{60} and C_{70} films.—75-01469A
Electrical properties of C_{60} and its partially decomposed thin films fabricated by vacuum evaporation and ion plating methods.—75-01284A
Electrical properties of pulsed excimer laser deposited strontium titanate films.—75-06454A
Ellipsometric investigation of metallorganic chemical vapor deposition of niobium oxide films.—75-03794A
Epifilm thickness measurements using Fourier transform infrared spectroscopy: effect of refractive index dispersion and refractive index measurement.—75-01020A
Evidence of hexagonal diamond in plasma-deposited carbon films.—75-06873A
Fluorinated silicon nitride films.—75-06122P
Formation of highly oriented diamond film.—75-08824P
Formation of stress reduced silicon oxide films by Ar/H_2 sputtering method.—75-06620A
Growth of diamond films using C_3F_8 and H_2 in a new system.—75-01517A
Heat-screening glass.—75-00226P
High-rate, high-quality diamond synthesis by the combustion flame process.—75-01523A
Improved second harmonic generation from Langmuir-Blodgett films of an azacrown ether fullerene derivative.—75-00512A
Influence of the surface scattering on the thin semiconductor film conductivity in a high magnetic field in quantum limit.—75-03063A
Measurement and control of ion-doping-induced defects in cadmium telluride films.—75-05374A
Metallization of GaN thin films prepared by ion-beam-assisted molecular beam epitaxy.—75-00542A
Method for forming titanium nitride film and vessel coated by same.—75-02569P
Method for growing continuous diamond films.—75-03739P
Method for the deposition of diamond film by high density direct current glow discharge.—75-06126P
Method of fabricating oriented diamond films on nondiamond substrates and related structures.—75-03743P
Method of fabricating oxide superconducting films by laser deposition.—75-03433P
Method of forming crystalline silicon carbide coatings.—75-06128P
Method of making a diamond film.—75-01177P
Method of making semiconductor device comprising a titanium nitride film.—75-05527P
Method of making synthetic diamond wear component.—75-00008P
Method of making TA_2O_x thin film by low-temperature ozone plasma annealing (oxidation).—75-05229P
Method of manufacturing ferroelectric bismuth layered oxides.—75-00715P
Method of producing an oxide superconductor single-crystal film.—75-08474P
Method of producing electrically conductive ceramic film for interconnectors of solid oxide fuel cells.—75-00402P
Microdiffraction studies of nanocrystalline nitride films.—75-06887A
Microstructural evolution of copper thick films observed by environmental scanning electron microscopy.—75-04362A
Modeling the development and relaxation of stresses in films.—75-07015A
Multilayer interference structures for X-ray mirrors based on carbon films.—75-08807A
Nanophase diamond films.—75-01181P
Nanophase diamond films.—75-06133P
Oriented diamond film structures on nondiamond substrates.—75-08108P
Oxide ceramic films for electronic applications—atmospheric rf plasma technique.—75-01090A
Parameter optimization for the arc-ADLC-deposition process.—75-00975A
Patterning of superconducting YBCO films.—75-05811A
Preparation of diamond films on silicon substrates.—75-05529P
Process for deposition of ultrafine-grained polycrystalline diamond films.—75-01185P
Process for forming a silicon carbide film.—75-03213P
Process for the manufacture of PZT films.—75-08189P
Properties analysis of diamondlike thin films by in situ X-ray diffraction.—75-09173A
Properties of amorphous films from hydrogenated solid solution of the germanium-silicon system.—75-08027A
Properties of vacuum arc-deposited amorphous hard carbon [AHC] films.—75-09176A
Pulsed-laser deposition and characterization of amorphous diamondlike carbon films.—75-01635A
Rainbows and Ferrofilms—smart materials for hybrid microelectronics.—75-03254A
Raman fingerprinting of amorphous carbon films.—75-01922A
Rapid polishing of thick polycrystalline white CVD diamond by liquid metal films.—75-09417A
Reactive multilayer synthesis of hard ceramic foils and films.—75-08629P

Simulation of MOCVD-process for Y-Ba-Cu-O film production in stagnation zone reactor.—75-05830A
Strategies for controlling the wetting behavior of intergranular films in liquid phase sintered ceramics.—75-01683A
Stress in ceramic films and coatings.—75-07039A
Structural and electrical characterization of highly tetrahedral-coordinated diamondlike carbon films grown by pulsed-laser deposition.—75-00604A
Sublimation method in obtaining doped films of polycrystalline silicon.—75-03174A
Superconducting device having an extremely short superconducting channel formed of extremely thin oxide superconductor film.—75-05884P
Superconducting films on alkaline earth fluoride substrate with multiple buffer layers.—75-00920P
Surface processes during plasmochemical precipitation of films of A_2B_6 semiconducting compounds.—75-08068A
Synthesis of carbonitride films using high-energy shock plasma deposition.—75-01706A
Thermal stability studies of diamondlike carbon films.—75-01359A
Thermally grown oxide film of AISI 430 stainless steel on the influence of corrosion.—75-02555A
Thin/thick film ceramic sensors.—75-01732A
Variation in the field-dependent behavior of thermally oxidized tantalum oxide films.—75-01365A
Water-repellent glass and process for producing the same.—75-00231P
Zinc oxide piezoelectric crystal film.—75-00722P

filters/filtration,
Ceramic duplex filter.—75-07749P
Ceramic filter element for tangential flow filtration of liquids and gases.—75-06080P
Ceramic filter with a transmission zero.—75-00390P
Ceramic filtration reduces emissions.—75-03607A
Ceramic foam filter having a protective sleeve.—75-06081P
Ceramic hot gas filter.—75-06082P
Ceramic membranes for ultra- and microfiltration (review).—75-09234A
Ceramic-filled transmission lines for circuit miniaturization.—75-00424A
Exhaust gas filter element.—75-06087P
Exhaust gas filter.—75-00399P
Experimental evaluation of a new flocculation-filtration model for ceramic shape forming processes.—75-05945A
Filtering beer by ceramics.—75-06067A
Formation of gradient composites by using the filtration mechanism of binary particulate mixture.—75-02482A
High-T_c superconducting band reject ferroelectric filter (TFF).—75-08179P
High-T_c superconducting monolithic ferroelectric tunable band pass filter.—75-08180P
Influence of some pollutants on the durability of cordierite filters for diesel cars.—75-03703A
Magnetic filters clear the glaze.—75-02875A
Method for producing ceramics reinforced with three-dimensional fibers.—75-08599P
Method of tuning a ceramic duplex filter using an averaging step.—75-07768P
New ceramic membrane for high-temperature gas filtration.—75-00113A
Optical filter glasses.—75-07434P
Press filters for dehydration of cement slurry.—75-08538A
Pressure filtration of AlN-TiO_2 slurries for the production of reaction hot-pressed Al_2O_3/TiN composites.—75-01629A
Problems with FEM stress analysis of cordierite monolith as diesel particle filters.—75-03657A
Replacement filters reduce dust emissions.—75-04744A
SAW filters based on diamond.—75-08051A
Shaping of ceramic components by pressure filtration.—75-04205A
Simulation of plasma flow in toroidal solenoid filters.—75-08701A
Special features of the evaluation of the pore structure of ceramic filtering materials.—75-05141A
Temperature stability of resonant frequency of filtered materials produced by different production process methods.—75-05649A
Testing of microfiltration ceramic membranes.—75-03662A
Use of chain filters for recovery of cement dust.—75-07194A

fine ceramics,
Delegation visits the Chinese Ceramic Society.—75-04700A
International standards in fine ceramics ISO/TC 206.—75-07084A
Role of diamond in precision machining of plasma sprayed fine ceramics.—75-00010A

fineness,
Fine-grained glass-ceramics.—75-07417P
Heavy clay preparation turned "fine."—75-05061A
Novel system for fine structure measurement of ceramics.—75-08690A
Optimum design for fine and ultrafine grinding mechanisms using grinding media.—75-06702A
Plasma production of ultrafine ceramic carbides.—75-08837P
Pneumatic conveying characteristics of fine and granular bulk solids.—75-05907A
Process for making ultrafine barium titanate particles.—75-09492P
Process for producing fine metal oxide particles.—75-08783P
Properties of mortars containing fine-ground cements.—75-02419A
Sintering characteristics of microfine zirconia powder.—75-06764A
Synthesis of ultrafine metallic powders in a dc plasma reactor by chemical vapor deposition.—75-04250A

finishing,
High rate finishing of polycrystalline diamond films with hyperthermal oxygen atoms.—75-08528A

finite element analysis,
Applications of finite element techniques in advanced ceramics.—75-05935A
CAD/CAM review—finite element analysis revisited.—75-04681A
Finite element analysis of metal casting around low expansion ceramic materials.—75-01292A
Finite element analysis of the fiber twist test.—75-03565A
Finite element anlysis applied to thermomechanical performance of ceramic anchors.—75-07552A
Numerical simulation of electrical characteristics of multilayer ceramic capacitors.—75-00358A
Residual stress in CrNi/ZrO_2 graded materials, numerical modeling, and X-ray measurements.—75-02540A
Sharp interfaces versus functionally graded metal-ceramic layers—geometrical optimization for mechanical response.—75-02543A
Simulation of glass processes with Polyflow, a finite element program.—75-05977A
Two and three dimensional finite element analyses of a PSZ ceramic femoral knee prosthesis.—75-01097A

fireclay,
Experimental study of ball clays.—75-07550A

firing,
$1200 studio.—75-02175A
Austromat furnaces.—75-07061A
Burnishing and dung firing.—75-02206A
Changes in chemical and phase composition of materials when firing in kilns.—75-08718A
Characterization and fast firing of nanoscale ZrO_2+3 mol% Y_2O_3 ceramic powder prepared by hydrothermal processing.—75-03964A
Characterization of the firing schedule for positive temperature coefficient of resistance $BaTiO_3$.—75-00431A
Conveyor chain withstands high-temperature cycling.—75-03610A
Design parameters for high-temperature (1600°C and above) tunnel kiln and shuttle/car bell kiln for firing of high-duty refractories.—75-07507A
European-style fast single firing of wall tiles.—75-00286A
Examination of fast-fire frits and glazes using a hot stage microscope at different heating rates [≤80 K/min].—75-02868A
Experience with 100% oxygen-fuel firing of glass-melting furnaces.—75-08722A
Fast firing of large-size, vertically perforated clay units by optimization of the raw material composition.—75-05996A
Fire in the woods.—75-02250A
Firing processes of copper red glaze in an electric furnace and its applications.—75-02869A
Firing technology for refractories in the 21st century.—75-07553A
Glass Problems Conference focuses on oxy-fuel.—75-03614A
Improvement of the stack design for firing faience and porcelain ware.—75-08729A
Improving firing consistency.—75-03616A
Increasing the turnover of saggers for firing ceramic articles.—75-02822A
Low-fire-salt fuming.—75-02286A
Major types of porcelain enameling furnaces—the advantages and disadvantages of each.—75-01060A
Measurement and control in the refractories sector.—75-05104A
Method for producing ceramic long body.—75-08598P
Method for reducing shrinkage during firing of ceramic bodies.—75-05925P
Microwave-assisted firing of ceramics.—75-06003A
New kilns for old.—75-03621A
One firing of two-coat enamel.—75-02517A
Optimization of porcelain whiteness—especially in fast firing.—75-05166A
Oxidation-reduction reactions in fast-fire glazes.—75-02880A
Oxy-fuel firing improves plant operation.—75-03625A
Painting with fire.—75-02320A
Possibilities and limits of fast firing in the brick and tile industry.—75-00248A
PSD [particle size distribution] effects on firing properties of porcelains: I.—75-05168A
PSD [particle size distribution] effects on firing properties of porcelains: II.—75-07712A
Pulse/proportional jet firing at work.—75-03627A
Red ceramic molded bodies as well as processes for their production.—75-00255P
Reflections on wood firing.—75-02339A
Robert Sunday.—75-02345A
San Diego consortium.—75-02352A
Sanitary ware firing.—75-07713A
Side firing—where the life is.—75-02356A
Smoke-fired pottery.—75-02359A
Smokeless saggar firings.—75-02360A
Solving firing problems—guessing or facts.—75-03631A
Technological and product requirements for fast firing of glass-ceramic glazes.—75-02889A
Thermal processing technology—quality and reliability.—75-06013A
Wood firing in Jamaica.—75-02382A
Woodstoke: a cooperative anagama experience.—75-07134A

fission,
Role of interfaces in nuclear technology.—75-00935A

flames,
Heat transfer optimization in TV glass furnaces.—75-05998A
Self-propagating high-temperature synthesis flammable range and dominant parameters for synthesizing several ceramics and intermetallic compounds under heat-loss condition.—75-09429A

flat glass,
Flat glass demand expected to grow in 1996.—75-09714A

flaws,
Estimation of grinding flaw size of ground silicon nitride based on fracture mechanics.—75-08666A
Fractographic investigation of flaws in sintered SiC fiber.—75-04531A
Fracture features in fused quartz with laser-induced internal flaws.—75-06981A
Growth of indentation-induced flaws in RBSiC and RBSiC-TiB_2 composites under an applied stress.—75-04546A
Length distribution of secondary cracks in brittle materials.—75-04575A
Microstructural evolution and flaws in CVD diamond.—75-09557A
Preloading technique in dynamic fatigue testing of glass and ceramics with an indentation flaw system.—75-03592A
Relative impact of manufacturing vs service flaws on design of glass articles.—75-00199A
Tensile strength of a fiber-reinforced ceramic composite containing a crack-like flaw.—75-07043A

flexural strength,
Application of a ductile metallic phase toughening mechanism to ceramic/metals functionally graded materials.—75-02436A
Evaluation of mechanical properties for alumina ceramics.—75-09632A
High flexural strength ceramic fiber-reinforced silicon carboxide composite.—75-07428P
Present circumstances of international standardization activities on flexural strength.—75-09730A

float glass,
Angular emissivity at room temperature and spectral reflectance at near normal incidence of float glass, borosilicate glass, and glass-ceramics.—75-07323A
Cathodoluminescence and depth profiles of tin in float glass.—75-02626A
Cation concentration profiles in float glass surfaces during corrosion in aqueous solutions.—75-07285A
Method for qualitative evaluation of the nature of optical disturbances in float glasses.—75-02666A
Natural gas tin float bath roof.—75-00229P
Thermal efficiencies of float and container furnaces.—75-06012A

flocculants/flocculation,
Experimental evaluation of a new flocculation-filtration model for ceramic shape forming processes.—75-05945A
Heteroflocculation in binary colloidal suspensions: Monte Carlo simulations.—75-08949A
Influence of spray-dry slurry flocculation on the structure of sintered silicon nitride.—75-09340A

floor tile,
75 years of experience in the ceramics field.—75-02109A
Achieving tile consistency with a new process.—75-02749A
Cecrisa, the reconquest of Brazil.—75-02756A
Colors for ceramic bodies.—75-02861A
Effect of ball clays on tile body formulations.—75-02770A
Floor and wall tile production through a multipurpose body.—75-02772A
Increasing the strength of stoneware floor tiles.—75-05063A

flotation,
Single-crystal growth of complex oxides by floating zone method.—75-06762A
Synergistic mechanisms of composite collector.—75-09076A

flow,
Application of self-flow type castable refractories in NKK.—75-07472A
Closed-loop control of flow rate for dry bulk solids.—75-00945A
Consolidation at constant flow rate and load to determine permeability and yield curve behavior.—75-08647A
Diamond thin-film flow sensor.—75-08802A
Double-shear geometry for the deformation and flow of ceramics at elevated temperatures.—75-02037A
Flow mechanism of granular materials discharging from bin-hopper system.—75-05948A
Flux flow characteristics of step-edge junctions made of $YBa_2Cu_3O_{7-\delta}$ thin films.—75-08326A
Hydrodynamic modeling of swirling flow and particle classification in large-scale hydrocyclones.—75-05949A
Modified flux flow in polycrystalline YBCO: temperature and current dependence.—75-08373A
Multicomponent diffusion in glasses in terms of flow switching and conjugation.—75-07352A
New description and interpretation of the flow behavior of glass-forming melts.—75-05029A
Rheological study on the thixotropic flow: effect of time scale on flow type measurement.—75-02793A
Simulation of glass processes with Polyflow, a finite element program.—75-05977A
Simulation of plasma flow in toroidal solenoid filters.—75-08701A
Tomographic measurements of granular flows in gases and in liquids.—75-05984A
Viscous flow of ZnF_2-PbF_2-SiO_2-B_2O_3-GeO_2 glasses and their application to MOS capacitors.—75-07748A

flue gas,
Recycling flue gas particulate waste from glass-melting operations.—75-03628A
Tests on the recyclability of the reaction product from flue gas cleaning plants to reduce fluorine concentration in the brick and tile industry.—75-06011A

flue,
Lowering furnace flue emission levels.—75-03618A

fluidized bed,
Erosion of functionally graded coatings under fluidized bed conditions.—75-02466A
High surface purity heat transfer solids for high-temperature fluidized bed reactions.—75-07698P
Thermal granulation of ceramic bodies in a fluidized bed.—75-05915A

fluorapatite,
Properties of sintered apatite ceramics.—75-01336A
Single-crystal elastic constants of fluorapatite, $Ca_5F(PO_4)_3$.—75-03925A
Solid-phase interaction of fluorapatite with ammonium hydrogen difluoride.—75-09058A

fluorescence,
Effect of modifier ions on fluorescence and absorption of Eu^{3+} in alkali and alkaline-earth silicate glasses.—75-02647A

Fluorescence associated with Fe^{3+} ions in nanostructured Al_2O_3.—75-01294A
Fluorescence properties of CeF_3 and of some other cerium-doped crystals and glasses under VUV and X-ray synchrotron excitation.—75-00188A
Fluorescent compounds for plastic scintillation applications.—75-01505A

fluorides,
Activation of lead fluoride room temperature luminescence by structural modifications.—75-01782A
Barium fluoride crystals for future hadron colliders.—75-00940A
Characteristics of the electric and dielectric properties of fluorozirconate glasses.—75-04944A
Charge-state stability and optical transitions of oxygen impurities in barium fluoride crystal.—75-01811A
Charge-transfer transitions of RE^{3+}-O^{2-} associates in BaF_2 crystal.—75-01812A
Chemical beam deposition [CBD] of MgF_2 thin films.—75-09238A
Chemical reaction in a five-component reciprocal system of lithium, sodium, and potassium fluorides, chlorides, and metavanadates.—75-06181A
Chemistry of two-component fluoride crystalline optical media for heavy, fast, radiation-hard scintillators.—75-01266A
Comparative studies of optical spectra in PbF_2 at different excitations.—75-01268A
Computer modeling of melts and glasses in the CaF_2-SiO_2 system.—75-04886A
Conductivity enhancement in fluorides by grain boundary activation.—75-09535A
Controlled crystallization and properties of zirconium fluoride-based glass-ceramics.—75-04887A
Crystal growth and scintillation properties of CeF_3.—75-00182A
Crystallization of ZBLAN glass.—75-04891A
Density changes during melting of LiF, YF_3, and $LiYF_4$.—75-07295A
Dependence of parameters of the deep level centers in calcium fluoride grown on silicon by molecular beam epitaxy.—75-02993A
Dephosphorization and chromium transfer from Fe-C-Cr-P-containing melts to slag on the basis of oxides and fluorides of Ba, Ca, and Na in weakly oxidizing atmosphere: II.—75-09251A
Dephosphorization of the Fe-C-P melts by slags on the basis of Ba, Ca, and Al oxides, fluorides, and chlorides in weakly oxidizing atmosphere: I.—75-09252A
Detection of hydrogen fluoride emissions from firing clay ceramics using Fourier transform infrared (FTIR) spectroscopy.—75-03611A
Dilatometric and thermooptic properties of alkaline earth and cadmium fluorides between 300 and 1300 K.—75-01273A
Distortion of the crystal lattice near Cd^{2+} impurity centers in CaF_2 and SrF_2 crystals.—75-08909A
Dry adsorbed purification of fluoride gases during aluminum production.—75-06209A
Effect of impurities on the radiation damage of barium fluoride crystal.—75-01752A
Electrical conductivity of vitreous ionic conductors with predominant composition of ZnF_2 or PbF_2.—75-04958A
Electron microscopy studies and image simulation of the $YBa_2Cu_3O_{7-\delta}/BaF_2$ interface.—75-03364A
Electron paramagnetic resonance and optical absorption of Cu^{2+} in NaF-B_2O_3 and NaF-Na_2O-B_2O_3 glasses.—75-07335A
Electron spin resonance of transition elements in fluoride and oxyfluoride glasses.—75-02586A
Electrophysical characteristics of Au/CaF_2/*n*-Si(111) structures with ultrathin (less than 20 nm) CaF_2 layers grown by molecular beam epitaxy.—75-07876A
First results on large cerium fluoride crystals in a test beam.—75-00187A
Fluoride technology for producing high-energy magnetic alloys and hardeners based on rare-earth metals.—75-05673A
Fluorinated glasses.—75-07418P
Fluorination of organic compounds of cobalt trifluoride (review).—75-09311A
Fluorocomplex compound $Na_2Pb(SnF_3)_2(NO_3)_2{\cdot}2H_2O$ with lone pairs of tin(II) and lead(II).—75-06231A
Glass formation and crystallization in AlF_3-YF_3-BaF_2-CaF_2-MgF_2.—75-04900A
Glass formation and properties of glasses in the AlF_3-ZnF_2-PbF_2-YF_3 system.—75-05012A
Glass formation in SnF_2-ZrF_4-BaF_2-GaF_3.—75-02722A
Heavy fluoride glasses as an alternative to crystals in high-energy physics calorimetry.—75-00927A
HF-resistant ceramics and use thereof.—75-01114P
Improved Pr^{3+}-doped heavy metal fluoride glasses and fibers.—75-04905A
Interface between SnF_2 particles and air in stannous fluoride heated in air.—75-04346A
Investigation of radiation damage induced by hydroxyl and oxygen impurities in BaF_2 crystal.—75-01761A
$LiYF_4$-$2CaF_2$-$5YF_3$ join of the LiF-CaF_2-YF_3 ternary system.—75-08972A
Local range order of tellurium atoms in TeO_2-BaO and TeO_2-BaF_2 glassy systems.—75-04915A
Low temperature synchrotron radiation excited etching of silicon dioxide with surface hexafluoride adsorption.—75-00534A
Luminescence kinetics of orthorhombic PbF_2.—75-01305A
Macrokinetics of oxygen fluoride absorption.—75-06265A
Mechanism of slow component suppression in lanthanum-doped barium fluoride crystal.—75-01882A
Mechanisms of enhanced ionic conduction at interfaces in ceramics.—75-02916A
Microwave dielectric resonance of a fluoride glass.—75-02668A
Monitoring for hydrogen fluoride emissions.—75-03583A
Morphotropic transitions in the rare-earth trifluoride series.—75-06280A
Mossbauer spectroscopic study of the FeF_3-PbF_2-MF_2 (M=Mn, Sr) glasses.—75-07306A
New solid-state lasers from the ultraviolet to the mid-infrared.—75-05399A
Optical properties and radiation damages of cerium fluoride crystals doped with alkali-earth and rare-earth elements.—75-01323A
Percolation type of dependences of parameters of the transport processes in $Sr_{1-x}La_xF_{2+x}$ in molten and crystalline states.—75-06853A
Phase diagram for mullite-SiF_4.—75-01231A
Phase diagram for the SiF_4 join in the system SiO_2-Al_2O_3-SiF_4.—75-09010A
Phase equilibria in rare-earth chloride–fluoride and rare-earth chloride–magnesium fluoride systems.—75-09014A
Plastic deformation and deformation softening of LiF single crystals at high temperatures.—75-09661A
Properties of fluorozirconate glasses containing gallium and indium trifluorides.—75-02679A
Radiation damage mechanisms in scintillator materials—applications to BaF_2 and CeF_3.—75-01771A
Radiation effect mechanism of some rare-earth-doped BaF_2 crystals.—75-01918A
Scintillation mechanism and radiation damage in $Ce_xLa_{1-x}F_3$ crystals.—75-01773A
Short-range order in some ternary ZrF_4-based glasses.—75-04926A
Spectral characteristics of cubic and orthorhombic modifications of PbF_2.—75-09062A
Spectroscopic study of the structure of glasses based on gallium and indium trifluorides.—75-02684A
Status of cerium fluoride performances.—75-01154A
Structural features of alkali and barium aluminofluorophosphate glasses studied by ir spectroscopy.—75-02609A
Structure characteristics of cubic and orthorhombic phases of high-density scintillator PbF_2 from 4.2–300 K.—75-01947A
Structure of the anionic component of fluorophosphate glasses based on lithium metaphosphate.—75-02614A
Suppression of BaF_2 slow component of X-ray luminescence in nonstoichiometric $Ba_{0.9}R_{0.1}F_{2.1}$ crystals (R=rare-earth element).—75-01953A
Synthesis of lanthanum fluoride nanolayers by ionic stratification on the surface of silicon.—75-06808A
TeSe films by TeSe-SeF_6/Ar reactive sputtering for ablative optical recording.—75-05501A
Thermal conductivity of superionic aluminophosphate glasses of $0.2Al(PO_3)_3$+$(0.8-x)LiF$+$xNaF$.—75-04999A
Thermal diffusivity of $BaLiF_3$ crystals.—75-06525A
Thermodynamic evaluation of oxidation potential of the BaO-BaF_2-CaF_2-NaF melts used for refinement of Fe-C-Cr steels.—75-07235A
Viscous flow of ZnF_2-PbF_2-SiO_2-B_2O_3-GeO_2 glasses and their application to MOS capacitors.—75-07748A
Vitrification of low-level waste streams that contain large amounts of fluorides.—75-03503A
X-ray method for determining the basicity of melts of the multicomponent oxide-fluoride system.—75-08714A

fluorine,
Absorption and emission spectra of Er^{3+}-doped fluoroborate glasses.—75-00176A
Characterization of fluorinated hydrogenated amorphous silicon nitride (a-SiN_x:H) alloys.—75-01803A
Cohesive energy of interfaces and toughness of fluorine-doped Si_3N_4/SiC composites.—75-09608A
Cu NMR studies of the $Nd_2CuO_{4-y}F_y$ system.—75-06199A
Electrical properties and structure of fluorine-containing lead silicate glasses.—75-02652A
EPR and optical absorption spectra of VO^{2+} in NaF-B_2O_3 and NaF-Na_2O-B_2O_3 glasses.—75-07336A
EXAFS spectroscopic study of the structure of fluorozirconate glasses.—75-07298A
Fluorite-matrix-based $Ba_xR_yF_{17}$ (R=Y, Yb) crystal structure. Ordering of cations and features of the anionic motif.—75-08938A
Fluorozirconate glass with low magnitude of bound scattering on phase microinclusions.—75-04899A
Glass formation, crystallization, and properties of glasses in some fluorophosphate systems based on orthophosphates and pyrophosphates.—75-02723A
Influence of different process parameters on physical properties of fluorine doped indium oxide thin films.—75-06650A
NMR spectroscopic study of structural and dynamic features of fluorine in $Al(PO_3)_3$-BaF_2-MF_n glasses.—75-07307A
Occurrence of bimodal pore structure and leaching process in the preparation of porous glass from fluorine containing sodium borosilicate glass.—75-07391A
Phase complex of the Li, Cs||F, MoO_4 system.—75-09008A
Plasma-enhanced fluorination of $YBa_2Cu_3O_{7-\delta}$ ceramics: I. Improvement of the superconducting properties.—75-05813A
Plasma-enhanced fluorination of $YBa_2Cu_3O_{7-\delta}$ ceramics: II. Interaction mechanisms between the reactive species and the materials.—75-05814A
Preparation of superconducting fluorinated neodymium cuprate.—75-08400A
Role of fluorine ions in the polychromatic process.—75-07366A
Solid solutions of $Rb_2KSc_{1-x}Ga_xF_6$.—75-06356A
Spectral luminescence of magnesium fluoroborates doped with manganese(II).—75-06362A
Stabilization of superconducting phases in thallium-barium-copper oxide system by fluorine substitution [$TlBa_2CuO_{5-x}F_x$].—75-05834A
Superconducting $Bi_2Sr_2CaCu_2O_8$ microstrip formation from micropatterned Bi-(Sr, Ca)F_2-Cu multilayers.—75-08426A
Synthesis of fluorine muscovite by solid-state reaction model and its thermal durability.—75-09082A
Tests on the recyclability of the reaction product from flue gas cleaning plants to reduce fluorine concentration in the brick and tile industry.—75-06011A
Vapor deposition method for depositing a film of fluorine-containing glass on a substrate.—75-05053P
X-ray photoelectron spectroscopy study of graphite-based oxygen- and oxygen-fluorine-containing compounds.—75-09109A
X-ray study of single crystals of the $Ca_{0.65}Ho_{0.35}F_{2.35}$ solid solution with modified fluorite structure.—75-09113A

fluorite,
Low-voltage cathodoluminescent properties of europium-activated anion-deficient fluorites.—75-00538A

fluoroaluminates,
EPR of radiation-induced defects in fluoroaluminate glasses.—75-04963A
Low-loss fluorozirco-aluminate glass fiber.—75-05026A

fluoroborates,
Absorption and emission spectra of Ho^{3+}-doped fluoroborate glasses.—75-07319A

fluorozirconate,
Compositional dependence of Er^{3+} upconversion luminescence in MF-LiF-ZrF_4 glasses (M=alkali metals).—75-04885A
EXAFS study of Ba and La structural environments in fluorozirconate glasses.—75-04897A
Glass-forming ability of rare earths in fluorozirconate glasses.—75-05017A
Low-loss fluorozirco-aluminate glass fiber.—75-05026A
Novel method for zirconium oxide synthesis from aqueous solution.—75-09370A
Physicochemical properties of ZrF_4-BaF_2-LnF_3 glasses (Ln=Y or rare-earth elements).—75-02676A
Spectroscopic properties of Er^{3+} in fluorozirconate, germanate, tellurite, and phosphate glasses.—75-07368A
Thermal properties and crystallization kinetics of new fluoride glasses.—75-02617A

fluorspar,
Fluorspar.—75-06031A
Reduction of fluorspar consumption in secondary steelmaking.—75-02832A

flux pinning,
Flux line dynamics with electron holography.—75-01852A

flux,
Modified flux flow in polycrystalline YBCO: temperature and current dependence.—75-08373A

fluxes,
Ac losses and time constants of flat superconducting cables in inhomogeneous magnetic fields.—75-08258A
Choice of flux for growth of lithium triborate [LTB] single crystals.—75-06184A
Compositional parameters to evaluate feldspathic fluxes for ceramic tiles.—75-00281A
Effect of As_4/Ga flux ratio on electrical and optical properties of low-temperature GaAs grown by molecular beam epitaxy.—75-02999A
Flux distributions of superconductors in the presence of structural defects.—75-08325A
Flux flow characteristics of step-edge junctions made of $YBa_2Cu_3O_{7-\delta}$ thin films.—75-08326A
High-T_c superconducting quantum interference device with an alternating current bias DOIT [direct offset integrated technique] and additional positive feedback.—75-08331A
Magnetic flux penetration and creep in a ceramic (Y, Sm)$Ba_2Cu_3O_7$.—75-08356A
Nonequilibrium spin and spin flux in quantum films of GaAs-type semiconductors.—75-05403A
Reactive magnetron sputtering of silicon in Ar+CH_4—identity and energy of the SiC growth species.—75-00584A
Selection of appropriate systems for flux growth of single-crystal $YBa_2Cu_3O_{7-y}$.—75-05827A

fly ash,
Ash-based ceramic materials.—75-08553P
Conversion of fly ash to zeolites for waste treatment.—75-03513A
Durability of concrete incorporating high volumes of fly ash from sources in the U.S.—75-02398A
Effect of fly ashes with high total alkali content on the alkalinity of the pore solution of hydrated portland cement paste.—75-00033A
Plasticity enhancement of coal fry ash-clay bodies.—75-08736A
Use of alumina clay with cement fly ash mixtures.—75-07196P

foam,
$(Ca_{1-x}Mg_x)Zr_4(PO_4)_6$ [CMZP] and ZrP_2O_7 coatings and foams.—75-01259A
Ceramic foam filter having a protective sleeve.—75-06081P
Evaluation of graphite foams as low mass structural materials.—75-01290A
Processing, structure, and morphology of graphitic carbon foams produced from anisotropic pitch.—75-01153A

foamed ceramics,
Aqueous emulsion acrylic binders for low-foaming ceramic slips.—75-01382A
Ceramic foam low emissions burner for natural gas-fired residential appliances.—75-08745P
Ceramic foams.—75-02565P
Foamed glass manufacture.—75-07419P
Manufacture of silicon carbide foam from a polyurethane foam impregnated with resin containing silicon.—75-01173P
Manufacture of silicon carbide foam from a polyurethane foam impregnated with resin containing silicon.—75-03736P

foaming agents,
Slag-foaming phenomena [analyzed] using an X-ray fluoroscopy technique and development of antifoamer for desiliconization process.—75-07664A

foils,
Reactive multilayer synthesis of hard ceramic foils and films.—75-08629P
forecasts,
Demands on unshaped refractories in the next decade.—75-09709A
Flat glass demand expected to grow in 1996.—75-09714A
Long-term forecast for the development of the American cement industry.—75-07163A
formation,
Amber chromophore in float glass.—75-00169A
Apatite formation on various silica gels in a simulated body fluid containing excessive calcium ion.—75-09217A
Boron carbide particles formed from an amorphous boron/graphite powder mixture using a shock-wave technique.—75-03956A
Calculation of formation enthalpy of $RBa_2Cu_3O_7$ compounds.—75-05732A
Calculation of formation enthalpy of several complex coordinated oxides.—75-06541A
Calculation of the formation enthalpy of mercury-containing high-temperature superconductors.—75-05733A
Choice of a brick-tile line of plastic forming.—75-07442A
Complexes of anhydrous lanthanide nitrates with dianthipyrilphenylmethane and dianthipyrilphenylpropylmethane.—75-06186A
Conditions for occurrence of ternary compounds of the FeO-Fe_2O_3-CaO system.—75-06188A
Conveyor chain withstands high-temperature cycling.—75-03610A
Development of Si_2N_2O, Si_3N_4, and SiC ceramic materials using rice husk.—75-03993A
Dopant precipitation in post-growth phosphorus-doped CdTe.—75-05284A
Doping of the Bi-Sr-Ca-Cu-O system with V_B elements and the effect on $Bi_2Sr_2Ca_2Cu_3O_x$ phase formation.—75-03359A
Effect of an external premagnetizing field on the formation of permanent acoustic memory in magnetostricted polycrystalline ferrite.—75-08200A
Effect of as-grown structural imperfections on defect formation in silicon under ambient treatment.—75-03000A
Effect of formation conditions of thin-film systems of dielectric substrate–platinum–lead zirconate titanate on the structure, composition, and properties of lead zirconate titanate films.—75-08203A
Effect of inhomogeneities of solid solution composition on structure and properties of ferroelectric ceramics based on lead zirconate titanate [PZT].—75-05550A
Effect of the real structure of hematite on the kinetics of ferrite formation in the Li_2O-Fe_2O_3 system.—75-08208A
Effect of the temperature of acid leaching on the strata formation in microporous glass plates.—75-02712A
Entropy of coordination number changes of zirconium ions and free energy of fomation of several rare-earth zirconates.—75-06222A
Equilibrium in the reaction of Ti and C to form substoichiometric TiC_x.—75-06224A
Factors influencing the formation of monolithic hydroxyapatite at physiological temperature.—75-04041A
Features of formation of $SrTiO_3$ and $Ba_{0.5}Sr_{0.5}TiO_3$ films during magnetron sputtering.—75-08139A
Features of free oxide film formation on the surface of cadmium telluride crystals.—75-05322A
Features of production of piezoceramic materials during small-scale manufacturing.—75-05571A
Features of structural formation and properties of alkali slag binders on liquid glass of microsilica.—75-07299A
Features of the relaxation α-process in vitreous B_2O_3.—75-04966A
Fluorination of organic compounds of cobalt trifluoride (review).—75-09311A
Formation and characterization of α-Si_3N_4 whiskers from laser-synthesized nanoamorphous Si-N-C powders.—75-04049A
Formation and control of agglomerates in alumina powder.—75-06610A
Formation and decomposition of $LaBa_2Cu_3O_{7-\delta}$.—75-05770A
Formation and scanning electron microscopy investigation of $LiNbO_3$ films on silicon substrates.—75-05583A
Formation kinetics of V centers in α-Al_2O_3 during irradiation by high-energy electrons.—75-06233A
Formation kinetics of polycrystalline $Eu_{2-x}Ce_xCuO_{4-y}$ obtained from a sol-gel precursor.—75-00806A
Formation mechanism of Al_2O_3/metal composites by the directed oxidation of molten Al-Mg-Si alloys.—75-02479A
Formation mechanism of barium titanate fine powder under hydrothermal conditions.—75-09313A
Formation mechanism of strontium barium niobate ceramic powders.—75-06612A
Formation of a new bioactive glass-ceramic.—75-03648A
Formation of complex ions during sputtering of multicomponent oxides.—75-09314A
Formation of composite latex particles by deposition of amphoteric particles.—75-06615A
Formation of dissipative structures of polaritons in semiconductors.—75-07893A
Formation of lead sulfate in the $Pb|PbSO_4|H_2SO_4|PbO_2|Pb$ system and its electrochemical properties when used as a Pb electrode.—75-06465A
Formation of lead sulfate in the $Pb|PbSO_4|H_2SO_4|PbO_2|Pb$ system and its electrochemical properties when used as a Pb-Sb electrode.—75-06466A
Formation of monodisperse spherical TiO_2 powders by thermal hydrolysis of $Ti(SO_4)_2$.—75-09316A
Formation of Na α′- and α′-SiAlON.—75-06617A
Formation of ohmic contacts to p-type diamond using carbide-forming metals.—75-00492A
Formation of platelike lanthanum-ß-aluminate crystal in Ce-TZP matrix.—75-06234A
Formation of Si_3N_4 during the direct nitridation of Si single crystal.—75-09317A
Formation of SiC whiskers from compacts of raw rice husks.—75-06619A
Formation of the structure of gas-sensitive tin dioxide layers prepared by reactive magnetron sputtering.—75-05325A
Formation of yttrium aluminates in the presence of TiN.—75-01509A
Formation of zirconium titanate in oxide fibers.—75-06622A
Formation processes of aluminosilicate ceramics with mineralizer additives.—75-06624A
Formation, characterization, and hot isostatic pressing of Cr_2O_3-doped ZrO_2 (0,3 mol% Y_2O_3) prepared by hydrazine method.—75-01510A
Forming technology affects refractory performance.—75-02818A
Fullerene/tubule-based hollow carbon nanogears.—75-01853A
Gamma alumina from gibbsite.—75-01513A
Glass formation and crystallization in AlF_3-YF_3-BaF_2-CaF_2-MgF_2.—75-04900A
Glass formation and properties of glasses in the AlF_3-ZnF_2-PbF_2-YF_3 system.—75-05012A
Glass formation in SnF_2-ZrF_4-BaF_2-GaF_3.—75-02722A
Glass formation in the $Al_2(SO_4)_3$-H_2O system.—75-07301A
Glass formation in the PbO-Fe_2O_3 system with high PbO content.—75-05013A
Glass formation in the ternary $ZnBr_2$-$HgBr_2$-CsBr system.—75-07302A
Glass formation, crystallization, and properties of glasses in some fluorophosphate systems based on orthophosphates and pyrophosphates.—75-02723A
Glass-forming ability and glass stability in simple systems.—75-05016A
Glassware forming machine.—75-07425P
Glassware forming machine.—75-07426P
Grinding effect on kaolinite-pyrophyllite-illite natural mixtures and its influence on mullite formation.—75-04057A
Heat consumption for formation of portland cement clinker made of natural mineral mixes.—75-07153A
Influence of α- and ß-Si_3N_4 precursors on formation of α-SiAlON ceramics.—75-09336A
Influence of mid-ir range laser radiation on the formation of silicon/silica heterostructures.—75-05348A
Influence of powder composition and milling media on the formation of molybdenum disilicide by a mechanically induced self-propagating reaction [MSR].—75-06654A
Interfacial transition zone in concrete.—75-02412A
Kinetic measurements of glass formation.—75-08676A
Liquid channel grain boundary structures.—75-04093A
Liquid phase formation and its migration in aluminum nitride ceramics.—75-08970A
Mechanical properties of polycrystalline cubic silicon carbide deposits.—75-07009A
Mechanism of formation of conducting channels in CdS crystals under the action of the electric field.—75-03091A
Mechanism of $LaFeO_3$ perovskite-type oxide formation from the thermal decomposition of d–f heteronuclear complex $La[Fe(CN)_6]\cdot 5H_2O$.—75-04106A
Mechanism of phase formation in $Pb(Zr_xTi_{1-x})O_3$ synthesized by a partial oxalate method.—75-03240A
Metal/insulator/semiconductor tunnel diodes formed by the oxidation of polycrystalline diamond films.—75-00540A
Method and device for forming a glass product.—75-08749P
Method of modeling the formation process of porous silica gel structures.—75-05962A
Modeling the gas-phase chemistry of silicon carbide formation.—75-04116A
Modern concepts of the process of formation of portland cement clinker.—75-07168A
Nature of the formation of two superconducting phases in yttrium barium cuprates.—75-08378A
Phenolic resins as carbon forming agents.—75-07628A
Photoinduced formation of small gold particles in silica gels.—75-04136A
Physical characterization of ultrathin anodic silicon oxide films.—75-00572A
Positronium formation in SiO_2 films grown on Si substrates studied by nonenergetic positron beams.—75-01608A
Prevention mechanism of 3CaO·SiO_2 formation in clinker with excess SO_3.—75-00058A
Processes of gel formation and glass formation in the borosilicate systems.—75-05038A
Properties of ZnS optical ceramics.—75-09177A
Regulating structural-mechanical and rheological properties of forming bodies based on titanium dioxide.—75-06510A
Rheology and processing of Al_2O_3-SiC whisker composite suspensions.—75-01652A
Role of silicon particle defect structure during low-temperature nitriding.—75-04392A
Rutile formation in hydrothermally crystallized nanosized titania.—75-06759A
Schottky barrier height of metal contacts to p-type alpha 6H-SiC.—75-00592A
Slip casting of large size alumina products.—75-05914A
Solid solution formation in the Al_2O_3-Cr_2O_3 system assisted by ball milling.—75-07229A
Spontaneous formation of bonelike apatite layer on chemically treated titanium metals.—75-02545A
Steps and possibilities for developing a theory of reinforced concrete.—75-07186A
Strength formation in lightweight concrete and the mechanism of its deformation and failure.—75-07188A
Stucture and formation kinetics of $MoSi_2$ composites formed by reactive vapor infiltration process.—75-04231A
Superconducting $Bi_2Sr_2Ca_1Cu_2O_x$ phase formed by penetration throughout metallic copper pipe.—75-08425A
Superconducting $Bi_2Sr_2CaCu_2O_8$ microstrip formation from micropatterned Bi-(Sr, Ca)F_2-Cu multilayers.—75-08426A
TEM study of the Pt-Ru bimetallic catalyst formation.—75-01965A
Time domain wavelets "D.S.P" lossy transmission line simulator in the mentor graphic's "layout" package.—75-00623A
Usage of the limiting forming height as the formability of sheet metals.—75-04267A
YBCO thin film formation near the stability line by resistive evaporation of BaF_2, Cu, and Y.—75-00898A
Zircon formation from amorphous spherical $ZrSiO_4$ particles obtained by hydrolysis of aerosols.—75-06833A
Zirconia formation by reaction of zirconium sulfate in molten alkali metal nitrates or nitrites.—75-06834A
forsterite,
Effect of overheating of the melt and heat treatment of hardened materials on the structure of forsterite granules.—75-05086A
EPR of chromium ions in synthetic forsterite in the submillimeter range.—75-06223A
Flat packaged piezoelectric device using a glass-ceramic composite material comprising forsterite as ceramics.—75-08178P
Forsterite-containing parts for air heaters of blast furnaces.—75-05094A
Preparation and sinterability of forsterite powders derived from heterogeneous alkoxide solution containing fine MgO powders.—75-01617A
Testing an olivinite ramming mixture under the conditions of converter production at the Severstal JSC.—75-05147A
Fourier analysis,
Fourier spectroscopy of elastic modes and anharmonic effects in $LiNbO_3$.—75-00663A
Fourier transform infrared spectroscopy (FTIR),
Determining cement composition by Fourier transform infrared spectroscopy.—75-02396A
Epifilm thickness measurements using Fourier transform infrared spectroscopy: effect of refractive index dispersion and refractive index measurement.—75-01020A
Fourier transform infrared attenuated total reflection linear dichroism study of sodium dodecylbenzenesulfonate adsorption at the Al_2O_3/water interface using Al_2O_3-coated optics.—75-06235A
Prediction of thickening times of oil field cements using artificial neural networks and Fourier transform infrared spectroscopy.—75-02416A
Spectroscopic characterization of magnesium vanadate catalysts: II, FTIR study of the surface properties of pure and mixed-phase powders.—75-06364A
fractal,
Application of fractal fracture to advanced engine material.—75-04451A
Determining the fractal dimensions of the surface for some porous silicas.—75-09615A
Fractal analysis of fracture surfaces using the patchwork method.—75-03566A
Fractal behavior in fatigue of materials.—75-04530A
Fractal oxidation of amorphous iron films.—75-09591A
Fractal pore formation during post-HIP annealing of SiAlON ceramics.—75-02053A
Fractal properties of aluminum hydroxide formed by the sol-gel method.—75-06979A
Measuring the fractal dimensions of fume aerosols in situ using light scattering.—75-05958A
fractography,
Ceramic Transactions, Volume 64: Fractography of Glasses and Ceramics, III.—75-04770B
Combination of fractography and computed tomography [CT] for the determination of the cause of fracture (case study).—75-04457A
Fractographic investigation of flaws in sintered SiC fiber.—75-04531A
Fractography and the surface crack in flexure (SCF) method for evaluating fracture toughness of ceramics.—75-04532A
Fractography used with lifetime prediction tests on commercial grades of alumina and silicon carbide.—75-04533A
Fractography, fracture mechanics, and fractal geometry: an integration.—75-04534A
Fracture toughness estimation by fractographic analysis of tensile specimens.—75-04540A
Microstructural considerations for fractographic analysis of polyphase ceramics via transmission electron microscopy.—75-04356A
Standardized guidelines for fractography of advanced ceramics—a view from Europe.—75-04629A
Utilization of fractography in the evaluation of high-temperature dynamic fatigue experiments.—75-04660A
VAMAS fractography round robin: a piece of the fractography puzzle.—75-04661A
fracture mechanics,
Deformation and Fracture Mechanics of Engineering Materials.—75-07106B
Effects of crack face boundary conditions on the fracture mechanics of piezoelectric solids.—75-03230A
Fractography, fracture mechanics, and fractal geometry: an integration.—75-04534A
Fracture mechanics approach to ceramic wear.—75-04538A
Lattice instability in ß-SiC and simulation of brittle fracture.—75-02070A
Machining damage in engineering ceramics [analyzed] by fracture mechanics, fractography, and X-ray diffraction.—75-04579A
Macroscopic modeling and damage processes in CMC's.—75-04581A
Modeling and simulation of the mechanical behavior of CMCs.—75-04605A
Modeling of microfracture-induced wear and wear transition in sliding of polycrystalline ceramics.—75-04606A
Role of structural relaxation in the fracture of vitreous silica.—75-02091A
fracture toughness,
R-curve fracture toughness study of Fe-Al-Mn alloys.—75-04448A

Application of a ductile metallic phase toughening mechanism to ceramic/metals functionally graded materials.—75-02436A
Aspects of fracture behavior of Indian-grade high-alumina refractories.—75-07479A
Comparison of K_{Ic} values for ZrO_2-SiCw composites obtained by using SENB and IM methods.—75-04460A
Crack stability and its effect on fracture toughness of hot-pressed silicon nitride beam specimens.—75-06951A
Critical notch-root radius effect in SENB-S [single edge notch bend-saw cut] fracture toughness testing.—75-08649A
Determination of fracture toughness of glasses by the microindentation technique.—75-02642A
Effect of pores on the fracture toughness of TiB_2/Si_3N_4 composites.—75-09624A
Effect of Si_3N_4 whisker addition on microstructural development and fracture toughness of hot isostatically pressed Si_3N_4.—75-06582A
Effect of specimen shape on fracture toughness and effective fracture energy in SiC-SiC composite.—75-09627A
Effects of hardness and fracture toughness of target ceramics and abrasive particles on wear rate by abrasive water jet.—75-09628A
Estimation of fracture resistance of Al_2O_3 polycrystals from single-crystal values.—75-06974A
Evaluation of K_{Ic} depending on sample size for ceramics.—75-04515A
Experimental and theoretical investigation of stick-slip, steady-state, and roughness dominated sliding in fiber-reinforced composites.—75-04518A
Fatigue crack growth of monolithic and composite ceramics.—75-02051A
Fractography and the surface crack in flexure (SCF) method for evaluating fracture toughness of ceramics.—75-04532A
Fracture properties of layered mullite/zirconia-toughened alumina composites.—75-06983A
Fracture toughness determination of SiC/SiC fabric composites.—75-04539A
Fracture toughness estimation by fractographic analysis of tensile specimens.—75-04540A
Fracture toughness of 2-D woven SiC/SiC CVI composites with multilayered interphases.—75-04541A
Fracture toughness of a high-strength alumina: compact tension vs indentation fracture techniques.—75-06984A
Fracture toughness of Bioglass/ceramic systems.—75-04542A
High-temperature fracture toughness of duplex microstructures.—75-02062A
Influence of elastic mismatch between indenter and substrate on Hertzian fracture.—75-06995A
Influence of matrix fracture toughness on tensile behavior of fiber-reinforced cementitious composites.—75-00047A
Measurement of fracture toughness and work-of-fracture of ceramics using the JIS-type bending beam with a chevron notch.—75-08681A
Measurement of mixed-mode delamination fracture toughness of unidirectional glass/epoxy composites with mixed-mode bending apparatus.—75-05956A
Measurement of the fracture toughness of polycrystalline diamond using the double-torsion test.—75-07001A
Mechanical property characterization of 9 mol% Ce-TZP ceramic material: II, Fracture toughness.—75-09653A
Microstructure and fracture behavior of hot-pressed TiC/Si_3N_4 composites.—75-04601A
Monolithic silicon nitride having high fracture toughness.—75-03745P
Single-crystal cleavage of brittle materials.—75-04626A
Size effect on the fracture toughness and the *R*-curve of carbon materials.—75-09670A
VAMAS round robin on fracture toughness of silicon nitride.—75-09690A
Viscoelasticity of ceramics at high temperatures.—75-07056A

fracture,
Application of fractal fracture to advanced engine material.—75-04451A
Application of fracture mechanics to three Australian iron sources.—75-02023A
Arc-induced fractures from lampmaking test equipment.—75-02625A
Biaxial fracture criterion for porous brittle ceramics.—75-06943A
Calculation of Weibull life expectancy parameters from fracture data using the maximum likelihood criterion and a Nelder-Mead simplex minimization algorithm.—75-08640A
Ceramic fracture mode—intergranular vs transgranular fracture.—75-04456A
Combination of fractography and computed tomography [CT] for the determination of the cause of fracture (case study).—75-04457A
Design of high-temperature ceramic components against fast fracture and time-dependent failure using CARES/LIFE.—75-00948A
Direct observation of the fracture of CAS-glass/SiC composites: I, Delamination.—75-05004A
Direct observation of the fracture of CAS-glass/SiC composites: II, Notched tension.—75-06960A
Effect of fiber misalignment on fracture behavior of fiber-reinforced composites: II, Theoretical modeling.—75-06964A
Effect of fiber volume fraction on the off-crack-plane fracture energy in strain-hardening engineered cementitious composites [ECC's].—75-00031A
Effect of size and morphology of particulate SiC dispersions on fracture behavior of Si_3N_4 without sintering aids.—75-04500A
Effect of strain rate on the fracture of ceramic fiber-reinforced glass matrix composites.—75-06969A
Fatigue crack growth mechanisms in ceramics.—75-02050A
Fractal analysis of fracture surfaces using the patchwork method.—75-03566A
Fractal dimension as a measure of roughness of concrete fracture trajectories.—75-02408A
Fracture behavior of alumina composites toughened by chromium particles.—75-02483A
Fracture behavior of directionally solidified $Y_3Al_5O_{12}/Al_2O_3$ eutectic fiber.—75-04535A
Fracture behavior of multilayer silicon nitride/boron nitride ceramics.—75-06980A
Fracture behavior of silicon nitride at elevated temperatures.—75-04536A
Fracture characterization of silicon-joined ceramic matrix composites.—75-04537A
Fracture criteria for piezoelectric ceramics—comment[—correction].—75-05584A
Fracture criteria for piezoelectric ceramics[—comment].—75-03233A
Fracture criteria for piezoelectric ceramics[—reply].—75-03234A
Fracture features in fused quartz with laser-induced internal flaws.—75-06981A
Fracture of Brittle, Disordered Materials: Concrete, Rock, and Ceramics.—75-07107B
Fracture of silicon nitride and silicon carbide at elevated temperatures.—75-06982A
Fracture process of silicon carbide fiber-reinforced glasses.—75-04967A
Hackles revisited.—75-04547A
High-temperature mechanical and fracture properties of an Al_2O_3/SiC_w ceramic matrix composite.—75-06992A
High-temperature reliability of silicon nitride.—75-04557A
Measuring the fracture properties of ceramics.—75-05959A
Metal-reinforced ceramics.—75-02504A
Method of determining the extent of the fracture process zone based on spectral analysis of acoustic emissions.—75-05961A
Microscopy investigation on fracture mechanisms in hot isostatically pressed Si_3N_4/SiC platelet composites.—75-04598A
Mixed-mode fracture of ceramics in asymmetric four-point bending: effect of crack-face grain interlocking/bridging.—75-09656A
Numerical analysis of fracture and high-temperature creep characteristics of composites with discontinuous ductile reinforcements.—75-04611A
Observation of the fracture path development in mortar beam specimens.—75-04824A
Origin of fracture in the surface layers of Ge and Si single crystals.—75-09657A
Phase transitions in the processes of fracture and crystallization.—75-06312A
Plastic Deformation of Ceramics.—75-04780B
Prediction of fracture in ceramic composites by measurement of electrical resistivity.—75-02086A
Probability of Hertzian fracture.—75-07023A
Property-performance relationships in abrasives.—75-09665A
Quantitative characterization of the fracture surface of Si single crystals by confocal microscopy.—75-02088A
Resonance fracture of solid particles by a liquid: a new concept of dispersion of minerals.—75-05910A
Scratching experiments on quartz crystals: orientation effects in chipping.—75-07029A
Self-detection of fracture in PZT and $MoSi_2$-Mo_2B_5 layered composite ceramics.—75-00696A
Self-monitoring function in ceramic based materials.—75-09667A
Silica fracture: I, A ring contraction model.—75-07030A
Spatial and temporal probes of fracture, wear, and deformation.—75-04628A
Statistical aspect on fatigue fracture of structural ceramics under cyclic loading.—75-02097A
Stochastic microfracture process of ceramics.—75-07033A
Theoretical investigation of the fracture energy of heterogeneous brittle materials.—75-07044A
Thermal fracture of multilayer ceramic thermal barrier coatings.—75-07045A
Toughness and fracture properties of thermoplastic-toughened epoxy resin.—75-04656A
Toughness and strength of ceramic materials in regard to industrial applications.—75-02106A
Tribology of silicon-based ceramics.—75-04659A
Weibull analyses applied to the pull adhesion test and fracture of a metal-ceramic interface.—75-02561A

freeze drying,
Preparation of MgO-ZrO_2 ultrafine powder by freeze drying.—75-09400A
Rapid formation of phase-clean 110 K (Bi-2223) powders derived via freeze-drying process.—75-08484P

freezing and thawing,
Loss of freeze-thaw durability of concrete containing accelerating admixtures.—75-02414A

frequency,
Determination of barrier height of boron-doped polycrystalline diamond thin-film Schottky diodes using a capacitance-voltage technique.—75-08654A
Dielectric ceramic composition for high-frequency applications.—75-07758P
Dielectric response of ferroelectric films at intermediate frequencies.—75-05546A
Efficient multifrequency Stokes and anti-Stokes combinative parametric generation of rhombic $Gd_2(MoO_4)_3$ crystals.—75-08917A
Elastic constants and phonon frequencies of wide band gap semiconductors.—75-07860A
Electromotive force in silicon *p-n* junction in strong superhigh frequency fields.—75-07869A
Frequency and low-field dependence of ac susceptibility in YBaCuO.—75-00808A
Generation and amplification region in resonant-tunneling diodes.—75-07901A
High-frequency conductivity of 2-D electrons under weak localization conditions.—75-07907A
High-frequency piezoceramic equivalent circuit.—75-03237A
Measurements of the complex permittivity of low loss ceramics at microwave frequencies and over large temperature ranges.—75-01030A
Method of tuning a ceramic duplex filter using an averaging step.—75-07768P
Modeling of super-high-frequency meander switches on the *s-n* transition in HTSC films.—75-08372A
Sintering of ceramics using low-frequency rf power.—75-01666A

friction,
Atomic scale and microscale friction studies of graphite and diamond using friction force microscopy.—75-01794A
Ceramic target.—75-06104A
Correlation between friction coefficient and wear mechanism of SiC/SiC system.—75-04466A
Direct observation of the boundary lubrication of ceramics.—75-09617A
Effect of temperature on the coefficient of friction of $Bi_2Sr_2CaCu_2O_x$/$Bi_2Sr_2CaCu_2O_x$ and $Bi_2Sr_2CaCu_2O_x$/Ag.—75-05758A
Effects of friction and wear on PECVD diamond films.—75-01837A
Erosion of structural ceramics.—75-04514A
Friction and adhesion of silica fibers.—75-06986A
Friction and wear mechanism of zirconia in unlubricated sliding contact.—75-09318A
Friction and Wear of Ceramics.—75-02164B
Friction characteristics of sintered Si_3N_4 in oil-lubricated medium.—75-09637A
Friction process diagrams for analyzing interfacially complex sliding contacts.—75-04543A
Friction properties of metal oxide-doped silicon nitride.—75-09638A
Graphite solid-state lubricant generating low coefficient of friction at high temperatures.—75-01148A
Influence of electrochemical potentials on the friction and wear of iron and iron oxides in aqueous systems.—75-04565A
Internal friction in Bi-Sr-Ca-Cu-O glasses.—75-03376A
Internal friction in ceria ceramics doped with alkali-earth metal oxides.—75-04573A
Internal friction of Pyrex glass and SiC whisker-reinforced glass matrix composites.—75-04974A
Internal friction study of transformation dynamics in $BaTiO_3$ ceramics.—75-03068A
Low-frequency internal friction in $BaCuO_{2+y}$ ceramics at high temperatures.—75-08974A
Low-temperature mechanical energy dissipation phenomena in praseodymium-doped yttrium superconductors.—75-03378A
Lubrication of silicon nitride sliding contact.—75-04098A
Relation between internal friction and tensile creep deformation on alumina ceramics.—75-04620A
Scanning force and friction microscopy of ferroelectric Pb(Zr,Ti)O_3 thin films.—75-05635A
Slip rolling friction and wear of ceramics in water and oil.—75-09671A
Steady-state dynamics of jewel bearing with a free ball.—75-04632A
Temperature dependence of the internal friction and modulus change in Y_2O_3- and MgO-doped ZrO_2 polycrystals.—75-03932A
Tribochemistry of ceramics.—75-09210A

frits/fritting,
Ceramic color composition and method of forming ceramic color film on glass plate using same.—75-00224P
Cost savings and other benefits from ready-to-use materials.—75-00081A
Development of a porous ceramic frit for a flow field–flow fractionation instrument.—75-05942A
Examination of fast-fire frits and glazes using a hot stage microscope at different heating rates [≤80 K/min].—75-02868A
FTIR, DTA, and XRD study of sphene ($CaTiSiO_5$) crystallization in a ceramic frit and a nonborate base glass.—75-06236A
Influence of frit melting point and coefficient of expansion on hairlining.—75-00106A
Premilled frit as a key factor in deciding to porcelain enamel in-house.—75-00118A
Pros and cons of using a premill in a job shop.—75-00125A
Sealing frit pastes.—75-07274P

frost resistance,
Increase of water and frost resistance of articles based on gypsum binders.—75-07159A

fuel cells,
Bismuth-oxide-based solid electrolytes for fuel cells.—75-05176A
Single-component solid oxide bodies.—75-07774P

fuels,
Ceramic two-stroke methanol engine.—75-03690A
Coprocessing of waste products.—75-00028A
Cutting costs and competing globally chief goals in '96.—75-09708A
Design modeling of glass furnace oxy-fuel conversion using three-dimensional combustion models.—75-05993A
Flint container furnace performance bolstered by oxy-fuel burner.—75-08723A
Glass furnace waste glass chemistry.—75-08726A
Glass Problems Conference focuses on oxy-fuel.—75-03614A
High-performance oxy-fuel melting: three flat jet burner applications.—75-05999A
Manufacture of HTR [high-temperature reactor] fuel element.—75-08504A
Model-based evaluation of oxy-fuel glass-melting furnace performance.—75-06004A
New oxy-fuel burner provides benefits to glass melters.—75-03622A

Oxy-fuel economics update based on case histories.—75-06007A
Production of sodalite waste forms by addition of glass.—75-03489A
TV glass oxy-fuel conversion addresses both environmental and economic issues.—75-08742A

fullerene,
Crystal structure of endohedral metallofullerene LaC_{82}.—75-01210A
DSC study in situ on copolymerization of C_{60} with paracyclophane.—75-01443A
Effects of molecular orientation on the electronic structure of the solid fullerites.—75-01277A
Electrical properties of C_{60} and its partially decomposed thin films fabricated by vacuum evaporation and ion plating methods.—75-01284A
Electronic properties and formation mechanism of metallocarbohedrenes.—75-01285A
Electronic properties of $C_{59}BN$ fullerenes.—75-01286A
Electronics application for fullerenes.—75-01147A
FI-STM study of fullerenes.—75-01851A
Folding CuO_2 planes into fullerene-like clusters.—75-06232A
Fullerene-based catalysts for methane activation.—75-01512A
Fullerenes entrapped in porous glass.—75-00171A
Hard, amorphous carbon deposited from a fullerene discharge.—75-09326A
Highly sensitive analysis for valence band edge of C_{60} films by total yield photoelectron spectroscopy.—75-01297A
Improved second harmonic generation from Langmuir-Blodgett films of an azacrown ether fullerene derivative.—75-00512A
Ionic properties of hydrogenated and fluorinated fullerenes.—75-01301A
Magnetic properties of fullerene superconductors.—75-08357A
Occupied and unoccupied orbitals of C_{60} and C_{70} probed with C 1*s* emission and absorption.—75-01316A
Phenylation of fullerene-C60.—75-01604A
Photocarrier generation in fullerene films.—75-01327A
Photoluminescence-detected magnetic resonance (PLDMR) study of C_{70} films, glasses, and photopolymerized and oxidized fullerenes.—75-01329A
Plasmons in C_{60}, carbon onions, and carbon tubes.—75-01907A
Shock-wave micron-size diamond synthesis from fullerenes.—75-09431A
Special C_{44} isomers.—75-01343A
Stoichiometrically controlled solid-state synthesis and crystal growth of $C_{60}H_2$.—75-01682A
Structural and electronic studies of C_{60} films deposited using a new technique of neutral cluster beam deposition.—75-01938A
Studies of C_{60} films deposited using ionized cluster beam deposition technique.—75-01248A
Susceptibility study of site-selective doped fullerenes—K_2RbC_{60}, Rb_3C_{60}, K_2CsC_{60}, and Rb_2CsC_{60}.—75-00883A
Synthesis and properties of ytterbium-doped C_{60}.—75-01350A
Synthesis, characterization, and properties of ionic metal-fullerene adducts.—75-01351A
Theoretical and experimental investigations of fullerene derivatives—$C_{60}H_2$, $C_{60}H_4$, $C_{70}H_2$, and $C_{60}(CH_2)_2$.—75-01355A

functionally gradient materials,
Accelerated testing method of ZrO_2-based FGM coating for gas turbine blades.—75-02434A
Application of a ductile metallic phase toughening mechanism to ceramic/metals functionally graded materials.—75-02436A
Application of microwave processing to preparation of ceramic and metal-ceramic FGM.—75-02437A
Centrifugal slip casting of components.—75-03959A
Ceramic-metal functional gradient materials by sedimentation.—75-02442A
Characterization of a texture gradient in tantalum plate.—75-04300A
Characterization of residual stresses in graded ceramic-metal structures: a comparison of diffraction experiments and FEM calculations.—75-02444A
Comparison of thermal cycling and oxidation behavior of graded and duplex ZrO_2 thermal barrier coatings.—75-02446A
Concept of functionally graded materials for advanced thermal barrier coating applications.—75-07202A
Coupled thermal-mechanical model on elastic-plastic response of suddenly heated ceramic-metal gradient materials.—75-02448A
Damage evaluation of functionally gradient materials caused by cyclic thermal shock.—75-02450A
Design and production of an intermetallic gradient material by using a variant of reactive powder metallurgy.—75-02451A
Design of metals coordination compounds precursors for MOCVD synthesis of functionally gradient materials.—75-02452A
Development of functionally gradient cast material by means of temperature difference heat treatment.—75-03517A
Dilatometric study of the processing of WC-Co based gradient materials.—75-02454A
Effect of intermediate layers on residual stress distributions and debonding of sprayed thermal barrier coatings.—75-02458A
Elaboration of symmetric functionally gradient materials of the Al_2O_3/TiC/Ni/TiC/Al_2O_3 system.—75-02463A
Electrically conductive paste based on silver-copper functionally gradient powder.—75-05192A
Erosion of functionally graded coatings under fluidized bed conditions.—75-02466A
Experimental investigation of fatigue-crack propagation in room temperature bending tests with Cu-Ni graded alloys.—75-02469A
Experimental studies of thermal cycling of an Ni-Al_2O_3 graded material.—75-02470A
Fabrication and properties of gradient hard metals.—75-02474A
Fabrication of FGM for the electric insulation of fusion reactor components.—75-02476A
Fabrication of functionally gradient materials by powder consolidation technique using underwater-shock pressure.—75-02477A
Fabrication of thermal barrier type of SiC-AlN/Mo FGM by hot isostatic pressing and its thermomechanical performance.—75-02478A
Fabrication of TiB_2-Cu functionally gradient materials using gas-pressure combustion sintering.—75-04040A
Formation of gradient composites by using the filtration mechanism of binary particulate mixture.—75-02482A
Forming of functionally gradient materials for thermal stress relaxation by low pressure spraying technique.—75-04854A
Fracture behavior of silicon carbide/aluminum-2124 alloy functionally graded materials.—75-02484A
Functional gradient electrode/electrolyte for solid oxide fuel cells: gradient materials design for an electrochemical energy conversion device.—75-02911A
Functionally graded C/SiC films from CH_3SiCl_3-C_2H_4 mixtures.—75-09319A
Functionally graded dental implant composed of titanium and hydroxyapatite.—75-03649A
Functionally graded interphases: meso-continuum concept and effective properties.—75-03895A
Functionally gradient carbide superhard alloy for cutting tool.—75-04855A
Functionally gradient dental implant.—75-04856A
Functionally gradient materials from Al and polyimide.—75-02485A
Functionally gradient materials of the system AlN-metals.—75-00096A
Functionally gradient materials—hydroxyapatite-stainless steel composites.—75-00097A
Functionally gradient structures in biological composites.—75-06068A
General rule of design for the optimum compositional gradation of ceramic/metal functionally gradient materials.—75-02486A
Gradient potential design for functionally gradient energy conversion materials.—75-03036A
Green strength of WC/Co bilayer compacts.—75-02487A
High-temperature investigations of composite gradient materials in nonequilibrium air plasma.—75-02488A
Highly porous sintered parts with a pore size gradient made by centrifugal powder metallurgy.—75-02489A
In situ measurement of through-the-thickness thermal conductivities in ceramic/metal composition-graded multilayers by means of thermography.—75-02491A
Influence of coating configuration on cyclic thermal shock fracture behavior of plasma-sprayed coatings.—75-02492A
Influence of micromechanical approaches on macroelastic-plastic response of C/M FGMs: I, Steady-state problem.—75-02493A
Influence of micromechanical approaches on macroelastic-plastic response of C/M FGMs: II, Transient problem.—75-02494A
Influence of residual stresses on the tensile behavior of a Cu-Ni FGM.—75-02495A
Insert metal of Al-Sn alloy for diffusion bonding in the atmosphere.—75-02497A
Liquid phase sintering of gradient WC/Co materials.—75-02500A
Liquid phase sintering of the systems with interacting components.—75-04095A
Mechanical properties of Y-TZP/Al_2O_3 functionally graded ceramics obtained by sequential slip casting.—75-02501A
Method for preparation of a functionally gradient material.—75-04878P
Micromechanical model for evaluation of properties of functional gradient materials.—75-04597A
Microstructural characterization of metal/ceramic functionally gradient materials.—75-02506A
Nanostructured FGM of the system AlN-M (M=Al, Ni, Mo).—75-02514A
Origin and evolution of functionally gradient materials.—75-04862A
P/M preparation of intermetallic NiAl compounds with graded addition of Cr.—75-02518A
Peculiarities of structure and properties formation of diamond-containing functional gradient materials in the SHS regime.—75-02520A
Performance analysis of FGM-based direct energy conversion system for space power applications.—75-03912A
Periodic cracking of FGM coatings.—75-04615A
Piezoelectric ceramics with functional gradients: a new application in material design.—75-03248A
Pilot study related to the continuous fabrication of FGM strip by powder metallurgy.—75-02523A
Plasma spraying techniques for functional gradient coatings.—75-02524A
Post-consolidation cooling-induced distortion and residual stress in ceramic/metal composition-graded laminates.—75-02526A
Preparation and properties of ZrO_2(3Y)/Ni FGM.—75-02527A
Preparation of stainless steel/ZrO_2(3Y) functionally gradient material.—75-02528A
Preparation of TiC/Ni_3Al FGMs—sintering and structure.—75-02529A
Preparation of ZrO_2(3Y)/SUS(410) functionally gradient plasma material by thermal gradient sintering.—75-00120A
Prestress toughened Al_2O_3/Cr_3C_2/Ni/Al_2O_3/Cr_3C_2 with symmetric gradient structure.—75-02530A
Processing and behavior of chemically graded EB-PVD [e-beam CVD] MCrAlY bond coats.—75-02531A
Processing and characterization of WC-Co functional gradient materials.—75-02532A
Processing of gradient materials with directed electrochemical oxidation of carbon foams.—75-03533A
Processing of TiAl components with gradient microstructures.—75-02533A
Production of metal-hard alloy FGM in one-stage SHS compaction.—75-02534A
Properties of continuous carbon fiber reinforced aluminum depending on the infiltration process and local fiber variations.—75-02536A
Residual stress and fracture characteristics of zirconia/metal(Ni, SUS304) functionally gradient materials.—75-00129A
Residual stress in CrNi/ZrO_2 graded materials, numerical modeling, and X-ray measurements.—75-02540A
Residual stresses in joined ceramic-metal structures—FEM studies of interlayer and creep effects.—75-02541A
Science and technology in composite materials—functionally gradient materials.—75-04865A
Self-propagating high-temperature synthesis in the production of functionally gradient material.—75-02542A
Sharp interfaces versus functionally graded metal-ceramic layers—geometrical optimization for mechanical response.—75-02543A
Stress analysis of functionally gradient materials based on a heterogenization procedure.—75-04636A
Styrene-butadiene tapered block copolymer (TBC) having a functionally graded molecular structure (FGM).—75-04232A
Testing of actively cooled functionally gradient materials under high heat flux conditions.—75-02551A
Thermal shock fracture mechanism of functionally gradient materials as studied by burner heating test.—75-02554A
Transient FGM approach to joining silicon-based ceramics.—75-02556A
Transient temperature response and evaluation of thermal diffusivity in FGM.—75-03941A
Various ceramic/metal graded structures and functions tailored by SHS/HIP.—75-07237A
WC-Co graded materials: heat flux measurements and estimation.—75-02559A
Wear-resistant coatings with graded structure.—75-02560A
Young's modulus determination of functionally gradient Al-Al_3Ni material by a resonance method.—75-02562A

furnaces,
Apparatus for sintering ceramic formed bodies.—75-01066P
Applications of technology of compound lining of semigraphitized self-baking carbon block ceramic brickwork in large-sized blast furnaces.—75-03606A
Austromat furnaces.—75-07061A
Calculating the norms of specific consumption of periclase-chromite parts for repairs of the main roof and roofs of port ends and slag chambers of open-hearth and twin-bath furnaces.—75-05074A
Chemical vapor deposition furnace and furnace apparatus.—75-06116P
Construction and use of mathematical models of tunnel furnaces.—75-03609A
Development and application of high-quality magnesite-chrome bricks for VOD refining furnace.—75-03612A
Development of computer model for analysis of phenomena in COREX shaft-type reduction furnace.—75-08719A
Development of LF [ladle furnace] refractories in Japan.—75-07520A
Electric steelmaking and refractories.—75-07547A
Environmental considerations in glass furnace selection.—75-01058A
Forsterite-containing parts for air heaters of blast furnaces.—75-05094A
Fuel-efficient furnace design with proper refractory and insulation bricks.—75-07555A
Harrop Industries Inc. [Columbus, OH].—75-03615A
Heat insulation mixture for linings of tuyere apparatuses of blast furnaces.—75-05095A
High-performance oxy-fuel melting: three flat jet burner applications.—75-05999A
High-temperature technology company [FTC/Rodental, Germany] makes unprecedented recovery.—75-07079A
Improvement of the chemical composition and founding technology of high-lead glass in a high-efficiency furnace.—75-08728A
Increasing the wear resistance of linings of ore furnaces for melting normal electrocorundum.—75-07575A
Lowering furnace flue emission levels.—75-03618A
Major types of porcelain enameling furnaces—the advantages and disadvantages of each.—75-01060A
New oxy-fuel burner provides benefits to glass melters.—75-03622A
Operation of graphite-containing crucibles in nonferrous metallurgy.—75-07618A
Overview of the U.S. refractories industry.—75-00267A
Oxy-fuel economics update based on case histories.—75-06007A
Recent trends in fused-cast refractories for glass tank furnaces.—75-07643A
Recent trends in refractory lining of dc furnaces.—75-07645A
Refractory recycling developments.—75-02837A
Rupture of Incoloy 800 tubes in a reform furnace.—75-03630A
Semigasification-type refuse incinerator.—75-08541A
Service of high-alumina refractories in arc furnaces.—75-05136A
Spread-type cylindrical ultrahigh-temperature zirconia furnace.—75-08740A
Submerged combustion furnace for glass melts.—75-06010A
Thermal efficiencies of float and container furnaces.—75-06012A
Thermomechanical improvement of a flue wall in anode baking furnace.—75-07682A

Use of anchors in refractory linings.—75-00275A
Visions in industrial furnace technology.—75-03635A
VVS [Veitsch-Venete-Stirring] system, new bottom-blowing technique for electric furnace.—75-05151A

fused cast,
High zirconia fused cast refractories.—75-05155P

fused silica,
Constitutive law for the densification of fused silica, with applications in polishing and microgrinding.—75-02704A
Effect of cristobalite seed on the crystallization of fused silica based ceramic core—a kinetic study.—75-03787A
Fracture features in fused quartz with laser-induced internal flaws.—75-06981A
Hydrogen content of polished glass surfaces using forward recoil spectroscopy.—75-04904A
Lift-out rolls and lehr rolls for production of high-quality glass.—75-06001A
Role of proton nuclear magnetic resonance spin lattice relaxation centers in the strong absorption transition at 210 nm in fused silica.—75-00200A
Statistical analysis of the influence of processing conditions on the properties of fused silica.—75-07370A
Third-order elastic constants of fused silica and silicate glasses.—75-02696A

fusion,
Fabrication of FGM for the electric insulation of fusion reactor components.—75-02476A
Formation of Cu-Al_2O_3 composite particles by mechanofusion: a consideration on the formation relating to the effects of vacuum and temperature increase of particle surfaces.—75-06616A

gadolinium oxide,
Effects of gadolinia and alumina addition on the densification and toughening of silicon carbide.—75-01470A
Massive transformation in Gd_2O_3-Bi_2O_3 ceramics.—75-01227A
Preparation and characterization of new mixed conducting oxides based on $BaCe_{1-x}Gd_xO_{3-x/2}$ [0<x<0.2].—75-02929A
Sintering and microstructural development of ceria-gadolinia dispersed powders.—75-04219A

gadolinium,
Anomalous behavior of paramagnetic susceptibility of $GdBaCuO_{6.2}$ single crystals in a magnetic field.—75-08192A
Characterization of $GdBa_2Cu_3O_{7-x}$ superconducting thin films by a new optical interference fringe method.—75-05735A
Crystal field levels of Tm^{3+} in gadolinium gallium garnet.—75-01208A
Dependence of the magnetic properties of $Gd_{2-x}Ce_xCuO_4$, 0≤x≤0.15, on their particle size.—75-03353A
Dielectric and pyroelectric characteristics of PZT doped with gadolinium.—75-06445A
Disappearance of three-dimensional magnetic ordering in Gd_2CuO_4.—75-03358A
Effect of gadolinium on the properties of IV-VI crystals grown from melt.—75-05291A
Effect of pressure-induced oxygen ordering on the superconducting properties of $GdBa_{2-x}Sr_xCu_3O_y$.—75-08296A
Effective magnetic moment of gadolinium impurity in PbTe(Gd) and PbSe(Gd) crystals.—75-09135A
Effects due to repulsive barriers in a $GdIn_2S_4$ compound.—75-07858A
Efficient multifrequency Stokes and anti-Stokes combinative parametric generation of rhombic $Gd_2(MoO_4)_3$ crystals.—75-08917A
Electrical conductivity in the $Gd_2(Ti_{1-x}Sn_x)_2O_7$ [x≤0.6] pyrochlore system.—75-02904A
Growth, structural, and electrophysical investigations of $Pb_{1-x}Gd_xTe$ thin layers.—75-05333A
Heat capacity of $Y_xGd_{1-x}Al_3(BO_3)_4$ solid solutions.—75-06468A
High-resolution X-ray scattering studies of epitaxial $GdBa_2Cu_3O_{7-\delta}$ thin films.—75-03373A
Magnetic ordering of the Gd^{3+} sublattice in the $Gd_{1-x}Y_xBa_2Cu_3O_{7-\delta}$ system.—75-05686A
Magnetic ordering of the Gd^{3+} sublattice in the $Gd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ system.—75-05791A
Magnetic susceptibility studies in Gd_2CuO_4 below 300 K.—75-01307A
Magnetic transformations in $GdBaCuO_{6.2}$ single crystals below 20 K. Determination of spin interactions of Gd^{3+} ions.—75-05691A
Magnetoelectrical effects in antiferromagnetic Gd_2CuO_4.—75-08230A
Model calculation of thermodynamic properties of uranium gadolinium oxide fuels.—75-06274A
Optical absorption and luminescence of neodymium and erbium in single crystals of yttrium and gadolinium orthotantalates.—75-06492A
Optical phonons in $GdBa_2Cu_3O_{7-\delta}$ compounds.—75-08389A
Oxygen nonstoichiometry and defects in Mn-doped $Gd_2Ti_2O_{7+x}$.—75-07741A
Relaxation of dc magnetization of Gd_2CuO_4.—75-05707A
Scintillation mechanism in Gd-based crystals doped with RE^{3+} ions.—75-01338A
Single crystal growth and electrical properties of lanthanum- and gadolinium-doped $BaTiO_3$.—75-08055A
Sol-gel synthesis of fine Gd_2CuO_4 particles: influence of synthesis variables.—75-01675A
Superconducting properties of $GdBa_2Cu_4O_8$:Ca ceramics.—75-05838A
Superconductivity of the $Gd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ HTSC system.—75-08433A
Temperature dependences of related residual magnetization of gadolinium ferrite-garnet sublattices in the region of the point of compensation.—75-05716A
Ultrafine and exchange fields in $Gd_{1-x}Lu_xFe_2$ compounds.—75-08250A

gallates,
Cathodoluminescent characteristics of $ZnGa_2O_4$ phosphor grown by radio-frequency magnetron sputtering.—75-00423A
Compositional dependence of optical properties of Nd^{3+} in gallate glasses.—75-07292A
Crystal structure of $LaCaGaO_4$ and $NdSrGaO_4$.—75-06192A
Dielectric properties of lanthanum gallate ($LaGaO_3$) crystal.—75-01272A
Heat capacity and thermal conductivity of lanthanum silicogallate.—75-09146A
Influence of gamma radiation on photoelectrical properties of thin cadmium thiogallate films.—75-09151A
Surface nitridation effects on $LiGaO_2$ substrates in molecular beam epitaxy.—75-08067A
Synthesis and luminescent properties of $Bi_2Ga_4O_9$ single crystals.—75-09458A

gallium arsenide,
U^- centers in selectively doped heterostructures.—75-02956A
980-nm aluminum-free InGaAs/InGaAsP/InGaP GRIN-SCH SL-QW lasers.—75-05234A
Acceptor binding energy and band lineup of III-V nitride alloys and MOCVD growth of GaN on GaAs- or GaP-coated Si.—75-00412A
AlGaAs grown by low-pressure metallorganic vapor phase epitaxy using an N_2 carrier.—75-02960A
Aluminum-free 980-nm GaInAs/GaInAsP/GaInP pump lasers.—75-05238A
Anisotropy of the transport features in structures with δ-Sn quantum wells on vicinal faces of GaAs.—75-05240A
Anomalous excitation in the EPR spectrum of the Fe^{3+} ion in GaAs.—75-07784A
Appearance of surface segregation of basic components of a solid solution of $A^{III}B^V$ and the segregated subsurface heterojunction in GaAlAs.—75-05242A
Approximate *k*-*p* theory for optical gain of strained InGaAsP quantum well lasers.—75-05244A
Atomic scale characterization of $(NH_4)_2S_x$-treated GaAs(100) surface.—75-00416A
Band lineup and in-plane effective mass of InGaAsP or InGaAlAs on InP strained layer quantum well.—75-05249A
Biaxial optical anisotropy of GaAs/AlAs(*hhl*) superlattices.—75-05252A
Broad photoluminescence band in heavily Ge-doped GaAs grown by the liquid-encapsulated Czochralski technique.—75-00417A
Capability of plasma-enhanced chemical vapor deposited SiO_2 films as diffusion barriers on InGaAs.—75-00419A
Capacitance spectroscopy of electron energy levels in InAs quantum dots in GaAs matrix.—75-07795A
Carbon doping and growth rate reduction by CCl_4 during metallorganic chemical vapor deposition of GaAs.—75-01389A
Carbon incorporation in InP grown by metallorganic chemical vapor deposition and application to InP/InGaAs heterojunction bipolar transistors.—75-00420A
Carrier capture and emission processes in A_3B_5 semiconductor quantum well structures.—75-02968A
Carrier recombination in a periodically δ-doped multiple quantum well structure.—75-05255A
Carrier screening effects in piezoelectric strained InGaAs/GaAs quantum wells grown on the [111]B axis.—75-00421A
Characteristic properties of the degradation of semiinsulating gallium arsenide during thermal treatment.—75-05177A
Characteristics of As_iZn_{Ga} pairs induced by irradiation plus annealing in *p*-type GaAs(Zn) crystals.—75-07802A
Characterization by transmission electron microscopy of gradients in the chemical composition of GaAs/$Al_xGa_{1-x}As$ semiconductor laser structures.—75-02976A
Characterization of InGaAsP/InP ITG-DFB-BCRW [integrated twin guide-distributed feedback-bridge contacted ridge waveguide] lasers with contacted surface grating for λ=1.55 μm.—75-02977A
Characterization of InP/GaInAs nanometer-sized columns produced by aerosol deposition and plasma etching.—75-00426A
Characterization of magnetooptical Mn-doped InGaAsP thin films on InP.—75-02978A
Composition and strain analysis of semiconductor heterostructures using thickness fringes on TEM images.—75-00441A
Computer modeling of composition changes of complex and multilayer structures during ionic sputtering.—75-08644A
Confocal photoluminescence study of metallorganic chemical vapor deposition growth on patterned GaAs substrates.—75-05264A
Correlation between structural, optical, and electrical properties of GaAs grown on (001)Si.—75-02982A
Correlation between the intensity distribution of the 1.49-eV carbon luminescence band and the arsenic-vacancy concentration in semiinsulating undoped GaAs crystals.—75-05266A
Cross sectional scanning tunneling microscopy of III-V quantum structures.—75-00449A
Cross-sectional scanning tunneling microscopy of III-V semiconductor structures.—75-00450A
Crystal defect characterization with scanning tunneling microscopy: vacancies and steps on GaAs(110).—75-02983A
Current and time dependence of the residual voltage of the photon-injection pulse switches [PIPS].—75-02984A
Deep centers in $In_xGa_{1-x}As$/InP photodiodes obtained by metallorganic gaseous epitaxy.—75-02987A
Deep levels in a semiinsulating GaAs studied by the method of photoinduced admittance transient spectroscopy.—75-05272A
Deep traps in molecular beam epitaxial GaAs grown at low temperatures.—75-00452A
Defect formation in ZnTe and (Cd, Zn)Te epitaxial layers grown on (001)GaAs.—75-07819A
Defect-enhanced interdiffusion at the InGaAs/InAlAs interface due to Si ion implantation.—75-05275A
Degradation behavior of 0.98-μm strained quantum well InGaAs/AlGaAs lasers under high-power operation.—75-05276A
Design of a tunable GaAs/AlGaAs multiple quantum well resonant cavity photodetector.—75-05279A
Determination of two-dimensional electron gas characteristics in structures of InGaAs/InP by acoustic methods in the quantum Hall regime.—75-02995A
Determining the structural constants of the gradient epitaxial layer by high-resolution X-ray diffraction: I, Initial approximation of the solution of the inverse problem of diffraction.—75-08656A
Determining the structural constants of the gradient epitaxial layer by high-resolution X-ray diffraction: II, Solution to the inverse problem in the framework of kinematic and statistical dynamic theory of diffraction.—75-08657A
Dielectric-metal phase transition: a thermodynamic approach.—75-05520A Dielectric-metal phase transition: a thermodynamic approach.
Diffusion of radiation-induced intrinsic point defects in *p*-GaAs.—75-09500A
Direct experimental determination of the spin-orbital constants of the separated valence band of gallium arsenide.—75-07834A
Distribution of isotopes formed in GaAs under irradiation by high-energy protons, deuterons, and ^3He nuclei.—75-05282A
Double anticrossing of a localized optical mode and two exciton resonances in a semiconductor microcavity.—75-07837A
Effect of γ-radiation on the properties of SiO_2-GaAs structures.—75-07841A
Effect of a uniform electric field and nonequilibrium optical phonons on electron radiation in high-frequency field.—75-07843A
Effect of ammonium nitrate on the thermal oxidation of gallium arsenide in a humid oxygen atmosphere.—75-07844A
Effect of As_4/Ga flux ratio on electrical and optical properties of low-temperature GaAs grown by molecular beam epitaxy.—75-02999A
Effect of growth temperature on electron mobility in InAlAs/InGaAs transistor structures grown on InP substrates by molecular beam epitaxy.—75-03004A
Effect of implantation conditions and activating annealing on the structure of silicon- and selenium-doped gallium arsenide plates.—75-05292A
Effect of interband and exciton light absorption on the optical properties of Bragg reflectors.—75-05293A
Effect of irradiation on optical and photoelectrical properties of ir-sensitive GaAs/AlGaAs quantum well structures.—75-07850A
Effect of mirror image intensity on electron photoemission from GaAs with negative electron affinity.—75-07851A
Effect of thermionic electron emission from the active layer on the internal quantum efficiency of InGaAsP lasers operating at 1.3 μm.—75-05298A
Effects of dopants on arsenic precipitation in GaAs deposited at low temperatures.—75-02902A
Effects of rare-earth doping on the properties of bulk crystals of III-V compounds.—75-05302A
Effects of temperature and oxygen concentration on the photoluminescence of epitaxial metallorganic vapor phase epitaxy GaAs:O.—75-01475A
Effects of well number in 1.3-μm GaInAsP/InP GRIN-SCH strained layer quantum well lasers.—75-05303A
Efficiency of photoluminescence and excess carrier confinement in InGaAsP/GaAs structures prepared by metallorganic chemical vapor deposition.—75-00467A
Electric field dependence of exciton transitions in InGaAs/GaAs asymmetric step quantum wells.—75-07862A
Electroluminescence due to localized carriers in type II broken-gap *p*-GaInAsSb/*p*-InAs single heterojunctions.—75-03013A
Electron mobility in doped modulated structures of $In_xGa_{1-x}As$/GaAs multiple quantum wells.—75-05312A
Electron properties of real and sulfurized surfaces of GaAs.—75-03014A
Electron scattering in quantum well by interface phonons.—75-07873A
Electron transport in Sb-doped metallorganic epitaxial GaAs grown at moderate As-rich conditions.—75-00476A
Electron-optical phonon scattering in two-dimensional quantum wells with independent electron and phonon confinement.—75-03016A
Energy levels in a rectangular quantum well with complex shape.—75-05315A
Epitaxial *p*-*n* structures of GaAs on Si substrates: electrical, photoelectrical, and electroluminescent properties.—75-03022A
Epitaxial $(GaAs)_{1-x}(Si_2)_x$ metastable alloys on GaAs(001) and $(GaAs)_{1-x}(Si_2)_x$/GaAs strained-layer superlattices: crystal growth, spinodal decomposition, and antiphase domains.—75-00485A
Epitaxial GaAs growth using atomic hydrogen as the reactant.—75-00486A
Features of the chemical rearrangement of interphase boundaries of metal-GaAs in the presence of a second component of metallization.—75-07211A
Features of transport phenomenon in alternately doped GaAs/$Ga_{1-x}Al_xAs$ heterostructures.—75-07889A
Formation of microtwins in (001) heteroepitaxial layers.—75-07895A
Formation of structural defects in heteroepitaxial layers of CdTe and CdZnTe grown on GaAs.—75-07897A
$GaAs_{1-x}P_x$/GaAs quantum well structures with tensile strained barriers.—75-05328A
Gain and radiative current density in InGaAs/InGaAsP lasers with electrostatically confined electron states.—75-05329A

Gas composition dependence of silicon nitride used as gallium diffusion barrier during GaAs molecular beam epitaxy growth on Si complementary metal oxide semiconductor.—75-03034A

Growth and characterization of $Al_{1-x}In_xAs/Ga_{1-y}In_yAs$ strained multiple quantum wells.—75-00500A

Growth and fabrication of high-performance 980-nm strained InGaAs quantum well lasers for erbium-doped fiber amplifiers.—75-05331A

Growth by molecular beam epitaxy and photoluminescence of InGaAs/GaAs quantum wells on GaAs(111)A substrates.—75-00502A

Growth of epitaxial layers of gallium arsenide from solution in molten bismuth.—75-09323A

Growth studies of erbium-doped GaAs deposited by metallorganic vapor phase epitaxy using novel cyclopentadienyl-based erbium sources.—75-00504A

Heterojunction bipolar transistors in AlGaInP/GaAs grown by metallorganic vapor phase epitaxy.—75-00506A

High carrier mobility in isotype *p*-GaInAsSb/*p*-InAs heterostructures.—75-07904A

High resolution transmission electron microscopy of the CoGa/GaAs heterostructure grown by MBE.—75-05335A

High-performance uncooled 1.3-μm $Al_xGa_yIn_{1-x-y}Al$/InP strained layer quantum well lasers for subscriber loop applications.—75-05336A

Hydrogen passivation of dislocations in ZnCdSe/GaAs heterostructures.—75-07911A

Immiscibility region of $A_xB_{1-x}C_yD_{1-y}$ solid solutions in a quasi-chemical approximation.—75-06242A

Improved operation characteristics of long wavelength lasers using strained MQW active layers.—75-05340A

Improved passive model for transient prediction of GaAs E/D MESFET analog switches.—75-03051A

InAs/GaAs quantum dots grown by the submonolayer migration-enhanced epitaxy method.—75-03053A

Incoherent imaging by *Z*-contrast STEM—towards 1 Å resolution.—75-01871A

Influence of neutron and cosmic irradiations on the characteristics of Schottky gate field effect transistor.—75-03060A

Influence of the semiconductor substrate surface treatment on electrical characteristics of the metal–gallium arsenide contact.—75-07929A

Infrared excitations in semiconductor layered periodic structures in transverse magnetic field.—75-07931A

Infrared reflection and optical phonons in epitaxial layers of $In_yGa_{1-y}As/GaAs$ solid solutions.—75-07932A

Inhomogeneous lasing from *p*-GaInAsSb channel buried lasers.—75-07933A

Initial growth stage and optical properties of a three-dimensional InAs structure on GaAs.—75-00520A

Injection heterolaser based on vertical coupled InAs quantum dots in GaAs matrix.—75-07935A

Interactions of dislocations and antiphase (inversion) domain boundaries in III-V/IV heteroepitaxy.—75-03066A

Interfacial roughness in GaAs/AlGaAs multilayers—influence of controlled impurity addition.—75-00525A

Internal stresses in semiinsulating gallium arsenide single crystals.—75-05354A

Intervalley mechanism of forming negative differential *S*-type conductivity in short heterostructures.—75-03070A

Introducing acceptor impurities under the photonuclear doping of gallium arsenide.—75-07941A

Ir Fourier spectroscopy of GaAs/AlAs heterostructures with double quantum wells.—75-07942A

Kinetics of GaAs(100) surface passivation in sodium sulfide aqueous solutions.—75-07945A

Large-scale clusters of electrically active defects in GaAs single crystals.—75-05358A

Lead zirconate titanate ferroelectric capacitors produced on sapphire and gallium arsenide substrates.—75-05597A

Light absorbing semiconducting Bragg reflector.—75-07948A

Linear term valence subband mixing and its effect on electroabsorption of tensile strained GaAs/AlGaAs quantum wells.—75-05360A

Linewidth enhancement factor α of GaAs/GaAlAs quantum well lasers.—75-03080A

Linewidth enhancement factor in InGaAsP/InP modulation-doped strained multiple quantum well lasers.—75-05362A

Local diagnostics of the GaAs/AlAs superlattice using optical detection of magnetic resonance and the anti-crossover effect of energy levels.—75-08678A

Localized states of 3*d* impurities in quantum wells and superlattices of type I.—75-03082A

Long-wave radiation during heating of two-dimensional holes by the longitudinal electric field in quantum wells of GaAs-AlGaAs structures.—75-05363A

Low threshold injection heterolaser based on quantum dots formed by metallorganic chemical vapor deposition.—75-07953A

Low-temperature transfer of a charge in *n*-GaAs by nonequilibrium electrons in magnetic field.—75-03086A

Luminescence properties of InAs quantum dots on vicinal GaAs(100) surface.—75-03088A

Magnetotransport and far ir emission in two-dimensional hole GaAs/AlGaAs structures.—75-03089A

Metal–gallium arsenide contact low-frequency noise during various treatments of the semiconductor substrate surface.—75-07968A

Metallorganic chemical vapor deposition of high-purity GaAs with the cryogenic purification of arsine.—75-05382A

Mobility of Ga inclusions in GaAs as a possible mechanism of degradation.—75-07972A

Modeling of electrical characteristics of the metal–gallium arsenide contact.—75-07974A

Modeling of propagation delays in the bilevel crossing interconnections on the GaAs-based integrated circuits.—75-03094A

Molecular beam epitaxy of a cubical GaN on GaAs(001) substrates with hydrazine.—75-05388A

MOVPE growth of strained InAsP/InGaAsP quantum well structures for low threshold 1.3-μm lasers.—75-05390A

Multiple twinning in GaAs epitaxial layers grown on Si(001) and Si(111).—75-05391A

Neutralization of group VI donors by H in GaAs.—75-05395A

New bistable defect with deep levels in Si-doped $Al_xGa_{1-x}As$.—75-05397A

Nonequilibrium spin and spin flux in quantum films of GaAs-type semiconductors.—75-05403A

Nonlinear luminescence and dynamic broadening of exciton lines of GaAs/AlGaAs structures during stationary optical excitation.—75-07986A

Nonstoichiometry and dopant-related phenomena in low temperature GaAs grown by molecular beam epitaxy.—75-05408A

Optical and piezospectroscopic properties and structure of gallium vacancy–silicon complexes in *n*-type GaAs: comparison with gallium vacancy–tin complexes.—75-07990A

Optical control by switching and the switch-off mechanism in AlAs-GaAs p-n-i-n^+ structures by the voltage pulse of positive polarity.—75-03102A

Optical mirror facet strength of cw-operated SQW SCH [single quantum well separate confinement heterostructure] laser diodes.—75-07992A

Optical phenomena under electron heating in MQW GaAs-AlGaAs in a longitudinal electric field.—75-03103A

Optical properties of two-dimensional electron gas in the AlGaAs/GaAs heterostructures.—75-07997A

Optically controlled characteristics of an ion-implanted hetero-MIS capacitor.—75-03104A

Optically detected anti-crossover of levels of localized excitons in semiconductors.—75-05411A

Optimized epitaxial growth of GaAs:Si single-heterojunction infrared emitting diodes [SH-IREDs].—75-03107A

Oxidation of GaAs in the presence of $CeCl_3$.—75-05413A

Particular properties of a nonlinear reflection of electromagnetic waves from a multilayer structure which are connected with electron gas heating in a high-doped GaAs layer.—75-05414A

Passivation of GaAs surface during treatment in phosphine vapor.—75-08000A

Passivation of GaAs(100) surface by gallium chalcogenides $A_2^{III}B_3^{IV}(110)$.—75-05415A

Pd/*n*-GaAs Schottky barrier [SB] as a hydrogen photodetector.—75-08002A

Peculiarities of *I*-*V* characteristic of an asymmetrical quantum-well GaAs/AlGaAs structure having boundary barriers.—75-03111A

Performance improvement of MOSFET lasers by using trapezoidal gate MOSFETs.—75-03113A

Performance of $Ga_xIn_{1-x}P$/GaAs heterojunctions grown by metallorganic molecular-beam epitaxy and metallorganic vapor-phase epitaxy.—75-05416A

Photocurrent in a Schottky-gated AlGaAs/GaAs single quantum well structure.—75-03116A

Photoeffect characteristics in abrupt isotype N^+-n^0-n^+ heterostructures.—75-03118A

Photoelement with a photocathode based on an $In_{0.53}Ga_{0.47}As$/InP/Ag heterostructure with Schottky barrier for the spectral range of 0.97–1.7 μm.—75-08011A

Photoluminescence [PL] characterization of GaAs layers grown from Ga-Bi solutions.—75-05430A

Photoluminescence [PL] of doped multiple GaAs/$Al_xGa_{1-x}As$ quantum wells at high excitation level.—75-05431A

Photoluminescence of doped spaced superlattices of GaAs/$Al_xGa_{1-x}As$.—75-03126A

Photoluminescence of GaAs doped with dimethylaluminum methoxide during organometallic vapor phase epitaxy.—75-05432A

Photoluminescence of Mg ion implantation in low-temperature-grown GaAs[—erratum].—75-00568A

Photoluminescence of Mg-ion implantation in low-temperature grown GaAs.—75-05433A

Photoluminescence of the three- and two-dimensional carriers in N-AlGaAs/GaAs heterostructures.—75-08016A

Photoluminescence of tin-doped GaAs grown by liquid phase epitaxy from mixed Ga-Bi solvent.—75-08017A

Photoluminescence studies of strained $In_xGa_{1-x}As$-$Al_{0.28}Ga_{0.72}As$ heterostructures grown by molecular beam epitaxy.—75-00569A

Photoluminescence under moderate levels of excitation and resonant Raman scattering in GaAs/AlGaAs superlattices.—75-08019A

Photomodulated spectroscopy for determination of integral excitonic absorption in single quantum well structure.—75-08020A

Photosensitivity of p-n-GaAs-n-GaP/n-Si heterostructures in linearly polarized radiation.—75-08021A

Photosensitivity of epitaxial p-GaAs/n-GaAs/p-Si structure.—75-05435A

Piezoelectric fields in strained (In,Ga)As/GaAs multiple quantum well structures grown on vicinal (110)GaAs.—75-05437A

Polarization of superluminescence and anisotropy of optical losses in a waveguide InGaP/GaAs/InGaP structure.—75-03130A

Polarization spectroscopy of luminescent excitation as a method for controlling elastic stresses in epitaxial GaAs layers.—75-08694A

Polarization-independent quantum-confined Stark effect in an InGaAs/InP tensile strained quantum well.—75-05439A

Polarized cathodoluminescence study of stress for GaAs grown selectively on patterned Si(100).—75-00575A

Progress in long wavelength strained layer InGaAs(P) quantum well semiconductor lasers and amplifiers.—75-05448A

Quantum beats of electron Lormor precession in GaAs wells.—75-05454A

Radiative recombination and impurity-defect interaction in neutron transmutation doped gallium arsenide obtained under various conditions of crystal growth and irradiation.—75-08038A

Raman scattering and X-ray diffraction studies of gallium nitride films grown on (100)gallium arsenide.—75-01923A

Recombination-enhanced annealing in GaAs and AlGaAs layers.—75-08042A

Reconstructed impurity centers in II-VI compounds.—75-08043A

Resonance Raman scattering by interface phonons in the magnetic field in GaAs/AlAs superlattice.—75-03151A

Resonance Raman scattering by interfacial phonons in the magnetic field in GaAs/AlAs superlattice.—75-05463A

Resonant optical cooling of a nuclear spin system in GaAs/AlGaAs quantum wells.—75-08046A

Resonant scattering studies of multilayer (In,Ga,Al)(As,Sb) heterostructures with InAs quantum wells.—75-05464A

Reversible changes of bands on the surface of *p*-GaAs(Cs, O) at RT studied by X-ray photoelectron spectroscopy.—75-05466A

Role of the excited state in piezoelectroscopic properties of an Sn_{As} acceptor in GaAs.—75-03154A

Saturation of exciton absorption in GaAs/AlGaAs multilayer quantum wells during femtosecond laser excitation.—75-08050A

Scanning tunneling microscopy and spectroscopy of the cleavages of ZnSe/GaAs heterostructures.—75-08052A

Selective and decorative chemical etching of epitaxial layers of $Al_xGa_{1-x}As$[GaAs in iron(III) salt solutions.—75-05467A

Self-organizing of quantum-dimensional strained $In_xGa_{1-x}As$ structures on misoriented GaAs(100) surfaces during submonolayer molecular beam epitaxy.—75-03157A

Shape of the emission spectra diffracted on laser-induced lattices in GaAs/AlGaAs quantum wells.—75-08054A

Simple description of Frohlich interaction in cylindrical GaAs/AlAs quantum wires.—75-05476A

Simulation of the orientation-dependent growth of InGaAs/InP by metallorganic vapor phase epitaxy.—75-00595A

Simulation-based parameter extraction, its implementation, and some applications.—75-03163A

SiO_2/amorphous As/GaAs passivation systems prepared at room temperature by 50-Hz plasma-enhanced chemical vapor deposition.—75-00596A

Spatial ordering of arsenic clusters in GaAs layers grown by molecular beam epitaxy at low temperatures.—75-05479A

Special features of temperature dependence of threshold current density of DH lasers with a thin active region based on GaInAsSb.—75-05480A

Stabilization of the *n*-GaAs photoanode using the Te^{2-}/Te_2^{-2} redox couple.—75-03170A

Strained layer InGaAs-GaAs-AlGaAs buried heterostructure quantum well lasers by three-step selective area MOCVD.—75-05484A

Strong anisotropy of the electron *g*-factor of conductivity in GaAs/AlGaAs quantum wells.—75-05486A

Structural properties of ZnSe on GaAs grown by atomic layer epitaxy.—75-00605A

Sublattice location of GaAs grown on Ge.—75-00609A

Sulfur passivation of GaAs surface: unpinning of Fermi level.—75-03175A

Super-fast mechanism of vertical drift of current carriers in MSM [metal-semiconductor-metal] barrier heterostructures.—75-08066A

Surface acoustic wave properties of ZnO films on {001}-cut <110>-propagating GaAs substrates.—75-03176A

Surface diffusion processes in molecular beam epitaxial growth of GaAs and AlAs as studied on GaAs(001)-(111)B facet structures.—75-01778A

Surface states in an accurately resolved model of semiconducting films.—75-08071A

Te doping of GaAs using diethyl tellurium.—75-00612A

Temperature dependence of the band gap width in GaAs.—75-03183A

Theoretical analysis of pure effects of strain and quantum confinement on differential gain in InGaAsP/InP strained layer quantum well lasers.—75-05851A

Theory of electromagnetic radiation of 2-D magnetoplasmon and cyclotron oscillations in a semiconducting heterostructure with periodic shields.—75-08079A

Thermal emission of charges at Si_3N_4-GaAs interfaces plasma pretreated with H_2, Ar, and Ar+H_2.—75-00617A

Transmission line delay limitations of laser bandwidths.—75-03191A

Transport measurements and donor spectra of very high purity GaAs grown using tertiarybutylarsine and triethylgallium.—75-05507A

Transverse photovoltage in a [Ge-GaAs] heteroepitaxial structure.—75-03192A

Tunnel-injection laser based on type II broken gap *p*-GaInAsSb/*p*-InAs single heterojunctions.—75-08089A

Two-photon photoemission study of GaAs(100).—75-05510A

Type II GaInAsSb/InAs heterojunctions.—75-03194A

Undoped semiinsulating GaAs epitaxial layers and their characterization.—75-00630A

Uniform and high-power characteristics of 780-nm AlGaAs laser diodes fabricated by large-scale MOCVD.—75-05511A

Variational calculation of light hole envelope functions and exciton binding energies in (Ga,In)As-GaAs quantum wells.—75-05513A

Velocity surface measurements for ZnO films over {001}-cut GaAs.—75-00633A

Visualization of large-scale electrically active defect clusters in indium phosphide and gallium arsenide single crystals [by scanning small-angle light scattering method].—75-03199A

X-ray diffraction characterization of highly strained InAs and GaAs layer on InP grown by metallorganic vapor-phase epitaxy.—75-05517A
ZnSe grown on GaAs by laser-assisted vapor phase epitaxy.—75-03202A

gallium nitride,
Carrier diffusion lengths in diamond and gallium nitride.—75-09493A
Defect ordering in epitaxial α-GaN(0001).—75-01745A
Growth of gallium nitride by electron cyclotron resonance plasma-assisted molecular beam epitaxy: the role of charged species.—75-01518A
High-brightness InGaN/AlGaN double heterostructure blue-green light-emitting diodes.—75-00507A
Strain effects in epitaxial GaN grown on AlN-buffered Si(111).—75-00602A
Temperature dependence of the energy gap in GaN bulk single crystals and epitaxial layer.—75-01352A
Theoretical study of GaN growth: a Monte Carlo approach.—75-01730A
Thermal expansion of gallium nitride.—75-00618A

gallium oxide,
Electric properties of PbO-Bi_2O_3-Ga_2O_3 glasses.—75-04955A

gallium,
Absorption of acoustic waves in langasite single crystals.—75-06151A
AlGaInP multiple quantum wire heterostructure lasers prepared by the strain-induced lateral layer ordering process.—75-05237A
As incorporation during molecular beam epitaxy growth of GaN layers.—75-07787A
Atomic ordering and domain structures in metallorganic chemical vapor deposition grown InGaAs(001) layers.—75-02963A
CdSe-Ga_2Se_3-$GeSe_2$ system.—75-06174A
Control of ordering in $Ga_{0.5}In_{0.5}P$ using growth temperature.—75-00446A
Correction of statistical weights of condition equations for determining consistent thermodynamic data on the Ga-Sb system.—75-08648A
Crystal field levels of Tm^{3+} in gadolinium gallium garnet.—75-01208A
Dopant precipitation in CdTe doped with Ga and Cl.—75-05283A
Effect of aluminum nitride buffer layer temp. on gallium nitride grown by OMVPE.—75-00463A
Effect of thermal annealing on GaN nucleation layers deposited on (0001)sapphire by metallorganic chemical vapor deposition.—75-00465A
Effects of substrate misorientation and growth rate on ordering in GaInP.—75-00466A
Electrical properties of metal-semiconductor diode structures based on disordered GaP layers.—75-07865A
Electronic and optoelectronic devices based on GaN-AlGaN heterostructures.—75-00478A
Evidence of the self-trapped excitons in $GaPO_4$ and $AlPO_4$ crystals.—75-05317A
Experimental measurements of the energy of interface donor centers in GaSb/InAs/GaSb quantum well.—75-03025A
Fabrication of $CuGa_xIn_{1-x}Se_2$ films by pulse laser evaporation.—75-03027A
Fundamental materials-issues involved in the growth of GaN by molecular beam epitaxy.—75-00495A
Fusibility diagram of the $Ga(PO_3)_3$-$AgPO_3$ system and properties of the $AgGa(PO_3)_4$ compound.—75-08940A
$Ga(PO_3)_3$-$RbPO_3$ system.—75-08942A
$GaBO_3$ crystal growth from flux.—75-06626A
GaN on 6H-SiC—structural and optical properties.—75-00496A
Growth and characterization of GaN on Si(111).—75-00501A
Impurity distribution in GaN layers grown by molecular beam epitaxy.—75-07917A
Influence of lanthanides on the defect-impurity composition of epitaxial GaP layers.—75-07925A
Influence of MnS and $MnCl_2$ on the glass structure in the GeS_2-Ga_2S_3 system.—75-02591A
Infrared luminescence from MOCVD GaN.—75-00518A
InGaN/AlGaN double heterostructure blue LEDs.—75-00519A
Injection and field ionization of traps in $MnGa_2Se_4$ single crystals.—75-03064A
Kinetics and thermodynamics of intracrystalline Fe-Ga distribution in $Y_3(Fe,Ga)_5O_{12}$.—75-06252A
Kinetics of decay of light-induced lattices in $AgGaSe_2$ during two-photon excitation.—75-07944A
Kinetics of PbTe(Ga) photoconductivity.—75-05356A
Large-scale accumulation of electrically active defects in InP:As and InP:Ga single crystals.—75-03076A
Linear circular dichroism of nonlinear light absorption in *n*-GaP.—75-07950A
Low-temperature phase transition in $(CH_3)_2NH_2Ga(SO_4)_2{\cdot}6H_2O$ crystals.—75-08975A
Luminescence and structural quality of GaSb single crystals grown from nonstoichiometric melts.—75-03087A
Luminescent characteristics of epitaxial layers of GaSb doped with rare-earth metals.—75-06486A
Mechanism of the growth process and structural characteristics of epitaxial layers of gallium nitride produced by the chloride-hydride method.—75-06678A
Metallization of GaN thin films prepared by ion-beam-assisted molecular beam epitaxy.—75-00542A
Microdefects in Te-doped GaSb.—75-05383A
Mobility of Ga inclusions in GaAs as a possible mechanism of degradation.—75-07972A
MOVPE growth of high-quality $Al_xGa_{1-x}N/Ga_yIn_{1-y}N$ ($x \geq 0$, $y \leq 1$) heterostructures for short wavelength light emitter.—75-00546A
Native defects and impurities in cubic and wurtzite GaN.—75-01766A
Native defects in wurtzite GaN and AlN.—75-01767A
Nature of intrinsic defects in $CdGa_2S_4$ polycrystalline films.—75-05393A
Nonlinear generation of ultrasound in PbTe(Ga).—75-07985A
Optical phonons in spontaneously ordered InGaP solid solutions.—75-07994A
Optical studies of the exciton spectra in epitaxial GaN films.—75-09000A
Optimization of 670-nm strained quantum well laser diodes for high-temperature operation.—75-03105A
Phase equilibria and several properties of compounds in $In_2(Ga_2)S_3$-P_2S_5 systems.—75-06302A
Photoconductivity of $MnGaInS_4$ single crystals.—75-08009A
Photoconductivity spectra and the problem of impurity states in PbTe(Ga).—75-05425A
Photoelectric effect in GaP surface barrier structures: temperature dependence of the short-wave quantum efficiency.—75-03119A
Photoluminescence [PL] characterization of GaAs layers grown from Ga-Bi solutions.—75-05430A
Photoluminescence of rare-earth elements in $CaGa_2S_4$ compounds.—75-05434A
Polymorphism and crystal chemistry of $Li_{2.5}Ga_{0.5}GeO_4$, an Li_3PO_4 analog.—75-06324A
Properties of gallium antimonide doped with rare-earth metals during crystallization from tin-containing melts by LPE.—75-05449A
Properties of ribbon made from shape memory alloy Ni_2MnGa by quenching from the liquid state.—75-03330A
Pure green (λ=555 nm) luminescence of GaP:Y epitaxial layers.—75-08032A
Radiation-stimulated conversion of radiative exciton complexes bound to nitrogen in GaP:N-based *p-n* structures.—75-08037A
Raman and infrared spectra of lead gallosilicate glasses.—75-04921A
Raman and photoluminescence studies of undoped and magnesium-doped GaN films on sapphire.—75-01919A
Raman scattering and X-ray diffraction studies of gallium nitride films grown on (100)gallium arsenide.—75-01923A
Selective laser spectroscopy of localized excitons in solid solutions of $GaSe_{1-x}S_x$.—75-05469A
Self-induced laterally modulated GaInP/InAsP structure grown by metallorganic vapor phase epitaxy.—75-03155A
Solid solutions of $Rb_2KSc_{1-x}Ga_xF_6$.—75-06356A
Spectroscopic study of the structure of glasses based on gallium and indium trifluorides.—75-02684A
Stabilization of gallium donor action in $Pb_{1-x}Sn_xTe$ alloys irradiated with electrons.—75-03169A
Strained $Ga_xIn_{1-x}P/(AlGa)_{0.5}In_{0.5}P$ heterostructures and quantum well laser diodes.—75-05483A
Structural characterization of GaN grown by electron cyclotron resonance-metallorganic molecular beam epitaxy (ECR-MOMBE).—75-01942A
Structure and optical properties of $Ca_3Ga_2Ge_4O_{14}$ thin films.—75-09192A
Synthesis and properties of gallium dihydromonophosphate, $Ga(H_2PO_4)_3$.—75-06796A
Synthesis routes and characterization of high-purity, single-phase gallium nitride powders.—75-05497A
Thermal stability of GaN thin films grown on (0001)Al_2O_3, (0112)Al_2O_3, and (0001)$_{Si}$6H-SiC substrates.—75-01358A
Thermally annealed GaN nucleation layers and the device-quality metallorganic chemical vapor deposition growth of Si-doped GaN films on (00.1)sapphire.—75-03184A
Thermally annealed GaN nucleation layers and the MOCVD growth of Si-doped GaN films on(00.1) sapphire.—75-00619A
Thermophysical studies on the substitution of Al^{3+} in gallium iron garnets.—75-06531A
Topological transitions and chemical ordering in network glasses of the Ge-Ga-S system.—75-04936A
Transformation of the defect system across the width of CdTe wafers under diffusional doping with gallium.—75-03190A
Tunable second-harmonic studies of GaN films near the fundamental band edge.—75-00627A
Two-photon and nonstationary energy exchange in $AgGaSe_2$ ternary semiconductors.—75-05509A
Use of reverse magnetron configuration source for nitrogen activation in molecular beam epitaxy of GaN.—75-08093A
X-ray diffraction determination of the degree of long-range order in epitaxial $In_xGa_{1-x}P$ [x=0.44–0.54] layers.—75-09106A
X-ray studies of the ordered structure in epitaxial $In_xGa_{1-x}P$ layers.—75-05518A

gamma rays,
Cerium-activated lanthanum beryllate as a gamma detector material.—75-00942A

garnets,
c-axis-oriented high-temperature superconductors deposited onto single crystals of gadolinium gallium garnet and method of making the same.—75-00900P
^{27}Al NMR in $Y_{3-x}Er_xAl_5O_{12}$ [x=0, 0.09, 0.18, 0.27] garnets.—75-08190A
Anisotropy of nuclear spin echo damping in yttrium iron garnet films.—75-08191A
Anisotropy of the magnetic and magnetooptic properties of HoIG:Al single crystals (low and high magnetic field).—75-03278A
Chemical modification of magnetooptic garnet film properties.—75-03281A
Comparison of the dynamic properties of samarium- and europium-containing iron garnet films.—75-08196A
Crystal field levels of Tm^{3+} in gadolinium gallium garnet.—75-01208A
Defects of rare-earth garnet-germanates of calcium, strontium, and cobalt.—75-06844A
Dependence of rate of domain walls on magnetic field in uniaxial ferrite-garnet films with different attenuation.—75-05660A
Depth-dependent lattice parameter variation and stress-induced magnetic anisotropy of ultrathin $Dy_3BiFe_4GaO_{12}$ garnet films deposited on the glass substrate by pyrolysis.—75-05661A
Design, fabrication, switching, and optical characteristics of new magnetooptic spatial light modulator.—75-00729A
$Dy_3Fe_5O_{12}$ garnet thin films grown from sputtering of metallic targets.—75-03286A
Dynamic conversion of optical modes in magnetic garnet films induced by resonances of periodic stripe domains.—75-00731A
Dynamic properties of Sm-containing ferrite garnet films.—75-08198A
Dynamics of domain walls in Fe garnet films near the compensation point of the magnetic moment.—75-07838A
Effect of praseodymium on the dynamics of domain walls in iron garnet films with rhombic magnetic anisotropy.—75-08206A
Effect of treatment in the corona discharge on the form of the hysteresis loop of Bi-containing iron garnet epitaxial films.—75-08209A
Electron paramagnetic resonance of Dy^{3+} ions in yttrium-aluminum garnet.—75-08212A
Excitation and propagation of composite spin waves in iron-yttrium garnet films.—75-08213A
Features of domain wall mobility with spin wave radiation under various attenuations.—75-08214A
Garnet/industrial.—75-06032A
Heat capacity of yttrium aluminum garnet, $Y_3Al_5O_{12}$, in the range 350–610 K.—75-08221A
Influence of radio-frequency sputtering and crystallization parameters on the structure of the BiGa-DyIG garnet films for magnetooptical recording.—75-00740A
Kinetics and thermodynamics of intracrystalline Fe-Ga distribution in $Y_3(Fe,Ga)_5O_{12}$.—75-06252A
Large dynamic magnetic domains in a variable field with an axial symmetric gradient.—75-08225A
Magnetic anisotropy and energy spectra of thullium iron garnet.—75-05685A
Magnetic properties of $Y_{3-x-y}Pr_xLu_yFe_5O_{12}$ garnet films.—75-03307A
Magnetooptical pulsed magnetic field gauges based on iron garnet films with increased speed.—75-08231A
Measurement of the Faraday effect of garnet film in alternating magnetic fields.—75-03316A
Mossbauer spectral investigations of ultrafine rare-earth garnets.—75-06281A
Phase diagrams of dynamic systems of magnetic domains.—75-05703A
Physical and magnetic microstructure of rapid thermally annealed thin-film bismuth-doped garnets.—75-03326A
Rare-earth distribution behavior and lattice parameter changes on rare-earth-substituted garnet single crystals.—75-06336A
Rare-earth-substituted ferrimagnetics.—75-00757A
Spectroscopy and green upconversion laser emission of Er^{3+}-doped crystals at room temperature.—75-00599A
Successive Bloch line write operation in a 1-μm bubble material.—75-03333A
Temperature dependences of related residual magnetization of gadolinium ferrite-garnet sublattices in the region of the point of compensation.—75-05716A
Temporary properties of magnetic reversal of iron garnet single-crystal films with easy plane type anisotropies.—75-08246A
Thermal and X-ray studies of the pyrolysis process for bismuth-substituted iron garnet films.—75-06391A
Thermophysical studies on the substitution of Al^{3+} in gallium iron garnets.—75-06531A
Transition of a domain wall to nonlinear mobility in the presence of a planar field.—75-08249A
Uniaxial anisotropy of double-layered garnet films and magnetooptical recording characteristics.—75-03339A

gases,
Calculation of Henry's constants of adsorption of noble gases on idealized surface of talc.—75-03766A
Electrical conductivity and gas sensitivity of sintered zinc oxide films in saturated steam.—75-09137A
Evaluation of the gas response of ZnO/La_2CuO_4 heterocontacts with different electrode materials.—75-00487A
Gas permeability of plasma-sprayed $MoSi_2$ coating.—75-03896A
Gas phase diagnostics for CVD diamond growth.—75-08943A
Gas purging—high-tech refractory systems.—75-07556A
Gas sensing by ac impedance under dc bias or CuO/ZnO *pn* heterocontact.—75-00497A
Infrared gas and liquid analyzers, a review of theory and applications.—75-01026A
Limited thermoelectric figure-of merit of crystalline semiconductor materials.—75-05359A
Liquid semiconductors having degenerate electron gas.—75-03081A
Relationship between crystal orientation and gas sensing property of sputtered SnO_2 films.—75-00587A
Surface chemistry of tin oxide based gas sensors.—75-00610A
Thermalization and diffusion of streams of sputtered atoms in gases.—75-09520A
Thermodynamic properties of gaseous barium germanate, $BaGeO_2$, according to high-temperature mass spectrometry data.—75-09096A
Tomographic measurements of granular flows in gases and in liquids.—75-05984A
Two-dimensional electron gas on the surface of $Cd_xHg_{1-x}Te$ near a gap-less narrow-gap phase transition.—75-08090A

gasification,
Thermodynamic calculation of gas/slag/refractory equilibria in coal gasification.—75-08710A

gehlenite,
Spectroscopic studies of the kinetics of devitrification of Nd^{3+}-doped glasses in the akermanite-gehlenite system.—75-04930A

gelation,
Recent advances in the understanding of gelation in sanitary ware slips.—75-02886A
gels,
^{17}O MAS NMR investigation of the structure of calcium silicate hydrate gel.—75-02383A
Crystallinity and stoichiometry of nanostructured sol-gel-derived $BaTiO_3$ monolithic gels.—75-08895A
Effect of ultrasound on ripening of aluminogels.—75-06587A
Fire-resistant glass and process for production thereof.—75-02746P
Fluid composition effects on silica gel aging.—75-04047A
Freeze-formed ceramic fibers: effect of preaging the gel.—75-06625A
Gel casting of silicon compositions for SRBSN [sintered reaction-bonded Si_3N_4].—75-04055A
Growth and structure of single phase mullite gels from chelated aluminum alkoxides and alkoxysilanes.—75-06629A
Living ceramic gels for bioartificial organs.—75-03653A
Low-temperature synthesis, pyrolysis, and crystallization of tantalum oxide gels.—75-06676A
Method for producing stabilized zirconium oxide powder.—75-01118P
Microscopic shrinkage-free silica gels by electrodialysis.—75-06684A
Modification of the monodispersed pore of silica gel with controlled microporous carbon.—75-01310A
Phase transformation kinetics of precursor gel to α-alumina.—75-06310A
Pore structure evolution in silica gel during aging/drying: IV. Varying pore fluid pH.—75-06708A
Preparation of Ca-ß″-Al_2O_3 from alumina gel.—75-09389A
Processes of gel formation and glass formation in the borosilicate systems.—75-05038A
Role of hydrolysis water-alcohol mixture on mullitization of Al_2O_3-SiO_2 monophasic gels.—75-06342A
Sintering of diphasic mullite gel.—75-09056A
Sol-gel preparation of alumina gels forming α-alumina around 500°C.—75-09447A
Solvent effect on aging of silica gels.—75-06776A
Structure of dispersible titania gels.—75-01949A
Synthesis and characterization of titanium oxide-based gels synthesized from acetate modified titanium butoxide precursors.—75-06792A
Synthesis of microporous silica gel and glass particles in W/O emulsion.—75-01963A
Wet chemical syntheses of ultrafine multicomponent ceramic powders through gel to crystallite conversion.—75-06829A
geometry,
Fractography, fracture mechanics, and fractal geometry: an integration.—75-04534A
germanates,
Acoustooptical efficiency of germanate glasses containing lead and bismuth oxides.—75-07320A
Chemical etching of $Bi_{12}GeO_{20}$ and $Bi_{12}SiO_{20}$ single crystals.—75-09239A
Concentration dependences of elastooptic coefficients of germanate glasses containing lead and bismuth oxides.—75-02634A
Conductivity relaxation in germanate glasses.—75-00181A
Defects of rare-earth garnet-germanates of calcium, strontium, and cobalt.—75-06844A
Effect of heat treatment on the magnetic and resonant properties of $CuGeO_3$.—75-09133A
Elaboration and characterization of $BaZnGeO_4$ ceramics.—75-03793A
Electron emission from a weak ferroelectric of lithium heptagermanate.—75-08135A
Fast luminescence and absorption in BGO and SiO_2.—75-01291A
Ferroelectric-pyroelectric texture based on glass-ceramic materials containing the $LaBGeO_5$ stillwellite-like phase.—75-07338A
Germanate glass-ceramic.—75-07420P
Infrared to visible upconversion in Er^{3+}-doped lead germanate glasses.—75-04973A
Intrinsic radiative background of $Bi_4Ge_3O_{12}$ crystals.—75-05355A
Phase composition of bismuth oxide and bismuth germanate films produced by reactive cathodic sputtering.—75-06297A
Photoinduced transformations of oxygen-deficient centers in silica and germanosilicate glasses.—75-02674A
Polymorphism and crystal chemistry of $Li_{2.5}Ga_{0.5}GeO_4$, an Li_3PO_4 analog.—75-06324A
Process for removing the OH ion in BaO-CaO-ZnO-Al_2O_3-GeO_2 glass system.—75-02738A
Production of antimony germanate, its structure, and some physical properties.—75-09172A
Raman scattering in ferroelectric $LaBGeO_5$.—75-08168A
Refractive index and elastooptical properties of germanium sillenite.—75-09179A
Spin-Peierls transition in $CuGeO_3$: electron paramagnetic resonance study.—75-03841A
Structural and dielectric properties of $PbGeO_3$-$PbZrO_3$ metastable solid solutions with perovskite structure.—75-09190A
Structural investigation of rapidly quenched Li_3BO_3-Li_4GeO_4 glasses.—75-04931A
Structural study of Rb and (Rb,Ag) germanate glasses by EXAFS and XPS.—75-04932A
Structure and optical properties of $Ca_3Ga_2Ge_4O_{14}$ thin films.—75-09192A
Synthesis of bismuth germanate.—75-09466A
Thermodynamic properties of alkali germanate melts containing lithium and sodium oxides.—75-02694A
Thermodynamic properties of gaseous barium germanate, $BaGeO_3$, according to high-temperature mass spectrometry data.—75-09096A
Third-order optical nonlinearity of TeO_2-PbO-GeO_2 glasses.—75-05000A
Unquenchable perovskite phase of $MgGeO_3$ and comparison with $MgSiO_3$ perovskite.—75-03861A
germania,
Activated reactive laser deposition of GeO_2 films.—75-01370A
Ir spectra and structure of V_2O_5-GeO_2-Bi_2O_3 glasses.—75-04910A
Low-frequency vibrational spectra of the vitreous and crystalline germanium dioxide.—75-02593A
Phase relationships in the Bi_2O_3-CuO-GeO_2 system.—75-06309A
Shock-induced amorphization of α-GeO_2.—75-01340A
Time-integrated optical emission studies of plumes generated from laser-ablated germania glass.—75-00205A
germanium,
Ab-initio calculation of the vibronic spectrum of GeSi, valence states of GeSi$^+$.—75-06150A
Acceptor levels in mercury-doped $Ge_{1-x}Si_x$ [x=0–0.3] solid solutions.—75-07778A
Atomic resolution electronic structure using spatially resolved electron energy loss spectroscopy.—75-01793A
Baric hysteresis of electrical conductivity and thermo-emf of the high-pressure phases of germanium telluride.—75-07790A
Broad photoluminescence band in heavily Ge-doped GaAs grown by the liquid-encapsulated Czochralski technique.—75-00417A
Current kinetics and kinetic coefficients in pulse fields.—75-05269A
Dielectric properties of $ZnGeP_2$ in far-ir long-wave range.—75-05280A
Dopant solubility in off-stoichiometric GeTe.—75-05285A
Effect of diffusion processes on the contact melting of metallization layers of multilayered Si-$Si_x(Ge_a)$-Al structures.—75-09504A
Effect of In dopants on the electrophysical properties of $Sn_{0.8}Ge_{0.2}Te$ thin films fabricated by laser evaporation.—75-07849A
Effect of the composition fluctuations on the dislocation kinetics in films of solid solutions of semiconductors.—75-05297A
Electrical conduction mechanism in amorphous thin films of the system $Ge_{20}Bi_xSe_{70}\delta_xTe_{10}$ [x=7, 9, 11, and 13].—75-07726A
Electrical properties of ytterbium-doped $Pb_{1-x}Ge_xTe$ solid solutions.—75-06457A
Electron transport in $Ge_{1-x}Si_x$ alloys at low electric fields.—75-07874A
EPR study of defect formation and γ-irradiation effects in Ge-S-Ga glasses.—75-07337A
Excited states of sulfur and selenium in germanium.—75-03024A
Experimental study of the influence of uniaxial pressure on the effects of hot holes in p-germanium in longitudinal electric fields.—75-05319A
Features of electron-stimulated changes of the optical absorption limit of amorphous germanium monoselenide and monosulfide films.—75-07887A
FGM compliant pad design for high-efficiency silicon germanium thermoelectric cell.—75-03029A
First-principles study of the thermal reactions of H_2 with germanosilicate optical fibers.—75-04898A
Galvanomagnetic effects in antiferromagnets. Temperature dependences.—75-08218A
Ground impurity states of substitutional silver atoms in $Ge_{1-x}Si_x$ crystals.—75-03038A
Hall factor of electrons in $Ge_{1-x}Si_x$ crystals when phonon scattering and scattering due to alloy disorder are dominant.—75-03042A
Heat capacity and thermodynamic functions of $Ge_3As_2Te_3$ and $GeAs_2SeTe_3$ glassy phases in the range 55–320 K.—75-08946A
Identification of point defects localized near the semiconductor interface by acoustic wave perturbation.—75-07915A
Imaging of buried Si and Si:Ge surface structure under amorphous Ge films by planview transmission electron microscopy.—75-00511A
Impurity photoresistor in optical heterodyne pulse mode.—75-05342A
Induced intracenter radiative transitions in a strongly deformed p-Ge.—75-07920A
Influence of MnS and $MnCl_2$ on the glass structure in the GeS_2-Ga_2S_3 system.—75-02591A
Interface properties of thin oxides grown on strained Ge_xSi_{1-x} layer.—75-00524A
Intervalley redistribution of electrons under impact ionization of neutral donors in uniaxially strained germanium crystals.—75-03071A
Investigation of the vicinal Ge(001) surface with STM.—75-00527A
Local inhomogeneities in single crystals of Ge-Si solid solutions.—75-09512A
Low-temperature breakdown of donor states of Sb impurities in $Ge_{1-x}Si_x$ alloys.—75-07954A
Low-temperature diffusion of oxygen and formation of thermodonors in silicon doped with an isovalent impurity of germanium.—75-05365A
Near-infrared spectral characteristics of Ge-doped cultured quartz crystals.—75-01894A
New phosphide of $Ni_5Ge_2P_3$ and its structure.—75-06288A
Ni-Ge-P system.—75-06289A
Optimization of annealing conditions for controlling composition of $(Pb_{1-x}Ge_x)_{1-\delta}Te_{1+\delta}$ crystals.—75-05412A
Origin of fracture in the surface layers of Ge and Si single crystals.—75-09657A
Peculiarities of a photoconductivity spectrum in compensated germanium.—75-03112A
Photoconductivity caused by the tellurium impurity in germanium.—75-03115A
Photoinduced dichroism in germanosilicate optical fibers.—75-04987A
Photoluminescence spectra in plastically deformed [Ge and Si] semiconductors and electronic states in split dislocations.—75-08018A
Preparation of Ge quantum crystallites embedded in a-SiN_x by the PECVD method.—75-06729A
Properties of amorphous films from hydrogenated solid solution of the germanium-silicon system.—75-08027A
Refractive index of SiO_2 glass at hydrostatic pressures up to 5 GPa.—75-02682A
Small area contacts of different metals to p-type germanium.—75-08057A
Sublattice location of GaAs grown on Ge.—75-00609A
Superconducting and electrophysical properties of thin films of $Sn_{1-x}Ge_xTe$:In solid solutions.—75-08424A
System of fast surface electron states on the real surface of germanium.—75-08076A
Thermal and photo-initiated reactions of H_2 with germanosilicate optical fibers.—75-06390A
Topological transitions and chemical ordering in network glasses of the Ge-Ga-S system.—75-04936A
Transverse photovoltage in a [Ge-GaAs] heteroepitaxial structure.—75-03192A
Voltage-current characteristics of n-p-p^+ structures based on silicon-germanium solid solution compensated with chromium.—75-08094A
gibbsite,
Gamma alumina from gibbsite.—75-01513A
Preparation of high-temperature catalytic support from gibbsite: II. Properties of amorphous alumina [AA] as precursor of catalyst support.—75-09396A
Transformation of γ-AlOOH (boehmite) and $Al(OH)_3$ (gibbsite) to α-Al_2O_3 (corundum) induced by high-energy ball milling.—75-04261A
glass fibers,
Clustering in erbium-doped silica glass fibers analyzed using 980-nm excited-state absorption.—75-00180A
Effect of fiber volume fraction on the fatigue behavior of GRP [glass-fiber-reinforced polyester] pultruded rod composites.—75-06965A
Effect of sizing agent on corrosion of glass fibers in water.—75-04954A
Glass compositions and fibers therefrom.—75-07421P
Glass compositions and fibers therefrom.—75-07422P
Low-loss fluorozirco-aluminate glass fiber.—75-05026A
Mechanical performance of carbon-fiber- and glass-fiber-reinforced epoxy I-beams: I, Mechanical behavior.—75-07004A
New twist to glass fiber.—75-02734A
Process for preparing a ceramic porous body.—75-03548P
Reexamination of the analysis of in-plane matrix failures in fibrous composite laminates.—75-07027A
Stress modeling and dilatometric study of glass-based fiber and microchannel composites.—75-02687A
glass industry,
Anchor Glass chairman prods industry to expand R&D funding and marketing drive.—75-09703A
Congress and science & engineering funding.—75-02120A
Deco '94, SGCD's 31st Annual Seminar and Exhibition.—75-04699A
Environmental conservation—what does the future hold?—75-02127A
First half sales strong in several key markets.—75-04707A
Flat glassmaker sees more growth and opportunity.—75-04708A
GBC Materials [Latrobe, PA], job shop in the '90s.—75-04710A
Glass Problems Conference focuses on environmental issues.—75-09715A
Glassman '96 focuses on the environment and industry progress.—75-09716A
Good news for the glass container industry—containers see major growth in two key segments.—75-04712A
Government actions to help reconcile interrelationship of energy, environment, and economic development.—75-02131A
How Anchor established more effective customer relationships.—75-09720A
Lightweighting, joint-venture help container maker increase market share.—75-04721A
Making Title V permits simpler, more comprehensive, and flexible: I.—75-09726A
McConnell receives 1995 Phoenix Award.—75-09728A
Mutual interaction of the development of glass and refractories technology.—75-09729A
New approach to joint research and development: determining the potential for a partnership between the glass industry and the federal government.—75-07089A
Newest refractory products for glass plants.—75-02825A
Opportunities and obstacles, challenges and changes in the glass container industry.—75-02137A
Problem of commercial growth in regulated times.—75-02141A
Raw materials purchasers approve of current quality and level of service.—75-04740A
Reengineering program helps container maker take a fresh look at new ways to do business.—75-04741A
Renewed glass division reaps the rewards.—75-04742A
Research, planning, and teamwork facilitate completion of Title V permit applications: II.—75-09733A
Title V permits in the glass industry: making them simple, comprehensive, and flexible.—75-07097A
Two priorities for the glass industry.—75-02151A
U.S. auto industry helps British glassmaker improve earnings.—75-04763A
Various media fill different information needs.—75-09739A
What can New York State colleges do for the glass industry.—75-02153A
glass melts,
Chromic oxide blocks for use in glass container industry.—75-07492A

Corrosion model for metals in molten glass.—75-07294A
Determination of the redox state of a glass melt by electrochemical measurements.—75-03455A
Electrical corrosion of Inconel 690 as an electrode material for waste glass melters.—75-08501A
Electrochemical corrosion and protection of electrodes for a simulated high-level waste high-temperature glass melter.—75-08502A
Electrode corrosion in simulated low-level nuclear waste glass melts.—75-08503A
Glass melting under microgravity.—75-05014A
Interaction of molybdenum with molten glasses.—75-07304A
Interface reactions between glass melts containing transition metal oxides and ferrites.—75-04907A
New description and interpretation of the flow behavior of glass-forming melts.—75-05029A
New oxy-fuel burner provides benefits to glass melters.—75-03622A
Numerical simulation of bubble behavior in glass-melting tanks: I, Under ideal conditions.—75-07390A
Submerged combustion furnace for glass melts.—75-06010A
Volatilization during thermal plasma processing of glass melts containing heavy metals.—75-05919A

glass,
n(=1,2,3) dimensional, FT-EPR spectroscopy and MNDO [molecular neglect differential overlap] calculations for the interpretation of the HC_1 center detected in silicate glasses.—75-07281A
^{29}Si and ^{31}P MAS-NMR spectra of Li_2S-SiS_2-Li_3PO_4 rapidly quenched glasses.—75-00175A
Abrasive waterjet cutting front characteristics in machining of glass.—75-00009A
Absorption and emission spectra of Er^{3+}-doped fluoroborate glasses.—75-00176A
Acidic and catalytic properties of ground glass microspheres of different chemical composition.—75-02573A
Acousto-ultrasonic study of the effect of porosity on a sintered glass system.—75-04880A
Active glasses for the near-infrared.—75-00177A
Amber chromophore in float glass.—75-00169A
Amber photochromic glasses.—75-07408P
Analysis and modeling of glass melting.—75-02700A
Analysis of particle motion in the two-well potential: relation to characteristic low-temperature properties of silica glass.—75-02623A
Analyzing glass strength data using the distribution of flaw depth.—75-00178A
Anharmonicity of interatomic and intermolecular bonds and physicomechanical properties of polymer glasses.—75-02624A
Anodic bonding of diamond to glass.—75-08511A
Apparatus and method for applying a coating to glass using a screen printing process.—75-08549P
Application of lead alkali-silicate bonding glass to ferrite heads.—75-05656A
Application of positron age momentum correlation measurement to the study of defects in electron-irradiated synthetic silica glass.—75-00179A
Application of the optical second harmonic generation method in the study of the crystallization of noncentrosymmetric phases in glasses.—75-02574A
As U.S. market improves, North American operations become bright spot for Glaverbel.—75-04677A
Automobile window glasses with complex shapes.—75-05001A
Ball posts 30% earnings increase for quarter.—75-02701A
Batch and cullet preheating for oxyfuel melting—the new paradigm for competitive advantage.—75-01055A
Bone replacement part made of glass ionomer cement.—75-01100P
Brown photochromic glasses.—75-07410P
Cadmium-free and lead-free thick film conductor composition.—75-02943P
Calculation of concentration, density, and stress fields in glass upon ion exchange: statement of the problem.—75-07325A
Calculation of properties and stresses in glass layers modified by ion exchange: II, Relaxation of properties of thin layers of glass after rapid changes in its composition.—75-07326A
Calculation of the dc conductivity activation energy of ionically conducting glasses.—75-04881A
Calorimetric investigations on As-Te-Se and Ge-As-Se glasses.—75-04882A
Ceramic color composition and method of forming ceramic color film on glass plate using same.—75-00224P
Ceramic glass composition.—75-07411P
Ceramic microelectronics package.—75-05522P
Ceramic resistor wherein a resistance film is embedded.—75-00391P
Ceramic substrate and a method for producing the same.—75-08564P
Ceramic Transactions, Volume 64: Fractography of Glasses and Ceramics, III.—75-04770B
Ceramic Transactions, Volume 78: Corrosion of Materials by Molten Glass.—75-09741B
Ceramic-like opaque glass.—75-07413P
Chalcogenide glasses containing metal chlorides.—75-07286A
Change in refractive index of silicate glasses under ionizing radiation.—75-02628A
Character mechanism of formation and transformation of point defects in type IV silica glass.—75-02703A
Characterization of porous glasses by means of porosimetry.—75-02630A
Chemical durability of simulated nuclear waste glasses containing water.—75-03451A
Chemical stability of glasses in the selenium-sulfur system.—75-04945A
Choice of dimensionless parameters for analysis of relaxation changes in glass products.—75-02632A
Chromophore doped glasses as scintillator materials.—75-00209A
Coating composition for glass containers.—75-05047P
Cobalt-free, black, dual-purpose porcelain enamel glass.—75-07257P
Colored glass crumb for finishing.—75-02577A
Colorless ophthalmic glasses.—75-07416P
Composites take glass into the 21st century.—75-04694A
Composition of the critical nucleus in phase-separating glasses.—75-07291A
Compositional dependence of Er^{3+} upconversion luminescence in MF-LiF-ZrF_4 glasses (M=alkali metals).—75-04885A
Compressive fatigue crack growth behavior of alumina and glass.—75-06945A
Computer modeling of the crystallization of 2-D anharmonic glasses.—75-08645A
Cooling capacity of water-air mixtures in hardening of thin glass.—75-07378A
Correlation of crystallization character of glass melts with the temperature dependence of their viscosity and the degree of spatial structural connectiveness.—75-02635A
Corrosion [of refractories]: a review of some fundamentals.—75-07494A
Corrosion behavior of DWPF glasses.—75-03454A
Corrosion of zinc-containing cabal glasses by various leaching solutions.—75-02636A
Crack initiation during Hertzian indentation of normal and anomalous glasses—a study using fractography and acoustic emission.—75-02637A
Crystallizability of optical glasses and their melts.—75-02580A
Crystallization kinetics of high-cordierite glass.—75-02581A
Crystallization of Fe-B-Si metallic glass during ball milling.—75-02449A
Crystallization of nickel-bearing stoichiometric cordierite glasses.—75-06564A
Crystallization of TiO_2-doped glass-ceramic in the system MgO-CaO-SiO_2-P_2O_5.—75-00210A
Crystallization of ZBLAN glass.—75-04891A
Crystallized glass compositions for coating oxide-based ceramics.—75-03205P
Cullet and recycling products.—75-02582A
Cutting technology expands glass production.—75-02706A
Dc and ac electrical properties of amorphous $Bi_4Sr_3Ca_3Cu_4O_{16}$.—75-05741A
Decorating in a changing world—SGCD [Society of Glass and Ceramic Decorators] '94.—75-02230A
Decorating news.—75-02707A
Decorating porcelain ware with precious and semiprecious stones and colored glass.—75-07122A
Degradation of the strength of glass after light contact with other materials.—75-02641A
Density of xNa_2S-$(1-x)B_2S_3$ (x=0 to 0.8) glasses: correlation with short-range order.—75-00183A
Designing aluminum sealing glasses for manufacturability.—75-00211A
Development of hydroxyapatite with enhanced mechanical properties: effect of high glass additions on mechanical properties and phase stability of sintered hydroxyapatite.—75-01434A
Devitrification of granulated blast-furnace slag and slag-derived glass powders.—75-05994A
Dielectric confinement and linear and nonlinear optical properties of semiconductor-doped glasses.—75-04948A
Dielectric relaxation and behavior in Li-doped semiconducting Bi-Sr-Ca-Cu-O glasses.—75-04950A
Direct observation of the fracture of CAS-glass/SiC composites: II, Notched tension.—75-06960A
Dissolution kinetics of silica glass as a function of pH between 40° and 85°C.—75-02644A
Dissolution of lead crystal glass (24% PbO) in aqueous solutions of ethyl and methyl alcohols.—75-07381A
DTA study of nucleation and crystallization of MgO-CaO-SiO_2-P_2O_5 glass-ceramics containing ZrO_2, $BaCO_3$, and Li_2CO_3.—75-00170A
Dynamic properties of water in porous Vycor glass studied by dielectric techniques.—75-04892A
Dynamical scaling for spinodal decomposition—a small angle neutron scattering study of porous Vycor glass with fractal properties.—75-04951A
Effect of controlled crystallization on the chemical durability of a lead-containing waste glass.—75-05005A
Effect of crystallization on the chemical durability of simulated nuclear waste glasses.—75-03460A
Effect of crystallization on the durability of mixed waste glasses.—75-03461A
Effect of different glasses in glass-bonded zeolite.—75-03462A
Effect of disorder on the Raman spectra of glasses.—75-02583A
Effect of drying control chemical additives [DCCA] in sol-gel-glass monolith processing.—75-02709A
Effect of ion implantation on thermal shock resistance of magnesia and glass.—75-04497A
Effect of oxygen partial pressure on the oxidation behavior of carbon fibers and carbon fiber/glass matrix composites.—75-06922A
Effect of quenching a rod on the properties of a gradient-index image translator.—75-09281A
Effect of segmentation of conductive coatings on the radio wave reflection from solar control sheet glass.—75-07331A
Effect of stress on water diffusion in silica glass at various temperatures.—75-06584A
Effect of the composition and age of solution on the properties of thin films deposited on glass.—75-07332A
Effect of the temperature of acid leaching on the strata formation in microporous glass plates.—75-02712A
Effect of TiO_2, ZrO_2, and P_2O_5 on the crystallization of SiO_2-Al_2O_3-MgO-CaO-N_2O glass system.—75-07297A
Effect of water on phase separation of sodium silicate glasses.—75-05008A
Effects of glass composition on compressive strength of bioactive cement based on CaO-SiO_2-P_2O_5 glass powders.—75-02648A
Effects of nitrogen and carbon ion implantation on devitrification of silica glass.—75-05009A
Effects of P_2O_5 and CaF_2 on the hydroxyapatite layer formation in bioactive glasses.—75-00214A
Elastic properties and cohesive energy of glasses in the R_2O-TeO_2 system.—75-02650A
Electrical relaxation in glasses and melts with large concentrations of mobile ions.—75-04962A
Electrically heated glass.—75-07383A
Electron spin resonance of transition elements in fluoride and oxyfluoride glasses.—75-02586A
Energetics and structural changes associated with phase separation and crystallization in lithium silicate glass.—75-04896A
Environmental considerations in glass furnace selection.—75-01058A
EPR of radiation-induced defects in fluoroaluminate glasses.—75-04963A
EPR study of defect formation and γ-irradiation effects in Ge-S-Ga glasses.—75-07337A
Errors of the glass viscosity measurements by the beam-bending method as a result of defects of specimen surface and shape.—75-02587A
Evaluation of models of waste glass durability.—75-03464A
Evolutionary developments in laser glass.—75-05318A
EXAFS spectroscopic study of the structure of fluorozirconate glasses.—75-07298A
Exposure to water vapor of MOS capacitors passivated with PbO-based glasses.—75-07729A
Fabrication of optically transparent short-fiber-reinforced glass matrix composites.—75-02715A
Features of structural formation and properties of alkali slag binders on liquid glass of microsilica.—75-07299A
Features of structural relaxation of glass in Na^+-Li^+ ion exchange.—75-02653A
Features of the process of hot-pressing glass compositions.—75-07385A
Fiberoptic cables pave road to new technology.—75-02716A
Fine $BaTiO_3$ powder produced by the glass crystallization technique.—75-01503A
Fire-resistant glass and process for production thereof.—75-02746P
Firing PbO-free glass enamels using the cw-CO_2 laser.—75-07386A
Flat glass news.—75-02717A
Fluorinated glasses.—75-07418P
FMC begins construction of new soda ash production facility.—75-02718A
Foamed glass manufacture.—75-07419P
Formation and segregation of copper, cadmium, and silver chlorides in photochromic glass.—75-02588A
Formation of Sm^{2+} ions in sol-gel-derived glasses of the system Na_2O-Al_2O_3-SiO_2.—75-02654A
Fracture process of silicon carbide fiber-reinforced glasses.—75-04967A
Fracture toughness of Bioglass/ceramic systems.—75-04542A
French firm wins Benedictus Award.—75-02719A
Fullerenes entrapped in porous glass.—75-00171A
Genesis of the vitreous state: effect of pressure on the thermodynamic properties of glasses and their structure.—75-02589A
Geometric probability of reproducibility of disordered sphere packing as a model of metallic glass.—75-03567A
Giants in glass.—75-02721A
Glass and ceramic waste forms—applications and materials properties.—75-03467A
Glass composition development for high sodium content nuclear waste.—75-03468A
Glass container forming machine with a controller for controlling controllers.—75-03543P
Glass container reuse: refillables hold opportunity for glass industry.—75-07076A
Glass enamels in the electronics industry (review).—75-07732A
Glass formation and crystallization in AlF_3-YF_3-BaF_2-CaF_2-MgF_2.—75-04900A
Glass formation and crystallization of barium ferrite in the Na_2O-BaO-Fe_2O_3-SiO_2 system.—75-03294A
Glass formation and properties of glasses in the $(Sb_2S_3)_{1-x}(PbI_2)_x$ system.—75-02655A
Glass formation and properties of glasses in the AlF_3-ZnF_2-PbF_2-YF_3 system.—75-05012A
Glass formation in SnF_2-ZrF_4-BaF_2-GaF_3.—75-02722A
Glass formation in the $Al_2(SO_4)_3$-H_2O system.—75-07301A
Glass formation in the ternary $ZnBr_2$-$HgBr_2$-CsBr system.—75-07302A
Glass polishing.—75-00215A
Glass production method using ilmenite.—75-07423P
Glass-added strontium ferrite of high coercivity.—75-08220A
Glass-bonded ceramic material from chrysotile.—75-06627A
Glass-forming ability and glass stability in simple systems.—75-05016A
Glass-forming ability of rare earths in fluorozirconate glasses.—75-05017A
Glasses for flat panel display.—75-07424P
Glassmakers share conversion stories at air products/combustion TEC oxy-fuel symposium.—75-02724A
Glassware inspection machine comprising diffused light sources and two-dimensional cameras.—75-08580P
Gold nanoparticles ion implanted in glass with enhanced nonlinear optical properties.—75-04969A
Grazing incidence X-ray reflectance measurement of surface and interface roughness on the subnanometer scale.—75-01858A
Growth kinetics of spherulitic apatite in some MgO-CaO-SiO_2-P_2O_5 glasses.—75-04902A

Heat conductivity of LiF-NaF-Al(PO_3)$_3$ mixed alkali glasses.—75-02656A
Heat-screening glass.—75-00226P
Heavy fluoride glasses as an alternative to crystals in high-energy physics calorimetry.—75-00927A
High index glasses.—75-07429P
High-modulus glasses and glass fibers.—75-00189A
High-order resonance structures in an Nd-doped glass microsphere.—75-04970A
High-pressure discharge lamp with ceramic discharge vessel and ceramic sealing means having lead-through comprising thin wires having a thermal coefficient of expansion substantially less than that of the ceramic sealing means.—75-06090P
High-temperature corrosion resistance of glass refractories and electrodes.—75-09592A
How to manufacture glass-forming molds.—75-07387A
Improvement of the chemical composition and founding technology of high-lead glass in a high-efficiency furnace.—75-08728A
Increase in shock resistance of glassware via change in technological history.—75-02658A
Indentation crack shapes and their evolution during subcritical crack growth in ion-exchanged glasses.—75-02659A
Influence of activator concentration on the spectroscopic properties of radiophotoluminescent glasses.—75-02660A
Influence of loading rate and processing atmosphere on pullout of SiC fibers from Pyrex glass.—75-02725A
Influence of the structural relaxation of a glass on the refractive index gradient in ion exchange at temperatures near T_g.—75-02662A
Initiatives in high-level radioactive waste vitrification.—75-00930A
Innovative environmental solutions to radioactive waste management—blending technology and resources.—75-00931A
Interaction of magnesium-containing refractories and melts of optical glass.—75-07584A
Interaction of solutes with silicate glass and its effect on dissolution rates.—75-05022A
Internal friction in Bi-Sr-Ca-Cu-O glasses.—75-03376A
Internal friction of Pyrex glass and SiC whisker-reinforced glass matrix composites.—75-04974A
Ionic conductivity and Raman spectroscopic investigations of B_2O_3-Na_2O-Na_2I_2 glasses.—75-07341A
Irreversible and reversible changes in silica glasses observed by electrical properties: I, Synthetic silica glass by flame fusion.—75-00190A
Is your glass full of water.—75-05023A
Kinetic measurements of glass formation.—75-08676A
Kinetic model of structural relaxation in oxide glasses.—75-07343A
Kinetics of formation of lanthanum and yttrium glasses at 1200°C and pO_2=2 kbar.—75-05024A
Lanthanide and actinide doped glasses as reference standards for dye doped systems.—75-04912A
Lanthanide containing oxide glasses.—75-04913A
Lead glass composition series for gradient glasses.—75-07430P
Lead-free ceramic insulator.—75-05224P
Lithium-sodium metaborate glasses: structural aspects and vitrification chemistry.—75-04914A
Locating an oxygen probe for the measurement of oxygen activity in commercial glass melts.—75-00191A
Long-term performance of glasses for Hanford low-level waste.—75-03477A
Long-term test results from a West Valley actinide-doped reference glass.—75-03478A
Low-E glass coating system and insulating glass units made therefrom.—75-07431P
Luminescence spectra of silica glasses [studied] by time-resolved technique.—75-02594A
Machining of silica glasses using excimer laser radiation.—75-07389A
Manipulation know-how facilitates novel coating system.—75-03525A
Manufacturing tailored property ceramic composites.—75-00961A
Marbles take center stage at hand glass meeting.—75-04722A
Measurement of mixed-mode delamination fracture toughness of unidirectional glass/epoxy composites with mixed-mode bending apparatus.—75-05956A
Mechanical properties and failure analysis of alumina-glass dental composites.—75-07005A
Mechanical strength increase of abraded silica glass by high pressure water vapor treatment.—75-04980A
Melting of cobalt glass in a small furnace with electrical heating.—75-03619A
Method for producing a glass thin film with controlling an oxide vapor of an additive.—75-07432P
Method of forming a ceramic composite.—75-03671P
Method of making high performance, durable, low-E glass.—75-00227P
Method of preparing fiber-reinforced glass composites.—75-07376P
Method of preparing nonglare glass.—75-00228P
Method of strengthening glass.—75-05050P
Method of using oxygen measuring probe.—75-07377P
Methods of making nitride glasses.—75-05051P
Microhardness of phosphate glasses.—75-04981A
Microscopic model for two-level system dynamics in glasses.—75-02667A
Mixed alkali effect in the 30[(1−x)Li_2O-xNa_2O]:70TeO_2 glass system.—75-04916A
Mixed oxide effect in an ion-exchanged glass.—75-02731A
Mo K-edge XAFS in Na_2O-K_2O-SiO_2 glasses.—75-07305A
Mode-mismatched thermal lens determination of temperature coefficient of optical path length in soda-lime glass at different wavelengths.—75-00193A
Model of free abrasive machining for glasses and brittle ceramics.—75-00969A
Modern automotive glasses.—75-07351A
Modern system for process control in the production of charge glass.—75-08732A
Monophasic silica glasses with large neodymia concentration.—75-05028A
Multicomponent diffusion in glasses in terms of flow switching and conjugation.—75-07352A
Multiple boron sites in borate glass detected with dynamic angle spinning nuclear magnetic resonance.—75-04917A
Nature of cracks emerging in glass insulators in the course of manufacturing 2RMG plugs.—75-02670A
Nature of fluctuation-free volume in liquids and glasses.—75-07354A
Neutron diffraction and solid-state MAS-NMR studies of the structure of Y-Al-Si-O-N oxynitride glasses.—75-02597A
New approaches to preparation of ensemble of semiconductor nanocrystals with narrow size distribution.—75-05396A
New Faraday rotation glass with a large Verdet constant.—75-02671A
New glass tempering system substantially reduces energy costs.—75-02732A
New products for glass container manufacturers.—75-02733A
New products from overseas.—75-03529A
New technologies must continue to meet increasing environmental demands.—75-02598A
Nitride glasses and methods of making same.—75-07433P
NMR spectroscopic study of structural and dynamic features of fluorine in Al(PO_3)$_3$-BaF_2-MF_n glasses.—75-07307A
Nonaxisymmetric residual stress distribution in axisymmetric glass articles.—75-07356A
Nonicing pump improves production process.—75-03531A
Nonlinear optical properties of some tellurium(IV) oxide glasses.—75-00194A
Nuclear magnetic resonance and transmission electron microscopy studies of mixed alkali silicate glasses.—75-02599A
Observation of cell structures developed by Marangoni convection in glass thick films.—75-00218A
Optical filter glasses.—75-07434P
Optical glass with refractive index of 1.75 and high specific refraction for spectacle optics.—75-07309A
Optical glass.—75-05052P
Optical nonlinearity and structure for a PbO, TiO_2, SiO_2, and K_2O quaternary glass system.—75-00195A
Optical nonlinearity in glasses.—75-04983A
Optical properties of Pr^{3+} ions in lithium borate glasses.—75-07358A
Optical, thermomechanical, and MOS properties of ZnO- and PbO-based glasses.—75-04986A
Parameters of the free volume theory for As-S-Br glasses.—75-02673A
Performance of high plutonium containing glasses for the immobilization of surplus fissile materials.—75-03483A
Photochemical hole burning [PHB] and local structural change in Sm^{2+}-doped borate glasses.—75-00173A
Photoinduced transformations of oxygen-deficient centers in silica and germanosilicate glasses.—75-02674A
Plate impact response of ceramics and glasses.—75-02085A
Possible replacement of raw materials in continuous production of glass articles.—75-07394A
Potentiometric determination of chloride in glass and glassmaking raw materials.—75-08696A
Predicting the relative machinability of optical glass from composition.—75-00196A
Prediction of nuclear waste glass dissolution as a function of composition.—75-03485A
Prediction of processing properties for nuclear waste glasses.—75-03486A
Preparation of chalcogenide glasses in chlorine reactive atmosphere.—75-07396A
Preparation of copper-ruby glasses by sputtering: the effect of atmosphere on the growth of copper particles.—75-02736A
Preparation, characterization, and crystallization of calcium silicate glasses derived from melt and sol-gel routes.—75-00220A
Problem of interrelation between electronic structures in noncrystalline substances and crystals.—75-02677A
Process and device for the inspection of glass.—75-05928P
Process for producing low-shrink ceramic composition.—75-08619P
Process for producing synthetic quartz glass powder.—75-08621P
Process for removing the OH ion in BaO-CaO-ZnO-Al_2O_3-GeO_2 glass system.—75-02738A
Process for the production of a homogeneous ream-free body made of quartz glass.—75-02747P
Production of submicron glass spheres from immiscible glass phases.—75-07398A
Production of water glasses in the presence of hydrogen peroxide.—75-05039A
Properties of a loess-cinder-flotation waste system using a simplex-latticed design.—75-07362A
Properties of fluorozirconate glasses containing gallium and indium trifluorides.—75-02679A
Properties of glasses for Idaho mixed waste vitrification.—75-03490A
Prospects of strengthening thin and superthin glasses.—75-07399A
Quantum-chemical study of interlayer interaction in vitreous B_2O_3.—75-02680A
Quantum-size effects on the band edge of CdTe clusters in glass.—75-02739A
Raman scattering in multicomponent halide glasses.—75-02604A
Raman spectra of MO-TeO_2 (M=Mg, Sr, Ba, and Zn) glasses.—75-04922A
Rayleigh scattering in silica glasses.—75-07363A
Real-time hot-stage high-voltage transmission electron microscopy precipitation of CdS nanocrystals in glasses: experiment and theoretical analysis.—75-00221A
Recent trends in fused-cast refractories for glass tank furnaces.—75-07643A
Recycling flue gas particulate waste from glass-melting operations.—75-03628A
Reinforced glass and/or ceramic matrix composites.—75-00230P
Relationship between microstructure and efficiency of scintillating glasses.—75-00198A
Relative impact of manufacturing vs service flaws on design of glass articles.—75-00199A
Relaxation processes in silica glass.—75-07364A
Retardation of fatigue crack growth in ceramics by glassy ligaments: a rationalization.—75-04622A
Role of fluorine ions in the polychromatic process.—75-07366A
SAXS study of the micro-inhomogeneity of industrial soda lime silica glass.—75-04925A
Scintillating glass fiberoptic neutron sensors.—75-00222A
Sealed glass coating of high-temperature ceramic superconductors.—75-00917P
Sealing glass compositions using ceramic composite filler.—75-07275P
Segregation affects glass quality.—75-05041A
Silicon oxycarbide glasses with low O/Si ratio from organosilicon precursors.—75-05042A
Simple models for thermomechanical behavior of glass products during their molding by drawing.—75-02742A
Simplest model for calculation of isothermal kinetics of the nucleation-and-growth type phase separation in the course of one-step heat treatment.—75-02605A
Simulation of glass processes with Polyflow, a finite element program.—75-05977A
Sintering of glass matrix composites containing Al_2O_3 platelet inclusions.—75-05044A
Slag waste in the production of glass crystallite.—75-07400A
Slow cooling dynamics of the Ising p-spin interaction spin-glass model.—75-09057A
Solid inclusions in optical glass.—75-02607A
Solution doping of sol-gel bodies to make graded index glass articles.—75-02748P
SPC improves production at Consumers Glass[, Toronto, Canada].—75-02743A
Special features of the technology of continuous production of sheet figured glass with an elevated content of glass scrap.—75-02744A
Stability criterion of the production technology for diffusers from flashed opal glass.—75-07369A
Stability of hydroxyapatite in glassy matrices.—75-02685A
Stability of the potentials of glassy electrodes and their asymmetric potential.—75-04995A
Statistical experimental design of a waste glass study.—75-03497A
Strength characteristics of laminated glass.—75-00201A
Strengthening of multilayer ceramic/glass articles.—75-00409P
Strontium calcium aluminate glasses.—75-07401A
Structural and magnetic properties of Fe_2O_3-P_2O_5-Na_2O glasses: I, Oxygen heat treatment.—75-07371A
Structural investigation of rapidly quenched Li_3BO_3-Li_4GeO_4 glasses.—75-04931A
Structural role of aluminum ions in sodium aluminophosphate glasses.—75-00174A
Structural studies on RD-MgO-Al_2O_3-SiO_2 (R=Ca, Sr, or Ba) glassy systems by density measurements.—75-04996A
Structural study of Rb and (Rb,Ag) germanate glasses by EXAFS and XPS.—75-04932A
Structure and radiative properties of aluminophosphate glasses.—75-04933A
Structure of glass.—75-07314A
Structure of the polished surface of silica and silicate glasses from adsorption studies.—75-02615A
Summer glass technology seminar covers environmental issues, controls, and partial oxy-fuel conversions.—75-02616A
Surface analyses of SRS glasses buried in limestone for up to 5 years.—75-03500A
Surface and internal crystallization in glasses as determined by differential thermal analysis.—75-07316A
Surface layer formation due to leaching and heat treatment of alkali lead silicate glass.—75-07402A
Surface modification of glass microspheres by carbon.—75-07403A
Synthesis and characterization of metal boride/glass composite resistors.—75-00379A
Synthesis of microporous silica gel and glass particles in W/O emulsion.—75-01963A
Temperature and frequency dependence of multiphonon absorption in halide glasses.—75-02692A
Tensile properties of optical fiber–glass matrix sensor-based composite.—75-04997A
Thermal properties and crystallization kinetics of new fluoride glasses.—75-02617A
Thermal strain and viscous flow of glass films.—75-01360A
Thermochromism and temperature dependence of the energy gap in cadmium aluminum bismuthate glasses.—75-07372A
Thermoviscoelastic theory of freezing of stress and strain in a symmetrically cooled infinite glass plate.—75-02695A
Thick-section AS4-graphite/E-glass/PPS [poly(phenylene sulfide)] hybrid composites: I, Tensile behavior.—75-07048A
Thick-section AS4-graphite/E-glass/PPS [poly(phenylene sulfide)] hybrid composites: II, Flexural response.—75-07049A
Thin film coatings and the glass industry.—75-00223A
Thin-film diamond coatings on glass.—75-07406A
Time-integrated optical emission studies of plumes generated from laser-ablated germania glass.—75-00205A
Towards perfectly parallel and flat sheet and plate glass surfaces.—75-05045A

Transmission electron microscopy and electron energy loss spectroscopy characterization of glass phase in sol-gel-derived mullite.—75-09580A
Trend reversal.—75-03535A
Turning furnace waste into glass raw material.—75-03634A
Ultraviolet absorption and fluorescence spectra of cerium and the effect of glass composition.—75-07374A
Ultraviolet ray absorbent glass and method for preparing the same.—75-07438P
Use of boundary element method to design glass and metal components.—75-05918A
Use of different methods of electron microscopy for study of inhomogeneities in porous glasses.—75-05989A
Use of zinc selenite in glass manufacture.—75-05046A
Using Armenian rock as a glass crystal material.—75-08768A
Using glass in the body.—75-02152A
Vacuum heat treatment of nitrogen ceramics.—75-04271A
Vapor deposition method for depositing a film of fluorine-containing glass on a substrate.—75-05053P
Vibrational study of the role of trivalent ions in sodium trisilicate glass.—75-04939A
Viscous phase sintering of particle-reinforced glass matrix composites.—75-07407A
Water-based paint for glass sheets.—75-07439P
Water-repellent glass and process for producing the same.—75-00231P
XRF in waste glass analysis and vitrification process control: III. Rapid and accurate chemical analysis of vitrified wastewater treatment sludge surrogates.—75-03510A

glass-ceramic,
Crystallization of sol-gel-derived glass-ceramic powders in the CaO-MgO-Al_2O_3-SiO_2 system.—75-04890A
Formation of a new bioactive glass-ceramic.—75-03648A
Influence of microstructure on indentation hardness of a ZnO-Al_2O_3-SiO_2-TiO_2 glass-ceramic.—75-00216A

glass-ceramics,
Advanced glass-ceramic materials for high-density multilayer glass-ceramic substrate.—75-00207A
Angular emissivity at room temperature and spectral reflectance at near normal incidence of float glass, borosilicate glass, and glass-ceramics.—75-07323A
Biocompatible glass-ceramic coatings for titanium alloys (review).—75-02438A
Candidate glass-ceramic waste forms for immobilization of the calcines stored at the Idaho Chemical Processing Plant.—75-03450A
Characterization of glass-ceramic to metal bonds.—75-04844A
Cladding glass-ceramic for use in high-powered lasers.—75-08099P
Colored glass-ceramics and method.—75-07414P
Colored, opaque glass-ceramic.—75-07415P
Composition for producing low-temperature cofired substrate.—75-05219P
Crystallization of glasses obtained by recycling goethite industrial wastes to produce glass-ceramic materials.—75-05003A
Densification behavior of metal and dielectric films on rigid substrates.—75-01425A
Direct joining of BSCCO superconducting glass-ceramics using a flame-melting method.—75-03357A
Effect of growth and coalescence of multisurface cracks on static fatigue behavior of glass-ceramics.—75-00184A
Effect of hot-pressing time and post-heat treatment on the microstructure and mechanical properties of SiC fiber-reinforced glass-ceramic composites.—75-05006A
Effect of loading rate on the monotonic tensile behavior of a continuous-fiber-reinforced glass-ceramic matrix composite.—75-00185A
Effect of microstructural features on the biaxial flexural strength of leucite-reinforced glass-ceramics.—75-02646A
Fine-grained glass-ceramics.—75-07417P
Flat packaged piezoelectric device using a glass-ceramic composite material comprising forsterite as ceramics.—75-08178P
Germanate glass-ceramic.—75-07420P
Glass-ceramic matrix composites with high oxidation embrittlement resistance.—75-05015A
Glass-ceramic systems as components of new tile glazes.—75-00287A
Glass-ceramics and color package.—75-00225P
High flexural strength ceramic fiber-reinforced silicon carboxide composite.—75-07428P
High modulus glass-ceramics containing fine grained spinel-type crystals.—75-05048P
High-strength castable bioactive glass-ceramics.—75-03650A
In vivo and in vitro evaluation of a biomachinable glass-ceramic.—75-05951A
Laser densification of glass ceramic coatings on carbon-carbon composite materials.—75-01171P
Machining effects of dental feldspathic porcelain and glass-ceramics.—75-04580A
Mutlilayer glass-ceramic substrate and method of fabricating the same.—75-07771P
Process for the production of decorative glass-ceramic articles.—75-07436P
Processability of a glass-ceramic formulation to immobilize Fluorinel-sodium calcine.—75-03487A
Red to blue upconversion emission of Tm^{3+} ions in Yb^{3+}-doped glass-ceramic.—75-00197A
Structural features of vitreous and glass-ceramic materials prepared from brown coal ashes.—75-02610A
Technological and product requirements for fast firing of glass-ceramic glazes.—75-02889A
Transparent glass-ceramics.—75-07437P
Ultrasonic detection of changes in the microstructure of glass-ceramics during crystallization.—75-06915A
Using glass in the body.—75-02152A
Vacuum plasma spray deposition of titanium particle/glass-ceramic matrix biocomposites.—75-04272A
Wavelength upconversion transparent glass-ceramics.—75-00232P
Wear of enamel against glass-ceramic, porcelain, and amalgam.—75-06075A

glassmaking equipment,
Apparatus for cooling neck rings in a glass molding machine.—75-08744P
Glass container forming machine with a controller for controlling controllers.—75-03543P
Glassware forming machine.—75-07425P
Glassware forming machine.—75-07426P
Glassware forming machine.—75-07427P
Method and device for forming a glass product.—75-08749P
Natural gas tin float bath roof.—75-00229P
Pusher mechanism for IS glass-forming machine.—75-08751P

glassmaking furnaces,
Application of oxygen sensors in industrial glass-melting tanks.—75-08717A
Demonstration on an ultralow-NO_x oxygen-fuel glass-melting system.—75-05992A
Design modeling of glass furnace oxy-fuel conversion using three-dimensional combustion models.—75-05993A
Experience with 100% oxygen-fuel firing of glass-melting furnaces.—75-08722A
Flint container furnace performance bolstered by oxy-fuel burner.—75-08723A
Geometric considerations for modeling oxy-fuel glass tanks.—75-08725A
Glass furnace NO_x control with gas reburn.—75-05997A
Glass furnace waste glass chemistry.—75-08726A
Glass gob drop guide funnel assembly.—75-08746P
Heat transfer optimization in TV glass furnaces.—75-05998A
Influence of oxy-fuel combustion atmosphere in glass furnaces on refractory corrosion.—75-08730A
Lift-out rolls and lehr rolls for production of high-quality glass.—75-06001A
Method and apparatus for manufacturing glass bottles.—75-08748P
Method for evaluating ecological danger of heat engineering objects in the building materials industry.—75-08731A
Method for the vitrification of waste materials and apparatus to carry out the method.—75-03545P
Model-based evaluation of oxy-fuel glass-melting furnace performance.—75-06004A
Numerical simulation of unsteady color change in glass-melting tank.—75-08734A
Optimization of control over glass founding in regenerative bath furnaces.—75-03624A
Oxy-fuel firing improves plant operation.—75-03625A
Particulate emissions in oxy-fuel-fired glass furnaces.—75-06008A
Postmortem study of glass-melting furnace refractories.—75-07632A
Spectral element method for thermoconvection in a glass melt.—75-08739A
Three-dimensional modeling of alkali volatilization/crown corrosion in oxy-fired glass furnaces.—75-08741A
TV glass oxy-fuel conversion addresses both environmental and economic issues.—75-08742A
Unburned spinel checker brick for glass furnace regenerators.—75-06014A

glazes/glazing,
50 years at the School for American Craftsmen.—75-02183A
Aesthetic effects obtained by decorating soluble salts.—75-07704A
Analyzing the color of reddish glazes.—75-02850A
Bill Grace: marks of process.—75-07119A
Bruce Winn.—75-02203A
Cerdec Corp. [, Washington, PA].—75-02853A
Chemical classification and provenance of some Roman glazed ceramics.—75-00015A
Chemical composition and microstructure study for the proto-porcelain glaze.—75-07120A
Chemical durability of a boroaluminosilicate glass [for use in a ceramic glaze].—75-02854A
China paint—the ultimate in low fire.—75-02216A
Coat of many colors.—75-02858A
Colored nonfritted glazes from available raw materials for facade ceramics.—75-02859A
Decorating for trouble-free product.—75-02765A
Development of low-temperature fast-firing glazed tiles using diopside.—75-02864A
Dry glazing.—75-02768A
Eight steps to stop crazing.—75-02242A
Emma Luna.—75-04792A
Evolution of glazing and glazes.—75-07445A
Examination of fast-fire frits and glazes using a hot stage microscope at different heating rates [≤80 K/min].—75-02868A
Firing processes of copper red glaze in an electric furnace and its applications.—75-02869A
Flexible molds for ceramics.—75-02251A
Formulating lead-free glazes.—75-07707A
Glass-ceramic systems as components of new tile glazes.—75-00287A
Glazes for single fast-fired wall tiles containing iron slag.—75-00288A
Glazes from premilled raw materials.—75-05164A
Glazing and glaze factories.—75-09717A
High-melting opacified glazes for household ceramics.—75-07708A
In search of Samarra soda.—75-04796A
Interference colors with copper raku.—75-02271A
James Lovera.—75-07126A
Laser-engraved surfaces.—75-02284A
Localized surface glazing of ceramic articles.—75-00295P
Low-temperature lead-free glaze for alumina ceramics.—75-07717P
M_2O-CaO-ZrO_2-SiO_2 glass-ceramic system as component for matte tile glazes.—75-07710A
Magnetic filters clear the glaze.—75-02875A
Mary Lou Deal.—75-02291A
Maximovers aid glaze manufacture.—75-02877A
Memphis Mashiko stone.—75-02293A
Miniature porcelain.—75-02298A
Monk potter.—75-02301A
More glaze calculations software.—75-02302A
My work as a potter.—75-02305A
Narrative mural.—75-02307A
NCECA GlazeBase—an international database of glazes.—75-02878A
NCECA GlazeBase—how to access the Ceramics Gopher.—75-02879A
New look at some old glazes.—75-02311A
Object lessons at the European Ceramic Work Center [EKWC, Netherlands].—75-07130A
Optimizing glaze transparency by design.—75-07711A
Outside in bowls.—75-02318A
Oxidation-reduction reactions in fast-fire glazes.—75-02880A
Pardo, glaze technology.—75-02787A
Raku how-to—gloss crackle glazing.—75-02334A
Rise and fall of cast glaze.—75-02343A
Ron Roy's ole black magic.—75-02349A
Rotary ceramic tile glazing and decorating machine.—75-05930P
Rotary glazing machine having an elastically deformable matrix cylinder.—75-05931P
San Diego consortium.—75-02352A
Single-fired ash glazing.—75-02357A
Sludge reuse in glazes and engobes.—75-05066A
Spreadsheet calculates glaze compositions: II.—75-02888A
Sylvia Netzer's Post-Toxic Neo-Plastic.—75-02367A
Technological and product requirements for fast firing of glass-ceramic glazes.—75-02889A
Tray, particularly for use with ceramic ware.—75-01005P
Washing agent attacks on bone china glazes.—75-05169A

gloss,
Raku how-to—gloss crackle glazing.—75-02334A

glycol,
Chemically modified epoxy network with polyurethane (PU) by various coupling agents.—75-03971A

goethite,
Crystallization of glasses obtained by recycling goethite industrial wastes to produce glass-ceramic materials.—75-05003A

gold,
Auger electron spectroscopy of metallic film/laser-irradiated alumina couples.—75-04298A
Consecutive transformation of gold-containing complexes in *n*-type silicon under saturation by atomic hydrogen.—75-07812A
Densification behavior of metal and dielectric films on rigid substrates.—75-01425A
Effect of pressure during deposition on the growth of gold thin films on polycrystalline γ-Al_2O_3.—75-06581A
Gold nanoparticles ion implanted in glass with enhanced nonlinear optical properties.—75-04969A
Growth of diamond on Au (selective) and Al_2O_3 surfaces.—75-06630A
Influence of ion bombardment on the gold diffusion in silicon.—75-05347A
Method of producing a metal superconductive ceramic connection.—75-05875P
Microtribological studies by using atomic force and friction force microscopy and its applications.—75-02078A
Microwave regeneration of activated carbon for gold processing applications.—75-01579A
Molecular dynamics simulation of the elastic deformation of nanometer diameter metal clusters.—75-02079A
Nanoindentation on contamination-free gold films using the atomic force microscope.—75-02080A
NMR studies of electronic and local structure in Cu-Au alloys.—75-01896A
Photoelectrochemical properties of dye-sensitized TiO_2 films containing dispersed gold metal particles prepared by sol-gel method.—75-09166A
Photoinduced formation of small gold particles in silica gels.—75-04136A
Transmission lines for high frequency and high density packaging.—75-00145A

gradient index,
980-nm aluminum-free InGaAs/InGaAsP/InGaP GRIN-SCH SL-QW lasers.—75-05234A
Leaching silicon-based wet gels to approach GRIN.—75-02730A
Lead glass composition series for gradient glasses.—75-07430P
Solution doping of sol-gel bodies to make graded index glass articles.—75-02748P

grain boundaries,
Σ5 (210)/[001] symmetric tilt grain boundary in yttrium aluminum garnet.—75-09211A
Aspects of grain-boundary diffusion in oxides.—75-01742A
Charge relaxation in silicon at grain boundaries enriched with oxygen and carbon.—75-02979A
Clean grain boundaries in aluminum nitride ceramics densified without additives by a plasma-activated sintering process.—75-06868A
Compositional optimization of α′-ß′-SiAlON ceramics with YAG as grain boundary phase.—75-03773A
Conductivity enhancement in fluorides by grain boundary activation.—75-09535A
Crystallization of the nanophase in silicon nitrides.—75-03782A
Crystallography of arbitrary grain boundaries by O lattice constructions: application to bulk $YBa_2Cu_3O_{7-\delta}$.—75-03350A
Defects in superconductor thin films.—75-03351A
Dependence of ZnO varistor grain boundary resistance on sintering temperature.—75-05278A

Diffusion-induced grain boundary phenomena in metals and oxide ceramics.—75-01751A
Direct determination of grain boundary atomic structure in $SrTiO_3$.—75-04314A
Direct observation of hexagonal boron nitride at the grain boundary of cubic boron nitride by high-resolution electron microscopy.—75-09538A
Effect of Cu-implanted joining interface on oxygen grain boundary diffusion in $SrTiO_3$ bicrystal.—75-09590A
Effect of grain boundary phase on the thermal conductivity of aluminum nitride ceramics.—75-03886A
Effect of variations in grain size and grain boundary barrier heights on the current-voltage characteristics of ZnO varistors.—75-07856A
Effects of photoinduced hole doping on transport properties of $YBa_2Cu_3O_x$ grain boundary junctions.—75-00796A
Electronic structure of a near $\Sigma 11$ *a*-axis tilt grain boundary in α-Al_2O_3.—75-04322A
Energies and atomic structures of grain boundaries in diamond—comparison with grain boundaries in silicon.—75-01847A
Estimation of diffusion coefficients for zirconia.—75-01755A
Evaluation of grain boundary groove profiles and surface diffusion coefficients in SiC ceramics using atomic force microscopy.—75-09546A
Excess noise in $YBa_2Cu_3O_7$ thin-film grain boundary Josephson junctions and devices.—75-08313A
Fabrication and characterization of NiO bicrystals.—75-04027A
Grain boundary configuration in SiAlON ceramics.—75-04327A
Grain boundary films in rare-earth-glass-based silicon nitride.—75-04328A
Grain boundary induced perturbations in electrical ceramics.—75-09509A
Grain boundary mobility in Y_2O_3: defect mechanism and dopant effects.—75-06876A
Grain boundary oxidation rate of semiconductive Mn-doped $BaTiO_3$.—75-00498A
Grain boundary relaxation in high-purity silicon nitride.—75-06877A
Grain boundary structures in covalent-bonded ceramics.—75-01855A
Grain growth behavior of ceramics under the existence of a liquid phase.—75-09548A
Grain-boundary microstructure and chemistry of a hot isostatically pressed high-purity silicon nitride.—75-06879A
Heterodyne microwave mixing in a superconducting $YBa_2Cu_3O_{7-x}$ coplanar waveguide circuit containing a single engineered grain boundary junction.—75-00810A
High resolution electron microscopy and computer simulation studies of the atomic structure of tilt boundaries in TiO_2.—75-04335A
High-performance silicon nitride composite ceramics through grain boundary and microstructural tailoring.—75-04338A
Impact of grain boundaries on properties of mullite as a solid electrolyte.—75-01867A
Importance of grain boundary character distribution (GBCD) to grain boundary design and control in ceramics.—75-01868A
In process surface modification of alumina grains in sintered bodies.—75-09551A
Ineffective grain boundaries and breakdown threshold of zinc oxide varistors.—75-05343A
Influence of crystallographic orientation, chemical inhomogeneities, material transport anisotropy, and elastic strain energy on the migration of grain boundaries in chromium-doped alumina during internal reduction.—75-04283A
Influence of grain boundaries in fused ZrO_2 on the reaction with the mold powder.—75-07579A
Influence of grain boundary on the electrical properties of WO_3-doped $SrTiO_3$.—75-07733A
Influence of oxygen content on Si_3N_4 grain boundary.—75-01872A
Influence of zirconium additions on the grain boundary melting of Ni_3Al intermetallic compounds.—75-02496A
Interaction of twin boundaries with grain boundaries in $YBa_2Cu_3O_{7-\delta}$.—75-03375A
Interface and interphase of ceramics.—75-04345A
Interfaces in tungsten carbide.—75-01877A
Liquid channel grain boundary structures.—75-04093A
Mechanisms of optical response in superconducting $YBa_2Cu_3O_{7-\delta}$ thin films and grain boundary weak links.—75-00826A
Nature of grain boundaries in the high-T_c superconductors.—75-05800A
Observation and characterization of electric fields at grain boundaries.—75-04383A
Potential barrier growth at the grain boundaries of *p*-$Hg_{1-x}Cd_xTe$ bicrystals (x=0.23) during uniaxial compaction.—75-08024A
Reaction injection molding of silicon nitride ceramics having crystallized grain boundary phases.—75-08628P
Single-grain boundaries in PTC resistors.—75-03164A
Solidification of grain boundaries with increasing temperature.—75-04400A
Solute segregation and grain boundary impedance in high-purity stabilized zirconia.—75-04401A
Spatially resolved analysis of high-T_c grain boundary Josephson junctions and arrays.—75-00866A
Surface and grain boundary modifications of $YBa_2Cu_3O_{7-\delta}$ ceramics by plasma-enhanced fluorination.—75-00875A
Surface impedance of $YBa_2Cu_3O_{7-x}$ thin film grain boundary Josephson junctions: evaluation of the IcRn product.—75-00877A
Thin films on grain boundaries in metals and ceramics and their importance for the properties of the materials.—75-01969A
Tight-binding study of the #8{211} σ=3 grain boundary in cubic silicon carbide.—75-00621A
Toward determination of reliable grain boundary diffusion coefficients for oxides.—75-09521A
Wetting and segregant films at ceramic grain boundaries.—75-01976A

grain boundary,
Enhanced mechanical properties by grain boundary strengthening in ultrafine-grained TZP ceramics.—75-09630A

grain growth,
Abnormal grain growth in alumina-doped hafnia ceramics.—75-06860A
Computer simulation model for coupled grain growth and Ostwald ripening—application to Al_2O_3-ZrO_2 two-phase systems.—75-04307A
Computer simulation of grain growth under the existence of liquid phase.—75-09534A
Effect of grain growth on the thermal conductivity of silicon nitride.—75-09273A
Effect of the sintering temperature and atmosphere on the grain growth and grain boundary phase formation of Pr-doped ZnO varistor.—75-07855A
Effect of Ti/Sr ratio on grain growth of La-doped $SrTiO_3$ ceramics.—75-09289A
Exaggerated growth of hexagonal barium titanate under reducing sintering conditions.—75-04323A
Grain growth and solubility change of SiAlON composites during annealing.—75-08944A
Grain growth behavior of ceramics under the existence of a liquid phase.—75-09548A
Grain growth in CeO_2: dopant effects, defect mechanism, and solute drag.—75-06878A
Grain growth kinetics in ZrO_2-dispersed Al_2O_3 ceramics.—75-01856A
Influence of MgO and SiO_2 dopants on the sintering behavior of yttrium aluminum garnet ceramics.—75-01541A
Influence of water vapor on grain growth during the calcination of hydroxyapatite.—75-01548A
Model experiments concerning abnormal grain growth in silicon nitride.—75-09570A
Normal and abnormal grain growth rates in a spherical grain matrix.—75-09572A
Orientation and growth of grains in copper-activated hot-pressed hexagonal boron nitride.—75-01230A
Origin of the grain growth anisotropy in titania.—75-01902A
Particle-inhibited grain growth in Al_2O_3-SiC: I, Experimental results.—75-09573A
Particle-inhibited grain growth in Al_2O_3-SiC: II, Equilibrium and kinetic analyses.—75-09005A
Physical metallurgy of mechanically alloyed oxide dispersion strengthened MA956 and MA957 stainless steels: II, Grain control.—75-02522A
Role of boron oxide in growth of boron nitride grains.—75-09423A
Simulation study of grain growth in layered materials, application to $YBa_2Cu_3O_{7-\delta}$ ceramics.—75-03402A
Studies of interfacial behavior in ceramics via microdesigned interfaces.—75-01952A
Subsolidus grain growth in donor-doped barium titanate.—75-06908A
Suppression of grain growth in sol-gel-derived tin dioxide ultrathin films.—75-06909A
Theoretical studies on sintering and grain growth in ceramic materials.—75-09485A

grain size,
$\alpha \leftrightarrow \beta$-SiAlON transformation.—75-03759A
Creating materials with nanophase technology.—75-03981A
Critical grain size for microcracking in low thermal expansion anisotropic ceramics.—75-02033A
Determination of grain size and lattice distortions in ground $YBa_2Cu_3O_7$.—75-05744A
Dry grinding.—75-03518A
Effect of grain size of sputtered cerium oxide films on their electrical and kinetic behavior at high temperatures.—75-01455A
Effect of heat treatment on grain size, phase assemblage, and mechanical properties of 3 mol% Y-TZP.—75-06578A
Effect of MG [mechanical grinding] on the preparation of Mn-Zn ferrites and Ni-Zn ferrites with fine grains.—75-01457A
Effect of variations in grain size and grain boundary barrier heights on the current-voltage characteristics of ZnO varistors.—75-07856A
Effects of grain size and specimen geometry on the transformation and *R*-curve behavior of 9Ce-TZP ceramics.—75-06971A
Electrical transport in ultrafine ceramics: effects of grain-size-dependent solute segregation and nonstoichiometry.—75-09506A
Electrical transport in ultrafine ceramics: effects of grain-size-dependent solute segregation and nonstoichiometry.—75-09506A
Fine-grained glass-ceramics.—75-07417P
Grain size dependence of sliding wear in tetragonal zirconia polycrystals.—75-09639A
Grain size distributions and strength variability of high-purity alumina.—75-02055A
Grain size effects on the dielectric properties of ferroelectric $Bi_2VO_{5.5}$ ceramics.—75-05585A
Grain size effects on the mechanism of wear in alumina.—75-02056A
Influence of grain size of ferroelastic toughening and piezoelectric behavior of lead zirconate titanate.—75-00669A
Influence of grain size on the grinding response of alumina.—75-04079A
Influence of grain size on the toughness and thermal shock resistance of polycrystalline $YBa_2Cu_3O_{7-\delta}$.—75-08341A
Precipitation of SnO_2 films with set grain size.—75-06711A
Preparation of uniform grain size $YBa_2Cu_3O_{7-x}$ ceramics from sedimented single-crystalline powder fractions.—75-08401A
Raman scattering from $PbTiO_3$ of various grain sizes at high hydrostatic pressures.—75-03831A
Rate-controlled sintering of ultrafine Y-TZP powder.—75-01640A
Strength–grain size behavior of ZrO_2 at room temperature.—75-07036A

grains,
Abrasive grain having rare earth oxide therein.—75-07114P
Controlled grain orientation at the surface of $Bi_2Sr_2CaCu_2O_x$ superconducting glass-ceramics.—75-03349A
DIGM [diffusion-induced grain boundary migration]-like grain development at a single-crystal/polycrystalline interface in yttria-stabilized zirconia.—75-01823A
Effect of overheating of the melt and heat treatment of hardened materials on the structure of forsterite granules.—75-05086A
Energy-dispersive X-ray spectroscopic analysis in a microscopic area of a grain in YBCO ceramic superconductor.—75-03366A
Grain bridging mechanism and *R*-curve behavior for in situ reinforced ceramics.—75-04329A
Inverse magnetization of fine-grained HTSC.—75-08349A
Metal-ceramic intergrowths in Ag-clad Bi-Pb-Sr-Ca-Cu-O superconductor.—75-00829A
Zone melting-refining in Bi-Pb-Sr-Ca-Cu-O superconductor prepared through the sol-gel method.—75-05865A

granular materials,
Ceramic fracture mode—intergranular vs transgranular fracture.—75-04456A
Comparison of pressure compaction and diametral compression tests for determining granule strengths.—75-04461A
Flow mechanism of granular materials discharging from bin-hopper system.—75-05948A
Granular materials having an improved ceramic coating, methods of preparing same, and composite sheets including same.—75-01112P
Influence of granule character and compaction on the mechanical properties of sintered silicon nitride.—75-04567A
Magnetic properties of FeSi-SiO_2 granular films.—75-00747A
Nanoanalytical characterization of granular Ag-Fe films with giant magnetoresistance.—75-00752A
New granular mold powder.—75-05114A
Nonhazardous pumpable refractory insulating composition.—75-00277P
Photoresponse of granular YBaCuO thin films.—75-08396A
Pneumatic conveying characteristics of fine and granular bulk solids.—75-05907A
Porous ceramic granules.—75-01130P
Random telegraph noise spectra in granular high-T_c films.—75-05821A
Requirements and testing methods for ceramic press granulates.—75-05973A
Theoretical model for compaction of granular materials.—75-08708A
Tomographic measurements of granular flows in gases and in liquids.—75-05984A

granulation,
Granulation without drying.—75-02775A
Hierarchically ordered particle mixtures by thermally triggered granulation.—75-05902A
Modern mixing and granulating processes for the preparation of refractory bodies.—75-07606A
Simultaneous process of granulation, grinding, and separation in a continuous tumbling conical granulator—on the shape evaluation of the granules and granulating conditions.—75-05912A
Thermal granulation of ceramic bodies in a fluidized bed.—75-05915A
Use of built-up granulate in tile manufacture.—75-05068A

graphite,
Al/Mg alloy as an antioxidant in magnesia-graphite refractories.—75-05072A
Application of basic materials for CC refractories.—75-07469A
Atomic scale and microscale friction studies of graphite and diamond using friction force microscopy.—75-01794A
Carbon fibers produced from graphite fluoride by thermal decomposition in an inert environment.—75-01142A
Composite fibers having a diamond surface.—75-03730P
Detection of graphitelike clusters in DLC [diamondlike carbon] by intercalation of copper.—75-08652A
Diamond-graphite phase transition in ultradispersed diamond [UDD]. X-ray and Raman characterization of diamond clusters.—75-08907A
Effect of refractory oxides on the oxidation of graphite and amorphous carbon.—75-05088A
Effects of grinding aids on the surface properties of flaky graphite.—75-09294A
Evaluation of characteristic properties of a newly developed graphite material with an SiC/C composition gradient.—75-03699A
Evaluation of graphite foams as low mass structural materials.—75-01290A
Glass gob drop guide funnel assembly.—75-08746P
Graphene nanotubule cold field emission electron sources.—75-00499A
Graphite solid-state lubricant generating low coefficient of friction at high temperatures.—75-01148A
Graphite, natural and synthetic.—75-06033A
Graphite-containing unshaped refractories.—75-07558A
Graphite-loaded silicon carbide.—75-08825P
Improvement in flowability, oxidation resistance, and water wettability of graphite powders by TiO_2 coating.—75-07572A
Influence of graphite flake orientation on textural modifications of graphite-based refractories at high temperature.—75-07580A

Influence of powder properties on the sintering of polyaromatic mesophases to high-strength isotropic graphite.—75-01543A
Magnesia-graphite-metal bricks subjected to thermal gradient.—75-07593A
Nanometer-scale structures resulting from graphite oxidation.—75-02005A
Nickel-mediated transformation of amorphous carbon to graphite.—75-01594A
Operation of graphite-containing crucibles in nonferrous metallurgy.—75-07618A
Optimization of continuous casting refractory materials and designs.—75-07619A
Preparation of glass-impregnated isotropic graphite and its gas permeability.—75-07397A
Preparation of high-density graphite materials from coal tar pitch.—75-00004A
Process for fabricating diamond by supercritical electrical current.—75-03752P
Processing and tribology of alumina-graphite composites.—75-09664A
Processing, structure, and morphology of graphitic carbon foams produced from anisotropic pitch.—75-01153A
Production of carbon-metal and graphite-metal composites from oxidized graphites.—75-07227A
Production of thick alumina coatings on graphite by sol-gel processing.—75-01634A
Silanated graphite surface [observed] with scanning tunneling microscopy.—75-04396A
Size effect law in the fracture resistance of a graphite refractory.—75-07662A
Slit-type immersion nozzle of alumina-graphite material.—75-07665A
Substrate defects and variations in interfacial ordering of monolayer molecular films on graphite.—75-06858A
TEM investigation of CVD graphite on nickel.—75-04412A
Thermal shock resistance of alumina-graphite refractories for the continuous casting of steel.—75-07678A
Thermodynamic paradox of diamond deposition with simultaneous graphite etching in the low-pressure synthesis of diamond: approach by charged cluster model.—75-09091A
Thick-section AS4-graphite/E-glass/PPS [poly(phenylene sulfide)] hybrid composites: I, Tensile behavior.—75-07048A
Thick-section AS4-graphite/E-glass/PPS [poly(phenylene sulfide)] hybrid composites: II, Flexural response.—75-07049A
Wear of graphite and PAN-pitch carbon-carbon composites.—75-04665A
X-ray photoelectron spectroscopy study of graphite-based oxygen- and oxygen-fluorine-containing compounds.—75-09109A

gravity,
Glass melting under microgravity.—75-05014A

green body,
Binders for ceramic products.—75-08554P
Direct coagulation casting (DCC)—principles of a new green shaping technique.—75-03996A
Freeform fabrication of ceramics via stereolithography.—75-08527A
Handling apparatus for ceramic green sheet.—75-05921P
High-density green bodies.—75-08826P
Laminated carrier film for use in ceramic green sheet.—75-08584P
Laser-assisted tape winding of ceramic green parts.—75-09352A
Method of preparing a plurality of ceramic green sheets having conductor films thereon.—75-07767P
Process for preparing a ceramic wick.—75-06098P
Quantitative evaluation of immersion liquid technique.—75-08697A
Systematic understanding of ceramic processing and related interfacial phenomena.—75-01725A

green density,
Variables encountered in the dry pressing of technical ceramics.—75-04273A

grindability,
Characterization of ceramic materials from the machining point of view.—75-09529A
Grindability of various silicon nitride ceramics.—75-09321A
New concept in cost-effective machining.—75-05965A

grinding apparatus,
Fabrication of porous cast iron bonded diamond grinding wheels and their evaluation to grind hard-to-grind ceramics.—75-08523A

grinding,
Advances in the grinding efficiency of sintered alumina abrasives.—75-02170A
Alpha-alumina-based abrasive grain.—75-07116P
Asbestos in bulk materials [analyzed] by X-ray diffraction: influence of grinding methods on the result.—75-06160A
Attritor grinding of refractories.—75-02808A
Bomas Machine Specialties Inc.—75-04679A
Ceramic ball finishing by magnetic fluid grinding.—75-09233A
Change of the Bi-2223 phase by repeat of mechanical grinding and heat treatment [at 850°C in air].—75-00775A
Composite honing of metals inlaid with ceramics.—75-02225A
Cost-efficient brickwork with ground bricks.—75-00240A
Current problems and future directions for ceramic machining.—75-05896A
Dispersants in stirred ball mill grinding.—75-05898A
Dry grinding.—75-03518A
Effect of MG [mechanical grinding] on the preparation of Mn-Zn ferrites and Ni-Zn ferrites with fine grains.—75-01457A
Effects of grinding aids on the surface properties of flaky graphite.—75-09294A
Effects of grinding on properties of Mg-PSZ ceramics prepared by the surface enrichment of zirconia powders.—75-06592A
Estimation of grinding flaw size of ground silicon nitride based on fracture mechanics.—75-08666A
Fine grinding, polishing with superabrasives.—75-02171A
Fine grinding.—75-06608A
Fundamental problems in the grinding of ceramic materials.—75-01023A
Grinding aids.—75-06628A
Grinding effect on kaolinite-pyrophyllite-illite natural mixtures and its influence on mullite formation.—75-04057A
Influence of grain size on the grinding response of alumina.—75-04079A
Machine versatility from A to Z.—75-00958A
Magotteaux-Slegten-Sturtevant optimized cement grinding system.—75-00053A
Measurement and modeling of strength distributions associated with grinding damage.—75-00964A
Mechanical grinding and reforming process of the Pb-substituted 2223 phase.—75-00824A
Mechanism of mirror finish grinding of silicon nitride ceramics.—75-09359A
Modified alpha-alumina particles.—75-07117P
Optimum design for fine and ultrafine grinding mechanisms using grinding media.—75-06702A
Precision grinding of advanced ceramics using superabrasives with glass bond.—75-00978A
Property-performance relationships in abrasives.—75-09665A
Simultaneous process of granulation, grinding, and separation in a continuous tumbling conical granulator—on the shape evaluation of the granules and granulating conditions.—75-05912A
State of the art in high compression comminution.—75-00068A
Structural alteration of pyrophyllite by dry grinding as studied by ir spectroscopy.—75-06784A
Systems approach to grinding.—75-00988A
Ultrafine dry grinding of α-SiC powders for advanced ceramics.—75-05916A
Ultrasonic-assisted grinding of high-performance ceramics.—75-05917A

growth,
Al_2O_3/Al ceramic composite—kinetics of melt oxidation.—75-02435A
AlN grown by metallorganic molecular beam epitaxy.—75-03951A
$Ba(Mg_{1/3}Ta_{2/3})O_3$ single crystal fiber grown by the laser-heated pedestal growth technique.—75-01384A
C:N single-crystal growth and its properties.—75-09525A
Carbon doping and growth rate reduction by CCl_4 during metallorganic chemical vapor deposition of GaAs.—75-01389A
Carbon nanocapsules grown on carbon fibers.—75-09526A
Catalytic growth of carbon nanofibers and nanotubes.—75-01391A
Cathodoluminescence spectroscopy of boron nitride films.—75-00422A
Characterization of Czochralski- and hydrothermal-grown $Bi_{12}SiO_{20}$.—75-01016A
Characterization of pulsed supersonic CVD system for diamond growth.—75-00943A
Chemical reaction mechanisms of diamond growth.—75-01397A
Compositional and spectroscopic study of the growth of diamond films from several gaseous mixtures.—75-01816A
Control of nitrogen incorporation in ZnTe:N grown by molecular beam epitaxy using Ar dilution in an N plasma source.—75-01412A
Correlations between the density distributions of C_2, CH, and OH and the growth of diamond in an oxyacetylene flame measured by LIF [laser-induced fluorescence].—75-09247A
Creating materials with nanophase technology.—75-03981A
Critical assessment of the process of growth of a $YBa_2Cu_3O_{7-\delta}$ [123] layer on Y_2BaCuO_5 [211].—75-08279A
Crystal growth by directional solidification and superconductivity of $Bi_2Sr_2CaCu_2O_{8+x}$.—75-00782A
Crystallographic model of (00.1)aluminum nitride epitaxial thin film growth on (00.1)sapphire substrate.—75-01214A
Crystallography of epitaxial growth of wurtzite-type thin films on sapphire substrates.—75-01215A
Defects and growth of diamond wafers.—75-01747A
Dependence of diamond growth rate on hydrogen dissociation in a dc arc jet plasma.—75-06565A
Deposition of flame-grown diamond films in an enclosed chamber.—75-01431A
Detailed analysis of carrier transport in $InAs_{0.3}Sb_{0.7}$ layers grown on GaAs substrates by metallorganic chemical vapor deposition.—75-00455A
Diamond growth precursor dependence in an electron cyclotron resonance plasma system.—75-08906A
Diamond growth rates and quality—dependence of gas phase composition.—75-01437A
Diamond homoepitaxy kinetics—growth, etching, and the role of oxygen.—75-01438A
Diamond thin-film growth mechanism in a filament-assisted excimer laser ablation system.—75-01440A
$Dy_3Fe_5O_{12}$ garnet thin films grown from sputtering of metallic targets.—75-03286A
Early stages of growth of $YBa_2Cu_3O_{7-\delta}$ high-T_c superconducting films on (001)Y-ZrO_2 substrates.—75-05748A
Effect of amorphous carbon layers on the growth of diamond in dual-frequency plasma.—75-01447A
Effect of crystallite size on the ferroelectric domain growth of ultrafine $BaTiO_3$ powders.—75-03227A
Effect of plasma flow on diamond growth by arc discharge plasma jet CVD.—75-09279A
Effect of pressure on the morphology and growth of HFCVD [hot filament-assisted CVD] diamond at low filament and substrate temperatures.—75-09280A
Effect of temperature of reactor walls on growth of the layers of cadmium telluride by the reaction of dimethylcadmium with diethyltelluride.—75-05296A
Effect of the growth process on boron nitride thin film electrical properties.—75-09288A
Effects of methane concentration and hydrogen treatment on preferred orientation in diamond films grown by chemical vapor deposition.—75-01838A
Effects of temperature and filament poisoning on diamond growth in hot filament reactors.—75-01474A
Effects of Y_2BaCuO_5 on the directional growth of $YBa_2Cu_3O_x$ superconductor.—75-05763A
Enhancement of diamond growth under uv irradiation.—75-09299A
Epitaxial GaAs growth using atomic hydrogen as the reactant.—75-00486A
Epitaxial growth of B-doped high-quality diamond film on cBN surface by chemical vapor deposition.—75-09301A
Epitaxial growth of two-dimensional dichalcogenides and modification of their surfaces with scanning probe microscopes.—75-01848A
Evidence for slip and double spiral growth mechanism in combustion flame-synthesized diamond.—75-08930A
Filamentary superconducting Bi-Sr-Ca-Cu-O crystals: self-organization, growth, and modification of properties.—75-08323A
Formation of Al_2O_3/metal composites by oxidation of molten aluminum alloys.—75-02481A
Fundamental electrical properties of fluorinated and N_2O plasma-annealed ultrathin silicon oxides grown by microwave plasma afterglow oxidation at low temperatures.—75-01295A
Fundamental materials-issues involved in the growth of GaN by molecular beam epitaxy.—75-00495A
Gas phase diagnostics for CVD diamond growth.—75-08943A
Generation of dislocations during the growth of Si crystals from the melt.—75-09320A
Growth and characterization of (00*n*)- and (11*n*)-oriented Bi-Ca-Sr-Cu-O superconducting films.—75-03372A
Growth and characterization of $Al_{1-x}In_xAs/Ga_{1-x}In_xAs$ strained multiple quantum wells.—75-00500A
Growth and characterization of epitaxial $SrTiO_3$ thin films with prominent polarizability.—75-00336A
Growth and characterization of GaN on Si(111).—75-00501A
Growth and mechanism of metal oxide thin films prepared by multi-ion-beam reactive cosputtering.—75-03235A
Growth and properties of PZT thin films on a 6–8-in. wafer by MOCVD.—75-00664A
Growth and structure of single phase mullite gels from chelated aluminum alkoxides and alkoxysilanes.—75-06629A
Growth morphology and mechanism of a hollow ZnO polycrystal.—75-04331A
Growth of cubic paraelectric perovskite La-modified $PbTiO_3$ thin films by rf magnetron sputtering.—75-08145A
Growth of CuO films by pulsed laser deposition in conjunction with a pulsed oxidation source.—75-01516A
Growth of diamond particles on sharpened silicon tips for field emission.—75-09322A
Growth of gallium nitride by electron cyclotron resonance plasma-assisted molecular beam epitaxy: the role of charged species.—75-01518A
Growth of halide scintillators with a modified heat exchange method.—75-01519A
Growth of hydroxyapatite on silica gels.—75-04059A
Growth of multistar CVD ß-SiC and SiC/TiC composites.—75-09324A
Growth of nickel oxide single crystals and bicrystals via chemical vapor transport [CVT].—75-04060A
Growth of single-crystal copper films on diamond using fcc iron seed layers.—75-01520A
Growth of TiO_x overlayers by CVD on a single-crystal copper substrate.—75-06632A
Growth of tubular boron nitride filaments.—75-04062A
Growth orientation considerations of epitaxial AlN films on 6H-SiC substrates.—75-03041A
Growth parameter effect in superconducting $YBa_2Cu_4O_8$ thin fims by dc magnetron sputtering.—75-05774A
Growth rate of diamond film by hot-filament CVD.—75-06633A
Growth studies of erbium-doped GaAs deposited by metallorganic vapor phase epitaxy using novel cyclopentadienyl-based erbium sources.—75-00504A
Growth, magnetic properties, and the effect of cobalt addition in metallorganic chemical vapor deposited (MOCVD) gamma iron oxide thin films for magnetic recording applications.—75-05674A
Growth, structural, and electrophysical investigations of $Pb_{1-x}Gd_xTe$ thin layers.—75-05333A
Guide to substrate selection for thin-film growth.—75-04063A
Heteroepitaxial growth kinetics in a CVD process using nickel oxide on MgO as a model system.—75-04334A
Heteroepitaxial growth of MgO films on NiO(100) single-crystal surfaces.—75-03044A
Hot-filament-assisted chemical vapor deposition of carbon: film growth and filament reactions.—75-01527A
In situ ellipsometry during growth of cadmium-mercury-tellurium [CMT] solid solution films by the MBE method.—75-08673A
In situ growth of layered, spinel, and rock-salt $LiCoO_2$ by laser ablation deposition.—75-01535A
In situ NZP type whisker growth.—75-01536A
In situ Raman spectroscopy during diamond growth in a microwave plasma reactor.—75-01870A

InAs/GaAs quantum dots grown by the submonolayer migration-enhanced epitaxy method.—75-03053A
Influences of electrochemical vapor deposit conditions on growth rate and characteristics of YSZ thin films: I.—75-09342A
Initial stages of AlN thin film growth on alumina using trimethylamine alane and ammonia precursors.—75-01549A
Initial stages of growth of thin films of III-V nitrides and silicon carbide polytypes by molecular beam epitaxy.—75-00521A
Interface reaction enhanced epitaxial growth of barium ferrite magnetic thin films.—75-03298A
Kinetics of diamond-like film growth using filament-assisted chemical vapor deposition.—75-04089A
Laser-transformed SiC thin films.—75-00533A
Low-energy threshold in the growth of cubic boron nitride films by ECR plasma-assisted magnetron sputtering.—75-01562A
Low-temperature diamond growth with CF_4 addition in a hot filament reactor.—75-01563A
Low-temperature epitaxial growth of $BaTiO_3$ films by radio-frequency-mode electron cyclotron resonance sputtering.—75-01564A
Low-temperature grown III-V materials.—75-05366A
Mechanism of the growth process and structural characteristics of epitaxial layers of gallium nitride produced by the chloride-hydride method.—75-06678A
Method for epitaxially growing α-silicon carbide on *a*-axis α-silicon carbide substrates.—75-08593P
Microstructure and growth mechanism of Al_2O_3/Al ceramic matrix composite made by directed oxidation of Al alloys.—75-02508A
Microstructure of cubic boron nitride thin films grown by ion-assisted pulsed laser deposition.—75-01889A
Morphology and modification by high-energy ion beam bombardment concurrent with TiN film growth.—75-06279A
Morphology of diamond plate grown in the C-H-O system.—75-08988A
Nanocrystalline diamond membrane growth by cyclic renucleation.—75-09367A
Nitrogen-doped ZnSe with selenium-rich growth by low-pressure organometallic chemical vapor deposition.—75-03100A
Novel solid-phase epitaxial growth of $YBa_2Cu_3O_{7-\delta}$ films from precursor oxides.—75-00838A
Nucleation and growth processes during the chemical vapor deposition of diamond.—75-04126A
Nucleation and growth processes of diamond films [investigated] by atomic force microscopy.—75-01599A
Nucleation and step dynamics in SiC epitaxial growth.—75-00554A
Nucleation enhancement and growth of diamond films using an enclosed combustion flame.—75-01600A
Nucleation- or growth-controlled orientation development in chemically derived ferroelectric lead zirconate titanate $(Pb(Zr_xTi_{1-x})O_3,\ x=0.4)$ thin films.—75-00679A
Observation and electronic characterization of new *E′* center defects in technologically relevant thermal SiO_2 on Si: an additional complexity in oxide charge trapping.—75-00555A
Optical characterization of low-pressure combustion growth of diamond.—75-09164A
Origin of *n*-type conductivity of low-temperature grown InP.—75-00559A
Origins of growth spirals on laser-ablated $YBa_2Cu_3O_{7-\delta}$ thin films.—75-03387A
Platinum-enhanced textural growth of grain-aligned $YBa_2Cu_3O_{7-x}$ thick films.—75-00842A
Possibility of applying relaxation liquid epitaxy during the growth of very thin homoepitaxial A^3B^5 layers.—75-09377A
Possibility of controlling growth mechanisms of HTSC films by molecular beam epitaxy.—75-08398A
Preparation of Y-TZP/Al_2O_3 whisker preform by an in situ method.—75-06743A
Problem of commercial growth in regulated times.—75-02141A
Quantitative in situ growth measurements of chlorine-activated homoepitaxial diamond CVD.—75-01637A
Reactive ion beam sputtered WN_x films on silicon: growth mode and electrical properties.—75-01646A
Reactive magnetron sputtering of silicon in Ar+CH_4—identity and energy of the SiC growth species.—75-00584A
Selection of appropriate systems for flux growth of single-crystal $YBa_2Cu_3O_{7-y}$.—75-05827A
Semiconducting silicon carbide: technology and devices (a review).—75-05472A
Silicon nitride based ceramic nanocomposites.—75-04397A
Silicon nitride films grown by hydrogen radical enhanced chemical vapor deposition utilizing trisdimethylaminosilane.—75-04216A
Simplest model for calculation of isothermal kinetics of the nucleation-and-growth type phase separation in the course of one-step heat treatment.—75-02605A
Simplified model describing enhanced growth rates during vapor phase selective epitaxy.—75-03162A
Spectroscopic study of SiC-like structures formed on polycrystalline silicon sheets during growth.—75-06365A
Spiral growth in sol-gel $YBa_2Cu_3O_{7-\delta}$ microspheres.—75-06779A
Spiral growth mechanisms in partially melted bulk $YBa_2Cu_3O_{7-\delta}$.—75-05833A
Structure and properties of heteroepitaxial $Pb(Zr_{0.35}Ti_{0.65})O_3$/$SrRuO_3$ multilayer thin films on $SrTiO_3$(100) prepared by MOCVD and rf sputtering.—75-05645A
Substrates for the growth of 3C-silicon carbide.—75-08118P
Surface acoustic wave properties of ZnO films on {001}-cut <110>-propagating GaAs substrates.—75-03176A
Surface kinetics of adatoms in vapor phase epitaxial growth of SiC on 6H-SiC {0001} vicinal surfaces.—75-03845A
Synchrotron radiation studies of diamond nucleation and growth on Si.—75-01962A
Synthetic diamond product.—75-08852P
Theoretical study of GaN growth: a Monte Carlo approach.—75-01730A
Thin films of boron nitride grown by CVD.—75-06822A
Thin-film growth of layered cobalt oxide $Bi_2Sr_1Co_2O_{9+\delta}$ nearly isomorphic to $Bi_2Sr_2CaCu_2O_{8+\delta}$ superconductor.—75-00891A
Top-seeded solution growth and characterization of $Bi_{12}TiO_{20}$ crystals.—75-03188A
Transition of the particle-growth mechanism with temperature variation in the molten salt method.—75-04415A
Transport measurements and donor spectra of very high purity GaAs grown using tertiarybutylarsine and triethylgallium.—75-05507A
Twin-determined growth of diamond films.—75-04262A
Two priorities for the glass industry.—75-02151A
X-ray investigations of epitaxial $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin films grown on $SrTiO_3$ substrates with MgO and CeO_2 buffer layers for the fabrication of biepitaxial Josephson junctions.—75-08448A
YIG single-crystal fiber growth using ir-assisted laser FZ [floating zone] technique.—75-03341A

gunite,
Novel guniting material for steel industry.—75-07617A

gunning,
Development of a large-capacity flame gunning repair system for plain carbon steelmaking BOFs.—75-07514A
Development of gunning material for hot repair of CC tundish.—75-07519A
High-lime gunning mixes for BOF and EAF.—75-07564A

gypsum,
Development of a technology for producing molds on gypsum binder.—75-05081A
Effect of fillers on the properties of gypsum structural materials.—75-07145A
Gypsum handling.—75-02778A
Gypsum in modern buildings.—75-07151A
Gypsum-based aerated concretes.—75-07152A
Increase of water and frost resistance of articles based on gypsum binders.—75-07159A
Investigation techniques to analyze hydration characteristics of CSA cements.—75-00052A
Method of manufacturing hollow ceramic rolling elements.—75-08608P
Multicomponent clinkerless waterproof gypsum binders.—75-07169A
Phosphogypsum-based foam plaster.—75-07172A
Physicochemical features of producing anhydrite cement from phosphogypsum.—75-07173A
Setting of gypsum plaster: I, The hydration of calcium sulfate hemihydrate.—75-04831A
Setting of gypsum plaster: II, The development of microstructure and strength.—75-04832A
Strength and microstructure of cast gypsum.—75-07187A

hafnia,
Abnormal grain growth in alumina-doped hafnia ceramics.—75-06860A
$BaZrO_3$ and $BaHfO_3$: preparation, properties, and compatibility with $YBa_2Cu_3O_{7-x}$.—75-05731A
High-temperature ionic conduction in multicomponent solid oxide solutions based on HfO_2.—75-05197A
Materials potentially harder than diamond: quenchable high-pressure phases of transition metal dioxides.—75-06070A
Phase equilibria in the HfO_2-Y_2O_3-La_2O_3 ternary system.—75-09019A
Phase relations in the systems HfO_2-Y_2O_3 and ZrO_2-Y_2O_3: representation with *p-T-x* phase diagrams.—75-09033A
Process for the production of ceramic prostheses.—75-03680P
Raman scattering and structure of cubic solid solutions based on zirconium and hafnium dioxides.—75-06331A
Solid solutions based on indium oxide with additions of HfO_2, CeO_2, and TiO_2 and some of their properties.—75-05139A
Synthesis of transparent Nd-doped HfO_2-Y_2O_3 ceramics using HIP.—75-01722A
System HfO_2-Y_2O_3-Er_2O_3.—75-03846A

hafnium carbide,
Oxidation-resistant diamond composite and method of forming the same.—75-01182P

hafnium,
Electrical transport and superconductivity in $YBa_2Cu_3O_{7-\delta}$-$YBa_2HfO_{5.5}$ percolation system.—75-00798A
Luminescence of hafnium compounds.—75-06484A
Negative thermal expansion material.—75-01128P

halides,
Cluster models of doped ionic crystal scintillators, quantum calculations.—75-01815A
Crack healing using an ion current in alkali halide crystals.—75-06189A
Curing of preceramic articles with gaseous hydrogen halide.—75-08571P
Effect of crystal dynamics on properties of inorganic materials.—75-06210A
Effect of external pressure on phase precipitation in copper halide photochromic glasses.—75-02710A
Effect of ligand field on branching ratio of ultraviolet and blue upconversions of Tm^{3+} ions in halide and oxide glasses.—75-00212A
Electric conductivity of glasses in the PbO-B_2O_3-$PbHal_2$ and $2PbO$-B_2O_3-$PbHal_2$ systems (Hal=Cl, Br, and I).—75-02651A
Growth of halide scintillators with a modified heat exchange method.—75-01519A
Kinetics of excitonic luminescence in mixed silver halides.—75-00531A
Luminescence parameters of PbX_2 (X=F, Cl, Br, I) crystals.—75-01306A
Raman scattering in multicomponent halide glasses.—75-02604A
Temperature and frequency dependence of multiphonon absorption in halide glasses.—75-02692A

Hall effect,
Anomalous T^3 inverse Hall mobilities observed in $Sr_{1-x}Ca_xCuO_2$ and $Sr_{0.9}Nd_{0.1}CuO_2$ infinite layer thin films.—75-05725A
Classical Hall effect in an amorphous As_2S_3 semiconducting glass.—75-00435A
Conductivity anisotropy in epitaxial 6H- and 4H-SiC.—75-00445A
Magnetic flux mapping, magnetization, and current distribution of $YBa_2Cu_3O_7$ thin films by scanning Hall probe measurements.—75-00820A
Measurement and analysis of Hall effect of a two-dimensional electron gas in the close proximity of a superconducting $YBa_2Cu_3O_{7-x}$ film.—75-00823A
Quantum Hall effect in a sample of nonstandard geometry.—75-05456A
Sign and temperature dependence of the Hall effect of $Bi_2Sr_2YCu_2O_8$ single crystals at compositions below that for metallic conduction.—75-03401A

halloysite,
Carbothermal formation of β′-SiAlON from kaolinite and halloysite studied by ^{29}Si and ^{27}Al solid-state MAS NMR.—75-06172A

halogenides,
Decomposition of Y-Ba cuprates in solutions of alkaline halogenides with increased temperature and pressure.—75-05742A
Halogenation of diamond (100) and (111) surfaces by atomic beams.—75-06634A

hardening,
Approach to determine diffusivity in hardening concrete based on measured humidity profiles.—75-02385A
Combined hardening of an aqueous sodium silicate solution with polyisocyanate and epoxy resins.—75-06552A
Cooling capacity of water-air mixtures in hardening of thin glass.—75-07378A
Effect of austenitizing temperature on the hardening of oil quench tool steels.—75-04492A
Principles for establishing concrete compositions under fast hardening conditions.—75-07176A

hardness,
Coating composition for glass containers.—75-05047P
Deformation of cements with increased magnesium oxide content with changes in hardening conditions.—75-07142A
Density dependence of bending strength and Vickers hardness of mullite-silica and zirconia ceramics.—75-09613A
Development of high-alumina ceramics using ALCOA A13 alumina.—75-01433A
Effects of hardness and fracture toughness of target ceramics and abrasive particles on wear rate by abrasive water jet.—75-09628A
Evaluation and forecast of material hardness.—75-07147A
Evaluation of mechanical properties for alumina ceramics.—75-09632A
Explosive reaction pressing of intermetallic compounds from stoichiometric powder mixtures.—75-01493A
Hard high-density carbon thin films for X-ray multilayer optics.—75-01149A
Hardness of nine machinable ceramics for dental applications.—75-06987A
Hardness variations in multilayered ZrO_2-Al_2O_3 composites.—75-04548A
Hardness, elasticity modulus, and flexion strength of dry set plaster.—75-04817A
Influence of microstructure on indentation hardness of a ZnO-Al_2O_3-SiO_2-TiO_2 glass-ceramic.—75-00216A
Influence of silicon incorporation on the properties of hard a-C:H films.—75-01545A
Materials potentially harder than diamond: quenchable high-pressure phases of transition metal dioxides.—75-06070A
Solid-state NMR studies of the bonding structure of diamondlike amorphous carbon films.—75-01934A
Synthesis, properties, and applications of superhard amorphous coatings.—75-09194A

hazardous wastes,
Environmental testing of WVDP waste glasses.—75-03463A
Establishing regulatory compliance in a new plant.—75-02129A
Sulfur polymer cement [SPC] encapsulation of RCRA toxic metals and metal oxides.—75-03499A
Transforming hazardous waste into sellable ceramics by the Qubator Process.—75-00989A

health,
Back to basics.—75-02194A
Ceramic fiber and occupational health and safety—a review of the literature.—75-02114A
Exercises for a healthy back.—75-02245A
Today's safety and health issues [in porcelain enameling].—75-02150A
Worker's compensation.—75-04767A

heat capacity,
Heat capacity and thermodynamic properties of eulytine, $Bi_4(SiO_4)_3$.—75-08948A
Heat capacity of β-$Tb_2(MoO_4)_3$ crystals in the region of the nonintrinsic ferroelectric phase transition.—75-08146A
Heat capacity of titanium disilicide.—75-01220A

heat engine ceramics,
Advancements of high-performance structural ceramics in China.—75-03685A
Aluminum titanate ceramics and their application in exhaust pipes for engines.—75-03641A
Cost-effective fabrication technology for high-performance ceramic heat engine components.—75-03515A
Design methodology of engine using ceramic components and thermos structure.—75-03694A
Development of structural ceramic components for automobile applications.—75-08801A

Extended application of ceramic heat exchanger.—75-03647A
Inorganic polymer ceramics for heat insulation in diesel engines.—75-03652A
Performance of ceramic-coated exhaust port of an air-cooled diesel engine.—75-03656A
Silicon carbide piston/cylinder for uncooled diesel engine.—75-03714A
Silicon nitride swirl lower chamber fabricated by gas pressure sintering.—75-03721A
Three-dimensional temperature field calculation for the cylinder head of an air-cooled diesel engine with ceramic coated exhaust port.—75-03663A

heat exchangers,
Ceramic gas turbine heat exchanger development.—75-01078A
Ceramic heat exchanger design.—75-08557P
Heat exchange systems for wet kilns.—75-08727A

heat resistance,
Heat-resistant mixtures for heat-shielding coverings.—75-05096A
Origin and evolution of functionally gradient materials.—75-04862A

heat transfer,
Development of computer model for analysis of phenomena in COREX shaft-type reduction furnace.—75-08719A
Heat transfer optimization in TV glass furnaces.—75-05998A
High surface purity heat transfer solids for high-temperature fluidized bed reactions.—75-07698P
Reticulated ceramic inserts (core busters) for ceramic radiant tube applications.—75-03710A

heat treatment,
α- to ß-SiAlON phase transformations in post-sintering heat treatment.—75-08853A
Constitution of porcelain before and after heat treatment: II, Aspect ratio and size distribution of mullite.—75-09536A
Diffusion of group III and group V elements in silicon during short heat treatments.—75-09498A
Effect of heat treatment on grain size, phase assemblage, and mechanical properties of 3 mol% Y-TZP.—75-06578A
Effect of overheating of the melt and heat treatment of hardened materials on the structure of forsterite granules.—75-05086A
Effect of rapid heat treatments on electrical properties of polymer-derived ceramic fibers.—75-04008A
Effects of deposition temperature and thermal treatment on the structure of C_{60} and C_{70} films.—75-01469A
Effects of heat treatments on photostriction in PLZT ceramics.—75-00653A
Heat treatment of ilmenite concentrates.—75-06034A
Influence of heat treatment temperature on room temperature and high temperature tensile strength of unidirectional carbon fiber reinforced carbon.—75-04568A
Influence of heat treatments on order-disorder phenomena in a naturally occurring manganese ferrite.—75-00739A
Microstructural features of fusion cast Al_2O_3-ZrO_2-SiO_2 refractories.—75-05106A
Microstructure and properties of AlN ceramics heat-treated in air.—75-09562A
Reactions occurring in post-heat-treated α/ß-SiAlONs: on the thermal stability of α-SiAlON.—75-09048A
Reliability of Ag terminal electrode under heat cycle.—75-00128A
Self-cleaning in *p*-CdTe crystals during heat treatment.—75-05470A
Superplastic forming of Superdux 64 stainless steel.—75-04229A
Thermal removal of binders from ceramic particle bodies.—75-01004P
Vacuum heat treatment of nitrogen ceramics.—75-04271A
X-ray diffraction of aluminum nitride at heat-treatment temperature between 20° and 1200°C.—75-04445A

heat,
Heat generation in multilayer piezoelectric actuators.—75-08147A
Heat transmission during thermal shock testing of ceramics.—75-06469A
Heat-insulating refractory material.—75-07697P
Spectral element method for thermoconvection in a glass melt.—75-08739A

heaters/heating,
Automatic control during microwave heating of ceramics.—75-01010A
Behavior of a pressed mixture of two oxide powders during heating.—75-09221A
Ceramic heater for oxygen sensor of the type having oxygen ion conductive tube of solid electrolyte.—75-03666P
Dynamic model for electromagnetic field and heating patterns in loaded cylindrical cavities.—75-01445A
Effect of heating atmosphere on segregation and dissolution of the Pb compound in the Bi-2223 phase.—75-00789A
Effect of microwave heating on the sintering of silicon nitride doped with Al_2O_3 and Y_2O_3.—75-01458A
Electrical conductivity of rutile single crystals after heating by pulsed laser.—75-06452A
Electrically heated glass.—75-07383A
Finite element computer model of microwave-heated ceramics.—75-01504A
Forsterite-containing parts for air heaters of blast furnaces.—75-05094A
Heater having a multiple layer ceramic substrate and method of fabrication.—75-06088P
Heating instability in generation of the photocarriers in potential well of a *P-i-N* heterostructure.—75-03043A
Magnetic shielding scheme around the T/D of the continuous casting foundry.—75-07596A
Mathematical models of microwave heating: bistability and thermal runaway.—75-01569A
Method for evaluating ecological danger of heat engineering objects in the building materials industry.—75-08731A
Microwave heating of a changing material.—75-01574A
Nonideality coefficient of volt-ampere characteristics of *p-n* junctions during heating of charge carriers and phonons.—75-05404A
Optical phenomena under electron heating in MQW GaAs-AlGaAs in a longitudinal electric field.—75-03103A
Optimizing heating schedules: a model study.—75-07622A
Particular properties of a nonlinear reflection of electromagnetic waves from a multilayer structure which are connected with electron gas heating in a high-doped GaAs layer.—75-05414A
Practical problems of electrical heat treatment of concrete.—75-07174A
Process for inductive heating of ceramic shaped parts.—75-01003P
Processing and characterization of a polymer matrix composite using variable frequency microwave heating.—75-01632A
Steady-state temperature profile in a cylinder heated by microwaves.—75-01681A
Structural evolution of $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals studied [by] in situ heating electron microscopy.—75-03408A
Subsurface overheating of targets in laser deposition of superconducting films.—75-03410A
Temperature distribution considerations during microwave heating of ceramics.—75-01727A
Temperature runaway and scale-up of the reaction bonding of aluminum oxide [RBAO].—75-09484A
Testing of actively cooled functionally gradient materials under high heat flux conditions.—75-02551A
Thermal warming of wide-band semiconducting materials with a CO_2 laser.—75-08082A
Uniform microwave heating of polymer matrix composites.—75-01737A

heavy clay products,
Heavy clay preparation turned "fine."—75-05061A

heavy metals,
Improved Pr^{3+}-doped heavy metal fluoride glasses and fibers.—75-04905A
Preparation and characterization of heavy metal oxide glasses: Bi_2O_3-PbO-B_2O_3-GeO_2 system.—75-05033A
Volatilization during thermal plasma processing of glass melts containing heavy metals.—75-05919A

helium,
Dissolution of rising helium bubbles in a soda-lime-silica glass melt.—75-05995A

hematite,
Effect of the real structure of hematite on the kinetics of ferrite formation in the Li_2O-Fe_2O_3 system.—75-08208A
Inelastic scattering of slow neutrons by hematite.—75-08222A

heterogeneity,
Ceramic superconductor having a heterogeneous composition distribution and method of preparing the same.—75-08453P
Compositional heterogeneity and the origins of the multicell cubic state in Sn-doped lead zirconate titanate ceramics.—75-00443A
Effect of inhomogeneities of solid solution composition on structure and properties of ferroelectric ceramics based on lead zirconate titanate [PZT].—75-05550A
Heterogeneous microstructure development in the binary mixtures of high-purity alumina powders surface-modified by coupling agents.—75-01521A
Numerical analysis of energetic heterogeneity in complexing silicas.—75-08691A
Theoretical investigation of the fracture energy of heterogeneous brittle materials.—75-07044A

heterostructures,
Atomic layer epitaxy and structural characterization of InP and InAs/InP heterostructures.—75-05246A
Composition and strain analysis of semiconductor heterostructures using thickness fringes on TEM images.—75-00441A
Concentration of a two-dimensional electron gas in selectively doped heterostructures under equilibrium and nonequilibrium filling of impurity centers.—75-07810A
Diamond photovoltaics: characterization of CVD diamond film-based heterostructures for light to electricity conversion.—75-07831A
Electron tunneling in heterostructures having a single barrier and symmetrical spacers in longitudinal magnetic field.—75-03015A
Heating instability in generation of the photocarriers in potential well of a *P-i-N* heterostructure.—75-03043A
High-temperature superconducting multilayers and heterostructures grown by atomic layer-by-layer molecular beam epitaxy.—75-05775A
Metal oxide heterostructures[—review].—75-05380A
Method of enveloping functions for description of electron states in microstructures with smooth variation of the potential at heterointerfaces.—75-07970A
Performance of $Ga_xIn_{1-x}P$/GaAs heterojunctions grown by metallorganic molecular-beam epitaxy and metallorganic vapor-phase epitaxy.—75-05416A
Photoluminescence studies of strained $In_xGa_{1-x}As$-$Al_{0.28}Ga_{0.72}As$ heterostructures grown by molecular beam epitaxy.—75-00569A
Properties of lead sulfide thin films deposited on a ferroelectric ceramic substrate.—75-00693A
Quasi-stationary states of hole pairs in heterostructures with quantum wells.—75-08034A
Weak binding approximation for calculating the carrier spectrum in heterostructures.—75-08712A
Zeeman splitting of heavy holes states in A_3B_5 and A_2B_6 heterostructures.—75-08096A

high temperature,
Analysis of the high-temperature relaxation in polycrystalline magnetite.—75-03275A
Applicability of general soft metallic molds applied to gravity mold casting in high temperature melt.—75-03953A
Ceramic Transactions, Volume 57: High-Temperature Ceramic-Matrix Composites I: Design, Durability, and Performance.—75-02158B
Ceramic Transactions, Volume 58: High-Temperature Ceramic-Matrix Composites II: Manufacturing and Materials Development.—75-02159B
Coated ceramic article.—75-02567P
Computational simulation of high-temperature ceramic matrix composites behavior.—75-03553A
Creep deformation of ceramic matrix composites.—75-04475A
Cyclic fatigue at high temperatures of ceramic matrix composites.—75-04477A
Degradation processes in porous high-temperature materials.—75-09612A
Delayed failure of ceramic fibers at elevated temperatures.—75-04486A
Design of a possible microstructure for high temperature service.—75-04312A
Determination of interfacial properties in function of temperature using a single fiber microcomposite test.—75-03556A
Effect of amount of halogen impurities on high-temperature mechanical properties of sintered Si_3N_4.—75-02038A
Effect of Anderson disorder on superconducting paired correlations with *s**- and *d*-symmetry in high-temperature superconductors.—75-08294A
Elastic moduli measurements of composite ceramics at high temperatures using laser ultrasonics.—75-05943A
ETA [emanation thermal analysis] of nanocomposite xerogel powders.—75-08667A
Fluctuation shift of T_c and width of the critical field in high-temperature superconductors.—75-05769A
Fracture behavior of silicon nitride at elevated temperatures.—75-04536A
Fundamentals of electrostatic precipitation at high temperatures and high pressures.—75-05901A
High-temperature ceramic nut.—75-06092P
High-temperature creep of yttrium aluminum garnet single crystals.—75-06990A
High-temperature deformation of single-crystal yttrium aluminum garnet (YAG).—75-04552A
High-temperature diamond film deposition on a natural diamond anvil.—75-09330A
High-temperature dielectric constant measurement—another analytical tool for ceramic studies.—75-01025A
High-temperature dissociation of silicon nitride.—75-09149A
High-temperature electrical conductivity of AlN ceramics.—75-00338A
High-temperature embrittlement of ceramic matrix composites—interface effects.—75-01862A
High-temperature fracture toughness of duplex microstructures.—75-02062A
High-temperature ionic conduction in multicomponent solid oxide solutions based on HfO_2.—75-05197A
High-temperature vitrification of surrogate Savannah River Site (SRS) mixed waste materials.—75-03470A
Hot corrosion of oxide ceramics.—75-01994A
Hot corrosion—the experience from metals and intermetallics.—75-01995A
Internal stresses in silicon nitride and their influence on mechanical behavior.—75-04574A
Manufacture of HTR [high-temperature reactor] fuel element.—75-08504A
MgO at high temperatures and pressures: shell-model lattice dynamics and molecular dynamics.—75-06272A
Optical properties of diamond at elevated temperatures.—75-09165A
Search for new high-temperature ferromagnets with enhanced magnetoelectric interaction.—75-05709A
Spread-type cylindrical ultrahigh-temperature zirconia furnace.—75-08740A
Subcritical crack growth of Si_3N_4 under thermal loading by light irradiation.—75-04641A
Subcritical crack growth resistance in silicon nitride ceramics.—75-04642A
Thermal spray abradable powder for very high temperature applications.—75-08634P
Utilization of fractography in the evaluation of high-temperature dynamic fatigue experiments.—75-04660A

history,
25 years at Frog Hollow[, Vermont].—75-02179A
250 years of Hochst porcelain.—75-07058A
Advances in isostatic pressing.—75-03949A
Byzantine Serres ceramics.—75-02207A
Ceramic folklore of MUMYOI-Vaki.—75-04789A
Evolution in presses.—75-03520A
Following anagama tradition.—75-02252A
From the plant's history[—an AO Maltsovsky Portland Cement Co. presentation].—75-07150A
Greek folk pottery.—75-02263A
History of radioactive waste—how did we get here.—75-03471A
Northwest ceramics pioneers.—75-02315A
Old and new in Jingdezhen.—75-02316A
Overbeck studio.—75-02319A
Peruvian expressions.—75-02326A
Quantifying culture change in the ancient Near East—multivariative statistical analysis of Second Millenium BC pottery from Pella in Jordan.—75-00020A
Radioactive wastes 1955-1995.—75-03491A
Steatite diary: II, Technical ceramics—the World War II years.—75-04753A
Steatite Diary: III, Technical ceramics: the years after World War II.—75-04754A
Tiles of Ohio.—75-02372A
Using pottery to interpret the past—Astarte figurines in Late Bronze Age Palestine, a case study.—75-00021A

holes,
Autosolitons in a heated and electric-field-pulse-excited electron-hole plasma of indium antimonide.—75-07788A

Ceramic parts having small hole(s) and method of manufacturing the same.—75-08562P
Determination of the hole concentration in InP by Raman spectroscopy.—75-07825A
Energy spectra of two- and three-dimensional holes with removed spin degradation (study of tellurium).—75-03020A
Experimental study of the influence of uniaxial pressure on the effects of hot holes in *p*-germanium in longitudinal electric fields.—75-05319A
Function of spatial distribution of nonequilibrium electron-hole pairs in direct-gap semiconductors under one-photon excitation.—75-03033A
Hole states in ultrathin quantum wells.—75-07909A
Long-wave radiation during heating of two-dimensional holes by the longitudinal electric field in quantum wells of GaAs-AlGaAs structures.—75-05363A
Magnetotransport and far ir emission in two-dimensional hole GaAs/AlGaAs structures.—75-03089A
Method for closing holes in ceramic substrates.—75-08589P
Method of manufacturing hollow ceramic part with hole therein.—75-05926P
Parameters characteristic of electron-hole scattering in semiconductors under low level of charge carrier injection.—75-03109A
Quasi-stationary states of hole pairs in heterostructures with quantum wells.—75-08034A
Role of holes in building the population coefficient of charged dislocations in *n*-type semiconductors.—75-03153A
Spectrum of levels of an electron-hole pair in semiconductor nanocrystals.—75-08059A
Transient absorption of autolocalized holes [ALHs] in beryllium oxide crystals.—75-09100A
Tunneling relaxation of holes in double quantum wells with nonideal heterointerfaces.—75-03193A
Zeeman splitting of heavy holes states in A_3B_5 and A_2B_6 heterostructures.—75-08096A

holmium,
Absorption and emission spectra of Ho^{3+}-doped fluoroborate glasses.—75-07319A
Alexandrite effect and optical properties of holmium metaphosphate glass.—75-07321A
Collective magnetic excitations of Ho^{3+} ions in grain-aligned $HoBa_2Cu_3O_7$.—75-03346A
Combined electronic nuclear magnetic ordering of the Ho^{3+} ions and magnetic stacking faults in $HoBa_2Cu_3O_x$ (x=7, 6.8, 6.3).—75-03347A
Optical characterization of Ho^{3+} ions in $LiNbO_3$ and in $LiNbO_3$:MgO crystals.—75-06293A
Orthorhombic to monoclinic phase transformation of $(Ho_{1-x}La_x)_4Al_2O_9$ by applying stress.—75-03816A

holograms/holography,
Holographic atom imaging from experimental photoelectron angular distribution patterns.—75-01863A
Observation and measurement of atomic scale imperfections in materials using CBED+EBI/H.—75-01901A
TV holography at high temperatures—in situ observations of the oxidation of advanced materials.—75-01048A

homogeneity,
Crack suppression in strongly bonded homogeneous/heterogeneous laminates: a study on glass/glass-ceramic bilayers.—75-02638A
Negative capacitance in semiconductor structures.—75-07982A
Optical uniformity of cadmium sulfide single crystals.—75-05410A
Project MAXWELL—a technical overview.—75-02144A

honeycomb,
Adsorptive honeycomb-shaped ceramic structure and method for its production.—75-08547P
Ceramic honeycomb structural body and catalyst comprising the same.—75-08558P
Ceramic honeycomb structural body.—75-08559P
Ceramic honeycomb substrates for automobile exhaust catalysts.—75-06065A
Extrusion die for protrusion and/or high cell density ceramic honeycomb structures.—75-08578P
Low profile metal-ceramic-metal packaging.—75-03206P
Method of manufacturing a honeycomb structure of thermostructural composite material.—75-00997P

hot isostatic pressing,
Computer-assisted optimization of the HIP-elimination of processing flaws in alumina.—75-01409A
Cyclic fatigue of hot isostatically pressed silicon nitride at elevated temperatures.—75-06956A
Effects of post-sinter hot isostatic pressing processes on microstructures and mechanical properties of Al_2O_3-Cr_3C_2 composites.—75-01472A
Fabrication of thermal barrier type of SiC-AlN/Mo FGM by hot isostatic pressing and its thermomechanical performance.—75-02478A
Formation and hot isostatic pressing of ZrO_2 solid solution in the system ZrO_2-Al_2O_3.—75-06611A
HIPed silicon nitride turbine wheel development.—75-03701A
Hot isostatic pressing of silicon carbide based multiphase composed materials.—75-04068A
Hot isostatically pressed concrete as a radwaste form.—75-03472A
Metastable zirconia phases prepared from zirconium alkoxide and yttrium acetylacetonate: II, Hot isostatic pressing of tetragonal zirconia solid solution powders.—75-06681A
Modification and pyroelectricity of Pb(Zr, Ti)O_3-based ceramics using HIP with novel glass encapsulation.—75-08154A
Rolling fatigue of hot isostatically pressed silicon nitride bearing balls with emphasis on statistical properties.—75-02092A
Si_3N_4O-ZrO_2 composites prepared by hot isostatic pressing.—75-09432A
Synthesis and application of intermetallic compounds produced by combustion synthesis process.—75-04867A
Thermal expansion of hot isostatically pressed hydroxyapatite.—75-06526A
Various ceramic/metal graded structures and functions tailored by SHS/HIP.—75-07237A

hot-pressing,
Features of the process of hot-pressing glass compositions.—75-07385A
Formation of densified material.—75-00993P
Hot-pressing of $MgSiN_2$ ceramics.—75-06638A
Materials Science and Technology—A Comprehensive Treatment: Volume 17B, Part II, Processing of Ceramics.—75-07110B
New processing technique for hydroxyapatite ceramics by the hydrothermal hot-pressing [HHP] method.—75-08535A
Preparation of fine-grained calcium α-SiAlON.—75-06728A
Preparation of sintered compacts of anatase by hydrothermal hot-pressing.—75-06736A
Preparation of TiC/Ni_3Al FGMs—sintering and structure.—75-02529A
Process for producing high strength alumina.—75-03677P
Reactive hot-pressing of AlN/TiB_2 particulate composites.—75-04196A
SiC and Si_3N_4 matrix composites according to the hot-pressing route.—75-04208A
Sintering reaction of SiAlON composites.—75-01671A

humidity,
Approach to determine diffusivity in hardening concrete based on measured humidity profiles.—75-02385A
Effect of humidity on the removal of fine particles on a solid surface using high-speed air jet.—75-06580A
Effects of humidity and sliding speed on the wear properties of Si_3N_4 ceramics.—75-04506A
Humidity effects on electrostatic porcelain enamel powder.—75-00102A
Humidity-sensitive $PbTiO_3$ and $PbZrO_3$ thin films prepared by a sol-gel process.—75-00665A
Piezoelectric actuator response to environmental humidity.—75-00686A
Study of hybrid humidity sensors using polymer and thick film sensing elements.—75-00377A
Wetting and dewetting of Si/SiO_2-wafers by free and liquid-monolayer covered aqueous solutions under controlled humidity.—75-05515A
ZnO/La_2CuO_4 heterocontacts as humidity sensors.—75-00634A

hydrates,
Anomalous pyroelectricity in sharply cooled lithium sulfate monohydrate and nonpolar alum crystals.—75-09118A
Conversion of calcium aluminate cement hydrates reexamined with synchrotron energy dispersive diffraction.—75-04810A
Hydrates of potassium, rubidium, and cesium dihydroarsenates.—75-05587A
Kinetics of dehydration of lithium sulfate monohydrates [LSM] studied by conducting scanning calorimetry [CSC].—75-05953A
Low-temperature phase transition in $(CH_3)_2NH_2Ga(SO_4)_2{\cdot}6H_2O$ crystals.—75-08975A
Physicochemical study of the H_2O-H_3PO_4-0.5H_2O system.—75-06318A
Production of pure ammonia dihydrophosphate from extractive phosphorus-containing solutions.—75-06328A
Synthesis of $ZnO_{2-x}{\cdot}nH_2O$ nanolayers on the surface of silicon by the ionic stratification method.—75-06819A

hydration,
^1H NMR investigation of the influence of SO_3 on the hydration process of white cement.—75-00022A
^{29}Si solid state NMR study of tricalcium silicate and cement hydration at high temperature.—75-00258A
Contact-condensation properties of hydrated ashes.—75-07141A
Dehydration and hydration of montmorillonite at elevated temperatures and pressures using synchrotron radiation.—75-03783A
Effect of fillers (fine particles) on the kinetics of cement hydration.—75-00032A
Effect of Melment superplasticizer on C_3S hydration—from suspension to paste.—75-00034A
Effect of supplementary cementing materials on the composition of cement hydration products.—75-02401A
Evaluation and forecast of material hardness.—75-07147A
Evolution of the microstructure in styrene acrylate polymer-modified cement pastes at the early stage of cement hydration.—75-04816A
Hydration and strength of high-performance concrete.—75-04818A
Hydration of $YBa_2Cu_3O_{6+\delta}$ in a low-humidity atmosphere.—75-08338A
Hydration reactions in the system CaO-P_2O_5-SiO_2-(H_2O).—75-04070A
Hydration resistances and reactions with CO of Al_4O_4C and Al_2OC formed in carbon-containing refractories with Al.—75-07570A
Improvements in hydration resistance of CaO clinkers.—75-00046A
In situ Raman spectroscopy study of the hydration of tricalcium silicate.—75-03702A
In situ solid-state NMR studies of C_3SiO_5: hydration at room temperature and at elevated temperatures using ^{29}Si enrichment.—75-06243A
Intrinsic sorption potential of aluminum-substituted calcium silicate hydroxy hydrate for cesium-137.—75-03901A
Investigation techniques to analyze hydration characteristics of CSA cements.—75-00052A
Mechanical properties of cement pastes and mortars at early ages.—75-04820A
Mechanism of hydration of cement with basalt additions.—75-07165A
MgO raw material improved the hydration resistance.—75-07600A
Mobility and concentration of charge carriers in $H_2V_{12-x}Mo_xO_{31\delta_x}{\cdot}nH_2O$ xerogels.—75-08985A
Orientation, location, and total energy of hydration of channel H_2O in cordierite investigated by ab initio total energy calculations.—75-03815A
Progress in the ^{27}Al MAS NMR spectroscopy monitoring the hydration of calcium aluminate cements.—75-00060A
Properties of metakaolin blended cements.—75-02418A
Reaction mechanism of blended cements—a ^{29}Si NMR study.—75-00064A
Structural network and Fermi level of a pseudodoped amorphous hydrated silicon.—75-03172A
Surface relaxation and surface area measurements in soft and hardened pastes.—75-01693A
Ultrasonic measurements on hydrating cement slurries.—75-02428A
Use of differential thermal analysis for hydrothermally cured cement products.—75-00072A

hydraulics,
30-MN OP [oil hydraulic press] system.—75-05054A
Advanced flexible design of hydraulic refractory presses.—75-07457A

hydrocarbons,
Ceramic oxides as potential hydrocarbon and NO_x sensors.—75-02972A
Diamond synthesis via hydrothermal pyrolysis of hydrocarbons and halogenated hydrocarbons on diamond seeds.—75-09260A
New generation castables for the hydrocarbon processing industry.—75-07611A

hydrogel,
Mixed hydroxide hydrogel in the ternary system ZrO_2-Al_2O_3-SiO_2: I, Kinetics of thermal dehydration in the synthetic hydrogel.—75-03806A

hydrogen,
P-T phase diagrams and proton conductivity in $Rb_3H(SeO_4)_2$ and $(NH_4)_3H(SO_4)_2$ crystals.—75-06144A
^2H trapping in $YBa_2Cu_3O_{7-\delta}$/$LaAlO_3$<100> samples under $^2H^+$ irradiation.—75-00766A
6H-SiC field effect transistor with Schottky diode gate.—75-02958A
Conductivity and FTIR measurements of the hydrogen content of heat-treated diamond films.—75-01411A
Consecutive transformation of gold-containing complexes in *n*-type silicon under saturation by atomic hydrogen.—75-07812A
Contribution of domain wall energies to the heat of the ferroelectric phase transition in KH_2PO_4 and KD_2PO_4 crystals.—75-08888A
Decomposition of methyltrichlorosilane [MTS] in hydrogen and helium.—75-03986A
Defects and hydrogen in amorphous silicon nitride.—75-06843A
Dehydrogenation mechanism for SiN_x:H layers prepared from hexamethylcyclotrisilazane.—75-09249A
Detection of hydrogen fluoride emissions from firing clay ceramics using Fourier transform infrared (FTIR) spectroscopy.—75-03611A
Deuterium quadrupole coupling constant of H-doped Y-Ba-Cu-O systems.—75-03355A
Development and investigation of epitaxial diffusion of 6H-SiC *p-n* structures.—75-02996A
Effect of high-temperature annealing on the electrical and photoelectrical properties of phosphorus-doped a-Si:H films.—75-07848A
Effect of phosphorus doping on tin diffusion in a-Si:H films.—75-03007A
Effect of various processing methods on the state of 6H-SiC(000$\bar{1}$) surface.—75-06588A
Electrophysical properties of a-C:H films which are likely to be applied for making protective coatings of electrophotographic information carriers.—75-03018A
Electrophysical properties of impurity phases of deuterium (hydrogen) and neutron emissions in Pd/PdO heterostructures.—75-09141A
Elimination of hydrogen-related instabilities in Si/SiO_2 structures by fluorine implantation.—75-01483A
EPR study of the Cu^{2+} impurity centers in the KH_2PO_4 and KD_2PO_4 lattices.—75-05565A
Exposure of diamond to atomic hydrogen—secondary electron emission and conductivity effects.—75-01850A
Fabrication and mechanical properties of α′-SiAlON-12H multiphase ceramics.—75-04030A
Films of amorphous hydrated silicon deposited at elevated temperatures.—75-07890A
Formation of hydrogen-containing complexes in ZnTe single crystals annealed in H plasma and their decomposition under high-energy electron irradiation.—75-05324A
High sensitivity and wide temperature tolerance hydrogen gas sensors utilizing PECVD diamond technology.—75-07905A
Hydrogen concentration and mass density of diamondlike carbon films obtained by X-ray and neutron reflectivity.—75-01528A
Hydrogen content of polished glass surfaces using forward recoil spectroscopy.—75-04904A
Hydrogen-catalyzed crystallization of strontium titanate.—75-01221A
Hydrogen-containing center with negative-*U* properties in silicon.—75-07913A
Hydrogen-like states of 3*d* impurities in II-VI semiconductors.—75-05337A
Influence of high-temperature annealing on electrical properties of compensated *a*-Si:H films containing boron and phosphorus.—75-07923A
Influence of prolonged illumination on the properties of a compensated *a*-Si:H.—75-07926A
Injection electroluminescence of *pin* thin-film structures based on hydrogenated Si produced under conditions of super strong rarefication of silane by hydrogen.—75-07934A

Interaction of hyperthermal hydrogen with the diamond surface.—75-01999A
Kinetics of hydrogen sulfide absorption in a drop of a sodium carbonate solution with resistivity to mass transfer in the liquid phase.—75-06253A
Mechanism of the chemical reduction of copper(II) by an ion of hypophosphite.—75-06677A
Modification of a-$Si_{1-x}C_x$:H film properties during annealing.—75-07975A
Monitoring for hydrogen fluoride emissions.—75-03583A
Monitoring the formation and removal of superthin Si layers on the hydrogenated starting surface of single-crystalline Si.—75-07978A
Neutralization of group VI donors by H in GaAs.—75-05395A
Nitrogen atom incorporation into the network of an amorphous hydrogenated silicon.—75-03099A
Observations related to hydrogen in powder and single-crystal samples of $YBa_2Cu_3O_{7-\delta}$.—75-03386A
Partial thermodynamic functions of hydrogen in $H_2V_{12-x}Mo_xO_{31.5\delta}{\cdot}nH_2O$ [x=0–3.5] xerogels.—75-09004A
Pd conductor for thick film hydrogen sensor.—75-03110A
Photoluminescence at wavelength of 1.54 μm in an erbium-doped amorphous hydrogenated silicon.—75-08015A
Photoluminescence of a-Si:H films doped with rare-earth elements.—75-03125A
Production of water glasses in the presence of hydrogen peroxide.—75-05039A
Properties of plasma-enhanced chemical vapor deposited a-SiN_x:H by various dilutroie gases.—75-01335A
Redistribution of hydrogen in GaN, AlN, and InN.—75-00586A
Relationship between defect luminescence in 6H-SiC and deep level centers.—75-05461A
Remote plasma deposition of SiN_x:H layers from hexamethylcyclotrisilazane.—75-09420A
SiC-6H dinistor structures.—75-03160A
Structural modification of amorphous hydrogenated silicon films with the help of ultraviolet radiation.—75-08065A
Structure perfection features of SiC-6H crystals grown by modified Lely method.—75-05490A
Structures of bonding interface by forming hydrogen bridges.—75-04409A
Surface barrier height in Schottky diodes based on n-SiC-6H.—75-05493A
Surface recombination in a-Si:H p-i-n structures.—75-08070A
Synthesis and properties of gallium dihydromonophosphate, $Ga(H_2PO_4)_3$.—75-06796A
Synthesis and properties of indium dihydrotriphosphate, $InH_2P_3O_{10}$.—75-06383A
Synthesis and protonic conductivity of tantalum hydrogen phosphate.—75-09461A
Thermal effects in KH_2PO_4 and KD_2PO_4 crystals in ferroelectric phase transitions.—75-09204A
Thermodynamics of the Zr-H system.—75-01254A
Time-resolvable pulse exciton photoluminescence of pure 6H-SiC crystals and films.—75-08087A
Vibrational spectra of surface hydrides of high-temperature aluminum oxide forms.—75-09105A

hydrogenation,
Amorphous hydrogenated carbon [AHC] films for tribological applications.—75-08794A
Ceramic materials, method of preparing the same, and hydrogenation and oxidation processes using the same.—75-07254P
Characterization of fluorinated hydrogenated amorphous silicon nitride (a-SiN_x:H) alloys.—75-01803A
Influence of hydrogenation on inter- and intragranular critical currents in $YBa_2Cu_3O_{7-\delta}$.—75-00813A
Ionic properties of hydrogenated and fluorinated fullerenes.—75-01301A
New narrow bandwidth a-Si:H photodetector.—75-03097A

hydrolysis,
Characteristics of alumina prepared by hydrolysis of Al alkoxide.—75-09236A
Formation of nanosized titania particles in AOT microemulsions.—75-01508A
Hydrolysis at stepped MgO surfaces.—75-06241A
Hydrolysis of polyacrylamide by sodium silicate.—75-06639A
Influence of hydrolysis temperature on the hydrolysis products of aluminum alkoxides.—75-06651A
Kinetics of colloid formation during the hydrolysis of zirconium n-propoxide.—75-01557A
Kinetics of colloid formation during the hydrolysis of zirconium n-propoxide.—75-01558A
Preparation of monodisperse zirconia particles by thermal hydrolysis in highly concentrated solutions.—75-04159A
Role of hydrolysis water-alcohol mixture on mullitization of Al_2O_3-SiO_2 monophasic gels.—75-06342A
Structure of titania hydrolysates.—75-01951A
Synthesis of α-Al_2O_3 powder by using a microemulsion.—75-01705A
Synthesis of crystalline bismuth oxide by hydrolysis of bismuth ethoxide.—75-09468A

hydrothermal process,
Aging of zirconia-toughened alumina ceramics under different hydrothermal conditions.—75-08867A
Characterization and fast firing of nanoscale ZrO_2+3 mol% Y_2O_3 ceramic powder prepared by hydrothermal processing.—75-03964A
Crystallization of zirconia under hydrothermal conditions.—75-01213A
Electrical characterization of $BaTiO_3$ made by hydrothermal methods.—75-03889A
Hydrothermal corrosion of mullite powder.—75-06924A
Hydrothermal preparation of $Na_4Ti_2(PO_4)_3$ fine powders.—75-04071A
Hydrothermal reaction sintering of metal oxides.—75-01530A
Hydrothermal route for production of dense, nanostructured YTZP.—75-06640A
Hydrothermal synthesis of carbon films on SiC fibers and particles.—75-01531A
Hydrothermal synthesis of cerium(IV) oxide.—75-04072A
Hydrothermal synthesis of $PbTiO_3$ fine powder in alkali-free solution.—75-01532A
Kinetics and mechanisms of hydrothermal synthesis of barium titanate.—75-08964A
Microstructure of strontium titanate thin film grown by the hydrothermal-electrochemical method.—75-04370A
Microwave-hydrothermal processing of $BiFeO_3$ and $CsAl_2PO_6$.—75-04112A
New processing technique for hydroxyapatite ceramics by the hydrothermal hot-pressing [HHP] method.—75-08535A
Precipitation of lead zirconate titanate powders under hydrothermal conditions.—75-08163A
Preparation of special-shaped γ-AlOOH γ-Al_2O_3 ultrafine powders by hydrothermal reaction method.—75-04170A
Preparation of thermally stable aluminas by hydrothermal treatment of an alkoxide-derived gel.—75-06738A
Structure evolution in hydrothermally processed (<100°C) $BaTiO_3$ films.—75-01685A
Synthesis of ceramic powders by novel microwave-hydrothermal processing.—75-04242A
Thermodynamic analysis of the hydrothermal synthesis of the $Mn_{0.5}Zn_{0.5}Fe_2O_4$ ferrite.—75-03337A
Zirconia fine powder by hydrothermal process.—75-09491A

hydrothermal processing,
Formation mechanism of barium titanate fine powder under hydrothermal conditions.—75-09313A

hydroxides,
Experimental design in the synthesis of aluminum hydroxide.—75-01492A
Fractal properties of aluminum hydroxide formed by the sol-gel method.—75-06979A
Kinetics of thermal dehydroxylation and carbonation of magnesium hydroxide.—75-06255A
Mixed hydroxide hydrogel in the ternary system ZrO_2-Al_2O_3-SiO_2: I, Kinetics of thermal dehydration in the synthetic hydrogel.—75-03806A
Morphological characterization of aqueous tin oxyhydroxide gel.—75-03809A
Preparation of δ-FeOOH by coprecipitation method and its magnetic properties.—75-08237A
Preparation of gelatinous aluminum hydroxide from aqueous solutions of aluminum salts containing sulfate group with alkali.—75-09395A
Pressure-induced amorphization in $Eu(OH)_3$: a luminescence study.—75-06504A
Process for removing the OH ion in BaO-CaO-ZnO-Al_2O_3-GeO_2 glass system.—75-02738A
Sintering of corundum ceramics based on aluminum hydroxide.—75-04224A
Solubility of quartz in NaOH aqueous solutions at increased temperatures and pressures.—75-06517A
Synthesis and thermal decomposition of intercalated compounds of aluminum hydroxide, $Li_2M(EDTA){\cdot}4Al(OH)_3{\cdot}4H_2O$ (M=Co, Ni, Cu).—75-06800A
Synthesis of well-sinterable alumina powder by dispersing hydroxide precipitate in alcohol.—75-09481A
Thermal interaction of mechanically activated mixtures of CrO_3 and $Al(OH)_3$.—75-06392A

hydroxyapatite,
Adhesion testing of hydroxyapatite coatings.—75-01008A
Bioceramic materials with controlled porosity for bone implant applications.—75-06064A
Biocompatible glass-ceramic coatings for titanium alloys (review).—75-02438A
Bonelike coatings onto ceramics by reactive magnetron sputtering.—75-09223A
Calcium phosphate type reference material—development, preparation, and characterization.—75-01077A
Calibrated method for crystallinity determination of hydroxyapatite coatings.—75-01205A
Ceramic Transactions, Volume 63: Bioceramics: Materials and Applications, II.—75-04769B
Characterization and sintering of precipitated hydroxyapatite.—75-01801A
Characterization of composite hydroxyapatite (HAp) coatings for medical and dental devices.—75-01080A
Chemical and structural evolution of sol-gel-derived hydroxyapatite thin films under rapid thermal processing.—75-03771A
Clinical applications of hydroxyapatite-reinforced materials.—75-01081A
Cold process for hydroxyapatite coatings.—75-06085P
Comparative biological properties of HAp plasma-sprayed coatings having different crystallinities.—75-03873A
Crystallization of hydroxyapatite under Langmuir monolayers.—75-08899A
Dense hydroxyapatite (HAp) and microporous HAp resorption.—75-01819A
Deposition of hydroxyapatite film on silicon single crystal from solution.—75-03987A
Development and investigation of HAp-based bone graft materials.—75-06066A
Development of ASTM standards for bioceramics.—75-02125A
Development of hydroxyapatite with enhanced mechanical properties: effect of high glass additions on mechanical properties and phase stability of sintered hydroxyapatite.—75-01434A
Effect of calcium phosphate ceramic composition and structure on in vitro precipitation reactions.—75-01830A
Effect of nonoxide additions to hydroxyapatite during sintering.—75-01461A
Effects of attrition on the densification of hydroxyapatite.—75-01468A
Effects of P_2O_5 and CaF_2 on the hydroxyapatite layer formation in bioactive glasses.—75-00214A
Effects of sintering conditions on hydroxyapatite for use in medical applications: a powder diffraction study.—75-06596A
Effects of starting materials on properties of hydroxyapatite powders prepared by spray pyrolysis technique.—75-09297A
Electrophoretic coating of metal and ceramic substrates by hydroxyapatite.—75-01480A
Factors influencing the formation of monolithic hydroxyapatite at physiological temperature.—75-04041A
Formation of calcium chromate hydroxyapatite on the surface of a calcium-doped lanthanum chromite sintered body.—75-06614A
Functionally graded dental implant composed of titanium and hydroxyapatite.—75-03649A
Functionally gradient dental implant.—75-04856A
Functionally gradient materials—hydroxyapatite-stainless steel composites.—75-00097A
Growth of hydroxyapatite on silica gels.—75-04059A
High-resolution electron microscopy study of hydroxyapatite.—75-01861A
Hydrothermal synthesis of biocompatible whiskers.—75-06641A
Hydroxyapatite coating with EDTA chelate compound.—75-03651A
Hydroxyapatite coatings for nonprecision implant placements.—75-00103A
Hydroxyapatite powders for implant coatings.—75-01088A
In vitro testing of plasma-sprayed hydroxyapatite coatings.—75-03571A
Influence of water vapor on grain growth during the calcination of hydroxyapatite.—75-01548A
Interaction of pyrophosphase with calcium phosphate.—75-06247A
Method for production of platelike hydroxyapatite.—75-01119P
Microwave sintering of hydroxyapatite.—75-01581A
Nanosize SiC particulate-reinforced hydroxyapatite composites.—75-03909A
New processing technique for hydroxyapatite ceramics by the hydrothermal hot-pressing [HHP] method.—75-08535A
New synthetic route to hydroxyapatite coatings.—75-06695A
Nondestructive characterization of hydroxyapatite-coated dental implants by XRD method.—75-01897A
Optimization of a calcium orthophosphate cement formulation occurring in the combination of monocalcium phosphate monohydrate with calcium oxide.—75-03655A
Physicochemical investigation of Khibini apatite and comparison of it with hydroxyapatite.—75-09168A
Plasma-sprayed hydroxyapatite coating: effect of different calcium phosphate ceramics.—75-02525A
Precipitation of hydroxyapatite under stearic acid monolayers.—75-06710A
Properties of sintered apatite ceramics.—75-01336A
Residual stress measurement in thermal-sprayed hydroxyapatite coatings.—75-04621A
Sol-gel-derived hydroxyapatite ceramic coatings.—75-01678A
Stability of hydroxyapatite in glassy matrices.—75-02685A
Structural changes of plasma-sprayed hydroxyapatite coatings during in vitro testing.—75-01941A
Structural transition and dielectric characteristics of high-purity calcium hydroxyapatite.—75-09191A
Synthesis of hydroxyapatite powders by homogeneous precipitation method and their thermal changes.—75-09470A
Synthesis of hydroxyapatite-based powders by mechanochemical method and their sintering.—75-09471A
Techniques for the characterization and quality control of hydroxyapatite raw materials and coatings.—75-01095A
Thermal decomposition of hydroxyapatite structure induced by titanium and its dioxide.—75-06524A
Thermal expansion of hot isostatically pressed hydroxyapatite.—75-06526A
Thermal stability of synthetic hydroxyapatites.—75-01096A
Ultraviolet curing of highly loaded hydroxyapatite suspension.—75-04266A
Variations in composition and crystallinity of hydroxyapatite (HAp) preparations.—75-01098A
X-ray diffraction characterization of percent crystallinity and contaminants in plasma-sprayed hydroxyapatite coatings.—75-01256A

hysteresis,
Charge-field hysteresis of $BaTiO_3$: PVDF composites.—75-06430A
Dielectric hysteresis in multilayered structures based on strontium titanate.—75-07722A
Experimental testing of applicability of the Preisach hysteresis model to superconductors.—75-03369A
Hysteresis loops and the inelastic deformation of 0/90 ceramic matrix composites.—75-02064A
Modeling of the hysteresis of ferroelectric thin films.—75-05609A
Photoinduced hysteresis changes and optical storage in $(Pb,La)(Zr,Ti)O_3$ thin films and ceramics.—75-00565A
Structural hysteresis phenomenon in poling and thermal depoling of PZT ceramics.—75-00701A

illite,
Ceramic properties of a Spanish clay containing illite, chlorite, and quartz.—75-00237A

ilmenite,
Glass production method using ilmenite.—75-07423P
Heat treatment of ilmenite concentrates.—75-06034A
Ilmenite—a wide band gap semiconductor for novel electronic applications.—75-03050A

imaging,
Annular dark field imaging in STEM.—75-01788A
Atom probe microscopy and its future.—75-01791A
Atomic scale imaging of ceramic thin-film surfaces.—75-06862A

CAD/CAM review—graphics program replaces darkroom.—75-04682A
Drawing and observation of electrified images on ceramic substrates using electron beam.—75-08518A
EELS imaging of biological materials.—75-01829A
Electron microscopy and microanalysis of ceramics.—75-08663A
Elemental mapping by energy-filtered electron microscopy.—75-01846A
Field emission gun scanning electron microscope-high resolution at low beam energies.—75-00954A
Highly sensitive fluoroscopy test for ceramics with image subtraction.—75-08671A
Imaging of buried Si and Si:Ge surface structure under amorphous Ge films by planview transmission electron microscopy.—75-00511A
Imaging the atomic-scale structure of molybdenum and vanadium oxides by scanning tunneling microscopy.—75-01866A
Imaging voids in cement slurries.—75-00043A
Incoherent imaging by Z-contrast STEM—towards 1 Å resolution.—75-01871A
Interfaces in ceramics [investigated] by electron spectroscopic imaging.—75-03524A
Low-voltage point projection microscopy and time of flight STM—two new microscopies.—75-00957A
Moire patterns in high-resolution electron microscopy images.—75-01890A
New method of assessing efflorescence [in brick].—75-05968A
Photon tunneling microscopy applications.—75-01905A
Polarization, interference contrast, and photoluminescence imaging in near-field optical microscopy.—75-01908A
Proton MR microimaging and relaxation of hydrating synthetic cement pastes.—75-00061A
Quantitative HRTEM—measuring projected potential, surface roughness, and chemical composition.—75-01916A
Surface morphology of diamond thin films using photoinduced scanning tunneling microscopy.—75-01958A

immobilization,
Candidate glass-ceramic waste forms for immobilization of the calcines stored at the Idaho Chemical Processing Plant.—75-03450A
Compositional control of iron redox ratios in model glasses for nuclear waste immobilization.—75-03452A
Effect of B_2O_3, CaO, and Al_2O_3 on the chemical durability of silicate glasses for Hanford low-level waste immobilization.—75-03459A
Immobilization as a route to surplus fissile materials disposition.—75-03473A
Immobilization of arsenic in cement.—75-00044A
Laboratory testing of LITCO glasses.—75-03474A
Monophasic sodium zirconium phosphate (NZP) as a host structure for the immobilization of reprocessed high-level commercial wastes.—75-03481A
Performance of high plutonium containing glasses for the immobilization of surplus fissile materials.—75-03483A
Processability of a glass-ceramic formulation to immobilize Fluorinel-sodium calcine.—75-03487A

impact,
Effect of materials properties on spherical particle impact damage for ceramics.—75-02040A
Impact damage behavior of CVD-coated silicon nitride for gas turbines.—75-06107A
Overview of impact damages in ceramic materials for impact velocity below 2 km/s.—75-07019A
Plate impact response of ceramics and glasses.—75-02085A

impedance,
Impedance spectroscopy of undoped $BaTiO_3$ ceramics.—75-02913A

implantation,
Oxygen redistribution during low-energy oxygen implantation.—75-09003A

implants,
Bioactive ceramic-coated surgical implant.—75-07242P
Bioceramic materials with controlled porosity for bone implant applications.—75-06064A
Brazeless ceramic-to-metal bond for use in implantable devices.—75-07245P
Changes in characteristics arising from processing and the effect on in vitro stability of calcium phosphate ceramics.—75-00077A
Hydroxyapatite coatings for nonprecision implant placements.—75-00103A
Hydroxyapatite powders for implant coatings.—75-01088A
Improved wear of amorphic diamond-coated medical and dental implant substrates.—75-09641A
Issues related to the standardization of implantable ceramics.—75-07085A
Lifetime performance of bioceramics for biomedical prosthesis applications.—75-06108A
Mechanical and implant behavior of chemically modified carbon braids.—75-03704A
Proof-testing of ceramic hip joint heads.—75-05971A
Zirconia crystals suitable for medicine: I, Implants.—75-03664A
Zirconium oxide and zirconium nitride coated biocompatible leads.—75-07280P

impregnation,
Fabrication of advanced C/C composites by a hybrid process of CVI/liquid precursor impregnation.—75-04031A
Impregnation/densification of carbon-carbon composites.—75-09332A
Preparation of glass-impregnated isotropic graphite and its gas permeability.—75-07397A
Production of metal-hard alloy FGM in one-stage SHS compaction.—75-02534A

impurities,
Ac drive-enhanced relaxor characteristics and domain breakdown in ferroelectrics containing quenched impurities.—75-08120A
Alkali metal impurities' influence on the magnetic and electrical properties of YBCO.—75-03342A
Charge-state stability and optical transitions of oxygen impurities in barium fluoride crystal.—75-01811A
Chemical bond and reconstructed state of impurity centers in semiconductors.—75-05260A
Concentration of a two-dimensional electron gas in selectively doped heterostructures under equilibrium and nonequilibrium filling of impurity centers.—75-07810A
Determination of isovalent impurity concentration in epitaxial layers of indium phosphide.—75-07824A
Diffusion of impurities under bias in CVD diamond films.—75-01750A
Effect of gadolinium on the properties of IV-VI crystals grown from melt.—75-05291A
Effect of impurities in grain boundary phases on wear behavior of Si_3N_4.—75-09621A
Effect of impurities on the radiation damage of barium fluoride crystal.—75-01752A
Effects of impurities on the hydration of magnesia clinkers.—75-07545A
Effects of impurity contents of the starting materials of $YBa_2Cu_3O_x$ on superconducting characteristics.—75-00795A
Electronic structure of layered and linear chain materials by scanning probe microscopy.—75-01844A
Evolution of impurity-defect system of an undoped CdTe of *n*- and *p*-types at room temperature.—75-03023A
Fast photometric determination of iron impurity in red lead and litharge.—75-03563A
General regularities of diffusion of impurities in $Cd_{0.2}Hg_{0.8}Te$.—75-07900A
Hydrogen-like states of 3*d* impurities in II-VI semiconductors.—75-05337A
Identification of defects and impurities in chemical vapor deposited diamond through infrared spectroscopy.—75-01758A
Identification of one- and two-electron impurity centers in semiconductors by Mossbauer spectroscopy.—75-07914A
Impact on Synroc of anionic process impurities.—75-00928A
Impurity diffusion in a semiconductor in two states distinguished by diffusion coefficients and degrees of impurity ionization.—75-03052A
Impurity distribution in GaN layers grown by molecular beam epitaxy.—75-07917A
Impurity electron states of Tl and Sn atoms in a $(PbTe)_{0.9}(PbS)_{0.1}$ solid solution.—75-08953A
In situ X-ray diffraction study of the impurity effects on the cubic-to-tetragonal phase transformation in $PbTiO_3$.—75-01223A
Influence of fast-diffusing impurities on the kinetics of thermodonor generation in silicon at 300–500°C.—75-03057A
Investigation of radiation damage induced by hydroxyl and oxygen impurities in BaF_2 crystal.—75-01761A
Ir absorption spectra of impurities in 6H-SiC.—75-00529A
Local chemical composition of HgBaCaCuO high-temperature superconductors.—75-00816A
Mechanism of the low-temperature impurity breakdown.—75-07965A
Nonmonotonic dependence on the barrier width of the tunnel transparency of disordered superlattices containing impurity centers in barriers.—75-05406A
One- and two-electron exchange between neutral and ionized impurity centers on semiconductors by Mossbauer spectroscopy.—75-07988A
Photoconductivity caused by the tellurium impurity in germanium.—75-03115A
Photoconductivity spectra and the problem of impurity states in PbTe(Ga).—75-05425A
Photoelectrical phenomena in structures based on high-resistivity crystals with interface semiconductor–thin insulating layer.—75-05428A
Properties of crystalline 3C-SiC grown from methyl trichlorosilane.—75-00582A
Radiative recombination and impurity-defect interaction in neutron transmutation doped gallium arsenide obtained under various conditions of crystal growth and irradiation.—75-08038A
Regularities of the electron spectrum of impurity centers of *d*-elements in silicon.—75-03148A
Role of background substrate impurities in the formation of the transition layer in lightly doped homoepitaxial silicon.—75-08049A
Strain and impurity content of synthetic diamond crystals.—75-01344A
Synthesis of ß-SiAlON from clays: effect of starting materials.—75-06801A
TEM investigation of impurity phases and the penetration of liquid aluminum in hot isostatically pressed TiB_2 compacts.—75-04413A

inclusions,
Effects of inclusions on the densification of ceramic composites.—75-01471A
Fluorozirconate glass with low magnitude of bound scattering on phase microinclusions.—75-04899A
Mobility of Ga inclusions in GaAs as a possible mechanism of degradation.—75-07972A
Monitoring of effects of inclusions in model glass systems using acousto-ultrasonic techniques.—75-05964A
Sintering of glass matrix composites containing Al_2O_3 platelet inclusions.—75-05044A
Solid inclusions in optical glass.—75-02607A
Synchronous synthesis of primary and secondary inclusions in quartz.—75-09455A
Thermal migration of fluid inclusions in quartz.—75-09205A

indentation,
Comparative study of indentation in SiC and SiC-TiB_2 using confocal scanning laser microscopy.—75-08641A
Crack configuration beneath Vickers indentation in Y_2O_3-containing tetragonal zirconia polycrystals.—75-09610A
Crack initiation during Hertzian indentation of normal and anomalous glasses—a study using fractography and acoustic emission.—75-02637A
Depth-sensing indentation studies on thin films of Si_3N_4 and SiO_2.—75-08651A
Determination of short-crack toughness curves.—75-02036A
Driving force for cracking by indentation in ceramics containing transformable particles.—75-06961A
Indentation crack shapes and their evolution during subcritical crack growth in ion-exchanged glasses.—75-02659A
Indentation thermal shock test for ceramics.—75-03572A
Nanoindentation on contamination-free gold films using the atomic force microscope.—75-02080A
Numerical investigation into the microindentation of silicon.—75-02081A
Probability of Hertzian fracture.—75-07023A
Surface damage and crack growth in indented ceramics.—75-09678A
Trapped cracks at indentations: I, Experiments on yttria-tetragonal zirconia polycrystals.—75-07055A
Ultra-microindentation of sol-gel-derived zirconia films on stainless steel.—75-02107A

indium antimonide,
Characterization of InTlSb/InSb grown by low-pressure metallorganc chemical vapor deposition on a GaAs substrate.—75-05258A
Conditions for LPE growth of $InAs_{1-x-y}Sb_xBi_y$/InSb heterostructures.—75-07811A
Electric and photoelectric properties of doped InSb/Al_2O_3 thin layers at 300 K.—75-07861A
Electrophysical properties of heavily doped InSb(Mn).—75-06461A
Indium antimonide metal-oxide-semiconductor structure prepared by direct photochemical vapor deposition.—75-00515A
Inhomogeneous lasing from *p*-GaInAsSb channel buried lasers.—75-07933A
Magnetic susceptibility of crystals of $(InSb)_{1-x}(CdTe)_x$ solid solutions.—75-07960A
Maximum operation temperature of diode lasers based on InAsSb/InAsSbP.—75-07963A
Numerical and experimental investigation of metal waveguide containing a layer of transversely magnetized semiconductor.—75-07987A
Self-diffusion in indium antimonide.—75-01775A
Special features of temperature dependence of threshold current density of DH lasers with a thin active region based on GaInAsSb.—75-05480A

indium arsenide,
Aluminum-free 980-nm GaInAs/GaInAsP/GaInP pump lasers.—75-05238A
Approximate *k-p* theory for optical gain of strained InGaAsP quantum well lasers.—75-05244A
Assessment of clustering-induced internal strain in AlInAs on InP grown by molecular beam epitaxy.—75-00415A
Atomic layer epitaxy and structural characterization of InP and InAs/InP heterostructures.—75-05246A
Atomic ordering and domain structures in metallorganic chemical vapor deposition grown InGaAs(001) layers.—75-02963A
Band lineup and in-plane effective mass of InGaAsP or InGaAlAs on InP strained layer quantum well.—75-05249A
Capacitance spectroscopy of electron energy levels in InAs quantum dots in GaAs matrix.—75-07795A
Carrier recombination in a periodically δ-doped multiple quantum well structure.—75-05255A
Carrier screening effects in piezoelectric strained InGaAs/GaAs quantum wells grown on the [111]B axis.—75-00421A
Cross-sectional scanning tunneling microscopy of III-V semiconductor structures.—75-00450A
Degradation behavior of 0.98-μm strained quantum well InGaAs/AlGaAs lasers under high-power operation.—75-05276A
Detailed analysis of carrier transport in $InAs_{0.3}Sb_{0.7}$ layers grown on GaAs substrates by metallorganic chemical vapor deposition.—75-00455A
Effects of well number in 1.3-μm GaInAsP/InP GRIN-SCH strained layer quantum well lasers.—75-05303A
Electroluminescence due to localized carriers in type II broken-gap *p*-GaInAsSb/*n*-InAs single heterojunctions.—75-03013A
Electrophysical and photoelectric properties of InAs photosensitive elements.—75-05313A
Experimental measurements of the energy of interface donor centers in GaSb/InAs/GaSb quantum well.—75-03025A
Gain and radiative current density in InGaAs/InGaAsP lasers with electrostatically confined electron states.—75-05329A
Growth and characterization of $Al_{1-x}In_xAs/Ga_{1-x}In_xAs$ strained multiple quantum wells.—75-00500A
Growth and fabrication of high-performance 980-nm strained InGaAs quantum well lasers for erbium-doped fiber amplifiers.—75-05331A
Improved operation characteristics of long wavelength lasers using strained MQW active layers.—75-05340A
Influence of interface properties and deep levels in the band gap on capacitance-voltage characteristics of InAs-based metal-insulator-semiconductor structures.—75-07924A
Initial growth stage and optical properties of a three-dimensional InAs structure on GaAs.—75-00520A
Injection heterolaser based on vertical coupled InAs quantum dots in GaAs matrix.—75-07935A
Linewidth enhancement factor in InGaAsP/InP modulation-doped strained multiple quantum well lasers.—75-05362A
Luminescence properties of InAs quantum dots on vicinal GaAs(100) surface.—75-03088A
MOVPE growth of strained InAsP/InGaAsP quantum well structures for low threshold 1.3-μm lasers.—75-05390A
Piezoelectric fields in strained (In,Ga)As/GaAs multiple quantum well structures grown on vicinal (110)GaAs.—75-05437A

Polarization-independent quantum-confined Stark effect in an InGaAs/InP tensile strained quantum well.—75-05439A
Progress in long wavelength strained layer InGaAs(P) quantum well semiconductor lasers and amplifiers.—75-05448A
Resonant scattering studies of multilayer (In,Ga,Al)(As,Sb) heterostructures with InAs quantum wells.—75-05464A
Simulation of the orientation-dependent growth of InGaAs/InP by metallorganic vapor phase epitaxy.—75-00595A
Strained layer InGaAs-GaAs-AlGaAs buried heterostructure quantum well lasers by three-step selective area MOCVD.—75-05484A
Theoretical analysis of pure effects of strain and quantum confinement on differential gain in InGaAsP/InP strained layer quantum well lasers.—75-05851A
Thin-layer elastically strained $InAs_{1-x-y}Sb_xBi_y$/InSb heterostructures: calculations of some physical parameters.—75-03186A
Type II GaInAsSb/InAs heterojunctions.—75-03194A
Variational calculation of light hole envelope functions and exciton binding energies in (Ga,In)As-GaAs quantum wells.—75-05513A
X-ray diffraction characterization of highly strained InAs and GaAs layer on InP grown by metallorganic vapor-phase epitaxy.—75-05517A

indium oxide,
Correlations between the thermoelectric power and Hall effect of Sn or Ge doped In_2O_3 semiconductors.—75-05267A
Defect structure of pure and Sn-, Ca-doped In_2O_3.—75-09496A
Direct current magnetron sputtered In_2O_3 films as tunnel barriers.—75-05183A
Electrical conductivity and thermodynamics of the process of indium oxide reduction and solid solutions based on it.—75-06216A
Electrical properties of Mg-In oxide spinel solid solution.—75-06453A
Evolution of the In oxide/Si(111) interface: analysis by electron spectroscopies.—75-00488A
Giant negative magnetoresistance of semiinsulating amorphous indium oxide films in strong magnetic fields.—75-09145A
High-temperature thermoelectric properties of In_2O_3-based mixed oxides and their applicability to thermoelectric power generation.—75-06473A
India-stabilized zirconia coating for composites.—75-01170P
Influence of different process parameters on physical properties of fluorine doped indium oxide thin films.—75-06650A
Method of manufacturing an ITO sintered body.—75-01125P
Photoluminescence and electrical properties of erbium-doped indium oxide films prepared by rf sputtering.—75-01328A
Properties of ceramics and sensors based on modified indium oxide.—75-06506A
Solid solutions based on indium oxide with additions of HfO_2, CeO_2, and TiO_2 and some of their properties.—75-05139A
Synthesis and study of solid solutions based on cadmium oxide in the CdO-In_2O_3 system.—75-08074A
Thermoelectric properties of homologous compounds in the ZnO-In_2O_3 system.—75-05505A

indium phosphide,
W defect in *n*-InP.—75-07776A
AlGaInP multiple quantum wire heterostructure lasers prepared by the strain-induced lateral layer ordering process.—75-05237A
Aluminum-free 980-nm GaInAs/GaInAsP/GaInP pump lasers.—75-05238A
Approximate *k-p* theory for optical gain of strained InGaAsP quantum well lasers.—75-05244A
Assessment of clustering-induced internal strain in AlInAs on InP grown by molecular beam epitaxy.—75-00415A
Atomic layer epitaxy and structural characterization of InP and InAs/InP heterostructures.—75-05246A
Band lineup and in-plane effective mass of InGaAsP or InGaAlAs on InP strained layer quantum well.—75-05249A
Carbon incorporation in InP grown by metallorganic chemical vapor deposition and application to InP/InGaAs heterojunction bipolar transistors.—75-00420A
Characterization of InGaAsP/InP ITG-DFB-BCRW [integrated twin guide-distributed feedback-bridge contacted ridge waveguide] lasers with contacted surface grating for λ=1.55 μm.—75-02977A
Characterization of InP/GaInAs nanometer-sized columns produced by aerosol deposition and plasma etching.—75-00426A
Characterization of magnetooptical Mn-doped InGaAsP thin films on InP.—75-02978A
Control of ordering in $Ga_{0.5}In_{0.5}P$ using growth temperature.—75-00446A
Deep centers in $In_xGa_{1-x}As$/InP photodiodes obtained by metallorganic gaseous epitaxy.—75-02987A
Dependence of characteristic sizes of the large-scale electrically active defect clusters on their location along the longitudinal axis of a single-crystalline ingot of InP:Fe.—75-02992A
Determination of the hole concentration in InP by Raman spectroscopy.—75-07825A
Determination of two-dimensional electron gas characteristics in structures of InGaAs/InP by acoustic methods in the quantum Hall regime.—75-02995A
Dielectric-metal phase transition: a thermodynamic approach.—75-05520A Dielectric-metal phase transition: a thermodynamic approach.
Effect of thermionic electron emission from the active layer on the internal quantum efficiency of InGaAsP lasers operating at 1.3 μm.—75-05298A
Effects of rare-earth doping on the properties of bulk crystals of III-V compounds.—75-05302A
Effects of substrate misorientation and growth rate on ordering in GaInP.—75-00466A
Effects of well number in 1.3-μm GaInAsP/InP GRIN-SCH strained layer quantum well lasers.—75-05303A
Electrical characterization of electron beam evaporated indium tin oxide/indium phosphide junctions.—75-00469A
Electrical, optical properties, and surface morphology of high-purity InP grown by chemical beam epitaxy.—75-00002A
Fe and Ti doping of InP grown by metallorganic chemical vapor deposition for the fabrication of thermally stable high-resistivity layers.—75-00491A
Gain and radiative current density in InGaAs/InGaAsP lasers with electrostatically confined electron states.—75-05329A
Heterojunction bipolar transistors in AlGaInP/GaAs grown by metallorganic vapor phase epitaxy.—75-00506A
High-performance uncooled 1.3-μm $Al_xGa_yIn_{1-x-y}As$/InP strained layer quantum well lasers for subscriber loop applications.—75-05336A
Improved operation characteristics of long wavelength lasers using strained MQW active layers.—75-05340A
InAlAs/InP heterostructures: influence of a thin InAs layer at the interface.—75-00513A
Influence of bombardment with Ar^+ ions on the light scattering by single crystals of undoped indium phosphide.—75-03055A
Influence of surface potential on Raman scattering in indium phosphide.—75-05349A
Kinetics and quenching mechanisms of photoluminescence in Yb-doped InP.—75-00530A
Large-scale accumulation of electrically active defects in InP:As and InP:Ga single crystals.—75-03076A
Light polarization in InAsSb/InAsSbP double heterostructure lasers.—75-03078A
Linewidth enhancement factor in InGaAsP/InP modulation-doped strained multiple quantum well lasers.—75-05362A
Luminescence spectra of highly compensated *n*-InP.—75-07959A
MOVPE growth of strained InAsP/InGaAsP quantum well structures for low threshold 1.3-μm lasers.—75-05390A
Optical phonons in spontaneously ordered InGaP solid solutions.—75-07994A
Optical property of InAsP/InP strained quantum wells grown on InP(111)B and (100) substrates.—75-00558A
Optically controlled characteristics of an ion-implanted hetero-MIS capacitor.—75-03104A
Optimization of 670-nm strained quantum well laser diodes for high-temperature operation.—75-03105A
Origin of *n*-type conductivity of low-temperature grown InP.—75-00559A
Performance of $GaAs_xIn_{1-x}P$/GaAs heterojunctions grown by metallorganic molecular-beam epitaxy and metallorganic vapor-phase epitaxy.—75-05416A
Photoeffect characteristics in abrupt isotype N^+-n^0-n^+ heterostructures.—75-03118A
Photoelement with a photocathode based on an $In_{0.53}Ga_{0.47}As$/InP/Ag heterostructure with Schottky barrier for the spectral range of 0.97–1.7 μm.—75-08011A
Polarization of superluminescence and anisotropy of optical losses in a waveguide InGaP/GaAs/InGaP structure.—75-03130A
Polarization-independent quantum-confined Stark effect in an InGaAs/InP tensile strained quantum well.—75-05439A
Pressure of phosphorus in equilibrium with solid InP at different temperatures.—75-05447A
Process of radiative recombination in double heterostructures of InAsSbP/InAsSb/InAsSbP.—75-03137A
Progress in long wavelength strained layer InGaAs(P) quantum well semiconductor lasers and amplifiers.—75-05448A
Radiation effects in InP solar cells irradiated with 5-MeV electrons.—75-08036A
Reverse *I-V* and *c-v* characteristics of Schottky-barrier-type diodes on Zn-doped InP epilayers grown by metallorganic vapor phase epitaxy.—75-00589A
Self-induced laterally modulated GaInP/InAsP structure grown by metallorganic vapor phase epitaxy.—75-03155A
Simulation of the orientation-dependent growth of InGaAs/InP by metallorganic vapor phase epitaxy.—75-00595A
Soft laser sputtering of InP(100) surface.—75-00597A
Strain effects in high-purity InP epilayers grown on slightly mismatched substrates.—75-05482A
Strain-induced electrically active stoichiometric defects in $InAs_xP_{1-x}$ deposited onto (100)InP by gas source molecular beam epitaxy.—75-00603A
Strained $Ga_xIn_{1-x}P/(AlGa)_{0.5}In_{0.5}P$ heterostructures and quantum well laser diodes.—75-05483A
Super-fast mechanism of vertical drift of current carriers in MSM [metal-semiconductor-metal] barrier heterostructures.—75-08066A
Theoretical analysis of pure effects of strain and quantum confinement on differential gain in InGaAsP/InP strained layer quantum well lasers.—75-05851A
Thermal oxidation of indium phosphide in the presence of S_2Cl_2.—75-05502A
Two-temperature technique for plasma-enhanced chemical vapor deposition growth of silicon nitride on InP.—75-06824A
Visualization of large-scale electrically active defect clusters in indium phosphide and gallium arsenide single crystals [by scanning small-angle light scattering method].—75-03199A
X-ray studies of the ordered structure in epitaxial $In_xGa_{1-x}P$ layers.—75-05518A

indium selenide,
Accumulation of weak optical signals and spectral memory in InSe(Dy) single crystals.—75-05235A
Anisotropy of electrical conductivity of indium selenide.—75-07780A
Discovery of photosensitivity in semiconductor/green leaf heterocontacts.—75-02997A
Electrophysical properties of *p*- and *n*-type InSe intercalated with Li and Ba.—75-00481A
Features of the band spectra of an In_4Se_3 crystal.—75-08934A
High-pressure liquid-encapsulated directional solidification of copper-deficient copper indium selenides.—75-03047A
Observation of CuPt-ordered $CuInSe_2$.—75-00557A
Photovoltaic activity of electrodeposited *p*-$CuInSe_2$/electrolyte junction.—75-00571A
Slow isothermal relaxation of dark resistance in dysprosium-doped indium selenide single crystals.—75-05477A
Temperature and concentration dependences of structural and thermal properties of $CuAl_xIn_{1-x}Se_2$ chalcopyrite solid solutions.—75-06522A

indium tin oxide,
Effect of buffer layers on the structural and electrical properties of $(Ba,Sr)TiO_3$ thin films deposited on indium tin oxide coated glass substrate by using an rf magnetron sputtering method.—75-01448A
Electrical characterization of electron beam evaporated indium tin oxide/indium phosphide junctions.—75-00469A
Electroluminescence from radiation decay of surface plasmons in aluminum-insulator-indium tin oxide structures.—75-02908A
Preparation of epitaxial indium tin oxide films on ZrO_2 substrates by magnetron sputtering.—75-09393A

indium,
Autosolitons in a heated and electric-field-pulse-excited electron-hole plasma of indium antimonide.—75-07788A
Buffer layer thickness and the properties of InN thin films on AlN-seeded (00.1)sapphire and (111)silicon.—75-00418A
Correlation between dielectric properties and nanostructure in a $Pb(In_{1/2}Nb_{1/2})O_3$ ceramic.—75-06436A
$CuInSe_2$-InSe ($SnSe_2$, Bi_2Se_3) system.—75-05268A
Defect formation in $InAs_{1-x}Sb_x$ solid solutions.—75-05273A
Defect-enhanced interdiffusion at the InGaAs/InAlAs interface due to Si ion implantation.—75-05275A
Determination of isovalent impurity concentration in epitaxial layers of indium phosphide.—75-07824A
Dielectric properties and ac conductivity of $TlInS_2$ single crystals.—75-07833A
ECR-assisted reactive magnetron sputtering of InN.—75-00462A
Effect of growth temperature on electron mobility in InAlAs/InGaAs transistor structures grown on InP substrates by molecular beam epitaxy.—75-03004A
Effect of quasi-local In states influence on defect formation in PbTe.—75-07853A
Effect of Shubnikov-de Haas and energy spectra of $In_xSb_{2-x}Te_3$ solid solutions.—75-05295A
Effects due to repulsive barriers in a $GdIn_2S_4$ compound.—75-07858A
Electric field dependence of exciton transitions in InGaAs/GaAs asymmetric step quantum wells.—75-07862A
Electron mobility in doped modulated structures of $In_xGa_{1-x}As$/GaAs multiple quantum wells.—75-05312A
Energy levels in a rectangular quantum well with complex shape.—75-05315A
Fabrication of $CuGa_xIn_{1-x}Se_2$ films by pulse laser evaporation.—75-03027A
Formation of ultrafine $CuInS_2$.—75-07898A
Growth by molecular beam epitaxy and photoluminescence of InGaAs/GaAs quantum wells on GaAs(111)A substrates.—75-00502A
High carrier mobility in isotype *p*-GaInAsSb/*p*-InAs heterostructures.—75-07904A
Hopping conductivity through extremely localized In impurity states in $Pb_{0.78}Sn_{0.22}Te$ solid solutions.—75-03049A
Impurity precipitation in CdTe doped with indium after annealing and [I^+] ion and electron irradiation.—75-07918A
InAs/GaAs quantum dots grown by the submonolayer migration-enhanced epitaxy method.—75-03053A
Incommensurate-incommensurate phase transition in the sequence of structural phase transformations in $TlInS_2$ layered crystals.—75-07919A
Indium nitride thin films prepared by radio-frequency reactive sputtering.—75-01538A
Infrared reflection and optical phonons in epitaxial layers of $In_xGa_{1-x}As$/GaAs solid solutions.—75-07932A
Low threshold injection heterolaser based on quantum dots formed by metallorganic chemical vapor deposition.—75-07953A
Luminescence of bismuth(III) in $InBO_3$.—75-06482A
Magnetophonon resonance on heated electrons in indium antimonide.—75-05372A
Microstructure of single crystals of indium and gallium selenides and germanium arsenide.—75-09569A
Modification of photocurrent spectra of $TlInS_2$ single crystals during intercalation.—75-05387A
Mossbauer studies of $CdIn_2S_4$.—75-07979A
Optical mirror facet strength of cw-operated SQW SCH [single quantum well separate confinement heterostructure] laser diodes.—75-07992A
Oxygen ion conductivity in $Ba_3In_{1-x}Zr_xO_{7.5+x/2}$ (x=0.7-1.3).—75-05203A
Phase equilibria in the Pr_2S_3-Pr_2O_3-In_2S_3 ternary system.—75-06305A
Photoconductivity of $MnGaInS_4$ single crystals.—75-08009A
Photoconductivity of $MnIn_2S_4$ single crystals.—75-05424A
Photoluminescence [PL] of $CuAl_xIn_{1-x}S_2$ single crystals.—75-03124A
Preparation of conducting In_2S_3 and In_2O_3(S) films from the volatile compound $In(S_2COC_3H_7\text{-}iso)_3$ and their electrical properties.—75-09391A
Self-organizing of quantum-dimensional strained $In_xGa_{1-x}As$ structures on misoriented GaAs(100) surfaces during submonolayer molecular beam epitaxy.—75-03157A
Spectroscopic study of the structure of glasses based on gallium and indium trifluorides.—75-02684A

Structural properties of InN films grown on sapphire substrates by microwave-excited metallorganic vapor phase epitaxy.—75-01944A
Structure of indium sulfide layers on InAs.—75-05489A
Switching effect in single crystals of $(In_2Te_3)_{0.99}(Fe_2Te_3)_{0.01}$.—75-08073A
Synthesis and properties of indium dihydrotriphosphate, $InH_2P_3O_{10}$.—75-06383A
Thin film of $MgIn_2O_4$ for use as an electrode in a ferroelectric device.—75-05653P
Tunnel-injection laser based on type II broken gap *p*-GaInAsSb/*p*-InAs single heterojunctions.—75-08089A
Uv photoelectron yield spectroscopy of chalcopyrite structure Cu-In-Se thin films.—75-05512A
X-ray diffraction determination of the degree of long-range order in epitaxial $In_xGa_{1-x}P$ [*x*=0.44–0.54] layers.—75-09106A

infiltration,
Capillary infiltration rates into porous media with applications to Silcomp processing.—75-01388A
Carbon fiber-reinforced silicon nitride composites by slurry infiltration.—75-03958A
Ceramic composite bodies with increased metal content.—75-07251P
CO gas sensitivity of CuO-infiltrated ZnO ceramics.—75-05261A
Corrosion behavior of infiltrated reaction-sintered silicon carbide.—75-06917A
Development of new silazanes for infiltration/pyrolysis processing of composites.—75-01435A
Dynamic analysis of pressure infiltration processes.—75-03998A
Fiber-reinforced ceramic matrix composite fabrication by electrophoretic infiltration.—75-04043A
Infiltration of nickel into alumina compact by electrodeposition.—75-00104A
Infiltration of porous alumina bodies with solution precursors: strengthening via compositional grading, grain size control, and transformation toughening.—75-06645A
Interaction between capillary flow and macroscopic silicon concentration in liquid siliconized carbon/carbon.—75-03573A
Liquid infiltration and pyrolysis of SiC matrix composite materials.—75-04094A
Liquid precursor infiltration processing of powder compacts: I, Kinetic studies and microstructure development.—75-01560A
Liquid precursor infiltration processing of powder compacts: II, Fracture toughness and strength.—75-01561A
Preparation of Al_2O_3/Al/fiber composites by infiltration of oxidizing aluminum into preforms.—75-01620A
Spontaneous infiltration of alumina by copper-oxygen alloys.—75-00134A
Spontaneous infiltration of aluminum-silicon alloy into silicon carbide preforms in air.—75-00135A
Zirconia-based organic precursor infiltration as a method for preparation of ZTA ceramics: II, Sintering and materials behavior.—75-06835A

infrared techniques,
Chemical vapor deposition of ZrO_2 thin films monitored by ir spectroscopy.—75-06183A
Infrared optical properties of zircon.—75-06477A
Infrared properties of barium borate glasses: application of the generalized Lyddane-Sachs-Teller relation.—75-04972A
Infrared studies of calcia-alumina fibers.—75-06245A
Infrared studies of the Bi cuprates.—75-08345A

infrared,
Bolometers for infrared and millimeter waves[—review].—75-01011A
Broadband near-infrared pulse generation in $KTiOPO_4$.—75-06424A
Diamond optics: status for infrared applications.—75-07380A
Postgrowth tuning of quantum well infrared detectors by rapid thermal annealing.—75-03134A

inhomogeneity,
Compositional inhomogeneity of imperfect near-surface layers in $LiNbO_3$ single crystals.—75-08885A
Evolution of large-scale inhomogeneities during the ferroelectric phase transition in $BaTiO_3$ crystals doped by trivalent bismuth.—75-08138A
Local inhomogeneities in single crystals of Ge-Si solid solutions.—75-09512A
Resistivity peak anomaly in $Y_1Ba_2Cu_3O_{7-\delta}$ crystals and nonuniform distributed critical temperature inhomogeneities.—75-00859A
SAXS study of the micro-inhomogeneity of industrial soda lime silica glass.—75-04925A

injection molding,
Binder for producing articles from particulate materials.—75-00991P
Ceramic Injection Molding.—75-07103B
Influence of powder loading and binder additive on the properties of alumina injection-molding blends.—75-06655A
Injection molding AlN for thermal management applications.—75-06659A
Injection molding and catalytic debinding of zirconia (Y-TZP) ceramics with a polyacetal based binder system.—75-01550A
Injection molding of ceramics using a polyacetal-based binder system.—75-03522A
Injection molding of ceria-zirconia powder mixtures using an aqueous [hydroxy propyl methyl cellulose] HPMC-PVA binder system.—75-01551A
Injection molding of polysiloxane/filler mixtures or oxycarbide ceramic composites.—75-09344A
Injection molding of porcelain.—75-02872A
Injection molding of SiC(w)/Si_3N_4 composite turbine blade.—75-04085A
Injection molding of submicrometer zirconia—blend formulation and rheology.—75-04086A
Microstructure of alumina ceramics made by injection molding.—75-09566A
Microwave debinding of ceramic injection molded body.—75-04109A
Novel approach to injection molding.—75-05905A
Process and molding compound for producing inorganic sintered products by injection molding.—75-01001P
Pyrolytic binder removal from injection-molded ceramic components: computer modeling of particle size effects on the critical heating rate.—75-09414A
Reaction injection molding inorganics.—75-07273P
Reaction injection molding of silicon nitride ceramics having crystallized grain boundary phases.—75-08628P
Reducing PIM [powder injection molding] design-to-manufacture cycle time with process modeling and die design expert system.—75-05972A

inks,
Method of applying a ceramic image to a complex ceramic article.—75-00296P
Method of preparing nonglare glass.—75-00228P
Organic Additives and Ceramic Processing: With Applications in Powder Metallurgy, Ink, and Paint.—75-04778B
Thermoplastic/thermoset table coatings or inks for glass ceramic and other hard surfaces.—75-00298P

inorganic materials,
3-D imaging of crystals at atomic resolution.—75-01781A
Creation of electron-hole pairs in inorganic scintillators.—75-01818A
Database system for the properties of ternary inorganic compounds (IBM PC version).—75-08650A
Dependence of standard formation enthalpies of related quasi-binary inorganic compounds on the relative size of their molecules.—75-09250A
Inorganic lead compounds in electroceramics and glasses.—75-02132A
Nontraditional use of new inorganic ion exchangers as functionally graded sorbents.—75-02516A
Reaction injection molding inorganics.—75-07273P
Reactive wetting taxonomy.—75-04200A
Scientific, regulatory, and socioeconomic analysis of inorganic lead compounds—focus on electroceramics and glasses.—75-04748A
Using microwave furnaces for solid-phase synthesis of inorganic phosphates.—75-09487A

inspection,
Glassware inspection machine comprising diffused light sources and two-dimensional cameras.—75-08580P
Particle sizer boosts refractory inspection.—75-02827A
Process and device for the inspection of glass.—75-05928P

instability,
Chemical instability of silicon carbide in the presence of transition metals.—75-06180A
Electrical characterization of instabilities in 6H silicon carbide metal-oxide-semiconductor capacitors.—75-00471A
Heating instability in generation of the photocarriers in potential well of a *P-i-N* heterostructure.—75-03043A
Instability mechanism of collective spin wave oscillations in finite-size ferrite samples.—75-03297A
Interface instability in alumina under chemical inequilibrium.—75-08958A
Phonon anharmonism and structural instability of the $YBa_2Cu_3O_7$ crystalline lattice during hydrostatic compression.—75-08395A

instruments,
Brick handling system gets face-lift.—75-02754A
Comparison of sizing results obtained with electrolyte volume displacement laser light scattering instrumentation.—75-03551A
Selecting the right particle size analyzer.—75-05974A

insulators/insulation,
Anomalous Schottky effect at semiconductor-dielectric interface.—75-07785A
Backup insulation in torpedo cars and steel ladles.—75-07480A
Characteristic properties of the degradation of semiinsulating gallium arsenide during thermal treatment.—75-05177A
Characterization of submillimeter quasi-optical twin-slot-double junction SIS mixers.—75-08271A
Das Amitava's thermal conductivity equations on Indian insulating refractories.—75-07503A
Diamond film structures and methods related to same.—75-07753P
Dielectric loss tan δ of metal-insulator-metal and metal-insulator-metal-insulator-metal junctions with polyimide Langmuir-Blodgett [LB] films.—75-02901A
Dynamics of thermal generation of free carriers at semiconductor-insulator interface under relaxation of the volume generation center population.—75-05287A
Electromotive force generation in metal-insulator-metal structures of Langmuir-Blodgett [LB] films.—75-02909A
Experimental modeling of planar nonuniform surface carrier generation in MIS structures.—75-07883A
Fuel-efficient furnace design with proper refractory and insulation bricks.—75-07555A
Heat insulation mixture for linings of tuyere apparatuses of blast furnaces.—75-05095A
Heat-insulating refractory material.—75-07697P
High-temperature thermal insulation wools: their benefits, hazard, and future.—75-09719A
Insulation AlON ceramics.—75-07734A
Layered structure comprising insulator thin film and oxide superconductor thin film.—75-08462P
Lead-free ceramic insulator.—75-05224P
Low-E glass coating system and insulating glass units made therefrom.—75-07431P
Low-temperature sintering of ceramics for the production of low-voltage insulators.—75-07737A
Method for rapid determination of surface parameters in planar-nonuniform MIS structures.—75-07969A
Monolithic heat-insulating linings with cellular ceramic fiber structure.—75-05110A
Nature of cracks emerging in glass insulators in the course of manufacturing 2RMG plugs.—75-02670A
Photoinduced scanning tunneling microscopy of insulating diamond films.—75-02925A
Photon emission from an alumina insulator in vacuum subjected to dc electrical fields.—75-02926A
Preparation of multilayered thin silicon-on-insulator structure.—75-07746A
Properties of a YBCO/insulator/YBCO trilayer and its application to a multilayer Josephson junction.—75-08402A
Quasi-optical log-periodic antenna SIS mixers for the 100-GHz band.—75-08405A
Shinagawa's fibrous insulator [PYRO-FORM] supports the "MAGMA-POWER."—75-09734A
Silicon carbide sewing thread.—75-01194P
Spark plug insulator for use in internal combustion engine.—75-08850P
Technique for measuring thermal conductivity of carbon fibrous insulators by transient hot wire method.—75-08705A
THz SIS mixers with normal-metal Al tuning circuits.—75-08441A
Use of high-strength insulation to improve lining stability and energy efficiency in steelmaking ladles.—75-07690A

integrated circuit,
Ceramic via composition, multilayer ceramic circuit containing same, and process for using same.—75-05218P
Design and fabrication of metal matrix composites for microwave and millimeter wave integrated circuit packages.—75-00085A
Diamond coatings on integrated circuits.—75-07828A
Hermetic protection for integrated circuits.—75-07762P
Integrated circuit with a titanium nitride contact barrier having oxygen stuffed grain boundaries.—75-08103P
Integration technology of ferroelectrics and the performance of the integrated ferroelectrics.—75-05593A
Local film deposition for microwave devices.—75-07951A
Modeling of propagation delays in the bilevel crossing interconnections on the GaAs-based integrated circuits.—75-03094A
Overview of integrated circuits for control networks.—75-00560A
Two chip approach to smart sensing.—75-00628A

intercalation,
Compositional gradation between silicon nitride and superalloys using Si_3N_4/TiN CMC and TiN/Ni MMC layers.—75-02447A
Electrophysical properties of *p*- and *n*-type InSe intercalated with Li and Ba.—75-00481A
Formation of conductive network in diamondlike carbon [DLC] by intercalation of copper.—75-07731A
Formation of expandable mica from talc using the intercalation procedure.—75-09315A
Geometric structures of lanthanide ions within layered clays as determined by EXAFS: from the Lu(III) hydrate to the disilicate.—75-03798A
Origin of structural instability in metal-intercalated layered dichalcogenides.—75-07999A
Thin-film rechargeable lithium batteries.—75-02941A

interconnect,
Development of polymide substrate for Gb/s-class MCM-D/C.—75-00313A

interfaces,
Adhesion interface of CVD diamond films.—75-08864A
Aluminum nitride-molybdenum ceramic matrix composites: characterization of ceramic-metal interface.—75-07199A
Analysis of interface dynamics in solid-state phase transformations by in situ hot-stage high-resolution transmission electron microscopy.—75-01785A
Anomalous Schottky effect at semiconductor-dielectric interface.—75-07785A
Atomic structure of metal/ceramic interfaces.—75-07200A
Atomistic structure of silicon nitride/silicate glass interfaces.—75-07283A
Auger electron spectroscopic analysis of chemical vapor deposited diamond/substrate interfaces.—75-06164A
Band offsets between group III nitrides.—75-01796A
Characterization of the titanium silicon two/Si interface in titanium disilicide films on silicon, formed by deposition of alternate titanium-silicon layers and annealing.—75-01808A
Characterization of V/Al_2O_3 interface.—75-01810A
Chemical widths at composite interfaces—relationships to structural widths and methods for measurement.—75-04305A
Concept for a damage-tolerant ceramic composite with strong interfaces.—75-02026A
Criteria for misfit localization at interfaces.—75-04278A
Determination of HTSC energy gaps during resistance measurements of the interface with a normal metal.—75-05745A
Determination of interfacial properties in function of temperature using a single fiber microcomposite test.—75-03556A
Determination of interfacial properties using a single-fiber microcomposite test.—75-03557A
DIGM [diffusion-induced grain boundary migration]-like grain development at a single-crystal/polycrystalline interface in yttria-stabilized zirconia.—75-01823A
Dynamics of thermal generation of free carriers at semiconductor-insulator interface under relaxation of the volume generation center population.—75-05287A
Effect of interfacial shear strength on crack-fiber interaction behavior in ceramic matrix composites.—75-02039A
Effects of deposition temperature on the interfacial properties of SiH_4 reduced blanket tungsten on TiN glue layer.—75-03791A

Effects of poly(vinyl alcohol) on fiber cement interfaces: I. Bond stress–slip response.—75-02403A
Effects of poly(vinyl alcohol) on fiber cement interfaces: II. Microstructures.—75-02404A
Electron emission properties of the negative electron affinity (111)2×1 diamond-TiO interface.—75-01840A
Electron microscopic analysis of Pd/MgO mismatched interface.—75-00091A
Electron microscopy studies and image simulation of the $YBa_2Cu_3O_{7-x}/BaF_2$ interface.—75-03364A
Electronic structure and bonding at interfaces between CVD diamond and silicon.—75-01843A
Evolution of the In oxide/Si(111) interface: analysis by electron spectroscopies.—75-00488A
Experimental investigation of interface properties in SiC fiber-reinforced reaction-bonded silicon nitride matrix composites.—75-04520A
Fiber coatings and the fracture behavior of a continuous fiber ceramic composite.—75-04529A
Fiber twist test—a new test technique to measure composite interface properties.—75-03564A
Fibrous ceramic monoliths.—75-09310A
First-principles calculations for metal/ceramic interfaces.—75-04325A
Growth and structure of Al/MgO interfaces.—75-04330A
High-temperature embrittlement of ceramic matrix composites—interface effects.—75-01862A
High-temperature flow of SiC continuous fiber–glass-ceramic matrix composites—the effect of interface/interphase ductility.—75-04553A
Hydrothermal cement/metal interfaces.—75-00042A
Important role of the interfaces in the high-temperature superconductors.—75-00812A
Improvement of the SiO_2/Si interface of metal-oxide-semiconductor devices using gate dielectrics formed by NF_3-aided oxidation and N_2O post-annealing.—75-05341A
In situ electron microscopy studies of the behavior of metal particles on ceramic substrates.—75-04342A
In situ observation of oxide monolayer formation on copper solid-liquid interfaces.—75-01997A
In situ X-ray diffraction studies of $YBa_2Cu_3O_x$/$LaAlO_3$ interfaces.—75-01222A
Influence of internal interfaces on the dielectric properties of ceramic microwave resonators.—75-02914A
Interface and interphase of ceramics.—75-04345A
Interface and mechanical properties of ceramic fiber-reinforced silicon nitride composites prepared by a preceramic polymer impregnation method.—75-03900A
Interface between SnF_2 particles and air in stannous fluoride heated in air.—75-04346A
Interface characterization using an SEM-based microindentor.—75-03574A
Interface electron states at the smooth heterojunction HgTe-CdTe.—75-03067A
Interface instability in alumina under chemical inequilibrium.—75-08958A
Interface phenomena in Synroc, a titanate-based nuclear waste ceramic.—75-00932A
Interface properties of oxide ceramic materials.—75-01298A
Interface structure and composition in the mechanical behavior of fiber-reinforced composites.—75-04571A
Interface structure of ceramic/metal nanocomposites.—75-00107A
Interface structure of directionally solidified CoO-$ZrO_2(Y_2O_3)$ eutectic.—75-01875A
Interfaces in ceramic substrates.—75-01876A
Interfaces in tungsten carbide.—75-01877A
Interfaces in zirconia-based electrochemical systems and their influence on electrical properties.—75-01299A
Interfaces of ionically conducting materials—electrochemical properties.—75-04347A
Interfacial characterization of SiC/SiC composites with multilayered interphases.—75-04572A
Interfacial properties of as-received and coated SiC (SCS-6) fiber-reinforced reaction-formed SiC matrix composites.—75-04350A
Interfacial stability, oxidation response, and mechanical properties of a Nicalon fiber-reinforced chemical bonded ceramic matrix composite.—75-06479A
Interfacial transition zone in concrete.—75-02412A
Measurement of interfacial micromechanics in ceramic matrix composites.—75-01029A
Mechanism of interface formation in a silicon carbide fiber-reinforced magnesium aluminosilicate.—75-04105A
Method for rapid determination of surface parameters in planar-nonuniform MIS structures.—75-07969A
Method for the calculation of interfacial energies in Al_2O_3 and ZrO_2/liquid-metal and liquid-alloy systems.—75-05960A
Method of enveloping functions for description of electron states in microstructures with smooth variation of the potential at heterointerfaces.—75-07970A
Methodology for the determination of the interfacial properties of brittle matrix composites.—75-05963A
Microstructural considerations for fractographic analysis of polyphase ceramics via transmission electron microscopy.—75-04356A
Microstructure of interfacial boundaries in SiC(w)/SiAlON composite.—75-04368A
Nondestructive inspection of the interface by X-ray refraction and high resolution computer tomography.—75-03588A
Nonstoichiometry and related properties of ceramic interfaces.—75-01898A
Optimization of the interfaces in Nicalon-fiber-reinforced-AlPO-matrix composite materials.—75-06072A
Photoelectrical phenomena in structures based on high-resistivity crystals with interface semiconductor–thin insulating layer.—75-05428A
Plasma-enhanced chemical vapor deposited silicon nitride films for interface studies.—75-04139A
Pressure-induced migration of ferroelectric interfaces.—75-03251A
Properties of the heteroepitaxial AlN/SiC interface.—75-01913A
Reactive wetting taxonomy.—75-04200A
Role of interfaces in nuclear technology.—75-00935A
Sharp interfaces versus functionally graded metal-ceramic layers—geometrical optimization for mechanical response.—75-02543A
SIMS, EDX, EELS, AES, XPS study of interphases in Nicalon fiber–LAS glass matrix composites: II. Chemistry of the interphases.—75-06351A
Simulation of segregation to interfaces in metal oxides.—75-04398A
STM studies at electrochemically controlled interfaces.—75-01937A
Stress redistribution around a ceramic/metal interface.—75-00137A
Strong interface in CMCs, a condition for efficient multilayered interphases.—75-04403A
Structures of bonding interface by forming hydrogen bridges.—75-04409A
Studies of interfacial behavior in ceramics via microdesigned interfaces.—75-01952A
Substrate defects and variations in interfacial ordering of monolayer molecular films on graphite.—75-06858A
Surface recombination velocity measurements at the silicon-silicon dioxide interface by microwave-detected photoconductance decay.—75-00611A
Surface states at the SiO_2-SiC interface studied by analysis of input admittance of MOS structure in a wide temperature range.—75-03178A
Systematic understanding of ceramic processing and related interfacial phenomena.—75-01725A
TEM and EDX investigations of experimental SiC_f-YMAS composites.—75-04411A
Thermal emission of charges at Si_3N_4-GaAs interfaces plasma pretreated with H_2, Ar, and Ar+H_2.—75-00617A
Tight-binding study of the #8{211} σ=3 grain boundary in cubic silicon carbide.—75-00621A
Trends of research on ceramic interfaces.—75-01972A
XPS studies at the interface of Ti/AlN ceramic.—75-04417A

interferometers/interferometry,
Introduction to nonlinear optics: phase conjugate wave and its application.—75-04975A

intermetallics,
Design and production of an intermetallic gradient material by using a variant of reactive powder metallurgy.—75-02451A
Explosive reaction pressing of intermetallic compounds from stoichiometric powder mixtures.—75-01493A
Intermetallic-bonded ceramic matrix composites.—75-07216A
Synthesis and application of intermetallic compounds produced by combustion synthesis process.—75-04867A

iodides,
CuI-PbI_2-As_2Se_3 thin films prepared by chemical deposition.—75-07379A
Effect of aluminum hydride on the synthesis of CdI_2 from CdS and I_2 initiated by hydrogen.—75-09269A
Glass formation and properties of glasses in the $(Sb_2S_3)_{1-x}(PbI_2)_x$ system.—75-02655A
Glass formation and transport properties of glasses in the CuI-PbI_2-As_2Se_3 system.—75-07340A
High-emission CsI-coated diamond dynodes for an electron multiplier.—75-07906A
Ionic conductivity and Raman spectroscopic investigations of B_2O_3-Na_2O-Na_2I_2 glasses.—75-07341A
Ionic conductivity of PbI_2-PbO glass.—75-07342A
Mechanisms of enhanced ionic conduction at interfaces in ceramics.—75-02916A
Nanosecond uv scintillations in cesium iodide.—75-01313A
Optical properties of PbI_2 microcrystals in a glassy matrix.—75-07357A
Temperature stability of NaI(Tl) scintillators.—75-01354A

iodine,
Para- and diamagnetoelectrical interactions in $Tb_2(MoO_4)_3$ and $LiIO_3$ crystals.—75-05702A

ion exchange,
Calculation of concentration, density, and stress fields in glass upon ion exchange: statement of the problem.—75-07325A
Interaction of exchanged Zn^{2+}-montmorillonite with alkaline and earth-alkaline cations.—75-03801A
Ion exchange between NH_4^+-saturated zeolites and essential cations of the soil solution (K^+, Na^+, Ca^{2+}, and Mg^{2+}).—75-08959A
Mixed oxide effect in an ion-exchanged glass.—75-02731A
Nontraditional use of new inorganic ion exchangers as functionally graded sorbents.—75-02516A
Practical application of alkali metal titanates as inorganic ion exchangers.—75-06709A

ion implantation,
Calcium phosphate precipitation on calcium-ion-implanted titanium in electrolyte.—75-01076A
Characterization of SiC layer formed by C ion implantation (ESR and ir studies).—75-00430A
Controlled removal of ceramic surfaces with combination of ion implantation and ultrasonic energy.—75-03541P
Effect of ion implantation on the CVD diamond nucleation density on Si substrates.—75-09276A
Effect of Si^+ implantation on properties of amorphous hydrogenated silicon [a-Si:H].—75-03008A
Effects of nitrogen and carbon ion implantation on devitrification of silica glass.—75-05009A
Generation of electron carriers in insulating thin films of $MgIn_2O_4$ spinel by Li^+ implantation.—75-00335A
High-temperature ion implantation into quartz.—75-04066A
Influence of bombardment with Ar^+ ions on the light scattering by single crystals of undoped indium phosphide.—75-03055A
Ion-beam-induced luminescence in natural diamond.—75-01300A
Nitrogen implantation induced enhanced adhesion of amorphous SiC films deposited on stainless steel and Cu.—75-01595A
Observation and measurement of atomic scale imperfections in materials using CBED+EBI/H.—75-01901A
Ohmic contacts on diamond by B ion implantation and TiC-Au and $TaSi_2$-Au metallization.—75-00115A
Photoluminescence of Mg ion implantation in low-temperature-grown GaAs[—erratum].—75-00568A
Photoluminescence of Mg-ion implantation in low-temperature grown GaAs.—75-05433A
Range profiles of 600–1200-keV Xe^+ implanted in $KTiOPO_4$.—75-01337A
Redistribution of hydrogen in GaN, AlN, and InN.—75-00586A
Simultaneous Si molecular beam epitaxy and high-dose ion implantation.—75-09434A

ionic conductors/ionic conduction,
Bismuth-oxide-based solid electrolytes for fuel cells.—75-05176A
Calculation of the dc conductivity activation energy of ionically conducting glasses.—75-04881A
Change of ionic conductivity accompanied by phase transformation in partially stabilized zirconia.—75-08878A
Degradation in ionic conductivity of yttria fully stabilized zirconia.—75-07720A
High-temperature ionic conduction in multicomponent solid oxide solutions based on HfO_2.—75-05197A
Interfaces of ionically conducting materials—electrochemical properties.—75-04347A
Ion transport in copper boromolybdate glasses.—75-04908A
Ionic conduction in $(1-x)B_2O_3$+xLi_2O.—75-04909A
Ionic conductivity and sinterability of Nasicon-type ceramics: the systems $NaM_2^{IV}(PO_4)_3$+yNa_2O (M=Ge, Ti, Hf, and Zr).—75-07735A
Ionic conductivity of PbI_2-PbO glass.—75-07342A
Lithium ion conductivity in $Li_{3x}La_{2/3-x}\square_{1/3-2x}TiO_3$ [x=0.017–0.317] system.—75-09154A
Mechanisms of enhanced ionic conduction at interfaces in ceramics.—75-02916A
Microstructure-property studies of BICUVOX ceramics.—75-02919A
Mixed conducting ceramic membranes for partial oxygenation of methane.—75-02920A
Partial conductivities in $SrTiO_3$: bulk polarization experiments, oxygen concentration cell measurements, and defect-chemical modeling.—75-00359A
Physicochemical properties of $(Bi_{1-x}Pb_x)_{1-y}Y_yO_{1.5}$ (x=0.1, 0.32; y=0–0.25) ionic conductors.—75-07742A
Resistivity control by solid-state reaction of perovskite-type oxides.—75-02935A
Sol-gel synthesis of a new oxide-ion conductor Sr- and Mg-doped $LaGaO_3$ perovskite.—75-02938A

ionization,
Determination of ionization energies of the nitrogen donors in 6H-SiC by admittance spectroscopy.—75-00457A
Effect of temperature on impact ionization in amorphous semiconductors.—75-07854A
Ionic properties of hydrogenated and fluorinated fullerenes.—75-01301A

ions,
Anomalous excitation in the EPR spectrum of the Fe^{3+} ion in GaAs.—75-07784A
Detection of ionic mobility of $YBa_2Cu_3O_{7-\delta}$ by means of the phase-sensitive rejection filtering technique.—75-03354A
Effect of copper ions on the oxidation of Sn(II) in halogenide solutions.—75-09588A
Effect of copper ions on the tin(II) oxidation reaction in sulfuric acid solutions.—75-09589A
Electroprecipitation of copper onto highly porous cellular electrodes for electrolytes with decreased concentration of copper ions.—75-08924A
Fluorocomplex compound $Na_2Pb(SnF_4)_2(NO_3)_2{\cdot}2H_2O$ with lone pairs of tin(II) and lead(II).—75-06231A
Formation of complex ions during sputtering of multicomponent oxides.—75-09314A
Influence of ionic substitution on the magnetic behavior of $Y_2Cu_2O_5$.—75-05780A
Ion beam modification of bioactive ceramics to accelerate biointegration of said ceramics.—75-08583P
Nature of Verwey transition in magnetite.—75-08991A
Polymerization of silicate ions in aqueous solutions.—75-01069A
Question of the formation of structural defects due to the stopping of fast ions in silicon.—75-03144A
Role of fluorine ions in the polychromatic process.—75-07366A
Sorption of cesium, strontium, and europium ions on clay minerals.—75-06857A
Surface chemistry of silicon nitride powder in the presence of dissolved ions.—75-06380A
Vibronic coupling during intracenter transitions in transition metal impurity ions in semiconductors.—75-03197A

iridium oxide,
Preparation of ultrafine RuO_2 and IrO_2 particles by a sol-gel process.—75-06742A

iridium,
Platinum alloys and iridium bottom electrodes for perovskite-based capacitors in DRAM applications.—75-05623A
Structural characterization and semiconducting properties of new iridium(IV) perovskites.—75-00869A

iron oxide (black),
Interplay between crystalline and magnetic ordering in Fe_3O_4/NiO superlattices.—75-00741A
Magnetic and crystallographic properties of molecular beam epitaxially grown Fe_3O_4/NiO superlattices and Fe_3O_4 films.—75-03302A
Magnetic anomalies in single-crystal Fe_3O_x thin films.—75-03304A
Magnetite coating prepared by ferrite plating on expanded polytetrafluoroethylene membrane for medical use.—75-03309A

iron oxide (red),
γ-Fe_2O_3 nanoparticle preparation from oxidation of iron powder synthesized by laser-induced decomposition of $Fe(CO)_5$.—75-03945A
Characterization and preparation of glass-ceramics in the system Fe_2O_3-CaO-SiO_2: II.—75-07328A
Characterization of the Mn and Co volume-doped acicular γ-Fe_2O_3 particles.—75-00724A
Crystallization and properties of Fe_2O_3-CaO-SiO_2 glasses.—75-02640A
Crystallization behavior and microstructure evolution of $(Al,Fe)_2O_3$ synthesized from liquid precursors.—75-06197A
Glass formation in the PbO-Fe_2O_3 system with high PbO content.—75-05013A
Influence of TiO_2 doping on the quantum efficiency of α-Fe_2O_3 electrodes in water photoelectrolysis.—75-04084A
Low-temperature dynamics of small γ-Fe_2O_3 particles.—75-05682A
Porous silica-coated α-Fe_2O_3 ceramics for humidity measurement at elevated temperature.—75-03132A
Pure-colored iron oxide direct red pigments, a process for their production, and their use.—75-00297P
Study of a new cement with high iron and magnesium contents.—75-00069A
iron oxide, see also iron oxides
Characterization of coprecipitated Fe_2O_3-Al_2O_3 powders.—75-06863A
Chemical and structural properties of the system Fe_2O_3-Nd_2O_3.—75-04303A
Electrical conduction of glasses in the system Fe_2O_3-SrO-TeO_2.—75-07334A
Electron paramagnetic resonance of Fe^{3+} ions in borate glass: computer simulations.—75-02585A
Fine structure and magnetic properties of Mn- and Co-doped nanocrystalline γ-Fe_2O_3.—75-03293A
Growth, magnetic properties, and the effect of cobalt addition in metallorganic chemical vapor deposited (MOCVD) gamma iron oxide thin films for magnetic recording applications.—75-05674A
Influence of electrochemical potentials on the friction and wear of iron and iron oxides in aqueous systems.—75-04565A
Magnetic properties of materials in the CaO-P_2O_5-Fe_2O_3 system.—75-03905A
Magnetization and ferromagnetic resonance studies on amorphous films of Fe_2O_3-Bi_2O_3-Li_2O.—75-03310A
Polycrystalline $PbMg_{1/3}Nb_{2/3}O_3$ studied by electron paramagnetic resonance of Fe^{3+} ions.—75-03249A
Real composition of the phase formed in the Fe_2O_3-V_2O_5-WO_3 system.—75-06338A
Synthesis and characteristic feature of 4CaO·Al_2O_3·Fe_2O_3-based glass with and without SiO_2.—75-07404A
Transport properties of semiconducting Fe_2O_3-PbO-B_2O_3 glasses.—75-02697A
XPS study on the interaction at the Fe_3O_4/SiO_2 boundary on the surface of composite microspheres prepared via a shear-compressive mechanical route.—75-06414A
iron oxides,
H_c enhancement of Co-adsorbed γ-Fe_2O_3 particles via surface treatment with sodium polyphosphate.—75-03273A
Atomic mobility and thermodynamics of ultrasmall clusters of a substance.—75-06162A
Coercivity and switching field of single-domain γ-Fe_2O_3 particles under consideration of the demagnetizing field.—75-00725A
Coercivity enhancement in γ-Fe_2O_3 by surface treatment with phosphate ions.—75-03283A
Conditions for occurrence of ternary compounds of the FeO-Fe_2O_3-CaO system.—75-06188A
Discontinuous dissolution and grain boundary migration in Al_2O_3-Fe_2O_3 by oxygen partial pressure change.—75-04315A
Effect of a magnetic field on the anomalous transmission of X-rays in the α-Fe_2O_3 crystal.—75-08199A
Effect of ferric oxide additives on the electrical conductivity of yttria-stabilized tetragonal zirconia solid electrolytes.—75-09132A
Effect of ferric oxide on the structure of solid solutions in the ZrO_2-Y_2O_3-Fe_2O_3 system.—75-06871A
Effect of iron oxides on mullite-corundum refractories under the conditions of oxidizing and reducing media.—75-05085A
Effect of the real structure of hematite on the kinetics of ferrite formation in the Li_2O-Fe_2O_3 system.—75-08208A
Fundamental processes in bath smelting: reactions of iron oxides with Fe-C melts.—75-02819A
High-temperature oxidation of SiC-based monolithic refractories: I, Oxidation by FeO.—75-05098A
Humidity-sensitive characteristics of SnO_2-Fe_2O_3 thin films prepared by spray pyrolysis.—75-06474A
Influence of synthesis conditions on the magnetic properties of iron oxide pigments produced from industrial wastes.—75-09341A
Ir spectroscopic investigation of ferrite formation in the MgO-Fe_2O_3 system.—75-05680A
Macroscopic tunneling of spins in weakly ferromagnetic particles of orthorhombic antiferromagnets.—75-08227A
Magnetic and structural properties of Fe-FeO bilayers.—75-00744A
Magnetism and spin dynamics of nanoscale FeOOH particles.—75-03308A
Magnetization reversal mode for individual ellipsoidal single-domain particles of γ-Fe_2O_3.—75-03312A
Mechanism of $LaFeO_3$ perovskite-type oxide formation from the thermal decomposition of *d*–*f* heteronuclear complex $La[Fe(CN)_6]$·$5H_2O$.—75-04106A
Metal-ceramic microstructures in the Fe-Mn-O system—morphology control by impurity addition.—75-04353A
Nanocomposite formation in the Fe_2O_4-Zn system by reaction milling.—75-03321A
Preparation and magnetic properties of sodium-modified iron oxide thin films by a sol-gel method.—75-04150A
Spin casting in maghemite particles.—75-03331A
Spin reorientation in $ErFeO_3$ during uniaxial compaction: NMR investigation.—75-08241A
Structure and magnetic properties of ferrites in the $Ni_{0.35}Zn_{0.65}Fe_2O_4$-CaO-$Fe_2O_3$ system.—75-08243A
Structure of V_2O_5-MoO_3-Fe_2O_3 glasses.—75-04934A
iron,
Additive oscillating modes in MgO-Fe^{2+} and MgO-Fe^{3+} crystals.—75-08863A
Anomalous excitation in the EPR spectrum of the Fe^{3+} ion in GaAs.—75-07784A
Application of fracture mechanics to three Australian iron sources.—75-02023A
Atomic magnetic moment and electronic structure in Fe-B amorphous alloys based on XPS.—75-05657A
Atomic position and electronic field gradient of Fe dopant in Y-124 superconductor.—75-00773A
Bragg shift of holographic gratings in photorefractive Fe:$LiNbO_3$ crystals.—75-06166A
Carbidizing of iron deposited on SiO_2 and Al_2O_3 during Fischer-Tropsch synthesis.—75-09227A
Catalytic activity of ferrisilicates.—75-09584A
Chemical resistance of decorated film coatings based on iron-containing industrial waste.—75-02631A
Chemically vapor deposited diamond films grown on titanium nitride coated and uncoated iron substrates.—75-01398A
Coercivity of Fe-SiO_2 nanocomposite materials prepared by ball milling.—75-01267A
Comparison of the dynamic properties of samarium- and europium-containing iron garnet films.—75-08196A
Compositional control of iron redox ratios in model glasses for nuclear waste immobilization.—75-03452A
Crystallization kinetics of Fe-doped Al_2O_3.—75-03779A
Dependence of characteristic sizes of the large-scale electrically active defect clusters on their location along the longitudinal axis of a single-crystalline ingot of InP:Fe.—75-02992A
Dielectric and magnetoelectric properties of Bi_8FeTi_{15}.—75-06444A
Dynamics of domain walls in Fe garnet films near the compensation point of the magnetic moment.—75-07838A
Effect of annealing on the transformation of electronic structure in quickly hardened amorphous alloys of $Ni_{81}P_{19}$ and $Fe_{80}P_{20}$.—75-07845A
Effect of iron on nitriding rate of silicon.—75-09277A
Effect of oxidation on the thermoelectricity of Fe-Si-based materials.—75-09134A
Effect of praseodymium on the dynamics of domain walls in iron garnet films with rhombic magnetic anisotropy.—75-08206A
Effect of spontaneous magnetostriction on the nuclear spin echo signal in $FeBO_3$.—75-08207A
Effect of surface layers on ferromagnetic resonance in thin Fe films: Ni, Co, Si, and $YBa_2Cu_3O_{7-\delta}$.—75-03289A
Effect of the number of magnetic couplings on the surface properties of antiferromagnetic Fe_3BO_6 crystals.—75-05666A
Effect of zinc and iron on the (micro-) structure and copper charge excess of the YBaCuO superconductor.—75-05760A
Effects of surface treatment of the magnetic properties of acicular iron fine particles.—75-08210A
Electrophysical properties of $Fe_xHg_{1-x}Se$ alloys.—75-09140A
Electrophysical properties of ferroelectric solid solutions of $xPbFe_{1/2}Ta_{1/2}O_3$-$yPbFe_{1/2}Nb_{1/2}O_3$-$(1-x-y)$Pb$Mg_{1/3}Nb_{2/3}O_3$.—75-08137A
Enamel for cast iron.—75-02465A
Evaporation thermodynamics of the FeO, CoO, NiO oxides.—75-08929A
EXAFS studies of changes in the local environment of Cu ions in Fe- and Zn-doped $YBa_2Cu_3O_{7-\delta}$ superconductor.—75-03367A
Excitation and propagation of composite spin waves in iron-yttrium garnet films.—75-08213A
Fast photometric determination of iron impurity in red lead and litharge.—75-03563A
Fe and Ti doping of InP grown by metallorganic chemical vapor deposition for the fabrication of thermally stable high-resistivity layers.—75-00491A
Fe-Al_2O_3 nanocomposite prepared by high-energy ball milling.—75-03292A
Features of dimensional magnetoelastic resonance in iron borate in multidomain states.—75-05670A
Features of domain wall mobility with spin wave radiation under various attenuations.—75-08214A
Features of the magnetic interaction in alloys of the Fe-Cr-Co system.—75-08216A
Fine structure in the electron density of states, paramagnetic impurities, and anomalous isotopic effect of T_c in LSCO:Fe systems.—75-08324A
Fluorescence associated with Fe^{3+} ions in nanostructured Al_2O_3.—75-01294A
Foaming, macrokinetics, and mechanism of carbothermal reduction of iron zinc-containing oxide melts.—75-09312A
Fractal oxidation of amorphous iron films.—75-09591A
Galvanomagnetic effects in antiferromagnets. Temperature dependences.—75-08218A
Glazes for single fast-fired wall tiles containing iron slag.—75-00288A
High resolution transmission electron microscopy and magnetic properties of nanocrystalline iron particles with oxidized and nitrided surfaces.—75-00738A
Influence of copper and iron doping on cubic yttria-stabilized zirconia.—75-06649A
Interaction of iron and nickel with borate melts.—75-02728A
Interaction of sodium cyclotriphosphate with iron and its phosphides.—75-06662A
Interaction of TlTe with FeTe and physical properties of $TlFeTe_2$.—75-07937A
Iron-doped titanium nitride films.—75-01554A
Kinetics and thermodynamics of intracrystalline Fe-Ga distribution in $Y_3(Fe,Ga)_5O_{12}$.—75-06252A
Large dynamic magnetic domains in a variable field with an axial symmetric gradient.—75-08225A
Low-angle grain boundary in iron-doped strontium titanate revealed by transmission electron microscopy.—75-06885A
Magnetic and electrical properties of new thiospinels containing Fe, Cr, and Sn.—75-05370A
Magnetic and structural properties of Fe-FeO bilayers.—75-00744A
Magnetoelectrical effect and magnetic phase transitions in $(Fe_xCr_{1-x})_2O_3$ single crystals.—75-08229A
Magnetooptical pulsed magnetic field gauges based on iron garnet films with increased speed.—75-08231A
Manufacturing of iron carbides in fluidized bed reactors.—75-04100A
Mathematical model of the sorption of iron ions from phosphoric acid by complex-forming cation exchangers.—75-05955A
Mechanism of the 90° pulsed magnetization of iron borate single crystals.—75-09160A
Microbial leaching of iron from silica sands by Aspergillus Niger.—75-06041A
Microstructure of sputtered epitaxial $Ni_{0.8}Fe_{0.2}/Ni_xCo_{1-x}O$ exchange coupled bilayers on α-$Al_2O_3(0001)$.—75-04369A
Mossbauer emission measurements on highly dilute ^{57}Fe impurities in the high-T_c superconductors $La_{2-x}Sr_xCuO_4$.—75-00834A
Mossbauer spectroscopic study of the FeF_3-PbF_2-MF_2 (M=Mn, Sr) glasses.—75-07306A
Mossbauer study of the low-temperature crystallization of ferrisilicate feldspars.—75-08687A
Nanoanalytical characterization of granular Ag-Fe films with giant magnetoresistance.—75-00752A
Nanostructural studies by Mossbauer spectroscopy.—75-01892A
Nature of the anomalous isotopic effect of T_c in the LSCO:Fe system.—75-08377A
NMR spectrum of Cu^{2+} Jahn-Teller ions in ferrospinels.—75-05699A
Observation of localized domain reversal of iron-doped potassium niobate (Fe:$KNbO_3$) single crystal.—75-00680A
Onset of crystallization and appearance of brittleness in the $Fe_{77}Ni_1Si_9B_{13}$ and $Fe_{59}Ni_{20}Si_9B_{13}$ metallic glasses.—75-02672A
Optical and magnetooptical properties and giant magnetoresistivity of Fe/Cr superlattices with noncollinear ordering of Fe layers.—75-08235A
Optical spectra of iron ions in $LiNbO_3$.—75-06294A
Oxygen nonstoichiometry of $LaSr_2Fe_3O_{9-x}$ compounds.—75-09002A
Phase equilibria in the Fe-Si-V-O system.—75-09018A
Physicochemical and magnetic properties of iron solid solutions in chromium telluride, Cr_3Te_4.—75-06501A
Point defects and thermoelectric properties of iron disilicide ceramics sintered with SiH_4 plasma-processed micrograins.—75-01333A
Preparation and characterization of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ single crystals.—75-00847A
Preparation and dielectric properties of lead iron niobate ceramics.—75-00364A
Preparation of δ-FeOOH by coprecipitation method and its magnetic properties.—75-08237A
Preparing pigments by precipitation.—75-02884A
Reaction of silicon carbide grains with molten iron penetrating in carbon-based refractories.—75-07641A
Reaction sintering of an iron-based ceramic-metal composite.—75-00127A
Role of precession and longitudinal vibrations of magnetization in the dynamics of spin reorientation in Fe_3BO_6.—75-08239A
Selection of castables used in iron and steel production.—75-07656A
Sintering of zirconium diboride through Fe-based liquid phase.—75-09443A
Spinel solid solution $Co_2Ru_{1-x}Fe_xO_4$.—75-05710A
Spontaneous magnetoelastic deformation of the crystal lattice in the spin reorientation temperature region of the $SmFe_2$ compound.—75-09064A
Stoichiometric dependence of the aging phenomena in lead iron tungstate ceramics.—75-05640A
Structural and magnetic properties of epitaxially grown fcc Fe/Cu(100) and Fe/CaF_2/Si(111).—75-01939A
Structural and magnetic properties of Fe_2O_3-P_2O_5-Na_2O glasses: I, Oxygen heat treatment.—75-07371A
Structural investigation of Fe silicide films grown by pulsed laser deposition.—75-01943A
Structural relaxation and crossover effect for Young's modulus of amorphous $Fe_{81.5}V_{2.5}P_{16}$ and $Fe_{81.5}Mo_{2.5}P_{16}$ ferromagnetics.—75-03332A
Study of the MBE growth of MgO on the Fe(001) surface.—75-03173A
Substitution for iron by nonmagnetic constituents in spinel lithium ferrite.—75-05714A
Superconductivity of Fe-substituted $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals.—75-00874A
Superparamagnetism in nanoclustered films of Fe-SiO.—75-05715A
Switching effect in single crystals of $(In_2Te_3)_{0.99}(Fe_2Te_3)_{0.01}$.—75-08073A
TEM studies on the morphology, size distribution, and structure of nanocrystalline iron particles using a Formvar embedded preparation technique.—75-01964A
Temperature dependence of electron mobility in HgSe:Fe in a model of strongly correlated coulomb liquids.—75-05499A
Temperature response of the photomagnetic effect in $FeBO_3$ crystals studied in a SKVID magnetometer.—75-05717A
Texture assessment of magnetically processed iron titanate.—75-03851A

Thermal and X-ray studies of the pyrolysis process for bismuth-substituted iron garnet films.—75-06391A
Thermal conductivity of pure or iron-doped $YBa_2Cu_3O_{7-\delta}$ with or without an excess of CuO.—75-03418A
Thermal shock resistance of a ductile particle (iron) toughened alumina.—75-09681A
Thermoelectric properties of Fe-Si alloys—effects of oxidation and SiO_2 dispersion.—75-09208A
Thermophysical studies on the substitution of Al^{3+} in gallium iron garnets.—75-06531A
Ultrafine and exchange fields in $Gd_{1-x}Lu_xFe_2$ compounds.—75-08250A
Use of nickel and iron additives as sintering aids for titanium diboride.—75-06827A
Weak ferromagnetism along the third-order axis of $FeBO_3$ crystals.—75-08251A
X-ray photoemission study of $Fe_{40}Ni_{40}B_{20}$ metallic glass.—75-06412A

irradiation,
Amorphization process of neutron-irradiated crystalline quartz studied by Brillouin scattering.—75-06157A
Changes of work function of CVD diamond with ultraviolet light.—75-07800A
Characteristics of As_iZn_{Ga} pairs induced by irradiation plus annealing in *p*-type GaAs(Zn) crystals.—75-07802A
Crystallographic aspect of selective absorption and emission of ultraviolet radiation in MgO crystals.—75-08900A
Device for registering spatial-spectral distribution of irradiation intensity of semiconducting lasers at close range.—75-08659A
Dynamics of variation of forward voltage drop on *pin* diodes under transient neutron irradiation.—75-07839A
Effect of excimer laser irradiation on slurry erosion wear rates of alumina.—75-09620A
Effect of irradiation on optical and photoelectrical properties of ir-sensitive GaAs/AlGaAs quantum well structures.—75-07850A
Effect of laser irradiation on the Bi system.—75-00790A
Effect of neutron and γ-irradiation on YBCO and B(Pb)SCCO high-T_c superconductors.—75-03360A
Enhancement of diamond growth under uv irradiation.—75-09299A
Evaluation of SiO_2 thin films prepared by the sol-gel method using photoirradiation.—75-03892A
Far-infrared photoconductivity of silicon irradiated by fast neutrons.—75-05320A
Features of domain wall mobility with spin wave radiation under various attenuations.—75-08214A
First observation of amorphization in single-crystal $MgAl_2O_4$ spinel.—75-03893A
Influence of neutron and cosmic irradiations on the characteristics of Schottky gate field effect transistor.—75-03060A
Influence of neutron irradiation on the thermal conductivity of vapor-deposited diamond.—75-01542A
Ion irradiation of preceramic polymer thin films.—75-06664A
Irradiation and annealing of ^{10}B-doped chemical vapor deposited diamond films.—75-08961A
Laser irradiation of ceramics.—75-06668A
Light output and radiation damage in a $YAlO_3$:Ce crystal.—75-01302A
Low dose rate tests of plastic scintillator plates and wavelength shifting fibers.—75-01304A
Microstructure characterization of $Bi_2Sr_2CaCu_2O_x$ single crystal irradiated with 18-MeV Fe^{8+} ions.—75-08364A
Near-surface defects created by 355-nm laser irradiation of rutile.—75-01768A
Neutron irradiated SiC(6H) *p-n* structures: current-voltage characteristics.—75-07984A
Radiation defects in SiC—electron irradiation with different energies.—75-01772A
Secondary emission properties of the electron-irradiated lead silicate glasses.—75-07367A
Sodium metal deposition by electron beam irradiation during SEM observation.—75-07747A
Transition edge noise in $YBa_2Cu_3O_{7-\delta}$ thin films before and after exposure to ionizing radiation.—75-03419A
Trivalent Ce_2O_3 and CeO_{2-x} intermediate oxides induced by laser irradiation of CeO_2 powders.—75-06400A
Unidirectional pinning in irradiated $Bi_2Sr_2CaCu_2O_8$.—75-03424A
Vibrational spectroscopy of silica sol-gel components during microwave irradiation.—75-01974A
Zircon EPR revisited: 10-K EPR of three low-symmetry centers in irradiated zircon.—75-03868A

isomerization,
Special C_{44} isomers.—75-01343A

isostatic pressing,
Additives used in the pressing of tableware.—75-05160A
Advances in isostatic pressing.—75-03949A
Advantages of isostatic pressing.—75-02751A
Dorst America Inc.—75-04701A
Isostatic pressing technology making headway in the ceramics industry.—75-06665A
Jig and method for isostatically pressing ceramic powder.—75-00994P

isotopes,
Distribution of isotopes formed in GaAs under irradiation by high-energy protons, deuterons, and ^3He nuclei.—75-05282A
Isotope substitution in B_2O_3 glass: a molecular dynamics study.—75-04911A
Oxygen isotope exchange reaction in diffusion coefficient measurements using gas phase analysis.—75-09516A

Japan,
Ceramic folklore of MUMYOI-Vaki.—75-04789A
Developing techniques to utilize lower grade materials.—75-02863A
Development of LF [ladle furnace] refractories in Japan.—75-07520A
Echizen stoneware—800 years of Japanese tradition.—75-02239A
Fifty years of Japanese Refractories Association.—75-07073A
Making roofing tile Japanese style.—75-02783A
Projected research on high-efficiency energy conversion materials.—75-02535A
R&D trends of electronic ceramics in Japan.—75-02145A

joining,
AEM investigation of ceramic/Incoloy 909 diffusional reactions after joining by HIP.—75-06838A
Apparatus for the joining of ceramics using microwave hybrid heating.—75-00938A
Ceramic joining: III. Bonding of alumina via Cu/Nb, Cu interlayers.—75-04842A
Ceramic-metal joining for automotive ceramic engines.—75-02443A
Combustible slurry for joining metallic or ceramic surfaces or for coating metallic, ceramic, and refractory surfaces.—75-04875P
Direct joining of BSCCO superconducting glass-ceramics using a flame-melting method.—75-03357A
Joining ceramics.—75-07086A
Joining of Al plasma-sprayed Si_3N_4 ceramics.—75-02499A
Joining of SiC to SiC using a preceramic polymer.—75-04088A
Joining of zirconia to zirconia using CaO-MgO-SiO_2-Al_2O_3 glasses.—75-09349A
Metallization and joining of aluminum nitride for space shuttle remote power controllers.—75-01151A
Method for joining ceramic sintered bodies.—75-03740P
Method for joining superconductor segments to form a superconducting article.—75-03431P
Method of joining Y-based oxide superconductors.—75-08471P
Microwave joining of alumina both directly and with 2223 superconductor interlayer.—75-01575A
Microwave joining of engineering ceramics.—75-01576A
Microwave joining of magnesia.—75-09364A
Microwave joining of zinc sulfide.—75-01577A
Mullite joining by the oxidation of malleable, alkaline-earth–metal-bearing bonding agents.—75-04860A
Open coaxial microwave spot joining applicator.—75-00973A
Performance testing and strength prediction of ceramic-to-metal joints.—75-04863A
Process for production of joined ceramic body.—75-08622P
Seeded melt texturing [SMT] and melt joining of $YBa_2Cu_3O_x$.—75-03400A
Silicon nitride–stainless steel braze joining with an active filler metal.—75-04866A
Transient FGM approach to joining silicon-based ceramics.—75-02556A
Transient liquid-phase bonding of alumina using microdesigned Ni-based interlayers.—75-00143A
Transient liquid-phase bonding of Si-based ceramics using microdesigned Ni-based interlayers.—75-00144A

joints,
Effect of graded interlayer in a ceramic-metal joint on stress distribution and failure probability.—75-02457A
Evaluation of brazed silicon nitride joints: microstructure and mechanical properties.—75-02467A
FEM residual stress analysis and mechanical properties of silicon nitride/stainless steel joint with multiinterlayer.—75-07212A
Zirconia-TZM brazed joints.—75-02563A

Josephson effect,
70-K hysteretic Josephson effect in mesas patterned on $(Bi,Pb)_2Sr_2CaCu_2O_x$ single crystals.—75-00768A
Fabrication of Nb/Ta-O/Ta/epitaxial Nb Josephson junctions.—75-08316A
Fabrication of stacked intrinsic Josephson junctions from $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin films.—75-08318A
Fabrication technology for a high-density Josephson LSI using an electron cyclotron resonance etching technique and a bias-sputtering planarization.—75-08524A
Heterodyne mixing with a sandwich-type Josephson junction using a Bi-based high-T_c oxide superconductor.—75-08328A
High-T_c thin-film intrinsic stacked Josephson junctions.—75-08333A
Inhomogeneous Josephson junction array model in HTSC granular bridges.—75-08346A
Interpretation of experimentally measured magnetic susceptibilities of a SQUID ring in terms of the quantum mechanics of a double Josephson junction.—75-08348A
Josephson effects in Bi-2212 single crystals.—75-08350A
Josephson junction device formed of oxide superconductor and process for preparing the same.—75-08459P
Microwave response of the Josephson junction in YBCO on a substrate with a small step.—75-08369A
Millimeter-wave radiation from arrays of high-T_c Josephson junctions.—75-08370A
Novel microwave-induced steps of intrinsic Josephson junctions in mesa-shaped BSCCO single crystals.—75-08387A
Properties of a YBCO/insulator/YBCO trilayer and its application to a multilayer Josephson junction.—75-08402A
Spatially resolved analysis of high-T_c grain boundary Josephson junctions and arrays.—75-00866A
Stationary properties of high-critical-temperature proximity effect Josephson junctions.—75-08417A
Surface impedance of $YBa_2Cu_3O_{7-\delta}$ thin film grain boundary Josephson junctions: evaluation of the IcRn product.—75-00877A
Virgin response of field-induced microwave absorption in BSCCO—RSJ (resistively shunted Josephson junction) model.—75-05859A
X-ray investigations of epitaxial $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin films grown on $SrTiO_3$ substrates with MgO and CeO_2 buffer layers for the fabrication of biepitaxial Josephson junctions.—75-08448A
$YBa_2Cu_3O_7$ Josephson junctions and dc SQUIDs by mechanically induced growth disorder.—75-00897A

junctions,
Avalanche multiplication coefficients of carriers in *p-n* structures.—75-07789A
Barrier thermo-emf on *p-n* junction.—75-05251A
Bi-Sr-Ca-Cu-O superconductor junction through a Bi-Sr-Cu-O barrier layer.—75-08452P
Bicrystal junctions and superconducting quantum interference devices in $YBa_2Cu_3O_7$ thin films.—75-03344A
Characterization of submillimeter quasi-optical twin-slot-double junction SIS mixers.—75-08271A
Dielectric loss tan δ of metal-insulator-metal and metal-insulator-metal-insulator-metal junctions with polyimide Langmuir-Blodgett [LB] films.—75-02901A
Electromotive force in silicon *p-n* junction in strong superhigh frequency fields.—75-07869A
Evaluation of influence of high injection level on photovoltaic effect in p^+-*n*-n^+ structures with vertical *p-n* junctions.—75-07881A
Fabrication of S-I-S planar sandwich-type junctions using in-plane aligned, *a*-axis-oriented $YBa_2Cu_3O_{7-\delta}$/LaSrGaO$_4$/$YBa_2Cu_3O_{7-\delta}$ trilayers.—75-08317A
Fabrication of stacked intrinsic Josephson junctions from $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin films.—75-08318A
Fabrication technology for a high-density Josephson LSI using an electron cyclotron resonance etching technique and a bias-sputtering planarization.—75-08524A
Forward conduction mechanisms in SiC *p-n* junctions.—75-00493A
Heterodyne mixing with a sandwich-type Josephson junction using a Bi-based high-T_c oxide superconductor.—75-08328A
High-T_c thin-film intrinsic stacked Josephson junctions.—75-08333A
Influence of sample geometry on the current-voltage characteristics of *p-n* junctions in a high microwave field.—75-07927A
Influence of surface recombination on the current-voltage characteristics of a *p-n* junction in a strong microwave field.—75-07928A
Inhomogeneous Josephson junction array model in HTSC granular bridges.—75-08346A
Josephson junction device formed of oxide superconductor and process for preparing the same.—75-08459P
Millimeter-wave radiation from arrays of high-T_c Josephson junctions.—75-08370A
Nonideality coefficient of volt-ampere characteristics of *p-n* junctions during heating of charge carriers and phonons.—75-05404A
Novel microwave-induced steps of intrinsic Josephson junctions in mesa-shaped BSCCO single crystals.—75-08387A
Quasi-optical log-periodic antenna SIS mixers for the 100-GHz band.—75-08405A
Silicon carbide junction field effect transistor device for high-temperature applications.—75-08115P
Spontaneous switching of the impact ionization current in *p-n* junction.—75-03168A
Stationary properties of high-critical-temperature proximity effect Josephson junctions.—75-08417A
Superconducting transistors using InAs inserted channel InAlAs/InGaAs inverted HEMTs.—75-08431A
Superconductor junction structure including two oxide superconductor layers separated by a nonsuperconducting layer.—75-08492P
Thermally stimulated current of n^+-*p* junction with high resistance in series.—75-05504A
Use of boron isotopes and neutron irradiation in preparing *p-n* junctions in diamond films.—75-08091A
Virgin response of field-induced microwave absorption in BSCCO—RSJ (resistively shunted Josephson junction) model.—75-05859A
$YBa_2Cu_3O_{7-\delta}$/Ag biepitaxial grain boundary junctions for flux flow devices.—75-08449A

kaolin,
Early stages in mechanochemical activation of kaolinite and talc.—75-08911A
Kaolin.—75-06036A
Kaolins in southwest England.—75-03639A
Kaolins of the Prosyanovskoe and Kyshtymskoe Deposits as raw materials for synthesizing cordierite.—75-06037A
Modeling of prebiotic synthesis of oligopeptides in the presence of zeolites and kaolin.—75-06276A
New state-of-the-art slurry plant provides precise formulations.—75-02785A
Properties of metakaolin blended cements.—75-02418A
Refractories from kaolins of the Angrenskoe Deposit.—75-06051A
Thermal stability and pozzolanic activity of calcined kaolin.—75-03937A

kaolinite,
Carbothermal formation of ß′-SiAlON from kaolinite and halloysite studied by ^{29}Si and ^{27}Al solid-state MAS NMR.—75-06172A
Effect of reaction atmosphere on the early stage of carbothermal reduction of kaolinite: an XRD, ^{29}Si and ^{27}Al MAS NMR study.—75-06211A
MAS NMR evidence for the presence of silicon in the alumina spinel from thermally transformed kaolinite.—75-08978A
Mechanochemical synthesis of dispersed composites with layer structure from kaolinite and some organic and inorganic acids: ir study.—75-08982A
Mechanochemical synthesis of the dispersive layered compositions on the basis of kaolinite and higher organic acids.—75-06680A
Sorption of cesium, strontium, and europium ions on clay minerals.—75-06857A

keramzit,
New method of preparing lightweight keramzit.—75-07171A
Structure-forming processes in spherical-shaped keramzit doped with aluminum etching wastes.—75-09454A
Kerr effect,
Nondegenerate optical Kerr effect in semiconductors.—75-05401A
kiln car,
Kiln car.—75-08747P
kiln furniture,
Kiln furniture clears the way for new technology.—75-06000A
kilns,
Adaptation of an automotive exhaust gas analyzer to small periodic fuel kilns—a useful tool for calibration, control, and research.—75-01054A
Anagama down under.—75-03605A
Baptism through fire.—75-02195A
Brick firing in the countertravel kiln.—75-00234A
Burnishing and dung firing.—75-02206A
Cement kiln refractories—recent trends of development.—75-07489A
Ceramic filtration reduces emissions.—75-03607A
Changing installation methods for refractory products.—75-03608A
Conveyor chain withstands high-temperature cycling.—75-03610A
Diane Kenney.—75-02235A
Digging a hillside kiln.—75-02236A
Emission of SO_2 and NO_x from cement kilns.—75-00036A
Environmental technology for cement plants.—75-00038A
Experience with castable linings for coal-fired reduction kilns in the Republic of South Africa.—75-07548A
Following anagama tradition.—75-02252A
Growth of porcelain tiles.—75-02777A
Harrop Industries Inc. [Columbus, OH].—75-03615A
Heat exchange systems for wet kilns.—75-08727A
High-temperature and abrasion-resistant temperature measuring device.—75-05990P
Improving firing consistency.—75-03616A
Kiln control system maximizes management data.—75-03617A
Kiln for the production of ceramic products and process for the operation of the kiln.—75-06015P
Kiln technology for sanitary ware production.—75-02873A
Method for cooling ceramics, especially ceramic tiles produced in roller kilns, and the relative plant.—75-05171P
Modern burning technique with PYRORAPID short rotary kiln and PYROCLON-LowNO$_x$ precalciner.—75-01061A
New generation of grate coolers—the challenge for high efficiency.—75-00056A
New generation of process optimization systems for the cement industry.—75-00057A
New kiln technology.—75-06005A
New kilns for old.—75-03621A
New roller kiln F1NH-type.—75-01062A
NO_x emissions—an overview.—75-03623A
Optimization of a precalciner kiln—a case study.—75-01063A
Pulse/proportional jet firing at work.—75-03627A
Reflections on wood firing.—75-02339A
Relationship between the ovality of a cement kiln and the wear rate of refractories.—75-06009A
Sanitary ware firing.—75-07713A
Texas pennypincher moves kiln Egyptian style.—75-02368A
Thermal processing technology—quality and reliability.—75-06013A
Thermocouple, the heart of the kiln.—75-03632A
Tunnel kiln for China.—75-03633A
Wood kiln for the lone potter.—75-04806A
Woodstoke: a cooperative anagama experience.—75-07134A
kinetics,
Applicability of quasi-steady-state solutions for the kinetics of diffusion-controlled solid-state reactions.—75-01981A
Current kinetics and kinetic coefficients in pulse fields.—75-05269A
Effect of Nb on the gas/solid equilibration kinetics of $BaTiO_3$.—75-00323A
Effect of presence of carbon, iron, and sulfur on rate of alkali release from CaO-Al_2O_3-SiO_2 slags.—75-02400A
Electrokinetic behavior of aqueous ZrO_2(Y_2O_3) suspensions with ammonium polyacrylate.—75-01479A
Kinetic measurements of glass formation.—75-08676A
Kinetic studies of laser chemical vapor deposition of titanium nitride.—75-01556A
Kinetics and morphology of electrochemical vapor deposited thin zirconia/yttria layers on porous substrates.—75-08965A
Kinetics of decomposition of titanium carbide powders produced from titanium alloy chips in H_2O_2 and H_2SO_4 solutions.—75-06666A
Kinetics of reaction between chromium sesquioxide and anhydrous sodium carbonate in oxidizing atmospheres.—75-03803A
Kinetics of the oxygen release in vacuum from $YBa_2Cu_3O_{6.92-x}$ ceramics (x=0–0.54).—75-08351A
Nonparabolic oxidation kinetics of advanced ceramics.—75-02006A
Porous media and the use of thermobalances—the kinetics of combustion processes.—75-02014A
Shifting-order-type kinetics may explain diethylsilane pyrolysis to silicon carbide deposition.—75-06346A
Supercritical debinding.—75-01687A
Theoretical and experimental investigations of fullerene derivatives—$C_{60}H_2$, $C_{60}H_4$, $C_{70}H_2$, and $C_{60}(CH_2)_2$.—75-01355A
kinking,
Kink and crack interfaces in deformed 6H-SiC single crystals.—75-03075A
laboratory,
Accessing public laboratories to improve company technology.—75-07059A
Innovative technology transfer initiatives.—75-07080A
Questions to Dr. Damian J. Kulash, Executive Director, Strategic Highway Research Program, National Research Council, Washington, D.C.—75-04734A
Questions to Dr. Richard N. Wright, Director, Building and Fire Research Laboratory, National Institute of Standards and Technology, Gaithersburg, Maryland.—75-04735A
ladle,
Backup insulation in torpedo cars and steel ladles.—75-07480A
Cost reduction of VOD ladle.—75-07499A
Design of ladle lining based on temperature simulation.—75-07506A
Development and application of directional type plug for ladle.—75-07510A
Installation and repair of monolithic steel ladle linings with alumina spinel castables.—75-07583A
Labor saving in ladle sliding nozzle.—75-07588A
New refractories for modern ladle lining.—75-07612A
Progress in ladle refractories techniques at Kawasaki Steel, Mizushima Works.—75-07636A
Thermal shock test for large ladle shrouds.—75-07679A
Use of Endless Lining System [ELS] for ladles in steel mills.—75-07688A
Use of high-strength insulation to improve lining stability and energy efficiency in steelmaking ladles.—75-07690A
ladles,
Optimization of refractories of steel ladles with regard to process conditions at Sollac Dunkirk and Florange.—75-07621A
laminates,
Ceramic aluminum laminate and thermally conductive adhesive therefor.—75-08820P
Ceramic/ceramic laminates by electrophoretic deposition: potentially strong, tough ceramics.—75-09235A
Composite laminates in plane stress—constitutive modeling and stress redistribution due to matrix cracking.—75-04462A
Computer-aided manufacturing of laminated engineering materials [CAM-LEM].—75-03512A
Crack bifurcation in laminar ceramic composites.—75-06948A
Crack initiation in fiber-reinforced brittle laminates.—75-04469A
Crack suppression in strongly bonded homogeneous/heterogeneous laminates: a study on glass/glass-ceramic bilayers.—75-02638A
Cracking of laminates subjected to biaxial tensile stresses.—75-06953A
Cylindrical bending of composite plates with piezoelectric and SMA [shape memory alloy] layers.—75-03219A
Delamination detection and suppression in a composite laminate using piezoceramic layers.—75-03221A
Effect of staking sequence of laminated composite with different cure on the fracture mechanics at elevated temperature.—75-04501A
French firm wins Benedictus Award.—75-02719A
Hertzian contact response of tailored silicon nitride multilayers.—75-04549A
Laminated carrier film for use in ceramic green sheet.—75-08584P
Laminated superconductor oxide with strontium, calcium, copper and at least one of thallium, lead, and bismuth.—75-08461P
Layered ceramics.—75-09353A
Mechanical behavior of several hybrid ceramic matrix composite laminates.—75-07002A
Method of manufacturing ceramic laminated compact.—75-08607P
Method of manufacturing laminated ceramic capacitors.—75-02953P
Method of providing a sintered ceramic body having a concave portion.—75-00403P
Multilayer nanolaminates containing polycrystalline zirconia.—75-06097P
Process for forming ceramic laminates.—75-08616P
Producing ceramic laminate composites by EPD.—75-08540A
Properties and structure of Cu/Co superlaminates prepared by electroplating and repeated rolling.—75-04390A
Strength characteristics of laminated glass.—75-00201A
Stress concentration reduction in a plate with a hole using piezoceramic layers.—75-03261A
Surface properties of ceramic laminates fabricated by die pressing.—75-01349A
Variable capacitor.—75-00411P
lamps,
Arc-induced fractures from lampmaking test equipment.—75-02625A
High-pressure discharge lamp with ceramic discharge vessel and ceramic sealing means having lead-through comprising thin wires having a thermal coefficient of expansion substantially less than that of the ceramic sealing means.—75-06090P
lanthanides,
Ceramic Transactions, Volume 67: Synthesis and Application of Lanthanide-Doped Materials.—75-04773B
Complexes of anhydrous lanthanide nitrates with dianthipyrilphenylmethane and dianthipyrilphenylpropylmethane.—75-06186A
Crystallization of lanthanide-doped $YBa_2Cu_3O_{7-\delta}$ ceramics as a method for preparing yttrium-containing high-T_c superconductors with high critical current densities.—75-08281A
Electronic structures of Ln^{3+} α-SiAlONs with correlations to solubility and solution effects.—75-08923A
Energy characteristics of hole transport in rare-earth oxides.—75-09507A
Faraday effect in lanthanide-doped oxide glasses.—75-04964A
Features of rare-earth polyhedra in alkali lanthanide nitrates.—75-06228A
Features of the dielectric-metal transition in the Ln-Ba-Cu-O and Ln-Sr-Nb-O (Ln=La, Nd, Gd, Dy, Tm, Lu) systems.—75-07730A
Influence of chemistry and processing on the electrical properties of $Ba_{6-3x}Ln_{8+2x}Ti_{18}O_{54}$ solid solutions.—75-00341A
Influence of lanthanides on the defect-impurity composition of epitaxial GaP layers.—75-07925A
Lanthanide and actinide doped glasses as reference standards for dye doped systems.—75-04912A
Lanthanide containing oxide glasses.—75-04913A
Magnetic susceptibility of binary rubidium–rare-earth vanadates, $Rb_3Ln(VO_4)_2$ (Ln=Pr, Nd, Gd, Tm, Yb).—75-09157A
Novel plutonium titanate compounds and solid solutions $Pu_2Ti_2O_7$-$Ln_2Ti_2O_7$: relevance to nuclear waste disposal.—75-03482A
Role of lanthanides in optical materials.—75-06111A
Structure and spin dynamics of lanthanide-bearing silicate glasses.—75-02612A
Superconductive copper-containing oxide materials of the formula $A_xB_yCu_2O_{4+r}$.—75-03442P
Vibrational spectra of lanthanide molybdates and tungstates with tetrahedral anions.—75-09103A
X-ray photoelectron spectra of Ln 4f electrons and their localization on lanthanides in the oxides.—75-09107A
lanthanum oxide,
Fusibility diagram of the La_2O_3-TiO_2-Nb_2O_5 system.—75-08941A
Glasses in the La_2O_3-B_2O_3-SiO_2 system and crystallization of the ferroelectric $LaBSiO_5$ phase.—75-07303A
New LSCO electrode material for ZrO_2 oxygen sensor.—75-02922A
Phase equilibria in the HfO_2-Y_2O_3-La_2O_3 ternary system.—75-09019A
Phase equilibria in the La_2O_3-VO system.—75-09020A
Phase relations of La_2O_3-CaO-CuO ternary system and Ca^{2+} substitution for La^{3+} in La_2CuO_4.—75-03392A
Sintered ceramic article formed mainly of alumina.—75-03683P
Thin film superconductor with an interlayer on a silicon substrate.—75-00925P
Vapor deposition material for the production of optical coatings of medium refractive index.—75-01138P
lanthanum,
a-axis superconductor on a yttrium oxide film.—75-00899P
^{139}La nuclear quadrupole resonance and relaxation in Zn-doped La_2CuO_4.—75-03760A
Absorption of acoustic waves in langasite single crystals.—75-06151A
Air electrode property of La-based perovskite-type oxides: I, Thermal expansion coefficient and electric conductivity.—75-07719A
Cation ordering in distorted perovskites $(MLa)(MgTe)O_6$, M=Na, K.—75-06173A
Ceramic interconnectors for planar solid oxide fuel cells through tape casting of reaction-sprayed powders.—75-00302A
Characterization of $(Pb_{1-x}La_x)TiO_3$ [PLT] thin films grown by radio frequency magnetron sputtering and their electrical properties.—75-05536A
Characterization of (Pb, La)TiO_3 thin films prepared by the sol-gel method.—75-03218A
Chemical bonding in the tungstate $NaLa(WO_4)_2$.—75-09120A
Combustion synthesis of $LaCrO_3$ powders.—75-01403A
Crystal structure of endohedral metallofullerene LaC_{82}.—75-01210A
Crystal structure of $LaCaGaO_4$ and $NdSrGaO_4$.—75-06192A
* Cu site substitution effect on the Hall coefficient of $La_{2-x}Sr_xCuO_4$.—75-05740A
Delocalized valence electrons of a 2-D CuO_2 layer in high-temperature superconductors.—75-05743A
Dielectric properties of lanthanum gallate ($LaGaO_3$) crystal.—75-01272A
Domain boundary and domain switching in a ceramic rare-earth orthoniobate $LaNbO_4$.—75-03223A
Doping effects on transition temperature of $La_{2-x}(Ca, Na, K)_xCuO_4$ superconductors.—75-05747A
Effect of antiferromagnetic ordering on band structure of La_2CuO_4.—75-08201A
Effect of Ti/Sr ratio on grain growth of La-doped $SrTiO_3$ ceramics.—75-09289A
Effects of lanthanum modification on the antiferroelectric-ferroelectric stability of high-zirconium-content lead zirconate titanate.—75-00654A
Electric-field-induced antiferroelectric-to-ferroelectric phase transition in lead zirconate titanate stannate ceramics modified with lanthanum.—75-00655A
Electrical conductivity and magnetic resistivity in $La_{0.9}Na_{0.1}Mn_{0.9}Re_{0.1}O_3$ crystals.—75-05668A
Electrical transport properties and electronic structure of $La_{2-x}Sr_xCoO_4$ [0≤x≤1.2].—75-09138A
Electronic and lattice excitations in $BaTiO_3$:La.—75-03890A
Electronic structure and associated optical properties of $LaPO_4$:Ce.—75-01842A
Energy bands, Fermi surface, and density of states in the superconducting state of $La_{2-x}Sr_xCuO_4$.—75-05766A
Enthalpy stabilization of T^* phase (La, R, $Sr)_2CuO_{4-\delta}$, where R=Sm–Er, Y.—75-06463A
EXAFS study of Ba and La structural environments in fluorozirconate glasses.—75-04897A
Ferroelectric and piezoelectric studies of lanthanum- and praesodymium-modified $Ba_2AgNb_5O_{15}$ ceramics.—75-05575A
Ferroelectric-pyroelectric texture based on glass-ceramic materials containing the $LaBGeO_5$ stillwellite-like phase.—75-07338A

Ferroelectrical properties of the borosilicates $LnBSiO_5$ (Ln=La, Pr) in the structural family of stilvellite.—75-05582A

Ferromagnetic $La_{0.8}Pb_{0.4}MnO_3$ thin films with giant magnetoresistance at 300 K.—75-00662A

Fine structure in the electron density of states, paramagnetic impurities, and anomalous isotopic effect of T_c in LSCO:Fe systems.—75-08324A

Formation and decomposition of $LaBa_2Cu_3O_{7-\delta}$.—75-05770A

Formation of new compounds $Ln_4Al_2O_9$ in the Ln_2O_3-Al_2O_3 system (Ln=La, Pr, Tb).—75-08939A

Formation of platelike lanthanum-ß-aluminate crystal in Ce-TZP matrix.—75-06234A

Growth of cubic paraelectric perovskite La-modified $PbTiO_3$ thin films by rf magnetron sputtering.—75-08145A

Heat capacity and thermal conductivity of lanthanum silicogallate.—75-09146A

HREM study of oxygen-defective $LaMnO_{3-x}$ with twin structure.—75-09550A

Hydrothermal synthesis of $PbTiO_3$ fine powder in alkali-free solution.—75-01532A

Influence of the effects of strong electron correlations on the form of X-ray Cu*K* absorption spectra of $La_{2-x}Sr_xCuO_4$.—75-08343A

Kinetics of formation of lanthanum and yttrium glasses at 1200°C and pO_2=2 kbar.—75-05024A

La^{3+} and Lu^{3+} isoelectronic centers in YAG.—75-08224A

La(Sr)CrO_3 for use in a magnetohydrodynamic generator.—75-03299A

$LaAlO_3$ substrate for copper oxide superconductors.—75-08460P

$LaAlO_3$ thin films deposited on silicon and sapphire as buffer layers for $YBa_2Cu_3O_{7-x}$.—75-05788A

$LaNbO_4$-$LaTi_2O_7$ pseudobinary join in the La_2O_3-TiO_2-Nb_2O_5 system.—75-08968A

$Li_xLa_2CuO_{4+y}$ [I], $Li_xNd_2CuO_{4\pm y}$ [II], and $Li_xLa_{2-z}Nd_zCuO_{4\pm y}$ [III] solid solutions.—75-08352A

Localization of oxygen cathodic reduction zone at lanthanum manganite/zirconia interface.—75-07736A

Longitudinal nonlinear magnetic susceptibility of magnets in the second harmonics of excitation frequency and the stray signal.—75-09155A

Low-temperature thermodynamic characteristics of lanthanum silicide.—75-08976A

Magnetic ordering and electric polarizability of Zn-doped $La_2CuO_{4+\delta}$ single crystals.—75-03381A

Magnetoelectric effect and incommensurate spin structures in the $La_xBi_{1-x}FeO_3$ system.—75-05692A

Measurement of thermo-emf of piezoelectric lanthanum sulfide.—75-05603A

Mechanical properties of slip-cast $La_{0.8}Sr_{0.2}CrO_{3-\delta}$.—75-07011A

Mechanism of $LaFeO_3$ perovskite-type oxide formation from the thermal decomposition of *d*–*f* heteronuclear complex $La[Fe(CN)_6]\cdot 5H_2O$.—75-04106A

Mechanism of slow component suppression in lanthanum-doped barium fluoride crystal.—75-01882A

Morphology of lanthanum carbonate particles prepared by homogeneous precipitation.—75-09571A

Nature of the anomalous isotopic effect of T_c in the LSCO:Fe system.—75-08377A

Neutron and calorimetric studies of the excitation spectra of La_2CuO_{4+y} compounds (y=0.08, 0).—75-08379A

New layered perovskite compounds, $LiLaTiO_4$ and $LiEuTiO_4$.—75-08994A

Nuclear quadrupole interaction in high-temperature superconductors based on copper oxide metals (review).—75-05806A

Ordering in lead magnesium niobate solid solutions.—75-03245A

Out-of-plane magnetoresistivity for fields parallel to the *c*-axis in single-crystalline $(La_{1-x}Sr_x)_2CuO_4$.—75-00840A

Oxygen diffusivity in cation-defective lanthanum manganite.—75-04285A

Percolation type of dependences of parameters of the transport processes in $Sr_{1-x}La_xF_{2+x}$ in molten and crystalline states.—75-06853A

Phase composition in sintered lanthana-doped $(Zr,Sn)TiO_4$ ceramics.—75-06295A

Phase diagram and phase separation in $La_{2-x}Sr_xCuO_{4+\delta}$.—75-03391A

Phase equilibria of the La_2O_3-SrO-CuO system at 950°C and 10 kbar.—75-08392A

Phase formation and thermal stability of calcium lanthanum sulfide powder.—75-03817A

Photoinduced optical phonons in La_2CuO_4 single crystals.—75-05205A

Photovoltaic effect for the linearly polarized light in (Pb, La)(Zr, Ti)O_3 ceramics.—75-03247A

Point defects of La_2CuO_4-based ceramics: I, Oxygen interstitials.—75-04288A

Preparation and characterization of fine La-Cr-Zr oxide ceramics by chemical coprecipitation at high temperatures.—75-09380A

Preparation and characterization of $Ln_2Zr_2O_7$ [Ln=lanthanide] microspheres by an inorganic sol-gel route.—75-06712A

Preparation of (Pb, La)TiO_3 thin films by multiple cathode sputtering.—75-00691A

Preparation of La_2NiO_4 films by dc sputtering on cubic ZrO_2.—75-06730A

Preparation of lanthanum aluminate thin films by a sol-gel procedure using alkoxide precursors.—75-06731A

Preparation of oxynitride thin films of $BaNb(O,N)_3$ and $LaNb(O,N)_2$ using reactive sputtering from multiphase targets.—75-06732A

Production of bronze $La_xV_2O_5$ by magnetron sputtering.—75-06750A

Pyroelectric infrared sensors made of La-modified $PbTiO_3$ [PLT] thin films and their applications.—75-05631A

Raman scattering in ferroelectric $LaBGeO_5$.—75-08168A

Scintillation mechanism and radiation damage in $Ce_xLa_{1-x}F_3$ crystals.—75-01773A

Simple double-layer cuprates: 60 K superconductivity in a lanthanum barium strontium copper oxide.—75-05829A

Single crystal growth and electrical properties of lanthanum- and gadolinium-doped $BaTiO_3$.—75-08055A

Sol-gel-derived La-doped $PbTiO_3$ waveguides.—75-05638A

Spontaneous topotactic oxidation of La_2CuO_4 at RT.—75-06935A

Stacked Josephson junction device composed of oxide superconductor material.—75-05883P

Stress in alkali-earth-doped lanthanum chromites from oxygen potential gradients.—75-05212A

Structure of $La_3Cs_{15}P_{24}O_{72}\cdot 6H_2O$ crystals.—75-06375A

Structure, stoichiometry, and phase purity of strontium-doped lanthanum manganite powders.—75-06376A

Superconductive oxide single crystal and manufacturing method thereof.—75-03443P

Surroundings of Cu(1) sites in tetragonal lattices of $Y_{1-x}Ca_xBa_{2-y}La_yCu_3O_{6+z}$.—75-05841A

Synthesis and characterization of doped lanthanum chromite.—75-01695A

Synthesis of lanthanum fluoride nanolayers by ionic stratification on the surface of silicon.—75-06808A

Synthesis of $PbTiO_3$ film on $LaNiO_3$-coated substrate by the spray-ICP technique.—75-06814A

Temperature behavior of optical anisotropy in R_2CuO_4 (R=La, Nd) crystals.—75-06523A

Temperature-dependent growth of $LaAlO_3$ films on $YBa_2Cu_3O_7$ *c*-axis films for multilayer structures.—75-03415A

Theory of La_2CuO_4 structure.—75-06389A

Thermal conductivity of lanthanum monosulfide doped with thullium and lutetium.—75-09199A

Thermal stability of $La_{1-x}M_xNi_3O_y$ (M=Mg, Ca, Sr, Ba) solid solutions.—75-09206A

Thermodynamics of oxidation of $La_3Ba_3Cu_6O_{14+x}$.—75-05853A

Vaporization of $LaCrO_3$: partial and integral thermodynamic properties.—75-09102A

X-ray photoelectron spectroscopy, temperature-programmed desorption, and temperature-programmed reduction study of $LaNiO_3$ and $La_2NiO_{4+\delta}$ for methanol synthesis.—75-06411A

lapping,

Lapping of composite Y-TZP and Ce-TZP.—75-06667A

New technique for lapping ceramic balls.—75-03530A

lasers,

980-nm aluminum-free InGaAs/InGaAsP/InGaP GRIN-SCH SL-QW lasers.—75-05234A

Characterization of InGaAsP/InP ITG-DFB-BCRW [integrated twin guide-distributed feedback-bridge contacted ridge waveguide] lasers with contacted surface grating for λ=1.55 µm.—75-02977A

Cladding glass-ceramic for use in high-powered lasers.—75-08099P

Degradation behavior of 0.98-µm strained quantum well InGaAs/AlGaAs lasers under high-power operation.—75-05276A

Device for registering spatial-spectral distribution of irradiation intensity of semiconducting lasers at close range.—75-08659A

Direct carbide synthesis by multiphase excimer laser treatment of Ti samples in ambient CH_4 gas at superatmospheric pressure.—75-01442A

Effect of laser irradiation on the Bi system.—75-00790A

Effect of thermionic electron emission from the active layer on the internal quantum efficiency of InGaAsP lasers operating at 1.3 µm.—75-05298A

Evolutionary developments in laser glass.—75-05318A

Excimer laser-induced chemical vapor deposition of boron nitride films.—75-09302A

Femtosecond laser processing of CVD diamond.—75-09309A

Formation of ZnO films by CO_2 laser evaporation at atmospheric pressure on glass and organic substrates.—75-06623A

Growth and fabrication of high-performance 980-nm strained InGaAs quantum well lasers for erbium-doped fiber amplifiers.—75-05331A

High energy and efficient SHG by using convex-antiresonant ring unstable Nd:YAP pulsed laser.—75-05334A

High resolution transmission electron microscopy of metallic film/laser-irradiated alumina couples.—75-04336A

High-performance uncooled 1.3-µm $Al_xGa_yIn_{1-z-y}Al/InP$ strained layer quantum well lasers for subscriber loop applications.—75-05336A

Impregnated ORMOSIL matrices for efficient solid-state optical gain media.—75-05339A

Inhomogeneous lasing from *p*-GaInAsSb channel buried lasers.—75-07933A

Injection heterolaser based on vertical coupled InAs quantum dots in GaAs matrix.—75-07935A

Ion-assisted pulsed laser deposition of cubic boron nitride films.—75-01553A

Laser bonding process.—75-08585P

Laser irradiation of ceramics.—75-06668A

Laser physicochemical vapor deposition of cubic boron nitride thin films.—75-06669A

Laser polishing of diamond films.—75-09351A

Laser processing of diamond substrates for multichip modules: I.—75-07946A

Laser processing of diamond substrates for multichip modules: II.—75-07947A

Laser synthesis of nanometer silica powders.—75-04090A

Laser-induced chemical vapor deposition of silicon carbide.—75-04091A

Linewidth enhancement factor α of GaAs/GaAlAs quantum well lasers.—75-03080A

Localized surface glazing of ceramic articles.—75-00295P

Low threshold injection heterolaser based on quantum dots formed by metallorganic chemical vapor deposition.—75-07953A

Machining of CMC materials using YAG laser.—75-04099A

Mechanical properties of laser welded T-300 maraging steel.—75-04592A

Method of fabricating oxide superconducting films by laser deposition.—75-03433P

Microstructural transformations in ferritic nodular cast iron after laser remelting.—75-03318A

New solid-state lasers from the ultraviolet to the mid-infrared.—75-05399A

Performance improvement of MOSFET lasers by using trapezoidal gate MOSFETs.—75-03113A

Performance of 1.3 µm ridge waveguide distributed feedback lasers fabricated by one-step metallorganic chemical vapor deposition.—75-03114A

Polishing of thick CVD diamond by an excimer laser and a cast iron wheel.—75-09376A

Pulsed laser deposition of $BaTiO_3$.—75-09410A

Reflectivity of ceramic materials for laser-cavity mirrors.—75-06509A

Reliability assessment of multiwell distributed feedback laser source for direct detection links at 2.6 Gbits.—75-03150A

Remote laser tester of the surface roughness of articles.—75-03595A

Self-mode-locked femtosecond solid-state lasers.—75-03156A

Sol-gel optical coatings for lasers: III.—75-01673A

Spectroscopy and green upconversion laser emission of Er^{3+}-doped crystals at room temperature.—75-00599A

Strained layer InGaAs-GaAs-AlGaAs buried heterostructure quantum well lasers by three-step selective area MOCVD.—75-05484A

Subsurface overheating of targets in laser deposition of superconducting films.—75-03410A

Transmission line delay limitations of laser bandwidths.—75-03191A

Transparent Cr^{4+}-doped YAG ceramics for tunable lasers.—75-00624A

Trivalent Ce_2O_3 and CeO_{2-x} intermediate oxides induced by laser irradiation of CeO_2 powders.—75-06400A

Wavelength upconversion transparent glass-ceramics.—75-00232P

Ytterbium-doped apatite structure crystals: a new class of laser materials.—75-01257A

lattice,

Determination of grain size and lattice distortions in ground $YBa_2Cu_3O_7$.—75-05744A

Diffraction method detection of local lattice distortion in AlN ceramics by convergent beam electron[—comment].—75-06205A

Electron holography of flux lattices in niobium.—75-00799A

Features of the chemical bond and lattice magnetic susceptibility of A^3B^5, A^2B^6, and $A^2B^4C_2^5$ crystals.—75-07888A

Interpretation of lattice fringes on electron microscopy images.—75-06884A

Lattice instability in ß-SiC and simulation of brittle fracture.—75-02070A

Lattice parameters and Curie temperature of sintered magnesium-doped lithium niobate.—75-00670A

Low-frequency pendulum for studying vortex lattice melting.—75-08355A

Mott transition criterion in flat lattices.—75-05389A

Phonon anharmonism and structural instability of the $YBa_2Cu_3O_7$ crystalline lattice during hydrostatic compression.—75-08395A

Role of lattice defects in the size effect of barium titanate fine particles—a new model.—75-09054A

Small-angle neutron scattering study of the flux-line lattice in a single crystal of $Bi_{2.15}Sr_{1.95}CaCu_2O_{8+x}$.—75-00865A

Spatially resolved measurement of lattice damage in alpha-particle-irradiated type IIa natural diamond by confocal photoluminescence microscopy.—75-01936A

Strengthening of lattices during cation substitution in semiconducting compounds of SnTe.—75-05485A

Structural defects in semiconductors with diamondlike lattice.—75-05487A

Structure and dynamics of the vortical lattice near the surface of the YBaCuO single crystal.—75-08423A

Sublattice location of GaAs grown on Ge.—75-00609A

Surroundings of Cu(1) sites in tetragonal lattices of $Y_{1-x}Ca_xBa_{2-y}La_yCu_3O_{6+z}$.—75-05841A

Susceptibility study of site-selective doped fullerenes—K_2RbC_{60}, Rb_3C_{60}, K_2CsC_{60}, and Rb_2CsC_{60}.—75-00883A

Thermal expansion of gallium nitride.—75-00618A

Three-dimensional cluster lattices.—75-03187A

layers,

$(BaTiO_3)_m(Gd,Ce)_2Cu_2O_7$: a new homologous series of layered cuprates containing various layers of perovskite units.—75-06148A

Affected layer of polished single[-crystal] and CVD diamonds.—75-09214A

Buffer layer thickness and the properties of InN thin films on AlN-seeded (00.1)sapphire and (111)silicon.—75-00418A

Ceramic substrate provided with metallized layers for connection with chip, circuit board, or the like.—75-07751P

Ceramic substrates with molybdenum-copper layered foil conductors for power hybrids.—75-00076A

Compositional inhomogeneity of imperfect near-surface layers in $LiNbO_3$ single crystals.—75-08885A

Concept of layered interphases in SiC/SiC.—75-03876A

Controlled formation of buried layers of carbon.—75-01413A

Creation of ß-SiC phase crystallites in porous layers of SiC.—75-07814A

Critical assessment of the process of growth of a $YBa_2Cu_3O_{7-\delta}$ [123] layer on Y_2BaCuO_5 [211].—75-08279A

Determination of copper ionic charges in yttrium barium cuprates based on the model of coulomb splitting of layers (BaO).—75-08285A

Effect of growth temperature and doping concentration on the distribution of the emitting centers in CaF_2:Er molecular beam epitaxial layers.—75-06577A

Effect of surface layers on ferromagnetic resonance in thin Fe films: Ni, Co, Si, and $YBa_2Cu_3O_{7-\delta}$.—75-03289A
Effects of P_2O_5 and CaF_2 on the hydroxyapatite layer formation in bioactive glasses.—75-00214A
Electric and photoelectric properties of doped $InSb/Al_2O_3$ thin layers at 300 K.—75-07861A
Electron trapping in oxynitride layers in metal-oxide-semiconductor structures.—75-00477A
ESCA characterization of boron and silicon carbide mixed layers deposited on HR [high strength] and HM [high modulus] carbon fibers by RCVD [reactive CVD]: properties of the as-coated fibers.—75-08926A
Fabrication of S-I-S planar sandwich-type junctions using in-plane aligned, *a*-axis-oriented $YBa_2Cu_3O_{7-x}/LaSrGaO_4/YBa_2Cu_3O_{7-x}$ trilayers.—75-08317A
Features of solid solutions of layered $A_{m-1}Bi_2M_mO_{3m+3}$-type ferroelectrics.—75-05572A
Features of the precipitation processes and properties of Si layers produced by a plasmochemical spray method with electron beam activation of gases.—75-09308A
Formation of microtwins in (001) heteroepitaxial layers.—75-07895A
Growth of epitaxial layers of gallium arsenide from solution in molten bismuth.—75-09323A
Growth of SiC epitaxial layers during chemical deposition from CH_3SiCl_3-H_2 vapor.—75-03040A
Intermediate state of a controlled four-layer *p-n-p-n* structure.—75-05353A
Kinetics and morphology of electrochemical vapor deposited thin zirconia/yttria layers on porous substrates.—75-08965A
Mechanism of leakage current through the nanoscale SiO_2 layer.—75-06487A
Mica as a waveguiding support for investigating ultrathin layers.—75-01032A
Microstructures of SiC/Si_3N_4 layer ceramics.—75-04376A
Numerical and experimental investigation of metal waveguide containing a layer of transversely magnetized semiconductor.—75-07987A
Phyllosiloxides: new layered oxides as potential interphase materials.—75-09167A
Possibility of applying relaxation liquid epitaxy during the growth of very thin homoepitaxial A^3B^5 layers.—75-09377A
Precipitation of SiO_2 layers from gas streams during activation of reagents by an electron beam.—75-09171A
Process for producing circuitized layers and multilayer ceramic sublaminates and composites thereof.—75-07773P
Properties of $Cd_xHg_{1-x}Te$ epitaxial layers prepared by metallorganic chemical vapor deposition.—75-08028A
Properties of CdSe layers grown on cubic and hexagonal substrates.—75-08029A
Rheological property and stress development during drying of tape-cast ceramic layers.—75-09184A
Role of background substrate impurities in the formation of the transition layer in lightly doped homoepitaxial silicon.—75-08049A
Si_3N_4-based composite with layered microstructure.—75-04206A
Simulation study of grain growth in layered materials, application to $YBa_2Cu_3O_{7-\delta}$ ceramics.—75-03402A
Single layer of BaO on tungsten(100): structure and work function.—75-09187A
Spatial ordering of arsenic clusters in GaAs layers grown by molecular beam epitaxy at low temperatures.—75-05479A
Spectral cathodoluminescence of quantum well layers in $A^{III}B^V$ heterostructures studied with the acoustooptical monochromator.—75-03167A
Strain effects in high-purity InP epilayers grown on slightly mismatched substrates.—75-05482A
Structure of indium sulfide layers on InAs.—75-05489A
Superconductor junction structure including two oxide superconductor layers separated by a nonsuperconducting layer.—75-08492P
TEM-based definition of 2:1 layer silicates and their interstratified constituents.—75-04414A
Thick film ceramic oxide buffer layers for high temperature superconductors.—75-00888A
Undoped semiinsulating GaAs epitaxial layers and their characterization.—75-00630A
Viscous mobility of two-dimensional vortexes in layered superconducting structures.—75-08446A
X-ray diffraction characterization of highly strained InAs and GaAs layer on InP grown by metallorganic vapor-phase epitaxy.—75-05517A
X-ray diffraction identification of plastic deformation and quantitative measurements of high density dislocations in single-crystalline layers of heteroepitaxial systems with mismatch of lattice spacing.—75-08713A

leaching,
Effect of the temperature of acid leaching on the strata formation in microporous glass plates.—75-02712A
Leachability of a blended cement waste form for Cd^{2+}- and Na^+-rich liquid waste.—75-03476A
Leachability of molybdenum from ternary phosphate glasses.—75-02729A
Leaching silicon-based wet gels to approach GRIN.—75-02730A
Occurrence of bimodal pore structure and leaching process in the preparation of porous glass from fluorine containing sodium borosilicate glass.—75-07391A
Transforming hazardous waste into sellable ceramics by the Qubator Process.—75-00989A

lead lanthanum zirconate titanate (PLZT),
Antiferroelectric-ferroelectric-paraelectric phase sequence in lead lanthanum zirconate titanate ceramics with 8% Ti content.—75-03216A
Behavior of PbO in the two-stage sintering of PLZT ceramics.—75-03954A
Compositional tailoring of the dielectric and ferroelectric properties of sol-gel-derived PLZT thin films.—75-05540A
Crystallization behavior and improved properties for sol-gel-derived PZT and PLZT thin layers processsed with a lead oxide cover coating.—75-00643A
Dielectric, structural, and microstructural characteristics of tetragonal structured PLZT relaxors.—75-00648A
Effect of composition and temperature on electric fatigue of La-doped lead zirconate titanate ceramics.—75-03002A
Effect of compositional variations in the lead lanthanum zirconate stannate titanate system on electrical properties.—75-08129A
Effect of the space charge on the properties of an inhomogeneous pyroelectric ceramic.—75-03229A
Effects of heat treatments on photostriction in PLZT ceramics.—75-00653A
Electric-field-induced antiferroelectric-to-ferroelectric phase transition in lead zirconate titanate stannate ceramics modified with lanthanum.—75-00655A
Electrical properties of sol-gel-processed PLZT thin films.—75-05561A
Long-time relaxation from relaxor to normal ferroelectric states in $Pb_{0.91}La_{0.06}(Zr_{0.65}Ti_{0.35})O_3$.—75-05600A
Photoinduced hysteresis changes and optical storage in (Pb,La)(Zr,Ti)O_3 thin films and ceramics.—75-00565A
Photovoltaic effect in ferroelectric ceramics with various defects.—75-08158A
Properties of ferroelectric (Pb,La)(Zr,Ti)O_3 thin films by MOCVD.—75-05629A
Room temperature and 77-K dielectric properties of acetate-derived PZT, PLZT, PSZT, and PBZT thin films.—75-05634A
Spontaneous relaxor to normal ferroelectric transformation in La-modified lead zirconate titanate.—75-03260A
Structural and electrical characterization of PZT and PLZT films grown on spin-on-processed conductive oxide electrodes.—75-05642A

lead magnesium niobates (PMN),
Determining the polarization vectors in lead magnesium niobate.—75-08124A
Dielectric and microstructure studies of lead magnesium niobate prepared by partial oxalate route.—75-08125A
Dielectric properties of $(Pb_{1-x}A_x^{2+})(Mg_{1/3}Nb_{2/3})O_3$ (A^{2+}=Ba, Sr, Ca, Cd) ceramics.—75-08126A
Dielectric relaxations in ceramics with compositions $(1-x)Pb(Mg_{1/3}Nb_{2/3})O_{3-x}PbTiO_3$ (x=0, 0.05, 0.1, and 0.25).—75-05182A
Effects of silver and palladium doping on the dielectric properties of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$–$0.1PbTiO_3$ ceramic.—75-00328A
Electrophysical properties of ferroelectric solid solutions of $xPbFe_{1/2}Ta_{1/2}O_3$-$yPbFe_{1/2}Nb_{1/2}O_3$-$(1-x-y)P bMg_{1/3}Nb_{2/3}O_3$.—75-08137A
Electrostrictive coefficients of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$-$0.1PbTiO_3$ relaxor ferroelectric ceramics in the ferroelectricity-dominated temperature range.—75-00657A
Occurrence of large-scale inhomogeneous states during a phase transition induced by an electrical field in lead magnesium niobate crystals.—75-05614A
Ordering in lead magnesium niobate solid solutions.—75-03245A
Overpolarization kinks in ferroelectrics with diffuse phase transitions.—75-05617A
Piezoelectric ceramic composition.—75-08184P
Polycrystalline $PbMg_{1/3}Nb_{2/3}O_3$ studied by electron paramagnetic resonance of Fe^{3+} ions.—75-03249A
Preparation of single-phase $Pb(Mg_{1/3}Nb_{2/3})O_3$ samples utilizing information from solubility relationships in the Pb-Mg-Nb–citric acid–H_2O system.—75-06735A
Preparation, microstructural development, and dielectric properties of $Pb(Mg_{1/3}Nb_{2/3})O_3$-$Pb(Ti_xZr_{1-x})O_3$ multilayer ceramic capacitors.—75-05207A
Processes of over-polarization in lead magnesium niobate—a ferroelectric with a broad phase transition.—75-05627A
Processing and properties of $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbZrO_3$-$PbTiO_3$ ceramic relaxors.—75-05210A
Raman spectroscopic study of order-disorder in lead magnesium niobate.—75-01924A
Response of lead magnesium niobate-titanate ferroceramics polarized during cooling to low temperatures and heated without a field.—75-08169A
Role of the addition of $Pb(Li_{1/4}Fe_{1/4}W_{1/2})O_3$ in the low-temperature sintering and dielectric characteristics of $Pb(Mg_{1/2}Nb_{2/3})O_3$ ceramics.—75-08170A
Solid-state synthesis of precursor $MgNb_2O_6$ for the preparation of $Pb(Mg_{1/3}Nb_{2/3})O_3$.—75-06775A
Structural and dielectric properties of $Pb(Mn_{1/4}X_{1/4}Nb_{1/2})O_3$ (X=Zn, Cd, or Ni) ferroelectric ceramics.—75-05641A
Synthesis of $Pb(Mg_{1/3}Nb_{2/3})O_3$ powder by solvent evaporation and its dielectric property.—75-08175A

lead oxide,
Acoustooptical efficiency of germanate glasses containing lead and bismuth oxides.—75-07320A
Aerosol synthesis of spherical PbO particles.—75-06535A
$BaTiO_3$-$BaPbO_3$ ceramic composites.—75-03870A
Behavior of PbO in the two-stage sintering of PLZT ceramics.—75-03954A
Chemical reaction of platinum with PbO-SiO_2 melt under direct current electrolysis.—75-07289A
Concentration dependences of elastooptic coefficients of germanate glasses containing lead and bismuth oxides.—75-02634A
Crystallization behavior and improved properties for sol-gel-derived PZT and PLZT thin layers processsed with a lead oxide cover coating.—75-00643A
Deposition and conducting properties of $BaPbO_3$ thin films.—75-00453A
Dielectric ceramic composition.—75-02949P
Effect of evaporation of lead oxide on the crystalline structure and properties of ferroelectrics based on PZT.—75-08130A
Electric conductivity of glasses in the PbO-B_2O_3-$PbHal_2$ and 2PbO-B_2O_3-$PbHal_2$ systems (Hal=Cl, Br, and I).—75-02651A
Electric properties of PbO-Bi_2O_3-Ga_2O_3 glasses.—75-04955A
Exposure to water vapor of MOS capacitors passivated with PbO-based glasses.—75-07729A
Glass formation in the PbO-Fe_2O_3 system with high PbO content.—75-05013A
Improved mechanical properties of bismuth lead oxide.—75-06994A
Ionic conductivity of PbI_2-PbO glass.—75-07342A
Mixed alkali effect in the system R_2O-PbO-P_2O_5.—75-07350A
Optical, thermomechanical, and MOS properties of ZnO- and PbO-based glasses.—75-04986A
Oxygen-sensitive behavior of yellow lead oxide [studied] by defect chemistry.—75-01326A
$PbTiO_3$-PbO-B_2O_3 glass-ceramics by a sol-gel process.—75-07392A
Phase equilibria in the PbO-Bi_2O_3-CuO and PbO-CaO-CuO systems.—75-06304A
Phase equilibria in the RuO_2-PbO-TiO_2 and RuO_2-PbO-NiO systems.—75-06307A
Phase equilibria in the system barium metaborate–lead oxide.—75-09024A
Raman spectra and structure of the PbO-SiO_2 glasses.—75-07311A
Reduction of lead(II) and (IV) oxides by carbon in solid phase.—75-09052A
Synthesis and analysis of PbO-modified Bi-Sr-Ca-Cu-O superconductors.—75-05842A
X-ray absorption fine structure (XAFS) study on the coordination of Te in PbO-TiO_2-TeO_2 glasses with high third-order optical nonlinearity.—75-02618A

lead selenide,
Effective magnetic moment of gadolinium impurity in PbTe(Gd) and PbSe(Gd) crystals.—75-09135A

lead sulfide,
Optical nonlinearity behaviors of ultrafine PbS particles in perfluorocarboxylated cation-exchanged films.—75-07993A
Properties of lead sulfide thin films deposited on a ferroelectric ceramic substrate.—75-00693A

lead telluride,
Crystallization of PbTe-SnTe alloys at ultrahigh cooling rates.—75-07816A
Effect of quasi-local In states influence on defect formation in PbTe.—75-07853A
Effective magnetic moment of gadolinium impurity in PbTe(Gd) and PbSe(Gd) crystals.—75-09135A
Electrically active state of Co impurities in PbTe.—75-07866A
Growth, structural, and electrophysical investigations of $Pb_{1-x}Gd_xTe$ thin layers.—75-05333A
Impurity electron states of Tl and Sn atoms in a $(PbTe)_{0.9}(PbS)_{0.1}$ solid solution.—75-08953A
Interactions in the PbTe-$NiSe_2$ system.—75-05351A
Mosaic structure of PbTe crystals.—75-08989A
Nature and magnitude of the influence of deep electroactive doping on the band spectra of IV-VI compounds studied based on the valence band of lead telluride.—75-05392A
Photoconductivity spectra and the problem of impurity states in PbTe(Ga).—75-05425A

lead titanate,
Characterization of (Pb, La)TiO_3 thin films prepared by the sol-gel method.—75-03218A
Characterization of $Bi_{0.5}Na_{0.5}TiO_3$-$PbTiO_3$ dielectric materials.—75-02896A
Characterization of texture and microstructure of oriented $PbTiO_3$ films grown by metallorganic chemical vapor deposition on Si(100).—75-01806A
Decrease of defects of sol-gel-derived $PbTiO_3$ thin film and its grain size effect on ferroelectric properties.—75-00645A
Deposition of $PbTiO_3$ film by the spray-ICP technique.—75-06567A
Domain structure in modified lead titanate ferroelectrics.—75-03224A
Effects of silver and palladium doping on the dielectric properties of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$–$0.1PbTiO_3$ ceramic.—75-00328A
Elastic behavior of $PbTiO_3$ crystals near ferroelectric phase transition.—75-05555A
Electrical characterization of PLT thin films by LP-MOCVD.—75-05557A
Ferroelectric thin films of calcium-modified lead titanate by sol-gel processing.—75-05580A
Growth of cubic paraelectric perovskite La-modified $PbTiO_3$ thin films by rf magnetron sputtering.—75-08145A
Humidity-sensitive $PbTiO_3$ and $PbZrO_3$ thin films prepared by a sol-gel process.—75-00665A
Hydrothermal synthesis of fine perovskite powders with a simple mode of size distribution.—75-06642A
Hydrothermal synthesis of $PbTiO_3$ fine powder in alkali-free solution.—75-01532A
In situ X-ray diffraction study of the impurity effects on the cubic-to-tetragonal phase transformation in $PbTiO_3$.—75-01223A
Mechanical characterization of calcium-modified lead titanate ceramics by indentation methods.—75-07003A
Microstructural model on the evolution of domain structure during processing of $PbTiO_3$ thin films on MgO(100) substrates.—75-03241A
Microstructure and epitaxial characteristics of $PbTiO_3$ ferroelectric thin film on NaCl by MOCVD.—75-05606A
Microstructure study of Sm, Mn-modified $PbTiO_3$ piezoelectric ceramics by XRD and profile-fitting technique.—75-05607A
Nonstoichiometric lead titanate ceramics prepared by a wet chemical processing.—75-03244A
Overpolarization kinks in ferroelectrics with diffuse phase transitions.—75-05617A
$PbTiO_3$-PbO-B_2O_3 glass-ceramics by a sol-gel process.—75-07392A

Piezoceramics with a different purpose.—75-05620A
Precipitation hardening in $PbTiO_3$ ferroelectric crystals.—75-05625A
Preparation and properties of $PbTiO_3$-SiO_2 microcrystalline glass by sol-gel technique.—75-07395A
Preparation of (Pb, La)TiO_3 thin films by multiple cathode sputtering.—75-00691A
Pyroelectric infrared sensors made of La-modified $PbTiO_3$ [PLT] thin films and their applications.—75-05631A
Raman scattering from $PbTiO_3$ of various grain sizes at high hydrostatic pressures.—75-03831A
Response of lead magnesium niobate-titanate ferroceramics polarized during cooling to low temperatures and heated without a field.—75-08169A
Simple system for the preparation of submicrometer lead titanate powders by the sol-gel method.—75-09433A
Sol-gel processing of highly oriented $PbTiO_3$-based thin films.—75-06771A
Sol-gel-derived La-doped $PbTiO_3$ waveguides.—75-05638A
Sputter deposition of ferroelectric $PbTiO_3$ thin films on MgO(100) substrates.—75-00700A
Structural and electrical properties of $PbTiO_3$ thin films grown on silicon substrates.—75-08172A
Surface chemistry of lead titanate and its impact on binder removal.—75-04234A
Synthesis and characterization of $PbTiO_3$ and Ca- and Mn-modified $PbTiO_3$ fibers produced by extrusion of diol-based gels.—75-06791A
Synthesis and electrical characterization of thin films of PT [lead titanate] and PZT made from a diol-based sol-gel route.—75-00705A
Synthesis of $PbTiO_3$ film on $LaNiO_3$-coated substrate by the spray-ICP technique.—75-06814A

lead zinc niobates (PZN),
Low-temperature observation of relaxor ferroelectric domains in lead zinc niobate.—75-00671A
Sol-gel processing and pyroelectric properties of highly oriented $Pb(Mg,Zn)_{1/3}Nb_{2/3}O_3$ [PMZN] thin films.—75-03258A

lead zirconate titanate (PZT),
R-curve behavior of PZT ceramics near the morphotropic phase boundary.—75-06938A
90° domain reversal in $Pb(Zr_xTi_{1-x})O_3$ ceramics.—75-03215A
Advanced PZT glide head design and implementation for a small slider.—75-00710P
Breakdown mechanisms in PZT thin-film capacitors.—75-05533A
Bulk photovoltaic effect [BPE] in ferroelectric $Pb(Zr,Ti)O_3$ thin films.—75-05534A
Capacitor for semiconductor integrated circuit and method of manufacturing the same.—75-00388P
Characteristics of ferroelectric 60/40 PZT films deposited by metallorganic decomposition technology for memory applications.—75-03217A
Characterization of $Pb_{0.97}Nd_{0.02}(Zr_{0.55}Ti_{0.45})O_3$ thin films prepared by pulsed laser ablation.—75-00429A
Compositional heterogeneity and the origins of the multicell cubic state in Sn-doped lead zirconate titanate ceramics.—75-00443A
Crystallization of rapid thermal processed PZT: platinum and ruthenium oxide electrodes.—75-05541A
Crystallization of sol-gel-derived lead zirconate titanate thin films in argon and oxygen atmospheres.—75-00644A
Cyclic damage in lead zirconate titanate.—75-05542A
Densification and properties of sol-gel-derived PZT-fibers for 1-3 composites.—75-01271A
Dependence of Curie temperature on the crystal chemical parameters of multicomponent PZT-based solid solutions.—75-08123A
Depolarization characteristics of ferroelectric $Pb(Zr_{0.4}Ti_{0.6})O_3$ and $SrBi_2Ta_2O_9$ thin films.—75-05544A
Dielectric and piezoelectric properties of lead zirconate titanate doped with chromium oxide.—75-00647A
Dielectric and pyroelectric characteristics of PZT doped with gadolinium.—75-06445A
Dielectric properties of ferroelectric thin films in the frequency range of mHz–GHz.—75-05545A
Dry etching of Pt/$PbZr_xTi_{1-x}O_3$/Pt thin-film capacitors in an inductively coupled plasma (ICP).—75-05547A
Effect of composition and annealing conditions on the electrical properties of $Pb(Zr_xTi_{1-x})O_3$ thin films deposited by the sol-gel process.—75-03226A
Effect of evaporation of lead oxide on the crystalline structure and properties of ferroelectrics based on PZT.—75-08130A
Effect of ferroelectric polarization on current response of PZT thin films.—75-05549A
Effect of formation conditions of thin-film systems of dielectric substrate–platinum–lead zirconate titanate on the structure, composition, and properties of lead zirconate titanate films.—75-08203A
Effect of inhomogeneities of solid solution composition on structure and properties of ferroelectric ceramics based on lead zirconate titanate [PZT].—75-05550A
Effect of internal stress on the strength of PZT ceramics.—75-08131A
Effect of lead stoichiometry on the optimum sintering profile of PZT ceramics.—75-01456A
Effect of Mn on aging of $(Pb_{0.63}Ba_{0.37})(Zr_{0.7}Ti_{0.3})O_3$ dielectric ceramics.—75-05185A
Effect of RuO_x bottom electrode annealing temperature on sol-gel-derived PZT capacitors.—75-05551A
Effect of top metallization on the dielectric and ferroelectric properties of sol-gel-derived PZT thin films.—75-00651A
Effect of yttrium doping on the ferroelectric fatigue and switching characteristics of $Pb(Zr_{0.65}Ti_{0.35})O_3$ thin films prepared by sol-gel processing.—75-05553A
Effects of lanthanum modification on the antiferroelectric-ferroelectric stability of high-zirconium-content lead zirconate titanate.—75-00654A
Effects of low-level alumina and silica additions on PZT ceramics.—75-00327A
Effects of temperature on the ferroelectric properties of $PbZr_{0.53}Ti_{0.47}O_3$-based capacitors prepared by pulsed laser ablation deposition.—75-05554A
Electrical characteristics of (100), (111), and randomly aligned lead zirconate titanate thin films.—75-01283A
Electrical characterization of PZT on rapid thermally annealed ruthenium oxide electrodes.—75-05558A
Electrical characterizations of polycrystalline and amorphous thin films of $Pb(Zr_xTi_{1-x})O_3$ and $BaTiO_3$ prepared by sol-gel technique.—75-05559A
Electrical properties of PZT thin films for memory application.—75-05560A
Enhanced fatigue and retention in ferroelectric thin film memory capacitors by post-top-electrode anneal treatment.—75-00658A
Fabrication and characterization of PZT thin films for micromotors.—75-05568A
Fabrication and electrical properties of lead zirconate titanate thick films.—75-05569A
Fabrication and properties of 1-3 PZT polymer composites.—75-00660A
Ferroelastic properties of lead zirconate titanate ceramics.—75-08142A
Ferroelectric properties and fatigue of $PbZr_{0.51}Ti_{0.49}O_3$ thin films of varying thickness: blocking layer model.—75-00661A
Growth and properties of PZT thin films on a 6–8-in. wafer by MOCVD.—75-00664A
Heat generation in multilayer piezoelectric actuators.—75-08147A
High-frequency dielectric properties of thin-film PZT capacitors.—75-05586A
Improvement of sintering and piezoelectric properties of soft lead zirconate titanate ceramics.—75-05590A
Incommensuration and the distorted oxygen octahedron of antiferroelectric tin-modified lead zirconate titanate.—75-00668A
Influence of grain size of ferroelastic toughening and piezoelectric behavior of lead zirconate titanate.—75-00669A
Influences of sol-gel-derived thin $Pb(Zr_{0.52}Ti_{0.48})O_3$ layers as a buffer on rf-sputtered $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films.—75-05591A
Integration of sol-gel-derived PZT with SOS [Si on sapphire] technology.—75-05592A
Integration of thin film decoupling capacitors.—75-00342A
Kinetics of polarization switching in epitaxial thin films of lead zirconate titanate.—75-08150A
Laser ablation deposited PZT thin films for piezoelectric microsensors and microactuators.—75-05596A
Layered magnetoelectric composites based on nickel ferrite and lead zirconate titanate materials.—75-05681A
Lead zirconate titanate ferroelectric capacitors produced on sapphire and gallium arsenide substrates.—75-05597A
Light scattering from sol-gel $Pb(Zr,Ti)O_3$ thin films: surface versus volume scattering.—75-05598A
Links between electrical and optical fatigue in $Pb(Zr,Ti)O_3$ thin films.—75-03239A
Measurement of piezoelectric coefficients of ferroelectric thin films.—75-00672A
Mechanism of phase formation in $Pb(Zr_xTi_{1-x})O_3$ synthesized by a partial oxalate method.—75-03240A
Method for producing a piezoceramic.—75-00714P
Method of controlling crystal orientation of PZT and PLZT thin films on platinum substrates.—75-03268P
Method of manufacturing a ferroelectric device using a plasma etching process.—75-03269P
Microstructure characterization of sol-gel derived PZT films.—75-06897A
Microstructure of Pb(Zr, Ti)O_3 and Pb(Zr, Ti)O_3/$YBa_2Cu_3O_7$ films.—75-08366A
Modification and pyroelectricity of Pb(Zr, Ti)O_3-based ceramics using HIP with novel glass encapsulation.—75-08154A
Modification of PZT nucleation and growth using oxide layer in multilayered electrodes.—75-05610A
Morphology and cold compaction behavior of alkoxide-derived $Pb(Zr_{0.5}Ti_{0.5})O_3$ powders.—75-01312A
Nucleation- or growth-controlled orientation development in chemically derived ferroelectric lead zirconate titanate ($Pb(Zr_xTi_{1-x})O_3$, x=0.4) thin films.—75-00679A
Optical study of PZT thin-film capacitors.—75-05615A
Perovskite phase formation in sol-gel-derived $Pb(Zr_xTi_{1-x})O_3$ thin films.—75-05618A
Phase transitions revealed by Raman spectroscopy in screen-printed lead zirconate titanate thick films.—75-01237A
Photovoltaic effect for the linearly polarized light in (Pb, La)(Zr, Ti)O_3 ceramics.—75-03247A
Physical and electrical properties of MnO_2-doped $Pb(Zr_xTi_{1-x})O_3$ ceramics.—75-06499A
Piezoceramic material having high piezoelectric activity and high dielectric constant.—75-00718P
Piezoelectric actuator response to environmental humidity.—75-00686A
Piezoelectric and structural properties of samarium-doped lead zirconate titanate ceramics.—75-05621A
Piezoelectric ceramics.—75-00719P
Precipitation of lead zirconate titanate powders under hydrothermal conditions.—75-08163A
Preparation and characterization of PZT submicron powders using a spray pyrolysis process.—75-01613A
Preparation and electrical properties of high-quality PZT thin films on RuO_x electrode.—75-05626A
Preparation and properties of piezoelectric lead zirconate titanate thin films for microsensors and microactuators by sol-gel processing.—75-08164A
Preparation of Mn-modified tetragonal PZT ceramics and their pyroelectric properties.—75-08166A
Preparation of PZT ceramics from a peroxide precursor.—75-01625A
Preparation, microstructural development, and dielectric properties of $Pb(Mg_{1/3}Nb_{2/3})O_3$-$Pb(Ti_xZr_{1-x})O_3$ multilayer ceramic capacitors.—75-05207A
Process for the manufacture of PZT films.—75-08189P
Processing and properties of $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbZrO_3$-$PbTiO_3$ ceramic relaxors.—75-05210A
Properties of low-temperature-sintered neodymium-doped lead zirconate titanate ceramics.—75-05630A
Properties of PZT ceramics prepared from aqueous solutions.—75-03253A
Pulsed laser ablation deposition and characterization of superconductive/ferroelectric bilayers.—75-08404A
Pyrolysis of $Pb(Zr_{0.5}Ti_{0.5})O_3$ precursors: avoiding lead partitioning.—75-01636A
PZT ceramic compositions having reduced sintering temperatures and process for producing same.—75-00408P
Relic processing of fine-scale, large-area piezoelectric ceramic fiber/polymer composites.—75-03255A
Role of macrodefects in PZT thin films for microelectromechanical systems.—75-00695A
Scanning force and friction microscopy of ferroelectric Pb(Zr,Ti)O_3 thin films.—75-05635A
Self-detection of fracture in PZT and $MoSi_2$-Mo_2B_5 layered composite ceramics.—75-00696A
Self-sensing control as applied to a PZT stack actuator used as a micropositioner.—75-03256A
Simulated annealing technique for multiobjective optimization of intelligent structures.—75-03257A
Sol-gel processing of $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films: dopant compensation mechanism and leakage current characteristics.—75-03166A
Stark broadening diagnostics of the electron density in the laser ablation plume of $YBa_2Cu_3O_{7-\delta}$ and $PbZr_xTi_{1-x}O_3$.—75-00867A
Structural and electrical characterization of PZT and PLZT films grown on spin-on-processed conductive oxide electrodes.—75-05642A
Structural hysteresis phenomenon in poling and thermal depoling of PZT ceramics.—75-00701A
Structural modifications induced by high electric field in PZT ceramics.—75-00703A
Structural-property relations in a reduced and internally biased oxide wafer (RAINBOW) actuator material.—75-05643A
Structure and properties of heteroepitaxial $Pb(Zr_{0.35}Ti_{0.65})O_3$/$SrRuO_3$ multilayer thin films on $SrTiO_3$(100) prepared by MOCVD and rf sputtering.—75-05645A
Structure and properties of $PbZrTiO_3$ thin films produced by the sol-gel method.—75-06374A
Superoxidation and electrochemical reactions during switching in Pb(Zr,Ti)O_3 ceramics.—75-08173A
Synthesis and characterization of group IV metal adamantanol alkoxides as potential PZT precursors.—75-00704A
Synthesis and electrical characterization of thin films of PT [lead titanate] and PZT made from a diol-based sol-gel route.—75-00705A
Synthesis of stable PZT sol using chelating agent and preparation of its thin film.—75-01719A
Thermal stability of PZT piezoceramics.—75-08176A
Thin films of $Pb_2(Zr_{1-x}Ti_x)_2O_6$ with pyrochlore structure.—75-06399A

lead,
I-V characteristics of lead sulfide films with different oxide phase contents.—75-05233A
(Hg or Pb)-Pr-Tl-Sr-Cu-O based superconductors.—75-08450P
70-K hysteretic Josephson effect in mesas patterned on $(Bi,Pb)_2Sr_2CaCu_2O_x$ single crystals.—75-00768A
Absorption coefficient in lead telluride implanted with high doses of argon.—75-07777A
Ac and dc susceptibility studies on silver-doped BPSCCO (2223) superconductors.—75-05724A
Ac susceptibility study of BiPbSrCaCuO (2223) superconductors.—75-08259A
Activation of lead fluoride room temperature luminescence by structural modifications.—75-01782A
Amphoteric behavior of bismuth atoms in lead selenide films.—75-02961A
Antiferroelectric-ferroelectric switching and induced strains for sol-gel derived lead zirconate thin layers.—75-05531A
Appearance of metastability and structural diversity in $Bi_{1.8}Pb_{0.2}Sr_2Ca_2Cu_3O_{10+\delta}$ films during amorphous state–crystal phase transitions.—75-08262A
Change of the Bi-2223 phase by repeat of mechanical grinding and heat treatment [at 850°C in air].—75-00775A
Characteristic features of self-compensation in PbSe:Cl:Se_{ex} films.—75-07801A
Characterization of $(Pb_{1-x}La_x)TiO_3$ [PLT] thin films grown by radio frequency magnetron sputtering and their electrical properties.—75-05536A
Charged state of intrinsic atomic defects and thermodynamic *n-p* transition in lead selenide films.—75-07805A
Chemical preparation of lead-containing niobate powders.—75-06548A
Coalition advocates safe ceramic ware.—75-02857A
Comparative studies of optical spectra in PbF_2 at different excitations.—75-01268A
Complex susceptibility of superconducting BiPbSrCaCuO ceramics fabricated through combined magnetic melt texturing and hot-pressing.—75-08273A
Composition of dielectric ceramics.—75-05220P
Compositional coatings with lead sulfide matrices for photoconducting layers.—75-02980A
Correlation between dielectric properties and nanostructure in a $Pb(In_{1/2}Nb_{1/2})O_3$ ceramic.—75-06436A
Decomposition products of superconducting (Bi, $Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$.—75-00784A
Determination of lead and cadmium in the surface layers of implants based on α-Al_2O_3.—75-03645A

Dielectric ceramic composition for low temperature sintering.—75-00396P
Dissolution of lead crystal glass (24% PbO) in aqueous solutions of ethyl and methyl alcohols.—75-07381A
Dosage dependence of the charge carrier concentration in electron irradiated lead sulfide.—75-07836A
Dynamic behavior of lead nanoparticles in a dielectric matrix.—75-01827A
Effect of γ-radiation on kinetic coefficients of $Pb_{1-x}Sn_xTe$ films.—75-07840A
Effect of antimony addition on sintering time to achieve 100 K of T_c of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_x$.—75-05749A
Effect of controlled crystallization on the chemical durability of a lead-containing waste glass.—75-05005A
Effect of Ge additives on the distribution of components and the superconducting transition in $Sn_{1-x}Pb_xTe$:In films.—75-08295A
Effect of heating atmosphere on segregation and dissolution of the Pb compound in the Bi-2223 phase.—75-00789A
Effect of phase transformation on the sintering of lead barium metaniobate solid solutions.—75-03789A
Effect of Sn additives on electrophysical properties and the superconducting transition in $(PbTe)_{0.95}(PbS)_{0.05}$:Tl.—75-08298A
Effect of surface layer treatment of lead silicate glasses on their composition and structure.—75-07296A
Effects of microstructure and composition on the Curie temperature of lead barium niobate solid solutions.—75-08133A
Effects of starting powder with various high-T_c phase contents on the expansion of Bi-Pb-Sr-Ca-Cu-O pellets.—75-05762A
Electrical conductivity of *n*-type $Pb_{0.78}Sn_{0.22}Te$ and $Pb_{1-x}Ge_xTe$ in the ferroelectric region.—75-05306A
Electrical conductivity of vitreous ionic conductors with predominant composition of ZnF_2 or PbF_2.—75-04958A
Electrical properties and structure of fluorine-containing lead silicate glasses.—75-02652A
Electrical properties of ytterbium-doped $Pb_{1-x}Ge_xTe$ solid solutions.—75-06457A
Electrical strengthening and phase transitions in $PbZrO_3$ crystals refined by chemical etching.—75-08134A
Ferroelectric (Pb, $Sn)_2P_2(Se, S)_6$ crystals: from a single Lifshits point to a surface of Lifshits points.—75-05574A
Ferromagnetic $La_{0.6}Pb_{0.4}MnO_3$ thin films with giant magnetoresistance at 300 K.—75-00662A
Fibonacci superlattices of PbS-C type produced by pulsed laser ablation: optical and electrical properties.—75-03030A
Formation of 2223 phase in Bi-Pb-Sr-Ca-Cu-O system via calcining at 1073 K.—75-07892A
Formation of lead sulfate in the Pb|$PbSO_4$|H_2SO_4|PbO_2|Pb system and its electrochemical properties when used as a Pb electrode.—75-06465A
Formation of lead sulfate in the Pb|$PbSO_4$|H_2SO_4|PbO_2|Pb system and its electrochemical properties when used as a Pb-Sb electrode.—75-06466A
Formation of the high-T_c phase and retrograde densification of Bi-Pb-Sr-Ca-Cu-O pellets.—75-03371A
Formation of the Pb-rich 2212 phase.—75-00807A
High-T_c superconductivity in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_{2+x}O_y$ [x=1.6, 1.8, 2] compounds.—75-08332A
Image potential induced surface states of W(100) and PbS(100) studied by spectroscopy of polarized electrons.—75-08950A
Improvement of the chemical composition and founding technology of high-lead glass in a high-efficiency furnace.—75-08728A
Influence of processing pressure on the formation of the high-T_c phase in Bi-Pb-Sr-Ca-Cu-O superconductors.—75-05783A
Influence of synthesis methods on the dielectric properties of $(Ba_{0.2}Pb_{0.8})TiO_3$ ceramics.—75-06657A
Influence of the annealing atmosphere on the superconductivity in (Pb,Sr)Sr_2(Cu,Ca)Cu_2O_y.—75-05785A
Influence of uniaxial deformation on the conductivity and photoconductivity of PbS films.—75-07930A
Infrared to visible upconversion in Er^{3+}-doped lead germanate glasses.—75-04973A
Inorganic lead compounds in electroceramics and glasses.—75-02132A
International standards for lead and cadmium release from ceramic foodware surfaces.—75-04714A
Ionization of an isoelectronic impurity of tin in dilute $Pb_{1-x}Sn_xSe$:Na solid solutions.—75-03072A
Kinetics of PbTe(Ga) photoconductivity.—75-05356A
Lead and cadmium release under conditions of consumer use: FDA experiments with cookware, glass tumblers, lead crystal baby bottles, and ceramic mugs.—75-04720A
Lead glass composition series for gradient glasses.—75-07430P
Lead perovskite based ceramic compositions without any free lead oxide.—75-06093P
Lead tungstate for high-energy calorimetry.—75-01089A
Lead-doped bismuth ceramics: superconducting properties and effect of particle size.—75-03377A
Lead-substituted perovskites for thin-film pyroelectric devices.—75-08181P
Light output and radiation damage in a lead tungstate crystal.—75-01764A
Liquid phase epitaxy of variable-band-gap $Pb_{1-x}Sn_xTe$ solid solutions.—75-09354A
Luminescence kinetics of orthorhombic PbF_2.—75-01305A
Luminescence parameters of PbX_2 (X=F, Cl, Br, I) crystals.—75-01306A
Magnetothermoelectric properties of extruded lead-doped $Bi_{85}Sb_{15}$ solid solutions.—75-09158A
Mechanical grinding and reforming process of the Pb-substituted 2223 phase.—75-00824A
Mesoscopic-range order in amorphous BiPbSrCaCuO films and its evolution during crystallization.—75-08362A
Microstructure and dielectric characteristics of $(Pb,Ba_{0.5-x}Sr_{0.5})TiO_3$ ceramics.—75-00674A
Mode of lead addition and its effects on phase formation and microstructure development in Ag/(Bi, $Pb)_2Sr_2Ca_2Cu_3O_x$ composite conductors.—75-08371A
Mossbauer spectroscopic study of the FeF_3-PbF_2-MF_2 (M=Mn, Sr) glasses.—75-07306A
Nonlinear generation of ultrasound in PbTe(Ga).—75-07985A
Novel synthetic pathway to Bi(Pb)-2223 phase with variable Ca:Sr ratio, $Bi_{1.7}Pb_{0.3}Sr_{4-x}Ca_xO_y$: $1.85 \le x \le 2.4$.—75-05805A
Optical properties of PbI_2 microcrystals in a glassy matrix.—75-07357A
Optimization of annealing conditions for controlling composition of $(Pb_{1-x}Ge_x)_{1-\delta}Te_{1+\delta}$ crystals.—75-05412A
$Pb_2Sr_2Y_{1-x}Eu_xCu_3O_{8+\delta}$ [x=0, 0.25, 0.5, 0.75, 1] system by ^{151} Mossbauer resonance and X-ray diffraction.—75-09006A
Photoconductivity in thin lead selenide epitaxial layers.—75-08008A
Photoelectrical properties of highly compensated lead sulfide films produced by radiation technologies.—75-03121A
Photoinduced structural transition in $Pb_{0.2}Sn_{0.8}S$ single crystals.—75-08014A
Photoluminescence and scintillation properties of Pb^{2+}-based quantum dots in CsCl host crystal.—75-00567A
Precipitation of the Pb compound from Pb-substituted Bi-2201 phase—comparison of precipitation behavior in the 2201 and the 2223 phase.—75-00845A
Preparation and characterization of Bi-based single crystals of high-T_c superconductors.—75-05816A
Preparation of Bi-Pb-Sr-Ca-Cu-O (2223) superconductors.—75-08482P
Properties of $(Tl_{1-x}Pb_x)Sr_2Ca_{2.05}Cu_{3.2}O_y$.—75-00853A
Quantum conductivity of microcontacts of metal–narrowly cracked semiconductor, $Pb_{1-x}Sn_xSe$.—75-05455A
Raman investigation of lead haloborate glasses.—75-02603A
Raman spectra and pressure-induced phase transition in nanocrystalline $PbZrO_3$.—75-06333A
Rapid consolidation of Bi-Pb-Sr-Ca-Cu-O powders by a plasma-activated sintering [PAS] process.—75-05822A
Rapid melting and solidification of (Bi, $Pb)_2Sr_2Ca_2Cu_3O_y$ bulk materials by CO_2 laser.—75-03396A
Scientific, regulatory, and socioeconomic analysis of inorganic lead compounds—focus on electroceramics and glasses.—75-04748A
Scintillation mechanism in $PbWO_4$ crystals.—75-01339A
Screening of spontaneous polarization in lead titanate crystals.—75-08171A
Secondary emission properties of the electron-irradiated lead silicate glasses.—75-07367A
Si^{29} MAS-NMR in lead silicates.—75-06347A
Sintering of cordierite glass-ceramic with lead borosilicate glass.—75-02606A
Spectral characteristics of cubic and orthorhombic modifications of PbF_2.—75-09062A
Stoichiometric dependence of the aging phenomena in lead iron tungstate ceramics.—75-05640A
Structural and dielectric properties of $PbGeO_3$-$PbZrO_3$ metastable solid solutions with perovskite structure.—75-09190A
Structural properties of lead vanadate glasses containing La^{3+} or Fe^{3+} ions.—75-02611A
Structure and optical properties of thin films of lead and barium titanates.—75-05644A
Structure characteristics of cubic and orthorhombic phases of high-density scintillator PbF_2 from 4.2–300 K.—75-01947A
Structure of anions in melts R_xO_y-SiO_2 (R=Ca, Pb, and Bi).—75-02613A
Synthesis and characterization of lead iron tungstate ceramics sintered by two preparation methods.—75-01696A
Synthesis of lead barium niobate powders and thin films by the sol-gel method.—75-03262A
Systematics of the physical properties of $Bi_{1.7}Pb_{0.3}Sr_2(Ca,Nd)_1Cu_2O_y$ compounds.—75-08437A
Temperature-induced phase transition and morphotropic phase boundary in the nanocrystalline $Pb_{1-x}Sr_xTiO_3$ system.—75-03850A
Third-order optical nonlinearity of TeO_2-PbO-GeO_2 glasses.—75-05000A
Transport critical current density above 10^5 A cm^{-2} at 77 K in $Bi_{1.8}Pb_{0.4}Sr_2Ca_{2.2}Cu_3O_y$ superconducting tapes made by the Ag wire-in-tube method.—75-08443A
Tungsten oxidation state and the effect on PCT [lead calcium titanate] electrical properties.—75-02020A
Two-dimensional magnetic order in $Pb_2Sr_2TbCu_3O_8$.—75-03421A
Ultrathin film preparation of superconducting 2223 Bi(Pb)SrCaCuO by sputter deposition and rapid annealing.—75-08444A
Variation of structural and superconducting properties with initial stoichiometry variation in (Bi,Pb)-Sr-Ca-Cu-O bulk superconductor.—75-05858A
Visualization of the formation of the (Bi, $Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ phase.—75-08447A
X-ray absorption spectroscopy study of the binary semiconductive glass PbV_2O_6.—75-04940A

lead-free,
Firing PbO-free glass enamels using the cw-CO_2 laser.—75-07386A
Formulating lead-free glazes.—75-07707A
Lead-free ceramic insulator.—75-05224P
Low-temperature lead-free glaze for alumina ceramics.—75-07717P

legislation,
Are the names of ceramic materials protected.—75-07060A
Eco-audit order and development of environmental management systems.—75-07067A
Making Title V permits simpler, more comprehensive, and flexible: I.—75-09726A
Research, planning, and teamwork facilitate completion of Title V permit applications: II.—75-09733A
Title V permits in the glass industry: making them simple, comprehensive, and flexible.—75-07097A
Voice for ceramics in Washington.—75-04765A

lehrs,
Lift-out rolls and lehr rolls for production of high-quality glass.—75-06001A

leucite,
Cubic leucite stabilization in feldspathic dental porcelain.—75-03644A
Effect of microstructural features on the biaxial flexural strength of leucite-reinforced glass-ceramics.—75-02646A
Mechanical properties and thermal expansion behavior in leucite containing materials.—75-07006A

ligands,
Effect of ligand field on branching ratio of ultraviolet and blue upconversions of Tm^{3+} ions in halide and oxide glasses.—75-00212A

light,
Calculation of multiphonon absorption of light in crystals of ternary semiconductors.—75-07793A
Correlation between stimulated gyrotropy and light scattering from spin density fluctuations in A_3B_5 semiconductors.—75-07813A
Influence of light on individual defect noise in a-Si:H/a-SiN_x:H double barrier structures.—75-06475A
Interband impurity light absorption in thin III-V semiconductor wires.—75-07938A
Light absorption by semiconducting quantum well in constant electrical field.—75-07949A
Light-induced metastable changes in amorphous silicon nitride.—75-06258A
Linear-circular dichroism during two-photon absorption of light in CdSe nanocrystals.—75-05361A

lightweight,
Microsphere-filled lightweight calcium phosphate cements.—75-06071A
Tests on the behavior of lightweight, vertically perforated, clay masonry units.—75-05067A

lime,
Fracture toughness of CaO-P_2O_5-B_2O_3 glasses and glass-ceramics determined by indentation.—75-06985A
High-lime gunning mixes for BOF and EAF.—75-07564A
Influence of wastewaters, recovery muds, and exhausted lime upon mix deflocculation.—75-08531A
Properties of lime and lime-periclase refractories on a ceramic binder.—75-05121A
Rapid determination of clinker-free lime for process control—design and development of an apparatus.—75-00063A
Temporary preservative binders for lime and lime-periclase refractories.—75-05146A

limestone,
Behavior of cohesive powder in the biaxial tester.—75-05936A

linings,
Application of monolithic lining for the steel ladle at Kakogawa Works [Japan].—75-07470A
Backup insulation in torpedo cars and steel ladles.—75-07480A
Design of ladle lining based on temperature simulation.—75-07506A
Development of RH degasser linings at British Steel PLC.—75-07528A
Erosion-resistant, ceramic fiber lining.—75-08576P
Experience in using zirconia refractories in linings of furnaces for the production of amorphous alloys.—75-05092A
Experience with castable linings for coal-fired reduction kilns in the Republic of South Africa.—75-07548A
Experiences of different tundish lining materials in continuous casting.—75-07549A
Heat insulation mixture for linings of tuyere apparatuses of blast furnaces.—75-05095A
Impregnation of a periclase-chromite lining with nickel matte.—75-05100A
Improvement of tundish inner lining refractory.—75-07574A
Increasing the wear resistance of linings of ore furnaces for melting normal electrocorundum.—75-07575A
Installation and repair of monolithic steel ladle linings with alumina spinel castables.—75-07583A
Mechanization of BOF relining work in Nagoya Works [Japan].—75-07598A
Monolithic heat-insulating linings with cellular ceramic fiber structure.—75-05110A
New refractories for modern ladle lining.—75-07612A
Optimization of monolithic refractory steel ladle lining.—75-07620A
Recent trends in refractory lining of dc furnaces.—75-07645A
Refractory Linings: Thermomechanical Design and Applications.—75-02169B
Refractory wear of dolomitic and magnesitic BOF lining depending on temperature and lime saturation.—75-07654A
Silicon carbide articles for linings of reactors for the production of aluminum chloride.—75-07658A
Simple method for quick evaluation of thermal conductivity data and predictions of their gap with those of actual monolithic linings.—75-07659A
Slag resistance of refractories in the lining of an arc steel melting furnace.—75-07663A
Thermomechanical stresses in BOF linings.—75-07684A
Use of anchors in refractory linings.—75-00275A
Use of Endless Lining System [ELS] for ladles in steel mills.—75-07688A
Use of high-strength insulation to improve lining stability and energy efficiency in steelmaking ladles.—75-07690A

liquid phase epitaxy,
X-ray diffraction studies of the epitaxy of *a/b*-axes-oriented $YBa_2Cu_3O_{7-\delta}$ films grown by liquid phase epitaxy.—75-00894A

liquid phase,
Computer simulation of grain growth under the existence of liquid phase.—75-09534A

Corrosion of ceramics by liquid metals.—75-01985A
Effect of liquid phase on microstructural coarsening in ceramic systems.—75-09541A
Grain growth behavior of ceramics under the existence of a liquid phase.—75-09548A
Intergranular film in silicon nitride ceramics—a diffuse interface approach.—75-04351A
Liquid phase formation and its migration in aluminum nitride ceramics.—75-08970A
Liquid phase sintering of silicon carbide.—75-09355A
Liquid phase sintering of the systems with interacting components.—75-04095A
Strategies for controlling the wetting behavior of intergranular films in liquid phase sintered ceramics.—75-01683A

liquids,
Ceramic cell for measuring electrical conductivity of liquid solution.—75-08715P
In situ liquid pressure measurements using a hypodermic needle: constant rate pressure casting.—75-03570A
Influence of liquid media on oscillating sliding wear of cordierite glass and cordierite ceramic.—75-04971A
Infrared gas and liquid analyzers, a review of theory and applications.—75-01026A
Liquid semiconductors having degenerate electron gas.—75-03081A
Loading of solids in a liquid medium: determination of CBVC [critical binder volume concentration] by torque rheometry.—75-08677A
Nature of fluctuation-free volume in liquids and glasses.—75-07354A
System for high sensitivity measurement of twisted nematic liquid crystal display cell gap by using a photoelastic modulator.—75-04252A

lithia,
Crystallization characteristics of some lithia calcia magnesia borosilicate glasses.—75-02705A
Electrical relaxation from hydrated surface layers developed on Li_2O-Al_2O_3-$2SiO_2$ glass under atmospheric and aqueous environments.—75-04961A
Glass development and controlled crystallization in the SiO_2-Li_2O-ZrO_2-P_2O_5 system.—75-07300A
Microwave dielectric ceramic composition.—75-02954P
New high dielectric constant materials: micron/nanocomposites of suspended Au clusters in SiO_2/SiO_2-Al_2O_3-Li_2O gels and relevant theory for high capacitance.—75-02921A
Nucleation and crystal growth of Li_2O-$2SiO_2$ in a microwave field.—75-00217A
Physical properties of quenched glasses in the Li_2O-ZrO_2-SiO_2 system.—75-02675A

lithium fluoride,
Effect of defomation on thermostimulated luminescence of irradiated LiF crystals.—75-06963A
Effects of rigid platelet additions on matrix, texture, and microstructural development in a model platelet-reinforced composite.—75-06595A

lithium niobate,
2.4-Gb/s, 50-km optical fiber transmission using Ti:$LiNbO_3$ external modulator.—75-08119A
Bragg shift of holographic gratings in photorefractive Fe:$LiNbO_3$ crystals.—75-06166A
Characterization of proton exchange lithium niobate waveguides.—75-00639A
Compositional inhomogeneity of imperfect near-surface layers in $LiNbO_3$ single crystals.—75-08885A
Crystal structure of proton-exchanged $LiNbO_3$ waveguides.—75-00642A
Defect-based description of lithium diffusion into lithium niobate.—75-01746A
Effect of thermal annealing and γ-irradiation on EPR in $LiNbO_3$:Mg crystals.—75-06214A
Electrical and optical properties of Li-doped $LiBO_2$ and $LiNbO_3$ films.—75-01282A
Electronic polarizabilities of ions in lithium niobate crystal.—75-05563A
Estimation of direct current bias and drift of Ti:$LiNbO_3$ optical modulators.—75-00659A
Fabrication of ferroelectric domain reversals.—75-00712P
Features of the dynamics of $LiNbO_3$ single-crystal structure based on ^{7}Li NMR data.—75-06229A
Formation and scanning electron microscopy investigation of $LiNbO_3$ films on silicon substrates.—75-05583A
Fourier spectroscopy of elastic modes and anharmonic effects in $LiNbO_3$.—75-00663A
Lattice parameters and Curie temperature of sintered magnesium-doped lithium niobate.—75-00670A
$LiNbO_3$ single crystals with periodic modulation of domain structure.—75-08969A
Lithium niobate crystal wafer, process for the preparation of the same, and method for the evaluation thereof.—75-03266P
Lithium niobate optical TE-TM mode splitter.—75-00713P
Lithium niobate thin films deposited on silicon substrates and their SAW applications.—75-05599A
Nearly cut-off modes caused by diffusion in lithium niobate.—75-01769A
New criterion for measurement of stiffness constants c_{44}, c_{55}, c_{66}, and c_{13} of lithium niobate and quartz.—75-03813A
Nonstoichiometric lithium niobate single crystals studied by the NMR method.—75-05612A
Optical absorption band of bipolarons in $LiNbO_3$.—75-08999A
Optical characterization of Ho^{3+} ions in $LiNbO_3$ and in $LiNbO_3$:MgO crystals.—75-06293A
Optical properties and crystalline structure of annealed proton-exchanged waveguides in $LiNbO_3$.—75-08155A
Optical spectra of iron ions in $LiNbO_3$.—75-06294A
Orientation control and laser-beam-assisted crystallization of sol-gel-derived, titanium-doped $LiNbO_3$ [LNT] thin films.—75-05616A
Partially loaded microwave waveguide resonant standing wave electrooptic modulator.—75-00717P
Phase transition of new solid-solution crystal $Li_{0.7}Na_{0.3}NbO_3$.—75-00683A
Photon exchange channel waveguide lasers in Nd:MgO:$LiNbO_3$.—75-03246A
Photorefraction in crystals with a nonstationary photovoltaic current.—75-06316A
Photorefractive damage in $LiNbO_3$ thin-film optical waveguides grown by liquid phase epitaxy.—75-00684A
Preparation and characterization of amorphous $LiNbO_3$ powders from completely hydrolyzed metal alkoxides.—75-07743A
Process for producing lithium niobate single crystal.—75-08188P
Processing of highly oriented $LiNbO_3$ films for waveguides from aqueous solution.—75-03252A
Secondary ion mass spectrometry study of magnesium diffusion in lithium niobate.—75-01774A
Temperature modulation of the electrooptic effect in $BaTiO_3$ and $LiNbO_3$—a theoretical approach.—75-00706A
Temperature-dependent Raman scattering studies of $Li_{0.02}Na_{0.98}NbO_3$.—75-01966A
Thermal drift as a source of output instabilities in Ti:$LiNbO_3$ optical modulators.—75-01731A
Thin-film lithium niobate on sapphire for SAW applications.—75-05650A

lithium oxide,
Glass-ceramics and color package.—75-00225P
Ionic conduction in $(1-x)B_2O_3$+xLi_2O.—75-04909A
$LiNiO_2$: quantum liquid or concentrated spin glass.—75-03902A
Magnetization and ferromagnetic resonance studies on amorphous films of Fe_2O_3-Bi_2O_3-Li_2O.—75-03310A
Phase formation and electrical properties in the system BaO-Li_2O-TiO_2.—75-06308A

lithium,
^{7}Li NMR in crystals of lithium niobate with varying nonstoichoimetries.—75-08856A
Ab initio determination of crystal structures by X-ray powder diffraction: structure of $Li_{29}Zr_9Nb_{13}O_{60}$.—75-06149A
Ac conductivity studies of lithium thioborate glasses.—75-02621A
Anomalous pyroelectricity in sharply cooled lithium sulfate monohydrate and nonpolar alum crystals.—75-09118A
Anomalously long phosphorescence of BeO:Li ceramics.—75-08870A
Attempt to reconcile interpretations of atomic vibrations and ^{29}Si NMR data in glasses.—75-02575A
Chemical routes to synthesize lithium cobalt oxide powders for rechargeable lithium batteries.—75-02897A
Choice of flux for growth of lithium triborate [LTB] single crystals.—75-06184A
Composition dependence of the elastic moduli of mixed lithium-cadmium ferrites.—75-03284A
Crystal chemical modeling of the Li ion distribution in $Li_xMn_2O_4$.—75-03777A
Crystal structure of lithium perrhenate sesquihydrate.—75-06193A
Density changes during melting of LiF, YF_3, and LiYF$_4$.—75-07295A
Determination of important parameters for SHG in LBO.—75-06441A
Dielectric relaxation and behavior in Li-doped semiconducting Bi-Sr-Ca-Cu-O glasses.—75-04950A
Dispersion observed in electrical properties of titanium-substituted lithium ferrites.—75-03285A
Effects of addition of Na_2O, Sb_2O_3, CaO, and ZrO_2 on the properties of lithium zinc ferrite.—75-05667A
Electrical and magnetic properties of $Li_{3-x}Ni_xN$ and $Li_{3-x}Co_xN$ solid solutions.—75-06450A
Electrical properties study of electrolyte in lithium rechargeable battery.—75-02905A
Electrodeposition of calcium-lithium-sodium alloys from calcium, lithium, and sodium nitrate melts.—75-06599A
Electron emission from a weak ferroelectric of lithium heptagermanate.—75-08135A
Energetics and structural changes associated with phase separation and crystallization in lithium silicate glass.—75-04896A
Far-infrared spectra of lithium-titanium mixed ferrites.—75-05669A
Features of dielectric and spectral characteristics of polydomain lithium tantalate [LT] single crystals.—75-05570A
Features of structural ordering and ferroelectric properties of $LiTa_xNb_{1-x}O_3$ solid solutions.—75-08140A
Features of structural relaxation of glass in Na^+-Li^+ ion exchange.—75-02653A
Formation and properties of lithium neodymium silicate glasses.—75-05011A
High-temperature properties of SiC fiber-reinforced LAS glass-ceramic composite.—75-02657A
High-temperature ultrasonic characterization of the mechanical and microstructural behavior of a fibrous composite with a magnesium lithium aluminum silicate [MLAS] glass-ceramic matrix.—75-04340A
HREM study of the ionic conductor strontium lithium ß-alumina.—75-02912A
In situ growth of layered, spinel, and rock-salt $LiCoO_2$ by laser ablation deposition.—75-01535A
Influence of annealing and surface chemical treatment of glass electrodes from lithium silicate glasses on the value of their asymmetric potential.—75-05020A
Influence of fusible phases of $BiFeO_3$ on physical properties of ferrites based on lithium ferrite.—75-05678A
Influence of preparation conditions of glassy electrodes from lithium silicate glasses on the value of their asymmetric potential.—75-05021A
Influence of synthesis conditions on the kinetics of crystallization of photosensitive lithium silicate glasses.—75-02727A
Interaction of lithium perchlorate and calcium perchlorate with superoxide and sodium peroxide.—75-06661A
Kinetics of dehydration of lithium sulfate monohydrates [LSM] studied by conducting scanning calorimetry [CSC].—75-05953A
$La_2Cu_{1-x}Li_xO_{4-y}$ and $Nd_2Cu_{1-x}Li_xO_{4-y}$, solid solutions.—75-08967A
Li_2MoO_4-$LiBO_2$-Li_2CO_3 system.—75-06256A
$Li_2O(Na_2O)$-CoO-V_2O_5 system.—75-06257A
$Li_xLa_2CuO_{4+y}$ [I], $Li_xNd_2CuO_{4+y}$ [II], and $Li_xLa_{2-z}Nd_zCuO_{4+y}$ [III] solid solutions.—75-08352A
$LiNO_3$-KNO_3-$Sr(NO_3)_2$ system.—75-06260A
Lithium alkaline earth bismuthate glasses.—75-07346A
Lithium borate glasses: a quantitative study of strength and fragility.—75-04977A
Lithium ion conductivity in $Li_{3x}La_{(2/3-x)}TiO_3$ [x=0.017–0.317] system.—75-09154A
Lithium minerals.—75-06038A
New layered perovskite compounds, $LiLaTiO_4$ and $LiEuTiO_4$.—75-08994A
New synthesis route to electrode materials for rechargeable lithium batteries.—75-02923A
Nonlinear optical properties of proton-exchanged waveguides in z-cut $LiTaO_3$.—75-00678A
Phase diagram of the Li_2MoO_4-Na_2MoO_4-$CaMoO_4$ system.—75-09011A
Phase diagram of the $Zn_2P_2O_7$-$Li_4P_2O_7$ system.—75-06301A
Phase equilibria in Li, Na, Ba||MoO_4 and Li, Ca, Ba||MoO_4 systems.—75-09013A
Phase relations in the Li_2MoO_4-M_2MoO_4-$Zr(MoO_4)_2$ systems (M=K or Rb).—75-09031A
Physical properties of spray-pyrolyzed pure and doped ZnO thin films.—75-03914A
Piezoelectric properties of glass-ceramics based on lithium tetraborate.—75-05622A
Plastic deformation and deformation softening of LiF single crystals at high temperatures.—75-09661A
Polymorphism and crystal chemistry of $Li_{2.5}Ga_{0.5}GeO_4$, an Li_3PO_4 analog.—75-06324A
Positive electrode materials for nonaqueous secondary batteries.—75-02927A
Preparation and magnetic properties of nanocrystalline $LiFe_5O_8$.—75-05704A
Preparation and properties of some lithium borate based glasses.—75-05034A
Preparation of $Li_xMn_2O_4$ electrode materials for lithium ion batteries.—75-02930A
Preparation of $LiSbO_3$ thin films from metal alkoxides.—75-09399A
Proton-exchanged waveguides in lithium tantalate crystals: I, Method of determining the crystal lattice parameters of nonstressed $H_xLi_{1-x}TaO_3$ solid solutions.—75-09043A
Proton-exchanged waveguides in lithium tantalate crystals: II, Crystal structure and optical properties.—75-09044A
Raman scattering spectra and phase transition in a potassium lithium bisulfate crystal $[K_4LiH_3(SO_4)_4]$.—75-06332A
Regularities of photoemission from high-current pulsed photocathodes with laser excitation on the basis of heterophase aluminum lithium alloys.—75-06110A
Relationship between crystal structure and electric properties for lithium-containing spinels.—75-01239A
Relationship between microstructure and efficiency of lithium silicate scintillating glasses: the effect of alkaline earths.—75-04923A
Relationship between microstructure and efficiency of lithium silicate scintillating glasses: the effect of replacing lithium by sodium.—75-04924A
Role of additives in a complex lithium silicate glass-ceramic.—75-05040A
Short-range and medium-range order in lithium silicate glasses: I, Diffraction experiments and results.—75-07312A
Short-range and medium-range order in lithium silicate glasses: II, Simulation of the structure by the reverse Monte Carlo [RMC] method.—75-07313A
SiC fiber-reinforced LAS glass-ceramic via sol-gel technique.—75-02740A
Single-fiber push-in vs single-fiber push-out—a comparison between two test methods to determine the interfacial properties of brittle matrix composites.—75-04399A
Sol-gel synthesis of lithium aluminate.—75-01676A
Solid-state synthesis and sintering below 1000°C of lithium ferrite freeze-dried powders.—75-00758A
Solubility of alkaline and alkaline-earth sulfates in anhydrous hydrogen peroxide.—75-06516A
Structure and magnetic properties of $LiMVO_4$ (M=Co, Ni, Cu) spinels.—75-05713A
Structure of the anionic component of fluorophosphate glasses based on lithium metaphosphate.—75-02614A
Substitution for iron by nonmagnetic constituents in spinel lithium ferrite.—75-05714A
Substitution of lithium in copper oxide.—75-06787A
Surface nitridation effects on $LiGaO_2$ substrates in molecular beam epitaxy.—75-08067A
Synthesis and intercalation properties of orthorhombic lithium titanate.—75-02548A
Synthesis and properties of a new ß polymorph of Li_3CrO_4.—75-06795A
Synthesis and properties of ZnO(Li) crystals.—75-06521A
Synthesis of needle-shaped γ-$LiAlO_2$ crystals by using LiOH-Al_2O_3·Al(OH)$_3$-NaOH system as the raw material.—75-09472A
Thermal conductivity of vapor-liquid-solid [VLS] and vapor-solid [VS] silicon carbide whisker-reinforced lithium aluminosilicate glass-ceramic composites.—75-02693A
Thermal diffusivity of $BaLiF_3$ crystals.—75-06525A
Thermodynamic properties of alkali germanate melts containing lithium and sodium oxides.—75-02694A
Thin-film rechargeable lithium batteries.—75-02941A
Titanium dioxide-based material.—75-05232P
X-ray and optical studies of $Cs_xRb_{1-x}LiSO_4$ solid solutions.—75-06408A

lithography,
Fabrication and AFM characterization of a coplanar tunnel junction with a less than 30-nm interelectrode gap.—75-03026A
Formation of complex ceramic miniaturized structures by pyrolysis of poly(vinylsilazane).—75-04050A
Freeform fabrication of ceramics via stereolithography.—75-08527A
Proximity function in electron-beam lithography on high-T_c superconducting thin films.—75-08403A
load,
Compressive testing of ceramics.—75-03552A
Effect of environment and loading velocity on fatigue damage in ceramic matrix composites.—75-04496A
Effect of indentation load on the microhardness of titanium diboride films prepared by magnetron sputtering.—75-09275A
Effect of off-axis loading on the tensile behavior of a ceramic matrix composite.—75-09623A
Effect of the loading system on the stress distribution in the fully embedded fiber pullout test.—75-04503A
Kiln car.—75-08747P
Lifetime prediction for ceramics under dynamic loading at high temperatures.—75-04577A
Loading of solids in a liquid medium: determination of CBVC [critical binder volume concentration] by torque rheometry.—75-08677A
Loading rate for modulus of rupture test.—75-05954A
Shear strength of shock-loaded brittle solids.—75-02094A
Ship to shore[—based on the materials supplied by EstMineral and BMH Marine Companies].—75-07182A
Tensile creep behavior of a vitreous-bonded aluminum oxide under static and cyclic loading.—75-07042A
Waste loading maximization for vitrified Hanford HLW blend.—75-03508A
low temperature,
Characteristics of Si-containing diamondlike films deposited at low temperature.—75-09527A
Low-temperature deposition of hexagonal ferrite films by sputtering.—75-03300A
Low-temperature diamond growth with CF_4 addition in a hot filament reactor.—75-01563A
Low-temperature dynamics of small γ-Fe_2O_3 particles.—75-05682A
Low-temperature epitaxial growth of $BaTiO_3$ films by radio-frequency-mode electron cyclotron resonance sputtering.—75-01564A
Low-temperature grown III-V materials.—75-05366A
Low-temperature synthesis of diamond films by pulse-modulated magnetoactive microwave plasma CVD.—75-09356A
Low-temperature thermoluminescence of cuprate high-temperature superconductors.—75-05789A
New region for HFCVD [hot filament-assisted CVD] diamond growth at low temperature.—75-09368A
Superconducting $YBa_2Cu_3O_{7-x}$ produced at low temperatures.—75-08490P
Synthesis of silicon carbide ceramics at low temperatures.—75-01716A
lubricants/lubrication,
Direct observation of the boundary lubrication of ceramics.—75-09617A
Effects of some additives on Al_2O_3/Cr_2O_3 coating contacts.—75-03646A
Graphite solid-state lubricant generating low coefficient of friction at high temperatures.—75-01148A
Graphite-loaded silicon carbide.—75-08825P
Lubrication of silicon nitride sliding contact.—75-04098A
Mold lubricant for molten aluminum [ABN series].—75-05108A
Non-Newtonian temperature and pressure effects of a lubricant slurry in a rotating hydrostatic step bearing.—75-04608A
Performance of water-lubricated ceramics in triboapplications—mechanical seals and journal bearings.—75-09659A
luminescence,
Activation of lead fluoride room temperature luminescence by structural modifications.—75-01782A
Annealing of the green luminescence centers in cadmium sulfide.—75-02962A
Cathodoluminescence of $(SiC)_{1-x}(AlN)_x$ solid solutions.—75-07797A
Centers of the red luminescence in CdS and CdS:Cu single crystals and their transformation under electron irradiation.—75-02971A
Choice of compounds with fast core-valence transitions.—75-00434A
Cooling effect due to negative luminescence.—75-02981A
Deep centers and electroluminescence of boron-doped 4H-SiC *p-n* structures.—75-07818A
Degradation of photoluminescence of porous silicon exposed to ^{60}Co γ-irradiation.—75-02991A
Effect of defomation on thermostimulated luminescence of irradiated LiF crystals.—75-06963A
Effect of nonstoichiometry of calcium tungstate on luminescence in a 420-nm band.—75-08913A
Effects of proton irradiation on the luminescence of ZnS(Cu) ceramic.—75-06594A
Electrical and luminescent properties of Yb-doped *n*-ZnSe single crystals.—75-03011A
Electroluminescence of erbium-doped silicon.—75-07868A
Energy localization and decay in highly ionic crystals.—75-01288A
Enhanced luminescence from rare-earth-doped thin films.—75-00484A
EPR and luminescence of plastically deformed ZnS:Mn crystals.—75-07877A
Fast luminescence and absorption in BGO and SiO_2.—75-01291A
Hot luminescence and electron-phonon interaction in structures with quantum wells.—75-07910A
Influence of activator concentration on the spectroscopic properties of radiophotoluminescent glasses.—75-02660A
Influence of fundamental absorption edge on the green luminescence spectrum of CdS crystals.—75-07922A
Influence of structural order on the luminescence of oxide spinels: manganese-activated spinels.—75-01224A
Infrared luminescence from MOCVD GaN.—75-00518A
Intrinsic defects and luminescence of zinc oxide.—75-06851A
Ion-beam-induced luminescence in natural diamond.—75-01300A
Kinetics and spectral distribution of electroluminescence [EL] of porous silicon/metal structures.—75-03073A
Kinetics of excitonic luminescence in mixed silver halides.—75-00531A
Luminescence and photoconductivity of highly pure cadmium selenide.—75-05367A
Luminescence and structural quality of GaSb single crystals grown from nonstoichiometric melts.—75-03087A
Luminescence kinetics of orthorhombic PbF_2.—75-01305A
Luminescence of cerium ions in ultraphosphate glasses [UPhG] under fast flow of electrons.—75-04978A
Luminescence of free excitons in disordered ZnCdSe solid solutions.—75-05368A
Luminescence of hafnium compounds.—75-06484A
Luminescence of ZnTe films due to two types of isovalent substitutions.—75-07958A
Luminescence parameters of PbX_2 (X=F, Cl, Br, I) crystals.—75-01306A
Luminescence properties of InAs quantum dots on vicinal GaAs(100) surface.—75-03088A
Luminescence properties of Ti-doped gem-grade zirconia particles.—75-06485A
Luminescence spectra of highly compensated *n*-InP.—75-07959A
Luminescence spectra of silica glasses [studied] by time-resolved technique.—75-02594A
Mechanism of *f-f* luminescence enhancement in semiconductors.—75-05376A
Modified fast analog technique for determining luminescence decay times of scintillators.—75-01311A
Monte Carlo study of energy losses in hot stage of electronic excitation relaxation in scintillators.—75-01891A
Nonlinear luminescence and dynamic broadening of exciton lines of GaAs/AlGaAs structures during stationary optical excitation.—75-07986A
Optical absorption features of luminescent porous silicon films.—75-03101A
Origin of the broadband luminescence and the effect of nitrogen doping on the optical properties of diamond films.—75-01325A
Oxygen in the ZnSe:Te luminescence.—75-03108A
Photodegradation of porous silicon luminescence under pulse excitation.—75-03117A
Photoinduced strong luminescence enhancement from anodically oxidized porous silicon.—75-08013A
Polarized luminescence of CdMnTe in the external magnetic field.—75-05440A
Preparation of zinc silicate luminophors by the sol-gel technique.—75-09402A
Pressure-induced amorphization in $Eu(OH)_3$: a luminescence study.—75-06504A
Primary luminescence of porous silicon.—75-08026A
Role of core levels in scintillation processes.—75-00934A
Role of dielectric effects in the red-green switching of porous silicon luminescence.—75-00590A
Spectral cathodoluminescence of quantum well layers in $A^{III}B^{V}$ heterostructures studied with the acoustooptical monochromator.—75-03167A
Subnanosecond scintillations in diamond.—75-01347A
Suppression of BaF_2 slow component of X-ray luminescence in nonstoichiometric $Ba_{0.9}R_{0.1}F_{2.1}$ crystals (R=rare-earth element).—75-01953A
Synthesis of red-emitting, small particle size luminescent oxides using an optimized combustion process.—75-09476A
Temperature quenching in luminescence of anion-defective α-Al_2O_3 crystals.—75-06859A
Theoretical analysis of the simultaneous detection method of thermally stimulated conductivity and luminescence: application to an α-Al_2O_3 monocrystal.—75-03933A
Time-resolved spectroscopy of scintillation materials using X-ray synchrotron radiation.—75-01970A
Visible and infrared electroluminescence of porous silicon.—75-03198A
luminescent materials,
Nanostructural and nanochemical investigation of luminescent photoelectrochemically etched porous *n*-type silicon.—75-00549A
lutetium,
Geometric structures of lanthanide ions within layered clays as determined by EXAFS: from the Lu(III) hydrate to the disilicate.—75-03798A
machinery,
Advanced ceramics for precision machine design.—75-09700A
Cartridge-type SGV system adapted to automation.—75-07487A
Continued success for Italy's machinery suppliers.—75-07066A
Development and application of automatic brazing machine for automobile fuel tank.—75-08516A
Glassware forming machine.—75-07427P
Glassware inspection machine comprising diffused light sources and two-dimensional cameras.—75-08580P
Industrial refuse incinerator.—75-05903A
Less noise in the factory.—75-09725A
Machine versatility from A to Z.—75-00958A
Materials and equipment data file.—75-04723A
Review on China's refractories industry in 1995.—75-05131A
Rotary glazing machine having an elastically deformable matrix cylinder.—75-05931P
Safety of machinery in the ceramic and building brick industries.—75-04746A
Siu Fung, a Chinese leader.—75-04750A
machining,
Abrasive waterjet cutting front characteristics in machining of glass.—75-00009A
Advances in surface micromachined force sensors.—75-00413A
Bomas Machine Specialties Inc.—75-04679A
Characterization of ceramic materials from the machining point of view.—75-09529A
Comparative study of machining effects on the surface texture of a ceramic composite.—75-01406A
Current problems and future directions for ceramic machining.—75-05896A
Ductile regime machining of brittle materials.—75-05899A
Dynamic cutting forces during machining with ceramic cutting tools.—75-00953A
Factors affecting the machinability of fine ceramic powder compacts.—75-01498A
Failure mechanism of single-crystal alumina in machining.—75-09633A
Group IVB boride based cutting tools for machining group IVB based materials.—75-01168P
Hardness of nine machinable ceramics for dental applications.—75-06987A
High precision machining of carbon products.—75-09327A
High-strength machinable ceramics "nanoceram."—75-05018A
Machinability of light alloy MMCs [metal matrix composites].—75-07218A
Machining damage in engineering ceramics [analyzed] by fracture mechanics, fractography, and X-ray diffraction.—75-04579A
Machining of silica glasses using excimer laser radiation.—75-07389A
Micromachining of CVD diamond films using a focused ion beam.—75-08533A
Model of free abrasive machining for glasses and brittle ceramics.—75-00969A
Multi-ingredient proportioning for dry bulk solids.—75-00970A
New concept in cost-effective machining.—75-05965A
Precision machining and polishing of scintillating crystals for large calorimeters and hodoscopes.—75-00979A
Precision machining of technical ceramics.—75-05908A
Predicting the relative machinability of optical glass from composition.—75-00196A
Ranking machinability of nine machinable ceramics by dental high-speed cutting tests.—75-04619A
Short-crack toughness and abrasive machining of silicon nitride.—75-09669A
Two-chip smart accelerometer.—75-00629A
Various methods of machining advanced ceramic materials[—review].—75-04764A
macrostructure,
Zirconia-based tipped blades having macrocracked structure.—75-08792P
magnesia,
Additive oscillating modes in MgO-Fe^{2+} and MgO-Fe^{3+} crystals.—75-08863A
Advances in magnesia carbon refractories.—75-07459A
Al/Mg alloy as an antioxidant in magnesia-graphite refractories.—75-05072A
Application of basic materials for CC refractories.—75-07469A
Appropriate material for dams and weirs—Tata Steel's approach.—75-07477A
Barium titanate thin films on MgO substrates [investigated] by second harmonic generation.—75-01797A
Calculation of the formation energies of anion vacancies, F^+-, and F-centers in an MgO crystal by the molecular statics method.—75-06169A
Castables in the system MgO-Al_2O_3-SiO_2.—75-07488A
Ceramic adhesive.—75-06076P
Characterization of Mg-Al mixed oxides by temperature programmed reaction of 2-propanol.—75-06178A
Chrome-free refractory for vacuum degassers.—75-07491A
Coating solution suitable for the manufacture of a magnesium oxide layer and a method of manufacturing such a layer.—75-08568P
Completely ceramic dental prosthesis based on alumina/magnesia spinel and a process for its manufacture.—75-03668P
Controlled epitaxial nucleation of nickel oxide on microfabricated magnesium oxide substrates in a CVD process.—75-04308A
Corrosion mechanism of magnesia spinel refractory by CaO-enriched converter slag.—75-07495A
Corrosion testing of resin-bonded magnesia-carbon refractories.—75-00260A
Crystallographic aspect of selective absorption and emission of ultraviolet radiation in MgO crystals.—75-08900A
Determination of selected properties of magnesia-carbon bricks after firing at intermediate temperatures.—75-07509A
Development and performance of improved quality magnesia chrome refractory in AOD converter.—75-07513A
Development of alumina-magnesia castable for steel ladle.—75-07516A
Development of CaO-containing basicity casting.—75-07517A
Development of low-carbon MgO-C brick for tap hole sleeve of BOF.—75-05059A
Development of magnesia spinel slide gate plate for Ca-treated steel.—75-07521A
Development of magnesia—spinel-carbon brick for ladles of secondary metallurgy.—75-07522A
Development of magnesia-chrome bricks for tuyeres in AOD vessels.—75-07523A

Development of MgO-CaO-type bricks for sintering zone of cement rotary kiln.—75-05060A
Dielectric loss properties of magnesia-stabilized zirconia.—75-00315A
Diffusive phenomena in Si_3N_4 ceramics with MgO.—75-09502A
Dissolution of MgO in stagnant CaO-FeO-SiO_2 slags.—75-04316A
Distribution and properties of secondary spinel in magnesia-chrome bricks.—75-07531A
Effect of additives on the properties and formation of MgO dense layer in MgO-C permeable samples.—75-07534A
Effect of ion implantation on thermal shock resistance of magnesia and glass.—75-04497A
Effect of magnesia addition on the phase assemblage and microstructure of reaction-sintered alumina ceramics.—75-01831A
Effect of metallic additives on the oxidation-reduction reaction in magnesia-carbon bricks under vacuum at elevated temperature.—75-07537A
Effect of simultaneous additions of niobia and magnesia on the sintering and microstructure of seeded boehmite.—75-04010A
Effect of starting materials characteristics on microstructures and properties of magnesia-carbon refractories.—75-07543A
Effects of CaO and Al_2O_3 added to MgO-C refractories on MgO-C reaction.—75-07544A
Effects of impurities on the hydration of magnesia clinkers.—75-07545A
Effects of MgO addition on phase evolution and flux pinning of Bi-2212/Ag tapes fabricated by electrophoretic deposition and partial melting processing.—75-08302A
Effects of pitch addition on MgO-C bricks.—75-07546A
Effects of second phase particles on interface and grain boundary structure in MgO-based ceramics.—75-01839A
Electrical behavior of compressed magnesia powder.—75-06451A
Electron microscopic analysis of Pd/MgO mismatched interface.—75-00091A
Epitaxial growth and characterization of lattice-matched $MgO/Cr_{0.7}Mo_{0.3}/MgO(001)$ layered structures.—75-04025A
Growth and structure of Al/MgO interfaces.—75-04330A
Heteroepitaxial growth kinetics in a CVD process using nickel oxide on MgO as a model system.—75-04334A
Heteroepitaxial growth of MgO films on NiO(100) single-crystal surfaces.—75-03044A
HF-resistant ceramics and use thereof.—75-01114P
High-temperature deformation of SiC whisker-reinforced MgO/PSZ mullite composites.—75-02059A
Hydration and hardening of CaO-MgO-SiO_2 cement as biomaterial.—75-07157A
Hydrolysis at stepped MgO surfaces.—75-06241A
Indigenous production of seawater magnesia—need of the hour.—75-08760A
Influence of magnesia particle size distribution on the physical properties of MgO-C bricks.—75-07581A
Influence of magnesium oxide on the properties of a high-temperature superconductor of $Bi_2Sr_2CaCu_2O_{8+x}$ synthesized by melt methods.—75-08342A
Influence of various zirconia additives on high-temperature properties of magnesia spinel brick.—75-07582A
Interaction of ozone with surface electron-donor centers of magnesium and titanium oxides.—75-08957A
Interfaces in ceramic substrates.—75-01876A
Inviscid melt spinning and phase identification of CaO-Al_2O_3-MgO fiber.—75-04087A
Ir spectroscopic investigation of ferrite formation in the MgO-Fe_2O_3 system.—75-05680A
Lower carbon-containing MgO-C bricks with high spalling resistance.—75-07590A
Magnesia cements and concretes.—75-07164A
Magnesia-chrome refractories with excellent spalling resistance obtained by microstructure control techniques.—75-07591A
Magnesia-containing basic castables.—75-07592A
Magnesia-graphite-metal bricks subjected to thermal gradient.—75-07593A
Magnesia-spinel brick containing MgO-rich spinel for steel refining ladle.—75-07594A
Magnesia/magnesite.—75-06039A
Magnetic susceptibility of MgO-C brick.—75-07597A
Mg-PSZ ceramic for high-temperature applications.—75-06683A
MgO at high temperatures and pressures: shell-model lattice dynamics and molecular dynamics.—75-06272A
MgO raw material improved the hydration resistance.—75-07600A
Microstructure and mechanical properties of Mg-PSZ containing nanosized SiC particles.—75-09561A
Microstructure of an icicle-like spinel grown at the MgO/$MgAl_2O_4$ interface in the dense and coarse MgO–fine Al_2O_3 powder system.—75-09567A
Microstructure of magnesia refractories prepared from Iranian magnesite.—75-07603A
Microwave joining of magnesia.—75-09364A
Model to compute phase diagrams in oxides with empirical or first-principles energy methods and application to the solubility limits in the CaO-MgO system.—75-06275A
Modeling of the thermomechanical behavior of magnesia-carbon refractory materials.—75-07605A
Molten cast materials of the Al_2O_3-MgO system.—75-02824A
Oxidation behavior of MgO-C bricks with various additives.—75-07623A
Oxidation kinetics of MgO-SiC composites.—75-04441A
Oxygen self-diffusion in MgO grain boundaries.—75-04286A
Phase equilibria and microstructures in ZrO_2-MgO-SiO_2-SrO system: IV, MgO-based refractories.—75-01233A
Photoluminescence spectra resulting from hydroxy groups on MgO supported on silica.—75-06315A
Photon exchange channel waveguide lasers in Nd:MgO:$LiNbO_3$.—75-03246A
Possible explanations of transient neck formation between pairs of {100} faceted particles.—75-06326A
Preparation and phase relations of the 8- and 8″-alumina materials in the ternary system K_2O-MgO-Al_2O_3.—75-06717A
Preparation and properties of magnesia-alumina spinel by SHS.—75-09385A
Preparation and sinterability of forsterite powders derived from heterogeneous alkoxide solution containing fine MgO powders.—75-01617A
Preparation of MgO-ZrO_2 ultrafine powder by freeze drying.—75-09400A
Preparation of press-formable CaO-MgO-SiO_2-TiO_2-Ag_2O glass for dental crown.—75-08769A
Pressureless sintering of silicon nitride ceramics doped with MgO and Nd_2O_3.—75-04178A
Production of chemically stable magnesia cement based on industrial wastes and nontraditional raw materials.—75-04827A
Properties of MgO-Al_2O_3 spinel clinkers synthesized in China.—75-07637A
Properties of CaO-MgO-P_2O_5 glasses.—75-04989A
Properties of magnesia refractories prepared from Iranian magnesite.—75-07638A
Reactive hot-pressing study of the Al_2O_3-AlN-MgO system.—75-04197A
Reassessment of the ZrO_2-$YO_{1.5}$-MgO system.—75-03834A
Refractory cements in the system (Ca, Sr, Ba)O-MgO-Al_2O_3-Cr_2O_3.—75-07653A
Sintered MgO clinker containing Al_2O_3.—75-07660A
Sintering of MgO and MgO-TiC ceramics by plasma, microwave, and conventional heating.—75-06766A
Stable phases in the MgO-Nb_2O_5 system at 1250°C.—75-06368A
Structure and mechanical properties of nanocrystalline Ag/MgO composites.—75-06519A
Structure of the production and use of magnesia refractories.—75-05145A
Structure of V-MgO and MgO-V interfaces.—75-09073A
Study of a new cement with high iron and magnesium contents.—75-00069A
Study of the MBE growth of MgO on the Fe(001) surface.—75-03173A
Superdense direct-bonded magnesia-chrome brick for AOD and OTBC applications.—75-07669A
Supplying high-quality natural fused magnesia to the world refractory industry—the Australian experience.—75-07670A
Surface damage of yttria–tetragonal zirconia polycrystals and magnesia-partially-stabilized zirconia in single-point abrasion.—75-01042A
Talcomagnesia ores of the Pravdinskoe Deposit as a raw material for the refractory industry.—75-06059A
Tests on the oxidation-inhibiting effect of CaB_6 in refractory MgO-C materials.—75-02843A
Thermal history and mechanical behavior of MgO-C-based refractories.—75-07676A
Thermal shock acoustic emission and microstructure of refractories: II, Basic refractories.—75-02845A
Thermodynamic calculation of the MgO-Y_2O_3-SiO_2 system.—75-03855A
Wear mechanism of magnesia ramming material for cobalt-melting induction furnace.—75-03636A
X-ray induced valence changes in the V_2O_5-MgO system.—75-03866A

magnesite,
Magnesia/magnesite.—75-06039A
Microstructure of magnesia refractories prepared from Iranian magnesite.—75-07603A
Novel guniting material for steel industry.—75-07617A
Properties of magnesia refractories prepared from Iranian magnesite.—75-07638A

magnesium oxide,
Ceramic moldings composed of aluminum oxide having high metallization adhesion.—75-01105P
Dielectric ceramic composition for high frequency.—75-00395P
Effect of TiO_2 on properties of magnesium oxide obtained from seawater.—75-06586A
Electrical properties of Mg-In oxide spinel solid solution.—75-06453A
Fabrication of ferroelectric domain reversals.—75-00712P
Method of armoring a vehicle with an antiballistic material.—75-00164P
Method of producing a layer of superconductive oxide.—75-00910P
Partially stabilized zirconia and its application to electronic device.—75-00407P
Production of acid-soluble titania.—75-01134P
PZT ceramic compositions having reduced sintering temperatures and process for producing same.—75-00408P
Refractory mix and shapes made therefrom.—75-00279P
Superconducting films on alkaline earth fluoride substrate with multiple buffer layers.—75-00920P
Superconducting thin films on epitaxial magnesium oxide grown on silicon.—75-00924P
Use of a finely divided, refractory, oxidic micropowder for preparing ceramic masses and moldings.—75-00280P

magnesium,
Alkali magnesium/zinc silicate glasses with low Rayleigh scattering[—correction].—75-02622A
Binary system of BN-Mg_3N_2 under high pressures and temperatures.—75-06165A
Ceramic body.—75-01103P
Characteristics of parameter optimization and energy resources of thermoelectric materials based on silicon compounds.—75-02974A
Characterization of high-area $Mg_xFe_2O_{1+x}$ ($0 \le x \le 2$) monophase powders by vibrational spectroscopies.—75-06177A
Chemical beam deposition [CBD] of MgF_2 thin films.—75-09238A
Chemical bonding, structure, and morphology of Mg/α-Al_2O_3 and MgO/α-Al_2O_3 interfaces.—75-04304A
Crystal structure of the baykovite mineral.—75-06194A
Deformation of cements with increased magnesium oxide content with changes in hardening conditions.—75-07142A
Densification of Mg-PSZ.—75-01427A
Determination of Mg_3BN_3 structure from powder diffraction data by entropy maximization.—75-06201A
Dielectric ceramic composition.—75-02949P
Dielectric properties of $Ba(Mg_{1/3}Ta_{2/3})O_3$ ceramics at microwave frequencies.—75-00318A
Effect of oxidation heat treatments on the mechanical behavior of an Si-C-O fiber-reinforced magnesium aluminosilicate.—75-06967A
Effect of substitution of In^{3+} ions on the electrical and magnetic properties and Mossbauer study of $Mg_{0.9}Mn_{0.1}In_xFe_{2-x}O_4$ ferrites.—75-05665A
Effect of thermal annealing and γ-irradiation on EPR in $LiNbO_3$:Mg crystals.—75-06214A
Effects of grinding on properties of Mg-PSZ ceramics prepared by the surface enrichment of zirconia powders.—75-06592A
Enhanced toughness of a partially stabilized zirconia at elevated temperatures.—75-09631A
Fine structure and magnetic properties of Mn- and Co-doped nanocrystalline γ-Fe_2O_3.—75-03293A
High-temperature ultrasonic characterization of the mechanical and microstructural behavior of a fibrous composite with a magnesium lithium aluminum silicate [MLAS] glass-ceramic matrix.—75-04340A
Hot-pressing of $MgSiN_2$ ceramics.—75-06638A
Impedance spectroscopy of Mg-partially stabilized zirconia and cubic phase decomposition.—75-08951A
In-plane microstructure of plasma-sprayed Mg-Al spinel and 2/1-mullite-based protective coatings: an electron microscopy study.—75-09552A
Interaction of magnesium-containing refractories and melts of optical glass.—75-07584A
Isomorphic substitution of magnesium cations by cations of rare-earth elements in periclase ceramics.—75-08962A
Kinetics of thermal dehydroxylation and carbonation of magnesium hydroxide.—75-06255A
Large enhancement of electrical conductivity in magnesium phosphate glasses by ion implantation of proton.—75-07345A
Lattice parameters and Curie temperature of sintered magnesium-doped lithium niobate.—75-00670A
Luminescence of undoped and chlorine-doped $Zn_{1-x}Cd_xSe$ and $Zn_{1-y}Mg_yS_xSe_{1-x}$ layers grown by molecular beam epitaxy.—75-07956A
Magnesioaluminate spinel—a potential raw material for making new generation refractories.—75-07595A
Method for joining ceramic sintered bodies.—75-03740P
Method for thermal processing alumina-enriched spinel single crystals.—75-01121P
Method of making spinel compounds.—75-08606P
Monoclinic phase measurement in Mg-PSZ using X-ray diffraction.—75-06278A
Mossbauer spectrometry study of magnesioferrite particles.—75-00751A
Oxidation behavior of an Si-C-O fiber-reinforced magnesium aluminosilicate.—75-06927A
Peroxide route for synthesis of magnesium titanate powders of various compositions.—75-04133A
Phase relation in the system $Ca_3(PO_4)_2$-$MgSiO_3$.—75-09029A
Physical principles of forming photoemissive properties of high-current pulse photocathodes with laser excitation on the basis of magnesium barium alloys.—75-06500A
Preparation and microwave dielectric properties of pure and doped magnesium titanate ceramics.—75-01616A
Preparation of α- and 8-tricalcium phosphate ceramics, with and without magnesium addition.—75-04155A
Preparing magnesium titanate $MgTiO_3$ from metal alcoholates.—75-09405A
Raman scattering in three-cation weak magnetic semiconductor, $Cd_{1-x-y}Mn_xMg_yTe$.—75-05458A
Role of niobium in magnesium titanate microwave dielectric ceramics.—75-02936A
Secondary ion mass spectrometry study of magnesium diffusion in lithium niobate.—75-01774A
Similarities in the behavior of magnesium and calcium in silicate glasses.—75-04927A
Sintering behavior and application of Mg-PSZ ceramic powder made by wet chemical method.—75-07661A
Sol-gel processing and pyroelectric properties of highly oriented $Pb(Mg,Zn)_{1/3}Nb_{2/3}O_3$ [PMZN] thin films.—75-03258A
Sol-gel synthesis of magnesium aluminum spinel from a heterometallic alkoxide.—75-01677A
Spectral luminescence of magnesium fluoroborates doped with manganese(II).—75-06362A
Spectroscopic characterization of magnesium vanadate catalysts: I, Vibrational characterization of $Mg_3(VO_4)_2$, $Mg_2V_2O_7$, and MgV_2O_6 powders.—75-06363A
Spectroscopic characterization of magnesium vanadate catalysts: II, FTIR study of the surface properties of pure and mixed-phase powders.—75-06364A
Surface characterization and catalytic activity of $Co_xMg_{1-x}Al_2O_4$ solid solutions. Oxidation of CO by oxygen.—75-06936A
Synthesis of $MgAl_2O_4$ whiskers by an oxidation-reduction reaction.—75-01709A
TEM observation of martensitic transformation in (Y, Mg)-PSZ ceramics.—75-03847A
Thermally activated martensitic transformations in Mg-PSZ.—75-03852A
Thin film of $MgIn_2O_4$ for use as an electrode in a ferroelectric device.—75-05653P

Three-dimensional dynamic calculation of the equilibrium shape of a coherent tetragonal precipitate in Mg partially stabilized cubic ZrO_2.—75-03859A
Unquenchable perovskite phase of $MgGeO_3$ and comparison with $MgSiO_3$ perovskite.—75-03861A
Zeeman pattern of semimagnetic (CdMn)Te/(CdMg)Te quantum wells in in-plane magnetic fields.—75-05519A

magnetic field,
Ac losses and time constants of flat superconducting cables in inhomogeneous magnetic fields.—75-08258A
Circular dichroism in Cr^{3+}-activated alum under electric and magnetic fields: III. Circular dichroism induced by a magnetic field on transitions of Cr^{3+} ions in alum crystals.—75-06431A
Controlling high-frequency chaos in circular YIG films.—75-00728A
Dependence of rate of domain walls on magnetic field in uniaxial ferrite-garnet films with different attenuation.—75-05660A
Direct visualization of electromagnetic microfields by interference of three-electron waves.—75-08661A
Dynamic localization features of an electron of the quantum semiconductor superlattice in fast-alternating electromagnetic and magnetostatic fields.—75-05286A
Effect of a magnetic field on the anomalous transmission of X-rays in the α-Fe_2O_3 crystal.—75-08199A
Effect of magnetic field treatment on enhanced exchange coupling of $Nd_2Fe_{14}B/Fe_3B$ magnet.—75-08205A
Electron drag by solitons in superlattices in external magnetic fields.—75-07870A
Electron tunneling in heterostructures having a single barrier and symmetrical spacers in longitudinal magnetic field.—75-03015A
Field-independent relationship between critical current and voltage drop for bulk YBCO superconducting sample in a magnetic field.—75-08322A
Influence of quantizing magnetic field on the energy spectrum of electrons in quasi-two-dimensional layers of multivalley semiconductors.—75-03062A
Infrared excitations in semiconductor layered periodic structures in transverse magnetic field.—75-07931A
Laminated superconductor oxide with strontium, calcium, copper and at least one of thallium, lead, and bismuth.—75-08461P
Low-temperature transfer of a charge in *n*-GaAs by nonequilibrium electrons in magnetic field.—75-03086A
Magnetic shielding using high-temperature superconductors.—75-05792A
Magnetooptical pulsed magnetic field gauges based on iron garnet films with increased speed.—75-08231A
Measurement of the Faraday effect of garnet film in alternating magnetic fields.—75-03316A
Metal-insulator transition in a magnetic field.—75-08983A
Phase diagram of electron system of compensated semiconductors in magnetic field.—75-08003A
Redistribution of local current densities in high-T_c ceramics in external magnetic fields.—75-00857A
Singularity of complex magnetic susceptibility of $YBa_2Cu_3O_{6+x}$ in zero and quenched magnetic fields.—75-08411A
Stability of dc and rf SQUIDs in static ambient fields.—75-08416A
Superconducting tube for shielding magnetic fields.—75-08489P

magnetic materials,
Barium hexaferrite-silicon nitride-carbon magnetic recording medium.—75-05719P
Ceramic substrates and magnetic data storage components prepared therefrom.—75-08253P
Control of nanostructures for soft magnetic materials.—75-00727A
High coercivity maghemite particles.—75-03295A
High-T_c SQUID magnetometers for biomagnetic measurements.—75-08329A
Magnetic Ceramics.—75-02165B
Magnetic filters clear the glaze.—75-02875A
Magnetic silica dispersions: preparation and stability of surface-modified silica particles with a magnetic core.—75-05689A
Method of making a multilayer monolithic magnetic component.—75-08254P
NIST metrology program on electromagnetic characterization of materials.—75-02136A
Numerical simulation of aggregation in a magnetic colloid.—75-08997A
Oxide magnetic material.—75-08256P
Production of oxide superconductors having large magnetic levitation force.—75-05882P

magnetic properties,
Anisotropy of the magnetic properties of cuprate single crystals, $R_2Cu_2O_5$ (R=Y, Lu, Tm, Yb, Tb).—75-08261A
Atomic magnetic moment and electronic structure in Fe-B amorphous alloys based on XPS.—75-05657A
Calculation of electron and magnetic characteristics of CuO_2 planes in the framework of the modified approximation of the middle field.—75-08639A
Collective magnetic excitations of Ho^{3+} ions in grain-aligned $HoBa_2Cu_3O_7$.—75-03346A
Dependence of the magnetic properties of $Gd_{2-x}Ce_xCuO_4$, $0 \le x \le 0.15$, on their particle size.—75-03353A
Diffusion of direct surface magnetostatic waves [SMSWs] in the structure of a ferrite-dielectric-metal linearly magnetized by a nonuniform magnetic field.—75-08197A
Disappearance of three-dimensional magnetic ordering in Gd_2CuO_4.—75-03358A
Effect of binder additions on the green and sintered properties of Mn-Zn ferrite ceramics.—75-03287A
Effect of heat treatment on the magnetic and resonant properties of $CuGeO_3$.—75-09133A
Effects of surface treatment of the magnetic properties of acicular iron fine particles.—75-08210A
Effects of the rare-earth ions on some properties of a nickel-zinc ferrite.—75-03290A
High resolution transmission electron microscopy and magnetic properties of nanocrystalline iron particles with oxidized and nitrided surfaces.—75-00738A
Incommensurate magnetic structures in a crystal with two systems of equivalent positions: Cr_2BeO_4.—75-08955A
Indirect exchange of RKKI and magnetic states of ferromagnetic-superconducting superlattices.—75-08339A
Intrinsic giant magnetoresistance of mixed valence La-A-Mn oxide (A=Ca,Sr,Ba).—75-00742A
Inverse magnetization of fine-grained HTSC.—75-08349A
Local diagnostics of the GaAs/AlAs superlattice using optical detection of magnetic resonance and the anti-crossover effect of energy levels.—75-08678A
Long-time magnetic relaxation measurements on a quench melt growth YBCO superconductor.—75-00818A
Low-temperature dynamics of small γ-Fe_2O_3 particles.—75-05682A
Low-temperature magnetic relaxation of organic-coated $NiFe_2O_4$ particles.—75-03301A
Magnetic and structural properties of $CoNiPt(SiO_2)$ alloy films for high-density longitudinal recording.—75-00743A
Magnetic anomalies in single-crystal Fe_3O_4 thin films.—75-03304A
Magnetic characterization of epitaxial $Y_3Fe_5O_{12}/Bi_1Fe_5O_{12}$ and $Y_3Fe_5O_{12}/Eu_1Bi_2Fe_5O_{12}$ heterostructures grown by pulsed laser deposition.—75-00745A
Magnetic flux mapping, magnetization, and current distribution of $YBa_2Cu_3O_7$ thin films by scanning Hall probe measurements.—75-00820A
Magnetic order of Pr ions in related perovskite-type Pr 123 compounds.—75-03380A
Magnetic ordering and electric polarizability of Zn-doped $La_2CuO_{4+\delta}$ single crystals.—75-03381A
Magnetic properties of a novel $Sm_3(Fe,Ti)_{29}N_y$ nitride.—75-00110A
Magnetic properties of cadmium-doped Y-Ba-Cu-O high-temperature superconductors.—75-03382A
Magnetic properties of carbon-coated ferromagnetic nanoparticles produced by a carbon-arc method.—75-03305A
Magnetic properties of FeSi-SiO_2 granular films.—75-00747A
Magnetic properties of fullerene superconductors.—75-08357A
Magnetic properties of modified Ba ferrite particles.—75-03306A
Magnetic state of crystals with tetragonal symmetry.—75-06267A
Magnetoconductivity of $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ in fluctuation regime.—75-00821A
Magnetoelastic interaction in yttrium iron garnet films with magnetic inhomogeneities through the film thickness.—75-03313A
Mechanism of the 90° pulsed magnetization of iron borate single crystals.—75-09160A
Na doping effect on the magnetic properties of the YBCO ceramics.—75-00835A
Nanostructural studies by Mossbauer spectroscopy.—75-01892A
Order-disorder and magnetic exchange interactions in substituted strontium hexaferrite $SrA_xFe_{12-x}O_{19}$ (A=Ga,In).—75-03323A
Phase relations and magnetic properties of tellurides in the Cr-Te system.—75-09030A
Possibility of coexistence of weak ferromagnetism and spatially modulated spin structure in ferroelectrics.—75-08162A
Preparation and magnetic properties of sodium-modified iron oxide thin films by a sol-gel method.—75-04150A
Production of hard magnetic materials based on natural magnetite.—75-08238A
Properties of sintered apatite ceramics.—75-01336A
Search for new high-temperature ferromagnets with enhanced magnetoelectric interaction.—75-05709A
Spectrometer for studying broad dipolar magnetic transitions in magnetic materials and Hall conductivity at microwave frequency in conducting materials.—75-08703A
Stressed state of a conductor from a fixed superconductor during its magnetization in a transverse field.—75-09676A
Structural and magnetic investigations of $YBa_2Cu_xO_{7-\delta}$.—75-08420A
Structural and magnetic properties of $CaAl_4Fe_8O_{19}$.—75-05712A
Superconducting properties of epoxy-modified $YBa_2Cu_3O_{7-x}$ (123) composites.—75-00873A
Surface magnetostatic waves [SMSWs] in exchange-coupled ferrite films.—75-08244A
Surface roughness and magnetic properties of in situ heated and postannealed thin films of perpendicular barium ferrite.—75-03334A
Synthesis, characterization, and properties of ionic metal-fullerene adducts.—75-01351A
Temperature response of the photomagnetic effect in $FeBO_3$ crystals studied in a SKVID magnetometer.—75-05717A
Threshold of two-wave decay of a surface magnetostatic wave in a magnetized cubically anisotropic ferrite film in a dipole approximation.—75-08248A
Transport and magnetic properties of polycrystalline $Sm_{2-x}Ce_xCuO_{4-y}$ [$0.15 \le x < 0.18$].—75-03420A
Ultrafine and exchange fields in $Gd_{1-x}Lu_xFe_2$ compounds.—75-08250A

magnetic shields,
Magnetic shielding scheme around the T/D of the continuous casting foundry.—75-07596A

magnetic susceptibility,
Interpretation of experimentally measured magnetic susceptibilities of a SQUID ring in terms of the quantum mechanics of a double Josephson junction.—75-08348A
Longitudinal nonlinear magnetic susceptibility of magnets in the second harmonics of excitation frequency and the stray signal.—75-09155A
Magnetic susceptibility of crystals of $(InSb)_{1-x}(CdTe)_x$ solid solutions.—75-07960A
Magnetic susceptibility of wide band gap semiconductors.—75-07961A
Magnetic susceptibility studies in Gd_2CuO_4 below 300 K.—75-01307A
Nonlinearity in magnetic response of $Bi_2Sr_2CaCu_2O_8$.—75-08386A
Singularity of complex magnetic susceptibility of $YBa_2Cu_3O_{6+x}$ in zero and quenched magnetic fields.—75-08411A

magnetism,
Magnetic separator trims reject rate.—75-02876A
Magnetism and spin dynamics of nanoscale FeOOH particles.—75-03308A
Superparamagnetism in nanoclustered films of Fe-SiO.—75-05715A

magnetite,
Adsorption of bis(triethanolammonium) 1,10-decanedicarboxylate on magnetite from aqueous solution.—75-06419A
Analysis of the high-temperature relaxation in polycrystalline magnetite.—75-03275A
Features of magnetoresistivity of magnetite.—75-08215A
Nature of Verwey transition in magnetite.—75-08991A
Nonisothermal conditions inside magnetite pellet due to its oxidation.—75-04434A
Production of hard magnetic materials based on natural magnetite.—75-08238A
Thermal analysis of sintering of magnetite pellets.—75-04255A
Verwey transition in magnetite: mean-field solution of the three-band model.—75-00763A
Wannier states in magnetite.—75-00764A

magnetization,
Magnetization and ferromagnetic resonance studies on amorphous films of Fe_2O_3-Bi_2O_3-Li_2O.—75-03310A
Magnetization of oxygen-deficient YBCO domain prepared by melt texture processing.—75-05793A
Magnetization reversal and magnetic clusters in copper ferrite films.—75-03311A
Magnetization reversal mode for individual ellipsoidal single-domain particles of γ-Fe_2O_3.—75-03312A
Nonlinearity in magnetic response of $Bi_2Sr_2CaCu_2O_8$.—75-08386A
Relaxation of dc magnetization of Gd_2CuO_4.—75-05707A
Scaling behavior of virgin magnetization curve of $DyBa_2Cu_3O_x$ crystal prepared by melt-textured growth method.—75-00860A

magnetoelectricity,
Dielectric behavior and magnetoelectric effect in cobalt ferrite–barium titanate composites.—75-05662A
Elastic anharmonism in magnetoelectric tetragonal antiferromagnets.—75-08211A
Influence of demagnetizing factors on the field dependence of the magnetoelectric effect in ferrite-piezoelectric ceramics.—75-08223A
Magnetoelectrical effects in antiferromagnetic Gd_2CuO_4.—75-08230A

magnetooptical properties,
Anisotropy of the magnetic and magnetooptic properties of HoIG:Al single crystals (low and high magnetic field).—75-03278A
Characterization of magnetooptical Mn-doped InGaAsP thin films on InP.—75-02978A
Design, fabrication, switching, and optical characteristics of new magnetooptic spatial light modulator.—75-00729A
Faraday effect in lanthanide-doped oxide glasses.—75-04964A
Influence of radio-frequency sputtering and crystallization parameters on the structure of the BiGa-DyIG garnet films for magnetooptical recording.—75-00740A
Magnetic and magnetooptical properties of Co-, Cr-, Mn-, and Ni-substituted barium ferrite films.—75-03303A
Magnetooptic and magnetic properties of Tb:YIG.—75-03314A
Magnetooptical properties of $(BiGdY)_3Fe_5O_{12}$ for optical magnetic field sensors.—75-03315A
Magnetooptical properties of Ba ferrite particulate media.—75-00749A
Photoluminescence-detected magnetic resonance (PLDMR) study of C_{70} films, glasses, and photopolymerized and oxidized fullerenes.—75-01329A
Uniaxial anisotropy of double-layered garnet films and magnetooptical recording characteristics.—75-03339A

magnetooptics,
Chemical modification of magnetooptic garnet film properties.—75-03281A

magnetoplumbite,
Ferromagnetic resonance spectra of oriented barium ferrite tapes.—75-00735A
Magnetooptical properties of Ba ferrite particulate media.—75-00749A
Structural and magnetic properties of $CaAl_4Fe_8O_{19}$.—75-05712A
Textured magnetoplumbite fiber-matrix interphase derived from sol-gel fiber coatings.—75-03336A
Transverse susceptibility and magnetic anisotropy of CoTi-doped barium hexaferrite single crystals.—75-00761A

magnetoresistance,
Colossal magnetoresistance in La-Ca-Mn-O ferromagnetic thin films.—75-00726A
Features of magnetoresistivity of magnetite.—75-08215A
Giant negative magnetoresistance of semiinsulating amorphous indium oxide films in strong magnetic fields.—75-09145A
Intrinsic giant magnetoresistance of mixed valence La-A-Mn oxide (A=Ca,Sr,Ba).—75-00742A

Large magnetoresistance effect in isotropic polycrystalline perovskite-like La-AM-Mn-O (AM=K, Rb) ceramics.—75-08226A
Magnetoresistance of metastable high-pressure phases.—75-05373A
Out-of-plane magnetoresistivity for fields parallel to the *c*-axis in single-crystalline $(La_{1-x}Sr_x)_2CuO_y$.—75-00840A

magnetostriction,
Anomalous nature of magnetostriction of $R_2Cu_2O_5$ (R=Dy, Ho).—75-05655A
Critical state models for flux-pinning-induced magnetostriction in type-II superconductors.—75-00779A
Effect of an external premagnetizing field on the formation of permanent acoustic memory in magnetostricted polycrystalline ferrite.—75-08200A
Effect of spontaneous magnetostriction on the nuclear spin echo signal in $FeBO_3$.—75-08207A

magnetron sputtering,
Bonelike coatings onto ceramics by reactive magnetron sputtering.—75-09223A
Conduction mechanism of $SrTiO_3$ thin films by rf sputtering.—75-00641A
ECR-assisted reactive magnetron sputtering of InN.—75-00462A
Effect of indentation load on the microhardness of titanium diboride films prepared by magnetron sputtering.—75-09275A
Gas condensation of ultrafine silicon particles using dc magnetron sputtering.—75-04053A
Growth parameter effect in superconducting $YBa_2Cu_4O_8$ thin fims by dc magnetron sputtering.—75-05774A
Low-energy threshold in the growth of cubic boron nitride films by ECR plasma-assisted magnetron sputtering.—75-01562A
Magnetron-sputtered CN_x films.—75-09357A
Preparation of (Pb, La)TiO_3 thin films by multiple cathode sputtering.—75-00691A
Production of bronze $La_xV_2O_5$ by magnetron sputtering.—75-06750A

magnets,
Effect of magnetic field treatment on enhanced exchange coupling of $Nd_2Fe_{14}B/Fe_3B$ magnet.—75-08205A
Effects of additives on magnetic properties of sheet Sr-Ba ferrite magnets.—75-00732A
Magnetic properties of nanocrystalline magnets fabricated by the shock compaction technique.—75-05687A
Nd-Fe-B rare-earth magnets—main applications.—75-08233A

maintenance,
Blast furnace design for long campaigns and easy maintenance.—75-07484A
Refractory maintenance and repair.—75-02836A

majolica,
Contempo-baroque majolica—the art of Simona Alexandrov.—75-02226A

management,
Agile Manufacturing concepts and opportunities in ceramics.—75-02111A
Ceramic factory in the former East Germany.—75-02757A
GBC Materials [Latrobe, PA], job shop in the '90s.—75-04710A
Implementation of reforms—a task for professional managers.—75-09721A
Innovative technology transfer initiatives.—75-07080A
ISO 9000—why many companies get it wrong.—75-04715A
Quality and ISO certification.—75-04733A
Storage handling of ceramic products by means of AGVs [automatic guided vehicles].—75-04755A
Synchronous flow management—how to win not merely survive.—75-07095A
Tunnel kiln for China.—75-03633A
Wastewater treatment in today's regulatory environment.—75-03538A
Work team approach succeeds at Robinson Brick.—75-04766A

manganates,
Ferro- and ferrimagnetism of $La_{0.9}Na_{0.1}Cu_xMn_{1-x}O_3$.—75-05672A
Ferromagnetic $La_{0.6}Pb_{0.4}MnO_3$ thin films with giant magnetoresistance at 300 K.—75-00662A
Flame pyrolysis: a preparation route for ultrafine powders of metastable ß-$SrMnO_3$ and $NiMn_2O_4$.—75-06609A

manganese oxide,
Compositions of high frequency dielectric ceramics.—75-02948P
Crystal chemical modeling of the Li ion distribution in $Li_xMn_2O_4$.—75-03777A
Effect of cobalt(II) oxide and manganese(IV) oxide on sintering of tin(IV) oxide.—75-04000A
Effect of manganese oxide on the corrosion behavior of alumina-silica-graphite shroud nozzle in continuous casting.—75-07536A
Effect of MnO, CaO, and nitrogen on the alkaline durability of soda-lime silicate glasses.—75-05007A
Experimental study of phosphorus sorption on manganese dioxide.—75-09143A
HREM study of oxygen-defective $LaMnO_{3-x}$ with twin structure.—75-09550A
Physical and electrical properties of MnO_2-doped $Pb(Zr_xTi_{1-x})O_3$ ceramics.—75-06499A
Preparation of $Li_xMn_2O_4$ electrode materials for lithium ion batteries.—75-02930A
Preparation of Mn-containing mixed oxide thin films by a dip coating method using metal naphthenates.—75-01623A
Production of acid-soluble titania.—75-01134P
Reliability of ceramic capacitor, past, present, and future.—75-00372A
Thermodynamic properties of manganese oxides.—75-06396A
X-ray and thermodynamic study of $DySrMn_2O_{5.5}$.—75-06410A

manganese,
Aging studies of atomic layer epitaxy ZnS:Mn alternating-current thin-film electroluminescent devices.—75-05236A
Cathodoluminescence of $Zn_{1-x}Mn_xSe$:Ni.—75-05256A
Characteristic features of conductivity of $Cd_{0.95}Mn_{0.05}Te$:Co crystals.—75-02973A
Characterization and low-temperature sintering of reactive Mn-Zn ferrite powder.—75-08195A
Characterization of the Mn and Co volume-doped acicular γ-Fe_2O_3 particles.—75-00724A
Combustion synthesis and properties of fine-particle Mg-Zn ferrites.—75-05659A
Complex study of narrow-gap *p*-$Mn_xHg_{1-x}Te$ semiconductors.—75-07809A
Crystal structure of a new natural (Na,Mn,Ti)-phyllosilicate.—75-08891A
Crystal-chemical and magnetic properties of $Ca_{1-x}Mn_x(VO_3)_2$.—75-09123A
Effect of cooling in vacuum on the electrical properties of Mn-Zn off-stoichiometric ferrites.—75-08202A
Effect of Mn on aging of $(Pb_{0.63}Ba_{0.37})(Zr_{0.7}Ti_{0.3})O_3$ dielectric ceramics.—75-05185A
Effect of substitution of In^{3+} ions on the electrical and magnetic properties and Mossbauer study of $Mg_{0.9}Mn_{0.1}In_xFe_{2-x}O_4$ ferrites.—75-05665A
Electrical conductivity of Mn-Zn ferrites.—75-03291A
Electrophysical properties of heavily doped InSb(Mn).—75-06461A
EPR and luminescence of plastically deformed ZnS:Mn crystals.—75-07877A
EPR study of the $Mn_xV_{1-x}S$ system [x=0–1].—75-07879A
Faraday effect in $Hg_{1-x}Mn_xTe$ semimagnetic semiconductors.—75-05321A
Features of Jahn Teller phase transformation in rare-earth orthomanganites.—75-05671A
Ferrimagnetic-antiferromagnetic [F-AF] phase transition in $Mn_2Sb(As)$ melts under high pressure.—75-08217A
Heat capacity and thermodynamic functions of $LaCaMn_2O_{5.5}$ in the range 298–673 K.—75-08947A
Influence of ferrous content on the second maximum permeability temperature of Mn-Zn ferrites.—75-03296A
Influence of heat treatments on order-disorder phenomena in a naturally occurring manganese ferrite.—75-00739A
Influence of manganese on the diffusion distribution of nickel in silicon.—75-03059A
Influence of mole ratio of CaO to SiO_2 on magnetic properties and grain size of Mn-Zn ferrites.—75-05679A
Injection and field ionization of traps in $MnGa_2Se_4$ single crystals.—75-03064A
Localization of excitons in $Cd_{1-x}Mn_xTe$ crystals near the paramagnetic–spin glass phase transition temperature.—75-07952A
Low-temperature photoelectric property peculiarities of $Mn_xHg_{1-x}Te$.—75-07955A
Magnetic and structural phase transitions in imperfect manganese arsenide.—75-08977A
Mechanism for crack formation of Mn-Zn ferrites in the heating stage.—75-02076A
Memory effect of a shape in hexagonal manganites of $RMnO_3$ (R=Ho, Y).—75-05604A
Metal-ceramic microstructures in the Fe-Mn-O system—morphology control by impurity addition.—75-04353A
Microstructure study of Sm, Mn-modified $PbTiO_3$ piezoelectric ceramics by XRD and profile-fitting technique.—75-05607A
Mn-promoted Rh/NaY zeolite catalysts: an ir spectroscopic study.—75-06273A
Mosaic structure of PbTe crystals.—75-08989A
Nanoscale coating of silicon and manganese on ferrimagnetic yttrium iron garnets.—75-08232A
Neutron studies of the magnetic properties of $EuMn_2O_5$.—75-09162A
Nonuniform magnetic state of $La_{0.9}Na_{0.1}Mn_{1-x}(Cu, V)_xO_3$.—75-05700A
Novel varistor material based on tungsten oxide.—75-05202A
Observation and simulation of space-charge effects and hysteresis in ZnS:Mn ac thin film electroluminescent devices.—75-00556A
Oxygen nonstoichiometry and defects in Mn-doped $Gd_2Ti_2O_{7+x}$.—75-07741A
Persistent photoconductivity in CdTe-based II-VI semiconductors.—75-05417A
Photoconductivity of $MnIn_2S_4$ single crystals.—75-05424A
Photoinduced absorption of light in a solid solution of $Cd_{0.65}Mn_{0.35}Te$ with a high concentration of defects.—75-05429A
Physicochemical processes at the interface of $MnSi_{1.75}$ and CoSi.—75-06317A
Polarized luminescence of CdMnTe in the external magnetic field.—75-05440A
Preparation of Mn-modified tetragonal PZT ceramics and their pyroelectric properties.—75-08166A
Production of Mn-Zn ferrite ceramics by injection molding.—75-05705A
Properties of ribbon made from shape memory alloy Ni_2MnGa by quenching from the liquid state.—75-03330A
Raman scattering in three-cation weak magnetic semiconductor, $Cd_{1-x-y}Mn_xMg_yTe$.—75-05458A
Removal of zinc from aqueous solutions by means of their contact with a manganese zinc ferrite powder.—75-05708A
Structural and magnetic properties of $Mn_{2-x}Ni_xAs$, $Mn_{2-x}Cu_xAs$, and $Mn_{2-x}Zn_xAs$ solid solutions with Cu_2Sb-type crystal structure.—75-09065A
Structural, optical, and magnetic properties of $Cd_{0.77}Mn_{0.23}Te$ thin films.—75-06518A
Subsolidus region of the Na_2MoO_4-$MnMoO_4$ system.—75-06377A
Substrate photoluminescence: an aid in the evaluation of pulsed laser evaporation and epitaxial growth of $Cd_{1-x}MnTe$ epilayers on (111)GaAs.—75-05491A
Synthesis and crystal structures of cesium and manganese(II,III) double cyclophosphates with $Cs_3Mn_{-1}^{II}Mn^{III}(P_8O_{18})_2$, $CsMn^{II}Mn^{III}P_4O_{18}$-I, and $CsMn^{II}Mn^{III}P_4O_{18}$-II compositions.—75-09077A
Synthesis and properties of manganese(II) double molybdates with rubidium and cesium.—75-06384A
Thermally stimulated conductivity in plastically deformed ZnS-Cu,Mn crystals.—75-05503A
Thermodynamic functions of $LnSrMn_2O_{5.5}$ (Ln=La, Nd, Gd, Ho, Er, Lu) in the interval of 298.15–673 K.—75-09090A
Time behavior of currents in ZnS:Mn metal-insulator-semiconductor-insulator-metal structures.—75-00622A
Transition metal impurities and band offsets in $Zn_{1-x}Mn_xSe$(Ni) compounds.—75-06532A
Zeeman pattern of semimagnetic (CdMn)Te/(CdMg)Te quantum wells in in-plane magnetic fields.—75-05519A

manganites,
Colossal magnetoresistance in La-Ca-Mn-O ferromagnetic thin films.—75-00726A
Localization of oxygen cathodic reduction zone at lanthanum manganite/zirconia interface.—75-07736A
Oxygen diffusivity in cation-defective lanthanum manganite.—75-04285A
Structure, stoichiometry, and phase purity of strontium-doped lanthanum manganite powders.—75-06376A

manufacture,
Cement-containing activated belite.—75-07195P
Fitting and successful celebration for the 100th anniversary [of Reimbold & Strick, Cologne, Germany].—75-07074A

manufacturing,
12th Annual Giants in Ceramics.—75-04669A
1993 supplier of the year—Ferro Corporation.—75-04670A
250 years of Hochst porcelain.—75-07058A
75 years of experience in the ceramics field.—75-02109A
Achieving tile consistency with a new process.—75-02749A
Agile and green manufacturing and superhard-coated cutting tools.—75-08510A
Agile Manufacturing concepts and opportunities in ceramics.—75-02111A
Agile manufacturing, a solution for many ceramic industry manufacturing problems.—75-05891A
Agrob-Buchtal-Keramik: the German tradition.—75-09702A
Alumina catalysts support manufacture.—75-08771P
Apparatus and process for manufacturing balls made of a ceramic material.—75-08551P
Apparatus for making nanostructured ceramic powders and whiskers.—75-08552P
Ball posts 30% earnings increase for quarter.—75-02701A
Bead making.—75-02198A
Benefits from supplier participation in designing parts for porcelain enamel application.—75-00074A
Big producer between Europe and Asia.—75-02752A
Binders for ceramic products.—75-08554P
Brickworks technology of the future.—75-00235A
Cecrisa, the reconquest of Brazil.—75-02756A
Ceramic factory in the former East Germany.—75-02757A
Ceramic manufacturing—optimizing a multivariable system.—75-02115A
Ceramic mirrors and method of manufacturing same.—75-07412P
Ceramic parts having small hole(s) and method of manufacturing the same.—75-08562P
Ceramic sheet with catalyst and its manufacturing method.—75-08563P
Ceramic substrate and manufacturing method thereof.—75-08565P
Ceramic Transactions, Volume 66: Challenges in Ceramic Product Development, Manufacture, and Commercialization.—75-04772B
Cerdec Corp. [, Washington, PA].—75-02853A
Cevisama '94.—75-02759A
Challenges continue for U.S. advanced ceramics.—75-04690A
Civita Castellana, specializing in sanitary ware.—75-02856A
Coating solution suitable for the manufacture of a magnesium oxide layer and a method of manufacturing such a layer.—75-08568P
Cogeneration installations on clay spray dryers.—75-00946A
Computer-aided manufacturing of laminated engineering materials [CAM-LEM].—75-03512A
Coors Ceramics [Golden, CO]—a diverse operation in the '90s.—75-04695A
Corning produces monolithic mirror blank.—75-03514A
Cost-Effective Ceramics Program in the United States.—75-04696A
Creating a virtual ceramic corporation.—75-04697A
Design for manufacturability—what, when & how.—75-02123A
Designing for manufacturing—an update.—75-02124A
Development and application of high-quality magnesite-chrome bricks for VOD refining furnace.—75-03612A
Development of refractory inserts for improving the performance of ingot mold bottom plates.—75-07527A
Dry Tech Multiline: an evolution in raw materials preparation for ceramic tiles.—75-00284A
Ductile regime machining of brittle materials.—75-05899A
Effect of quenching a rod on the properties of a gradient-index image translator.—75-09281A
European ceramic tile industry.—75-07070A
Ever larger companies.—75-09712A
Features of production of piezoceramic materials during small-scale manufacturing.—75-05571A
Feldspar industry in Europe.—75-02130A
Flat glass news.—75-02717A
Flat glassmaker sees more growth and opportunity.—75-04708A
Foamed glass manufacture.—75-07419P
Giants in advanced ceramics.—75-04711A
Giants in glass.—75-02721A
Giants in porcelain enamel.—75-02870A

Giants in refractories.—75-02820A
Giants in whiteware.—75-02871A
Glazing and glaze factories.—75-09717A
Harrop Industries Inc. [Columbus, OH].—75-03615A
Heimsoth [Heimsoth, Dubois, and Netzsch—a new giant: the] most versatile plant supplier in the ceramics industry based in Aachen[, Germany].—75-07078A
High temperature superconducting coil and method of manufacturing thereof.—75-08457P
High-temperature technology company [FTC/Rodental, Germany] makes unprecedented recovery.—75-07079A
How is the oldest cement plant in Russia today.—75-07156A
How to manufacture glass-forming molds.—75-07387A
Improvement in refractory of top and bottom blowing converter (K-BOP) at Chiba No. 1 steelmaking shop.—75-07573A
Int'l Tile and Stone Exposition '94.—75-02780A
Integrated approach to product development and manufacturing.—75-07081A
Inverse shape replication method of making ceramic composite articles.—75-08582P
Is your glass full of water.—75-05023A
Issues in powder forming technologies.—75-04716A
Italy—turnover of ceramic tile producers.—75-02781A
Italy: the ceramic sector balance sheets.—75-09724A
Keller [GmbH, Germany], a century of innovation.—75-02782A
Kiln furniture clears the way for new technology.—75-06000A
Knowledge-based expert systems for composites manufacturing.—75-04719A
Large ceramic articles and method of manufacturing.—75-02950P
Large reflector telescope: manufacturing process of a 8 meter mirror blank.—75-05025A
Lightweight ceramic abrasive media.—75-02172P
Long-term forecast for the development of the American cement industry.—75-07163A
Making roofing tile Japanese style.—75-02783A
Manufacture of conical pore ceramics by electrophoretic deposition.—75-05922P
Manufacture of optical fibers for communications.—75-00959A
Manufacture of shaped refractory objects.—75-05157P
Manufacturing considerations for mcm-d large format fabrication.—75-00348A
Manufacturing of iron carbides in fluidized bed reactors.—75-04100A
Manufacturing of specialty optical fibers.—75-00960A
Manufacturing tailored property ceramic composites.—75-00961A
Manufacturing technology of multilayered transducers.—75-00962A
Marbles take center stage at hand glass meeting.—75-04722A
Material supplier's role in market development.—75-02133A
Measurement and control in ceramics.—75-06002A
Method for manufacturing a superconducting device having an extremely thin superconducting channel formed of oxide superconductor material.—75-08467P
Method for manufacturing a superconducting device having an extremely thin superconducting channel.—75-08468P
Method for manufacturing multilayer ceramic substrate.—75-07765P
Method of making a ceramic tube.—75-08600P
Method of making a free-standing diamond film with reduced bowing.—75-08601P
Method of making a multilayer piezoelectric composite.—75-08182P
Method of manufacturing ceramic laminated compact.—75-08607P
Method of manufacturing composite ferrite.—75-05720P
Method of manufacturing ferroelectric bismuth-layered oxides.—75-08183P
Method of manufacturing hollow ceramic part with hole therein.—75-05926P
Method of manufacturing hollow ceramic rolling elements.—75-08608P
Method of manufacturing laminated ceramic capacitors.—75-02953P
Method of preparing a high solids content, low viscosity ceramic slurry.—75-05927P
Modular sanitary ware plant concept.—75-07087A
Need for advanced characterization techniques in product manufacturing: a case study on ceramic matrix composites.—75-06902A
New niche for a century old plant.—75-00247A
New products for glass container manufacturers.—75-02733A
New twist to glass fiber.—75-02734A
Nonicing pump improves production process.—75-03531A
NTC thermistor manufacturing.—75-00356A
Optimizing throughput in tile plants.—75-02786A
Outlook of raw materials used for porcelain enamels.—75-01068A
Overview of the U.S. refractories industry.—75-02826A
Oxide superconducting film manufacturing apparatus.—75-08480P
Parallam—new structural wood composite.—75-02139A
PCD [polycrystalline diamond]-tipped cutting tool systems for best-in-class manufacturing.—75-07224A
Plant for automated product coating.—75-00977A
Polyurethanes in the ceramic industry.—75-07092A
Ponholz: clay and chamotte from the Naab Valley[, Germany].—75-06047A
Porous mold for manufacturing ceramics.—75-03547P
Probabilistic design for manufacturability.—75-02140A
Process engineering of multilayered ceramic capacitors.—75-05208A
Processing trends in tile manufacturing.—75-02790A
Producing and controlling substrate temperature uniformity from 600°C to 1100°C in CVD rotating disk reactors.—75-03534A
Product showcase '95.—75-04732A
Production and properties of Cr_2O_3 raw material for refractories.—75-02829A
Production of transparent ceramics (review).—75-04187A
Program for auditing porcelain enamel plants.—75-00123A
Quality system in a production plant with continuous process: the case of Sardamag SpA (Italy).—75-07640A
Quartz ceramics—a new material in electrical engineering.—75-03143A
Refractories for cement rotary kiln.—75-07648A
Refractories industry in Europe.—75-02833A
Relative impact of manufacturing vs service flaws on design of glass articles.—75-00199A
Review of ceramic powder compositions and their manufacturing routes.—75-00985A
Saffil alumina fiber: manufacture, properties, and application in high-temperature furnaces.—75-05134A
Saint-Gobain/Norton Industrial Ceramic Corp.—75-04747A
Sol-gel-based precursors for manufacturing refractory oxide fibers.—75-05138A
Starting a manufacturing business in New York State—economic and technology issues.—75-02148A
Supplier awards recognize service to industry.—75-04758A
Swedish tiles from Hoganas [Angelholm, Sweden].—75-09736A
Synchronous flow management—how to win not merely survive.—75-07095A
Systems approach to grinding.—75-00988A
Technical equipment and problems of ecology.—75-07191A
Technical problems encountered in the manufacture of lead calcium titanate.—75-01726A
Technogerma Mexico '94.—75-02842A
Thermistors—fundamentals and manufacturing issues.—75-00380A
Tile made of bulgarite.—75-02797A
Towards perfectly parallel and flat sheet and plate glass surfaces.—75-05045A
TQM concepts boost productivity at Lenox Inc.—75-02798A
Tracing ware without using bar codes.—75-07098A
Transferring technology to improve competitiveness.—75-04762A
Tray, particularly for use with ceramic ware.—75-01005P
Trends in laboratory testing equipment.—75-03536A
U.S. auto industry helps British glassmaker improve earnings.—75-04763A
Unidirectional purging system in secondary steelmaking.—75-07687A
Use of built-up granulate in tile manufacture.—75-05068A
Use of zinc selenite in glass manufacture.—75-05046A
Using a simple feedback loop to accurately count and track WIP [work in process].—75-03603A
Using DOE to reduce costs and improve the quality of microelectronic manufacturing processes.—75-00631A
Versatile clay conditioners with an international pedigree.—75-02799A
Visions in industrial furnace technology.—75-03635A
Work team approach succeeds at Robinson Brick.—75-04766A
World ceramic tile production and consumption.—75-02803A
Zirconia-based composite material and method of manufacturing the same product.—75-08791P

market forecast,
Spending right to make money.—75-04751A

market statistics,
12th Annual Giants in Ceramics.—75-04669A
Advanced ceramic powder and nanosized ceramic powder: an industry and market overview.—75-04674A
Agrob-Buchtal-Keramik: the German tradition.—75-09702A
As U.S. market improves, North American operations become bright spot for Glaverbel.—75-04677A
BOF refractory campaign life in U.S. and Canada: past, present, and future.—75-09704A
Carborundum Co., Ceramic Fibers Group.—75-04684A
Cersaie.—75-04689A
Challenges continue for U.S. advanced ceramics.—75-04690A
China steel and refractories industries.—75-09705A
Civita Castellana, specializing in sanitary ware.—75-02856A
Current status and future trends in refractory development in India.—75-07501A
Demands on unshaped refractories in the next decade.—75-09709A
Economics of electronic ceramics.—75-04703A
Ever larger companies.—75-09712A
Experience of operating the Moscow cement market.—75-09713A
Feldspar industry in Europe.—75-02130A
Fifty years of Japanese Refractories Association.—75-07073A
First half sales strong in several key markets.—75-04707A
Fitting and successful celebration for the 100th anniversary [of Reimbold & Strick, Cologne, Germany].—75-07074A
Flat glass demand expected to grow in 1996.—75-09714A
Flat glassmaker sees more growth and opportunity.—75-04708A
GATT negotiations—a world market for ceramics.—75-04709A
Giants in advanced ceramics.—75-04711A
Giants in glass.—75-02721A
Giants in porcelain enamel.—75-02870A
Giants in refractories.—75-02820A
Giants in structural clay.—75-02774A
Giants in whiteware.—75-02871A
Glazing and glaze factories.—75-09717A
Global trade in refractory minerals: Indian prospects.—75-07557A
Good news for the glass container industry—containers see major growth in two key segments.—75-04712A
Great Britain, waiting for consumption to take off.—75-02776A
Heimsoth [Heimsoth, Dubois, and Netzsch—a new giant: the] most versatile plant supplier in the ceramics industry based in Aachen[, Germany].—75-07078A
Innovative technology transfer initiatives.—75-04713A
Interaction between specialized sciences and refractory and metallurgical enterprises undergoing reconstruction.—75-09723A
Investigative approach and analytical components concerning the state of the cement market in Central Russia.—75-07162A
Italy: the ceramic sector balance sheets.—75-09724A
Joint stock company in the coming-to-be market.—75-07587A
Lightweighting, joint-venture help container maker increase market share.—75-04721A
Material supplier's role in market development.—75-02133A
Metamorphosis of a small business.—75-02294A
New England [New South Wales, Australia] sapphire industry.—75-02135A
Recent trends in monolithic refractories.—75-07644A
Refractories for future steelmaking—global scenario and trend in India.—75-07650A
Refractories selection for stainless steelmaking process.—75-07651A
Renewed glass division reaps the rewards.—75-04742A
Review on China's refractories industry in 1995.—75-05131A
Siu Fung, a Chinese leader.—75-04750A
State of the art and prospects of the basic refractory raw materials in China.—75-07667A
Statistics from the Yearbook of Iron and Steel Industry of China in 1993.—75-02839A
Statistics.—75-02840A
Strong growth forecast for advanced structural ceramics.—75-04756A
Superior Graphite dedicates ß-SiC plant.—75-04757A
Supplier awards recognize service to industry.—75-04758A
Swedish tiles from Hoganas [Angelholm, Sweden].—75-09736A
Technical ceramics—where do they stand and where are they heading.—75-07096A
Two priorities for the glass industry.—75-02151A
U.S. auto industry helps British glassmaker improve earnings.—75-04763A
Various media fill different information needs.—75-09739A
What do the others have that we do not.—75-07099A
What's happening overseas [in porcelain enameling].—75-00148A
World advanced ceramics.—75-07100A
World's tile production: technology, markets, and prospects.—75-07101A
World-class refractories.—75-07102A
Zannoni—Italy is still world champion.—75-02804A

martensite,
Martensitic transformation.—75-06069A
Size effect of the martensitic transformation in ZrO_2-containing ceramics.—75-03835A

masks and masking,
Theoretical analysis of dopant redistribution in silicon after implantation through an SiO_2 mask.—75-00615A

masonry,
Adhesion mechanisms in masonry.—75-02750A
European standardization with reference to masonry construction.—75-07071A
Filling of small, storey-high channels in reinforced masonry to give a sealed microstructure.—75-00243A
Tests on the behavior of lightweight, vertically perforated, clay masonry units.—75-05067A

materials engineering,
Origin and evolution of functionally gradient materials.—75-04862A
Science and technology in composite materials—functionally gradient materials.—75-04865A

materials,
Ceramic Transactions, Volume 59: Theory and Application in Materials Processing III.—75-02160B
Materials and equipment data file.—75-04723A
Materials and equipment data file.—75-04724A
Materials and equipment data file.—75-04725A
Materials and equipment data file.—75-04726A
Materials processing via variable frequency microwave irradiation.—75-00963A
Mechanical property and behavior of railway sleeper materials.—75-04593A
Product review—the latest in technology.—75-04731A
Questions to Pierre-Claude Aitcin, Program Leader, Network of Centres of Excellence on High Performance Concrete, Universite de Sherbrooke.—75-04737A
Repeat orders for materials transfer systems.—75-04743A

matrix,
Behavior of cement-based matrices reinforced by randomly dispersed microfibers.—75-04807A
Development of metal matrix composite baseplate technology for high current power modules.—75-00086A
Diamond metal matrix composites as an electronic packaging material.—75-00087A
Fabrication of optically transparent short-fiber-reinforced glass matrix composites.—75-02715A
Normal and abnormal grain growth rates in a spherical grain matrix.—75-09572A
Phenomena at the corundum matrix/fiber interface.—75-09036A

measurement,
R-curve measurement of silicon nitride ceramics using single-edge notched beam specimens.—75-06939A
1994's top products.—75-04671A
Ceramic cell for measuring electrical conductivity of liquid solution.—75-08715P
Characterization of optical fibers using near-field scanning optical microscopy.—75-06865A
Comparative study of particle size analyses using common samples.—75-05940A

Comparison of particle size analyzers and evaluation of the measuring technique with fine ceramic powders: II. Nonoxide powders.—75-08643A
Components of surface free energy of quartz from contact angle measurements.—75-06187A
Determination of the redox state of a glass melt by electrochemical measurements.—75-03455A
Determining brick strength during examination of stone structures.—75-07443A
Development of automatic testing system for modulus of rupture at elevated temperatures and application to measuring.—75-08658A
Elastic constants of boron nitride.—75-01279A
Express moisture gage of a brick body.—75-07447A
Fast photometric determination of iron impurity in red lead and litharge.—75-03563A
Group effective indices of different types of optical fibers measured around 1550 nm.—75-06467A
Heat capacity of titanium disilicide.—75-01220A
High-temperature dielectric constant measurement—another analytical tool for ceramic studies.—75-01025A
Inexpensive technique for estimating the thermal conductivity of CVD diamond from the optical absorption.—75-08675A
Lithium ion conductivity in $Li_{3x}La_{2/3-x}\square_{1/3-2x}TiO_3$ [x=0.017–0.317] system.—75-09154A
Low-temperature thermal conductivity measurement apparatus: design assembly, calibration, and measurement on (Y123, Bi2223) superconductors.—75-08679A
Low-temperature torsion pendulum measurements on YBCO superconductors.—75-03379A
Measurement and control in ceramics.—75-06002A
Measurement of fracture toughness and work-of-fracture of ceramics using the JIS-type bending beam with a chevron notch.—75-08681A
Measurement of interfacial micromechanics in ceramic matrix composites.—75-01029A
Measurement of piezoelectric coefficients of ferroelectric thin films.—75-00672A
Measurement of porosity in ceramic coatings by thermogravimetric volatilization of liquids [TVL].—75-08682A
Measurement system for thermoelectric properties of gradually segmented composite elements over a large temperature span.—75-03578A
Measurements of thermal conductivity of diamond films by photothermal deflection technique.—75-03579A
Measuring the fractal dimensions of fume aerosols in situ using light scattering.—75-05958A
Measuring the fracture properties of ceramics.—75-05959A
Methods divergence between measurements of micrometer and submicrometer surface features.—75-03580A
Microwave techniques for measuring complex permittivity and permeability of materials.—75-01034A
Necessity for establishment of international standards for powders.—75-07088A
New method for measurement of powder characteristics based on reentrainment phenomena.—75-05966A
New pycnometer (specific gravity bottle) for determining cement density.—75-08689A
Parallel Measurement Programme in high-temperature dielectric property measurements: an update.—75-01038A
Present circumstances of international standardization activities on flexural strength.—75-09730A
Quantitative evaluation of immersion liquid technique.—75-08697A
Sources of strain-measurement error in flag-based extensometry.—75-03597A
Thermal diffusivity measurement of CVD diamond.—75-08709A
Thermal stress in diamond films.—75-09682A
Time domain techniques applied to measurement and modeling of microwave packages.—75-01046A
Ultrasonic particle sizing.—75-05986A
VAMAS round robin on fracture toughness of silicon nitride.—75-09690A

mechanical properties,

α′/ß′ SiAlON composites—attractive science and great potential for high-performance applications.—75-01368A
Aluminum nitride sintered body and method for manufacturing the same.—75-08816P
Applicability of ceramics for cryogenic use.—75-01074A
Application of aluminum titanate as thermocouple protection tubes in the molten aluminum industry.—75-01075A
BN/RBSN composite materials.—75-03871A
Carbon fiber with electroless copper plating.—75-02441A
Chemical and physical properties of white cement concrete.—75-02391A
Comparative mechanical evaluation of two 2.5-D C/SiC composites processed via chemical vapor infiltraton and powder infiltration/polymer injection routes.—75-04459A
Composition, microstructure, and application of bauxite based on mineral separation.—75-02810A
Containerless automated processing of single-crystal NiAl and intermetallic polyphase composites.—75-09245A
Correlation between microstructure, phase transformation during fracture, and the mechanical properties of Y-TZP ceramics.—75-09609A
Correlation of the mechanical to the thermomechanical strength of ceramic packages.—75-04468A
Crystalline phases and mechanical properties of TZP ceramics prepared from sol-gel powders.—75-06437A
Crystalline Si_3N_4/amorphous Si_3N_4 composite.—75-02034A
Cyclic damage in lead zirconate titanate.—75-05542A
Databook on Mechanical and Thermophysical Properties of Whisker-Reinforced Ceramic Matrix Composites.—75-04776B
Densification and mechanical properties of shock-treated alumina and its composites.—75-06438A
Design with ceramic matrix composites.—75-03555A
Development of functionally gradient cast material by means of temperature difference heat treatment.—75-03517A
Development of hydroxyapatite with enhanced mechanical properties: effect of high glass additions on mechanical properties and phase stability of sintered hydroxyapatite.—75-01434A
Development research on high-performance sillimanite refractory.—75-02812A
Diamond coating of metal alloys.—75-07204A
Ductile phase toughened ceramics by partial reduction reactions in the Ni-Al-O system—mechanical properties and effect of dopants.—75-02456A
Dynamic mechanical analysis of prestrained Al_2O_3/Al metal matrix composite.—75-04848A
Effect of amount of halogen impurities on high-temperature mechanical properties of sintered Si_3N_4.—75-02038A
Effect of hot-pressing time and post-heat treatment on the microstructure and mechanical properties of SiC fiber-reinforced glass-ceramic composites.—75-05006A
Effect of mechanical properties of the matrix of the diamond tool on cutting ability.—75-02041A
Effect of oxidation on the mechanical properties of Nextel 312/BN/Blackglas composites.—75-04499A
Effect of zirconia (3 mol% yttria) additive on mechanical properties and structure of alumina ceramics.—75-06872A
Effect of ZrO_2 addition on strength and dilation behavior of cordierite ceramics.—75-06970A
Effects of additives on sintering and mechanical properties of alumina.—75-04015A
Effects of adsorbed species on microstructure and mechanical properties of Al_2O_3.—75-02044A
Effects of ball milling time on the properties of low-purity ß-phase silicon nitride powder and the hot-pressed body.—75-09292A
Effects of coating layer on mechanical properties of LAS/Nicalson SiC fibre composites.—75-00089A
Effects of interfacial phase composition and structure on elevated temperature properties of SiC(w)/Si_3N_4 composites.—75-04320A
Effects of nanosized filler dispersion on mechanical properties of carbon fiber reinforced epoxy composites.—75-02046A
Effects of structural morphology on mechanical properties for SiC/Al ceramic-metal composites.—75-02462A
Effects of thermal cycling on the physical and mechanical properties of [NZP] ceramics.—75-01278A
Elevated-temperature mechanical behavior of plasma-sprayed $MoSi_2$-SiC.—75-04510A
Epoxy-modified $YBa_2Cu_3O_{7-x}$ (123) superconductors with improved strength and fracture toughness.—75-00801A
Evaluation of brazed silicon nitride joints: microstructure and mechanical properties.—75-02467A
Evaluation of graphite foams as low mass structural materials.—75-01290A
Factors influencing the cold crushing strength and modulus of rupture of refractories.—75-00261A
Fiber-matrix interaction in microfiber-reinforced mortar.—75-02406A
Grain boundary configuration in SiAlON ceramics.—75-04327A
Grain boundary controlled mechanical and dielectric properties of $BaTiO_3$-based nanocomposite.—75-01854A
Grain-boundary structure and high-temperature mechanical response in low Ca-doped Si_3N_4.—75-01857A
Hardness, indentation fracture toughness, and compositional formula of X-phase SiAlON.—75-06988A
High-performance silicon nitride composite ceramics through grain boundary and microstructural tailoring.—75-04338A
High-temperature behavior of Al_2O_3:SiC nanocomposites.—75-02058A
High-temperature mechanical properties of $Al_2O_3/ZrO_2(Y_2O_3)$ fibers.—75-04555A
High-temperature properties of silicon nitride materials with rare-earth additives.—75-04556A
High-temperature-resistance silicon nitride ceramics by optimized two-step gas pressure sintering.—75-04067A
Impact of grain boundaries on properties of mullite as a solid electrolyte.—75-01867A
Improved mechanical properties of bismuth lead oxide.—75-06994A
Improvement of mechanical properties by the formation of a grain boundary phase in ZrO_2-3 mol% Y_2O_3-Al_2O_3 ceramics.—75-02065A
In situ measurement of bending strength of TiC whiskers in the scanning electronic microscope.—75-04562A
Influence of aluminum oxide on mechanical properties of K_2O-Al_2O_3-P_2O_5 metaphosphate glasses and the role of aluminum in their structure.—75-02661A
Influence of calcination on the reactivity of gel-derived Y-TZP powders—compaction, sintering, and mechanical behavior.—75-01540A
Influence of calcination temperature on the microstructure and mechanical properties of a gel-derived and sintered 3 mol% Y-TZP material.—75-04077A
Influence of microcracking on the mechanical behavior of cement based materials.—75-02410A
Influence of the method of stabilizing the tetragonal phase on mechanical properties of polycrystalline zirconia.—75-06998A
Interface structure and composition in the mechanical behavior of fiber-reinforced composites.—75-04571A
Interfacial characterization of SiC/SiC composites with multilayered interphases.—75-04572A
Kinetic microhardness measurements of SiAlON-based ceramics.—75-06480A
Mechanical and implant behavior of chemically modified carbon braids.—75-03704A
Mechanical and structural properties of $YBa_2Cu_3O_{7-x}$ superconductors.—75-05794A
Mechanical and thermal properties of ß′-SiAlON prepared by a slip casting method.—75-03906A
Mechanical behavior and environmental stability of continuous fiber-reinforced glass-ceramic matrix composites.—75-07348A
Mechanical behavior of several hybrid ceramic matrix composite laminates.—75-07002A
Mechanical behavior of SiC(f)/SiC composites and correlation to in situ fiber strength at room and elevated temperatures.—75-04586A
Mechanical behavior of silicon-silicon carbide composites.—75-09647A
Mechanical characterization of calcium-modified lead titanate ceramics by indentation methods.—75-07003A
Mechanical characterization of sol-gel-derived silicon oxycarbide glasses.—75-04979A
Mechanical loss and elastic modulus associated with phase transitions in barium titanate ceramics.—75-04587A
Mechanical performance of a commercial silicon nitride preexposed to a sulphidizing atmosphere at high temperature.—75-04588A
Mechanical performance of $YBa_2Cu_3O_{7-x}$-Ag composites.—75-05795A
Mechanical properties and cutting performance of titanium carbide whisker/alumina composites.—75-09648A
Mechanical properties and microstructure of AlN/W composites.—75-09649A
Mechanical properties and recrystallization of alumina ceramics reinforced by silicon carbide whisker.—75-05105A
Mechanical properties and thermal expansion behavior in leucite containing materials.—75-07006A
Mechanical properties of a zirconia-based ternary alloy.—75-02073A
Mechanical properties of Al_2O_3-AlN particulate composite.—75-09650A
Mechanical properties of alumina sintered in a microwave-induced oxygen plasma.—75-01309A
Mechanical properties of cement pastes and mortars at early ages.—75-04820A
Mechanical properties of continous carbon fiber reinforced silicon nitride: influence of fiber coatings.—75-04591A
Mechanical properties of infiltrated alumina–Y-TZP composites.—75-07008A
Mechanical properties of $MoSi_2/ZrO_2$ composites at room temperature.—75-09651A
Mechanical properties of polycrystalline cubic silicon carbide deposits.—75-07009A
Mechanical properties of polycrystalline translucent cubic boron nitride as characterized by the Vickers indentation method.—75-02074A
Mechanical properties of pure and epoxy-modified $(Bi,Pb)_2Sr_2Ca_2Cu_{10+x}$ (2223) superconductors.—75-00825A
Mechanical properties of silicon nitrides with tailored microstructure by seeding.—75-09652A
Mechanical properties of single-crystal α-Si_3N_4.—75-07010A
Mechanical properties of unidirectional reinforced carbon-SiC composite fabricated by hot-press sintering method: III.—75-02075A
Mechanical property and behavior of railway sleeper materials.—75-04593A
Mechanical response of interfacial reaction layer in SiC_f/6063 aluminum composites.—75-02502A
Mechanochemical activation of alumina.—75-06679A
Metal-reinforced ceramics.—75-02504A
Method for preparing ceramic composite.—75-08596P
Micrograined (Y,Mg)-PSZ/$MgAl_2O_4$ ceramics prepared by wet chemical method.—75-09360A
Micromechanical model for evaluation of properties of functional gradient materials.—75-04597A
Microstructural development and mechanical properties of Si_3N_4 ceramics.—75-04358A
Microstructure and mechanical properties of ß-Si_3N_4 rod crystal reinforced Si_3N_4 composites.—75-04364A
Microstructure and mechanical properties of 2-D SiC-reinforced carbon matrix composites.—75-04365A
Microstructure and mechanical properties of LSZP ceramics.—75-09560A
Microstructure and mechanical properties of $MoSi_2$/SiC composites.—75-01886A
Microstructure and mechanical properties of pitch-based carbon fibers.—75-07013A
Microstructure and mechanical properties of reaction-formed silicon carbide ceramics.—75-04366A
Microstructure formation and mechanical properties of α-ß-SiAlON.—75-09565A
Nanoindentation studies of the chemomechanical effect in sapphire.—75-06282A
Nanosize SiC particulate-reinforced hydroxyapatite composites.—75-03909A
Oxygen-free ceramic fibers from organosilicon precursors and e-beam curing.—75-04131A
Physicomechanical characteristics of superhard polycrystalline materials.—75-07630A
Physicomechanical properties of single-crystal $YBa_2Cu_3O_{7-x}$ HTSC films.—75-08397A
Piezoelectric ceramics and ceramic composites for intelligent mechanical behaviors.—75-00687A
Polysiloxane-derived ceramic matrix composites.—75-04142A
Possible effects of elastic anisotropy on mechanical properties of ceramics.—75-07022A
Powder preparation, mechanical and electrical properties of cubic zirconia ceramics.—75-09378A
Preparation of C fiber borosilicate glass composites: influence of the fiber distribution on mechanical properties.—75-05035A
Preparation of C fiber borosilicate glass composites: influence of the fiber type of mechanical properties.—75-05036A
Preparation of Si_3N_4/SiC composite from organic precursor.—75-04166A
Preparation of SiC slip and fabrication of SiC components by slip casting.—75-04168A
Processing optimization of some sintering aids for GPS-Si_3N_4 ceramics.—75-04185A

Properties and performances of high-purity corundum bricks for chemical and petrochemical industries in China.—75-02830A
Properties of CVD diamond for optical applications.—75-09175A
Reaction sintering and mechanical behavior of cordierite containing sapphirine dispersoids.—75-06755A
Relations between microstructure and mechanical properties of pressureless sintered SiC.—75-01926A
Residual stress and fracture characteristics of zirconia/metal(Ni, SUS304) functionally gradient materials.—75-00129A
Si_3N_4-TiC composites.—75-04394A
SiC platelet composites and their mechanical properties.—75-04624A
SiC-AlN: II, Mechanical properties.—75-04625A
Silicon nitride ceramics.—75-04214A
Silicon nitride sintered body.—75-08845P
Sintering and mechanical properties of ß-wollastonite.—75-04627A
Statistical analysis of the influence of processing conditions on the properties of fused silica.—75-07370A
Structure, formation, and stability of oxynitride glasses.—75-02690A
Study of rheological and mechanical properties of mixed alkali activated slag pastes.—75-02426A
Surface oxidation of a sintered silicon nitride—implications for mechanical properties.—75-02101A
Synthesis and selected micromechanical properties of titanium nitride thin films by the pyrolysis of tetrakis titanium in ammonia.—75-04644A
Thermal shock resistance of KSZP ceramics.—75-03936A
Thermostructural CMCs—an overview of the French experience.—75-03723A
Tribological study of two-dimensional carbon-carbon composites.—75-04658A

mechanism,
Creep mechanisms in silicon nitride ceramics.—75-04476A
Electrophoretic deposition (EPD): mechanisms, kinetics, and application to ceramics.—75-05900A
Fundamental problems in the grinding of ceramic materials.—75-01023A
Wear mechanisms in ceramic cutting tools.—75-09694A
Wear mechanisms of ceramics.—75-09695A

melilite,
Rare-earth melilite solid solution and its phase relations with neighboring phases.—75-06337A
SiAlON composites containing rare-earth melilite and neighboring phases.—75-06349A
Solubility of aluminum in yttrium nitrogen melilite phases.—75-01243A

melter/melting,
Analysis and modeling of glass melting.—75-02700A
Application of oxygen sensors in industrial glass-melting tanks.—75-08717A
Batch and cullet preheating for oxyfuel melting—the new paradigm for competitive advantage.—75-01055A
Change of structure of high-temp. superconductor core of compositional conductor after melting and crystallization.—75-05734A
Experience with 100% oxygen-fuel firing of glass-melting furnaces.—75-08722A
High-melting opacified glazes for household ceramics.—75-07708A
Low-frequency pendulum for studying vortex lattice melting.—75-08355A
Melter technology evaluation for vitrification of Hanford Site low-level waste.—75-03479A
Melting entropy of semiconductors.—75-03093A
Melting of cobalt glass in a small furnace with electrical heating.—75-03619A
Phase stability study on the remelting reaction in Ca_2SiO_4 solid solutions.—75-01235A
Postmortem study of glass-melting furnace refractories.—75-07632A
Properties of Sn-added YBCO prepared by the powder melting process.—75-00856A
Quick change crucible for vacuum melting furnace.—75-00278P
Rapid melting and solidification of $(Bi, Pb)_2Sr_2Ca_2Cu_3O_y$ bulk materials by CO_2 laser.—75-03396A
Summer glass technology seminar covers environmental issues, controls, and partial oxy-fuel conversions.—75-02616A
Superconducting properties of the 2212 phase in partially melted ceramics.—75-08430A
Vitrification of radioactive Fernald wastes with the continuously fed Duramelter 100.—75-03504A
Volume change investigations during melting and heating of HgTe melt by γ-radiation penetration method.—75-08095A
Waste vitrification—choice of melter.—75-03509A

melting point,
Influence of frit melting point and coefficient of expansion on hairlining.—75-00106A
Properties of Si melt near melting point.—75-03140A

melts,
Crystal growth of nonstoichiometric oxide materials using double-crucible CZ [Czochralski] method.—75-03983A
Features in growing CdTe crystals from melt.—75-03028A
Fine metallic and ceramic fibers by melt extraction.—75-04046A
Molecular dynamics simulation of molten silica at high pressure.—75-03808A
Structure of aluminosilicate melts: evidence from Raman scattering spectra.—75-09070A
X-ray method for determining the basicity of melts of the multicomponent oxide-fluoride system.—75-08714A

membranes,
Ceramic filter element for tangential flow filtration of liquids and gases.—75-06080P
Ceramic hot gas filter.—75-06082P
Ceramic membranes for ultra- and microfiltration (review).—75-09234A
Ceramic-zeolite composite membranes and use for separation of vapor/gas mixtures.—75-06083P
Fabrication and characterization of PZT thin films for micromotors.—75-05568A
Method for forming metal-oxide-modified porous ceramic membranes.—75-01116P
Microporous membranes based on carbonizates of phenol formaldehyde resins.—75-09361A
Mixed conducting ceramic membranes for partial oxygenation of methane.—75-02920A
Monolithic ceramic supports for filtration membranes.—75-01127P
Nanocrystalline diamond membrane growth by cyclic renucleation.—75-09367A
New ceramic membrane for high-temperature gas filtration.—75-00113A
Preparation and properties of fibrous boehmite sol and its application for thin porous membranes.—75-06718A
Synthesis of titania composite membranes by the pressurized sol-gel technique.—75-01720A
Testing of microfiltration ceramic membranes.—75-03662A
ZrO_2 ultrafiltration membranes processed by the sol-gel route.—75-01741A

memory,
Characteristics of ferroelectric 60/40 PZT films deposited by metallorganic decomposition technology for memory applications.—75-03217A
Development of photochemical hole burning glass for high speed, high capacity optical memory.—75-04947A
Electrical properties of PZT thin films for memory application.—75-05560A
Enhanced fatigue and retention in ferroelectric thin film memory capacitors by post-top-electrode anneal treatment.—75-00658A
Ferroelectric capacitor nondestructive readout memory [NDRO].—75-05576A
Imprint mechanism in ferroelectric capacitors.—75-05589A
Memory effect of a shape in hexagonal manganites of $RMnO_3$ (R=Ho, Y).—75-05604A
Photomemory effect in high-ohmic and photosensitive CdS:Cu crystals.—75-03127A
Successive Bloch line write operation in a 1-μm bubble material.—75-03333A
Temperature dependence of ferroelectric imprint.—75-05648A

mercury,
(Hg or Pb)-Pr-Tl-Sr-Cu-O based superconductors.—75-08450P
$(Hg_{0.8}Ti_{0.2})Sr_2(Ca_{1-x}Y_x)\ Cu_2O_{6+\delta}$: a new series of mercury-based 1212 superconductors.—75-08257A
Acceptor levels in mercury-doped $Ge_{1-x}Si_x$ [x=0–0.3] solid solutions.—75-07778A
Annealing temperature and O_2 partial pressure dependence of T_c in $HgBa_2CuO_{4+\delta}$.—75-00771A
Auger interband transitions and carrier lifetime in *p*-type degenerate narrow gap semiconductors.—75-05248A
Birefringence of cadmium telluride at 77 K induced by uniaxial stress.—75-07792A
Calculation of the formation enthalpy of mercury-containing high-temperature superconductors.—75-05733A
Complex study of narrow-gap *p*-$Mn_xHg_{1-x}Te$ semiconductors.—75-07809A
Composition and temperature dependence of the refractive index in $Hg_{1-x}Cd_xTe$.—75-00442A
Deviations from mercury chalcochromite, $HgCr_2Se_4$, stoichiometry.—75-07827A
Dynamics of point defects in HgTe-based alloys.—75-06846A
Effect of mercury segregation in $Cd_xHg_{1-x}Te$ [x=0.2] under [YAG:Nd^{3+}] laser pulse annealing.—75-03005A
Effects of substituting mercury for yttrium, barium, and copper on the superconducting transition temperature of $YBa_2Cu_3O_6$.—75-03362A
Electrical and magnetic properties of diluted magnetic $Hg_{1-x}Mn_xTe_{1-y}Se_y$ semiconductors.—75-05304A
Electrical characterization of $Hg_{1-x}Cd_xTe$ ($0.1265 \le x \le 0.58$) grown by organometallic vapor phase epitaxy.—75-00470A
Electrical conductivity and dielectric properties of the magnetic semiconductor $HgCr_2Se_4$ in strong super high-frequency electrical fields.—75-05305A
Electroluminescence spectra of variable-gap $Cd_xHg_{1-x}Te$/CdTe structures at 300 K.—75-05310A
Electrophysical properties of $Fe_xHg_{1-x}Se$ alloys.—75-09140A
Evolution of structural macrodefects in $Cd_xHg_{1-x}Te$ [$x \approx 0.2$] solid solutions.—75-07882A
Faraday effect in $Hg_{1-x}Mn_xTe$ semimagnetic semiconductors.—75-05321A
General regularities of diffusion of impurities in $Cd_{0.2}Hg_{0.8}Te$.—75-07900A
Growth and structural perfection of cadmium-mercury and manganese-mercury chalcogenides.—75-05332A
HgCdTe crystal growth and infrared device technology.—75-03046A
Hole-phonon scattering in a ferromagnetic $HgCr_2Se_4$ semiconductor.—75-03048A
Hydrostatic pressure on $HgBa_2CaCu_2O_{6+\delta}$ and $HgBa_2Ca_2Cu_3O_{8+\delta}$.—75-00811A
In situ dynamic high-resolution transmission electron microscopy investigation of guest-layer behavior during deintercalation of mercury titanium disulfide.—75-01869A
In situ ellipsometry during growth of cadmium-mercury-tellurium [CMT] solid solution films by the MBE method.—75-08673A
Influence of $Cd_xHg_{1-x}Te$ properties on characteristics of long-channel IGFET.—75-05344A
Influence of surface range of a space charge on the photoconductivity of $Cd_xHg_{1-x}Te$ ($x \approx 0.3$).—75-05350A
Interface electron states at the smooth heterojunction HgTe-CdTe.—75-03067A
Local chemical composition of HgBaCaCuO high-temperature superconductors.—75-00816A
Low-temperature photoelectric property peculiarities of $Mn_xHg_{1-x}Te$.—75-07955A
Mercury-thallium-barium-calcium-strontium-copper-oxide 1223 superconductor and method of making same.—75-08463P
Method of forming Hg-containing oxide superconducting films.—75-05871P
Microheterogeneity and extended defects in $Cd_xHg_{1-x}Te$ crystals.—75-05384A
Nature of the lattice mode of 137 cm^{-1} in an $Hg_{1-x}Cd_xTe$ melt. Modeled calculation of ir-active lattice vibrations for CuAu-1-type ordered structure and partially ordered structures based on it in $A_{1-x}B_xC$ melts.—75-05394A
New method for the synthesis of $HgBa_2Ca_2Cu_3O_{8+\delta}$.—75-08380A
Orientation dependence of properties of anodic oxides on $Cd_xHg_{1-x}Te$ surface.—75-07998A
Phase transition in HgTeS crystals under high pressure.—75-08005A
Phase transition under hydrostatic pressure in HgSeS crystals.—75-05419A
Phonon spectrum of CdTe/HgTe semiconductor superlattices.—75-05421A
Photoelectric properties of polycrystalline $Cd_xHg_{1-x}Te$ layers on sapphire.—75-05427A
Planar photodiodes based on epitaxial $Cd_xHg_{1-x}Te$ layers grown by the molecular beam epitaxy method.—75-08022A
Potential barrier growth at the grain boundaries of *p*-$Hg_{1-x}Cd_xTe$ bicrystals ($x \approx 0.23$) during uniaxial compaction.—75-08024A
Preparation and properties of the $HgBa_2CuO_{4+\delta}$ superconducting phase.—75-08399A
Properties of $Cd_xHg_{1-x}Te$ epitaxial layers prepared by metallorganic chemical vapor deposition.—75-08028A
Radiative recombination in narrow-gap *n*-$Hg_{1-x}Cd_xSe$ solid solution.—75-08039A
Recombination characteristics of ion-implanted (I, III, and VIII groups) and thermally annealed $Cd_xHg_{1-x}Te$ crystals.—75-05459A
Surface properties of crystals of $Cd_xHg_{1-x}Te$ solid solutions.—75-08069A
Surface states in slotless semiconductors.—75-08072A
Synthesis and study of barium mercurate.—75-09463A
Temperature and magnetic field shift of the long-wave region of photoelectric effects in $HgCr_2Se_4$.—75-05498A
Temperature dependence of electron mobility in HgSe:Fe in a model of strongly correlated coulomb liquids.—75-05499A
Temperature dependence of the $Cd_xHg_{1-x}Te$ refractive index.—75-05500A
Thermal transformations of mercury superconductor $HgBa_2CuO_{4+\delta}$ and its precursor $Ba_2CuO_{3+\nu}$.—75-05852A
Two-dimensional electron gas on the surface of $Cd_xHg_{1-x}Te$ near a gap-less narrow-gap phase transition.—75-08090A
Unconventional oxygen doping behavior in $HgBa_2Ca_2Cu_3O_{8+\delta}$.—75-05857A
Volume change investigations during melting and heating of HgTe melt by γ-radiation penetration method.—75-08095A

metal alkoxide,
Metal-alkoxide-derived oriented and epitaxial ferroelectric thin films.—75-00673A
Preparation and characterization of amorphous $LiNbO_3$ powders from completely hydrolyzed metal alkoxides.—75-07743A
Synthesis and characterization of group IV metal adamantanol alkoxides as potential PZT precursors.—75-00704A

metal matrix,
Barrier materials for making metal matrix composites.—75-07241P
Ceramic fiber tow reinforced metal matrix composite.—75-07253P
Design and fabrication of metal matrix composites for microwave and millimeter wave integrated circuit packages.—75-00085A
Detailed microstructural study of electroplated metal matrix composites for gradient hard coatings.—75-02453A
Machinability of light alloy MMCs [metal matrix composites].—75-07218A
Method of making metal matrix composite with the use of a barrier.—75-07267P

metal oxide, see also metal oxides
Ceramic composition for thermistor, thermistor element, and process for producing same.—75-05521P
Ceramic hot gas filter.—75-06082P
Cluster model of the localized electron pairs in mixed valence metal oxides.—75-05736A
Crystal compensated superconducting thin film formed of oxide superconductor material.—75-00901P
Electrical characterization of rapid thermal nitrided and reoxidized plasma-enhanced chemical vapor deposited silicon dioxide metal-oxide-silicon structures.—75-00472A
Growth and mechanism of metal oxide thin films prepared by multi-ion-beam reactive cosputtering.—75-03235A
High-T_c superconducting ceramic oxide products and macroscopic and microscopic methods of making the same.—75-00903P
High-performance complementary metal-oxide-superconductor field effect transistor (CMoSuFET) current-mode operational amplifier.—75-08336A
High-temperature ceramic composite.—75-06091P
Mechanism of phase formation in metal-oxide-metal thin-film structures with transition metal oxides.—75-04859A
Metal oxide heterostructures[—review].—75-05380A
Metallorganic chemical vapor deposition of superconducting oxide films.—75-03429P
Method for forming a patterned oxide superconductor thin film.—75-03430P
Method for forming continuous oxide superconducting layer having difference thickness portions for superconducting device.—75-00905P

Method for manufacturing a superconducting device having a thin superconducting channel formed of oxide superconductor material.—75-05869P
Method for manufacturing superconducting thin film formed of oxide superconductor having nonsuperconducting region and device utilizing the superconducting thin film.—75-05870P
Method of forming a nonvolatile random access memory capacitor cell having a metal-oxide dielectric.—75-02952P
Method of forming Hg-containing oxide superconducting films.—75-05871P
Method of making artificial layered high-T_c superconductors.—75-03434P
Method of preparing oxide superconducting wire.—75-00909P
Method of preparing oxide superconducting wire.—75-05874P
Method of producing compound oxide superconducting thin film.—75-05876P
Microstructure of epitaxial ferroelectric/metal oxide electrode thin-film heterostructures on $LaAlO_3$ and silicon.—75-00675A
Modified sol-gel alumina.—75-07118P
Olt-related capacitance-voltage recovery effect in metal oxide semiconductor capacitors passivated by ZnO-B_2O_3-P_2O_5-SiO glasses: I. The effects of MgO content.—75-05409A
Oxide superconduction grain boundary tunneling device.—75-00912P
Photoeffect in an epitaxial *p-n* structure having an *n* region of variable thickness and a metal oxide tunneling contact.—75-05426A
Planar SQUID of oxide superconductor.—75-03435P
Preparation of superconducting oxides by oxidizing a metallic alloy.—75-03436P
Preparation of thin metal oxides by Langmuir-Blodgett film deposition.—75-04172A
Process for depositing high-temperature superconducting oxide thin films.—75-03437P
Process for manufacturing a composite oxide superconducting wire.—75-00914P
Process for producing fine metal oxide particles.—75-08783P
Process for producing oxide superconductor.—75-05879P
Simulation of segregation to free surfaces in cubic oxides.—75-01342A
Simulation of segregation to interfaces in metal oxides.—75-04398A
Superconducting device having a reduced thickness of oxide superconducting layer.—75-03439P
Superconducting device having an extremely short superconducting channel formed of extremely thin oxide superconductor film.—75-05884P
Superconducting device having an thin superconducting channel formed of oxide superconducting material.—75-00919P
Superconducting thin film formed of oxide superconductor material, superconducting current path, and superconducting device utilizing the superconducting thin film.—75-00922P
Superconducting thin film of compound oxide and a process of preparing the same.—75-00923P
Superconductors having continuous ceramic and elemental metal matrices.—75-05887P
Thin film of oxide superconductor possessing locally different crystal orientations and processes for preparing the same.—75-05889P
Thin-film high-T_c oxide superconductors and vapor deposition methods for making the same.—75-03444P

metal oxides,
Fabrication of thin oxide coatings on ceramic fibers by a sol-gel technique.—75-04039A
Measurement of *n*-type dry thermally oxidized 6H-SiC metal-oxide-semiconductor diodes by quasi-static and high-frequency capacitance versus voltage and capacitance transient techniques.—75-03090A

metal-ceramic systems,
Siloxane coating process for metal or ceramic substrates.—75-08632P

metallization,
Green ceramic via metallization technique.—75-05524P
Metallization and joining of aluminum nitride for space shuttle remote power controllers.—75-01151A
Metallization of Si_3N_4 ceramics by molten salt reactions.—75-02505A
Novel metallization scheme for diamond.—75-07223A
Photoimageable thick-film metallization on microwave substrate for wireless applications.—75-00361A
Silver via metallization for low temperature cofired ceramic tape.—75-00132A

metals,
Aluminosilicate catalyst, a process for the manufacture thereof, and a process for the skeletal isomerization of linear olefins.—75-07238P
Applicability of general soft metallic molds applied to gravity mold casting in high temperature melt.—75-03953A
Ceramic armor.—75-04872P
Ceramic foams.—75-02565P
Characterization of glass-ceramic to metal bonds.– -75-04844A
Corrosion of ceramics by liquid metals.—75-01985A
Dielectric loss tan δ of metal-insulator-metal and metal-insulator-metal-insulator-metal junctions with polyimide Langmuir-Blodgett [LB] films.—75-02901A
Electromotive force generation in metal-insulator-metal structures of Langmuir-Blodgett [LB] films.—75-02909A
Functionally gradient materials of the system AlN-metals.—75-00096A
Generic deities.—75-07123A
Guidelines for large-scale MW [microwave] processing of hard metals.—75-01024A
Hot corrosion—the experience from metals and intermetallics.—75-01995A
Hydrothermal cement/metal interfaces.—75-00042A
Interface structure of ceramic/metal nanocomposites.—75-00107A
Method for increasing the surface area of ceramics, metals, and composites.—75-05923P
Modeling of the metal-ferroelectric-metal capacitor: I. Theoretical considerations.—75-00676A
Modeling of the metal-ferroelectric-metal capacitor: II. Experimental verification.—75-00677A
Notch fatigue limit of metal materials.—75-04609A
Preparation of bioactive titanium metal.—75-00119A
Range of metals that work in the LPSSS [low-pressure solid-state source] process of diamond synthesis.—75-09415A
Small area contacts of different metals to *p*-type germanium.—75-08057A
Superconductors having continuous ceramic and elemental metal matrices.—75-05887P
Synthesis and characterization of structured metal/silica clusters.—75-00138A
Usage of the limiting forming height as the formability of sheet metals.—75-04267A

methane,
Carbon dioxide reforming of methane over nickel catalyst supported on ceramic foam.—75-09228A
Catalytic decomposition of methane: CuO supported on high specific area spinels synthesized by a sol-gel process.—75-06542A
Diamondlike hydrogenated amorphous carbon prepared using saddle-field glow-discharge decomposition of methane.—75-09263A
Effects of methane concentration and hydrogen treatment on preferred orientation in diamond films grown by chemical vapor deposition.—75-01838A
Fullerene-based catalysts for methane activation.—75-01512A
Influence of methane on the nitriding gas reduction of kaolinite.—75-06652A
Localized adsorption of methane on rho-type zeolite.—75-06263A
Thermal conductivity of MW-CVD diamond films synthesized with varying CH_4 concentration [2.5–10%].—75-09200A

mica,
Formation of expandable mica from talc using the intercalation procedure.—75-09315A
High-strength machinable ceramics "nanoceram."—75-05018A
Mica as a waveguiding support for investigating ultrathin layers.—75-01032A
Mica.—75-06040A

microcracking,
Acoustic emission study of microcracking in the system $Ca_{1-x}Sr_xZr_4P_6O_{24}$.—75-02021A
Computer simulations of thermal expansion anisotropy induced microcracking in brittle ceramics.—75-02025A
Critical grain size for microcracking in low thermal expansion anisotropic ceramics.—75-02033A
Damage tolerance of high-temperature composite systems.—75-04484A
Environmental microcracking of [NZP] type ceramics.—75-02047A
Formation and characterization of the microcrack network in advanced refractory ceramics.—75-00262A
Influence of microcracking on the mechanical behavior of cement based materials.—75-02410A
Numerical analysis of crack growth in microcracking ceramics and ceramic composites.—75-04610A
Residual stress-induced spontaneous microcracking in α-SiC platelet Al_2O_3 composites.—75-07028A

microcrystals,
Alternative route for synthesis of barium titanyl oxalate [BTO]: molecular precursor for microcrystalline barium titanate powders.—75-09216A
Raman spectroscopy study of microcrystalline silica.—75-03832A

microelectronics,
Ceramic microelectronics package.—75-05522P
Ceramic Transactions, Volume 68: Hybrid Microelectronic Materials.—75-04774B
Effect of component size on thermal stress.—75-01452A
Patterned polycrystalline diamond microtip vacuum diode arrays.—75-08001A
Porous silica: a versatile material for microelectronic applications.—75-03133A
Rainbows and Ferrofilms—smart materials for hybrid microelectronics.—75-03254A
Study of a novel multichip module interchip radiative interconnection system.—75-00376A

microhardness,
Effect of indentation load on the microhardness of titanium diboride films prepared by magnetron sputtering.—75-09275A
Hardness measurements on anode- and cathode-mounted, plasma-deposited amorphous hydrogenated carbon.—75-02057A
Iron-doped titanium nitride films.—75-01554A
Kinetic microhardness measurements of SiAlON-based ceramics.—75-06480A
Microhardness of phosphate glasses.—75-04981A

microscopy,
Acoustic microscope and its application in ceramic research.—75-03550A
Atom probe microscopy and its future.—75-01791A
Cathodoluminescence microscopy—a technique uniquely suited to the solution of refractory wear problems.—75-00259A
Challenges and opportunities in magnetic resonance force microscopy.—75-01014A
Characterization of optical fibers using near-field scanning optical microscopy.—75-06865A
Direct observation of channel structures on zeolite Y and A with a slow-scan, charge-coupled device [CCD] camera.—75-08660A
Electronic structure of layered and linear chain materials by scanning probe microscopy.—75-01844A
Hackles revisited.—75-04547A
Imaging single nacreous tablets with the atomic force microscope.—75-01865A
Interpretation of lattice fringes on electron microscopy images.—75-06884A
Mechanisms for hackle formation and crack branching.—75-02664A
Methods divergence between measurements of micrometer and submicrometer surface features.—75-03580A
Microtribological studies by using atomic force and friction force microscopy and its applications.—75-02078A
Nondestructive evaluation of ceramics.—75-01036A
Photon tunneling microscopy applications.—75-01905A
Polarization, interference contrast, and photoluminescence imaging in near-field optical microscopy.—75-01908A
Scanning acoustic microscopy of SCS-6 silicon carbide fiber.—75-01928A
Scanning force and friction microscopy of ferroelectric $Pb(Zr,Ti)O_3$ thin films.—75-05635A
Scanning force microscopy study of ceramic fibers for advanced composites.—75-06905A
Scanning tunneling microscopy and spectroscopy of the cleavages of ZnSe/GaAs heterostructures.—75-08052A
Thermal stage for nanoscale structure studies with the scanning force microscope.—75-01045A
Use of different methods of electron microscopy for study of inhomogeneities in porous glasses.—75-05989A
Visualizing Langmuir-Blodgett films with the atomic force microscope.—75-01975A

microspheres,
High-order resonance structures in an Nd-doped glass microsphere.—75-04970A
Hollow ceramic microspheres by sol-gel dehydration with improved control over size and morphology.—75-08581P
Lightweight ceramic abrasive media.—75-02172P
Preparation and characterization of $Ln_2Zr_2O_7$ [Ln=lanthanide] microspheres by an inorganic sol-gel route.—75-06712A
Spiral growth in sol-gel $YBa_2Cu_3O_{7-\delta}$ microspheres.—75-06779A
Surface modification of glass microspheres by carbon.—75-07403A
XPS study on the interaction at the Fe_3O_4/SiO_2 boundary on the surface of composite microspheres prepared via a shear-compressive mechanical route.—75-06414A

microstructure,
3-D characterization of sintered microstructures with prismatic grains—a precondition for microstructural modeling of Si_3N_4 ceramics.—75-04294A
AEM and HREM evaluation of carbon nanostructures in silica aerogels.—75-01783A
Alumina powder—relations between powder properties and microstructure.—75-01376A
Application of low-energy ion scattering to oxidic surfaces.—75-01790A
Aspects of crystalline silica in silica fume.—75-02112A
Behavior of 3 mol% yttria-stabilized tetragonal zirconia polycrystal (3Y-TZP) with submicron and nanosized microstructure after compressive/compressive fatigue tests.—75-04454A
Biomimetic process for producing SiC wood.—75-01387A
Cavitation erosion of structural ceramics.—75-04419A
Ceramic Transactions, Volume 65: Role of Ceramics in Advanced Electrochemical Systems.—75-04771B
Characterization of texture and microstructure of oriented $PbTiO_3$ films grown by metallorganic chemical vapor deposition on Si(100).—75-01806A
Comparative investigation of high-temperature plastic deformation of fully and unfully dense 3Y-TZP.—75-04458A
Compositions and thicknesses of grain boundary films in Ca-doped silicon nitride ceramics.—75-04306A
Computational modeling of mass transfer for ceramic microstructure.—75-09533A
Computer simulation of the tweed microstructure in high-T_c superconductors.—75-05738A
Contribution of microstructure to the toughness of mullite/zirconia composites.—75-02027A
Cordierite-cerium(IV) oxide system—microstructure and properties.—75-04309A
Correlation between microstructure, phase transformation during fracture, and the mechanical properties of Y-TZP ceramics.—75-09609A
Design of a possible microstructure for high temperature service.—75-04312A
Design principles of multiphase ceramic materials.—75-09255A
Development of high-alumina ceramics using ALCOA A13 alumina.—75-01433A
Dielectric and microstructure studies of lead magnesium niobate prepared by partial oxalate route.—75-08125A
Dielectric, structural, and microstructural characteristics of tetragonal structured PLZT relaxors.—75-00648A
Direct correlation of transport properties and microstructure in $Y_1Ba_2Cu_3O_{7-x}$ thin-film grain boundaries.—75-03356A
Distribution function, density, and hydrogen content of amorphous diamondlike carbon films obtained by X-ray and neutron scattering.—75-01274A
Dynamic modeling of CVD for real-time control of microstructure.—75-03559A
Effect of conditions of polycrystalline ZnS CVD on its microstructure.—75-09540A
Effect of Er_2O_3 addition on microstructure and physical properties of Mn-Zn ferrites for high-power use.—75-03288A
Effect of hot-pressing time and post-heat treatment on the microstructure and mechanical properties of SiC fiber-reinforced glass-ceramic composites.—75-05006A
Effect of liquid phase on microstructural coarsening in ceramic systems.—75-09541A
Effect of liquid-forming additives on the microstructure of particulate-reinforced Al_2O_3 ceramics.—75-09542A
Effect of magnesia addition on the phase assemblage and microstructure of reaction-sintered alumina ceramics.—75-01831A

Effect of microstructural features on the biaxial flexural strength of leucite-reinforced glass-ceramics.—75-02646A

Effect of microstructure of $YBa_2Cu_3O_x$ films on power handling capability studied with microstrip resonators.—75-00791A

Effect of microstructures of SiAlON ceramics on fatigue properties at room temperature.—75-09622A

Effect of nanoscale microstructures on the mechanical behavior of silicon carbon-titanium carbon composites.—75-02042A

Effect of oxygen on the textured diamond growth over nickel substrates.—75-01832A

Effect of oxygen pressure on microstructure, texture, and growth characteristics of laser-ablated $BaTiO_3$ thin films.—75-05186A

Effect of seed crystals on the microstructure of Si_3N_4 ceramics.—75-09543A

Effect of Si_3N_4 whisker addition on microstructural development and fracture toughness of hot isostatically pressed Si_3N_4.—75-06582A

Effect of Ti(C,N) addition on sintering behavior and properties of binder-modified WC·10Co cemented carbide.—75-04849A

Effects of different states of SiC on the microstructural development of Al_2O_3-SiC nanocomposite.—75-01836A

Effects of poly(vinyl alcohol) on fiber cement interfaces: II, Microstructures.—75-02404A

Elemental composition and microstructure of reactively sputtered carbon nitride thin films.—75-01845A

Evaluation of some commercial thick-film resistor materials for strain gages.—75-05193A

Evolution of the microstructure in styrene acrylate polymer-modified cement pastes at the early stage of cement hydration.—75-04816A

Evolution of the microstructure of undoped and Nb-doped $SrTiO_3$.—75-06874A

Fabrication, microstructure, and superconductivity of textured $YBa_2Cu_3O_{7-x}$ bulk material of large size.—75-00804A

Filament winding of SiC_{fiber}/Si_3N_4 composites—process and control of fiber distribution.—75-04324A

Firing processes of copper red glaze in an electric furnace and its applications.—75-02869A

Grain-boundary microstructure and chemistry of a hot isostatically pressed high-purity silicon nitride.—75-06879A

Heterogeneous microstructure development in the binary mixtures of high-purity alumina powders surface-modified by coupling agents.—75-01521A

High-performance cement-based materials.—75-00041A

High-performance of α′-ß′-SiAlON ceramics.—75-04337A

High-resolution electron microscopy studies on silicon nitride ceramics.—75-04339A

High-strength zirconia ceramics from green body preforms.—75-01525A

High-temperature fracture toughness of duplex microstructures.—75-02062A

Influence of calcination temperature on the microstructure and mechanical properties of a gel-derived and sintered 3 mol% Y-TZP material.—75-04077A

Influence of CeO_2, $BaCeO_3$, or PtO_2 additions on the microstructure and critical current density of melt-processed YBCO samples.—75-08340A

Influence of microstructure on indentation hardness of a ZnO-Al_2O_3-SiO_2-TiO_2 glass-ceramic.—75-00216A

Influence of microstructure on the thermal conductivity of aluminum nitride.—75-06882A

Influence of preceramic binders on the microstructural development of silicon nitride.—75-06656A

Influences of mixing methods on the microstructure and rheological behavior of cement paste.—75-02411A

Interfacial microstructure and stability of BN-coated Nicalon fiber/glass-ceramic matrix composites.—75-04349A

Internal interfaces in silicon nitride studied by high-resolution electron microscopy.—75-01879A

Light-emitting properties of porous SiC with different microstructures.—75-09153A

Materials Science and Technology—A Comprehensive Treatment: Volume 17A, Part I, Processing of Ceramics.—75-07109B

Mechanical properties of silicon nitrides with tailored microstructure by seeding.—75-09652A

Mechanical properties of single-crystal α-Si_3N_4.—75-07010A

Mechanical property/microstructure relationships in a range of Si_3N_4/SiC composites.—75-04594A

Mechanism of combustion synthesis of silicon carbide.—75-04104A

Melt-textured $YBa_2Cu_3O_{7-x}$ superconductor [studied] by transmission electron microscopy.—75-00828A

Melt-textured YBCO [investigated] by a radioscopic technique.—75-08361A

Metal-ceramic intergrowths in Ag-clad Bi-Pb-Sr-Ca-Cu-O superconductor.—75-00829A

Micrograined (Y,Mg)-PSZ/$MgAl_2O_4$ ceramics prepared by wet chemical method.—75-09360A

Microstructural and mechanical effects of oxide addition into thin ZrO_2 matrix.—75-06888A

Microstructural aspects of reduction of Zimbabwe chromite to high-carbon ferrochromium.—75-04354A

Microstructural characterization of alumina and silicon carbide slip-cast cakes.—75-09554A

Microstructural characterization of metal/ceramic functionally gradient materials.—75-02506A

Microstructural characterization of ZrO_2/O′-SiAlON composites.—75-04355A

Microstructural contributions to the fracture resistance of silicon nitride ceramics.—75-04599A

Microstructural control of boundary region between CVD diamond film and cemented carbide substrate.—75-04357A

Microstructural design of ceramics for optimum wear resistance.—75-09654A

Microstructural design of high-alumina ceramics for abrasive environments.—75-09555A

Microstructural design of Si_3N_4 and SiAlON ceramics in relation to combined mechanical and environmental behavior.—75-01883A

Microstructural development and mechanical properties of pressureless-sintered SiC with platelike grains using Al_2O_3-Y_2O_3 additives.—75-06889A

Microstructural development and mechanical properties of Si_3N_4 ceramics.—75-04358A

Microstructural development of Si_3N_4 ceramics derived from polymer precursors.—75-01573A

Microstructural development of Si_3N_4 ceramics derived from polymer precursors.—75-09556A

Microstructural development of the isothermal phase transformation during aging at 250°C in 2Y-TZP ceramics.—75-06890A

Microstructural development on crystallizing hot-pressed pellets of cordierite melt-derived glass containing B_2O_3 and P_2O_5.—75-02595A

Microstructural evaluation of ceramic matrix composites produced by polymer pyrolysis.—75-01884A

Microstructural evidence for amorphous phase separation in bone china.—75-00290A

Microstructural evolution and critical properties of advanced ceramics and ceramic matrix composites.—75-04360A

Microstructural evolution during the sintering of nanostructured ceramic oxides.—75-04361A

Microstructural evolution of copper thick films observed by environmental scanning electron microscopy.—75-04362A

Microstructural features of fusion cast Al_2O_3-ZrO_2-SiO_2 refractories.—75-05106A

Microstructural features of the α- to ß-SiAlON phase transformation.—75-09362A

Microstructural instability and the resultant strength of Si-C-O (Nicalon) and Si-N-C-O (HPZ) fibers.—75-09558A

Microstructural model on the evolution of domain structure during processing of $PbTiO_3$ thin films on MgO(100) substrates.—75-03241A

Microstructural stability and creep behavior of Si-C-O (Nicalon) fibers in carbon monoxide and argon environments.—75-09655A

Microstructural transformations in ferritic nodular cast iron after laser remelting.—75-03318A

Microstructure and crack behaviors in hot-pressed TiB_2-Si_3N_4 composites.—75-06894A

Microstructure and crystallographic orientation of anatase coatings produced from chemically modified titanium tetraisopropoxide.—75-04363A

Microstructure and dielectric properties of $Ba_3(Ti_{8.472}Zr_{0.528})O_{20}$.—75-07738A

Microstructure and electrical properties of YBCO films.—75-08363A

Microstructure and electrical properties of zinc oxide ceramics doped with B_2O_3.—75-09559A

Microstructure and epitaxial characteristics of $PbTiO_3$ ferroelectric thin film on NaCl by MOCVD.—75-05606A

Microstructure and fracture behavior of hot-pressed TiC/Si_3N_4 composites.—75-04601A

Microstructure and fracture behavior of SiC platelet-reinforced Si_3N_4 matrix composites.—75-04602A

Microstructure and mechanical properties of ß-Si_3N_4 rod crystal reinforced Si_3N_4 composites.—75-04364A

Microstructure and mechanical properties of LSZP ceramics.—75-09560A

Microstructure and mechanical properties of pitch-based carbon fibers.—75-07013A

Microstructure and mechanical properties of reaction-formed silicon carbide ceramics.—75-04366A

Microstructure and mechanical properties of Si_3N_4 composite for tappet sleeve.—75-03705A

Microstructure and properties of AlN ceramics heat-treated in air.—75-09562A

Microstructure and properties of AlN matrix composites produced by the directed nitridation of molten aluminum.—75-06896A

Microstructure and properties of alumina-rich spinel and its products.—75-02823A

Microstructure and properties of high-temperature superconducting materials[—review].—75-05797A

Microstructure and related properties of mullite/zirconia composites.—75-00351A

Microstructure and superconductivity of ultrathin $YBa_2Cu_3O_7$ films.—75-00831A

Microstructure and thermal stability of a glass-coated SiC/SiC composite.—75-09563A

Microstructure characterization of $Bi_2Sr_2CaCu_2O_x$ single crystal irradiated with 18-MeV Fe^{8+} ions.—75-08364A

Microstructure characterization of sol-gel derived PZT films.—75-06897A

Microstructure development and solid-state reactions during liquid phase sintering.—75-09564A

Microstructure development in in situ reinforced reaction-bonded aluminum niobate-based composites.—75-06898A

Microstructure development in particulate ceramic coatings.—75-01887A

Microstructure formation and mechanical properties of α-ß-SiAlON.—75-09565A

Microstructure in mixed phases of $BaTi_4O_9$-$BaPr_2Ti_4O_{12}$ ceramics.—75-06899A

Microstructure in reaction-bonded silicon nitride ceramics.—75-01888A

Microstructure of $(Fe_{0.2}Co_{0.8})_{0.8}(Fe_{2.38}Co_{0.62}O_4)$: a magnetic oxidation-resistant composite formed by coprecipitation.—75-05694A

Microstructure of alumina ceramics made by injection molding.—75-09566A

Microstructure of an icicle-like spinel grown at the MgO/$MgAl_2O_4$ interface in the dense and coarse MgO–fine Al_2O_3 powder system.—75-09567A

Microstructure of BN/SiAlON multiphase ceramics.—75-04367A

Microstructure of cubic boron nitride thin films grown by ion-assisted pulsed laser deposition.—75-01889A

Microstructure of epitaxial ferroelectric/metal oxide electrode thin-film heterostructures on $LaAlO_3$ and silicon.—75-00675A

Microstructure of melt-textured Y-Ba-Cu-O oxides with CeO_2 addition and formation mechanism of the Ba-Cu-O platelet structure.—75-08365A

Microstructure of Pb(Zr, Ti)O_3 and Pb(Zr, Ti)O_3/$YBa_2Cu_3O_7$ films.—75-08366A

Microstructure of pressureless sintered Al_2O_3-24 vol% ZrO_2 composite studied by high-resolution electron microscopy.—75-06900A

Microstructure of strontium titanate thin film grown by the hydrothermal-electrochemical method.—75-04370A

Microstructure of TiO_2 and ZnO films fabricated by the sol-gel method.—75-04371A

Microstructure of ZA-12 alloy/ZnOw composite.—75-02510A

Microstructure of zirconia-(Mn Zn ferrite) composites.—75-04372A

Microstructure, electrical conductivity, and piezoelectric properties of bismuth titanate.—75-08152A

Microstructure, properties, and toughening mechanisms of in situ toughened silicon nitride.—75-04373A

Microstructure-fatigue crack propagation relationship in TiB_2 particle-reinforced ZN (ZA-8) alloy.—75-07014A

Microstructures and dielectric properties of ferroelectric glass-ceramics.—75-00192A

Microstructures and electrical characterization of CVD W and Mo films as contacts in photocells.—75-04374A

Microstructures and mechanical properties of Bi-Sr-Ca-Cu-O/Ag superconductor composites.—75-08367A

Microstructures of inactive Synroc-C samples produced by different hot consolidation methods.—75-08507A

Microwave and conventional sintering of rapidly solidified Al_2O_3-ZrO_2 powders.—75-06685A

Model for intermetallic/ceramic composite microstructures from solid-state displacement reactions between metal carbides and silicon.—75-07220A

Modeling the formation potential of intragranular acicular ferrite in welding microstructure.—75-03320A

Modeling the microstructure of cement.—75-00055A

Morphological control of silicon nitride by seeding.—75-04377A

Multilayer ceramic capacitors with nickel electrodes.—75-00355A

Nanoscale microstructure of 2-D C/C-SiC ceramic composites processed via silicon capillary impregnation.—75-04380A

Novel system for fine structure measurement of ceramics.—75-08690A

Optimum microstructure of transformation-toughened ceramics for improved wear performance.—75-02082A

Overview of the thermal shock characteristics of aluminum titanate.—75-02083A

Oxidation of carbon constituents from multiphase microstructures.—75-09597A

Phase stability and microstructure of some sol-gel-derived anorthite-based hybrid materials.—75-04135A

PIP [polymer infiltration/pyrolysis] processing, microstructure and properties of Si_3N_4 fiber and Al_2O_3 fiber-reinforced silicon nitride.—75-04138A

Plasma-deposited silicon nitride on ultrathin silicon oxide films investigated by infrared grazing internal reflection microscopy.—75-01906A

Positive temperature coefficient of resistivity effect in undoped barium titanate ceramics.—75-00577A

Preparation and microstructures of micrograined PSZ(MGPSZ) ceramics.—75-04153A

Processing and microstructure of continuous fiber-reinforced $MoSi_2$-based composites.—75-03917A

Properties and microstructure of clay-derived ß-SiAlON.—75-01912A

Properties and microstructure of clay-derived ß-SiAlON.—75-04389A

Relation of dynamic elastic moduli, mechanical damping, and mass density to the microstructure of some glass-matrix composites.—75-04391A

Relations between microstructure and mechanical properties of pressureless sintered SiC.—75-01926A

Relationship between microstructure and efficiency of lithium silicate scintillating glasses: the effect of replacing lithium by sodium.—75-04924A

Relationship between microstructure and efficiency of scintillating glasses.—75-00198A

Relationship between thermoelectric properties and microstructure on *p*-type $(Bi_2Te_3)_{0.25}(Sb_2Te_3)_{0.75}$ system using milled powder.—75-08045A

Review of abrasive wear of ceramics.—75-09182A

Si_3N_4-based composite with layered microstructure.—75-04206A

SiAlON composite ceramics.—75-03924A

SiC whisker-reinforced ceramics with modulated microstructures.—75-04395A

Silicon carbide-titanium carbide nanocomposites: microstructural investigation.—75-01932A

Sintering and microstructural investigations on combustion-processed mullite.—75-09436A

Sintering mechanisms and microstructural development of coprecipitated mullite.—75-04222A

Sol-gel-derived ferroelectric films as high dielectric constant materials.—75-03259A

Solid solution range of mullite up to 1800°C and microstructural development of ceramics.—75-06355A

Stereological observations of platelet-reinforced mullite and zirconia matrix composites.—75-09576A

Strength and microstructure of cast gypsum.—75-07187A

Structure-property relationships in low-temperature cofired ceramic.—75-01346A

TEM characterization of Al/Al_2O_3 composite fabricated by reactive metal infiltration.—75-02550A

TEM study of microstructure of longitudinal cross section of Ag-clad $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ tapes.—75-00886A
Theoretical studies on sintering and grain growth in ceramic materials.—75-09485A
Transmission electron microscopy of microstructures in ceramic materials.—75-09581A
Transmission electron microscopy study of B-site cation configurations in perovskite-structured $Pb(Mg_{1/2}W_{1/2})O_3$-$Pb(Ni_{1/3}Nb_{2/3})O_3$-$PbTiO_3$ ceramics.—75-00708A
Ultrasonic detection of changes in the microstructure of glass-ceramics during crystallization.—75-06915A
Vapor-phase grown bundles of carbon nanotubes.—75-01740A
Visualizing Langmuir-Blodgett films with the atomic force microscope.—75-01975A

microwaves,
Apparatus for the joining of ceramics using microwave hybrid heating.—75-00938A
Application of microwave processing to preparation of ceramic and metal-ceramic FGM.—75-02437A
Application of microwaves to rapid chemical synthesis.—75-01380A
Applications of microwaves for ceramic processing.—75-09218A
Automatic control during microwave heating of ceramics.—75-01010A
Ceramic Transactions, Volume 59: Theory and Application in Materials Processing III.—75-02160B
Characterization of microwave-processed ZnO.—75-01804A
Commercialization of microwave processes.—75-01405A
Commercialization—steps to successful applications and scaleup: May 1, 1995.—75-02118A
Commercializing microwave systems: paths to success or failure.—75-02119A
Composition of dielectric ceramics.—75-05220P
Controlling and understanding the variables: key to commercializing microwave processing of advanced materials.—75-02121A
Densification of large-size alumina objects by continuous microwave sintering.—75-01426A
Deposition of diamondlike films by ECR microwave plasma.—75-01164P
Dielectric ceramic compound.—75-07761P
Dielectric dispersion of polycrystalline aluminum nitride at microwave frequencies.—75-02900A
Dielectric loss tangent of ceramic with high alumina content [>97%] in microwave region.—75-00316A
Dynamic model for electromagnetic field and heating patterns in loaded cylindrical cavities.—75-01445A
Effect of microwave heating on the sintering of silicon nitride doped with Al_2O_3 and Y_2O_3.—75-01458A
Equipment supplier's role in process development.—75-02128A
Evaluation of microwave dielectric ceramics.—75-07728A
Finite element computer model of microwave-heated ceramics.—75-01504A
Formation of reaction-bonded silicon nitride using microwave heating.—75-06978A
Guidelines for large-scale MW [microwave] processing of hard metals.—75-01024A
Gyrotron system for ceramic sintering.—75-00955A
High-rate deposition of diamond films in $CH_4/O_2/H_2$ microwave plasmas.—75-09329A
High-temperature microwave ovens for refractory laboratories.—75-07566A
Importance of dielectric properties in modeling of microwave sintering of ceramics.—75-01533A
Influence of microwave annealing on the mechanical properties of alumina tiles.—75-00289A
Integrated ferrite-dielectric ceramic structure for microwave devices.—75-00522A
Is it possible to deposit diamond in a microwave plasma CVD process without H_2.—75-09348A
Line shapes of field-dependent nonresonant microwave and rf absorption in high-T_c superconductors.—75-00814A
Materials processing via variable frequency microwave irradiation.—75-00963A
Mathematical models of microwave heating: bistability and thermal runaway.—75-01569A
Measurements of the complex permittivity of low loss ceramics at microwave frequencies and over large temperature ranges.—75-01030A
Mechanical properties of alumina sintered in a microwave-induced oxygen plasma.—75-01309A
Method for diamond coating by microwave plasma.—75-08590P
Microwave absorbing and resonance phenomena of Y-type hexagonal ferrite microwave absorbers.—75-03319A
Microwave absorption in high-T_c superconductors in low magnetic fields.—75-08368A
Microwave absorption in ionic crystalline ceramics with various concentrations of point defects.—75-01228A
Microwave component of compound oxide superconductor having crystal orientation for reducing electromagnetic field penetration.—75-08475P
Microwave debinding of ceramic injection molded body.—75-04109A
Microwave densification of alumina.—75-06686A
Microwave dielectric ceramic composition and preparing method thereof.—75-05231P
Microwave dielectric ceramic composition.—75-00404P
Microwave dielectric ceramic composition.—75-02954P
Microwave dielectric ceramic composition.—75-07769P
Microwave dielectric properties of $CaTiO_3$-$Ca(Al_{1/2}Ta_{1/2})O_3$ ceramics.—75-07739A
Microwave dielectric resonance of a fluoride glass.—75-02668A
Microwave drying kinetics of a clay plate.—75-02784A
Microwave energy versus convected hot air for rapidly drying ceramic tile.—75-00291A
Microwave heating of a changing material.—75-01574A
Microwave interaction with ceramics and its application to spinodal decomposition.—75-09363A
Microwave joining of alumina both directly and with 2223 superconductor interlayer.—75-01575A
Microwave joining of engineering ceramics.—75-01576A
Microwave joining of magnesia.—75-09364A
Microwave joining of zinc sulfide.—75-01577A
Microwave plasma sintering of low-soda alumina.—75-01578A
Microwave processing of polyimide thin films for electronics.—75-00352A
Microwave processing: steps to successful commercialization—panel discussions.—75-02134A
Microwave raytracing in large overmoded industrial resonators.—75-00965A
Microwave regeneration of activated carbon for gold processing applications.—75-01579A
Microwave response of the Josephson junction in YBCO on a substrate with a small step.—75-08369A
Microwave sintering kilogram batches of silicon nitride.—75-01580A
Microwave sintering of $BaTiO_3$ thick films.—75-06488A
Microwave sintering of hydroxyapatite.—75-01581A
Microwave sintering of nanocrystalline γ-Al_2O_3.—75-04110A
Microwave sintering of nanocrystalline ceramics.—75-01582A
Microwave sintering of zirconia-toughened mullite and its heating characteristics.—75-04111A
Microwave surface impedance of granular high-T_c superconductors in dc magnetic fields: its relationship to frequency dependence.—75-00832A
Microwave synthesis of aluminum titanate in air and nitrogen.—75-01583A
Microwave synthesis of nonoxide ceramic powders.—75-01584A
Microwave synthesis of SiAlONs.—75-01585A
Microwave technology for waste management applications including disposition of electronic circuitry.—75-00966A
Microwave treatment of emissions from the destruction of electronic circuitry.—75-00967A
Microwave-assisted firing of ceramics.—75-06003A
Microwave-assisted pyrolysis of SiC and its application to joining.—75-01586A
Microwave-enhanced sintering of ceramics.—75-01587A
Microwave-hydrothermal processing of $BiFeO_3$ and $CsAl_2PO_6$.—75-04112A
Microwave-induced combustion synthesis of ceramic and ceramic-metal composites.—75-00111A
Modeling of multifrequency microwave sintering of ZnO ceramic.—75-01589A
Monte Carlo simulation of electron behavior in an electron cyclotron resonance microwave discharge using circular TM_{11} mode fields.—75-08686A
Novel aspects of microwave processing of ceramic materials.—75-01596A
Obstacles and remedies in microwave processing research and commercialization—an open forum.—75-01601A
Open coaxial microwave spot joining applicator.—75-00973A
Parallel Measurement Programme in high-temperature dielectric property measurements: an update.—75-01038A
Partially loaded microwave waveguide resonant standing wave electrooptic modulator.—75-00717P
Photoimageable thick-film metallization on microwave substrate for wireless applications.—75-00361A
Possibility of production of reaction-bonded aluminum oxide using microwave energy.—75-04143A
Preparation of highly oriented diamond thin film by microwave plasma-assisted chemical vapor deposition [MPCVD].—75-09398A
Processing and characterization of a polymer matrix composite using variable frequency microwave heating.—75-01632A
Processing parameters influencing the sintering of alumina in a conventional and 14-GHz microwave furnace.—75-01064A
Role of space charge for microwave sintering of oxides.—75-01656A
Simultaneous bolometric and nonbolometric microwave response in biepitaxial Y-Ba-Cu-O thin films.—75-00864A
Sintering of alumina ceramics in a single-mode cavity under automated control.—75-01665A
Steady-state temperature profile in a cylinder heated by microwaves.—75-01681A
Substrates for microwave applications of high-T_c superconductors.—75-03409A
Superconducting microwave parts having a package, two substrates, and line and grounding conductors.—75-08488P
Synthesis of ceramic powders by novel microwave-hydrothermal processing.—75-04242A
Synthesis of high-temperature superconducting thin films in microwave field.—75-03413A
Synthesis of nitrides from microwave nitrogen plasma.—75-09473A
Temperature distribution considerations during microwave heating of ceramics.—75-01727A
Temperature measurement during microwave processing.—75-01728A
Uniform microwave heating of polymer matrix composites.—75-01737A
Use of a variable frequency source with a single-mode cavity to process ceramic filaments.—75-01738A
Vibration method for tracking the resonant mode and impedance of a microwave cavity.—75-01052A
Vibrational spectroscopy of silica sol-gel components during microwave irradiation.—75-01974A
What is the best microwave absorber.—75-01366A
World Congress on Microwave Processing.—75-02154A

migration,
Atmosphere control of interface migration and its effect on dielectric property of CuO-infiltrated strontium titanate.—75-02892A
Direction of liquid film migration induced by chromic oxide in alumina–anorthite.—75-09539A
Migration of nonequilibrium charge carriers in polycrystalline ferroelectrics.—75-08153A
Migration of triplet excitations of benzaldehyde in a porous matrix of sodium borosilicate glass.—75-07349A
Thermal migration of fluid inclusions in quartz.—75-09205A

mills/milling,
Characterization of milled Si_3N_4 powder using X-ray peak broadening and surface area analysis.—75-06179A
Characterization of ultrafine alumina powder produced by wet milling.—75-01396A
Contamination and sinterability of planetary-milled alumina.—75-06559A
Development of an octocalcium phosphate cement.—75-03991A
Enamel modifications required for premilled materials: increased suppler responsibility.—75-00093A
Equipment for fine crushing of ceramic materials (review).—75-08521A
Glazes from premilled raw materials.—75-05164A
Ion milling and reactive ion etching of III-V nitrides.—75-00528A
Method of preparing a high solids content, low viscosity ceramic slurry.—75-05927P
Nanocomposite formation in the Fe_2O_4-Zn system by reaction milling.—75-03321A
New applications for vertical roller mills and dryers in the ceramics industry.—75-00971A
Rotary ultrasonic drilling and milling of ceramics.—75-00986A

mineralogy,
New option for investigating the ceramotechnological behavior of argillaceous materials, with special allowance for the mineralogical constitution.—75-05969A

minerals,
Biotechnological enrichment and conditioning of minerals—refractory magnesite as a case study.—75-08513A
Earthly aspect.—75-00018A
Fifty years of mineral and materials synthesis.—75-01501A
Global trade in refractory minerals: Indian prospects.—75-07557A
Optimizing the capacity of mining operations in cement production.—75-08762A
Physics and Chemistry of Earth Materials.—75-02167B
Precipitation of crystalline and noncrystalline materials from (Ca, Cd, Co, Mg, Ni, and Zn)-hydrogen carbonate solutions under stearic acid monolayer.—75-01610A
Problems with raw material security in the Russian ceramic industry.—75-06048A

mines and mining,
Ball clay basics.—75-06019A
Calcium carbide and acetylene produced from wastes from coal mining at the Kan-Achin basin.—75-08755A
Optimizing the capacity of mining operations in cement production.—75-08762A
Standard methods of clay mining.—75-01071A

mirrors,
Ceramic mirrors and method of manufacturing same.—75-07412P
Corning produces monolithic mirror blank.—75-03514A
Large reflector telescope: manufacturing process of a 8 meter mirror blank.—75-05025A
Mechanism of mirror finish grinding of silicon nitride ceramics.—75-09359A
Properties of aluminosilicate fiberboard.—75-03919A
Reflectivity of ceramic materials for laser-cavity mirrors.—75-06509A

mixed alkali effect,
Electrical conductivity in mixed alkali aluminosilicate melts.—75-04956A
Mixed alkali effect in the $30\{(1-x)Li_2O$-$xNa_2O\}$:$70TeO_2$ glass system.—75-04916A
Mixed alkali effect in the system R_2O-PbO-P_2O_5.—75-07350A
Nuclear magnetic resonance and transmission electron microscopy studies of mixed alkali silicate glasses.—75-02599A

mixers/mixing,
Design of concrete mixes for minimum brittleness.—75-04811A
Hierarchically ordered particle mixtures by thermally triggered granulation.—75-05902A
High-lime gunning mixes for BOF and EAF.—75-07564A
Mixing reactors—new method for drying and conditioning of sludge.—75-00968A
Modern mixing and granulating processes for the preparation of refractory bodies.—75-07606A
THz SIS mixers with normal-metal Al tuning circuits.—75-08441A

mixing,
Effect of mixing procedure on fine alumina paste extrusion.—75-01459A
Linear term valence subband mixing and its effect on electroabsorption of tensile strained GaAs/AlGaAs quantum wells.—75-05360A
Novel approach to injection molding.—75-05905A

mixtures,
Abrasive wear of protective coatings of thermitic gunite mixtures.—75-05071A
Calculation of coordination number of particle mixtures—an assessment of the predictability of some proposed models.—75-01013A
Ceramics binder mixture and binding method.—75-08566P
Computation of enamel mixtures with complex composition.—75-07705A
Evolution of gases from refractory mixtures on the BTSO phenol-furfural binder.—75-05091A
Modified heat-insulating refractories from clay-polystyrene mixtures.—75-05107A

Properties of thermoplastic mixtures for forming ceramics by extrusion.—75-03920A
Sol-gel synthesis of a mixture for preparing cordierite.—75-09448A
Testing an olivinite ramming mixture under the conditions of converter production at the Severstal JSC.—75-05147A

mobility,
Anomalous T^3 inverse Hall mobilities observed in $Sr_{1-x}Ca_xCuO_2$ and $Sr_{0.9}Nd_{0.1}CuO_2$ infinite layer thin films.—75-05725A
Atomic mobility and thermodynamics of ultrasmall clusters of a substance.—75-06162A
Behavior of charge carrier mobility in the inversion channel of Si MIS structures.—75-07791A
Detection of ionic mobility of $YBa_2Cu_3O_{7-\delta}$ by means of the phase-sensitive rejection filtering technique.—75-03354A
Electric-field dependence of the photocarrier hopping mobility in bismuth silicon oxide.—75-01281A
Grain boundary mobility in Y_2O_3: defect mechanism and dopant effects.—75-06876A
Mobility of tungsten clusters and microstructure of tungsten films on amorphous carbon substrates.—75-02511A
Nonactivated donor mobility with ultrasound in CdS crystals.—75-05400A
Oxygen mobility in $YBa_2Cu_3O_{7-\delta}$.—75-03389A
Viscous mobility of two-dimensional vortexes in layered superconducting structures.—75-08446A

modeling/models,
Adsorption of bis(triethanolammonium) 1,10-decanedicarboxylate on magnetite from aqueous solution.—75-06419A
Agile manufacturing, a solution for many ceramic industry manufacturing problems.—75-05891A
Analysis and modeling of glass melting.—75-02700A
Analytical composite model of a piezoelectric traveling-wave motor for optimal design and manufacture.—75-00637A
Arrest of fatigue cracks in transformation-toughened ceramics.—75-04452A
Atomistic modeling of migration properties of oxygen in $Bi_2Sr_2CaCu_2O_8$.—75-08265A
Atomistic modeling of point defects in $Bi_2Sr_2CaCu_2O_8$.—75-05730A
Calculation of coordination number of particle mixtures—an assessment of the predictability of some proposed models.—75-01013A
Calculation of phase diagrams of multicomponent systems.—75-03767A
Challenging issues in bulk crystal growth modeling.—75-03769A
Characteristics of the combustion synthesis of TiC and Fe-TiC composites.—75-06545A
Charged cluster model in the synthesis of diamond by CVD.—75-08879A
Computational modeling of mass transfer for ceramic microstructure.—75-09533A
Computer modeling of melts and glasses in the CaF_2-SiO_2 system.—75-04886A
Computer modeling of the crystallization of 2-D anharmonic glasses.—75-08645A
Computer modeling of the optical properties of transition-metal ions in solids.—75-01269A
Computer simulation of grain growth under the existence of liquid phase.—75-09534A
Computer simulation of percolation structure in composites.—75-08886A
Computer-assisted optimization of the HIP-elimination of processing flaws in alumina.—75-01409A
Consecutive reversible first-order two-stage reaction model for reduction of Cr_2O_3.—75-03776A
Consideration of radial dependences of axial stresses in the shear-lag model for fiber pullout.—75-04465A
Constitutive model for dry cohesive powders with application to powder compaction.—75-06558A
Construction and use of mathematical models of tunnel furnaces.—75-03609A
Corrosion model for metals in molten glass.—75-07294A
Creation of electron-hole pairs in inorganic scintillators.—75-01818A
Critical state models for flux-pinning-induced magnetostriction in type-II superconductors.—75-00779A
Damage mechanisms modeling for ceramic composites.—75-04482A
Damage processes and nonlinearity in ceramic matrix composites.—75-04483A
Defect structure, electrical properties, and transport in barium titanate: VI, General defect model.—75-03882A
Determination of parameters of CMC materials using slice compression tests.—75-03558A
Development of computer model for analysis of phenomena in COREX shaft-type reduction furnace.—75-08719A
Development of drying schedules for one-side-heating drying of refractory concrete slabs based on a finite element model.—75-02811A
Dynamic model for electromagnetic field and heating patterns in loaded cylindrical cavities.—75-01445A
Dynamic modeling of CVD for real-time control of microstructure.—75-03559A
Effect of particle size distribution on sintering: I, Modeling.—75-04006A
Electromechanical testing and modeling of a $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-$BaTiO_3$ relaxor ferroelectric.—75-05562A
Estimation of Hamaker constants of ceramic materials from optical data using Lifshitz theory.—75-01021A
Evaluation of oxygen tracer diffusion profiles in two-stage oxidation experiments.—75-01990A
Experimental and theoretical investigation of the residual stress distribution in brazed ceramic steel components.—75-02468A
Experimental design and neural networks in ceramic processing.—75-01491A
Experimental evaluation of a new flocculation-filtration model for ceramic shape forming processes.—75-05945A
Experimental testing of applicability of the Preisach hysteresis model to superconductors.—75-03369A
Finite element computer model of microwave-heated ceramics.—75-01504A
Finite element modeling of a hot-filament CVD [HFCVD] diamond deposition reactor optimized for large-area deposition.—75-08526A
Flow and transport modeling of a low-level radioactive waste disposal facility.—75-03466A
Forced chemical vapor infiltration of tubular geometries—modeling, design, and scale-up.—75-04048A
Geometric considerations for modeling oxy-fuel glass tanks.—75-08725A
Geometrical model for a two-layer woven composite reinforcement fabric.—75-06875A
Glass polishing.—75-00215A
High-temperature oxidation of porous nonoxide ceramics—recent advances in modeling and protection by coatings.—75-01993A
Impedance-loss profile characterization of interconnection structures.—75-00340A
Improved passive model for transient prediction of GaAs E/D MESFET analog switches.—75-03051A
Integrated approach to product development and manufacturing.—75-07081A
Interaction between capillary flow and macroscopic silicon concentration in liquid siliconized carbon/carbon.—75-03573A
Keating-Harrison model for the description of elastic properties of wide-gap semiconductors.—75-07943A
Life prediction model for continuous fiber-reinforced ceramic composites under creep conditions.—75-04576A
Macroscopic modeling and damage processes in CMC's.—75-04581A
Mathematical model of the quasi-stationary process of porous oxidation of metals without chemical dissolution of the oxide.—75-06925A
Mathematical models of microwave heating: bistability and thermal runaway.—75-01569A
Measurement and modeling of strength distributions associated with grinding damage.—75-00964A
Micromechanical model for evaluation of properties of functional gradient materials.—75-04597A
Microscopic model for two-level system dynamics in glasses.—75-02667A
Microwave heating of a changing material.—75-01574A
Minimization of fatigue in ferroelectric films.—75-03242A
Model of sintering α-silicon carbide.—75-04113A
Modeling and simulation of the mechanical behavior of CMCs.—75-04605A
Modeling of dissolution processes of oxide phases: II, Model of the influence of the binary electrical layer on the consecutive first-order reactions with reversible first phase.—75-06688A
Modeling of droplet velocity during spray deposition process.—75-03582A
Modeling of high-temperature ferroelectric-piezoelectric ceramic materials.—75-05608A
Modeling of microfracture-induced wear and wear transition in sliding of polycrystalline ceramics.—75-04606A
Modeling of propagation delays in the bilevel crossing interconnections on the GaAs-based integrated circuits.—75-03094A
Modeling of super-high-frequency meander switches on the *s-n* transition in HTSC films.—75-08372A
Modeling of the hysteresis of ferroelectric thin films.—75-05609A
Modeling routes for the chemical vapor deposition process.—75-04114A
Modeling the gas-phase chemistry of silicon carbide formation.—75-04116A
Modeling the microstructure of cement.—75-00055A
Modeling the properties of concrete on gypsumless cement with a complex chemical additive.—75-07167A
Models for the thermostructural properties of SiC fibers.—75-03907A
Models of high-temperature, environmentally assisted embrittlement in ceramic matrix composites.—75-07016A
Molecular orbital models of silica.—75-06277A
Multiple law modeling for the oxidation of advanced ceramics and a model-independent figure of merit.—75-02004A
Nonlinear behavior model for SiC/SiC composites.—75-04382A
Nonlinear effects in high-temperature superconducting bolometers.—75-00837A
Numerical simulation of unsteady color change in glass-melting tank.—75-08734A
Optical characterization and modeling of amorphous hydrogenated carbon films.—75-01319A
Optimization of bundle infiltration in the forced chemical vapor infiltration (FCVI) process.—75-04127A
Optimized binder burnout—more than just a time factor.—75-06006A
Optimizing heating schedules: a model study.—75-07622A
Partial conductivities in $SrTiO_3$: bulk polarization experiments, oxygen concentration cell measurements, and defect-chemical modeling.—75-00359A
Phonon echo in irradiated crystalline quartz.—75-09037A
Piezoelectric constant for binary piezoelectric 0-3 connectivity composites and the effect of mixed connectivity.—75-00688A
Prediction of thickening times of oil field cements using artificial neural networks and Fourier transform infrared spectroscopy.—75-02416A
Project MAXWELL—a technical overview.—75-02144A
Pullout of a ductile fiber from a brittle matrix: II, A simplified model.—75-07025A
Silica fracture: I, A ring contraction model.—75-07030A
Simple mathematical model for the electrical conductivity of highly porous ceramics.—75-01341A
Simple mathematical model for the electrical conductivity of highly porous ceramics[—comment].—75-09185A
Simple mathematical model for the electrical conductivity of highly porous ceramics[—reply].—75-09186A
Simple models for thermomechanical behavior of glass products during their molding by drawing.—75-02742A
Simplified model describing enhanced growth rates during vapor phase selective epitaxy.—75-03162A
Simulation-based parameter extraction, its implementation, and some applications.—75-03163A
Stochastic microfracture process of ceramics.—75-07033A
Stochastic model of the growth of an A-type crystal by molecular beam epitaxy.—75-09451A
Stress modeling and dilatometric study of glass-based fiber and microchannel composites.—75-02687A
Structural relaxation with viscous flow followed by thermodilatometry.—75-05982A
Structure of glass.—75-07314A
Temperature-dependent kinetic inductance of $YBa_2Cu_3O_{7-\delta}$ thin films predicted by the coupled grain model in the strong-coupling limit.—75-03416A
Theoretical model for compaction of granular materials.—75-08708A
Theoretical modeling of the chemical vapor infiltration process for fabricating ceramic matrix composites.—75-04254A
Thermal model for the bolometric response of high-T_c superconducting films to chopped optical radiation.—75-08439A
Thermogalvanomagnetic effects in bismuth.—75-03185A
Time domain characterization and circuit modeling of a multilayer ceramic package.—75-00383A
Time domain techniques applied to measurement and modeling of microwave packages.—75-01046A
Two-dimensional model of the chemical vapor deposition of silicon nitride in a low-pressure hot-wall reactor including multicomponent diffusion.—75-04263A
Understanding and improving processing through interpreting and manipulating predictive models.—75-03601A
Use of the partial charge model and multinuclear NMR techniques in aqueous chemistry.—75-01050A
Verwey transition in magnetite: mean-field solution of the three-band model.—75-00763A
Viscoelasticity of ceramics at high temperatures.—75-07056A
Volume minimum in computer simulations of supercooled, amorphous silica.—75-06406A
Wear mechanisms of ceramics.—75-09695A

modification,
Acidic properties of alumina modified with orthoboric acid.—75-09212A
AlN ceramics prepared by aqueous colloidal processing.—75-01373A
Calculation of properties and stresses in glass layers modified by ion exchange: II, Relaxation of properties of thin layers of glass after rapid changes in its composition.—75-07326A
Cement concrete modified through high-molecular hydrocarbon impregnation.—75-00026A
Electrochemical surface modification of diamond.—75-09298A
Existence and regular arrangement of metal vacancies in ordered modification of titanium carbide.—75-06227A
Modification of silicon nitride slip properties by poly(acrylic acid).—75-04117A
Near-surface modification of silica structure induced by chemical/mechanical polishing.—75-06901A
Research on polymer-modified cement mortar.—75-00066A
Semiconducting properties of epoxy-modified $YBa_2Cu_3O_{7-x}$ (123) superconductors.—75-00862A
Sorption properties of NaX zeolite modified by polydimethlydiallylammonium chloride.—75-09189A
Spectral characteristics of cubic and orthorhombic modifications of PbF_2.—75-09062A
Structural modifications induced by high electric field in PZT ceramics.—75-00703A
Surface modification during scanning tunneling microscope measurements on $YBa_2Cu_3O_7$ thin films.—75-00878A
Surface modification of magnetic recording heads by plasma immersion ion implantation and deposition.—75-01690A
Surface modification of silicon nitride powders by metallorganic surfactants.—75-04235A
Surface modification of $YBa_2Cu_3O_{7-\delta}$ thin films using the scanning tunneling microscope: five methods.—75-03411A
Surface modification of $YBa_2Cu_3O_x$ thin films with a scanning tunneling microscope.—75-00879A

modulation,
$LiNbO_3$ single crystals with periodic modulation of domain structure.—75-08969A
Modulation of $Bi_4Sr_4CaCu_3O_{14+\epsilon}$ superconductor structures.—75-08374A

modulators,
Optimization of MQW structures for acoustooptic absorption modulators.—75-03106A
Thermal drift as a source of output instabilities in Ti:$LiNbO_3$ optical modulators.—75-01731A

modulus of elasticity,
Derivation of the exponential relation for the effect of ellipsoidal porosity on elastic modulus.—75-06200A
Ultrasonic phase velocity and elastic modulus in isotopically enhanced manufactured diamonds.—75-01364A

modulus of rupture,
Development of automatic testing system for modulus of rupture at elevated temperatures and application to measuring.—75-08658A
Loading rate for modulus of rupture test.—75-05954A

moisture,
Data on moist air—drying technology.—75-05991A
Effect of moisture on the thermal conductivity of the refractory concrete.—75-07538A

Express moisture gage of a brick body.—75-07447A
Method of making moisture-resistant aluminum nitride powder and powder produced thereby.—75-08605P
Moisture expansion kinetics as a function of conditioning.—75-00245A

molds/molding,
Applicability of general soft metallic molds applied to gravity mold casting in high temperature melt.—75-03953A
Connectors for optical communication cables composed from single-mode fibers.—75-05002A
Development of a technology for producing molds on gypsum binder.—75-05081A
Development of refractory inserts for improving the performance of ingot mold bottom plates.—75-07527A
Diffusion of degradation products in ceramic moldings during pyrolysis: effect of geometry.—75-04280A
Dust pressing process speeds plate production.—75-02866A
Effect of die material in molding equipment on deformation of plastic ceramic mixtures.—75-09619A
Flexible molds for ceramics.—75-02251A
Glass gob drop guide funnel assembly.—75-08746P
Hot molding of ceramics.—75-01526A
How to manufacture glass-forming molds.—75-07387A
Improving the design and technology of molds for ceramic articles.—75-08530A
Jig and method for isostatically pressing ceramic powder.—75-00994P
Method for molding a ceramic port liner.—75-05924P
Method of making a shell mold from a ceramic material for a disposable pattern casting process.—75-08602P
Method of manufacturing hollow ceramic part with hole therein.—75-05926P
Method of manufacturing hollow ceramic rolling elements.—75-08608P
Micromolding of ceramics using photolithographic polyimide patterns.—75-01571A
Modular inquiries.—75-02300A
Mold for pressure cast molding a ceramic article formed from an open cell porous material.—75-08610P
Molded ceramic articles.—75-03546P
Molding of Si_3N_4 and SiC ceramics via direct coagulation casting [DCC]—basic principles and processing.—75-09365A
New granular mold powder.—75-05114A
Passivation and strengthening of mold parts for molding ceramic plates.—75-09374A
Porous mold for manufacturing ceramics.—75-03547P
Pressure slip casting process for making hollow-shaped ceramics.—75-01000P
Red ceramic molded bodies as well as processes for their production.—75-00255P
Slip-casting method for manufacturing ceramic articles.—75-07718P

molecular beam epitaxy,
AlN grown by metallorganic molecular beam epitaxy.—75-03951A
Deep electron states in chlorine-doped ZnSe films grown by molecular beam epitaxy.—75-02988A
Deep traps in molecular beam epitaxial GaAs grown at low temperatures.—75-00452A
Doping of ZnSe with a highly effective active nitrogen source during molecular beam epitaxy.—75-07835A
Effect of growth temperature and doping concentration on the distribution of the emitting centers in CaF_2:Er molecular beam epitaxial layers.—75-06577A
Gas composition dependence of silicon nitride used as gallium diffusion barrier during GaAs molecular beam epitaxy growth on Si complementary metal oxide semiconductor.—75-03034A
Growth of gallium nitride by electron cyclotron resonance plasma-assisted molecular beam epitaxy: the role of charged species.—75-01518A
Influence of kinetic roughening on the epitaxial growth of silicon.—75-00516A
Molecular beam epitaxy of a cubical GaN on GaAs(001) substrates with hydrazine.—75-05388A
Molecular beam epitaxy of boron nitride thin films and their analytical characterization.—75-04118A
Possibility of controlling growth mechanisms of HTSC films by molecular beam epitaxy.—75-08398A
Simultaneous Si molecular beam epitaxy and high-dose ion implantation.—75-09434A
Stochastic model of the growth of an A-type crystal by molecular beam epitaxy.—75-09451A
Study of the MBE growth of MgO on the Fe(001) surface.—75-03173A
Use of reverse magnetron configuration source for nitrogen activation in molecular beam epitaxy of GaN.—75-08093A

molecular dynamics,
Molecular dynamic [MD] simulation in titanium dioxide polymorphs: rutile, brookite, and anatase.—75-03807A
Molecular dynamics simulation of molten silica at high pressure.—75-03808A
Molecular dynamics simulation of the elastic deformation of nanometer diameter metal clusters.—75-02079A
Structure of MD [molecular dynamics] simulated calcium aluminosilicate systems.—75-09071A

molecular sieves,
Comparison of thermal stability, acidity, catalytic properties, and deactivation behavior of novel aluminophosphate-based molecular sieves of type 36.—75-06433A
Fixing large zeolite and zeolite-like molecular sieve crystals on moldings.—75-01111P
Group behavior of SAPO-11 molecular sieves containing various metals (Mg, Zn, Mn or Cd, Ni, Cr).—75-06880A

molybdates,
Efficient multifrequency Stokes and anti-Stokes combinative parametric generation of rhombic $Gd_2(MoO_4)_3$ crystals.—75-08917A
Heat capacity of ß-$Tb_2(MoO_4)_3$ crystals in the region of the nonintrinsic ferroelectric phase transition.—75-08146A
Ion transport in copper boromolybdate glasses.—75-04908A
Irreversible alterations of ferroelectric domain structure in paramagnetic rare-earth molybdates induced by a magnetic field.—75-03238A
Li_2MoO_4-$LiBO_2$-Li_2CO_3 system.—75-06256A
Mobility and concentration of charge carriers in $H_2V_{12-x}Mo_xO_{31\pm y}\cdot nH_2O$ xerogels.—75-08985A
Para- and diamagnetoelectrical interactions in $Tb_2(MoO_4)_3$ and $LiIO_3$ crystals.—75-05702A
Partial thermodynamic functions of hydrogen in $H_2V_{12-y}Mo_yO_{31\pm6}\cdot nH_2O$ [y=0–3.5] xerogels.—75-09004A
Phase complex of the Li, Ca||F, MoO_4 system.—75-09008A
Phase diagram of the Li_2MoO_4-Na_2MoO_4-$CaMoO_4$ system.—75-09011A
Phase equilibria in Li, Na, Ba||MoO_4 and Li, Ca, Ba||MoO_4 systems.—75-09013A
Phase equilibria in the $SrMoO_4$-$LaNbO_4$ system.—75-09023A
Phase relations in the Li_2MoO_4-M_2MoO_4-$Zr(MoO_4)_2$ systems (M=K or Rb).—75-09031A
Subsolidus region of the Na_2MoO_4-$MnMoO_4$ system.—75-06377A
Synthesis and properties of manganese(II) double molybdates with rubidium and cesium.—75-06384A
Ternary system of Na_2MoO_4-$BaMoO_4$-MoO_3.—75-06388A
Vibrational spectra of lanthanide molybdates and tungstates with tetrahedral anions.—75-09103A
Vibrational spectra of rare-earth tungstates and molybdates with different oxygen coordinations of tungsten and molybdenum.—75-09104A
X-ray and photoemission spectra study of $Tl_{0.3}MoO_3$.—75-06409A

molybdenum disilicide,
Abrasive wear behavior of an Si_3N_4-$MoSi_2$ composite.—75-04449A
Differential thermal analysis of exothermic reactions in the synthesis of $MoSi_2$.—75-06204A
Effect of oxygen content on the superplastic behavior of $MoSi_2$/SiC composites.—75-09278A
Effect of temperature on the structure and properties of $MoSi_2$-6 mol% Y_2O_3 partially stabilized ZrO_2 composites.—75-09286A
Electrochemical corrosion and protection of molybdenum and molybdenum disilicide in a molten soda-lime silicate glass environment.—75-06923A
Elevated-temperature mechanical behavior of plasma-sprayed $MoSi_2$-SiC.—75-04510A
Fabrication and characterization of reaction-bonded silicon carbide and reaction-bonded silicon carbide/molybdenum disilicide composite.—75-04028A
Gas permeability of plasma-sprayed $MoSi_2$ coating.—75-03896A
High-temperature strength of melt-infiltrated SiC-Mo(Al,$Si)_2$ composites.—75-02063A
Influence of molybdenum silicide additions on high-temperature oxidation resistance of silicon nitride materials.—75-06653A
Influence of powder composition and milling media on the formation of molybdenum disilicide by a mechanically induced self-propagating reaction [MSR].—75-06654A
Mechanical properties of $MoSi_2$/ZrO_2 composites at room temperature.—75-09651A
Microstructure and mechanical properties of $MoSi_2$/SiC composites.—75-01886A
Oxidation behavior of boron-modified Mo_5Si_3 at 800–1300°C.—75-04438A
Oxidation resistance and compressive creep behavior of boron-doped Mo_5Si_3.—75-09658A
Post-disintegration of thin $MoSi_2$ films by oxidation at 500°C.—75-06934A
Processing and microstructure of continuous fiber-reinforced $MoSi_2$-based composites.—75-03917A
Processing of molybdenum disilicide[—review].—75-06747A
Reaction synthesis of $MoSi_2$-Al_2O_3 composite using MoO_3, Al, and Si powders.—75-03833A
Reactive plasma spraying of $MoSi_2$ using an Ar-10% CH_4 powder carrier gas.—75-04198A
Self-lubricating, TiN-MoS_2 composite coatings produced by simultaneous deposition from $Ti((CH_3)_2N)_4$/NH_3/MoF_6/H_2S gas mixtures.—75-04204A
SiC-reinforced $MoSi_2$ composite materials.—75-04212A
Simultaneous synthesis and densification of $MoSi_2$ by field-activated combustion.—75-05913A
Stability of $MoSi_2$ films in vacuum and oxidizing atmospheres.—75-03927A
Stucture and formation kinetics of $MoSi_2$ composites formed by reactive vapor infiltration process.—75-04231A

molybdenum oxide,
^{18}O tracer studies of CO oxidation with O_2 on MoO_3: I. Determination of the number of active sites.—75-06145A
Atomic-scale characterization of defects on cleaved vanadium and molybdenum oxide surfaces using STM.—75-04297A
Glass formation and structure of glasses in the V_2O_5-MoO_3-Bi_2O_3 system.—75-04901A
New compounds in the MoO_3-V_2O_5 system.—75-06693A
Raman band shifts of γ-Bi_2MoO_6 and α-$Bi_2Mo_3O_{12}$ exchanged with ^{18}O tracer at active sites for reoxidation.—75-06330A
Structure of V_2O_5-MoO_3-Fe_2O_3 glasses.—75-04934A

molybdenum,
Aluminum nitride-molybdenum ceramic matrix composites: characterization of ceramic-metal interface.—75-07199A
Bubbling potential of molybdenum and tungsten and their alloys in soda-lime-silica glasses.—75-07284A
Corrosion and electrochemical protection of molybdenum in molten silicate glasses.—75-07293A
Corrosion of molybdenum electrodes in lead glass melts: I, Reaction products and effect of alkalis.—75-06918A
Electrochemical corrosion and protection of molybdenum and molybdenum disilicide in a molten soda-lime silicate glass environment.—75-06923A
Electron emission observations from as-grown and vacuum-coated chemical vapor deposited diamond.—75-07871A
Enhancement of $t\rightarrow m$ ZrO_2 transformation by MoO_3 and its application.—75-04511A
Epitaxial growth and characterization of lattice-matched $MgO/Cr_{0.7}Mo_{0.3}/MgO(001)$ layered structures.—75-04025A
Fabrication and mechanical behavior of Al_2O_3/Mo nanocomposites.—75-04852A
Influence of molybdenum on thermal properties of CMCs.—75-06476A
Influence of molybdenum substitution on superconductivity of yttrium barium cuprate.—75-05781A
Interaction of molybdenum with molten glasses.—75-07304A
Ir spectra of $H_2V_{12-x}Me_xO_{31\pm y}\cdot nH_2O$ (Me=Mo, Cr).—75-08960A
Isothermal oxidation behavior of Mo-Si-B intermetallics at 1450°C.—75-09594A
Leachability of molybdenum from ternary phosphate glasses.—75-02729A
Mo *K*-edge XAFS in Na_2O-K_2O-SiO_2 glasses.—75-07305A
New borides of $LnMo_3B_7$ (Ln=Tb, Dy, Ho, Er, Tm) with the YMo_3B_7 structure.—75-08992A
Optical hydrogen sensor using Pd/MoO_3 films.—75-00681A
Selective imaging of metal atoms in the semiconducting layered compound MoS_2 by STM/STS.—75-01930A
Self-detection of fracture in PZT and $MoSi_2$-Mo_2B_5 layered composite ceramics.—75-00696A
Silicon nitride ceramics containing a dispersed pentamolybdenum trisilicide phase.—75-03756P
Structural transition and superconductivity of Mo-stabilized $R_{1-x}Ca_xSr_2Cu_3O_{7-\delta}$ compounds (R=Pr, Nd, Y).—75-00870A

monazite,
Ceramic composites having a weak bond material selected from monazites and xenotimes.—75-08556P
Structural characterization of $LaPO_4$ [monazite] fiber coatings.—75-09577A

monitors,
Density maps of ceramic bodies using X-ray radiography.—75-01019A
Infrared non-contact temperature measurement, an overview.—75-01027A
Method for screening early failure of ceramic capacitor.—75-07766P
Monitoring of effects of inclusions in model glass systems using acousto-ultrasonic techniques.—75-05964A
Quartz resonator fluid monitors for vehicle applications.—75-00694A
Self-monitoring function in ceramic based materials.—75-09667A
Using a simple feedback loop to accurately count and track WIP [work in process].—75-03603A

monoliths,
Application of monolithic lining for the steel ladle at Kakogawa Works [Japan].—75-07470A
Application technology of monolithic refractories in NSC [Nippon Steel Corp.].—75-07475A
Effect of local variations in density in monolithic ceramic bodies.—75-04005A
Factors influencing the formation of monolithic hydroxyapatite at physiological temperature.—75-04041A
Fibrous ceramic monoliths.—75-09310A
Installation of monolithic refractories: critical issues for successful performance.—75-05102A
Introduction of unshaped products without SiO_2 in secondary metallurgy for cleanliness of metal.—75-07585A
Method for making monolithic prestressed ceramic devices.—75-05226P
Method of making a multilayer monolithic magnetic component.—75-08254P
Method of making microcellular ceramic bodies.—75-00996P
Monolithic ceramic bodies using modified hydrogen silsesquioxane resin.—75-08611P
Monolithic dewatering theory testing and practice: new challenges.—75-05109A
Monolithic refractories based on Chinese raw materials and their application.—75-07607A
Monolithic refractory powder mixture.—75-07699P
Nondestructive characterization of structural ceramic components.—75-03586A
Optimization of monolithic refractory steel ladle lining.—75-07620A
Oxidation behavior of nitrides and borides as monolithic and composite ceramics.—75-02008A
Recent trends in monolithic refractories.—75-07644A
Revolution in monolithic refractory installation—an overview.—75-05132A
SiC and Si_3N_4 fibrous monoliths—nonbrittle fracture from powder processed ceramics produced by coextrusion.—75-02096A
Simple method for quick evaluation of thermal conductivity data and predictions of their gap with those of actual monolithic linings.—75-07659A

montmorillonite,
Adsorptive and isomeric activity of catalysts based on high-silicon zeolites and columnar montmorillonite.—75-08866A
Aromatization of propylene on modified montmorillonite-containing catalysts based on a high-silica NTSVM zeolite.—75-06539A
Dehydration and hydration of montmorillonite at elevated temperatures and pressures using synchrotron radiation.—75-03783A
Geometric structures of lanthanide ions within layered clays as determined by EXAFS: from the Lu(III) hydrate to the disilicate.—75-03798A
Hydraulic properties of montmorillonite-quartz and saponite-quartz mixtures.—75-02779A

Interaction of exchanged Zn^{2+}-montmorillonite with alkaline and earth-alkaline cations.—75-03801A
Preparation and study of the structure and physicochemical properties of TiO_2-fixed montmorillonite.—75-06719A
Rheological study on the thixotropic flow: effect of time scale on flow type measurement.—75-02793A
Sorption of cesium, strontium, and europium ions on clay minerals.—75-06857A
Synthesis and properties of adsorptive catalysts based on high-silica zeolites and layered-columnar montmorillonites.—75-09460A

montmorrillonite,
Thermal stability of montmorillonite intercalated and alumina pillared by boehmite sol.—75-03938A

mordenite,
Determining role of the SiO_2/Al_2O_3 ratio in the stabilization of silver clusters in mordenite.—75-06442A

morphology,
Automated image analysis for morphology measurements and quantification of whisker and powder materials.—75-01795A
Chemical analyses and morphologies of some solid industrial process wastes with possible use as raw materials in the clay-based ceramic industry.—75-00944A
Effect of pressure on the morphology and growth of HFCVD [hot filament-assisted CVD] diamond at low filament and substrate temperatures.—75-09280A
Effects of controlled-geometry sinusoidal perturbations on the morphological evolution of pore channels in sapphire.—75-01835A
Electrical, optical properties, and surface morphology of high-purity InP grown by chemical beam epitaxy.—75-00002A
Electrochemical characterization of thio sol-gel-derived titanium sulfide (TiS_2) powders with unique morphologies.—75-02907A
Excimer laser planarization of diamond films.—75-00489A
Formation of hollow ceramic microspheres in a dc plasma.—75-00095A
Growth morphology and mechanism of a hollow ZnO polycrystal.—75-04331A
Heteroepitaxial diamond formed on silicon wafer observed by high resolution electron microscopy.—75-04333A
In situ whisker-reinforced $AlPO_4$-modified ß-eucryptite glass-ceramic: I, Morphology and crystallization kinetics.—75-02590A
Model experiments concerning abnormal grain growth in silicon nitride.—75-09570A
Morphological characterization of aqueous tin oxyhydroxide gel.—75-03809A
Morphological control of silicon nitride by seeding.—75-04377A
Morphological effect of second phase on the thermal conductivity of AlN ceramics.—75-04378A
Morphological forms of α-alumina particles synthesized in 1,4-butanediol solution.—75-01229A
Morphological forms of tobermorite in hydrothermally treated calcium silicate hydrate gels.—75-04823A
Morphology and cold compaction behavior of alkoxide-derived $Pb(Zr_{0.4}Ti_{0.5})O_3$ powders.—75-01312A
Morphology and composition of nanograde calcium phosphate needlelike crystals formed by simple hydrothermal treatment.—75-03810A
Morphology and modification by high-energy ion beam bombardment concurrent with TiN film growth.—75-06279A
Morphology and preferred orientation of titanium nitride plates prepared by chemical vapor deposition.—75-06689A
Morphology evolution in diamonds in combustion synthesis.—75-08987A
Morphology of diamond plate grown in the C-H-O system.—75-08988A
Morphology of lanthanum carbonate particles prepared by homogeneous precipitation.—75-09571A
Morphology of polycrystalline ZnO and its physical properties.—75-03908A
Particle cellulation composite (PPC)—dispersion morphology of SiC particles in Si_3N_4/SiC composites.—75-04385A
Precipitation of crystalline and noncrystalline materials from (Ca, Cd, Co, Mg, Ni, and Zn)-hydrogen carbonate solutions under stearic acid monolayer.—75-01610A
Surface energies and morphologies of chemical vapor deposited diamond films.—75-01956A
Surface morphology of pulsed laser-deposited aluminum nitride thin films.—75-06381A
$YBa_2Cu_3O_{7-x}$ films on yttria-stabilized ZrO_2 substrates: influence of the substrate morphology.—75-03427A

mortars,
Aluminosilicate air-hardening mortar solutions with elevated strength.—75-07466A
Chloride ion permeability of mortar containing fly ash, blast-furnace slag, and silica fume.—75-00027A
Effect of corrosion on flexural behavior of ferrocement.—75-00030A
Fiber-matrix interaction in microfiber-reinforced mortar.—75-02406A
Fractal dimension as a measure of roughness of concrete fracture trajectories.—75-02408A
Handbook of Polymer-Modified Concrete and Mortars: Properties and Process Technology.—75-07108B
Heat-cured-induced expansion.—75-00040A
High-alumina mortar from scrap of refractory articles after use in metallurgical units.—75-05097A
Observation of the fracture path development in mortar beam specimens.—75-04824A
Process of sulfate attack on cement mortars.—75-04826A
Properties of mortars containing fine-ground cements.—75-02419A
Properties of silica fume concrete and mortar.—75-02420A
Research on polymer-modified cement mortar.—75-00066A
Retarding effects of cement mortar setting.—75-07181A
Three-phase model of the elastic and shrinkage properties of mortar.—75-04836A

mosaics,
Mosaic challenges.—75-02303A

Mossbauer effect,
Identification of one- and two-electron impurity centers in semiconductors by Mossbauer spectroscopy.—75-07914A
Mossbauer spectral investigations of ultrafine rare-earth garnets.—75-06281A
Mossbauer studies of $CdIn_2S_4$.—75-07979A
Nanostructural studies by Mossbauer spectroscopy.—75-01892A
One- and two-electron exchange between neutral and ionized impurity centers on semiconductors by Mossbauer spectroscopy.—75-07988A

motor,
Ceramic motor.—75-03265P

mullite,
Aluminum *K*-edge absorption (XANES) studies of noncrystalline mullite precursors.—75-03763A
Aqueous sol-gel synthesis of mullite powder by using aluminum oxalate and tetraethoxysilane.—75-06538A
Assessment of residual strains in mullite/zirconia-toughened alumina composites using X-ray diffraction.—75-06942A
Characterization of Si_3N_4 coated with chemically vapor deposited mullite after Na_2SO_4-induced corrosion.—75-06866A
Combination of transformation and nanotoughening in mullite composites.—75-03975A
Constitution of porcelain before and after heat treatment: II, Aspect ratio and size distribution of mullite.—75-09536A
Contribution of microstructure to the toughness of mullite/zirconia composites.—75-02027A
Coprecipitation and processing of mullite precursor phases.—75-06563A
Corrosion of mullite by molten salts.—75-06919A
Corrosion of silica and mullite refractories used in glass furnaces under 100% oxy-firing process.—75-05078A
Crystal structure of Al-rich mullite.—75-03778A
Crystallization and densification of sol-gel mullite powders.—75-01211A
Crystallization of mullite from rapidly quenched melt.—75-01212A
Densification behavior of silicone-infiltrated alumina.—75-06439A
Densification of mullite precursor powders [cold] isostatically pressed of ultrahigh pressure.—75-01429A
Dependence of the properties of vibration-cast refractory mullite-corundum articles on their composition by the method of experimental design.—75-07505A
Development of mullite matrix ceramic fiber composites using electrophoretic deposition [EPD].—75-09256A
Development of zircomullite aggregates from beach sand.—75-07530A
Directionally solidified mullite fibers.—75-03884A
Effect of bauxite substitution on high-temperature strength properties of zirconia-corundum mullite material.—75-02815A
Effect of CaO and temperature on *t*-ZrO_2 retention in mullite-zirconia body produced by reaction sintering route.—75-07535A
Effect of chemical composition on the sintering of mullite powders obtained by γ-Al_2O_3 and kaolin.—75-01451A
Effect of iron oxides on mullite-corundum refractories under the conditions of oxidizing and reducing media.—75-05085A
Effect of pH on 980°C spinel phase—mullite formation of Al_2O_3-SiO_2 gels.—75-03788A
Effects of chemical composition on microstructure and properties of mullite substrate ceramics.—75-09293A
Effects of heat treatment on mechanical properties of mullite/ZrO_2/SiC composites.—75-04505A
Fabrication of continuous fiber-reinforced ceramics with a nanosized mullite precursor.—75-04032A
Formation of mullite in the matrix of low- and ultralow-cement castables.—75-00039A
Fracture properties of layered mullite/zirconia-toughened alumina composites.—75-06983A
Grinding effect on kaolinite-pyrophyllite-illite natural mixtures and its influence on mullite formation.—75-04057A
Growth and structure of single phase mullite gels from chelated aluminum alkoxides and alkoxysilanes.—75-06629A
Heat treatment of ZTM/SiC(p) composite.—75-04065A
High-temperature deformation of SiC whisker-reinforced MgO/PSZ mullite composites.—75-02059A
Hydrothermal corrosion of mullite powder.—75-06924A
Impact of grain boundaries on properties of mullite as a solid electrolyte.—75-01867A
In-plane microstructure of plasma-sprayed Mg-Al spinel and 2/1-mullite-based protective coatings: an electron microscopy study.—75-09552A
Interaction of mullite-corundum refractories and alkalis under conditions of variable gas media.—75-05103A
Interfacial debonding behavior of mullite/SiC continuous fiber composite.—75-02069A
Internal synthesis method for mullite-chromium carbide composite in a vacuum system.—75-06663A
Low-temperature synthesis of mullite powders by the emulsion route.—75-06675A
Mechanical properties and microstructure of Al_2O_3-platelet-reinforced-ZTM composites.—75-04589A
Mechanical properties of 3-D ceramic matrix composites.—75-03654A
Microstructure and related properties of mullite/zirconia composites.—75-00351A
Microwave sintering of zirconia-toughened mullite and its heating characteristics.—75-04111A
Mullite formation by endothermic reaction of α-alumina/silica microcomposite particles.—75-01590A
Mullite joining by the oxidation of malleable, alkaline-earth–metal-bearing bonding agents.—75-04860A
Mullite refractories from bauxites of the Iksinskoe Deposit.—75-06042A
Mullite-corundum refractories with silicon carbide for linings of transportable mixers.—75-05111A
Mullite.—75-06043A
Optimization of the fugitive coating thickness in pressure-infiltrated mullite alumina composites.—75-04128A
Oxidation behavior of mullite-coated SiC and SiC/SiC composites under thermal cycling between room temperature and 1200–1400°C.—75-04439A
Phase diagram for mullite-SiF_4.—75-01231A
Phase transformations in multilayered CVD mullite coatings.—75-03821A
Porous mullite aggregate and lightweight castable.—75-07631A
Preparation and high-temperature strengthening of tetragonal zirconia-mullite whisker composites.—75-01615A
Preparation and mechanical properties of SiC whisker and nanosized mullite particulate-reinforced TZP ceramics.—75-09383A
Preparation of bimodal porous mullite ceramics.—75-04156A
Preparation of mullite fiber.—75-04162A
Processing of mullite and its composites: II.—75-06748A
Reaction-bonded mullite/zirconia composites.—75-01645A
Residual strains and stresses in mullite/zirconia-toughened alumina (ZTA) composites.—75-02089A
Role of hydrolysis water-alcohol mixture on mullitization of Al_2O_3-SiO_2 monophasic gels.—75-06342A
Sintering and microstructural investigations on combustion-processed mullite.—75-09436A
Sintering behavior of precursor mullite powders and resultant microstructures.—75-09438A
Sintering mechanisms and microstructural development of coprecipitated mullite.—75-04222A
Sintering of diphasic mullite gel.—75-09056A
Solid solution range of mullite up to 1800°C and microstructural development of ceramics.—75-06355A
Stereological observations of platelet-reinforced mullite and zirconia matrix composites.—75-09576A
Surface coating of mullite fibers with microporous titanium silicate and aluminophosphate.—75-06788A
Surface segregation in mullite-zirconia composites.—75-01960A
Synthesis and phase transformations of mullites obtained from SiO_2-Al_2O_3 gels.—75-09078A
Synthesis and properties of mullite ceramics prepared from silica fume and alumina.—75-01702A
Synthesis and sintering of mullite powders by the decomposition/combustion of aluminum nitrate—amorphous fumed silica-urea mixtures.—75-06799A
Synthesis of mullite fiber from an aluminosiloxane precursor.—75-06811A
Synthesis of mullite powder from seeded diphasic gels.—75-04245A
Thermal decomposition of alkoxides in an inert organic solvent: novel method for the synthesis of homogeneous mullite precursor.—75-04256A
Thermal diffusivity/conductivity and specific heat of mullite-zirconia-silicon carbide whisker composites.—75-09201A
Thermal fatigue behavior of ZTM ceramics.—75-04650A
Thermodynamic properties of mullite, $3Al_2O_3$·$2SiO_2$.—75-06397A
Thermomechanical behavior of mullite-zirconia composite.—75-09209A
Thermomechanical properties of alumina refractories containing a fused mullite-zirconia aggregate.—75-07683A
Topaz as a source of mullite.—75-01734A
Toughening of sol-gel-derived mullite matrix by Al_2O_3 platelets.—75-07053A
Transmission electron microscopy and electron energy loss spectroscopy characterization of glass phase in sol-gel-derived mullite.—75-09580A
Use of reaction sintering in the microstructural design of zirconia-dispersed alumina matrix ceramics.—75-01973A
Wear resistance of ZTM ceramics.—75-04667A

multilayer capacitor,
1995 Corporate Technical Achievement Award: Transelco Div., Ferro Corp.—X5000 dielectric for multilayer capacitors.—75-05173A
Advances in multilayer ceramic capacitor technology.—75-02890A
Development of a multilayer ceramic antenna switch for wireless communications.—75-00312A
Effect of $BaTiO_3$ dispersion on the properties of cast tapes in processing of multilayer ceramic capacitor (MLCC).—75-07724A
Method of manufacturing multilayer electronic component.—75-00401P
Method of preparing a plurality of ceramic green sheets having conductor films thereon.—75-07767P
Microelectronics packaging moves toward miniaturization.—75-02917A
Multilayer ceramic capacitors with nickel electrodes.—75-00355A
Multilayered ceramic capacitor.—75-00405P
Numerical simulation of electrical characteristics of multilayer ceramic capacitors.—75-00358A
Preparation, microstructural development, and dielectric properties of $Pb(Mg_{1/3}Nb_{2/3})O_3$-$Pb(Ti_xZr_{1-x})O_3$ multilayer ceramic capacitors.—75-05207A
Process engineering of multilayered ceramic capacitors.—75-05208A

multilayer, see also multilayers
Ceramic joining: II, Partial transient liquid phase bonding of alumina via Cu/Ni/Cu multilayer interlayers.—75-04841A
Ceramic multilayer wiring board.—75-02946P
Ceramic via composition, multilayer ceramic circuit containing same, and process for using same.—75-05218P
Design aid for multichip module.—75-00309A
Effect of interphase carbon thickness on environmental resistance of continuous fiber-reinforced ceramic matrix composites.—75-04318A

Electro-formed thin-film silica device as oxygen sensor.—75-00330A
Heater having a multiple layer ceramic substrate and method of fabrication.—75-06088P
High-temperature superconducting multilayers and heterostructures grown by atomic layer-by-layer molecular beam epitaxy.—75-05775A
Intelligent multichip module analyzer- a thermal design tool.—75-00343A
Laser induced vertical vias for programmable MCMs.—75-00345A
Laser via ablation technology for MCMs thin film packaging-past, present, and future at IBM microelectronics.—75-00346A
Layered Si_3N_4-based composites.—75-01559A
Low loss, low temperature cofired ceramic for microwave multichip modules.—75-00347A
Manufacturing considerations for mcm-d large format fabrication.—75-00348A
Material responses in electronic components based on single-crystalline Si/SiO_2/Si polycrystalline Si three-layer structures.—75-09553A
Method for making multilayer ceramic packages.—75-07764P
Method for manufacturing multilayer ceramic substrate.—75-07765P
Method of and apparatus for producing multilayer ceramic board.—75-05227P
Method of making a multilayer monolithic magnetic component.—75-08254P
Method of manufacturing cavitied ceramic multilayer block.—75-00998P
Multiceramic layer switch circuit.—75-07770P
Multilayer CVD diamond films.—75-08612P
Multilayer interference structures for X-ray mirrors based on carbon films.—75-08807A
Multilayer nanolaminates containing polycrystalline zirconia.—75-06097P
Mutlilayer glass-ceramic substrate and method of fabricating the same.—75-07771P
Process for producing circuitized layers and multilayer ceramic sublaminates and composites thereof.—75-07773P
Processing and flexural behavior of alumina multilayer structures.—75-04181A
Processing of a novel multilayered silicon nitride.—75-06746A
Reliability analysis of LTCC MCM's utilizing silver conduntives.—75-00371A
RF design considerations for passive elements in LTCC.—75-01041A
Silicon carbide sewing thread.—75-01194P
Strengthening of multilayer ceramic/glass articles.—75-00409P
Structural changes and interlayer charge transfer in HTSC at high pressures.—75-08421A
Superconducting multilayer interconnection formed of *a*-axis and *c*-axis oriented oxide superconductor materials.—75-00921P
Test challenges for an ASEM MCM foundry.—75-00005A
Theoretical principles and experimental investigations on the choice of technological ways to obtain variable-density materials.—75-05149A
Thick film multilayer material systems for thermal cycle applications.—75-00381A
Time domain characterization and circuit modeling of a multilayer ceramic package.—75-00383A
Time domain wavelets "D.S.P" lossy transmission line simulator in the mentor graphic's "layout" package.—75-00623A
Transient liquid-phase bonding of alumina using microdesigned Ni-based interlayers.—75-00143A
Transition via fill material for silver-gold interconnects.—75-00384A
Using DOE to reduce costs and improve the quality of microelectronic manufacturing processes.—75-00631A
X-ray waveguide modes in layer structures.—75-06916A

multilayers,
Characterization of thin films and multilayers by specular X-ray reflectivity.—75-01809A
Copper phthalocyanine titanium oxide multilayers.—75-00448A
Flexible ceramic thermal protection system resistant to high aeroacoustic noise comprising a three-dimensional woven-fiber structure having a multilayer top fabric layer, a bottom fabric layer, and an intermediate rib fabric layer.—75-03670P
Hertzian contact response of tailored silicon nitride multilayers.—75-04549A
Rapid prototyping of functional ceramic composites.—75-05909A
Residual thermal stresses in multilayer electronic ceramic devices.—75-00130A
Self-multilayered structures of SiN films prepared by plasma-enhanced reactive sputtering.—75-01931A

multiple quantum wells,
Low-loss fiber-matched diluted multiple quantum well waveguides.—75-03085A
Optimization of MQW structures for acoustooptic absorption modulators.—75-03106A
Reliability assessment of multiwell distributed feedback laser source for direct detection links at 2.6 Gbits.—75-03150A

muscovite,
Synthesis of fluorine muscovite by solid-state reaction model and its thermal durability.—75-09082A

nanocomposites,
Advancing nanophase technology.—75-04676A
Atomic structure modifications of diamondlike nanocomposite films—observation by Raman spectroscopy, FTIR, and STM.—75-01262A
Creating materials with nanophase technology.—75-03981A
Effects of second phase particles on interface and grain boundary structure in MgO-based ceramics.—75-01839A
Fullerene/tubule-based hollow carbon nanogears.—75-01853A
Grain boundary controlled mechanical and dielectric properties of $BaTiO_3$-based nanocomposite.—75-01854A
Nanocomposites obtained from ultrafine composite particles.—75-01591A
Preparation and characterization of aerogel-based carbon nanocomposites.—75-01611A
Silicon nitride based ceramic nanocomposites.—75-04397A

nanocrystalline,
Characterization of nanocrystallites in porous *p*-type 6H-SiC.—75-00428A
Chemical and polar nanodomain fluctuations in relaxor-type lead scandium tantalate.—75-01813A
EXAFS study of nanocrystalline zirconia.—75-06226A
High resolution transmission electron microscopy and magnetic properties of nanocrystalline iron particles with oxidized and nitrided surfaces.—75-00738A
High-pressure sintering of nanocrystalline γ-Al_2O_3.—75-09328A
Hydrothermal route for production of dense, nanostructured YTZP.—75-06640A
Magnetic properties of nanocrystalline magnets fabricated by the shock compaction technique.—75-05687A
Method of fabricating porous silicon carbide (SiC).—75-06127P
Microdiffraction studies of nanocrystalline nitride films.—75-06887A
Microwave sintering of nanocrystalline ceramics.—75-01582A
Nanocrystalline structures of amorphous silicon dioxide.—75-08990A
Preparation and characterization of nanocrystalline powders of cuprous oxide by using γ-radiation.—75-06713A
Surface interaction and interfacial chemistry in multicomponent nanocrystalline materials.—75-01689A
Synthesis of $BaTiO_3$ nanocrystals by stearic acid gel method.—75-04241A
Use of colloidal and surface chemistry for processing nanosized ceramic powders.—75-01739A

Nasicon,
Controlled combustion synthesis and properties of fine-particle nasicon materials.—75-06561A
Hydrothermal preparation of $Na_1Ti_2(PO_4)_3$ fine powders.—75-04071A
Ionic conductivity and sinterability of Nasicon-type ceramics: the systems $NaM_2(PO_4)_3$+yNa_2O (M=Ge, Ti, Hf, and Zr).—75-07735A
Neutron diffraction structural study of the nasicon-related phases $Li_xM_x^{II}M_{2-x}^{III}(SO_4)_3(SeO_4)_x$: M^{II}=Mg, Ni, Zn; M^{III}=Al, Cr.—75-06285A
Powder neutron diffraction study of the nasicon-related phases $Na_xM^{II}M_{2-x}^{III}(SO_{4/3-x})(SeO_4)_x$,# 3: M^{II}=Mg; M^{III}=Fe, In.—75-06327A
Preparation of an $Na_1Zr_2Si_2PO_{12}$–sodium aluminosilicate composite and its application as a solid-state electrochemical CO_2 gas sensor.—75-05206A
Spherical particle preparation of Na^+ ion conductive $Na_4Zr_2Si_4O_{12}$ [NZS] by mist pyrolysis.—75-06778A
Synthesis and characterization of $(Sr_{1-x}K_{2x})Zr(PO_4)_6$ ceramics.—75-06789A

neodymium oxide,
Chemical and structural properties of the system Fe_2O_3-Nd_2O_3.—75-04303A
Formation and properties of lithium neodymium silicate glasses.—75-05011A
Monophasic silica glasses with large neodymia concentration.—75-05028A
Nd_2O_3-SrO-CuO system: compounds and phase relations.—75-03812A
Pressureless sintering of silicon nitride ceramics doped with MgO and Nd_2O_3.—75-04178A

neodymium,
589-nm light generation by intracavity mixing in an Nd:YAG laser.—75-02957A
Angle-resolved time-of-flight spectrometry of neutrals laser ablated from $Nd_{1.85}Ce_{0.15}CuO_4$.—75-01787A
Barium neodymium titanate electroceramics: phase equilibria studies of $Ba_{6-3x}Nd_{8+2x}Ti_{18}O_{54}$ solid solution.—75-02893A
Characterization of $Pb_{0.97}Nd_{0.02}(Zr_{0.55}Ti_{0.45})O_3$ thin films prepared by pulsed laser ablation.—75-00429A
Commensurate variant of the $A_{14}Cu_{24}O_{41}$-type crystal structure of a new (Nd,Y,Sr,Ca)$_{14}$(Cu,Ca,Sr)$_{24}O_{41}$ compound.—75-08882A
Compositional dependence of optical properties of Nd^{3+} in gallate glasses.—75-07292A
Conditions for transition to superconducting state in the YREBaCuO (RE=Pr, Nd) system.—75-08276A
Copper content and superconductivity of $Nd_{1.85}Ce_{0.15}Cu_{1+\delta}O_y$.—75-05739A
Cu NMR studies of the $Nd_2CuO_{4-y}F_y$ system.—75-06199A
Effects of neodymium concentration on optical characteristics of polycrystalline Nd:YAG laser materials.—75-05301A
Ejection of positive ions from plasmas induced by laser ablation of Si and $Nd_{1.85}Ce_{0.15}CuO_4$.—75-01477A
Electronic structural differences of $RBa_2Cu_3O_{6.1}$ (R=Y, Pr, and Nd) single crystals probed by soft X-ray absorption spectroscopy.—75-05765A
Enhancement of T_c in argon-pretreated $NdSrBaCu_3O_{6+z}$.—75-00800A
Etching figure of $CaNdAlO_4$ single crystals.—75-06601A
Evolutionary developments in laser glass.—75-05318A
High-order resonance structures in an Nd-doped glass microsphere.—75-04970A
Homogeneity region and thermal stability of neodymium-doped α-SiAlON ceramics.—75-03799A
$La_2Cu_{1-x}Li_xO_{4-y}$ and $Nd_2Cu_{1-x}Li_xO_{4-y}$ solid solutions.—75-08967A
Low magnetic relaxation in a single-crystal and a melt-processed $NdBa_2Cu_3O_{7-\delta}$ sample.—75-08354A
Low-temperature specific heat of $NdMO_3$ (M=Co, Fe, Cr, Ni): magnetic ordering of Nd.—75-05684A
Microstructure and optical properties of hot isostatically pressed Nd:YAG ceramics.—75-05386A
Nuclear quadrupole interaction in high-temperature superconductors based on copper oxide metals (review).—75-05806A
One-phonon ir absorption induced by magnetic ordering in Nd_2CuO_4.—75-08998A
Optical characterization of Nd^{3+}:$Sr_5(VO_4)_3F$.—75-01320A
Phase stability and oxygen diffusion in $RBa_2Cu_3O_{6+x}$ (R=Y or Nd).—75-08394A
Photon exchange channel waveguide lasers in Nd:MgO:$LiNbO_3$.—75-03246A
Polaron imprints in the ir spectra of Nd_2CuO_{4-y}.—75-06321A
Preparation of superconducting fluorinated neodymium cuprate.—75-08400A
Properties of low-temperature-sintered neodymium-doped lead zirconate titanate ceramics.—75-05630A
Properties of polycrystalline samples of $Nd_{2-x}Ce_xCuO_{4-y}$ obtained from a sol-gel precursor.—75-00854A
Spectroscopic studies of the kinetics of devitrification of Nd^{3+}-doped glasses in the akermanite-gehlenite system.—75-04930A
Suppression of metal-semiconductor transition in $NdNiO_{3-\delta}$ doped with Cu.—75-05492A
Surface barriers and two-dimensional collective pinning in single-crystal $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ superconductors.—75-00876A
Synchrotron radiation topography studies of twinning in NdP_5O_{14} crystals.—75-04410A
Synthesis of Nd:YVO_4 thin films by a sol-gel method.—75-08075A
Temperature behavior of optical anisotropy in R_2CuO_4 (R=La, Nd) crystals.—75-06523A
Two-magnon absorption in Nd_2CuO_4.—75-01255A

nepheline,
Thermal expansion of nepheline solid solutions in the system $Na_{1-2x}Ca_xAlSiO_4$.—75-06527A

neutron diffraction,
Ferroelastic transformation in zirconia studied by neutron diffraction.—75-05573A
Neutron diffraction structural study of the nasicon-related phases $Li_xM_x^{II}M_{2-x}^{III}(SO_4)_3(SeO_4)_x$: M^{II}=Mg, Ni, Zn; M^{III}=Al, Cr.—75-06285A
Powder neutron diffraction study of the nasicon-related phases $Na_xM^{II}M_{2-x}^{III}(SO_{4/3-x})(SeO_4)_x$,# 3: M^{II}=Mg; M^{III}=Fe, In.—75-06327A
Single-crystal neutron diffraction study of ferroelectric $Ba_{0.92}Ca_{0.08}TiO_3$.—75-05636A

neutrons,
Study of neutron damage resistance of some scintillating crystals and associated photodetectors with the nuclear reactor Ulysse.—75-00936A

Nicalon,
Development of a two-step, forced chemical vapor infiltration process.—75-03990A
Development of sol-gel-derived coatings for Nicalon/SiC composites.—75-09257A
Effect of off-axis loading on the tensile behavior of a ceramic matrix composite.—75-09623A
Effects of carbon coatings on SiC (Nicalon)-Pyrex composites.—75-02713A
Elastic constant degradation from microcracking in ceramic-ceramic composites cycled by slow thermal loading.—75-04507A
Elevated temperature static fatigue of a Nicalon fiber-reinforced SiC composite.—75-04509A
Fiber coatings and the fracture behavior of a continuous fiber ceramic composite.—75-04529A
High-temperature stability of Nicalon under Ar or O_2 atmosphere.—75-06470A
Influence of interfacial sliding stress on fatigue behavior of oxidized Nicalon/calcium aluminosilicate composites.—75-09645A
Interface degradation in CAS/Nicalon during elevated temperature aging.—75-04570A
Interfacial stability, oxidation response, and mechanical properties of a Nicalon fiber-reinforced chemical bonded ceramic matrix composite.—75-06479A
Mechanical behavior of SiC(f)/SiC composites and correlation to in situ fiber strength at room and elevated temperatures.—75-04586A
Microstructural instability and the resultant strength of Si-C-O (Nicalon) and Si-N-C-O (HPZ) fibers.—75-09558A
Microstructural stability and creep behavior of Si-C-O (Nicalon) fibers in carbon monoxide and argon environments.—75-09655A
Microstructures of BN/SiC coatings on Nicalon fibers.—75-04375A
Optimization of the interfaces in Nicalon-fiber-reinforced-AlPO-matrix composite materials.—75-06072A
Pyrolitic behavior of Si-C-O fiber in alumina matrix composite.—75-09412A
Pyrolytic behavior of Si-C-O fiber in alumina powder under N_2 atmosphere.—75-09413A
Quasi-static and fatigue damage accumulation in a Nicalon-lithium magnesium aluminosilicate composite material.—75-04618A
SIMS, EDX, EELS, AES, XPS study of interphases in Nicalon fiber–LAS glass matrix composites: I, Composition of the interphases.—75-06350A
SIMS, EDX, EELS, AES, XPS study of interphases in Nicalon fiber–LAS glass matrix composites: II, Chemistry of the interphases.—75-06351A
Single-fiber push-in vs single-fiber push-out—a comparison between two test methods to determine the interfacial properties of brittle matrix composites.—75-04399A
Strength variability and size effect of Nicalon fiber bundles.—75-07035A

Structure, composition, and mechanical behavior at high temperature of the oxygen-free Hi-Nicalon fiber.—75-03930A
Surface roughness of Nicalon fiber.—75-06910A

nickel oxide,
Atomistic study of energy and structure of surfaces in NiO.—75-02964A
Controlled epitaxial nucleation of nickel oxide on microfabricated magnesium oxide substrates in a CVD process.—75-04308A
Displacement reactions in the Ni-Al-O system resulting in periodic layer structures.—75-02455A
Distribution of blocking temperature in bilayered $Ni_{81}Fe_{19}$/NiO films.—75-00730A
Effect of NiO on phase formation in fused specimens of the ZrO_2-Al_2O_3-NiO-Y_2O_3 system and properties of ceramics based on it.—75-07539A
Fabrication and characterization of NiO bicrystals.—75-04027A
Growth of nickel oxide single crystals and bicrystals via chemical vapor transport [CVT].—75-04060A
Heteroepitaxial growth kinetics in a CVD process using nickel oxide on MgO as a model system.—75-04334A
Influence of Al_2O_3 addition on the sintering behavior of NiO-CoO solid solution.—75-09337A
Interplay between crystalline and magnetic ordering in Fe_3O_4/NiO superlattices.—75-00741A
$LiNiO_2$: quantum liquid or concentrated spin glass.—75-03902A
Magnetic and crystallographic properties of molecular beam epitaxially grown Fe_3O_4/NiO superlattices and Fe_3O_4 films.—75-03302A
Microstructure of NiO-CoO solid solutions sintered with Al_2O_3 additive.—75-09568A
Microstructure of sputtered epitaxial $Ni_{0.8}Fe_{0.2}/Ni_xCo_{1-x}O$ exchange coupled bilayers on α-$Al_2O_3(0001)$.—75-04369A
Phase equilibria, oxygen potentials, and activities in the system Ni-Co-Si-O at 1373 K.—75-09026A
Physicochemical characterization of NiO/YSZ powders prepared by the citrate route.—75-06502A
Piezoceramic material having high piezoelectric activity and high dielectric constant.—75-00718P
Quantitative X-ray microanalysis for the study of nanometer-scale phases in the AEM.—75-01917A
Suppression of metal-semiconductor transition in $NdNiO_{3-\delta}$ doped with Cu.—75-05492A
Synthesis of $PbTiO_3$ film on $LaNiO_3$-coated substrate by the spray-ICP technique.—75-06814A
X-ray photoelectron spectroscopy, temperature-programmed desorption, and temperature-programmed reduction study of $LaNiO_3$ and $La_2NiO_{4+\delta}$ for methanol synthesis.—75-06411A

nickel,
AEM investigation of tetrahedrally coordinated Ti^{4+} in nickel titanate spinel.—75-01784A
Alumina–rare earth oxide ceramic-metal bodies.—75-04871P
Anomalous phenomenology in nickel-substituted cuprates.—75-00770A
Carbon dioxide reforming of methane over nickel catalyst supported on ceramic foam.—75-09228A
Cathodoluminescence of $Zn_{1-x}Mn_xSe$:Ni.—75-05256A
Change of magnetic and superconducting properties of layered cuprates with substitution of copper by zinc and nickel.—75-08269A
Codeposition mechanism of zirconia fine particles in nickel/zirconia composite plating.—75-00078A
Copper and nickel ultrathin films on metal oxide crystal surfaces.—75-01414A
Crystallization of nickel-bearing stoichiometric cordierite glasses.—75-06564A
Dispersion and compounding process of particulate Ag and fine Ni powder using a high-speed/high-shear mill.—75-06572A
Ductile phase toughened ceramics by partial reduction reactions in the Ni-Al-O system—mechanical properties and effect of dopants.—75-02456A
Effect of annealing on the transformation of electronic structure in quickly hardened amorphous alloys of $Ni_{81}P_{19}$ and $Fe_{80}P_{20}$.—75-07845A
Effect of heating in air on the phase composition of a nickel boride composite.—75-06579A
Effect of isovalent and heterovalent substituent ions on the structure and properties of nickel zinc ferrites.—75-08204A
Effect of particle-diameter ratio of YSZ to Ni on polarization of Ni/YSZ cermet anode.—75-07206A
Effects of deposition process on the phosphorus content of electroless Ni-P coatings.—75-02461A
Electrodeposition of nanoscaled multilayer thin films.—75-04022A
Electroless plated nickel contacts to hydrogenated amorphous silicon.—75-02464A
Electron band structure and conductivity of skutterudites of MP_3 (M=Co, Ni).—75-08919A
Experimental investigation of fatigue-crack propagation in room temperature bending tests with Cu-Ni graded alloys.—75-02469A
Experimental studies of thermal cycling of an Ni-Al_2O_3 graded material.—75-02470A
Fabrication and mechanical properties of Cu/Ni and Ag/Ni superlaminates.—75-02472A
Flame pyrolysis: a preparation route for ultrafine powders of metastable ß-$SrMnO_3$ and $NiMn_2O_4$.—75-06609A
In situ HREM observation of the oxidation of nickel thin foils.—75-04431A
Infiltration of nickel into alumina compact by electrodeposition.—75-00104A
Influence of $CaFe_2O_4$ additive on the magnetic properties of nickel zinc ferrite.—75-05677A
Influence of manganese on the diffusion distribution of nickel in silicon.—75-03059A
Influence of Ni impurities at the Si-SiO_2 interface on the metal-oxide-semiconductor characteristics.—75-03061A
Influence of residual stresses on the tensile behavior of a Cu-Ni FGM.—75-02495A
Interaction of iron and nickel with borate melts.—75-02728A
Interactions in the PbTe-$NiSe_2$ system.—75-05351A
Kinetic dissociation of nickel titanate and nickel tungstate in oxygen potential gradients.—75-06250A
Layered magnetoelectric composites based on nickel ferrite and lead zirconate titanate materials.—75-05681A
Low-temperature magnetic relaxation of organic-coated $NiFe_2O_4$ particles.—75-03301A
Magnetic properties of nickel cadmium ferrites studied by Mossbauer and magnetic methods.—75-05688A
Magnetic properties of phosphate glasses containing nickel, cobalt, and iron oxides.—75-07347A
Magnetic susceptibility of $Y_{0.5}La_{0.5}CaNi_xAl_{1-x}O_4$ solid solutions.—75-05690A
Magnetism of disordered nickel-zinc ferrites.—75-08228A
Mechanism of surface brittleness of electroless Ni-P coatings.—75-02503A
New phosphide of $Ni_5Ge_2P_3$ and its structure.—75-06288A
Ni incorporated into anodic porous alumina formed on an Al wire.—75-06696A
Ni-Ge-P system.—75-06289A
Nickel–alumina bonds: mechanical properties related to interfacial chemistry.—75-07222A
Nickel-alumina composites—in situ synthesis by a displacement reaction, and mechanical properties.—75-02515A
Nickel-mediated transformation of amorphous carbon to graphite.—75-01594A
Nickel-related absorption lines in high-pressure synthetic diamond.—75-01895A
Nucleation and growth of oriented diamond films on Ni substrates.—75-09371A
Onset of crystallization and appearance of brittleness in the $Fe_{77}Ni_1Si_9B_{13}$ and $Fe_{39}Ni_{20}Si_9B_{13}$ metallic glasses.—75-02672A
Optimization of a ductile-particle-toughened ceramic.—75-09372A
P/M preparation of intermetallic NiAl compounds with graded addition of Cr.—75-02518A
Particle volume graded Ni-Al_2O_3 and Cu-Al_2O_3 composite deposits: production and performances.—75-02519A
Phase changes and properties of electroless Ni-P-TiN composite coatings after their thermal treatment.—75-09007A
Phase composition of a nickel boride composite.—75-09009A
Photoelectrical characteristics of Ni-ZnSe contacts.—75-03120A
Preparation and properties of ZrO_2(3Y)/Ni FGM.—75-02527A
Preparation of cobalt-doped nickel ferrite thin films on optical fibers by dip-coating technique.—75-03329A
Processing, properties, and microstructural design of sol-gel-derived nanostructured Ni-Y_2O_3/ZrO_2.—75-00122A
Production of wear-resistant materials based on "chipped" titanium diboride.—75-06753A
Properties of ribbon made from shape memory alloy Ni_2MnGa by quenching from the liquid state.—75-03330A
Reversible structural relaxation and thermal stability of amorphous $Fe_{40}Ni_{40}P_{14}B_6$ alloys.—75-09181A
Solid-state bonding of silicon nitride ceramics to metal using nickel-chromium alloy.—75-07230A
Structural modeling of rhombohedrally distorted phases for $Cu_{1-x}Ni_xCr_2O_4$ solid solutions.—75-06373A
Structural stability and crystallization studies of metastable sputtered W-Ni-C films.—75-03843A
Synthesis of nickel sulfide by homogeneous precipitation from acidic solutions of thioacetamide.—75-04246A
TEM investigation of CVD graphite on nickel.—75-04412A
Thermal stability of $La_{4-x}M_xNi_3O_y$ (M=Mg, Ca, Sr, Ba) solid solutions.—75-09206A
Thermal stress of multilayer composite of SiC-TiC-Ni system.—75-00142A
Transition metal impurities and band offsets in $Zn_{1-x}Mn_xSe$(Ni) compounds.—75-06532A
Use of nickel and iron additives as sintering aids for titanium diboride.—75-06827A
X-ray photoemission study of $Fe_{40}Ni_{40}B_{20}$ metallic glass.—75-06412A

niobates,
^7Li NMR in crystals of lithium niobate with varying nonstoichoimetries.—75-08856A
Ab initio determination of crystal structures by X-ray powder diffraction: structure of $Li_{29}Zr_9Nb_3O_{40}$.—75-06149A
Changes in structure and electric properties of $NaNbO_3$ induced by Mn dopant.—75-03872A
Characteristics of the ferroelectric phase transition in $Na_2Sr_4Nb_{10}O_{30}$.—75-05535A
Chemical preparation of lead-containing niobate powders.—75-06548A
Correlation between dielectric properties and nanostructure in a $Pb(In_{1/2}Nb_{1/2})O_3$ ceramic.—75-06436A
Dielectric and conductivity properties of lanthanum-modified strontium copper niobate.—75-06443A
Domain boundary and domain switching in a ceramic rare-earth orthoniobate $LaNbO_4$.—75-03223A
Domain structure–second harmonic generation correlation in potassium niobate thin films deposited on a strontium titanate substrate.—75-08127A
Effect of A site substitution on order-disorder transition in $Pb(Fe_{1/2}Nb_{1/2})O_3$ (PFN) and $Pb(Sc_{1/2}Ta_{1/2})O_3$ (PST).—75-08128A
Effect of phase transformation on the sintering of lead barium metaniobate solid solutions.—75-03789A
Effects of microstructure and composition on the Curie temperature of lead barium niobate solid solutions.—75-08133A
Electrical and mass transport properties of strontium titanate niobates.—75-05556A
Electrophysical properties of $SrBi_2Nb_2O_9$-based solid solutions.—75-06462A
Ferroelectric and piezoelectric studies of lanthanum- and praesodymium-modified $Ba_2AgNb_5O_{15}$ ceramics.—75-05575A
Metastable binary niobates and tantalates of barium and aluminum or gallium with perovskite structure.—75-06271A
Microstructure development in in situ reinforced reaction-bonded aluminum niobate-based composites.—75-06898A
Observation of localized domain reversal of iron-doped potassium niobate (Fe:$KNbO_3$) single crystal.—75-00680A
Order–disorder phase formation in the complex perovskite compounds $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$.—75-08156A
Phase equilibria in the $SrMoO_4$-$LaNbO_4$ system.—75-09023A
Phase transition in ferroelectric $Sr_2Nb_2O_7$.—75-05619A
Photorefractive effect in Cu- and Ni-doped $KNbO_3$ in the visible and near-infrared.—75-01331A
Preparation and dielectric properties of lead iron niobate ceramics.—75-00364A
Process for producing single crystal of potassium niobate.—75-06099P
Solid-state reactions and some physical properties of reduced europium niobates Eu_xNbO_x ($0.5 \le x \le 2$).—75-09059A
Synthesis and recrystallization of antimony orthoniobate and orthotantalate.—75-09080A
Synthesis of lead barium niobate powders and thin films by the sol-gel method.—75-03262A

niobium oxide,
Effect of grain size on diffusion-induced grain boundary migration in $Ba(Zn_{1/3}Nb_{2/3})O_3$ ceramics.—75-04317A
Effect of niobia and vanadia additions on the mechanical properties of alumina.—75-04498A
Effect of simultaneous additions of niobia and magnesia on the sintering and microstructure of seeded boehmite.—75-04010A
Ellipsometric investigation of metallorganic chemical vapor deposition of niobium oxide films.—75-03794A
Fabrication of Nb/Ta-O/Ta/epitaxial Nb Josephson junctions.—75-08316A
Features of structural ordering and ferroelectric properties of $LiTa_xNb_{1-x}O_3$ solid solutions.—75-08140A
Fusibility diagram of the La_2O_3-TiO_2-Nb_2O_5 system.—75-08941A
Microstructural development on firing Nb_2O_5- and Bi_2O_3-doped $BaTiO_3$.—75-00350A
Photoadsorption effects on niobium oxide compounds.—75-09038A
Preparation of NbN fibers by nitridation of sol-gel-derived Nb_2O_5 fibers.—75-04164A
Sintering capability of V_2O_5/Nb_2O_5 system treated by sol-gel technique.—75-09441A
Solid-state synthesis of strontium titanate niobates.—75-09060A
Stable phases in the MgO-Nb_2O_5 system at 1250°C.—75-06368A
Synthesis and thermal evolution of structure in alkoxide-derived niobium pentoxide gels.—75-06385A
Transport of multivalent metals in reactions of V_2O_5 and Nb_2O_5 with rare-earth metal oxides.—75-09522A

niobium,
Ceramic compositions for BZN dielectric resonators.—75-02945P
Ceramics in the system NbB_2–CrB_2.—75-03692A
Conditions for the equilibrium between cubic niobium carbonitride and nitrogen gas.—75-08887A
Control of electrical conductivity in laser-deposited $SrTiO_3$ thin films with Nb doping.—75-00305A
Effect of Nb on the gas/solid equilibration kinetics of $BaTiO_3$.—75-00323A
Effects of thermal annealing on the properties of niobium nitride thin films.—75-06597A
Electrical conduction properties of NbN thin films [studied] using NbN/MgO/NbN double-tunnel junctions.—75-08306A
Electron holography of flux lattices in niobium.—75-00799A
Evolution of the microstructure of undoped and Nb-doped $SrTiO_3$.—75-06874A
Fabrication of $MgAl_2O_4$ spinel/niobium laminar composites by plasma spraying.—75-04035A
Flux line dynamics with electron holography.—75-01852A
Grain orientation dependence of the PTCR effect in niobium-doped barium titanate.—75-03037A
$LaNbO_4$-$LaTi_2O_7$ pseudobinary join in the La_2O_3-TiO_2-Nb_2O_5 system.—75-08968A
New superconductors with tetragonal tungsten bronze structure in the Sr-La-Nb-O system.—75-05802A
Niobium planar SQUID gradiometer operating in an unshielded environment.—75-08381A
Phase transformations during interaction of niobium and tantalum pentoxides with iron monosulfide.—75-06311A
Photocatalytic oxidation of toluene on niobium(V) oxide.—75-06706A
Physicochemical properties and hydration stability of $YBa_2Cu_3O_x$ ceramics doped with Sn, Nb, and Zr oxides.—75-05812A
PTC effect in doped $BaTiO_3$ ceramics: evidence for a bulk contribution.—75-03141A
Role of niobium in magnesium titanate microwave dielectric ceramics.—75-02936A
Structure of oxides grown on Zr-20Nb alloy.—75-04407A
Synthesis of Cu-NbC nanocomposites by mechanical alloying.—75-02549A

nitrates,
Actual *p-T* diagram of potassium nitrate.—75-08862A
Band structure of sodium nitrate.—75-08874A
Complexes of anhydrous lanthanide nitrates with dianthipyrilphenylmethane and dianthipyrilphenylpropylmethane.—75-06186A

Composition and possibilities of nitrate section of phosphorites of Kohl's peninsula.—75-06026A
Electrodeposition of calcium-lithium-sodium alloys from calcium, lithium, and sodium nitrate melts.—75-06599A
Extraction of rare-earth(III) nitrates by neutral organophosphoric compounds from concentrated water-salt solutions.—75-06603A
Features of rare-earth polyhedra in alkali lanthanide nitrates.—75-06228A
Fluorocomplex compound $Na_3Pb(SnF_3)_2(NO_3)_2{\cdot}2H_2O$ with lone pairs of tin(II) and lead(II).—75-06231A
$LiNO_3$-KNO_3-$Sr(NO_3)_2$ system.—75-06260A
Low-solubility compounds in the $K_4P_2O_7$-$Zn(NO_3)_2$-H_2O system.—75-06264A
Nitrogen oxides control in bismuth nitrate synthesis.—75-04123A
Oxidation of aldose by palladium nitrate.—75-06929A
Structural investigation of $NaNO_3$ nanophase confined in porous silica.—75-01246A

nitridation,
Effect of iron on nitriding rate of silicon.—75-09277A
Influence of Cr, Fe, Ni, and Ti additives on the nitridation kinetics of silicon powder compacts.—75-04078A
Mechanism of nitridation of silicon powder in a fluidized-bed reactor.—75-01570A
Mechanisms and kinetics of nitridation in silicon powder compacts.—75-04107A
Nitridation of zirconia.—75-09369A
Nitriding of large-sized aluminum.—75-04121A
Novel synthesis of α-Si_3N_4 fibers.—75-06698A
Preparation of NbN fibers by nitridation of sol-gel-derived Nb_2O_5 fibers.—75-04164A
Reaction-bonded titanium nitride ceramics.—75-09419A
Solid-state NMR examination of the formation of ß-SiAlON by carbothermal reduction and nitridation of halloysite clay.—75-06357A
Suppression of interface-state generation in reoxidized nitrided oxide gate dielectrics.—75-00378A
Surface nitridation effects on $LiGaO_2$ substrates in molecular beam epitaxy.—75-08067A
Thin thermal SiO_2 after NH_3 or N_2O plasma action under plasma-enhanced chemical vapor deposition conditions.—75-04257A

nitrides,
Acceptor binding energy and band lineup of III-V nitride alloys and MOCVD growth of GaN on GaAs- or GaP-coated Si.—75-00412A
As incorporation during molecular beam epitaxy growth of GaN layers.—75-07787A
Band offsets between group III nitrides.—75-01796A
Buffer layer thickness and the properties of InN thin films on AlN-seeded (00.1)sapphire and (111)silicon.—75-00418A
C:N single-crystal growth and its properties.—75-09525A
Characteristics of titanium nitride elasticity in the homogeneity region studied by ultrasonic resonance.—75-06428A
Conditions for the equilibrium between cubic niobium carbonitride and nitrogen gas.—75-08887A
Conductive exotic nitride barrier layer for high dielectric constant materials.—75-07752P
Corrosion properties of ion-plated TiN and CrN coatings.—75-01987A
Corundum refractories with a combined nitride-containing binder.—75-05079A
Covalent carbon nitride films synthesized by ablated graphite plasma under ion beam coprocessing.—75-09248A
Dehydrogenation mechanism for SiN_x:H layers prepared from hexamethylcyclotrisilazane.—75-09249A
Deposition and characterization of CN_x films.—75-01820A
ECR-assisted reactive magnetron sputtering of InN.—75-00462A
Effect of aluminum nitride buffer layer temp. on gallium nitride grown by OMVPE.—75-00463A
Effect of thermal annealing on GaN nucleation layers deposited on (0001)sapphire by metallorganic chemical vapor deposition.—75-00465A
Effects of thermal annealing on the properties of niobium nitride thin films.—75-06597A
Electrical and magnetic properties of $Li_{3-x}Ni_xN$ and $Li_{3-x}Co_xN$ solid solutions.—75-06450A
Electrical conduction properties of NbN thin films [studied] using NbN/MgO/NbN double-tunnel junctions.—75-08306A
Electronic and optoelectronic devices based on GaN-AlGaN heterostructures.—75-00478A
Electronic structure of diamond, silicon carbide, and the group-III nitrides.—75-00479A
EXELFS [extended energy loss fine structure] studies of CN_x thin films.—75-08932A
Fundamental materials-issues involved in the growth of GaN by molecular beam epitaxy.—75-00495A
GaN on 6H-SiC—structural and optical properties.—75-00496A
Growth and characterization of GaN on Si(111).—75-00501A
High-temperature oxidation behavior of an Si_3N_4O-ZrO_2 composite.—75-04429A
Impurity distribution in GaN layers grown by molecular beam epitaxy.—75-07917A
Indium nitride thin films prepared by radio-frequency reactive sputtering.—75-01538A
Infrared luminescence from MOCVD GaN.—75-00518A
InGaN/AlGaN double heterostructure blue LEDs.—75-00519A
Initial stages of growth of thin films of III-V nitrides and silicon carbide polytypes by molecular beam epitaxy.—75-00521A
Ion milling and reactive ion etching of III-V nitrides.—75-00528A
Ion-beam-assisted sputtered carbon nitride films.—75-09347A
Low-temperature synthesis of silicon oxide, oxynitride, and nitride films by pulsed excimer laser ablation.—75-01567A
Magnetic properties of a novel $Sm_3(Fe,Ti)_{29}N_x$ nitride.—75-00110A
Magnetron-sputtered CN_x films.—75-09357A
Mechanism of the growth process and structural characteristics of epitaxial layers of gallium nitride produced by the chloride-hydride method.—75-06678A
Metal nitride oxide semiconductor device.—75-08105P
Metallization of GaN thin films prepared by ion-beam-assisted molecular beam epitaxy.—75-00542A
Metathetical routes to uranium and thorium oxides and nitrides.—75-06682A
Method for joining ceramic sintered bodies.—75-03740P
Method for producing nitride ceramic powders.—75-03742P
Methods of making nitride glasses.—75-05051P
Microdiffraction studies of nanocrystalline nitride films.—75-06887A
Molecular beam epitaxy of a cubical GaN on GaAs(001) substrates with hydrazine.—75-05388A
MOVPE growth of high-quality $Al_xGa_{1-x}N/Ga_yIn_{1-y}N$ ($x \geq 0$, $y \leq 1$) heterostructures for short wavelength light emitter.—75-00546A
Native defects and impurities in cubic and wurtzite GaN.—75-01766A
Native defects in wurtzite GaN and AlN.—75-01767A
New ternary nitride ceramics: $CaSiN_2$.—75-06109A
Nitride glasses and methods of making same.—75-07433P
Nitride-bonded silicon carbide refractories.—75-07615A
Nitrogen pressure on cubic stoichiometric and nonstoichiometric transition metal nitrides and carbonitrides.—75-06697A
Optical studies of the exciton spectra in epitaxial GaN films.—75-09000A
Phase transitions in carbides, nitrides, monooxides of transition metals and defects of their structure.—75-06854A
Powder preparation and densification of $MgSiN_2$.—75-01609A
Preparation of NbN fibers by nitridation of sol-gel-derived Nb_2O_5 fibers.—75-04164A
Preparation of titanium carbonitride powders from titanium alloy chips.—75-06740A
Production of carbides and nitrides.—75-08839P
Raman and photoluminescence studies of undoped and magnesium-doped GaN films on sapphire.—75-01919A
Raman scattering and X-ray diffraction studies of gallium nitride films grown on (100)gallium arsenide.—75-01923A
Reactive ion beam sputtered WN, films on silicon: growth mode and electrical properties.—75-01646A
Redistribution of hydrogen in GaN, AlN, and InN.—75-00586A
Structural characterization of GaN grown by electron cyclotron resonance-metallorganic molecular beam epitaxy (ECR-MOMBE).—75-01942A
Structural properties of InN films grown on sapphire substrates by microwave-excited metallorganic vapor phase epitaxy.—75-01944A
Synthesis of fine composite powders of AlN-TiN-YN system by floating-type fluidized-bed CVD.—75-01708A
Synthesis of nitrides from microwave nitrogen plasma.—75-09473A
Synthesis of the WC-type tantalum nitride by mechanical alloying.—75-06818A
Synthesis routes and characterization of high-purity, single-phase gallium nitride powders.—75-05497A
Thermal stability of GaN thin films grown on (0001)Al_2O_3, (0112)Al_2O_3, and (0001)$_{Si}$6H-SiC substrates.—75-01358A
Thermally annealed GaN nucleation layers and the device-quality metallorganic chemical vapor deposition growth of Si-doped GaN films on (00.1)sapphire.—75-03184A
Thermally annealed GaN nucleation layers and the MOCVD growth of Si-doped GaN films on(00.1) sapphire.—75-00619A
Tribological potential of physical vapor deposited CrN coating for machine element application.—75-03724A
Trigonal ordered structure in titanium carbonitride.—75-09101A
Tunable second-harmonic studies of GaN films near the fundamental band edge.—75-00627A
Use of reverse magnetron configuration source for nitrogen activation in molecular beam epitaxy of GaN.—75-08093A

nitrogen oxides,
Demonstration on an ultralow-NO_x oxygen-fuel glass-melting system.—75-05992A
Glass furnace NO_x control with gas reburn.—75-05997A
Nitrogen oxides control in bismuth nitrate synthesis.—75-04123A
NO_x emissions—an overview.—75-03623A
Selective reduction of nitrogen oxide with propylene on alumina-zirconia prepared from Al chelate compound and Zr alkoxide.—75-09428A

nitrogen,
Biocompatibility and surface analysis of nitrogen-containing DLC [diamondlike carbon].—75-08876A
Control of nitrogen incorporation in ZnTe:N grown by molecular beam epitaxy using Ar dilution in an N plasma source.—75-01412A
Determination of ionization energies of the nitrogen donors in 6H-SiC by admittance spectroscopy.—75-00457A
Effect of competing precipitation sites on distribution of nitrogen implanted in silicon under buried layer formation.—75-03001A
Effect of incorporation of nitrogen on the structure and dielectric properties of modified oxide sol-precipitated borosilicate glasses and glass-ceramics.—75-02711A
Effect of MnO, CaO, and nitrogen on the alkaline durability of soda-lime silicate glasses.—75-05007A
Effect of starting materials on the preparation of spherical Pd powders by ultrasonic spray pyrolysis.—75-09284A
Growth and structure of rapid thermal silicon oxides and nitroxides studied by spectroellipsometry and Auger electron spectroscopy.—75-01859A
Infrared reflectivity spectroscopy of nitrogen-substituted alkaline-earth aluminosilicate glasses.—75-04906A
Nitrogen atom incorporation into the network of an amorphous hydrogenated silicon.—75-03099A
Nitrogen-doped ZnSe with selenium-rich growth by low-pressure organometallic chemical vapor deposition.—75-03100A
Origin of the broadband luminescence and the effect of nitrogen doping on the optical properties of diamond films.—75-01325A
Photoluminescence and *p*-type conductivity in CdTe:N grown by molecular beam epitaxy.—75-00566A
Preparation of TiB_2-$TiC_{0.5}N_{0.5}$ ceramic composite by reactive hot-pressing and its microstructure.—75-04173A
Prospects for nitrogen ceramics in engine applications.—75-03709A
Radiation-stimulated conversion of radiative exciton complexes bound to nitrogen in GaP:N-based *p-n* structures.—75-08037A
Recombination process of the broadband and 1.681 eV optical centers in diamond films.—75-00585A
Strain and impurity content of synthetic diamond crystals.—75-01344A
Synthesis and characterization of nitrogen-containing diamondlike carbon films made by ion beam deposition.—75-01698A
Synthesis of silicon nitride powder through nitrogen gas atomization.—75-06815A
Vacuum heat treatment of nitrogen ceramics.—75-04271A

noise,
Excess noise in $YBa_2Cu_3O_7$ thin-film grain boundary Josephson junctions and devices.—75-08313A
Less noise in the factory.—75-09725A
Low-frequency (*l/f*) noise in $YBa_2Cu_3O_{7-\delta}$ grain boundary junction dc superconducting quantum interference devices.—75-00819A
Metal–gallium arsenide contact low-frequency noise during various treatments of the semiconductor substrate surface.—75-07968A
Niobium planar SQUID gradiometer operating in an unshielded environment.—75-08381A
Random telegraph noise spectra in granular high-T_c films.—75-05821A
Transition edge noise in $YBa_2Cu_3O_{7-\delta}$ thin films before and after exposure to ionizing radiation.—75-03419A
Use of band-to-band illumination to determine local level parameters in the noise spectroscopy technique.—75-05988A

nondestructive testing,
Characterization of concentrated suspensions of particles using electroacoustics.—75-01015A
Damage assessment of fiber/matrix interface in ceramic matrix composites using elastic stress waves.—75-03554A
Deep levels in a semiinsulating GaAs studied by the method of photoinduced admittance transient spectroscopy.—75-05272A
Effect of the environment on CMCs.—75-03560A
Improving practice for engineering ceramics X-ray testing technique.—75-03569A
In situ measurement of through-the-thickness thermal conductivities in ceramic/metal composition-graded multilayers by means of thermography.—75-02491A
Investigation of structural defects in 4H SiC wafers.—75-01762A
Microfocal X-ray CT experimental system for NDT of advanced structural ceramics.—75-03581A
Nondestructive characterization of hydroxyapatite-coated dental implants by XRD method.—75-01897A
Nondestructive characterization of structural ceramic components.—75-03586A
Nondestructive characterization of woven fabric ceramic composites.—75-03587A
Nondestructive evaluation of ceramics.—75-01036A
Nondestructive inspection of the interface by X-ray refraction and high resolution computer tomography.—75-03588A
Nondestructive sonic testing of unfired refractories.—75-07616A
Nondestructive testing of refractories.—75-00266A
Proof-testing of ceramic hip joint heads.—75-05971A
Resonant inspection of production parts.—75-08698A
Testing advanced structural ceramics.—75-01044A
Ultrasonic testing of ceramics.—75-05987A
Versatile tool improves brick production.—75-02800A

nonferrous metals,
Development and applications of refractories—the experience in the nonferrous metallurgical industry.—75-07512A

nonmetallic materials,
Braze bonding of diamond, cBN, sapphire, and other nonmetallic hard materials for industrial devices.—75-08514A

nonoxides,
Comparison of particle size analyzers and evaluation of the measuring technique with fine ceramic powders: II, Nonoxide powders.—75-08643A
Corrosion and fretting damage of nonoxide ceramics in presence of water vapor.—75-01984A
High-temperature oxidation of porous nonoxide ceramics—recent advances in modeling and protection by coatings.—75-01993A
High-temperature strength properties of some oxide and nonoxide composites.—75-07568A
Preparation, characterization, and properties of a Ti-Al-O-N composite with high TiN concentration.—75-01627A

nonstoichiometry,
^{7}Li NMR in crystals of lithium niobate with varying nonstoichoimetries.—75-08856A
Determination of the nonstoichiometry of $YAlO_3$ crystals.—75-08904A
Effect of nonstoichiometry on the semiconducting properties of CoO.—75-00464A
Nonstoichiometric lead titanate ceramics prepared by a wet chemical processing.—75-03244A

Nonstoichiometric lithium niobate single crystals studied by the NMR method.—75-05612A
Nonstoichiometry and dopant-related phenomena in low temperature GaAs grown by molecular beam epitaxy.—75-05408A
Nonstoichiometry and mass transport in bismuth titanate with sillenite structure.—75-09514A
Nonstoichiometry and related properties of ceramic interfaces.—75-01898A
Nonstoichiometry in yttrium orthovanadate.—75-01899A
Nonstoichiometry of zirconia.—75-05115A

nozzles,
Alumina clogging-resistant materials for immersion nozzle.—75-07461A
Anti-alumina buildup material for submerged entry nozzle.—75-07467A
Application of B-Al_2O_3 to immersion nozzle for continuous casting of stainless steel.—75-05073A
Ceramic turbine nozzle.—75-07255P
Current developments in equipment for refractory placement.—75-05080A
Development of new submerged nozzles to reduce alumina buildup in continuous casting.—75-07525A
Effect of porous carbon on the permeability of a gas injection submerged nozzle.—75-05087A
Labor saving in ladle sliding nozzle.—75-07588A
Low thermal stress ceramic turbine nozzle.—75-08833P
Method for preparing a ceramic gas-turbine nozzle with cooling fine holes.—75-01117P
Quick change system for submerged entry nozzles.—75-05124A
Quick tube change [QTC] system.—75-05125A
Reactivity of submerged entry nozzle to molten steel: II.—75-05126A
Slit-type immersion nozzle of alumina-graphite material.—75-07665A

nuclear magnetic resonance (NMR),
^{1}H NMR investigation of the influence of SO_3 on the hydration process of white cement.—75-00022A
^{27}Al MAS NMR of crystalline and amorphous materials.—75-01367A
^{27}Al NMR of CaO-Al_2O_3-SiO_2 and CaO-Al_2O_3 liquids and glasses.—75-00256A
^{27}Al nuclear magnetic resonance of glassy and crystalline $Zr_{(1-x)}Al_xO_{(2-x/2)}$ [$0.08 \le x \le 0.57$] materials prepared from solution precursors.—75-01202A
^{29}Si and ^{17}O NMR investigation of the structure of some crystalline calcium silicate hydrates.—75-06146A
^{29}Si MAS NMR study of the structure of calcium silicate hydrate.—75-06147A
[^{29}Si NMR investigation of the CaO-SiO_2-Na_2O-H_2O system related to the chemistry of cement.—75-00257A
Attempt to reconcile interpretations of atomic vibrations and ^{29}Si NMR data in glasses.—75-02575A
Broad-line ^{1}H NMR—a new application for studying the Bronsted acid strength of solids.—75-01012A
Characterization and structural developments of gel-derived borosilicate glasses: a multinuclear MAS-NMR study.—75-04883A
Characterization by ^{29}Si NMR of silica fume [SF].—75-01079A
D.O.R.—a new NMR method for high-resolution characterization in solids of quadrupolar nuclei with half-integer spins.—75-01420A
Excitation conditions for quantitative determination of quadrupolar spins with a spin-echo sequence; cancellation of spurious signals.—75-01490A
Features of the dynamics of $LiNbO_3$ single-crystal structure based on ^{7}Li NMR data.—75-06229A
High and very high temperature ^{17}O and ^{27}Al nuclear magnetic resonance on liquid alumina and silica bearing oxides.—75-01087A
Infrared and Raman spectroscopy applied to cement chemistry—complementary with NMR techniques.—75-00048A
Mechanism of silica fume action in concrete studied by solid state ^{29}Si MAS NMR.—75-00264A
Multiple boron sites in borate glass detected with dynamic angle spinning nuclear magnetic resonance.—75-04917A
NMR imaging applied to water distribution in porous media.—75-01035A
NMR relaxation in Y-Ba-Cu-O superconductors.—75-05803A
NMR spin lattice relaxation in nitrogen-doped 6H silicon carbide.—75-00550A
NMR study of concrete alkali-aggregates reaction.—75-00265A
NMR study of the cubic-tetragonal phase transition in $BaTiO_3$.—75-06290A
Nonstoichiometric lithium niobate single crystals studied by the NMR method.—75-05612A
Role of proton nuclear magnetic resonance spin lattice relaxation centers in the strong absorption transition at 210 nm in fused silica.—75-00200A
Si^{29} MAS-NMR in lead silicates.—75-06347A
Solid-state ^{29}Si NMR analysis of amorphous silicon nitride powder.—75-01242A
Structure of thin diamond films—a ^{1}H and ^{13}C nuclear magnetic resonance study.—75-01950A
Use of the partial charge model and multinuclear NMR techniques in aqueous chemistry.—75-01050A

nuclear magnetic resonance,
^{35}Cl nuclear magnetic resonance study of magnetic ordering in $Sr_2CuO_2Cl_2$ single crystal.—75-03761A

nuclear materials,
Characteristics of AUC [ammonium uranyl carbonate] powder prepared with the waste AC [ammonium carbonate] solution.—75-08497A
Method for generation of finely divided reactive plutonium oxide powder.—75-00937P
Microstructures of inactive Synroc-C samples produced by different hot consolidation methods.—75-08507A

nuclear waste,
Ceramic Transactions, Volume 61: Environmental Issues and Waste Management Technologies in the Ceramic and Nuclear Industries.—75-02162B
Chemical durability of simulated nuclear waste glasses containing water.—75-03451A
Compositional control of iron redox ratios in model glasses for nuclear waste immobilization.—75-03452A
Corrosion behavior of DWPF glasses.—75-03454A
Development of large ceramic container technology for nuclear waste disposal.—75-03457A
Effect of crystallization on the chemical durability of simulated nuclear waste glasses.—75-03460A
Effect of different glasses in glass-bonded zeolite.—75-03462A
Electrode corrosion in simulated low-level nuclear waste glass melts.—75-08503A
Glass composition development for high sodium content nuclear waste.—75-03468A
Impact on Synroc of anionic process impurities.—75-00928A
Incorporation of rare earths and actinides in zirconolite and Synroc.—75-00929A
Initiatives in high-level radioactive waste vitrification.—75-00930A
Interface phenomena in Synroc, a titanate-based nuclear waste ceramic.—75-00932A
Prediction of nuclear waste glass dissolution as a function of composition.—75-03485A
Prediction of processing properties for nuclear waste glasses.—75-03486A
Production of sodalite waste forms by addition of glass.—75-03489A
Solubility limits for troublesome components in a simulated low-level nuclear waste glass.—75-03496A
Sulfate segregation in vitrification of simulated Hanford nuclear waste.—75-03498A
The 70's: from selection of alternative waste forms to evaluation of storage system variables.—75-03501A
Volatilization rates of troublesome components from a simulated low-level nuclear waste glass.—75-03506A

nucleation,
Achieving high nucleation density of diamond film under low pressures in hot-filament chemical vapor deposition.—75-03946A
Bias-enhanced nucleation of diamond during microwave-assisted chemical vapor deposition.—75-01385A
Characterization of diamond nucleation-enhancing layer formed during bias treatment on silicon.—75-09531A
Comparative study of nucleation enhancement techniques for plasma CVD of diamond thin films.—75-01407A
Controlled epitaxial nucleation of nickel oxide on microfabricated magnesium oxide substrates in a CVD process.—75-04308A
Diamond nucleation and growth of mirror-polish silicon wafer pretreated by silicon ion implantation.—75-09258A
Diamond nucleation studies on refractory metals and nickel.—75-01439A
DTA study of nucleation and crystallization of MgO-CaO-SiO_2-P_2O_5 glass-ceramics containing ZrO_2, $BaCO_3$, and Li_2CO_3.—75-00170A
Effect of ion implantation on the CVD diamond nucleation density on Si substrates.—75-09276A
Effect of nucleating agents on the crystallization of calcium phosphate glasses.—75-04893A
Epitaxial thallium high-temperature superconducting films formed via a nucleation layer.—75-08456P
Nucleation and growth mechanism of diamond during hot filament chemical vapor deposition.—75-06699A
Nucleation and growth of oriented diamond films on Ni substrates.—75-09371A
Nucleation and growth processes during the chemical vapor deposition of diamond.—75-01598A
Nucleation and growth processes during the chemical vapor deposition of diamond.—75-04126A
Nucleation and growth processes of diamond films [investigated] by atomic force microscopy.—75-01599A
Nucleation and step dynamics in SiC epitaxial growth.—75-00554A
Nucleation and step motion in chemical vapor deposition of SiC on 6H-SiC{0001} faces.—75-00357A
Nucleation at cordierite glass surfaces: kinetic aspects.—75-07308A
Nucleation enhancement and growth of diamond films using an enclosed combustion flame.—75-01600A
Nucleation of twins by grain coalescence during the sintering of $BaTiO_3$ ceramics.—75-03814A
Nucleation- or growth-controlled orientation development in chemically derived ferroelectric lead zirconate titanate ($Pb(Zr_xTi_{1-x})O_3$, x=0.4) thin films.—75-00679A
Optimization of nucleation in a Y-Si-Al-O-N glass-ceramic.—75-02735A
Photoelectron diffraction studies of oriented diamond nucleation on silicon(100).—75-09040A
Simplest model for calculation of isothermal kinetics of the nucleation-and-growth type phase separation in the course of one-step heat treatment.—75-02605A
Surface studies relevant to the initial stages of diamond nucleation.—75-01961A
Synchrotron radiation studies of diamond nucleation and growth on Si.—75-01962A
X-ray photoelectron spectroscopy study of substrate surface pretreatments for diamond nucleation.—75-01978A

oils,
Use of ceramics and cermets for wear protection applications in the oil sands industry.—75-09689A

olivines,
Growth of olivine, $(Fe_xMg_{1-x})_2SiO_4$ [$0 \le x \le 1$], single crystals with uniform composition along the growth direction by the floating zone method.—75-04061A
Olivine rocks of the Topchulskoe Deposit in Kuznetsk Ala Tau.—75-06044A
Olivine.—75-06045A
Testing an olivinite ramming mixture under the conditions of converter production at the Severstal JSC.—75-05147A

opacifiers/opacification,
High-melting opacified glazes for household ceramics.—75-07708A

opal,
Stability criterion of the production technology for diffusers from flashed opal glass.—75-07369A

optical devices,
Estimation of direct current bias and drift of Ti:$LiNbO_3$ optical modulators.—75-00659A
Glass optical waveguide amplifier.—75-04968A
Large reflector telescope: manufacturing process of a 8 meter mirror blank.—75-05025A
Lithium niobate optical TE-TM mode splitter.—75-00713P
Optical nonlinearity in glasses.—75-04983A
Optical waveguide-type bistable devices.—75-04985A
Planar waveguide-type optical amplifiers.—75-05032A
Three-beam phase conjugation and mode competition in $BaTiO_3$.—75-01361A
Vapor deposition material for the production of optical coatings of medium refractive index.—75-01138P

optical fibers,
Bidirectional erbium-doped fiber amplifiers.—75-07324A
Characterization of optical fibers using near-field scanning optical microscopy.—75-06865A
Compact and robust fiber optic components using integrated optics with silica waveguides.—75-00947A
Connectors for optical communication cables composed from single-mode fibers.—75-05002A
Development of fiber optic cabling technology.—75-00950A
Effect of chlorination on optical absorption in sol-gel-derived optical fibers.—75-02708A
Elemental diffusion during the drawing and heat treatment of glass optical fibers.—75-06849A
Fabrication of optical fiber preform by CIP forming technique.—75-08522A
Fiberoptic cables pave road to new technology.—75-02716A
First-principles study of the thermal reactions of H_2 with germanosilicate optical fibers.—75-04898A
Group effective indices of different types of optical fibers measured around 1550 nm.—75-06467A
Hybridized fabrication of optical fibers by extrusion forming process.—75-08529A
Manufacture of optical fibers for communications.—75-00959A
Manufacturing of specialty optical fibers.—75-00960A
Photoinduced dichroism in germanosilicate optical fibers.—75-04987A
Subcritical crack growth in silica optical fibers in a wide range of crack velocities.—75-00203A
Tensile properties of optical fiber–glass matrix sensor-based composite.—75-04997A
Thermal and photo-initiated reactions of H_2 with germanosilicate optical fibers.—75-06390A
Thermal stresses in tightly jacketed double-coated optical fibers at low temperature.—75-00204A
Use of plastic optical fibers for charged particle tracking in high-energy physics.—75-01049A
Vibrational states of photoinduced defects in silica fibers.—75-06405A

optical materials,
Correlation of crystallization character of glass melts with the temperature dependence of their viscosity and the degree of spatial structural connectiveness.—75-02635A
Crystallizability of optical glasses and their melts.—75-02580A
Development of photochemical hole burning glass for high speed, high capacity optical memory.—75-04947A
Diamond optics: status for infrared applications.—75-07380A
Diamondlike carbon films for antireflection coatings of infrared optical materials.—75-01441A
Introduction to nonlinear optics: phase conjugate wave and its application.—75-04975A
Methods of making nitride glasses.—75-05051P
Near-surface forces in optical polishing [determined] using atomic force microscopy.—75-04381A
Optical filter glasses.—75-07434P
Optical glass with refractive index of 1.75 and high specific refraction for spectacle optics.—75-07309A
Optical glass.—75-05052P
Optical waveguide moldings made from silicon nitride and a method of detecting optical wavelengths using same.—75-07435P
Quasi-optical gyrotron materials processing at Los Alamos.—75-00981A
Role of lanthanides in optical materials.—75-06111A
Solid inclusions in optical glass.—75-02607A
Top-seeded solution growth of borate crystals for nonlinear optical applications.—75-04260A

optical properties,
589-nm light generation by intracavity mixing in an Nd:YAG laser.—75-02957A
Acoustooptical and elastic constants of bismuth telluride.—75-09115A
Alexandrite effect and optical properties of holmium metaphosphate glass.—75-07321A
Anomalously long phosphorescence of BeO:Li ceramics.—75-08870A
Biaxial optical anisotropy of GaAs/AlAs(*hhl*) superlattices.—75-05252A
Calculation of the dielectric and optical properties of wide-band semiconductors.—75-07794A
Characterization of $GdBa_2Cu_3O_{7-x}$ superconducting thin films by a new optical interference fringe method.—75-05735A
Chemical vapor deposited B-SiC for optics applications.—75-03967A
Colorless ophthalmic glasses.—75-07416P
Combined structural and optical assessment of CVD grown 3C-SiC/Si.—75-00437A
Computer modeling of the optical properties of transition-metal ions in solids.—75-01269A

Connectors for optical communication cables composed from single-mode fibers.—75-05002A
Dependence of scintillators optical properties on intrinsic structural defects.—75-01749A
Dynamic conversion of optical modes in magnetic garnet films induced by resonances of periodic stripe domains.—75-00731A
Effect of a permanent electrical field on the optical properties of parabolic quantum wells.—75-05288A
Effects of neodymium concentration on optical characteristics of polycrystalline Nd:YAG laser materials.—75-05301A
Electrical characterization of aluminum nitride films on silicon grown by chemical vapor deposition.—75-00090A
Estimation of Hamaker constants of ceramic materials from optical data using Lifshitz theory.—75-01021A
Fabrication and optoelectronic properties of a-C:H/a-Se (or alloy)/Al_2O_3/Al structures.—75-02473A
Gold nanoparticles ion implanted in glass with enhanced nonlinear optical properties.—75-04969A
Infrared optical properties of zircon.—75-06477A
Initial growth stage and optical properties of a three-dimensional InAs structure on GaAs.—75-00520A
Light output and radiation damage in a lead tungstate crystal.—75-01764A
Light transmission characteristics of telluride-based chalcogenide glass for infrared fiber application.—75-04976A
Mechanisms of high-temperature holographic recordings in As-S materials.—75-07966A
Mechanisms of optical response in superconducting $YBa_2Cu_3O_{7-\delta}$ thin films and grain boundary weak links.—75-00826A
Method for qualitative evaluation of the nature of optical disturbances in float glasses.—75-02666A
Microstructure and optical properties of hot isostatically pressed Nd:YAG ceramics.—75-05386A
Mode-mismatched thermal lens determination of temperature coefficient of optical path length in soda-lime glass at different wavelengths.—75-00193A
Nonlinear optical properties of CdSe nano- and microcrystals.—75-05405A
Nonlinear optical properties of some tellurium(IV) oxide glasses.—75-00194A
Optical absorption band of bipolarons in $LiNbO_3$.—75-08999A
Optical absorption features of luminescent porous silicon films.—75-03101A
Optical absorption in CeO_2-V_2O_5 thin films.—75-06292A
Optical absorption of copper phosphate glasses in the visible spectrum.—75-04919A
Optical and electrical properties of radio-frequency-sputtered tin oxide films doped with oxygen vacancies, F, Sb, or Mo.—75-01317A
Optical and ultrasonic properties of europium phosphate glasses.—75-04982A
Optical Casimir nonlocality—the source of macroscopic size effect during second harmonic generation in an Si:SiO_2 structure.—75-07991A
Optical characteristics of Ce_2O_3 single crystals.—75-06493A
Optical characterization of SiO_2 formed by plasma-enhanced chemical vapor deposition of tetraethoxysilane.—75-01321A
Optical constants of ZnS_xSe_{1-x} ternary alloys.—75-03910A
Optical loss mechanisms in oxide thin films.—75-06494A
Optical nonlinearity and structure for a PbO, TiO_2, SiO_2, and K_2O quaternary glass system.—75-00195A
Optical nonlinearity behaviors of ultrafine PbS particles in perfluorocarboxylated cation-exchanged films.—75-07993A
Optical nonlinearity in glasses.—75-04983A
Optical processes in semiconductor nanocrystallites (quantum dots)—review.—75-07995A
Optical properties and crystalline structure of annealed proton-exchanged waveguides in $LiNbO_3$.—75-08155A
Optical properties of amorphous carbon doped with copper.—75-01324A
Optical properties of diamond at elevated temperatures.—75-09165A
Optical properties of PbI_2 microcrystals in a glassy matrix.—75-07357A
Optical properties of silicate glasses activated with $CuInS_{2x}Se_{2(1-x)}$ solid solutions.—75-04984A
Optical properties of two-dimensional electron gas in the AlGaAs/GaAs heterostructures.—75-07997A
Optical study of PZT thin-film capacitors.—75-05615A
Optical uniformity of cadmium sulfide single crystals.—75-05410A
Photoinduced hysteresis changes and optical storage in (Pb,La)(Zr,Ti)O_3 thin films and ceramics.—75-00565A
Picosecond optical studies of amorphous diamond and diamondlike carbon: thermal conductivity and longitudinal sound velocity.—75-01332A
Polycrystalline CVD diamond films with optical properties close to those of type II diamonds.—75-09170A
Preparation and optical properties of sol-gel-derived ZnSe crystallites doped in glass films.—75-00219A
Preparation of lead-based perovskite structure ferroelectric thin films by sol-gel method and the properties of the films.—75-08165A
Properties of carbon nitride films with composition ratio C/N=0.5–3 prepared by the ion and vapor deposition method.—75-01334A
Properties of CVD diamond for optical applications.—75-09175A
Properties of ZnS optical ceramics.—75-09177A
Properties of ZnSe single-crystal layers doped with Cd.—75-05452A
Structural and optical properties in ZnTe/GaAs strained heterostructures grown by temperature-gradient vapor transport deposition.—75-03171A
Structural, optical, and electrical properties of epitaxial chalcopyrite $CuIn_3Se_5$ films.—75-00607A
Structure and properties of tin dioxide films.—75-06906A
Synthesis and properties of ZnO(Li) crystals.—75-06521A
Three-beam phase conjugation and mode competition in $BaTiO_3$.—75-01361A
Time-integrated optical emission studies of plumes generated from laser-ablated germania glass.—75-00205A
Transmission loss characterization of telluride-based chalcogenide glass optical fibers.—75-00206A

order,
Influence of structural order on the luminescence of oxide spinels: manganese-activated spinels.—75-01224A

ordering,
^{35}Cl nuclear magnetic resonance study of magnetic ordering in $Sr_2CuO_2Cl_2$ single crystal.—75-03761A
Atomic ordering and domain structures in metallorganic chemical vapor deposition grown InGaAs(001) layers.—75-02963A
B-site order and infrared reflectivity in $A(B'B'')O_3$ complex perovskite ceramics.—75-01204A
Combined electronic nuclear magnetic ordering of the Ho^{3+} ions and magnetic stacking faults in $HoBa_2Cu_3O_x$ (x=7, 6.8, 6.3).—75-03347A
Control of ordering in $Ga_{0.5}In_{0.5}P$ using growth temperature.—75-00446A
Defect ordering in epitaxial α-GaN(0001).—75-01745A
Dilatometry of nonstoichiometric titanium carbide in the order-disorder phase transition region.—75-06206A
Effect of A site substitution on order-disorder transition in $Pb(Fe_{1/2}Nb_{1/2})O_3$ (PFN) and $Pb(Sc_{1/2}Ta_{1/2})O_3$ (PST).—75-08128A
Effect of random fields of defects on long-range order in disordered dipole systems.—75-05187A
Effect of termination of scattering intensity curves on calculated parameters of short-range order in amorphous aluminum oxide.—75-06213A
Effects of substrate misorientation and growth rate on ordering in GaInP.—75-00466A
Hidden magnetically ordered phases in materials with competing ferro-antiferromagnetic interactions.—75-05675A
Influence of ferroelectric structural ordering on the effects of the acoustoelectrical interaction in polycrystals with complex perovskite structure.—75-08149A
Magnetic ordering of Pr in $Pb_2Sr_2PrCu_3O_8$.—75-01226A
Magnetic ordering of the Gd^{3+} sublattice in the $Gd_{1-x}Y_xBa_2Cu_3O_{7-\delta}$ system.—75-05686A
Mesoscopic-range order in amorphous BiPbSrCaCuO films and its evolution during crystallization.—75-08362A
Mesostructure of calcium silicate hydrate (C-S-H) gels in portland cement paste: short-range ordering, nanocrystallinity, and local compositional order.—75-04822A
Observation of CuPt-ordered $CuInSe_2$.—75-00557A
Order by disorder in an anisotropic pyrochlore lattice antiferromagnet.—75-00754A
Order–disorder phase formation in the complex perovskite compounds $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$.—75-08156A
Order-disorder transition in $(A'A'')BO_3$ and $A(B'B'')O_3$ complex perovskite crystals.—75-00682A
Ordering in lead magnesium niobate solid solutions.—75-03245A
Raman spectroscopic study of order-disorder in lead magnesium niobate.—75-01924A
Short-range and medium-range order in lithium silicate glasses: I, Diffraction experiments and results.—75-07312A
Short-range and medium-range order in lithium silicate glasses: II, Simulation of the structure by the reverse Monte Carlo [RMC] method.—75-07313A
Short-range order in some ternary ZrF_4-based glasses.—75-04926A
Spatial ordering of arsenic clusters in GaAs layers grown by molecular beam epitaxy at low temperatures.—75-05479A
Spin ordering of electrons localized at deep donors in multivalley semiconductors.—75-08061A
Supercrystallite quasi-crystalline formations in boron nitride.—75-06378A
Variations of order parameter and bias current distribution with time in thin-film superconducting lines.—75-08445A
Weak ferromagnetism along the third-order axis of $FeBO_3$ crystals.—75-08251A
Why does $Y_2Ba_4Cu_7O_{14+x}$ not exhibit a plateau in its $T_c(x)$ dependence. Predictions from oxygen ordering.—75-05861A

ores,
Application of fracture mechanics to three Australian iron sources.—75-02023A
Physicochemical principles of arsenic extraction from sulfide ores.—75-06503A
Talcomagnesia ores of the Pravdinskoe Deposit as a raw material for the refractory industry.—75-06059A

organic compounds,
Critical factors determining the activity of oligomeric dispersants.—75-01417A
Ecological problems due to the use of organic binders in the production of fibrous heat-insulating materials.—75-07533A
Effects of organics in casting slips.—75-09295A
Fluorescent compounds for plastic scintillation applications.—75-01505A
Functional ceramics.—75-08579P
Impregnated ORMOSIL matrices for efficient solid-state optical gain media.—75-05339A
Mechanistic understanding of silicon nitride dispersion using cationic and anionic polyelectrolytes.—75-06270A
New fluors for radiation-tolerant scintillators.—75-00933A
Organic Additives and Ceramic Processing: With Applications in Powder Metallurgy, Ink, and Paint.—75-04778B

organometallic,
Ceramic materials from organometallics.—75-01393A
Composition for the formation of ceramic vias.—75-02947P
Methods for fabricating shapes by use of organometallic, ceramic precursor binders.—75-00999P
Synthesis of organometallic compounds and its application as a surface modifier: I, Synthesis of organo-Zr-P compound and its application as an adsorbent of bovine serum albumin (BSA).—75-01711A

orientation,
90° domain reversal in $Pb(Zr_xTi_{1-x})O_3$ ceramics.—75-03215A
Controlled grain orientation at the surface of $Bi_2Sr_2CaCu_2O_x$ superconducting glass-ceramics.—75-03349A
Dependence of charging on crystallographic orientations of an as-grown α-quartz.—75-01216A
Dependence of dissipation on magnetic field orientation in high-T_c superconductor ceramics.—75-03352A
Determination of the preferred crystal orientation of diamond films using polarized Raman spectra.—75-08905A
Diamond films on nondiamond substrates.—75-08100P
Direct evidence for residual, preferentially oriented cracks in rolled and pressed Ag-clad BSCCO-2223 tapes and their effect on the critical current density.—75-08290A
Effects of sputtering pressure and nitrogen concentration of the preferred orientation of AlN thin films.—75-03792A
Electrical characteristics of (100), (111), and randomly aligned lead zirconate titanate thin films.—75-01283A
Electrooptical properties of the uniform chevron state of a ferroelectric smectic liquid crystal.—75-05564A
Fabrication of the in-plane, aligned *a*-axis-oriented $YBa_2Cu_3O_{7-x}$ thin films.—75-08319A
Ferromagnetic resonance spectra of oriented barium ferrite tapes.—75-00735A
Formation of highly oriented diamond film.—75-08824P
Growth and characterization of (00n)- and (11n)-oriented Bi-Ca-Sr-Cu-O superconducting films.—75-03372A
High thermal conductivity in silicon nitride with anisotropic microstructure.—75-06471A
Highly oriented diamond film thermistor.—75-08102P
Identification of {2$\bar{1}$10} and {10$\bar{1}$0} Laue patterns of hexagonal and rhombohedral silicon carbide polytypes.—75-03800A
Influence of grain orientation on a steady-state creep rate in hot-pressed β-Si_3N_4 whisker/SiAlON composite.—75-09644A
Influence of graphite flake orientation on textural modifications of graphite-based refractories at high temperature.—75-07580A
Morphology and preferred orientation of titanium nitride plates prepared by chemical vapor deposition.—75-06689A
Orientation and growth of grains in copper-activated hot-pressed hexagonal boron nitride.—75-01230A
Orientation dependence of dipole gaps in the magnetostatic wave spectrum of Bi-substituted iron garnets.—75-03324A
Orientation dependence of properties of anodic oxides on $Cd_xHg_{1-x}Te$ surface.—75-07998A
Orientation of $YBa_2Cu_3O_{7-x}$ films on buffered and CeO_2-buffered yttria-stabilized zirconia substrates.—75-00839A
Orientation relationships and interfaces between low symmetry phases in the yttria-alumina system.—75-04384A
Orientation, location, and total energy of hydration of channel H_2O in cordierite investigated by ab initio total energy calculations.—75-03815A
Oriented growth of tin oxide thin films on glass substrates by spray pyrolysis of organotin compounds.—75-09373A
Preparation of ZnO films with preferential orientation by sol-gel method.—75-09403A
Process dependence of orientation of ribbonlike aromatic molecules in glassy carbon.—75-01910A
Processing of highly oriented $LiNbO_3$ films for waveguides from aqueous solution.—75-03252A
Role of precession and longitudinal vibrations of magnetization in the dynamics of spin reorientation in Fe_3BO_6.—75-08239A
Spin reorientation in $ErFeO_3$ during uniaxial compaction: NMR investigation.—75-08241A
Straightforward identification of the *a* and *b* crystalline axes in $YBa_2Cu_3O_7$ single crystal by a polarizing microscope setup.—75-08419A
Synthetic diamond product.—75-08852P
Thin ferromagnetic films in a ferromagnetic/semiconductor structure studied by an optical orientation method.—75-08247A
X-ray study of the three-dimensional orientation of mixed *a*/*c*-oriented $YBa_2Cu_3O_x$ films on (100)$SrTiO_3$ substrates by metallorganic chemical vapor deposition.—75-00896A
Zone melting-refining in Bi-Pb-Sr-Ca-Cu-O superconductor prepared through the sol-gel method.—75-05865A

orthophosphates,
Cerium-doped orthophosphate scintillators.—75-00425A
Crystallization and transformation of aluminum orthophosphates in organic solvent containing a small amount of water.—75-06196A

oscillators/oscillations,
Ceramic-filled transmission lines for circuit miniaturization.—75-00424A
Dynamics and resonance oscillations of ballistic electrons in an inhomogeneous semiconductor.—75-02998A
Instability mechanism of collective spin wave oscillations in finite-size ferrite samples.—75-03297A
Integrated planar gradiometer based on a double relaxation oscillation SQUID [DROS].—75-08347A
Multicolor-pumped oscillator in photorefractive $BaTiO_3$.—75-06491A

ovens,
Development of silica bricks of modern coke ovens.—75-07529A
High-temperature microwave ovens for refractory laboratories.—75-07566A

oxidation resistance,
Antioxidative protective coatings for carbon materials.—75-03687A
Critical review on oxidation protection for carbon-based composites.—75-04422A
Effect of ternary additions on the oxidation resistance of Ti_5Si_3.—75-09287A
Improvement of the oxidation resistance of carbon-bearing materials.—75-04430A
Influence of molybdenum silicide additions on high-temperature oxidation resistance of silicon nitride materials.—75-06653A
Multilayer plasma-assisted CVD [PACVD] coating for oxidation protection of carbon-carbon composites.—75-09366A
Oxidation behavior of 2-D and 3-D carbon/carbon thermostructural materials protected by CVD polylayer coatings.—75-04437A
Oxidation resistance and compressive creep behavior of boron-doped Mo_5Si_3.—75-09658A
Si-B-(N,C)—a new ceramic material for high performance applications.—75-03712A
SiAlON composites and method of preparing the same.—75-01192P
Silicon nitride ceramics containing a dispersed pentamolybdenum trisilicide phase.—75-03756P
Structure and oxidation behavior of pitch and resin resultant carbon.—75-05144A
oxidation,
^{18}O tracer studies of CO oxidation with O_2 on MoO_3: I. Determination of the number of active sites.—75-06145A
Active to passive transition in the high-temperature oxidation of CVD SiC and Si_3N_4.—75-01980A
Ceramic foams.—75-02565P
Ceramic materials, method of preparing the same, and hydrogenation and oxidation processes using the same.—75-07254P
Comparison of thermal cycling and oxidation behavior of graded and duplex ZrO_2 thermal barrier coatings.—75-02446A
Comparison of thermal gate oxides on silicon and carbon face *p*-type 6H silicon carbide.—75-00440A
Complex perovskite oxidation reaction products.—75-08569P
Determination of the active-to-passive transition in the oxidation of silicon carbide in standard and microwave-excited air.—75-09586A
Development of oxide catalysts, applied on a metallic carrier, for complete oxidation of CO and carbon-containing gases.—75-06569A
Durability of silica-protected ceramics in combustion atmospheres.—75-04423A
Effect of ammonium nitrate on the thermal oxidation of gallium arsenide in a humid oxygen atmosphere.—75-07844A
Effect of combined treatment on the oxidation of thin titanium films.—75-09587A
Effect of oxidation ambient on the dielectric breakdown characteristics of thermal oxide films of silicon.—75-00324A
Effect of oxidation heat treatments on the mechanical behavior of an Si-C-O fiber-reinforced magnesium aluminosilicate.—75-06967A
Effect of oxidation on creep of silicon-nitride-based ceramics.—75-01989A
Effect of oxidation on the mechanical properties of Nextel 312/BN/Blackglas composites.—75-04499A
Effect of oxygen on the textured diamond growth over nickel substrates.—75-01832A
Effect of oxygen partial pressure on the oxidation behavior of carbon fibers and carbon fiber/glass matrix composites.—75-06922A
Experimental and theoretical studies of the slow oxidation stage of YBCO ceramics.—75-08314A
Formation of Al_2O_3-Al composite by directed oxidation of molten metals.—75-02480A
Formation of Al_2O_3/metal composites by oxidation of molten aluminum alloys.—75-02481A
Fractal oxidation of amorphous iron films.—75-09591A
Glass-ceramic matrix composites with high oxidation embrittlement resistance.—75-05015A
Grain boundary oxidation rate of semiconductive Mn-doped $BaTiO_3$.—75-00498A
Growth of an alumina particulate-reinforced Al-Al_2O_3 composite by directed metal oxidation.—75-00099A
Growth of CuO films by pulsed laser deposition in conjunction with a pulsed oxidation source.—75-01516A
High-temperature oxidation of CVD silicon-based ceramics.—75-09593A
High-temperature oxidation of porous nonoxide ceramics—recent advances in modeling and protection by coatings.—75-01993A
High-temperature oxidation of SiC-based castable by mass spectrometric gas analysis.—75-07567A
High-temperature oxidation of SiC-based monolithic refractories: I, Oxidation by FeO.—75-05098A
High-temperature oxidation of SiC-based monolithic refractories: II, Effect of B_4C on oxidation.—75-05099A
Hot gas corrosion of structural ceramics.—75-01996A
In situ HREM observation of the oxidation of nickel thin foils.—75-04431A
In situ observation of oxide monolayer formation on copper solid-liquid interfaces.—75-01997A
Influence of oxidation on long-term reliability of silicon nitride.—75-01998A
Influence of post-deposition annealing and oxidation on structure and optical properties of CVD diamond films.—75-09339A
Influence of surface oxidation on thermal shock resistance and flexural strength of SiC/Al_2O_3 composites.—75-06997A
Interactions between oxygen and the ZrO_2 surface.—75-02000A
Kinetic analysis of silicon oxidation in the thin regime by incremental growth.—75-02001A
Kinetics and mechanism of the oxidation of ZrC.—75-04432A
Kinetics of thermal oxidation of silicon nitride powders.—75-09595A
Locating an oxygen probe for the measurement of oxygen activity in commercial glass melts.—75-00191A
Low temperature–high pressure oxidation of 3C-SiC.—75-03084A
Mathematical model of the quasi-stationary process of porous oxidation of metals without chemical dissolution of the oxide.—75-06925A
Mechanism of interface formation in a silicon carbide fiber-reinforced magnesium aluminosilicate.—75-04105A
Mechanism of oxidation of low-oxygen SiC fiber prepared by electron radiation curing method.—75-02002A
Mechanisms of oxidation in hot-pressed SiC-AlN solid solutions.—75-04433A
Methods of making composite aluminum nitride ceramic articles having embedded filler.—75-01180P
Modeling and scaleup of galvanic deoxidation of molten metals using solid electrolyte cells.—75-02513A
Multiple law modeling for the oxidation of advanced ceramics and a model-independent figure of merit.—75-02004A
Nanometer-scale structures resulting from graphite oxidation.—75-02005A
Nonisothermal conditions inside magnetite pellet due to its oxidation.—75-04434A
Nonparabolic oxidation kinetics of advanced ceramics.—75-02006A
Oxidation and ion damage of diamond by reactive ion etching.—75-02007A
Oxidation and properties degradation of SiC fibers below 850°C.—75-04435A
Oxidation behavior and effects of oxidation on the strength of SiC whisker-reinforced alumina.—75-04436A
Oxidation behavior of an Si-C-O fiber-reinforced magnesium aluminosilicate.—75-06927A
Oxidation behavior of boron-modified Mo_5Si_3 at 800–1300°C.—75-04438A
Oxidation behavior of mullite-coated SiC and SiC/SiC composites under thermal cycling between room temperature and 1200–1400°C.—75-04439A
Oxidation behavior of nitrides and borides as monolithic and composite ceramics.—75-02008A
Oxidation behavior of porous SiC at high temperatures.—75-09596A
Oxidation behavior of reaction-bonded alumina compacts using an $Al_{88}Si_{12}$ alloy precursor.—75-06928A
Oxidation behavior of SiC-coated carbon/carbon composites.—75-04440A
Oxidation catalyst with bulk ceria, a second bulk metal oxide, and platinum.—75-07269P
Oxidation kinetics of MgO-SiC composites.—75-04441A
Oxidation of aldose by palladium nitrate.—75-06929A
Oxidation of aluminum nitride substrates.—75-04442A
Oxidation of BN-coated SiC fibers in ceramic matrix composites.—75-02009A
Oxidation of carbon constituents from multiphase microstructures.—75-09597A
Oxidation of SiC-TiC composites.—75-06930A
Oxidation of silicon-based ceramics in the presence of alkali halides.—75-02010A
Oxidation of TiB_2 powders below 900°C.—75-02011A
Oxidation of titanium films as a function of the wavelength of incident uv radiation.—75-09598A
Oxidation of ultrafine (Si-)SiC powders.—75-06931A
Oxidation of vanadium during magnetic roasting of titanium magnetite concentrates by natural gas in the presence of sodium carbonate.—75-06932A
Oxidation of yttrium barium cuprate, $YBa_2Cu_3O_{6.09}$, under polythermal conditions.—75-08390A
Oxidation process in silicon nitride.—75-02012A
Oxidation protection of porous reaction-bonded silicon nitride.—75-06933A
Passive oxidation kinetics of high-purity silicon carbide from 800° to 1100°C.—75-09599A
Phase equilibrium relationships and the liquid-phase-assisted oxidative corrosion of silicon nitride.—75-02013A
Photocatalytic oxidation of toluene on niobium(V) oxide.—75-06706A
Photoelectrochemical behavior of the TiO_2 semiconductor electrodes obtained by thermal oxidation of the titanium foils.—75-03123A
Photoinduced strong luminescence enhancement from anodically oxidized porous silicon.—75-08013A
Post-disintegration of thin $MoSi_2$ films by oxidation at 500°C.—75-06934A
Processing of gradient materials with directed electrochemical oxidation of carbon foams.—75-03533A
Production of carbon-metal and graphite-metal composites from oxidized graphites.—75-07227A
Promotion of the oxidation of silicon carbide by a rubidium overlayer.—75-02015A
Reinforced ceramics via oxidation of molten metals.—75-04201A
Set up for making shaped ceramic composites with the use of a barrier means and articles produced thereby.—75-00167P
Silicon carbide bodies and methods of making the same.—75-01193P
Silicon nitride oxidation based on oxynitride interlayers with graded stoichiometry.—75-09601A
Silver doping and its influence on the oxygenation during in situ growth of $YBa_2Cu_3O_{7-x}$ films.—75-00863A
Spontaneous topotactic oxidation of La_2CuO_4 at RT.—75-06935A
Strength of hot salt corroded structural ceramics.—75-04634A
Superoxidation and electrochemical reactions during switching in Pb(Zr,Ti)O_3 ceramics.—75-08173A
Suppression of interface-state generation in reoxidized nitrided oxide gate dielectrics.—75-00378A
Surface oxidation of a sintered silicon nitride—implications for mechanical properties.—75-02101A
Theoretical aspects of the oxidation of silica-forming ceramics.—75-02016A
Thermal oxidation of indium phosphide in the presence of S_2Cl_2.—75-05502A
Thermodynamic evaluation of oxidation potential of the BaO-BaF_2-CaF_2-NaF melts used for refinement of Fe-C-Cr steels.—75-07235A
Thermodynamic properties of manganese oxides.—75-06396A
Thermodynamics and kinetics of passive oxidation of Si_3N_4-bonded SiC ceramics.—75-02019A
TV holography at high temperatures—in situ observations of the oxidation of advanced materials.—75-01048A
Variation in the field-dependent behavior of thermally oxidized tantalum oxide films.—75-01365A
oxides,
I-V characteristics of lead sulfide films with different oxide phase contents.—75-05233A
Application of electrochemical oxide films to technology of semiconducting silicon carbide.—75-07786A
Application of low-energy ion scattering to oxidic surfaces.—75-01790A
Application of the quasi-paraboloidal regulations of intermediate compounds in ceramic ternary systems.—75-08871A
Aspects of grain-boundary diffusion in oxides.—75-01742A
Atomic bonding at oxide surfaces.—75-04296A
Attempting to predict the high-temperature corrosion of oxide ceramics by molten silicates.—75-01982A
Behavior of a pressed mixture of two oxide powders during heating.—75-09221A
Calculation of formation enthalpy of several complex coordinated oxides.—75-06541A
Carbon and oxide coatings on continuous ceramic fibers.—75-03957A
Catalyst for cleaning exhaust gas with alumina, ceria, zirconia, nickel oxide, alkaline earth oxide, and noble metal catalyst, and method for preparing.—75-08773P
Ceramic body.—75-01103P
Ceramic composite containing a spinel phase and an oxide phase and the preparation thereof.—75-07252P
Ceramic glass composition.—75-07411P
Ceramic oxides as potential hydrocarbon and NO_x sensors.—75-02972A
Characterization of a zirconia-yttria-titania thermal barrier coating.—75-04843A
Characterization of nanocrystalline oxide powders prepared by CO_2 laser evaporation.—75-06864A
Charge carrier transfer in Bi_2TeO_5 crystals.—75-06429A
Chemical and structural alteration in the surface layers of oxides and sulfides.—75-01814A
Comparison of particle size analyzers and evaluation of the measuring technique with fine ceramic powders: I, Oxide powders.—75-08642A
Composition dependence of the electrical conductivity of *n-p* ceramic composite.—75-02898A
Compositional dependence of absorption and fluorescence of Yb^{3+} in oxide glasses.—75-02633A
Correlating the Curie temperature of mixed bismuth oxides to the crystal chemical parameters of constituent ions.—75-08121A
Crack branching in all-oxide ceramic composites.—75-02028A
Crystal growth of nonstoichiometric oxide materials using double-crucible CZ [Czochralski] method.—75-03983A
Crystal structure of lithium perrhenate sesquihydrate.—75-06193A
Crystal structure of neptunyl oxalate hexahydrate $(NpO_2)_2C_2O_4{\cdot}6H_2O$.—75-08894A
Crystallization of glass phase in compositions of high-aluminous ceramics with copper and boron oxide additives.—75-04889A
Dependence of thermal emission of anodized aluminum on the anodic oxide body.—75-06566A
Dephosphorization and chromium transfer from Fe-C-Cr-P-containing melts to slag on the basis of oxides and fluorides of Ba, Ca, and Na in weakly oxidizing atmosphere: II.—75-09251A
Dephosphorization of the Fe-C-P melts by slags on the basis of Ba, Ca, and Al oxides, fluorides, and chlorides in weakly oxidizing atmosphere: I.—75-09252A
Design and processing of all-oxide composites.—75-03989A
Development of interfaces in oxide and silicate matrix composites.—75-03992A
Development of oxide catalysts, applied on a metallic carrier, for complete oxidation of CO and carbon-containing gases.—75-06569A
Dielectric ceramic compound.—75-07761P
Dielectric relaxation of perovskite-oxide thin films.—75-05181A
Diffusion-induced grain boundary phenomena in metals and oxide ceramics.—75-01751A
Effect of ligand field on branching ratio of ultraviolet and blue upconversions of Tm^{3+} ions in halide and oxide glasses.—75-00212A
Effect of oxidation ambient on the dielectric breakdown characteristics of thermal oxide films of silicon.—75-00324A
Effect of oxides on the sintering process and the hydration resistance of CaO clinkers.—75-07540A
Effect of refractory oxides on the oxidation of graphite and amorphous carbon.—75-05088A
Effect of TiO_2, ZrO_2, and P_2O_5 on the crystallization of SiO_2-Al_2O_3-MgO-CaO-N_2O glass system.—75-07297A
Effective medium theory and the thermal conductivity of plasma-sprayed ceramic coatings.—75-06448A

Electrical conductivity and magnetic resistivity in $La_{0.9}Na_{0.1}Mn_{0.9}Re_{0.1}O_3$ crystals.—75-05668A

Electrical conductivity of zinc oxide varistor ceramics with prolonged electrical current.—75-05308A

Electronic dynamical structure model of a $Ba_{0.87}K_{0.13}BiO_3$ crystal.—75-08922A

Electrophysical properties of impurity phases of deuterium (hydrogen) and neutron emissions in Pd/PdO heterostructures.—75-09141A

Energy characteristics of hole transport in rare-earth oxides.—75-09507A

Energy estimation of photolytical centers in Ag_2O.—75-05314A

Enthalpy stabilization of some perovskite-like oxides.—75-09300A

Evaluation of the gas response of ZnO/La_2CuO_4 heterocontacts with different electrode materials.—75-00487A

Evaporation of SeO_2 and TeO_2 oxides.—75-08928A

Evaporation thermodynamics of the FeO, CoO, NiO oxides.—75-08929A

Faraday effect in lanthanide-doped oxide glasses.—75-04964A

Features of free oxide film formation on the surface of cadmium telluride crystals.—75-05322A

Features of initial generation kinetics of thermal donors in hydrogenated Si(O) crystals.—75-08933A

Features of solid solutions of layered $A_{m-1}Bi_2M_mO_{3m+3}$-type ferroelectrics.—75-05572A

Features of the structure of amorphous titanium oxide films depending on synthesis conditions.—75-08935A

Features of the transfer of ruthenium in the form of RuO_4 in acetate-ethanol media.—75-06230A

Features of the width change of the band gap in Ln_2X_3 (Ln=rare-earth elements, X=O, S, Se).—75-08936A

Features of variation of oxygen activity and solubility on cooling and crystallization of quaternary Fe-C-Si-O melts.—75-08937A

Fiber reinforcement of reaction-bonded oxide ceramics.—75-04042A

Foaming, macrokinetics, and mechanism of carbothermal reduction of iron zinc-containing oxide melts.—75-09312A

Formation of complex ions during sputtering of multicomponent oxides.—75-09314A

Fundamental electrical properties of fluorinated and N_2O plasma-annealed ultrathin silicon oxides grown by microwave plasma afterglow oxidation at low temperatures.—75-01295A

Growth and structure of rapid thermal silicon oxides and nitroxides studied by spectroellipsometry and Auger electron spectroscopy.—75-01859A

Growth kinetics of spherulitic apatite in some MgO-CaO-SiO_2-P_2O_5 glasses.—75-04902A

Heat capacity and thermodynamic functions of $LaCaMn_2O_{5.5}$ in the range 298–673 K.—75-08947A

High coercivity maghemite particles.—75-03295A

High-pressure cold isostatic pressing of ultrafine oxide powders.—75-06635A

High-temperature strength properties of some oxide and nonoxide composites.—75-07568A

Hot corrosion of oxide ceramics.—75-01994A

Hydrothermal reaction sintering of metal oxides.—75-01530A

Imaging the atomic-scale structure of molybdenum and vanadium oxides by scanning tunneling microscopy.—75-01866A

Influence of gas medium and heat treatment on nonlinearity of *I-V* characteristics of zinc oxide varistors.—75-05346A

Interaction of lithium perchlorate and calcium perchlorate with superoxide and sodium peroxide.—75-06661A

Interaction of low-expansion NZP ceramics with Na_2SO_4 at 1000°C.—75-01874A

Interface properties of oxide ceramic materials.—75-01298A

Interface properties of thin oxides grown on strained Ge_xSi_{1-x} layer.—75-00524A

Investigation of self-heating effects in submicron SOI MOSFETs.—75-00526A

Ir spectra of $H_2V_{12-x}Me_xO_{31\pm\delta}{\cdot}nH_2O$ (Me=Mo, Cr).—75-08960A

Kinetic model of structural relaxation in oxide glasses.—75-07343A

Kinetic parameters of the reaction of an aqueous chromium trioxide solution with formic acid.—75-08963A

Kinetics of vapor phase deposition of oxides from rare-earth dipivaloylmethanates.—75-09350A

$La_2Cu_{1-x}Li_xO_{4-y}$ and $Nd_2Cu_{1-x}Li_xO_{4-y}$ solid solutions.—75-08967A

$LaNbO_4$-$LaTi_2O_7$ pseudobinary join in the La_2O_3-TiO_2-Nb_2O_5 system.—75-08968A

Lanthanide containing oxide glasses.—75-04913A

Li_2MoO_4-$LiBO_3$-Li_2CO_3 system.—75-06256A

$Li_2O(Na_2O)$-CoO-V_2O_5 system.—75-06257A

Low-level leakage currents in thin silicon oxide films.—75-00536A

Low-temperature synthesis of silicon oxide, oxynitride, and nitride films by pulsed excimer laser ablation.—75-01567A

M_2O-CaO-ZrO_2-SiO_2 glass-ceramic system as component for matte tile glazes.—75-07710A

Mechanisms of vacancy formation in transition metal oxides under resonance laser action.—75-06852A

Melt growth and physicochemical properties of $TeSeO_4$ crystals.—75-05379A

Metal-insulator transition in a magnetic field.—75-08983A

Metathetical routes to uranium and thorium oxides and nitrides.—75-06682A

Method for preparing a modified solid oxide.—75-08595P

Method for producing a glass thin film with controlling an oxide vapor of an additive.—75-07432P

Method for production of thin oxide superconducting film and substrate for production of the film.—75-00908P

Method of preparing oxide superconducting wire.—75-08473P

Microstructural evolution during the sintering of nanostructured ceramic oxides.—75-04361A

Microwave-hydrothermal processing of $BiFeO_3$ and $CsAl_2PO_6$.—75-04112A

MIS [metal-insulator-semiconductor] varicaps and photovaricaps [nonlinear capacitors] based on Al-Sm_2O_3-Si structures.—75-07971A

Model calculation of thermodynamic properties of uranium gadolinium oxide fuels.—75-06274A

Modeling of dissolution processes of oxide phases: II, Model of the influence of the binary electrical layer on the consecutive first-order reactions with reversible first phase.—75-06688A

Modification of PZT nucleation and growth using oxide layer in multilayered electrodes.—75-05610A

Multiphoton ionization detection of an SiO molecule formed by O_2 oxidation of a silicon surface.—75-00548A

Nature of a linear phonon in tunneling conductivity of metal oxides: pressure effects.—75-08376A

Neutron studies of the magnetic properties of $EuMn_2O_5$.—75-09162A

New homologous series of $Ba_mBi_{m+n}O_y$ (m=1, 2,...; n=0, 1, 2,...).—75-08993A

Nonmagnetic ceramic substrate material.—75-08781P

Nonstationary optical absorption of two types of autolocalized excitons [ALEs] in beryllium oxide crystals.—75-09163A

OH-related capacitance-voltage recovery effect in MOS capacitors passivated by PbO-B_2O_3-SiO_2-GeO_2 glasses—the effects of OH content.—75-05031A

Optical loss mechanisms in oxide thin films.—75-06494A

Optical nonlinearity and structure for a PbO, TiO_2, SiO_2, and K_2O quaternary glass system.—75-00195A

Oxidation of GaAs in the presence of $CeCl_3$.—75-05413A

Oxide ceramic films for electronic applications—atmospheric rf plasma technique.—75-01090A

Oxide magnetic material.—75-08256P

Oxide superconducting device.—75-08479P

Oxide-coated cutting tool.—75-07270P

Oxidic and oxygen-free refractories [OFR] as thermionic emitters—a review.—75-07624A

Oxygen nonstoichiometry of $LaSr_2Fe_3O_{9-x}$ compounds.—75-09002A

Phase composition of $Bi_{12}MO_{20}$ and $Bi_4M_3O_{12}$ (M=Si, Ge, Ti) crystal surfaces during annealing in a vacuum.—75-06296A

Phase diagram of superconducting oxides.—75-00841A

Phase diagrams of the Ho_2O_3-In_2S_3, Ho_2O_3-Ho_2S_3, and Ho_2O_2S-In_2S_3 systems.—75-09012A

Phase Equilibria Diagrams: Volume XII.—75-04779B

Phase equilibria in the Fe-Si-V-O system.—75-09018A

Phase transformations during interaction of niobium and tantalum pentoxides with iron monosulfide.—75-06311A

Photocatalytic oxidation of toluene on niobium(V) oxide.—75-06706A

Photoluminescence of rare-earth-doped $(Ga_2S_3)_{0.95}(Eu_2O_3)_{0.05}$ single crystals.—75-06314A

Phyllosiloxides: new layered oxides as potential interphase materials.—75-09167A

Physical characterization of ultrathin anodic silicon oxide films.—75-00572A

Physical metallurgy of mechanically alloyed oxide dispersion strengthened MA956 and MA957 stainless steels: I, Recrystallization mechanism.—75-02521A

Physical metallurgy of mechanically alloyed oxide dispersion strengthened MA956 and MA957 stainless steels: II, Grain control.—75-02522A

Physicochemical properties of $(Bi_{1-x}Pb_x)_{1-y}Y_yO_{1.5}$ (x=0.1, 0.32; y=0–0.25) ionic conductors.—75-07742A

Physicochemical properties of $Nd_{1-x}Ca_xCr_{1-y}Zn_yO_3$ solid solutions.—75-09169A

Point defects and transport of matter and charge in nonstoichiometric oxides.—75-04287A

Point defects and transport of matter and charge in nonstoichiometric oxides: II.—75-09375A

Polarization processes in the anodic tantalum oxides.—75-06320A

Possibilities for calculating properties of liquid and glassy oxides on computer.—75-08695A

Prediction of the phase complex of quaternary reciprocal systems of Na, K‖F, CO_3, MoO_4(WO_4).—75-09042A

Preparation and characterization of heavy metal oxide glasses: Bi_2O_3-PbO-B_2O_3-GeO_2 system.—75-05033A

Preparation and electrical properties of sintered $Mn_{2-x}Co_{2x}Ni_{1-x}O_4$ ($0 \le x \le 1$) spinel-type oxides.—75-01614A

Preparation and properties of $ABCO_4$ mixed oxides (A=Sr, Ba; B=La, Nd; C=Al, Ga).—75-09384A

Pressure consolidation of fiber-reinforced oxide matrix composites: experiments and simulations.—75-03594A

Properties of ceramic materials with fillers of talc-chlorite shales.—75-07452A

Proton and hole conductivity of $SrY_{2-2x}Ca_{2x}O_{4-\alpha}$ in a moist atmosphere.—75-05453A

Role of boron oxide in growth of boron nitride grains.—75-09423A

Role of singlet oxygen absorbed on quartz and transition metal oxides in the formation of ozone holes.—75-09055A

Role of space charge for microwave sintering of oxides.—75-01656A

Simple solution polymerization route for oxide powder synthesis.—75-04217A

Single-component solid oxide bodies.—75-07774P

Sol-gel-based precursors for manufacturing refractory oxide fibers.—75-05138A

Solubility in the $B(OH)_3$-$MgSO_4$-$FeSO_4$-H_2O systems at 25 and 90°C and the $B(OH)_3$-$MgSO_4$-$Fe(SO_4)_3$-H_2O system at 25°C.—75-09061A

Solubility in the zirconium oxychloride–hafnium oxychloride–water system at 25 and 50°C.—75-06359A

Standard enthalpy of formation of $BaCu_{1+y}O_{2+y}$.—75-09450A

Structural implications of elastic properties, fracture toughness, and fracture surface energies of R_2O-Al_2O_3-SiO_2 glasses.—75-02688A

Structural modeling of rhombohedrally distorted phases for $Cu_{1-x}Ni_xCr_2O_4$ solid solutions.—75-06373A

Structural studies on RD-MgO-Al_2O_3-SiO_2 (R=Ca, Sr, or Ba) glassy systems by density measurements.—75-04996A

Structure of oxides grown on Zr-20Nb alloy.—75-04407A

Structure of spinel/oxide reaction fronts during spinel-forming solid-state reactions.—75-04408A

Substrates for microwave applications of high-T_c superconductors.—75-03409A

Synthesis and properties of BaO-Al_2O_3-$2SiO_2$-SrO-Al_2O_3-$2SiO_2$ (BAS-SAS) ceramics.—75-01094A

Synthesis and study of barium mercurate.—75-09463A

Synthesis and thermal expansion of $M_{1/2}Sr_{1/4}Zr_2P_3O_{12}$ (M=Li, Na, K) compounds.—75-04239A

Synthesis and thermal stability of Si-Ti-C-O compounds.—75-04240A

Synthesis on the silica surface of $Ti_2O_3{\cdot}nH_2O$ nanolayers by the ionic stratification method.—75-06820A

Ternary oxides of sodium, scandium, and titanium.—75-06387A

Thermal expansion of solid proton electrolytes based on $BaCeO_3$.—75-06913A

Thermal stability of $La_{4-x}M_xNi_3O_y$ (M=Mg, Ca, Sr, Ba) solid solutions.—75-09206A

Thermal stability of $SrBi_2O_4$ compounds.—75-06529A

Thermally grown oxide film of AISI 430 stainless steel on the influence of corrosion.—75-02555A

Thermodynamic and catalytic properties of solid solutions of copper and zinc oxides.—75-06394A

Thermodynamic functions of $LnSrMn_2O_{5.5}$ (Ln=La, Nd, Gd, Ho, Er, Lu) in the interval of 298.15–673 K.—75-09090A

Thermodynamic properties of europium oxides.—75-09095A

Thermodynamic stability of binary oxides in contact with silicon.—75-03856A

Thermodynamical analysis of reactions of oxides with carbon in nitrogen atmosphere.—75-07681A

Thick film ceramic oxide buffer layers for high temperature superconductors.—75-00888A

Toward determination of reliable grain boundary diffusion coefficients for oxides.—75-09521A

Viability of oxide fiber coatings in ceramic composites for accommodation of misfit stresses.—75-04662A

Viscous flow of ZnF_2-PbF_2-SiO_2-B_2O_3-GeO_2 glasses and their application to MOS capacitors.—75-07748A

X-ray method for determining the basicity of melts of the multicomponent oxide-fluoride system.—75-08714A

X-ray photoelectron spectra of Ln $4f$ electrons and their localization on lanthanides in the oxides.—75-09107A

X-ray spectral study of interaction of subvalence electron shells in samarium and ytterbium oxides.—75-06413A

X-ray study of chromium- and boron-doped synthetic $Ca_2Al(AlSi)O_7$ gehlenites.—75-09111A

Yttrium oxide/titanium oxide ceramic compositions.—75-08788P

ZnO/La_2CuO_4 heterocontacts as humidity sensors.—75-00634A

oxycarbides,

Mechanical characterization of sol-gel-derived silicon oxycarbide glasses.—75-04979A

Porous silicon oxycarbide glasses.—75-07393A

Silicon oxycarbide glasses with low O/Si ratio from organosilicon precursors.—75-05042A

Synthesis processes of Zr and Hf oxycarbide refractory coatings on carbon matrices.—75-02841A

oxygen deficiency,

Effect of electrical field on the *I-V* characteristics of YBCO HTSC ceramics with an oxygen deficiency after hydrogen treatment.—75-05752A

Mossbauer study of oxygen-deficient Zn^{II}-bearing ferrites and their reactivity toward CO_2 decomposition to carbon.—75-05697A

Oxygen deficiency in $BaBi_{0.25}Pb_{0.75}O_{3-\delta}$ and its effect on the conduction behavior and crystal structure.—75-05808A

oxygen partial pressure,

Discontinuous dissolution and grain boundary migration in Al_2O_3-Fe_2O_3 by oxygen partial pressure change.—75-04315A

Discontinuous phase formation and selective attack of SiC materials exposed to low oxygen partial pressure environments.—75-01988A

Influence of oxygen partial pressure on the creep characterization of a superplastic 4 mol% yttria partially stabilized zirconia.—75-06996A

Influence of oxygen partial pressure on the crystal growth and texture formation of some high-T_c superconductors.—75-03374A

Oxygen diffusivity in cation-defective lanthanum manganite.—75-04285A

oxygen,

Ab initio calculation of the mechanical strength of the Si–O–Si bond.—75-06940A

Anisotropy of threshold energies of oxygen atom displacement in perovskite structure.—75-08869A

Atomistic mechanisms of oxygen diffusion in $YBa_2Cu_3O_{7-x}$ and $YBa_2Cu_4O_8$.—75-05729A

Atomistic modeling of migration properties of oxygen in $Bi_2Sr_2CaCu_2O_8$.—75-08265A

Composition studies for Ag-sheathed $Bi_2Sr_2CaCu_2O_8$ conductors processed in 100% O_2.—75-08275A

Cubic coordination in oxygen-containing compounds of rare-earth elements: fluorite-like and fluorite-fragmentary structures.—75-08901A

Cutting costs and competing globally chief goals in '96.—75-09708A

Design modeling of glass furnace oxy-fuel conversion using three-dimensional combustion models.—75-05993A

Determination of oxygen content and metal valences in oxide superconductors by chemical methods.—75-08286A

Determination of the redox state of a glass melt by electrochemical measurements.—75-03455A
Dilatational volumes of oxygen point defects of the basal plane in perovskite structures.—75-09503A
Effect of frequency on the electrical characteristics of tin-antimony-oxide mixtures.—75-05184A
Effect of oxygen pressure on microstructure, texture, and growth characteristics of laser-ablated $BaTiO_3$ thin films.—75-05186A
Effect of oxygen vacancies on the X-ray emission spectra of Y-Ba-Cu-O thin films.—75-05755A
Effects of temperature and oxygen concentration on the photoluminescence of epitaxial metallorganic vapor phase epitaxy GaAs:O.—75-01475A
Evaluation of oxygen tracer diffusion profiles in two-stage oxidation experiments.—75-01990A
Exposure of diamond to atomic hydrogen—secondary electron emission and conductivity effects.—75-01850A
Glass Problems Conference focuses on oxy-fuel.—75-03614A
Heat capacity and thermodynamic functions of copper orthothioarsenate.—75-08945A
High rate finishing of polycrystalline diamond films with hyperthermal oxygen atoms.—75-08528A
High-performance oxy-fuel melting: three flat jet burner applications.—75-05999A
Influence of oxygen content on Si_3N_4 grain boundary.—75-01872A
Interaction of ozone with surface electron-donor centers of magnesium and titanium oxides.—75-08957A
Kinetics of the oxygen release in vacuum from $YBa_2Cu_3O_{6.92-x}$ ceramics (x=0–0.54).—75-08351A
Macrokinetics of oxygen fluoride absorption.—75-06265A
Method of using oxygen measuring probe.—75-07377P
Model-based evaluation of oxy-fuel glass-melting furnace performance.—75-06004A
New oxobromides of neodymium-tellurium and samarium-tellurium.—75-06287A
O´+ß´ SiAlON composites for turbine engine applications.—75-03707A
Ongoing investigation of oxy-fuel firing impact on corrosion of nonglass contact refractories: II.—75-05116A
Oxy-fuel economics update based on case histories.—75-06007A
Oxygen diffusion and reaction of residual carbon in sol-gel-derived silica xerogel.—75-02601A
Oxygen diffusion and reordering in $RBa_2Cu_3O_{6+x}$.—75-03388A
Oxygen diffusion in $YBa_2Cu_3O_{6+x}$ ceramics.—75-05809A
Oxygen diffusion in $YBa_2Cu_3O_{7-\delta}$ mixed conductors: interpretation of T-jump measurements and experiments on hysteresis of conductivity.—75-05810A
Oxygen dope in layer ordered copper perovskites.—75-00561A
Oxygen isotope exchange reaction in diffusion coefficient measurements using gas phase analysis.—75-09516A
Oxygen mobility in $YBa_2Cu_3O_{7-\delta}$.—75-03389A
Oxygen redistribution during low-energy oxygen implantation.—75-09003A
Oxygen relaxation spectrum in $YBa_2Cu_3O_{6+x}$ at high temperature.—75-03390A
Oxygen self-diffusion in MgO grain boundaries.—75-04286A
Oxygen vacancy motion in perovskite oxides.—75-01602A
Oxygen-sensitive behavior of yellow lead oxide [studied] by defect chemistry.—75-01326A
Preparation of conducting In_2S_1 and $In_2O_3(S)$ films from the volatile compound $In(S_2COC_3H_7\text{-}iso)_3$ and their electrical properties.—75-09391A
Radiative recombination in zinc selenide single crystals activated with oxygen.—75-03145A
Reversible changes of bands on the surface of p-GaAs(Cs, O) at RT studied by X-ray photoelectron spectroscopy.—75-05466A
Sintering of alumina in microwave-induced oxygen plasma.—75-09442A
SREELS analysis of oxygen-rich inversion domain boundaries in aluminum nitride.—75-04402A
Stoichiometry dependence of oxygen anelastic relaxation in $YBa_2Cu_3O_{7-x}$ and the orthorhombic-to-tetragonal phase transition.—75-03406A
Stratified ceramic body, oxygen sensor using the same, and fabrication method thereof.—75-08786P
Testing the oxygen-sensitive properties of strontium titanate thin films at high temperatures.—75-05983A
Thermal donors in oxygen-containing silicon.—75-09203A
Thermodynamic calculation of the yttrium-oxygen phase diagram.—75-09089A
Unconventional oxygen doping behavior in $HgBa_2Ca_2Cu_3O_{8+\delta}$.—75-05857A
Why does $Y_2Ba_4Cu_7O_{14+x}$ not exhibit a plateau in its $T_c(x)$ dependence. Predictions from oxygen ordering.—75-05861A
X-ray photoelectron spectroscopy study of graphite-based oxygen- and oxygen-fluorine-containing compounds.—75-09109A
Zirconia pump-gauge oxygen sensor operated with the gauge following a triangular emf.—75-03201A

oxynitride,
ß-Si_3N_4 whiskers embedded in oxynitride glasses: interfacial microstructure.—75-07282A
Electron trapping in oxynitride layers in metal-oxide-semiconductor structures.—75-00477A
Formation of barium-tantalum oxynitrides.—75-06613A
High-modulus glasses and glass fibers.—75-00189A
Multifrequency EPR spectroscopy and MNDO [molecular neglect diatomic orbital] calculations for the interpretation of the Si-CN^- defect center detected in oxynitride glasses for the first time.—75-07353A
Neutron diffraction and solid-state MAS-NMR studies of the structure of Y-Al-Si-O-N oxynitride glasses.—75-02597A
Preparation of aluminum oxynitride by carbothermal reduction of aluminum oxide in a flowing N_2 atmosphere.—75-06724A
Preparation of oxynitride thin films of $BaNb(O_xN)_3$ and $LaNb(O_xN)_2$ using reactive sputtering from multiphase targets.—75-06732A
Reaction plasma sintering of aluminum oxynitride ceramics.—75-09418A
Silicon nitride oxidation based on oxynitride interlayers with graded stoichiometry.—75-09601A
Synthesis of oxynitride perovskites.—75-01712A
Synthesis of oxynitride powders via fluidized bed ammonolysis: I, Large, porous silica particles.—75-09474A

packages,
Superconducting microwave parts having a package, two substrates, and line and grounding conductors.—75-08488P

packaging,
Cerdec bulk bag doser evaluation.—75-02852A
Challenges in bioceramics.—75-07064A
Correlation of the mechanical to the thermomechanical strength of ceramic packages.—75-04468A
Development of an advanced hermetic power package for a solid state power controller.—75-00459A
Electronics processing in the '90s.—75-04705A
High dielectric layer containing alumina-based wiring substrate and package for semiconductor device.—75-08101P
High power rf package using aluminum nitride ceramic.—75-01150A
Highly reliable cofiring technologies of AlN PGA type packages.—75-00339A
Maximovers aid glaze manufacture.—75-02877A
Method for making multilayer ceramic packages.—75-07764P
Power hybrid packaging technique remains the packaging tecnique of choice for high power density circuits.—75-00363A
Questions to Richard D. Gaynor, Executive Vice President, National Ready Mixed Concrete Association/National Aggregate Association, Silver Springs, Maryland.—75-02421A
Radium-bearing waste disposal.—75-03492A
Recent advances in diamond-based multichip modules (MCMs).—75-08040A
Sheet ceramic package having electrically independent products units.—75-08114P
Substrate and ceramic package.—75-08117P
Thermal aspects of high-performance packaging with synthetic diamond.—75-08081A

packing,
Agglomerated packings.—75-05934A
Blending and packing specialist plasters.—75-02439A
DEM [discrete element method] simulation of particle packing dynamics during colloidal forming processes.—75-01422A
Geometric probability of reproducibility of disordered sphere packing as a model of metallic glass.—75-03567A
Optimum control of the sphere-fiber and fiber-fiber binary packing systems.—75-01037A
Problems of cement packing.—75-07178A
Theoretical description of a two-dimensional compaction process of cylinders.—75-01729A

paint,
China paint—the ultimate in low fire.—75-02216A
Do not think about the blue door.—75-02237A
Mexican candelabra.—75-02295A
Organic Additives and Ceramic Processing: With Applications in Powder Metallurgy, Ink, and Paint.—75-04778B
Painting with fire.—75-02320A
Water-based paint for glass sheets.—75-07439P

palladium,
Catalyst for exhaust gas purification.—75-07248P
Current transport in MIS structures Pd-SiO_2-$n(p)$-Si and the second mechanism of amplification.—75-02985A
Effect of starting materials on the preparation of spherical Pd powders by ultrasonic spray pyrolysis.—75-09284A
Electron microscopic analysis of Pd/MgO mismatched interface.—75-00091A
Electrophysical properties of impurity phases of deuterium (hydrogen) and neutron emissions in Pd/PdO heterostructures.—75-09141A
Formation and orientation of low-energy MgO/Pd, Al_2O_3/Pd, and TiO_2/Pd interfaces.—75-04326A
Formation of the ionic states of coating palladium in catalysts based on zirconium oxide.—75-06621A
Gas permeability of anodized alumina membranes with a palladium-ruthenium alloy layer.—75-09144A
Improved adhesion strength of precious metal conductors on microwave ceramics.—75-00667A
Optical hydrogen sensor using Pd/MoO_x films.—75-00681A
Oxidation of aldose by palladium nitrate.—75-06929A
Pd conductor for thick film hydrogen sensor.—75-03110A
Pd/n-GaAs Schottky barrier [SB] as a hydrogen photodetector.—75-08002A
Properties and hydrogenation activity of Pd-Dy/alpha-Al_2O_3 and Dy/γ-Al_2O_3 catalysts: I, Preparation and characterization.—75-03658A
Properties and hydrogenation activity of Pd-Dy/alpha-Al_2O_3 and Dy/γ-Al_2O_3 catalysts: II, Hydrogenation of vinyl and divinylbenzenes.—75-03659A
Properties and hydrogenation activity of Pd-Dy/alpha-Al_2O_3 and Dy/γ-Al_2O_3 catalysts: III, Cyclohexene and indene hydrogenation.—75-03660A
Synthesis and study of new palladium(II) chalcogenochlorides.—75-09464A
Transport mechanism and photoelectrical characteristics of Pd-SiN-p-Si structures.—75-08088A
Tunneling mode of superoxide radical anion decay on Pd-promoted yttria.—75-06401A

particle size distribution,
Air entrainment and dust generation from a falling stream of bulk material.—75-05892A
Comparison of particle size analyzers and evaluation of the measuring technique with fine ceramic powders: I, Oxide powders.—75-08642A
Comparison of particle size analyzers and evaluation of the measuring technique with fine ceramic powders: II, Nonoxide powders.—75-08643A
Effect of particle size distribution on sintering: I, Modeling.—75-04006A
Effects of particle size distribution and extrusion rate on the dimensional stability of extruded alumina rods.—75-04017A
Evaluation of fine ceramic raw powders with particle size analyzers having different measuring principles and the problem.—75-08669A
Hydrothermal synthesis of fine perovskite powders with a simple mode of size distribution.—75-06642A
Influence of particle size distribution on ductile-phase toughening in brittle materials.—75-02067A
Particle size distribution and its relevance in refractory castables.—75-07625A
Particle sizing—getting the complete picture.—75-04386A
PSD [particle size distribution] effects on firing properties of porcelains: I.—75-05168A
PSD [particle size distribution] effects on firing properties of porcelains: II.—75-07712A
Slip casting of alumina powder mixtures with bimodal size distribution.—75-09445A
Spectroturbidimetric study of particle size distribution in SiO_2 sols.—75-03840A
Ultrafine cements for special applications.—75-02427A
Ultrasonic particle sizing.—75-05986A
Zeta potential of bentonite clay in aqueous solution.—75-02805A

particle size,
Accurate submicron particle size measurement of alumina and quartz powders using a cuvette photocentrifuge.—75-05932A
Alumina powder suspensions in acetone and other media.—75-01375A
Comparative study of particle size analyses using common samples.—75-05940A
Comparison of sizing results obtained with electrolyte volume displacement laser light scattering instrumentation.—75-03551A
Controlled combustion synthesis and properties of fine-particle nasicon materials.—75-06561A
Controlled phase transformations by glass particle size in spodumene and cordierite glass-ceramics.—75-04888A
Development of some calcium phosphate cements from combinations of α-TCP, MCPM, and CaO.—75-03995A
Effect of particle size on the room-temperature structure of barium titanate.—75-01833A
Effect of silicon nitride seeds addition on the particle size and the crystal form of resulting powder in carbothermal reduction-nitridation of silica.—75-09282A
Electrical double layer of a disk-shaped clay mineral particle: effect of particle size.—75-05163A
Hydrodynamic modeling of swirling flow and particle classification in large-scale hydrocyclones.—75-05949A
Lead-doped bismuth ceramics: superconducting properties and effect of particle size.—75-03377A
New options for particle size analysis.—75-03585A
Particle characterization in ceramic processing.—75-01039A
Preparation of barium titanate fine particles from chelated titanium and barium nitrates by the mist decomposition method in air.—75-06725A
Selecting the right particle size analyzer.—75-05974A
Simple system for the preparation of submicrometer lead titanate powders by the sol-gel method.—75-09433A
Simultaneous measurement of particle size and electrostatic charge by using the Laser Doppler method.—75-05978A
Size dependence of properties of superconducting Bi-Ca-Sr-Cu-O fine particles prepared by a spray pyrolysis method.—75-03403A
Ultrafine alumina particles prepared by mechanochemical/thermal processing.—75-09486A
Uniform inorganic colloid dispersions. Achievements and challenges.—75-06825A

particles,
Adhesion force arising from solid salt bridge formed after drying of liquid bridge.—75-06154A
Amorphous silica or silica-alumina spherical particles and process for preparation thereof.—75-03665P
Analysis of particle motion in the two-well potential: relation to characteristic low-temperature properties of silica glass.—75-02623A
Analysis of Ti compound particle distribution in AlN-matrix composites.—75-01786A
Angular dependence measurement of individual barium ferrite recording particles near the single-domain size.—75-03276A
Calculation of coordination number of particle mixtures—an assessment of the predictability of some proposed models.—75-01013A
Composite ultrafine particles of aluminum nitride and rare earth nitride, method for production, and sintered article thereof.—75-06120P
Contacts and coordination numbers in a compact of polyhedral particles.—75-01207A
Crystallization and crystallizing processes to produce controlled-properties solid particles.—75-05895A
Cyclone separators for fine particles and difficult operating conditions.—75-05897A
DEM [discrete element method] simulation of particle packing dynamics during colloidal forming processes.—75-01422A
Designing for effective use of "debris" in wearing systems: with an illustration from ceramic wear.—75-09614A
Effect of humidity on the removal of fine particles on a solid surface using high-speed air jet.—75-06580A
Effects of surface treatment of the magnetic properties of acicular iron fine particles.—75-08210A

Fine particle separation by revised type air cyclone classifier.—75-05947A
Formation of composite latex particles by deposition of amphoteric particles.—75-06615A
Hierarchically ordered particle mixtures by thermally triggered granulation.—75-05902A
Liquid bridge adhesion force and dispersion of aggregate particles.—75-06261A
Magnetization reversal mode for individual ellipsoidal single-domain particles of γ-Fe_2O_3.—75-03312A
Method for production of diamond particles.—75-06095P
Morphological forms of α-alumina particles synthesized in 1,4-butanediol solution.—75-01229A
Mossbauer effect study on the acicular cobalt ferrite particles.—75-00750A
Nature of fluctuation-free volume in liquids and glasses.—75-07354A
Numerical simulation of aggregation in a magnetic colloid.—75-08997A
Optical nonlinearity behaviors of ultrafine PbS particles in perfluorocarboxylated cation-exchanged films.—75-07993A
Possible explanations of transient neck formation between pairs of {100} faceted particles.—75-06326A
Preparation of monodisperse zirconia particles by thermal hydrolysis in highly concentrated solutions.—75-04159A
Process for making ultrafine barium titanate particles.—75-09492P
Process for producing fine metal oxide particles.—75-08783P
Removal of fine particles from water surface by pulse air jets.—75-06758A
Resonance fracture of solid particles by a liquid: a new concept of dispersion of minerals.—75-05910A
Shape separation of fine particles using fluid fields—dynamic properties of irregular shaped particles in wet cyclones.—75-05975A
Sol-gel state of hydrated zirconium dioxide.—75-06354A
Spectra of a contaminated particle in a thin semiconducting film that connects with solid crystals with random permeability.—75-05481A
Superconducting particle detectors.—75-08428A
TEM studies on the morphology, size distribution, and structure of nanocrystalline iron particles using a Formvar embedded preparation technique.—75-01964A
Transition of the particle-growth mechanism with temperature variation in the molten salt method.—75-04415A

particulate materials,
Classification of the wear performance of ceramic particulate-reinforced aluminum alloys.—75-09607A
Computer simulations of binder removal from 2-D and 3-D model particulate bodies.—75-03978A
Databook on Mechanical and Thermophysical Properties of Particulate-Reinforced Ceramic Matrix Composites.—75-04775B
Dispersion and compounding process of particulate Ag and fine Ni powder using a high-speed/high-shear mill.—75-06572A
Microstructure development in particulate ceramic coatings.—75-01887A
Particulate emissions in oxy-fuel-fired glass furnaces.—75-06008A

particulates,
Particulate paste cutting.—75-05906A

passivation,
Change of the work function of electrons from the surface of A^3B^5 semiconductors during sulfide passivation.—75-07799A
Effects of passivation and photoluminescence in silicon solar cells with optical coatings.—75-07859A
OH-related capacitance-voltage recovery effect in MOS capacitors passivated by PbO-B_2O_3-SiO_2-GeO_2 glasses—the effects of OH content.—75-05031A
Olt-related capacitance-voltage recovery effect in metal oxide semiconductor capacitors passivated by ZnO-B_2O_3-P_2O_5-SiO glasses: I, The effects of MgO content.—75-05409A
Passivation and strengthening of mold parts for molding ceramic plates.—75-09374A
Passivation of GaAs surface during treatment in phosphine vapor.—75-08000A
Passivation of GaAs(100) surface by gallium chalcogenides $A_2^{III}B_3^{IV}$(110).—75-05415A

pastes,
Calcium hydroxide saturation factors in the pore solution of hydrated portland cement fly ash pastes.—75-02389A
Deterioration of the nitrogen BET surface area of dried cement paste with storage time.—75-04812A
Dielectric spectra of fresh cement paste below freezing point using an insulated electrode.—75-02397A
Electrically induced shape changes in hardened cement pastes and porous silica gels: the dynamic nature of gel pore structures during water transport.—75-00035A
Influences of mixing methods on the microstructure and rheological behavior of cement paste.—75-02411A
Interpretation of the impedance spectroscopy of cement paste via computer modeling.—75-04819A
Observations of microcracking in cement paste upon drying and rewetting by environmental scanning electron microscopy.—75-04825A
Particulate paste cutting.—75-05906A
Pore structure of hardened portland cement pastes and its influence on properties.—75-02415A
Properties of cementitious systems containing silica fume or nonreactive microfillers.—75-02417A
Properties of gypsum-free portland cement pastes with a low water-to-cement ratio.—75-04828A
Rapid evaluation of the water/cement ratio of hardened portland cement paste.—75-04830A
Rheological behavior of fresh cement paste as measured by squeeze flow.—75-02422A
Sealing frit pastes.—75-07274P
Viscosity of portland cement paste as a function of concentration.—75-02431A

patents,
Are the names of ceramic materials protected.—75-07060A
Patent's role in developing new technology.—75-04729A

pattern,
Designing in ceramic tile.—75-02767A
Dy_2BaCuO_5 pattern formation in isothermally nonseeded melt-textured $DyBa_2Cu_3O_{7-}$ with 15 wt% Dy_2O_3 addition.—75-08292A
Magnetic recording pattterns of obliquely evaporated Co-O thin films observed by using ultrafine Co particles.—75-00748A
Method of making a shell mold from a ceramic material for a disposable pattern casting process.—75-08602P
Nonequilibrium and bolometric photoresponse in patterned $YBa_2Cu_3O_{7-\delta}$ thin films.—75-00836A
Patterning of superconducting YBCO films.—75-05811A
Processing of CVD diamond with uv and green lasers.—75-09408A

pellets/pelletization,
Nonisothermal conditions inside magnetite pellet due to its oxidation.—75-04434A
Thermal analysis of sintering of magnetite pellets.—75-04255A

periclase,
Calculating the norms of specific consumption of periclase-chromite parts for repairs of the main roof and roofs of port ends and slag chambers of open-hearth and twin-bath furnaces.—75-05074A
Impregnation of a periclase-chromite lining with nickel matte.—75-05100A
Isomorphic substitution of magnesium cations by cations of rare-earth elements in periclase ceramics.—75-08962A
Periclase crystal size measurement—an international approach.—75-07627A
Periclase refractories from imported powders.—75-05117A
Production of basic castables and basic precast shapes for steel applications.—75-07634A
Production of refractories from Chinese periclase.—75-05119A
Properties of lime and lime-periclase refractories on a ceramic binder.—75-05121A
Temporary preservative binders for lime and lime-periclase refractories.—75-05146A

perlite,
Perlite.—75-06046A

permeability,
Chloride ion permeability of mortar containing fly ash, blast-furnace slag, and silica fume.—75-00027A
Consolidation at constant flow rate and load to determine permeability and yield curve behavior.—75-08647A
Effect of porous carbon on the permeability of a gas injection submerged nozzle.—75-05087A
Gas permeability of plasma-sprayed $MoSi_2$ coating.—75-03896A
Microwave techniques for measuring complex permittivity and permeability of materials.—75-01034A
Monolithic dewatering theory testing and practice: new challenges.—75-05109A

permittivity,
Fabrication and characterization of high-permittivity ceramics in the $Ba(Ti_{1-x-y}Sn_xZr_y)O_3$ system.—75-06604A
Ferroelectric materials with high permittivity.—75-05577A
Measurements of the complex permittivity of low loss ceramics at microwave frequencies and over large temperature ranges.—75-01030A
Microwave techniques for measuring complex permittivity and permeability of materials.—75-01034A
Numerically calculated effective permittivity of dielectric composites.—75-02924A

perovskites,
$(BaTiO_3)_m(Gd,Ce)_3Cu_2O_z$: a new homologous series of layered cuprates containing various layers of perovskite units.—75-06148A
Air electrode property of La-based perovskite-type oxides: I, Thermal expansion coefficient and electric conductivity.—75-07719A
Anisotropy of threshold energies of oxygen atom displacement in perovskite structure.—75-08869A
B-site order and infrared reflectivity in $A(B'B'')O_3$ complex perovskite ceramics.—75-01204A
$Ba(Mg_{1/3}Ta_{2/3})O_3$ single crystal fiber grown by the laser-heated pedestal growth technique.—75-01384A
Cation ordering in distorted perovskites $(MLa)(MgTe)O_6$, M=Na, K.—75-06173A
Ceramic catalysts for environmental protection.—75-03643A
Cerium-doped yttrium aluminum perovskite (YAP)—properties of commercial crystals.—75-01264A
Complex perovskite oxidation reaction products.—75-08569P
Compositional control of ferroelectric fatigue in perovskite ferroelectric ceramics and thin films.—75-00640A
Continuous process for production of ceramic powders with controlled morphology.—75-03669P
Dielectric relaxation of perovskite-oxide thin films.—75-05181A
Dilatational volumes of oxygen point defects of the basal plane in perovskite structures.—75-09503A
Enthalpy stabilization of some perovskite-like oxides.—75-09300A
Formation and reduction of a mixed three-dimensional perovskite of copper and titanium.—75-01506A
High-temperature electrical resistivity of solid-solution $LaSr(Cu,M)O_4$ ceramics.—75-06472A
Influence of ferroelectric structural ordering on the effects of the acoustoelectrical interaction in polycrystals with complex perovskite structure.—75-08149A
Intrinsic giant magnetoresistance of mixed valence La-A-Mn oxide (A=Ca,Sr,Ba).—75-00742A
Large magnetoresistance effect in isotropic polycrystalline perovskite-like La-AM-Mn-O (AM=K, Rb) ceramics.—75-08226A
Lead perovskite based ceramic compositions without any free lead oxide.—75-06093P
Low-temperature synthesis of $Ba(Mg_{1/3}Ta_{2/3})O_3$ ceramics from Ba-Mg-Ta alkoxide precursor.—75-05201A
Manufacturing of perovskite thin films using liquid delivery MOCVD.—75-05601A
Modified mixed oxide perovskites $0.7Sr(Al_{1/2}B_{1/2})O_3$-$0.3LaAlO_3$ and $0.7Sr(Al_{1/2}B_{1/2})O_3$-$0.3NdGaO_3$ (B=Ta^{5+} or Nb^{5+}) for high-T_c superconductor substrate applications.—75-05799A
Multilayer distorted lattice copper oxide perovskite structures including NdCeCuO and YBaCuO multilayers.—75-08477P
New phases with a perovskite structure in the La_2O_3-BaO-CuO_x-NiO system.—75-08995A
Nonlinear conduction mechanism in perovskite-type ceramics.—75-01315A
Order-disorder transition in $(A'A'')BO_3$ and $A(B'B'')O_3$ complex perovskite crystals.—75-00682A
Oxygen dope in layer ordered copper perovskites.—75-00561A
Oxygen vacancy motion in perovskite oxides.—75-01602A
Perovskite phase formation in the relaxor system $[Pb(Fe_{1/2}Nb_{1/2})O_3]_{1-x}$-$[Pb(Zn_{1/3}Nb_{2/3})O_3]_x$.—75-0 0360A
Piezoelectric ceramics.—75-08187P
Platinum alloys and iridium bottom electrodes for perovskite-based capacitors in DRAM applications.—75-05623A
Possibility of calculating the entropy of structural phase transitions in perovskites using an order-disorder model.—75-06325A
Preparation and properties of new perovskite-like compounds in Ba-Pb-Cu-O system.—75-00849A
Preparation of La_2NiO_4 films by dc sputtering on cubic ZrO_2.—75-06730A
Preparation of lead-based perovskite structure ferroelectric thin films by sol-gel method and the properties of the films.—75-08165A
Process for preparing fine powder of perovskite-type compound.—75-03676P
Processing and properties of $La_{1-x}A_xCo_{1-y}Fe_yO_{3-\delta}$ (A=Sr,Ca) perovskites.—75-02932A
Resistivity control by solid-state reaction of perovskite-type oxides.—75-02935A
Sol-gel synthesis of a new oxide-ion conductor Sr- and Mg-doped $LaGaO_3$ perovskite.—75-02938A
Structural characterization and semiconducting properties of new iridium(IV) perovskites.—75-00869A
Structural phase transitions in layered perovskite-like crystals.—75-05836A
Structure of $Ba(Y_{1/2}{}^{3+}Ta_{1/2}{}^{5+})O_3$ and its dielectric properties in the range 10^2–10^{14} Hz, 20–600 K.—75-00375A
Synthesis of oxynitride perovskites.—75-01712A
Synthesis of perovskite $Ba(Mg_{1/3}Ta_{2/3})O_3$ powder from Ba-Mg-Ta alkoxide precursor.—75-01713A
Transmission electron microscopy study of B-site cation configurations in perovskite-structured $Pb(Mg_{1/2}W_{1/2})O_3$-$Pb(Ni_{1/3}Nb_{2/3})O_3$-$PbTiO_3$ ceramics.—75-00708A
Unquenchable perovskite phase of $MgGeO_3$ and comparison with $MgSiO_3$ perovskite.—75-03861A

pH,
Control of the porous structure of silica gel by the preparation pH and drying.—75-06560A
Effect of pH on 980°C spinel phase—mullite formation of Al_2O_3-SiO_2 gels.—75-03788A
Increase in pH during aging of porous sol-gel silica spheres.—75-06644A

phase boundary,
Phase relationships in the Sm-Si-Al-O-N system.—75-03819A

phase diagrams,
ACerS/NIST phase equilibria update.—75-02110A
Actual *p-T* diagram of potassium nitrate.—75-08862A
Assessment of the phase diagram in the ZrO_2-CeO_2 system.—75-06161A
Calculation of phase diagrams of multicomponent systems.—75-03767A
Computer calculation of the phase diagrams of silicate systems: II, Regression treatment for systems containing incongruently melting compounds.—75-03775A
Determination of optimal crystal growth conditions of complex compounds using phase solubility diagrams of ternary systems. Growth and properties of single crystals.—75-06202A
Isothermal section of Ti-B-C phase diagram at 1600°C.—75-03802A
Model to compute phase diagrams in oxides with empirical or first-principles energy methods and application to the solubility limits in the CaO-MgO system.—75-06275A
Phase diagram and phase separation in $La_{2-x}Sr_xCuO_{4+\delta}$.—75-03391A
Phase diagram for mullite-SiF_4.—75-01231A
Phase diagram of electron system of compensated semiconductors in magnetic field.—75-08003A
Phase diagram of superconducting oxides.—75-00841A
Phase diagram of the $BaTiO_3$-$SrTiO_3$ system.—75-06298A
Phase diagram of the bismuth-calcium oxide system.—75-01232A
Phase diagram of the $NaVO_3$-$Na_4V_2O_7$ system.—75-06300A
Phase diagram of the system Al_2O_3-SiO_2.—75-05118A
Phase diagrams of dynamic systems of magnetic domains.—75-05703A
Phase diagrams of the Ho_2O_3-In_2S_3, Ho_2O_3-Ho_2S_3, and Ho_2O_2S-In_2S_3 systems.—75-09012A
Phase Equilibria Diagrams: Volume XII.—75-04779B
Thermodynamic calculation of the yttrium-oxygen phase diagram.—75-09089A
Vortex phase diagram of $Bi_2Sr_2CaCu_2O_{8-\delta}$ near T_c.—75-05860A

phase equilibria,
10 kbar phase equilibria in the Y-Ba-Cu oxide system at 950°C.—75-00767A
ACerS/NIST phase equilibria update.—75-02110A
Characterization of metastable tetragonal forms in ZrO_2-2.8 mol% Y_2O_3 ceramics.—75-03770A

Phase equilibria and crystal chemistry in the system Sr-Ca-Cu-O under high oxygen pressure.—75-08391A
Phase Equilibria Diagrams: Volume XII.—75-04779B
Phase equilibria in the As_2O_5-ZnO system.—75-09015A
Phase equilibria in the Bi_2S_3-Ln_2O_2S (Ln=La, Ce, Pr) systems.—75-09016A
Phase equilibria in the La_2O_3-VO system.—75-09020A
Phase equilibria in the $SrMoO_4$-$LaNbO_4$ system.—75-09023A
Phase equilibria in the system barium metaborate–lead oxide.—75-09024A
Phase equilibria in the V_2O_3-SiO_2 system.—75-09025A
Phase stability study on the remelting reaction in Ca_2SiO_4 solid solutions.—75-01235A

phase separation,
Composition of the critical nucleus in phase-separating glasses.—75-07291A
Microstructural evidence for amorphous phase separation in bone china.—75-00290A

phase transformations,
α- to ß-SiAlON phase transformations in post-sintering heat treatment.—75-08853A
α→ß reverse phase transformation in silicon carbide in silicon nitride particulate-reinforced silicon carbide composites.—75-08854A
α↔ß-SiAlON transformation.—75-03759A
Analysis of interface dynamics in solid-state phase transformations by in situ hot-stage high-resolution transmission electron microscopy.—75-01785A
Change of ionic conductivity accompanied by phase transformation in partially stabilized zirconia.—75-08878A
Characterization of abrasion powder worn from alumina balls by wet milling and its phase transformation during heating.—75-07112A
Effect of boron nitride on the phase stability and phase transformations in silicon carbide.—75-08912A
Effect of sintering temperature on the kinetics of isothermal tetragonal-to-monoclinic transformation in ZrO_2 (2 mol% Y_2O_3).—75-03790A
Features of Jahn Teller phase transformation in rare-earth orthomanganites.—75-05671A
Formation of new compounds $Ln_4Al_2O_9$ in the Ln_2O_3-Al_2O_3 system (Ln=La, Pr, Tb).—75-08939A
High resolution transmission electron microscopy of metallic film/laser-irradiated alumina couples.—75-04336A
High-temperature powder X-ray diffraction study of barium metaborate BaB_2O_4.—75-06240A
In situ X-ray diffraction study of the impurity effects on the cubic-to-tetragonal phase transformation in $PbTiO_3$.—75-01223A
Influence of phase transformation on densification behavior and grain growth of fine silicon nitride powder.—75-08956A
Internal friction study of transformation dynamics in $BaTiO_3$ ceramics.—75-03068A
Massive transformation in Gd_2O_3-Bi_2O_3 ceramics.—75-01227A
Mechanical property control of rare-earth oxide densified α-ß SiAlON composites by α+ß-SiAlON transformation.—75-04102A
Microstructural development of the isothermal phase transformation during aging at 250°C in 2Y-TZP ceramics.—75-06890A
Microstructural features of the α- to ß-SiAlON phase transformation.—75-09362A
Orthorhombic to monoclinic phase transformation of $(Ho_{1-x}La_x)_4Al_2O_9$ by applying stress.—75-03816A
Phase transformation kinetics of precursor gel to α-alumina.—75-06310A
Phase transformation of smooth diamond films grown by hot filament chemical vapor deposition on positively biased silicon substrates.—75-01603A
Phase transformation of ZrO_2 in MnZn ferrite under magnetic field.—75-00755A
Phase transformations and melting effects during the sintering of bismuth-doped zinc oxide powders.—75-05418A
Phase transformations in multilayered CVD mullite coatings.—75-03821A
Phase transformations in the region of the metal–amorphous semiconductor microcontact.—75-08004A
Pseudomorphic transformations of euhedral crystals of γ-AlOOH into aluminas.—75-03829A
Raman spectroscopic studies of phase trasnformations induced by a notch cut on a 3Y-TZP sample.—75-06334A
Rheological behavior of YSiAlON glasses—its incidence on the high-temperature deformation of Si_3N_4 ceramics sintered with Al_2O_3 and Y_2O_3 additives.—75-03922A
Solid-state phase transformation in ZrO_2-CaO system induced by high-energy ball milling.—75-03837A
Synthesis and phase transformations of mullites obtained from SiO_2-Al_2O_3 gels.—75-09078A
Thermal hysteresis for the α′↔ß transformations in strontium oxide-doped dicalcium silicates.—75-09087A
Thermal transformations of mercury superconductor $HgBa_2CuO_{4+\delta}$ and its precursor Ba_2CuO_{3+y}.—75-05852A
Thermally activated martensitic transformations in Mg-PSZ.—75-03852A
Visualization of the formation of the (Bi, Pb)$_2Sr_2Ca_2Cu_3O_{10+\delta}$ phase.—75-08447A

phase transitions,
Acoustic emission study of phase relations in low-Y_2O_3 portion of ZrO_2-Y_2O_3 system.—75-06153A
Angular momentum of an Ising antiferromagnet of $DyAlO_3$ during metamagnetic phase transitions.—75-05654A
Antiferroelectric-ferroelectric-paraelectric phase sequence in lead lanthanum zirconate titanate ceramics with 8% Ti content.—75-03216A
Appearance of metastability and structural diversity in $Bi_{1.8}Pb_{0.2}Sr_2Ca_2Cu_3O_{10+\delta}$ films during amorphous state–crystal phase transitions.—75-08262A
Consideration of Bi_2CuO_4 in the Bi_2O_3-CuO system.—75-00777A
Crystal growth and phase transition of piezoelectric $KAlSiO_4$.—75-08122A
Diamond-graphite phase transition in ultradispersed diamond [UDD]. X-ray and Raman characterization of diamond clusters.—75-08907A
Dielectric-metal phase transition: a thermodynamic approach.—75-05520A Dielectric-metal phase transition: a thermodynamic approach.
Dilatometry of nonstoichiometric titanium carbide in the order-disorder phase transition region.—75-06206A
Effect of γ-irradiation on the elastic properties of ferroelectrics within the range of phase transitions.—75-05548A
Effect of uv irradiation on the semiconductor-metal phase transition in VO_2 films with different subsurface-layer structure.—75-05300A
Elastic after-effect study of the ferroelastic tetragonal-orthorhombic transition in $YBa_2Cu_3O_x$.—75-03363A
Elastic behavior of $PbTiO_3$ crystals near ferroelectric phase transition.—75-05555A
Electric-field-induced antiferroelectric-to-ferroelectric phase transition in lead zirconate titanate stannate ceramics modified with lanthanum.—75-00655A
Electrical strengthening and phase transitions in $PbZrO_3$ crystals refined by chemical etching.—75-08134A
Equation of state of aluminum nitride and its shock response.—75-01218A
Equivalence of ball milling and thermal treatment for phase transitions in the Al_2O_3 system.—75-03796A
Ferroic phase transitions in $(Na_{1/2}Bi_{1/2})TiO_3$ crystals.—75-03232A
Formation of the Pb-rich 2212 phase.—75-00807A
Generation of products of nuclear DD synthesis in high-temperature $YBa_2Cu_3O_{7-\delta}D_y$ superconductors near the superconducting phase transition.—75-08327A
Identification of phase transitions in superconductors and ferroelectrics by the secondary electron emissions method.—75-05950A
Isotropic materials with low or negative thermal expansion.—75-01880A
Localization of excitons in $Cd_{1-x}Mn_xTe$ crystals near the paramagnetic–spin glass phase transition temperature.—75-07952A
Magnetic and structural phase transitions in imperfect manganese arsenide.—75-08977A
Magnetoelectrical effect and magnetic phase transitions in $(Fe_xCr_{1-x})_2O_3$ single crystals.—75-08229A
Mechanical loss and elastic modulus associated with phase transitions in barium titanate ceramics.—75-04587A
Metal-insulator electron phase transition in a strongly doped compensated semiconductor (SDCS).—75-05381A
Morphotropic transitions in the rare-earth trifluoride series.—75-06280A
NMR study of the cubic-tetragonal phase transition in $BaTiO_3$.—75-06290A
Occurrence of large-scale inhomogeneous states during a phase transition induced by an electrical field in lead magnesium niobate crystals.—75-05614A
Overpolarization kinks in ferroelectrics with diffuse phase transitions.—75-05617A
Phase transition in ferroelectric $Sr_2Nb_2O_7$.—75-05619A
Phase transition investigation of zirconia by synchrotron radiation.—75-09035A
Phase transition of new solid-solution crystal $Li_{0.7}Na_{0.3}NbO_3$.—75-00683A
Phase transitions in ceramic oxides as the result of processes with short-time high-temperature action.—75-01236A
Phase transitions in III-V compounds to megabar pressures.—75-05420A
Phase transitions in the processes of fracture and crystallization.—75-06312A
Phase transitions revealed by Raman spectroscopy in screen-printed lead zirconate titanate thick films.—75-01237A
Photocarrier generation in fullerene films.—75-01327A
Possibility of calculating the entropy of structural phase transitions in perovskites using an order-disorder model.—75-06325A
Precipitation hardening in $PbTiO_3$ ferroelectric crystals.—75-05625A
Prediction of a high-pressure phase transition in Al_2O_3.—75-03824A
Pressure behavior of α-cristobalite.—75-03825A
Pressure-induced migration of ferroelectric interfaces.—75-03251A
Pressure-induced phase transition in cristobalite: an X-ray powder diffraction study to 4.4 GPa.—75-03826A
Processes of over-polarization in lead magnesium niobate—a ferroelectric with a broad phase transition.—75-05627A
Raman spectra and pressure-induced phase transition in nanocrystalline $PbZrO_3$.—75-06333A
Raman spectra of the high-temp. phase of vanadium dioxide and model of structural transformations close to the metal-semiconductor phase transition [MSPT].—75-09045A
Raman study of low-temperature phase transitions in bismuth titanate, $Bi_4Ti_3O_{12}$.—75-01238A
Spin reorientation phase transition in melts of a unified system of $Mn_{2-x}A_xSb_{1-x}B_x$ (A=Cu, Zn, Ni, Fe; B=As, Sn).—75-08242A
Structural phase transitions in layered perovskite-like crystals.—75-05836A
Temperature-induced phase transition and morphotropic phase boundary in the nanocrystalline $Pb_{1-x}Sr_xTiO_3$ system.—75-03850A
Thin films and single crystals of V_2O_3 in the phase transition region studied by surface acoustic wave method.—75-06398A
Ultrasonic anomalies and phase transitions in $YBa_2Cu_4O_8$ and $Y_{1-x}Ca_xBa_2Cu_4O_8$ systems.—75-03422A

phases,
R-curve fracture toughness study of Fe-Al-Mn alloys.—75-04448A
α-SiAlON ceramics with a crystalline melilite grain-boundary phase.—75-04293A
Application of high spatial resolution electron diffraction techniques to the study of local properties of crystalline solids.—75-01789A
Application of the optical second harmonic generation method in the study of the crystallization of noncentrosymmetric phases in glasses.—75-02574A
Atomic and magnetic structures of phases in the $CuFe(S_{1-x}Se_x)_2$ system.—75-05245A
Calculations of chemical equilibria in the Zr-B-N system.—75-03768A
Chemical vapor deposition of dispersed phase composites in the B-Si-C-H-Cl-Ar system.—75-03968A
Chemical vapor deposition of SiC+C in electric and temperature fields.—75-09240A
Chemistry of two-component fluoride crystalline optical media for heavy, fast, radiation-hard scintillators.—75-01266A
Concept of layered interphases in SiC/SiC.—75-03876A
Coprecipitation and processing of mullite precursor phases.—75-06563A
Crystal growth by directional solidification and superconductivity of $Bi_2Sr_2CaCu_2O_{8+x}$.—75-00782A
Crystal phase and phonon densities of states [DOS] of ß′-SiAlON ceramics, $Si_{6-z}Al_zO_zN_{8-z}$ ($0 \le z \le 4$).—75-08890A
Design principles of multiphase ceramic materials.—75-09255A
Effect of Al_2O_3 (mul.) on phase compositions of O′-SiAlON ceramics.—75-02814A
Effect of ferroelastic deformation in the parent phase on the superconducting transition temperature of $YBa_2Cu_3O_{7-\delta}$.—75-05753A
Effect of heating in air on the phase composition of a nickel boride composite.—75-06579A
Effects of high oxygen pressures and temperatures on the stability of the three superconducting Y-Ba-Cu-O compounds.—75-00794A
Effects of MgO addition on phase evolution and flux pinning of Bi-2212/Ag tapes fabricated by electrophoretic deposition and partial melting processing.—75-08302A
Electrostatic potential and temperature distribution in case of a series of a parallel configuration of two thermoelectric conversion phases.—75-09545A
Enhancement in critical parameters of the 2212 phase during solid-state synthesis and sintering.—75-08310A
Experimental determination of phase relations in the $CaSiO_3$ system from 8 to 15 GPa.—75-03797A
Fast X-ray method for determining the structure and properties of the $MA^{-}A_2^{-}Cu_2O_{6-\delta}$ phases.—75-05946A
Fatigue fracture behavior of gas pressure sintered silicon nitride.—75-04526A
Features of structure formation and atomistic aspect of the interpretation of solid phase reactions in porcelain.—75-07706A
Features of the chemical rearrangement of interphase boundaries of metal-GaAs in the presence of a second component of metallization.—75-07211A
Formation of the high-T_c phase and retrograde densification of Bi-Pb-Sr-Ca-Cu-O pellets.—75-03371A
Glass-ceramic phase of $Bi_4Sr_1Ca_1Cu_4O_x$ high-T_c superconductor.—75-05771A
Hidden magnetically ordered phases in materials with competing ferro-antiferromagnetic interactions.—75-05675A
Identification of CuO as a minority phase in YBCO: X-ray diffraction vs emf and coulometric titration measurements.—75-05776A
Incoherent imaging by Z-contrast STEM—towards 1 Å resolution.—75-01871A
Incorporation of rare earths and actinides in zirconolite and Synroc.—75-00929A
Influence of phase composition of a reactive mixture on the formation mechanism of HTSC phases of $Bi_2Sr_2CaCu_2O_{8+\delta}$ composition.—75-05782A
Influence of the method of stabilizing the tetragonal phase on mechanical properties of polycrystalline zirconia.—75-06998A
Interface and interphase of ceramics.—75-04345A
Interphases in ceramic matrix composites.—75-09346A
Magnetic state of crystals with tetragonal symmetry.—75-06267A
Magnetoresistance of metastable high-pressure phases.—75-05373A
Mechanism of phase formation in metal-oxide-metal thin-film structures with transition metal oxides.—75-04859A
Mechanism of phase formation in $Pb(Zr_xTi_{1-x})O_3$ synthesized by a partial oxalate method.—75-03240A
Mode of lead addition and its effects on phase formation and microstructure development in Ag/(Bi, Pb)$_2Sr_2Ca_2Cu_3O_x$ composite conductors.—75-08371A
Modeling of dissolution processes of oxide phases: II, Model of the influence of the binary electrical layer on the consecutive first-order reactions with reversible first phase.—75-06688A
Monoclinic phase measurement in Mg-PSZ using X-ray diffraction.—75-06278A
Nature of the formation of two superconducting phases in yttrium barium cuprates.—75-08378A
New phases with a perovskite structure in the La_2O_3-BaO-CuO_x-NiO system.—75-08995A
$Pb_2Sr_2Y_{1-x}Eu_xCu_3O_{8+\delta}$ [x=0, 0.25, 0.5, 0.75, 1] system by ^{151} Mossbauer resonance and X-ray diffraction.—75-09006A
Perovskite phase formation in sol-gel-derived $Pb(Zr_xTi_{1-x})O_3$ thin films.—75-05618A
Perovskite phase formation in the relaxor system $[Pb(Fe_{1/2}Nb_{1/2})O_3]_{1-x}$-$[Pb(Zn_{1/3}Nb_{2/3})O_3]_x$.—75-0 0360A
Phase composition of a nickel boride composite.—75-09009A
Phase composition of bismuth oxide and bismuth germanate films produced by reactive cathodic sputtering.—75-06297A

Phase decomposition of 8 wt% yttria-stabilized zirconia coatings at high temperature.—75-04134A

Phase relationships in the Si_3N_4-SiC-La_2O_3-Y_2O_3-SiO_2 system under high-pressure gas processing.—75-09034A

Phase relationships in the Sr-Si-O-N system.—75-03820A

Phase separation in cuprate superconductors: magnetic resonance analyses.—75-08393A

Powder processing of $Bi_{1.84}Pb_{0.35}Sr_{1.91}Ca_{2.05}Cu_{3.05}O_{10+x}$.—75-00844A

Quantitative determination of the cubic, tetragonal, and monoclinic phases in partially stabilized zirconias by [vibrational] Raman spectroscopy.—75-06329A

Rare-earth melilite solid solution and its phase relations with neighboring phases.—75-06337A

Real structure of $Bi_2Sr_2CaCu_2O_{8+\delta}$ prepared from various starting materials.—75-05823A

SiAlON composite ceramics.—75-03924A

SiAlON composites containing rare-earth melilite and neighboring phases.—75-06349A

SiAlONs—ceramics with possibilities.—75-02095A

SIMS, EDX, EELS, AES, XPS study of interphases in Nicalon fiber–LAS glass matrix composites: I, Composition of the interphases.—75-06350A

Solid-phase interaction of fluoroapatite with ammonium hydrogen difluoride.—75-09058A

Stability of $MoSi_2$ films in vacuum and oxidizing atmospheres.—75-03927A

Structure and phase composition of $SrTiO_3$ films obtained by rf magnetron sputtering.—75-09068A

Structure characteristics of cubic and orthorhombic phases of high-density scintillator PbF_2 from 4.2–300 K.—75-01947A

Superconducting properties of (1223) and (2223) phases in Tl-Ba-Ca-Cu-O thin films.—75-08429A

Superconducting properties of the 2212 phase in partially melted ceramics.—75-08430A

Synthetic conditions of single 110-K phase of Bi-containing high-T_c superconductor.—75-08436A

Thermic-radiative effect of dissolution of parasitic phases in ceramic materials.—75-09088A

Thin films on grain boundaries in metals and ceramics and their importance for the properties of the materials.—75-01969A

Transmission electron microscopy and electron energy loss spectroscopy characterization of glass phase in sol-gel-derived mullite.—75-09580A

phenols,

Phenolic resins as carbon forming agents.—75-07628A

phonons,

Crystal phase and phonon densities of states [DOS] of β′-SiAlON ceramics, $Si_{6-z}Al_zO_zN_{8-z}$ ($0 \le z \le 4$).—75-08890A

Diffusion of nonequilibrium phonons in ceramics based on corundum.—75-09499A

Diffusion of nonequilibrium tera-Hertz acoustic phonons in dense crystalline ceramics based on α-Al_2O_3.—75-08908A

Diffusional mobility of nonequilibrium phonons in nonideal crystals.—75-09501A

Effect of a uniform electric field and nonequilibrium optical phonons on electron radiation in high-frequency field.—75-07843A

Focusing of phonons and anisotropy of streamer breakdown in CdS crystals.—75-07891A

Infrared reflection and optical phonons in epitaxial layers of $In_xGa_{1-x}As$/GaAs solid solutions.—75-07932A

Kinetics of acoustic phonons in virtual ferroelectrics of $KTaO_3$.—75-05594A

Optical phonons in $GdBa_2Cu_3O_{7-\delta}$ compounds.—75-08389A

Optical phonons in spontaneously ordered InGaP solid solutions.—75-07994A

Phonon echo in irradiated crystalline quartz.—75-09037A

Photoinduced optical phonons in La_2CuO_4 single crystals.—75-05205A

Resonance Raman scattering by interface phonons in the magnetic field in GaAs/AlAs superlattice.—75-03151A

phosphates,

H_c enhancement of Co-adsorbed γ-Fe_2O_3 particles via surface treatment with sodium polyphosphate.—75-03273A

^{29}Si and ^{31}P MAS-NMR spectra of Li_2S-SiS_2-Li_3PO_4 rapidly quenched glasses.—75-00175A

Accelerating effect of pyrophosphate ions on the copper discharge process in sulfate solution.—75-08859A

Acid-base properties of sorbents based on modified zirconium(IV) phosphates.—75-08860A

Acid-base properties of sorbents based on zirconium(IV) phosphates.—75-08861A

Alexandrite effect and optical properties of holmium metaphosphate glass.—75-07321A

Anionic framework of a mixed type in $Na_3\{Al_2F_3[PO_4]_2\}$ crystalline structure.—75-08868A

Blue second-harmonic generation in waveguides fabricated in undoped and scandium-doped $KTiOPO_4$.—75-06423A

Bragg reflection in periodically segmented $KTiOPO_4$ waveguides.—75-01263A

Broadband near-infrared pulse generation in $KTiOPO_4$.—75-06424A

Calculation of phase-matching electrooptical modulation of SHG in KTP.—75-06425A

Characterization of optical waveguides in $KTiOPO_4$ by second harmonic spectroscopy.—75-01805A

Characterization studies of quaternary superionic AgX-Ag_2O-MoO_3-P_2O_5 glasses. (X=Cl, Br).—75-07329A

Coercivity enhancement in γ-Fe_2O_3 by surface treatment with phosphate ions.—75-03283A

Composition and possibilities of nitrate section of phosphorites of Kohl's peninsula.—75-06026A

Contribution of domain wall energies to the heat of the ferroelectric phase transition in KH_2PO_4 and KD_2PO_4 crystals.—75-08888A

Crystal structure of a new orthophosphate, $CsNa_3Zn_7[PO_4]_6$.—75-08892A

Crystal-chemical aspects of three types of cation mobility—dipole ordering, ionic conductivity, and cold nuclear synthesis in orthophosphates of $KTiOPO_4$, $Na_3M_2(PO_4)_3$ (M=Sc, Fe, Cr), $NaTh_2(PO_4)_3$, KD_2PO_4, and related compounds.—75-06195A

Crystallization process of vitreous sodium trimetaphosphate: I, Crystallochemical aspect.—75-06198A

Determination of fracture toughness of glasses by the microindentation technique.—75-02642A

Development of porous AlCaP ceramics.—75-01083A

Domain inversion in $KTiOPO_4$ crystal near the Curie point.—75-01826A

Effect of crystal growth on Ti^{3+} centers in $KTiOPO_4$.—75-01453A

Effect of variation in framework composition on the thermal expansivity of NZP phases.—75-01834A

Elastic anomaly and structure of phosphate glasses containing divalent cations.—75-02649A

Electrical properties of pure vanadium phosphate phases and of VPO catalysts used in the partial oxidation of *n*-butane to maleic anhydride.—75-06455A

Electronic structure and associated optical properties of $LaPO_4$:Ce.—75-01842A

Epitaxial growth of $RbTiOPO_4$ films on $KTiOPO_4$ substrates by excimer laser ablation technique.—75-01485A

EPR study of the Cu^{2+} impurity centers in the KH_2PO_4 and KD_2PO_4 lattices.—75-05565A

Europium(III) phosphate crystallization via two intermediate modifications.—75-08927A

Evidence of the self-trapped excitons in $GaPO_4$ and $AlPO_4$ crystals.—75-05317A

Features of spin-lattice relaxation of Yb^{3+} ions in phosphate glasses.—75-04965A

Fusibility diagram of the $Ga(PO_3)_3$-$AgPO_3$ system and properties of the $AgGa(PO_3)_4$ compound.—75-08940A

$Ga(PO_3)_3$-$RbPO_3$ system.—75-08942A

Gas-sensitive properties of contacts of platinum oxide vanadium phosphate glass.—75-07339A

Glass formation, crystallization, and properties of glasses in some fluorophosphate systems based on orthophosphates and pyrophosphates.—75-02723A

In situ NZP type whisker growth.—75-01536A

Influence of aluminum oxide on mechanical properties of K_2O-Al_2O_3-P_2O_5 metaphosphate glasses and the role of aluminum in their structure.—75-02661A

Interaction of sodium cyclotriphosphate with iron and its phosphides.—75-06662A

Intercalation compounds [IC] of vanadium(V) phosphate dihydrate with univalent cations: synthesis and properties.—75-09345A

Large enhancement of electrical conductivity in magnesium phosphate glasses by ion implantation of proton.—75-07345A

Leachability of molybdenum from ternary phosphate glasses.—75-02729A

Low-solubility compounds in the $K_4P_2O_7$-$Zn(NO_3)_2$-H_2O system.—75-06264A

Luminescence of cerium ions in ultraphosphate glasses [UPhG] under fast flow of electrons.—75-04978A

Magnetic properties of phosphate glasses containing nickel, cobalt, and iron oxides.—75-07347A

Method of producing phosphate ceramic pipe cladding.—75-01126P

Microhardness of phosphate glasses.—75-04981A

Microstructure and mechanical properties of LSZP ceramics.—75-09560A

Mixed alkali effect in the system R_2O-PbO-P_2O_5.—75-07350A

Monophasic sodium zirconium phosphate (NZP) as a host structure for the immobilization of reprocessed high-level commercial wastes.—75-03481A

Nonequilibrium low-solubility solid phase in the $K_4P_2O_7$-$Sr(NO_3)_2$-H_2O system.—75-06291A

Optical absorption of copper phosphate glasses in the visible spectrum.—75-04919A

Optical and ultrasonic properties of europium phosphate glasses.—75-04982A

Optical second harmonic generation of oblique incident light in transmission potassium dihydrogen phosphate crystal.—75-06497A

Phase diagram of the $Zn_2P_2O_7$-$Li_4P_2O_7$ system.—75-06301A

Phosphate-bonded castable.—75-07629A

Phosphate-bonded Si_3N_4 and AlN ceramics.—75-01152A

Physicochemical study of the H_2O-H_3PO_4-$0.5H_2O$ system.—75-06318A

Porcelain, porcelain batch composition, and method for the manufacture of the porcelain.—75-05172P

Preparation and structural study of sodium germanium phosphate-sodium titanium phosphate solid solutions: II, Evolution of thermal expansion with composition.—75-01909A

Preparation, thermal expansion, and mechanical properties of $K_{1-x}Sr_{0.5x}Zr_2P_3O_{12}$ ceramics.—75-04176A

Production and structure of a new diphosphate, $Rb(Ni_{0.35}Cr_{0.3}Ti_{0.35})P_2O_7$.—75-06749A

Production of composite ceramics based on zirconia fibers and binary ammonium-cobalt and ammonium-magnesium diphosphates.—75-09409A

Production of pure ammonia dihydrophosphate from extractive phosphorus-containing solutions.—75-06328A

Pyroelectrical properties of $BaBO_4$ [BBO] and $KTiOPO_4$ [KTP] crystals.—75-06508A

Range profiles of 600–1200-keV Xe^+ implanted in $KTiOPO_4$.—75-01337A

Rate of chemical decomposition of sodium zinc phosphate glass with hydrochloric acid: effect of the ratio of the solution volume to the glass surface area.—75-02681A

Rubidium ammonium triphosphates.—75-09425A

Segregation of sulfate and phosphate in the vitrification of high-level wastes.—75-03494A

Sodium pyrophosphate peroxosolvate, $Na_4P_2O_7{\cdot}3H_2O_2$.—75-06515A

Spectroscopic properties of Er^{3+} in fluorozirconate, germanate, tellurite, and phosphate glasses.—75-07368A

Spectroscopic studies of magnetic transitions in $TbPO_4$.—75-03839A

Structural and magnetic properties of Fe_2O_3-P_2O_5-Na_2O glasses: I, Oxygen heat treatment.—75-07371A

Structural features of alkali and barium aluminofluorophosphate glasses studied by ir spectroscopy.—75-02609A

Structural response of $KTiOPO_4$ to electrical fields: effects due to low-frequency modulation.—75-00606A

Structure of $La_3Cs_{15}P_{24}O_{72}{\cdot}6H_2O$ crystals.—75-06375A

Structure of the anionic component of fluorophosphate glasses based on lithium metaphosphate.—75-02614A

Structure, EPR, and dielectric properties of single crystals of a new $Rb_3Ti_3P_3O_{20}$:V^{4+} compound.—75-09074A

Synchrotron radiation topography studies of twinning in NdP_5O_{14} crystals.—75-04410A

Synthesis and characterization of zirconyl phosphate materials.—75-01699A

Synthesis and crystal structures of cesium and manganese(II,III) double cyclophosphates with $Cs_3Mn_2^{II}Mn^{III}(P_6O_{18})_2$, $CsMn^{II}Mn^{III}P_6O_{18}$-I, and $CsMn^{II}Mn^{III}P_6O_{18}$-II compositions.—75-09077A

Synthesis and properties of gallium dihydromonophosphate, $Ga(H_2PO_4)_3$.—75-06796A

Synthesis and properties of indium dihydrotriphosphate, $InH_2P_3O_{10}$.—75-06383A

Synthesis and protonic conductivity of tantalum hydrogen phosphate.—75-09461A

Synthesis of $CsM^{II}M^{III}P_6O_{18}$ cyclohexaphosphates with M^{II}=Mg, Co, Zn, or Mn and M^{III}=Al, Ga, V, or Fe. The crystal structure of $CsZnVP_6O_{18}$.—75-09469A

Synthesis of $NaZr_2P_3O_{12}$ powders by evaporative decomposition of solutions.—75-06813A

Thermal and electrical properties of $K_{2x}M_{1-x}Zr_4(PO_4)_6$ (M=Sr, Ba) systems.—75-09195A

Thermal conduction behavior in polycrystalline $(Sr_{1-x}K_{2x})Zr_4(PO_4)_6$ ceramic.—75-01357A

Thermal conductivity of superionic aluminophosphate glasses of $0.2Al(PO_3)_3$+$(0.8-x)LiF$+$xNaF$.—75-04999A

Thermal effects in KH_2PO_4 and KD_2PO_4 crystals in ferroelectric phase transitions.—75-09204A

Thermal reduction of $KTiOPO_4$ single crystals.—75-01251A

Thermal shock resistance of KSZP ceramics.—75-03936A

Using microwave furnaces for solid-phase synthesis of inorganic phosphates.—75-09487A

Water resistance of aluminophosphate glasses with increased content of cesium oxide.—75-07375A

phosphides,

Band structure and optical properties of zinc and cadmium diphosphides in the absorption edge range.—75-08194A

Calculation of multiphonon absorption of light in crystals of ternary semiconductors.—75-07793A

Determination of isovalent impurity concentration in epitaxial layers of indium phosphide.—75-07824A

Dielectric properties of $ZnGeP_2$ in far-ir long-wave range.—75-05280A

Effect of annealing on the transformation of electronic structure in quickly hardened amorphous alloys of $Ni_{81}P_{19}$ and $Fe_{80}P_{20}$.—75-07845A

Electrical properties of metal-semiconductor diode structures based on disordered GaP layers.—75-07865A

Electron band structure and conductivity of skutterudites of MP_3 (M=Co, Ni).—75-08919A

$GaAs_{1-x}P_x$/GaAs quantum well structures with tensile strained barriers.—75-05328A

Influence of lanthanides on the defect-impurity composition of epitaxial GaP layers.—75-07925A

Linear circular dichroism of nonlinear light absorption in *n*-GaP.—75-07950A

New phosphide of $Ni_5Ge_2P_3$ and its structure.—75-06288A

New solid-state lasers from the ultraviolet to the mid-infrared.—75-05399A

Optical, electrical, and photoelectrical properties of sputtered thin amorphous Zn_3P_2 films.—75-03911A

Phase formation in the CdP_4-ZnP_2-$CdAs_2$-$ZnAs_2$ system.—75-09027A

Photoelectric effect in GaP surface barrier structures: temperature dependence of the short-wave quantum efficiency.—75-03119A

Photoelectrical properties of semiconductor contact with green leaves.—75-03122A

Photosensitivity of *p*-*n*-GaAs-*n*-GaP/*n*-Si heterostructures in linearly polarized radiation.—75-08021A

Pure green (λ=555 nm) luminescence of GaP:Y epitaxial layers.—75-08032A

Radiation-stimulated conversion of radiative exciton complexes bound to nitrogen in GaP:N-based *p*-*n* structures.—75-08037A

Semiconducting phosphides and arsenides of silicon and germanium.—75-05471A

Structural relaxation and crossover effect for Young's modulus of amorphous $Fe_{81.5}V_{2.5}P_{16}$ and $Fe_{81.5}Mo_{2.5}P_{16}$ ferromagnetics.—75-03332A

Structure and photoluminescence of AlP/CaP short-period superlattices grown by organometallic vapor phase epitaxy.—75-00608A

Theory of impurity vibrations in cubic boron nitride and boron phosphide.—75-09085A

Thermodynamic properties of chromium phosphides.—75-09093A

X-ray diffraction determination of the degree of long-range order in epitaxial $In_xGa_{1-x}P$ [x=0.44–0.54] layers.—75-09106A

phosphors,

Cathodoluminescent characteristics of $ZnGa_2O_4$ phosphor grown by radio-frequency magnetron sputtering.—75-00423A

Degradation behavior of LaOBr:Tb under cathode ray excitation.—75-01748A
Effect of processing parameters on luminescence of combustion-synthesized, rare-earth-activated $Y_3Al_5O_{12}$ phosphors.—75-05294A
Europium-doped yttrium oxide phosphor.—75-08577P
Long-lasting afterglow characteristics of Eu, Dy codoped SrO-Al_2O_3 phosphor.—75-08973A
Method of making an unactivated yttrium tantalate X-ray phosphor.—75-08603P
Particle size effects in YAG:Cr phosphors.—75-01903A
Phosphors for flat panel emissive displays.—75-05422A
Photo- and cathodoluminescence of hydrothermally synthesized $Y_3Al_5O_{12}$:Tb [YAG:Tb] and $NaY(WO_4)_2$:Tb.—75-05423A
Synthesis of red-emitting, small particle size luminescent oxides using an optimized combustion process.—75-09476A

phosphorus oxide,
Mass spectrometric study of the thermodynamic properties of ZnO-P_2O_5 system melts.—75-08980A

phosphorus pentoxide,
Ac conductivity for amorphous TeO_2-P_2O_5 glass system.—75-02620A
Fracture toughness of CaO-P_2O_5-B_2O_3 glasses and glass-ceramics determined by indentation.—75-06985A
Glass development and controlled crystallization in the SiO_2-Li_2O-ZrO_2-P_2O_5 system.—75-07300A
Magnetic properties of materials in the CaO-P_2O_5-Fe_2O_3 system.—75-03905A
Properties of CaO-MgO-P_2O_5 glasses.—75-04989A

phosphorus,
Band structure and optical spectra of ferroelectric-semiconductor, $Sn_2P_2S_6$.—75-05250A
Band structure and optical spectra of the ferroelectric semiconductor $Sn_2P_2Se_6$.—75-02965A
Dopant precipitation in post-growth phosphorus-doped CdTe.—75-05284A
Effect of high-temperature annealing on the electrical and photoelectrical properties of phosphorus-doped a-Si:H films.—75-07848A
Effect of phosphorus doping on tin diffusion in a-Si:H films.—75-03007A
Effects of deposition process on the phosphorus content of electroless Ni-P coatings.—75-02461A
Efficiency of photoluminescence and excess carrier confinement in InGaAsP/GaAs structures prepared by metallorganic chemical vapor deposition.—75-00467A
Experimental study of phosphorus sorption on manganese dioxide.—75-09143A
Extraction of rare-earth(III) nitrates by neutral organophosphoric compounds from concentrated water-salt solutions.—75-06603A
Formation and annealing of radiation-induced defects in *p*-Si<P,Pt>.—75-03031A
Low-temperature anomaly of ionic conductivity in an $Na_{4+x}FeP_2O_{8+x}F_{1-x}$ ($x \approx 0.5$) superionic conductor.—75-05683A
Maximum operation temperature of diode lasers based on InAsSb/InAsSbP.—75-07963A
Mechanism of surface brittleness of electroless Ni-P coatings.—75-02503A
Mechanism of the chemical reduction of copper(II) by an ion of hypophosphite.—75-06677A
Ni-Ge-P system.—75-06289A
Phase changes and properties of electroless Ni-P-TiN composite coatings after their thermal treatment.—75-09007A
Phase equilibria and several properties of compounds in $In_2(Ga_2)S_3$-P_2S_5 systems.—75-06302A
Phosphogypsum-based foam plaster.—75-07172A
Physicochemical features of producing anhydrite cement from phosphogypsum.—75-07173A
Pressure of phosphorus in equilibrium with solid InP at different temperatures.—75-05447A
Properties of ZnSe crystals doped with phosphorus.—75-05451A
Reversible structural relaxation and thermal stability of amorphous $Fe_{40}Ni_{40}P_{14}B_6$ alloys.—75-09181A
Thermodynamic properties of chromium-phosphorus melts.—75-09094A
Vanadyl phosphite, $VOHPO_4{\cdot}5H_2O$.—75-09489A

photochemistry,
Development of photochemical hole burning glass for high speed, high capacity optical memory.—75-04947A
Rapid photochemical deposition of silicon dioxide films using an excimer lamp.—75-01639A

photochromic materials,
Amber photochromic glasses.—75-07408P
Brown photochromic glasses.—75-07410P

photochromic properties,
Electrochromic and photoelectrochromic behavior of thin WO_3 films prepared from quantum size colloidal particles.—75-06459A
Electron processes in an a-WO_3/Si heterostructure with electro- and photochromism.—75-07872A
Formation and segregation of copper, cadmium, and silver chlorides in photochromic glass.—75-02588A

photoconductors/photoconductivity,
Correlations between electrical and material properties of CVD diamond.—75-01270A
Far-infrared photoconductivity of silicon irradiated by fast neutrons.—75-05320A
Kinetics of photoconductivity in ZnSe crystals upon photoexcitation of deep centers.—75-05357A
Luminescence and photoconductivity of highly pure cadmium selenide.—75-05367A
Nonstoichiometric Cr_2O_3 raw material for photoconducting system A_2B_6—a-Cr_2O_3.—75-00553A
Peculiarities of a photoconductivity spectrum in compensated germanium.—75-03112A
Photocarrier generation in fullerene films.—75-01327A
Photoconductivity in thin lead selenide epitaxial layers.—75-08008A
Polarization-dependent photoconductivity in uniaxially deformed narrow-gap semiconductors.—75-03131A
Quenching of persistent photoconductivity by electric pulses.—75-08035A
STM and photoconductivity studies of a:DLC [amorphous diamondlike carbon] films.—75-08063A

photodiode,
Spectral characteristic of diamond-silicon sandwich structures of photodiode, photoconductor, and MISFET.—75-08058A
Study of neutron damage resistance of some scintillating crystals and associated photodetectors with the nuclear reactor Ulysse.—75-00936A
Uv-sensitive metal-semiconductor photodiodes on 6H-SiC.—75-00632A

photoelectric properties,
Electrical and photoelectrical properties of heterostructures based on nanocrystalline diamond films.—75-09136A
Epitaxial *p-n* structures of GaAs on Si substrates: electrical, photoelectrical, and electroluminescent properties.—75-03022A
Influence of gamma radiation on photoelectrical properties of thin cadmium thiogallate films.—75-09151A
Photoelectric emission studies of CVD diamond films.—75-09039A
Photoelectrical effects in structures from semiconductor–thin dielectric layer interfaces in high-resistivity compensated crystals.—75-08010A
Photoelectrical properties of semiconductor contact with green leaves.—75-03122A

photoelectricity,
Photoelectric deep level relaxation spectroscopy in CdS single crystals with deviations from stoichiometry imposed during the growth process.—75-06313A

photoelectronic effects,
Temperature effects in the multiphonon photoemission of laser-irradiated α-SiO_2.—75-01353A

photoemission,
Photoelectric emission studies of CVD diamond films.—75-09039A
Photoemission studies of the ZnO/CdS interface.—75-00564A
Physical principles of forming photoemissive properties of high-current pulse photocathodes with laser excitation on the basis of magnesium barium alloys.—75-06500A
Regularities of photoemission from high-current pulsed photocathodes with laser excitation on the basis of heterophase aluminum lithium alloys.—75-06110A
Two-photon photoemission study of GaAs(100).—75-05510A

photography,
Fire and light—combining ceramic and photographic processes.—75-02249A

photoluminescence,
Absorption and photoluminescence of a free porous silicon.—75-02959A
Broad photoluminescence band in heavily Ge-doped GaAs grown by the liquid-encapsulated Czochralski technique.—75-00417A
Confocal photoluminescence study of metallorganic chemical vapor deposition growth on patterned GaAs substrates.—75-05264A
Effects of passivation and photoluminescence in silicon solar cells with optical coatings.—75-07859A
Effects of temperature and oxygen concentration on the photoluminescence of epitaxial metallorganic vapor phase epitaxy GaAs:O.—75-01475A
Efficiency of photoluminescence and excess carrier confinement in InGaAsP/GaAs structures prepared by metallorganic chemical vapor deposition.—75-00467A
Influence of α-irradiation on the photoluminescence of porous silicon.—75-07921A
Interrelationship between intensive photoluminescence and surface state in a porous silicon including free-standing films of porous silicon.—75-07939A
Kinetics and quenching mechanisms of photoluminescence in Yb-doped InP.—75-00530A
New features of the photoluminescence of SiC (6H), SiC (4H), and SiC (15R).—75-01314A
Photoluminescence and *p*-type conductivity in CdTe:N grown by molecular beam epitaxy.—75-00566A
Photoluminescence and electrical properties of erbium-doped indium oxide films prepared by rf sputtering.—75-01328A
Photoluminescence and scintillation properties of Pb^{2+}-based quantum dots in CsCl host crystal.—75-00567A
Photoluminescence by hydrogenated carbon solids [HAC] in interstellar space.—75-01904A
Photoluminescence of a-Si:H films doped with rare-earth elements.—75-03125A
Photoluminescence of doped spaced superlattices of GaAs/$Al_xGa_{1-x}As$.—75-03126A
Photoluminescence of GaAs doped with dimethylaluminum methoxide during organometallic vapor phase epitaxy.—75-05432A
Photoluminescence of Mg ion implantation in low-temperature-grown GaAs[—erratum].—75-00568A
Photoluminescence of Mg-ion implantation in low-temperature grown GaAs.—75-05433A
Photoluminescence of rare-earth-doped $(Ga_2S_3)_{0.95}(Eu_2O_3)_{0.05}$ single crystals.—75-06314A
Photoluminescence of tin-doped GaAs grown by liquid phase epitaxy from mixed Ga-Bi solvent.—75-08017A
Photoluminescence of zinc selenide single crystals annealed in zinc or selenium atmosphere.—75-01605A
Photoluminescence spectra in plastically deformed [Ge and Si] semiconductors and electronic states in split dislocations.—75-08018A
Photoluminescence spectra resulting from hydroxy groups on MgO supported on silica.—75-06315A
Photoluminescence studies of strained $In_xGa_{1-x}As$-$Al_{0.28}Ga_{0.72}As$ heterostructures grown by molecular beam epitaxy.—75-00569A
Photoluminescence under moderate levels of excitation and resonant Raman scattering in GaAs/AlGaAs superlattices.—75-08019A
Photoluminescence-detected magnetic resonance (PLDMR) study of C_{70} films, glasses, and photopolymerized and oxidized fullerenes.—75-01329A
Porous silicon luminescence study by imaging methods—relationship to pore dimensions.—75-00576A
Properties of crystalline 3C-SiC grown from methyl trichlorosilane.—75-00582A
Raman scattering and photoluminescence [PL] of porous silicon.—75-03147A
Relationships between photoluminescence spectra and porosity of porous silicon.—75-01927A
Semiconductor depth structure reconstruction by using photoluminescence spectra.—75-03158A
Spin resonance study of the 2.9 eV luminescence centers in natural and synthetic diamond.—75-00600A
Substrate photoluminescence: an aid in the evaluation of pulsed laser evaporation and epitaxial growth of $Cd_{1-x}MnTe$ epilayers on (111)GaAs.—75-05491A
Time-resolvable pulse exciton photoluminescence of pure 6H-SiC crystals and films.—75-08087A
Time-resolved and cw photoluminescence spectra of polycrystalline diamond films.—75-09098A
Visible photoluminescence in Si^+-implanted silica glass.—75-02698A

photons,
Photon emission from an alumina insulator in vacuum subjected to dc electrical fields.—75-02926A
Two-photon photoemission study of GaAs(100).—75-05510A

photorefraction,
Accurate measurements of the frequency dependence of photorefractive grating formation in $Bi_{12}SiO_{20}$.—75-01260A
Bragg shift of holographic gratings in photorefractive Fe:$LiNbO_3$ crystals.—75-06166A
Erasure of photorefractive gratings in barium titanate.—75-01289A
Introduction to nonlinear optics: phase conjugate wave and its application.—75-04975A
Multicolor-pumped oscillator in photorefractive $BaTiO_3$.—75-06491A
Photorefractive effect in Cu- and Ni-doped $KNbO_3$ in the visible and near-infrared.—75-01331A
Verification of the standard model of the photorefractive nonlinearity in BSO crystals.—75-06533A

photosensitive materials,
Chlorophyll *b*-modified nanocrystalline SnO_2 semiconductor thin film as a photosensitive electrode.—75-00433A
Effects of heat treatments on photostriction in PLZT ceramics.—75-00653A
Photostriction and its applications.—75-00685A

photosensitivity,
Discovery of photosensitivity in semiconductor/green leaf heterocontacts.—75-02997A
Electrophysical and photoelectric properties of InAs photosensitive elements.—75-05313A
Photodetectors with a controlled spectrum of photosensitivity.—75-08693A
Photoresponse study of polycrystalline diamond thin-film Schottky diodes.—75-00570A
Photosensitivity in a silica-based sol-gel glass.—75-04988A
Photosensitivity of epitaxial *p*-GaAs/*n*-GaAs/*p*-Si structure.—75-05435A

photovoltaic effect,
Anomalous photovoltage in $Cd_{0.8}Zn_{0.2}Te$ thin films.—75-05241A
Bulk photovoltaic effect [BPE] in ferroelectric $Pb(Zr,Ti)O_3$ thin films.—75-05534A
Diamond photovoltaics: characterization of CVD diamond film-based heterostructures for light to electricity conversion.—75-07831A
Photostriction and its applications.—75-00685A
Photovoltaic activity of electrodeposited *p*-$CuInSe_2$/electrolyte junction.—75-00571A
Photovoltaic effect for the linearly polarized light in (Pb, La)(Zr, Ti)O_3 ceramics.—75-03247A
Photovoltaic effect in ferroelectric ceramics with various defects.—75-08158A

phyllosilicates,
Classification of phyllosilicates according to the symmetry of their octahedral sheets.—75-03772A

physical properties,
Basic properties of neopore-concrete.—75-07138A
Crystallization and physical properties of antimony orthoantimonate (β-$SbSbO_4$).—75-08897A
Effect of deposition condition and postgrowth irradiation treatment on the physical properties of diamondlike carbon [DLC] films.—75-09272A
Effects of some physical parameters on diamond crystallization in the NaOH+Ni+C system at 1 atm.—75-09296A
Effects of thermal cycling on the physical and mechanical properties of [NZP] ceramics.—75-01278A
Fluorescent compounds for plastic scintillation applications.—75-01505A
Influence of different process parameters on physical properties of fluorine doped indium oxide thin films.—75-06650A
Modeling the properties of concrete on gypsumless cement with a complex chemical additive.—75-07167A
Morphology of polycrystalline ZnO and its physical properties.—75-03908A
Physical and electrical properties of MnO_2-doped $Pb(Zr,Ti_{1-x})O_3$ ceramics.—75-06499A

Physical and magnetic microstructure of rapid thermally annealed thin-film bismuth-doped garnets.—75-03326A
Physical properties of Bi semimetals.—75-03129A
Physical properties of grate enamel systems.—75-00116A
Physical properties of spray-pyrolyzed pure and doped ZnO thin films.—75-03914A
Physicomechanical characteristics of superhard polycrystalline materials.—75-07630A
Physicomechanical properties of single-crystal $YBa_2Cu_3O_{7-\epsilon}$ HTSC films.—75-08397A
Preparation, characterization, and properties of a Ti-Al-O-N composite with high TiN concentration.—75-01627A
Properties and structures of TeO_2-based glasses containing ferroelectric components.—75-07361A
Properties of cement with scorched rocks and concretes based on them.—75-07179A
Properties of plasma-enhanced chemical vapor deposited a-SiN_x:H by various dilutroie gases.—75-01335A
Properties of Si melt near melting point.—75-03140A
Properties of TiB_2 powders obtained in a mechanochemical way.—75-03921A
Research and application of coating material for tundish.—75-02838A
Single fast-fired wall tiles containing Iranian iron slags.—75-00254A
Smectites: the relationship between their properties and isomorphic substitution.—75-06514A
Synthesis and physical properties of nanosized silicon nitride produced by LICVD.—75-04238A
Synthesis and properties of mullite ceramics prepared from silica fume and alumina.—75-01702A
Synthesis and properties of tialite, β-Al_2TiO_5.—75-01704A
Systematics of the physical properties of $Bi_{1.7}Pb_{0.3}Sr_2(Ca,Nd)_1Cu_2O_x$ compounds.—75-08437A
Thermal behavior of (organosilicon) polymer-derived ceramics: V. Main facts and trends.—75-09196A
Ultrasonic testing of ceramics.—75-05987A

physical vapor deposition,
Processing and behavior of chemically graded EB-PVD [e-beam CVD] MCrAlY bond coats.—75-02531A

physicochemical properties,
Characterization of boron nitride films deposited from BCl_3-NH_3-H_2 mixtures in chemical vapor infiltration conditions.—75-03965A
Influence of some precursors on the physicochemical characteristics of transition aluminas for the preparation of ceramic catalytic filters.—75-04082A
Physicochemical characterization of an invertebrate's skeleton and its possible use as biomaterial.—75-04387A
Physicochemical investigation of Khibini apatite and comparison of it with hydroxyapatite.—75-09168A
Physicochemical properties of $(Bi_{1-x}Pb_x)_{1-y}Y_yO_{1.5}$ (x=0.1, 0.32; y=0–0.25) ionic conductors.—75-07742A
Physicochemical properties of ZrF_4-BaF_2-LnF_3 glasses (Ln=Y or rare-earth elements).—75-02676A
Physicochemical study of the H_2O-H_3PO_4-$0.5H_2O$ system.—75-06318A
Physicochemistry and cytotoxicity of ceramics: II. Cytotoxicity of ceramics.—75-03915A
Quartz ceramics—a new material in electrical engineering.—75-03143A
Semiconducting phosphides and arsenides of silicon and germanium.—75-05471A
Synthesis and physicochemical properties of $LnBiOS_2$ [Ln=La, Ce, Pr, Nd, Sm, Gd, Dy, Yb] compounds.—75-09459A

physicomechanical properties,
R-curve behavior of PZT ceramics near the morphotropic phase boundary.—75-06938A

pickling,
Development of Skid Brick for pickling process.—75-07444A

piezoelectric materials,
Advanced PZT glide head design and implementation for a small slider.—75-00710P
Automatic iterative evaluation of complex material constants in piezoelectric ceramics.—75-05532A
Ceramic motor.—75-03265P
Crystal growth and phase transition of piezoelectric $KAlSiO_4$.—75-08122A
Cylindrical bending of composite plates with piezoelectric and SMA [shape memory alloy] layers.—75-03219A
Damage detection in composite structures using piezoelectric materials.—75-03220A
Delamination detection and suppression in a composite laminate using piezoceramic layers.—75-03221A
Effective medium theory of piezoelectric composites.—75-00652A
Effects of crack face boundary conditions on the fracture mechanics of piezoelectric solids.—75-03230A
Electromechanical properties of 1-3 piezoelectric ceramic/piezoelectric polymer composites.—75-00656A
Flat packaged piezoelectric device using a glass-ceramic composite material comprising forsterite as ceramics.—75-08178P
Fracture criteria for piezoelectric ceramics—comment[—correction].—75-05584A
Fracture criteria for piezoelectric ceramics[—comment].—75-03233A
Fracture criteria for piezoelectric ceramics[—reply].—75-03234A
High-frequency piezoceramic equivalent circuit.—75-03237A
Hydroacoustic evaluation of 1-3 piezocomposite plate and ring structures.—75-00666A
Impurity doping effect on piezoelectricity and strain induced by electric field in piezoelectric ceramics.—75-08148A
Large signal measurement technology for piezoelectric actuator materials.—75-05595A
Method for producing a piezoceramic.—75-00714P
Method of making a multilayer piezoelectric composite.—75-08182P
Photostriction and its applications.—75-00685A
Piezoceramic capsule for telephone instruments.—75-05652P
Piezoceramic material having high piezoelectric activity and high dielectric constant.—75-00718P
Piezoelectric ceramic composition.—75-08184P
Piezoelectric ceramic material including processes for preparation thereof and applications therefor.—75-08185P
Piezoelectric ceramic transformer.—75-03270P
Piezoelectric ceramics and ceramic composites for intelligent mechanical behaviors.—75-00687A
Piezoelectric ceramics with functional gradients: a new application in material design.—75-03248A
Piezoelectric ceramics.—75-00719P
Piezoelectric ceramics.—75-08187P
Piezoelectric constant for binary piezoelectric 0-3 connectivity composites and the effect of mixed connectivity.—75-00688A
Piezoelectric crystal element.—75-03271P
Piezoelectric moduli of piezoelectric ceramics.—75-08159A
Piezoelectric/electrostrictive element having ceramic substrate formed essentially of stabilized zirconia.—75-00720P
Process for producing piezoelectric ceramic sheet and dielectric ceramic sheet.—75-08620P
Product property between thermal expansion and piezoelectricity in piezoelectric composites: pyroelectricity.—75-05628A
Properties of PZT ceramics prepared from aqueous solutions.—75-03253A
Stress concentration reduction in a plate with a hole using piezoceramic layers.—75-03261A
Vibration control [analyzed] using piezoceramics in planar flexible linkage mechanisms.—75-03264A
Zinc oxide piezoelectric crystal film.—75-00722P
Zirconia diaphragm structure and piezoelectric/electrostrictive element incorporating same.—75-08789P

piezoelectric properties,
Analytical composite model of a piezoelectric traveling-wave motor for optimal design and manufacture.—75-00637A
Design tradeoffs/recent developments for low-cost piezoelectric sensors.—75-00646A
Dielectric and piezoelectric properties of lead zirconate titanate doped with chromium oxide.—75-00647A
Improvement of sintering and piezoelectric properties of soft lead zirconate titanate ceramics.—75-05590A
Influence of demagnetizing factors on the field dependence of the magnetoelectric effect in ferrite-piezoelectric ceramics.—75-08223A
Influence of grain size of ferroelastic toughening and piezoelectric behavior of lead zirconate titanate.—75-00669A
Measurement of piezoelectric coefficients of ferroelectric thin films.—75-00672A
Piezoceramic capsule for telephone instruments.—75-05652P
Piezoceramics with a different purpose.—75-05620A
Piezoelectric effect and ultrasonic attenuation near T_c in single-crystal $YBa_2Cu_3O_{7-\epsilon}$ superconductors.—75-03393A
Piezoelectric fields in strained (In,Ga)As/GaAs multiple quantum well structures grown on vicinal (110)GaAs.—75-05437A
Piezoelectric properties of glass-ceramics based on lithium tetraborate.—75-05622A
Piezoresistive gauge factor of polycrystalline diamond measured at different fields and temperatures.—75-08160A
Properties of low-temperature-sintered neodymium-doped lead zirconate titanate ceramics.—75-05630A
Role of the excited state in piezoelectroscopic properties of an Sn_{As} acceptor in GaAs.—75-03154A
Sintering kinetics of TSTC-42-1 piezoceramics prepressed under high pressure.—75-05637A
Theory of electroded thin thermopiezoelectric plates subjected to large driving voltages.—75-00707A

pigments,
Ceramic pigments of the brown spectrum based on galvanic slime.—75-02851A
Cerdec bulk bag doser evaluation.—75-02852A
Chromium-zircon pigment.—75-02855A
Influence of synthesis conditions on the magnetic properties of iron oxide pigments produced from industrial wastes.—75-09341A
Preparing pigments by precipitation.—75-02884A
Pure-colored iron oxide direct red pigments, a process for their production, and their use.—75-00297P

pinning,
High-frequency vortex dynamics in $YBa_2Cu_3O_7$.—75-08335A
Scaling of the volume pinning force in superconducting wires and tapes based on $Bi_2Sr_2CaCu_2O_x$.—75-00861A
Unidirectional pinning in irradiated $Bi_2Sr_2CaCu_2O_8$.—75-03424A

pipe,
Method of producing phosphate ceramic pipe cladding.—75-01126P
Superconducting $Bi_2Sr_2Ca_1Cu_2O_x$ phase formed by penetration throughout metallic copper pipe.—75-08425A

pistons,
Apparatus and process for manufacturing balls made of a ceramic material.—75-08551P
Silicon nitride ceramic piston crown for uncooled diesel engine.—75-03716A

plasma spraying,
Contact damage in plasma-sprayed alumina-based coatings.—75-04846A
Determination of optimum condition in plasma spraying process.—75-07203A
Effective medium theory and the thermal conductivity of plasma-sprayed ceramic coatings.—75-06448A
Formation of hollow ceramic microspheres in a dc plasma.—75-00095A
In vitro testing of plasma-sprayed hydroxyapatite coatings.—75-03571A
Influence of coating configuration on cyclic thermal shock fracture behavior of plasma-sprayed coatings.—75-02492A
Inhibition of the formation of the B metastable phase in yttrium oxide plasma spray coatings by the addition of zirconia.—75-06658A
Plasma spraying techniques for functional gradient coatings.—75-02524A
Plasma-sprayed hydroxyapatite coating: effect of different calcium phosphate ceramics.—75-02525A
Processing and electrical properties of plasma-sprayed yttria-zirconia.—75-05209A
Reactive plasma spraying of $MoSi_2$ using an Ar-10% CH_4 powder carrier gas.—75-04198A
Silicon oxide films produced by plasmochemical and pyrolytic methods.—75-06761A
Structural change in plasma-sprayed alumina coatings by laser melting: III. Analysis by computer simulation technique.—75-09452A
Synthesis of carbonitride films using high-energy shock plasma deposition.—75-01706A
Theoretical and experimental investigation of plasma spray of ZrO_2.—75-04253A
Thermal barrier coatings on turbine blades by plasma spraying with improved coating.—75-04869A
Thermal cyclic response of laser-glazed plasma-sprayed ZrO_2-19.5 wt% Y_2O_3/Ni-22Cr-10Al-1Y thermal barrier coatings.—75-02553A
Vacuum plasma spray deposition of titanium particle/glass-ceramic matrix biocomposites.—75-04272A
Wear and micromechanical properties of microstructurally improved ceramic plasma-sprayed coatings.—75-09691A

plasma,
Dependence of diamond growth rate on hydrogen dissociation in a dc arc jet plasma.—75-06565A
Effect of plasma treatment of polyethylene fibers on interface and cementitious composite properties.—75-02399A
Method for diamond coating by microwave plasma.—75-08590P
Pilot plant test of SiC UFP [ultrafine powder] synthesis with plasma.—75-04137A
Plasma production of ultrafine ceramic carbides.—75-08837P
Plasma-activated sintering of ceramic materials.—75-08536A
Simulation of plasma flow in toroidal solenoid filters.—75-08701A

plasma-enhanced CVD,
Chemical vapor deposition of $YBa_2Cu_3O_x$ in a cold plasma reactor using an aerosol vaporization technique.—75-03345A
Corrosion behavior of TiN films obtained by plasma-assisted chemical vapor deposition.—75-04420A
Deposition and characterization of [diamondlike carbon] DLC/SiO_2 nanocomposite prepared by ion-assisted PECVD.—75-09253A
Deposition of silicon nitride by plasma-enchanced chemical vapor deposition.—75-08574P
Deposition parameters of silicon nitride films prepared by a silane nitrogen plasma-enhanced chemical vapor deposition process.—75-03988A
Effect of deposition temperature on dielectric properties of PECVD Ta_2O_5 thin film.—75-04001A
Effect of ion bombardment on the structure and properties of PECVD Sioxygen.—75-04004A
High-rate deposition of diamond films in $CH_4/O_2/H_2$ microwave plasmas.—75-09329A
High-temperature diamond film deposition on a natural diamond anvil.—75-09330A
In situ [diamondlike carbon] DLC/TiC composite coating by plasma-enhanced chemical vapor deposition.—75-09335A
Is it possible to deposit diamond in a microwave plasma CVD process without H_2.—75-09348A
Low-pressure chemical vapor deposition of silicon carbide thin films from hexamethyldisilane.—75-04096A
Low-temperature synthesis of diamond films by pulse-modulated magnetoactive microwave plasma CVD.—75-09356A
Optical characterization of SiO_2 formed by plasma-enhanced chemical vapor deposition of tetraethoxysilane.—75-01321A
PECVD and ozone CVD deposition rate, uniformity, and step coverage.—75-04132A
Plasma-enhanced chemical vapor deposited silicon nitride films for interface studies.—75-04139A
Plasma-enhanced chemical vapor deposition of titanium nitride thin films using cyclopentadienyl cycloheptatrienyl titanium.—75-01607A
Preparation of Ge quantum crystallites embedded in a-SiN_x by the PECVD method.—75-06729A
Preparation of highly oriented diamond thin film by microwave plasma-assisted chemical vapor deposition [MPCVD].—75-09398A
Radio-frequency bias effects on SiO_2 films deposited by distributed electron cyclotron resonance plasma-enhanced chemical vapor deposition.—75-01638A
SiO_2/amorphous As/GaAs passivation systems prepared at room temperature by 50-Hz plasma-enhanced chemical vapor deposition.—75-00596A
Thin thermal SiO_2 after NH_3 or N_2O plasma action under plasma-enhanced chemical vapor deposition conditions.—75-04257A
Thin-film deposition on inside surfaces by plasma-enhanced chemical vapor deposition.—75-04258A
Two-temperature technique for plasma-enhanced chemical vapor deposition growth of silicon nitride on InP.—75-06824A

plasmon,
Low-frequency plasmons and radiation of ZnTe crystals in the red region of the spectra.—75-05364A
Plasmons in C_{60}, carbon onions, and carbon tubes.—75-01907A

plaster molds,
Effect of characteristics of plaster mold on the slip casting of high concentrated alumina slurry.—75-09270A

Effects of polyacrylate and sodium silicate dispersant on plaster mold characteristics.—75-02867A

plasters,
Blending and packing specialist plasters.—75-02439A
Effect of die material in molding equipment on deformation of plastic ceramic mixtures.—75-09619A
Hardness, elasticity modulus, and flexion strength of dry set plaster.—75-04817A
Setting of gypsum plaster: I. The hydration of calcium sulfate hemihydrate.—75-04831A
Setting of gypsum plaster: II. The development of microstructure and strength.—75-04832A

plasticity,
Plasticity enhancement of coal fry ash-clay bodies.—75-08736A

plasticizers/plasticity,
Changing the plasticity by means of additives, clay disintegration and shaping temperature.—75-00238A
Coupled thermal-mechanical model on elastic-plastic response of suddenly heated ceramic-metal gradient materials.—75-02448A
Dislocation-related plasticity of ceria-stabilized zirconia polycrystals.—75-04490A
Plastic Deformation of Ceramics.—75-04780B
Properties of thermoplastic mixtures for forming ceramics by extrusion.—75-03920A
Superplastic forming of Superdux 64 stainless steel.—75-04229A

plastics,
Assessing the plastic properties of Australian paver clays by triaxial compression testing.—75-00233A
Deformation welding of scintillating materials.—75-01421A
Failure analysis of a fiberglass-reinforced plastic pressure vessel.—75-04521A
Gunnable plastics double service life.—75-02821A
Low dose rate tests of plastic scintillator plates and wavelength shifting fibers.—75-01304A
New fluors for radiation-tolerant scintillators.—75-00933A
Reliable plastic raw materials.—75-06052A
Removal of additives from plastically formed ceramic components by thermolysis: a review.—75-09421A
Single-fiber pullout method for evaluating interfacial strength in CFRP [carbon fiber-reinforced plastic composite].—75-08702A
Status of fiber-reinforced plastic reinforcement development and cement-based research needs.—75-02425A
Stress analysis of contact deformation in quasi-plastic ceramics.—75-09672A

plating,
Codeposition mechanism of zirconia fine particles in nickel/zirconia composite plating.—75-00078A
Magnetite coating prepared by ferrite plating on expanded polytetrafluoroethylene membrane for medical use.—75-03309A
Tribological properties of cBN films fabricated by the reactive ion plating method and modified by ion implantation.—75-09687A

platinum,
Chemical reaction of platinum with PbO-SiO_2 melt under direct current electrolysis.—75-07289A
Crystallization of rapid thermal processed PZT: platinum and ruthenium oxide electrodes.—75-05541A
Effect of formation conditions of thin-film systems of dielectric substrate–platinum–lead zirconate titanate on the structure, composition, and properties of lead zirconate titanate films.—75-08203A
Effects of Y_2BaCuO_5 [211] and platinum additions on the unidirectional solidification of $YBa_2Cu_3O_{7-\delta}$.—75-08303A
Formation and annealing of radiation-induced defects in *p*-Si<P,Pt>.—75-03031A
Holographic atom imaging from experimental photoelectron angular distribution patterns.—75-01863A
Interaction of Pt films with ZnO(0001) and ZnO(000$\bar{1}$).—75-04344A
Manipulation know-how facilitates novel coating system.—75-03525A
Performance analysis of a new metal-insulator-semiconductor capacitor incorporated with Pt-SnO_2 catalytic layers for the detection of O_2 and CO gases.—75-00562A
Platinum alloys and iridium bottom electrodes for perovskite-based capacitors in DRAM applications.—75-05623A
Raman spectroscopic study of the Pt-CeO_2 interaction in the Pt/Al_2O_3-CeO_2 catalyst.—75-06335A
TEM study of the Pt-Ru bimetallic catalyst formation.—75-01965A

plutonium,
Immobilization as a route to surplus fissile materials disposition.—75-03473A
Method for generation of finely divided reactive plutonium oxide powder.—75-00937P
Novel plutonium titanate compounds and solid solutions $Pu_2Ti_2O_7$-$Ln_2Ti_2O_7$: relevance to nuclear waste disposal.—75-03482A
Performance of high plutonium containing glasses for the immobilization of surplus fissile materials.—75-03483A

polarizers/polarization,
Combining orthogonally polarized waves in barium titanate through parametric scattering.—75-08881A
Dc voltage and cycling induced recovery of switched polarization in fatigued ferroelectric thin films.—75-05543A
Determining the polarization vectors in lead magnesium niobate.—75-08124A
Effect of ferroelectric polarization on current response of PZT thin films.—75-05549A
Effect of polarization switch upon stress in thickness vibration of a ferroelectric plate.—75-03228A
Electronic polarizabilities of ions in lithium niobate crystal.—75-05563A
First-principles determination of the polarizabilities of carbon tubules as a function of length.—75-01293A
Kinetics of polarization switching in epitaxial thin films of lead zirconate titanate.—75-08150A
Magnetocircular polarization of luminescence and tunneling relaxation of excitons in $CdS_{1-x}Se_x$ solid solutions.—75-05371A
Optically detected anti-crossover of levels of localized excitons in semiconductors.—75-05411A
Piezoelectric moduli of piezoelectric ceramics.—75-08159A
Polarization processes in the anodic tantalum oxides.—75-06320A
Polarization relaxation in disordered ferroelectrics.—75-05624A
Polarization relaxation in zinc oxide varistors from 77 K to 450 K.—75-00362A
Polarization, interference contrast, and photoluminescence imaging in near-field optical microscopy.—75-01908A
Polarization-dependent photoconductivity in uniaxially deformed narrow-gap semiconductors.—75-03131A
Processes of over-polarization in lead magnesium niobate—a ferroelectric with a broad phase transition.—75-05627A
Relaxational polarization in ZnSe crystals under photoexcitation.—75-03149A
Response of lead magnesium niobate-titanate ferroceramics polarized during cooling to low temperatures and heated without a field.—75-08169A
Screening of spontaneous polarization in lead titanate crystals.—75-08171A

polarons,
Formation of dissipative structures of polaritons in semiconductors.—75-07893A
Instability of surface polaritons in a classical semiconductor superlattice.—75-07936A
Polaron in a model of a superlattice with deep quantum wells.—75-06322A

poling,
Structural hysteresis phenomenon in poling and thermal depoling of PZT ceramics.—75-00701A

polishing,
Affected layer of polished single[-crystal] and CVD diamonds.—75-09214A
Applications for precision cutting of sharpening CVD diamond film.—75-08512A
Burnishing and dung firing.—75-02206A
Constitutive law for the densification of fused silica, with applications in polishing and microgrinding.—75-02704A
Fine grinding, polishing with superabrasives.—75-02171A
Glass polishing.—75-00215A
Laser polishing of diamond films.—75-09351A
Method for forming a planarization etch stop.—75-08594P
Near-surface forces in optical polishing [determined] using atomic force microscopy.—75-04381A
Polishing of thick CVD diamond by an excimer laser and a cast iron wheel.—75-09376A
Precision machining and polishing of scintillating crystals for large calorimeters and hodoscopes.—75-00979A
Rapid polishing of thick polycrystalline white CVD diamond by liquid metal films.—75-09417A
Techniques for diamond thinning and polishing by diffusional reactions with metals.—75-08543A

pollution,
Establishing regulatory compliance in a new plant.—75-02129A
Influence of some pollutants on the durability of cordierite filters for diesel cars.—75-03703A
Mixing reactors—new method for drying and conditioning of sludge.—75-00968A

polyacrylate,
Polyacrylate developments in sanitary ware slurries.—75-02882A

polycarbosilane,
Fabrication and mechanical properties of 3-dimensional Tyranno fiber-reinforced SiC composites by repeated infiltration of polycarbosilane.—75-09303A
Fabrication of SiC matrix composites by liquid phase infiltration with a polymeric precursor.—75-04036A
Fabrication of SiC matrix composites using a liquid polycarbosilane as the matrix source.—75-04037A

polycrystalline materials,
Compressive creep of a fine-grained polycrystalline yttria.—75-04463A
Deposition of flame-grown diamond films in an enclosed chamber.—75-01431A
Deposition of polycrystalline SnO_2 and SnO_2(CuO) films by laser ablation.—75-07823A
Diamond film metal-semiconductor-metal photodetector.—75-07829A
Electronic structure of anatase TiO_2 oxide.—75-06218A
Estimation of fracture resistance of Al_2O_3 polycrystals from single-crystal values.—75-06974A
Faults of ZnO crystal in ZnO varistor.—75-00490A
Measurement of the fracture toughness of polycrystalline diamond using the double-torsion test.—75-07001A
Mechanical properties of polycrystalline translucent cubic boron nitride as characterized by the Vickers indentation method.—75-02074A
Modeling of microfracture-induced wear and wear transition in sliding of polycrystalline ceramics.—75-04606A
Newtonian flow process in polycrystalline silicon carbides: diffusional creep or Harper-Dorn creep.—75-07018A
Optical oscillator strengths and quantum mechanics matrix elements of WO_3 polycrystalline thin films.—75-04613A
Patterned polycrystalline diamond microtip vacuum diode arrays.—75-08001A
Physicomechanical characteristics of superhard polycrystalline materials.—75-07630A
Piezoelectric moduli of piezoelectric ceramics.—75-08159A
Piezoresistive gauge factor of polycrystalline diamond measured at different fields and temperatures.—75-08160A
Polycrystalline CVD diamond films with optical properties close to those of type II diamonds.—75-09170A
Polytypic transformation and gliding behavior in polycrystalline α-SiC deformed by compression at high temperatures.—75-07021A
Quantitative analysis of closure stress-crack separation curve in grain bridge toughening of polycrystalline ceramics.—75-07026A
Recombination and charge transport in polycrystalline semiconductors under optical illumination.—75-08041A
Shock-induced amorphization of α-GeO_2.—75-01340A
Thermal conduction behavior in polycrystalline $(Sr_{1-x}K_{2x})Zr_4(PO_4)_6$ ceramic.—75-01357A

polymerization,
Development of porous zirconia spheres by polymerization-induced colloid aggregation—effect of polymerization rate.—75-06570A
DSC study in situ on copolymerization of C_{60} with paracyclophane.—75-01443A
Influence of polymerization on the synthesis of $SrTiO_3$: I. Characteristics of the polymeric precursors and their thermal decomposition.—75-04080A
Influence of polymerization on the synthesis of $SrTiO_3$: II. Particle and agglomerate morphologies.—75-04081A
Polymerization of silicate ions in aqueous solutions.—75-01069A
Polymerized complex route to barium titanate powders using barium-titanium mixed-metal citric acid [CA] complex.—75-08161A
Simple solution polymerization route for oxide powder synthesis.—75-04217A
Synthesis of silicon oxynitride from a polymeric precursor: III. Polymerization and copolymerization of methylcyclosiloxanes and methylcyclosilazanes.—75-06816A

polymers,
Aluminum nitride from inorganic polymers.—75-06113P
Anharmonicity of interatomic and intermolecular bonds and physicomechanical properties of polymer glasses.—75-02624A
Carbon fiber reinforced silicate polymer composite materials.—75-06426A
Ceramic coatings on polymers by high-energy beam for tribology application.—75-06544A
Ceramic materials from organometallics.—75-01393A
Ceramic matrix composites by a preceramic polymer route.—75-03962A
Chemically modified epoxy network with polyurethane (PU) by various coupling agents.—75-03971A
Conducting polymer-clay composites for electrochemical applications.—75-05179A
Control of dry pressing performance via binder optimization.—75-03979A
Diamondlike carbon films prepared from polymer.—75-09262A
Fabrication and properties of 1-3 PZT polymer composites.—75-00660A
Fiber-reinforced CMC with polymer/filler derived matrix.—75-01499A
Fibers and ceramic matrix composites from polymer precursors: methodology of production and properties.—75-04044A
Handbook of Polymer-Modified Concrete and Mortars: Properties and Process Technology.—75-07108B
High-temperature thermosets and ceramics derived from linear carborane-(siloxane or silane)-acetylene copolymers.—75-08831P
Ion irradiation of preceramic polymer thin films.—75-06664A
Joining of SiC to SiC using a preceramic polymer.—75-04088A
Microstructural development of Si_3N_4 ceramics derived from polymer precursors.—75-01573A
Microstructural development of Si_3N_4 ceramics derived from polymer precursors.—75-09556A
Novel organosilicon precursors for Si-C ceramics and ceramic matrix composites.—75-04124A
Piezoelectric ceramic-polymer composite material and method for preparing the same.—75-08186P
Polymer precursors for aluminum nitride containing ceramics from polymeric precursors.—75-01183P
Polymer precursors for aluminum nitride.—75-06134P
Polymeric binders for enhancing green strength of pressed ceramics.—75-08613P
Preparation of high density titanium carbide ceramics with preceramic polymer binders.—75-03750P
Process for the addition of functional groups to polysilyne polymers.—75-01189P
Processing and characterization of a polymer matrix composite using variable frequency microwave heating.—75-01632A
Processing and properties of barium titanate/polymer hybrid materials by sol-gel method.—75-02931A
Proven and probable use of/role of polymers in ceramics, refractories in particular.—75-07639A
Rheological behavior of polymer-stabilized ceramic suspensions—role of the "free" polymer species.—75-01650A
Rheological characterization of temperature effects in particle-filled polymer fluids.—75-03923A
Scanning tunneling microscopy (STM) and scanning force microscopy (SFM) of liquid crystals and polymers.—75-01929A
Styrene-butadiene tapered block copolymer (TBC) having a functionally graded molecular structure (FGM).—75-04232A
Synthesis of functional copolymer of 4-methyl-1-pentene via organoborane.—75-04243A
Synthesis of silicon carbide fiber from blended precursor of organosilicon polymers.—75-01717A
Synthesis of yttrium-stabilized zirconium oxide from metal ion-containing interpolymer complex—interpolymer coprecipitation method.—75-09482A
Thermal behavior of (organosilicon) polymer-derived ceramics: V, Main facts and trends.—75-09196A
Uniform microwave heating of polymer matrix composites.—75-01737A

Unsaturated polyester/cement/sand composite: II, Mechanical properties and applications.—75-02429A
Using polymer blends to fine-tune binder performance.—75-04269A
Water-soluble preceramic polymers and methods of their production.—75-03684P
polymorphs/polymorphism,
High-pressure polymorph of titania [observed] by vibrational ball milling.—75-06239A
Molecular dynamic [MD] simulation in titanium dioxide polymorphs: rutile, brookite, and anatase.—75-03807A
New look at the nature of 1-2-3 polymorphism.—75-05801A
X-ray absorption spectroscopy of SiO_2 polymorphs: the structural characterization of opal.—75-03864A
polysilazanes,
Method for producing ceramic products.—75-06094P
Polysiloxane-derived ceramic matrix composites.—75-04142A
Protective electronic coatings using filled polysilazanes.—75-01190P
Silicon nitride ceramic matrix for CMC's from silane-derived Si powders and preceramic polymers.—75-03715A
polytypes,
Estimate of polytype fractions and dislocation density in SiC before and after sintering in Si_3N_4 matrix.—75-06225A
Identification of {2$\bar{1}$10} and {10$\bar{1}$0} Laue patterns of hexagonal and rhombohedral silicon carbide polytypes.—75-03800A
New features of the photoluminescence of SiC (6H), SiC (4H), and SiC (15R).—75-01314A
Raman determination of structures of long-period SiC polytypes.—75-01921A
porcelain enameling,
Available options in porcelain enamel systems.—75-00073A
Benefits from supplier participation in designing parts for porcelain enamel application.—75-00074A
Cobalt-free, black, dual-purpose porcelain enamel glass.—75-07257P
Comparison of test methods used for evaluating porcelain enameled and painted surfaces.—75-00079A
Controlling product design, foundry practices, and enamel plant processes to improve cast iron and porcelain enamel compatibility.—75-00080A
Cost savings and other benefits from ready-to-use materials.—75-00081A
Current environmental regulatory activities.—75-00083A
Early vendor involvement and how to reduce your fabrication costs.—75-00088A
Emerging issues challenging the water heater market.—75-00092A
Enamel modifications required for premilled materials: increased suppler responsibility.—75-00093A
Giants in porcelain enamel.—75-02870A
Gray and other colors for pickle-free cover coat systems.—75-00098A
High growth segment: high-resolution ceramic graphics on steel.—75-00100A
Hot-rolled steels for porcelain enameling.—75-00101A
Humidity effects on electrostatic porcelain enamel powder.—75-00102A
Influence of frit melting point and coefficient of expansion on hairlining.—75-00106A
Investigation of the porcelain enameling of die cast aluminum.—75-00108A
Major types of porcelain enameling furnaces—the advantages and disadvantages of each.—75-01060A
New porcelain enamel plant and its use of new technology software for process control.—75-00114A
Outlook of raw materials used for porcelain enamels.—75-01068A
Physical properties of grate enamel systems.—75-00116A
Porcelain enamel challenge: dare to compare.—75-00117A
Premilled frit as a key factor in deciding to porcelain enamel in-house.—75-00118A
Program for auditing porcelain enamel plants.—75-00123A
Pros and cons of using a premill in a job shop.—75-00125A
Saving money by proper handling of steel.—75-00131A
Taguchi experiments for cast iron grates: 1995 PEI Technical Forum.—75-00140A
Test methods for porcelain enamel—a report on ASTM committee activities.—75-00141A
Today's safety and health issues [in porcelain enameling].—75-02150A
What's happening overseas [in porcelain enameling].—75-00148A
porcelain,
250 years of Hochst porcelain.—75-07058A
Al_2O_3-strengthened feldspathic porcelain bodies: effects of the amount and particle size of alumina.—75-02849A
Animals & Co., 1983-1992.—75-02189A
Barbara Botting.—75-02196A
Bruce Cochrane.—75-02202A
Ceramic properties of electrical porcelain containing alumina.—75-02894A
Chemical composition and microstructure study for the proto-porcelain glaze.—75-07120A
Chemically stable ceramics based on porcelain stone from the Boinaksaiskoe deposit.—75-08757A
Chinese porcelain and technological discovery—a unique cultural environment.—75-00016A
Coille McLaughlin Hooven.—75-02222A
Coloring effects of synthetic inorganic cobalt pigments in fast-fired porcelainized tiles.—75-02860A
Compositions for strengthening porcelain bodies in alumina-feldspar-kaolin system.—75-00282A
Constitution of porcelain before and after heat treatment: II, Aspect ratio and size distribution of mullite.—75-09536A
Creep of porcelain containing silica and alumina.—75-05161A
Cubic leucite stabilization in feldspathic dental porcelain.—75-03644A
Decorating porcelain ware with precious and semiprecious stones and colored glass.—75-07122A
Decoration of porcelain, earthenware, and bone china.—75-05162A
Densification process and mechanical strength of feldspathic porcelain body.—75-08758A
Diopside porcelain.—75-03637A
Diopside: raw material for porcelain production.—75-08759A
Effect of quartz addition on mechanical strength of porcelain bodies prepared from pottery stone.—75-00285A
Features of structure formation and atomistic aspect of the interpretation of solid phase reactions in porcelain.—75-07706A
Fire and light—combining ceramic and photographic processes.—75-02249A
Gift to Renwick.—75-02261A
Granulation without drying.—75-02775A
Growth of porcelain tiles.—75-02777A
Gwen Heffner.—75-02265A
High strength porcelain and method therefor.—75-05170P
Improvement of the stack design for firing faience and porcelain ware.—75-08729A
Influence of electrolytes on the casting properties of porcelain slips.—75-07709A
Injection molding of porcelain.—75-02872A
Machining effects of dental feldspathic porcelain and glass-ceramics.—75-04580A
Marian Baker.—75-04799A
Measurement of bending strength using specimens cut from commercially produced high-strength porcelains.—75-08680A
Miniature porcelain.—75-02298A
Mudflat Studio [Somerville, MA]: 25 years of community claywork.—75-07129A
Old and new in Jingdezhen.—75-02316A
Optimization of porcelain whiteness—especially in fast firing.—75-05166A
Porcelain bodies for potters.—75-02331A
Porcelain, porcelain batch composition, and method for the manufacture of the porcelain.—75-05172P
PSD [particle size distribution] effects on firing properties of porcelains: I.—75-05168A
PSD [particle size distribution] effects on firing properties of porcelains: II.—75-07712A
Reaching to the past.—75-02337A
Richard Shaw.—75-02342A
Slumping earthenware in a sodium vapor atmosphere.—75-00294A
Sorting porcelain tiles.—75-02794A
Steatite diary: I, Technical ceramics: the early years [618 AD through the 1930s].—75-02149A
pore size distribution,
Highly porous sintered parts with a pore size gradient made by centrifugal powder metallurgy.—75-02489A
pores/porosity,
Acousto-ultrasonic study of the effect of porosity on a sintered glass system.—75-04880A
Analysis of the microporosity in pillared clays.—75-06420A
Basic properties of neopore-concrete.—75-07138A
Biaxial fracture criterion for porous brittle ceramics.—75-06943A
Bioceramic materials with controlled porosity for bone implant applications.—75-06064A
Brick firing in the countertravel kiln.—75-00234A
Ceramic adhesive having a sealed porosity.—75-07249P
Characterization of porous glasses by means of porosimetry.—75-02630A
Control of the porous structure of silica gel by the preparation pH and drying.—75-06560A
Corrosion resistance of porous binary titanium and chromium carbides.—75-06920A
Creation of ß-SiC phase crystallites in porous layers of SiC.—75-07814A
Degradation processes in porous high-temperature materials.—75-09612A
Dense hydroxyapatite (HAp) and microporous HAp resorption.—75-01819A
Derivation of the exponential relation for the effect of ellipsoidal porosity on elastic modulus.—75-06200A
Development of a porous ceramic frit for a flow field–flow fractionation instrument.—75-05942A
Dynamic properties of water in porous Vycor glass studied by dielectric techniques.—75-04892A
Effect of CVD conditions on the porosity of zinc sulfide.—75-06575A
Effects of controlled-geometry sinusoidal perturbations on the morphological evolution of pore channels in sapphire.—75-01835A
Engineering a porous composite refractory with low wettability.—75-05090A
Evaluation of ultrasonically determined elasticity-porosity relations in zinc oxide.—75-03562A
Formation of pores and Y_2BaCuO_5-free regions during melt processing of $Y_{1.6}Ba_{2.3}Cu_{3.3}O_x$.—75-08144A
Fractal pore formation during post-HIP annealing of SiAlON ceramics.—75-02053A
Industrial production of high-porosity brick materials.—75-05064A
Influence of α-irradiation on the photoluminescence of porous silicon.—75-07921A
Interrelationship between intensive photoluminescence and surface state in a porous silicon including free-standing films of porous silicon.—75-07939A
Kinetics and spectral distribution of electroluminescence [EL] of porous silicon/metal structures.—75-03073A
Mathematical model of the quasi-stationary process of porous oxidation of metals without chemical dissolution of the oxide.—75-06925A
Measurement of porosity in ceramic coatings by thermogravimetric volatilization of liquids [TVL].—75-08682A
Mechanism of self-formation of nanodimensional structures of porous silicon under currentless etching in water.—75-05377A
Method of increasing strength of porous ceramic brick.—75-07449A
Method of modeling the formation process of porous silica gel structures.—75-05962A
Microporous membranes based on carbonizates of phenol formaldehyde resins.—75-09361A
Modification of the monodispersed pore of silica gel with controlled microporous carbon.—75-01310A
NMR imaging applied to water distribution in porous media.—75-01035A
Novel alkali-resistant porous glass prepared from a mother glass based on the SiO_2-B_2O_3-RO-ZrO_2 (R=Mg, Ca, Sr, Ba, and Zn) system.—75-05030A
Oriented microporous films of tetramethylammonium pillared saponite.—75-06904A
Phosphorescence of aromatic compounds in the porous matrix of sodium borosilicate glass and their interaction with pore walls.—75-07310A
Pore structure evolution in silica gel during aging/drying: IV, Varying pore fluid pH.—75-06708A
Pore structure of hardened portland cement pastes and its influence on properties.—75-02415A
Porous silicon carbide investigated by methods of vibrational and luminescence spectroscopies.—75-05441A
Porous thermal barrier coating.—75-07271P
Preparation and investigation of porous silicon in powdered form.—75-03135A
Primary luminescence of porous silicon.—75-08026A
Processing of thermal insulation materials with controlled porosity.—75-01911A
Quantitative evaluation of immersion liquid technique.—75-08697A
Raman scattering and photoluminescence [PL] of porous silicon.—75-03147A
Rapid processing of carbon-carbon composites by forced flow–thermal gradient chemical vapor infiltration (FCVI).—75-04191A
Relationships between photoluminescence spectra and porosity of porous silicon.—75-01927A
Special features of the evaluation of the pore structure of ceramic filtering materials.—75-05141A
Spectrochemical studies of mesoporous silicate glasses.—75-02608A
Structure of porous silicon studied by second harmonic generation method and atomic force microscopy.—75-08704A
Structure of transparent porous alumina studied by X-ray small-angle [XSA] scattering.—75-06907A
Studies of interfacial behavior in ceramics via microdesigned interfaces.—75-01952A
Synthesis of large pore size and large pore volume aluminas by glycothermal treatment of aluminum alkoxide and subsequent calcination.—75-06809A
Use of different methods of electron microscopy for study of inhomogeneities in porous glasses.—75-05989A
Visible and infrared electroluminescence of porous silicon.—75-03198A
porous materials,
Capillary infiltration rates into porous media with applications to Silcomp processing.—75-01388A
Ceramic filter element for tangential flow filtration of liquids and gases.—75-06080P
Ceramic foam filter having a protective sleeve.—75-06081P
Characterization of nanocrystallites in porous *p*-type 6H-SiC.—75-00428A
Dynamic analysis of pressure infiltration processes.—75-03998A
Gas pressure and temperature dependences of thermal conductivity of porous ceramic materials: II, Refractories and ceramics with porosity exceeding 30%.—75-03897A
Gas-phase forming of anisotropic porous ceramic structures.—75-04054A
Green sheets of controlled microporosity and method of producing same.—75-00007P
Impregnated ceramic core and method of making same.—75-05156P
Infiltration of porous alumina bodies with solution precursors: strengthening via compositional grading, grain size control, and transformation toughening.—75-06645A
Light-emitting properties of porous SiC with different microstructures.—75-09153A
Manufacture of conical pore ceramics by electrophoretic deposition.—75-05922P
Method for forming metal-oxide-modified porous ceramic membranes.—75-01116P
Method for forming porous ceramic materials.—75-03544P
Method for producing ceramic products.—75-06094P
Method of fabricating porous silicon carbide (SiC).—75-06127P
Method of making microcellular ceramic bodies.—75-00996P
Method of obtaining porous solids based on refractory carbide.—75-06131P
Microporous refractory materials for high-temperature applications.—75-07602A
Mold for pressure cast molding a ceramic article formed from an open cell porous material.—75-08610P
Monolithic ceramic supports for filtration membranes.—75-01127P
Nanostructural and nanochemical investigation of luminescent photoelectrochemically etched porous *n*-type silicon.—75-00549A
Oxidation behavior of porous SiC at high temperatures.—75-09596A
Porous ceramic granules.—75-01130P
Porous fluid-permeable moldings of silicon carbide and process of production.—75-06135P
Porous mold for manufacturing ceramics.—75-03547P
Porous silica: a versatile material for microelectronic applications.—75-03133A
Porous silicon [investigated] by scanning tunneling microscopy and atomic force microscopy.—75-04388A

Porous silicon carbide.—75-03747P
Porous silicon oxycarbide glasses.—75-07393A
Preparation of bimodal porous mullite ceramics.—75-04156A
Process for preparing a ceramic porous body.—75-03548P
Process for preparing a ceramic wick.—75-06098P
Simple mathematical model for the electrical conductivity of highly porous ceramics.—75-01341A
Simple mathematical model for the electrical conductivity of highly porous ceramics[—comment].—75-09185A
Simple mathematical model for the electrical conductivity of highly porous ceramics[—reply].—75-09186A
Stratified ceramic body, oxygen sensor using the same, and fabrication method thereof.—75-08786P
Surface mass transport under high-pressure inert gas and hot isostatic process for producing porous materials.—75-09518A
Synthesis of porous barium titanate using emulsification techniques.—75-09475A
Synthesis of porous silicates.—75-06386A
Synthesis, characterizations, and optical properties of stacked porous thin films derived from sol-gel process.—75-04251A
Tribological properties of oil-retaining porous silicon carbide.—75-09688A

portland cement,
Bag-house dust used in clinkerization of portland cements.—75-00024A
Calcium hydroxide saturation factors in the pore solution of hydrated portland cement fly ash pastes.—75-02389A
Effect of carbonation on the nitrogen BET surface area of hardened portland cement paste.—75-04814A
Effect of fly ashes with high total alkali content on the alkalinity of the pore solution of hydrated portland cement paste.—75-00033A
Effectiveness of superplasticizers depending on the amount of alkali in portland cement.—75-07146A
From the plant's history[—an AO Maltsovsky Portland Cement Co. presentation].—75-07150A
Heat consumption for formation of portland cement clinker made of natural mineral mixes.—75-07153A
How is the oldest cement plant in Russia today.—75-07156A
Immobilization of Cs-contaminated zeolite by portland cement.—75-00045A
Introduction to portland cement chemistry.—75-00050A
Mesostructure of calcium silicate hydrate (C-S-H) gels in portland cement paste: short-range ordering, nanocrystallinity, and local compositional order.—75-04822A
Modern concepts of the process of formation of portland cement clinker.—75-07168A
Pore structure of hardened portland cement pastes and its influence on properties.—75-02415A
Properties of gypsum-free portland cement pastes with a low water-to-cement ratio.—75-04828A
Quantitative X-ray diffraction analysis of portland cements.—75-00062A
Rapid evaluation of the water/cement ratio of hardened portland cement paste.—75-04830A
Rheological behavior of the system portland clinker-Na_2CO_3-sulfonated polyphenolate-H_2O.—75-02423A
Statistical analysis of properties of portland cement clinkers.—75-07184A
Technical equipment and problems of ecology.—75-07191A
Viscosity of portland cement paste as a function of concentration.—75-02431A

positive temperature coefficient of resistivity,
Characterization of the firing schedule for positive temperature coefficient of resistance $BaTiO_3$.—75-00431A
Complex plane impedance analyses of electrical properties for $BaTiO_3$-based PTCR ceramics.—75-07808A
Current-limiting property of *n*-$BaTiO_3$ ceramics.—75-05270A
Effect of atmosphere on the PTCR properties of $BaTiO_3$ ceramics.—75-05290A
Grain orientation dependence of the PTCR effect in niobium-doped barium titanate.—75-03037A
Influence of Bi^{3+} ions in enhancing the magnitude of positive temperature coefficients of resistance in *n*-$BaTiO_3$ ceramics.—75-03054A
Modification of PTCR behavior of $(Sr_{0.3}Ba_{0.8})TiO_3$ materials by post-heat treatment after microwave sintering.—75-07976A
Piezoresistive ceramic sensor based on PTCR barium titanate.—75-00689A
Positive temperature coefficient of resistance effect in hot-pressed cristobalite-silicon carbide composites.—75-05442A
Positive temperature coefficient of resistivity effect in undoped barium titanate ceramics.—75-00577A
PTC effect in doped $BaTiO_3$ ceramics: evidence for a bulk contribution.—75-03141A
PTC thermistor.—75-08111P
Semiconductor ceramic device having a ceramic element with negative temperature coefficient of resistance.—75-08112P
Single-grain boundaries in PTC resistors.—75-03164A

positrons,
Positronium formation in SiO_2 films grown on Si substrates studied by nonenergetic positron beams.—75-01608A

potassium,
Actual *p-T* diagram of potassium nitrate.—75-08862A
Appearance of nonlinear optical interactions in $KY(WO_4)_2$ and $KGd(WO_4)_2$ laser crystals.—75-09119A
Bi and O valences in Ba-K-Bi-O, Ba-K-M-Bi-O (M=Rb, La, Eu, In, Tl, and Pb) and the related compounds.—75-06422A
Blue second-harmonic generation in waveguides fabricated in undoped and scandium-doped $KTiOPO_4$.—75-06423A
Broadband near-infrared pulse generation in $KTiOPO_4$.—75-06424A
Characterization of optical waveguides in $KTiOPO_4$ by second harmonic spectroscopy.—75-01805A
Contribution of domain wall energies to the heat of the ferroelectric phase transition in KH_2PO_4 and KD_2PO_4 crystals.—75-08888A
Crystal structure of a new representative of the ring silicates.—75-06191A
Crystal-chemical aspects of three types of cation mobility—dipole ordering, ionic conductivity, and cold nuclear synthesis in orthophosphates of $KTiOPO_4$, $Na_1M_2(PO_4)_3$ (M=Sc, Fe, Cr), $NaTi_2(PO_4)_3$, KD_2PO_4, and related compounds.—75-06195A
Dielectric-metal phase transition and superconductivity in the $Ba_{1-x}K_xBiO_3$ system.—75-08289A
Domain structure–second harmonic generation correlation in potassium niobate thin films deposited on a strontium titanate substrate.—75-08127A
Effect of composition of potassium borate glasses on relaxation properties.—75-04952A
Electron spin resonance study of the effect of thermal history on the structure of potassium silicate glasses.—75-04895A
Electronic dynamical structure model of a $Ba_{0.87}K_{0.13}BiO_3$ crystal.—75-08922A
Epitaxial growth of $RbTiOPO_4$ films on $KTiOPO_4$ substrates by excimer laser ablation technique.—75-01485A
EPR study of the Cu^{2+} impurity centers in the KH_2PO_4 and KD_2PO_4 lattices.—75-05565A
Etching of CdTe in sulfuric acid-potassium bichromate aqueous solutions.—75-05316A
Hydrates of potassium, rubidium, and cesium dihydroarsenates.—75-05587A
Kinetics of acoustic phonons in virtual ferroelectrics of $KTaO_3$.—75-05594A
$LiNO_3$-KNO_3-$Sr(NO_3)_2$ system.—75-06260A
Low-solubility compounds in the $K_4P_2O_7$-$Zn(NO_3)_2$-H_2O system.—75-06264A
Molecular dynamics investigation of structure and transport in the K_2O·$2SiO_2$ system using a partial charge-based model potential.—75-02596A
Nonequilibrium low-solubility solid phase in the $K_4P_2O_7$-$Sr(NO_3)_2$-H_2O system.—75-06291A
Observation of localized domain reversal of iron-doped potassium niobate ($Fe:KNbO_3$) single crystal.—75-00680A
Optical second harmonic generation of oblique incident light in transmission potassium dihydrogen phosphate crystal.—75-06497A
Phase transitions in $BaTiO_3$-$KTaO_3$ solid solutions.—75-05204A
Photorefractive effect in Cu- and Ni-doped $KNbO_3$ in the visible and near-infrared.—75-01331A
Possibilities of potentiometric determination of potassium in some silicate raw materials.—75-03589A
Potassium substitution in the $Bi_2Sr_2CaCu_2O_y$ superconductor.—75-05815A
Prediction of the phase complex of quaternary reciprocal systems of Na, K‖F, CO_3, $MoO_4(WO_4)$.—75-09042A
Preparation and phase relations of the ß- and ß˝-alumina materials in the ternary system K_2O-MgO-Al_2O_3.—75-06717A
Process for producing single crystal of potassium niobate.—75-06099P
Raman scattering spectra and phase transition in a potassium lithium bisulfate crystal $[K_4LiH_3(SO_4)_4]$.—75-06332A
Range profiles of 600–1200-keV Xe^+ implanted in $KTiOPO_4$.—75-01337A
Sol to gel reaction in the K_2O-Al_2O_3-SiO_2 system.—75-06352A
Structural response of $KTiOPO_4$ to electrical fields: effects due to low-frequency modulation.—75-00606A
Synthesis and characterization of $(Sr_{1-x}K_{2x})Zr(PO_4)_6$ ceramics.—75-06789A
Synthesis and properties of vanadates of $M_5V_3O_{10}$ (M=K, Rb, Cs, Tl).—75-06520A
Thermal effects in KH_2PO_4 and KD_2PO_4 crystals in ferroelectric phase transitions.—75-09204A
Thermal reduction of $KTiOPO_4$ single crystals.—75-01251A
Tunneling measurement of the quasi-particle lifetime in $Ba_{1-x}K_xBiO_3$.—75-00892A
Two-phase K-Na feldspar from Sikhote-Alin and the structure of its K component.—75-08767A

potentiometers/potentiometry,
Point of zero charge [pzc] of CeO_2.—75-03823A
Possibilities of potentiometric determination of potassium in some silicate raw materials.—75-03589A

potters,
Back to basics.—75-02194A
Bill Campbell.—75-02199A
Bobby Silverman—an autobiography.—75-02201A
Bruce Cochrane.—75-02202A
Celia Cymbalista—an autobiography.—75-02209A
Ceramics in Northern Ireland—more there than the troubles.—75-02211A
China Diary.—75-02215A
Collaborative throwing.—75-02223A
Daphne and Gary Hatcher.—75-04791A
David MacDonald.—75-07121A
Desert light.—75-02233A
Don't put out the flames.—75-02238A
Elisabeth Anderson.—75-02243A
Exercises for a healthy back.—75-02245A
Finding your niche.—75-04793A
Four functional potters.—75-02254A
Frank Philipps—rollin' the dice.—75-02256A
Gaining and maintaining exhibition support.—75-02259A
Glenda Taylor.—75-02262A
Gregory Zeorlin.—75-02264A
International Cone Box Show.—75-02272A
James Lovera.—75-07126A
Journeying 10 000 miles.—75-02278A
Ken Price—personal influences.—75-02282A
Laser-engraved surfaces.—75-02284A
Making pots at Silver Dollar City.—75-02287A
Meditations on the garden pot.—75-02292A
My work as a potter.—75-02305A
Northern stars—women potters from Canada and Minnesota.—75-02314A
Northwest ceramics pioneers.—75-02315A
Pat Charley—pattern and influences.—75-02321A
Peruvian expressions.—75-02326A
Porcelain bodies for potters.—75-02331A
Potters of San Vicente de Nicoya[, Guanacaste, Costa Rica].—75-02332A
Reflection of environment.—75-02338A
Rich Hepp's Robledo Mountain Pottery.—75-07131A
Ron Roy's ole black magic.—75-02349A
Salty Dog Pottery: 20 years on.—75-02351A
Sandy Vitarelli—a potter in Maui.—75-02354A
Shopping for bargains at the tax fair.—75-04749A
Starting over.—75-02361A
Svend Bayer.—75-02366A
Tharu potters of Nepal.—75-02369A
They call him Lud.—75-02371A
Trials and tribulations of turning professional.—75-02374A
Wood firing in Jamaica.—75-02382A
Worker's compensation.—75-04767A

pottery,
$1200 studio.—75-02175A
17th Fletcher Challenge Award.—75-02176A
1994 Fletcher Challenge Award.—75-02177A
25 years at Frog Hollow[, Vermont].—75-02179A
25th anniversary show at Jane Hartsook Gallery.—75-02180A
2nd annual strictly functional.—75-02181A
50 years at the School for American Craftsmen.—75-02183A
9th San Angelo Competition.—75-02184A
Arch 191.—75-02191A
Bacia Edelman.—75-02193A
Baptism through fire.—75-02195A
Bill Campbell.—75-02199A
Bruce Winn.—75-02203A
Burlon Craig.—75-02205A
Ceramic analysis and social processes—pottery and society in antiquity.—75-00013A
Ceramic variability and production—a case study in pre-Islamic Southeast Arabia.—75-00014A
Challenge of making pots at a university.—75-02213A
Chris Carter.—75-02217A
Collaborative throwing.—75-02223A
Continental drift.—75-02227A
Creative process.—75-02228A
David Shaner—notes from a friend.—75-02229A
Design and durability assure Denby's [Denby, UK] popularity.—75-00283A
Diane Kenney.—75-02235A
Don't put out the flames.—75-02238A
Eduardo Andaluz.—75-02241A
Emma Luna.—75-04792A
Fifth Annual California Conference.—75-02248A
Fire in the woods.—75-02250A
Floating pottery of Myanmar.—75-04794A
Following anagama tradition.—75-02252A
Form and function in Baltimore.—75-02253A
Four functional potters.—75-02254A
Frank Philipps—rollin' the dice.—75-02256A
From the potter's wheel to the computer.—75-04795A
Functional/sculptural concerns.—75-02257A
Fusz Gyorgy.—75-02258A
Gathering of tea.—75-02260A
Greek folk pottery.—75-02263A
Hawaiian functional forms.—75-02267A
Hilary LaForce.—75-02269A
In their cups.—75-07124A
Jackie Chalkley anniversary exhibition.—75-02273A
Jatun Molino—a pottery village in the Ecuadorian Amazon basin.—75-02274A
Journeying 10 000 miles.—75-02278A
Joys of pottery making.—75-04797A
Justin Novak—consumer confidence.—75-02279A
Ken Ferguson's legacy.—75-04798A
Ken Price—personal influences.—75-02282A
Laser-engraved surfaces.—75-02284A
Late Predynastic Egyptian black-topped ware—a study in ceramic specialization and chronology.—75-00019A
Leslie Lee.—75-02285A
Making a puzzle mug.—75-07128A
Making pots at Silver Dollar City.—75-02287A
Mary and Edwin Scheier.—75-02290A
Mary Lou Deal.—75-02291A
Meditations on the garden pot.—75-02292A
Metamorphosis of a small business.—75-02294A
Miniature porcelain.—75-02298A
Monk potter.—75-02301A
Mysterious hole—determining correct burner-orifice size.—75-02306A
NEA fellowships.—75-02309A
New artists tea party.—75-02310A
New look at some old glazes.—75-02311A
Oregon Showcase '94.—75-02317A
Out of the Earth Into the Fire: A Course in Ceramic Materials for the Studio Potter.—75-02166B
Outside in bowls.—75-02318A
Pigeon castles in Saudi Arabia.—75-02329A
Pinched for time.—75-02330A
Quantifying culture change in the ancient Near East—multivariative statistical analysis of Second Millenium BC pottery from Pella in Jordan.—75-00020A
Raku how-to—gloss crackle glazing.—75-02334A
Reflections on wood firing.—75-02339A
Rich Hepp's Robledo Mountain Pottery.—75-07131A
Richard Aerni.—75-02341A
Robert Sunday.—75-02345A
Salty Dog Pottery: 20 years on.—75-02351A
San Francisco fair connections.—75-02353A
Sandy Vitarelli—a potter in Maui.—75-02354A

Side firing—where the life is.—75-02356A
Single-fired ash glazing.—75-02357A
Smoke-fired pottery.—75-02359A
Strictly functional.—75-02362A
Susan Low-Beer.—75-02365A
Svend Bayer.—75-02366A
Sylvia Netzer's Post-Toxic Neo-Plastic.—75-02367A
Tharu potters of Nepal.—75-02369A
Their own voices.—75-02370A
Thrapsano: Crete's center of traditional pottery.—75-04802A
Trials and tribulations of turning professional.—75-02374A
Using pottery to interpret the past—Astarte figurines in Late Bronze Age Palestine, a case study.—75-00021A
Vallauris Biennial.—75-02376A
Wilton Pottery.—75-04805A
Wood firing in Jamaica.—75-02382A

powder metallurgy,
Design and production of an intermetallic gradient material by using a variant of reactive powder metallurgy.—75-02451A
Highly porous sintered parts with a pore size gradient made by centrifugal powder metallurgy.—75-02489A
Pilot study related to the continuous fabrication of FGM strip by powder metallurgy.—75-02523A

powders,
γ-Fe_2O_3 nanoparticle preparation from oxidation of iron powder synthesized by laser-induced decomposition of $Fe(CO)_5$.—75-03945A
Advanced ceramic powder and nanosized ceramic powder: an industry and market overview.—75-04674A
Alumina powder—relations between powder properties and microstructure.—75-01376A
Aluminum nitride powder capable of forming colored sintered body and process for preparing same.—75-06114P
Apparatus for making nanostructured ceramic powders and whiskers.—75-08552P
Apparatus for producing nanoscale ceramic powders.—75-03539P
Appearance of self-deformation during hydrostatic compression of powders consisting of submicronic ionic-covalent single crystals.—75-09604A
Auger electron spectroscopy of aluminum nitride powder surfaces.—75-03765A
Behavior of a pressed mixture of two oxide powders during heating.—75-09221A
Behavior of cohesive powder in the biaxial tester.—75-05936A
Binder for producing articles from particulate materials.—75-00991P
Carbothermal synthesis of submicrometer ß-SiC powder using double precursor reaction mixture.—75-01390A
Ceramic armor materials derived from combustion synthesized powders.—75-08797A
Ceramic Injection Molding.—75-07103B
Ceramic powder synthesis—current status and future challenges.—75-01394A
Ceramic Transactions, Volume 62: Science, Technology, and Commercialization of Powder Synthesis and Shape Forming Processes.—75-04768B
Characterization of high-area $Mg_xFe_2O_{3+x}$ ($0 \le x \le 2$) monophase powders by vibrational spectroscopies.—75-06177A
Characterization of nanocrystalline oxide powders prepared by CO_2 laser evaporation.—75-06864A
Characterization of ultrafine alumina powder produced by wet milling.—75-01396A
Commercialization of powder synthesis processes.—75-04692A
Comparison of particle size analyzers and evaluation of the measuring technique with fine ceramic powders: I, Oxide powders.—75-08642A
Constitutive model for dry cohesive powders with application to powder compaction.—75-06558A
Continuous process for production of ceramic powders with controlled morphology.—75-03669P
Creep failure process for fine powder beds by tensile loading.—75-06955A
Effect of Si_3N_4 powder surface chemistry on densification and secondary phase distribution.—75-01463A
Effects of starting materials on properties of hydroxyapatite powders prepared by spray pyrolysis technique.—75-09297A
Effects of temperature and atmosphere on the formation mechanism of barium titanate using the citrate process.—75-04018A
Evaluation of fine ceramic raw powders with particle size analyzers having different measuring principles and the problem.—75-08669A
Expansion behavior of powder compacts during spinel formation.—75-09547A
Experimental installation for vibropressing articles from powder materials.—75-05093A
Factors affecting the machinability of fine ceramic powder compacts.—75-01498A
Fine grinding.—75-06608A
Fine structural features in α-silicon nitride powder particles and their implications.—75-01219A
Formation mechanism of fine $BaTiO_3$ powder from spray pyrolysis.—75-01507A
Formation of monodisperse spherical TiO_2 powders by thermal hydrolysis of $Ti(SO_4)_2$.—75-09316A
Gas condensation of ultrafine silicon particles using dc magnetron sputtering.—75-04053A
High-T_c superconducting ceramic oxide products and macroscopic and microscopic methods of making the same.—75-00903P
High-pressure cold isostatic pressing of ultrafine oxide powders.—75-06635A
High-resolution electron microscopy study of hydroxyapatite.—75-01861A
High-temperature properties of silicon nitride ceramics and their dependence on starting powder.—75-01296A
Homogeneous salt and hydroxide systems as precursors for preparing ceramic powders.—75-09331A
Hydrothermal preparation of $Na_1Ti_2(PO_4)_3$ fine powders.—75-04071A
In situ characterization of ceramic fine powders produced by a nebulization process.—75-04341A
In situ production of silicon carbide-containing ceramic composite powders.—75-06123P
Influence of powder properties on the sintering of polyaromatic mesophases to high-strength isotropic graphite.—75-01543A
Interaction between binder and powder in injection molding of alumina.—75-06660A
Issues in powder forming technologies.—75-04716A
Jig and method for isostatically pressing ceramic powder.—75-00994P
Kinetics and mechanism of the oxidation of ZrC.—75-04432A
Laboratory device for sedimentation separation of powders.—75-03575A
Liquid precursor infiltration processing of powder compacts: I, Kinetic studies and microstructure development.—75-01560A
Liquid precursor infiltration processing of powder compacts: II, Fracture toughness and strength.—75-01561A
Low-temperature synthesis of mullite powders by the emulsion route.—75-06675A
Master sintering curve: a practical approach to sintering.—75-09358A
Mechanical behavior of sintering powder compacts.—75-01308A
Mechanism of nitridation of silicon powder in a fluidized-bed reactor.—75-01570A
Metal/metalloid nitride/carbide ceramic powders prepared by flash pyrolysis.—75-07264P
Metastable zirconia phases prepared from zirconium alkoxide and yttrium acetylacetonate: II, Hot isostatic pressing of tetragonal zirconia solid solution powders.—75-06681A
Method for generation of finely divided reactive plutonium oxide powder.—75-00937P
Method for manufacturing high-T_c superconductor coils.—75-00907P
Method for producing a piezoceramic.—75-00714P
Method for producing an elongated sintered article.—75-08597P
Method for producing fine particles of barium ferrite.—75-00765P
Method for producing nitride ceramic powders.—75-03742P
Method for producing stabilized zirconium oxide powder.—75-01118P
Method of making moisture-resistant aluminum nitride powder and powder produced thereby.—75-08605P
Method of manufacturing a powdery AlN.—75-06130P
Monolithic refractory powder mixture.—75-07699P
Necessity for establishment of international standards for powders.—75-07088A
New method for measurement of powder characteristics based on reentrainment phenomena.—75-05966A
Non-Newtonian effects of powder-lubricant slurries in hydrostatic and squeeze-film bearings.—75-04607A
Observations related to hydrogen in powder and single-crystal samples of $YBa_2Cu_3O_{7-\delta}$.—75-03386A
Oxidation of TiB_2 powders below 900°C.—75-02011A
Oxidation of ultrafine (Si-)SiC powders.—75-06931A
Periclase refractories from imported powders.—75-05117A
Polymerized complex route to synthesis of pure $Y_2Ti_2O_7$ at 750°C using yttrium titanium mixed metal citric acid complex.—75-04141A
Powder and bulk solids '94.—75-04730A
Preparation and characterization of C_{60} powder.—75-04146A
Preparation of Al_2O_3-TiO_2 nanocomposite powder.—75-06720A
Preparation of aluminum nitride powder from a (hydroxo)(succinato)aluminum(III) complex.—75-06723A
Preparation of high α-type silicon nitride powder.—75-03749P
Preparation of high α-type silicon nitride powder.—75-06136P
Preparation of high density zirconium diboride ceramics with preceramic polymer binders.—75-03751P
Preparation of mixed powders.—75-08782P
Preparation of ultrafine zirconia powder by emulsion method.—75-09401A
Process for aluminum nitride powder production.—75-08615P
Process for making ultrafine ceramic particles.—75-05929P
Process for preparing fine powder of perovskite-type compound.—75-03676P
Process for preparing silicon carbide powder from vaporized polysiloxanes.—75-01187P
Process for producing a highly crystalline, fine α-alumina powder.—75-01132P
Process for producing a tetragonal phase zirconia ceramic.—75-01133P
Process for production of fine α-alumina powder.—75-03678P
Process to reclaim UO_2 scrap powder.—75-08624P
Production of ultrafine alumina powders and fabrication of fine-grained strong ceramics.—75-06752A
Reducing PIM [powder injection molding] design-to-manufacture cycle time with process modeling and die design expert system.—75-05972A
Review of ceramic powder compositions and their manufacturing routes.—75-00985A
Self-propagating high-temperature synthesis of TiN powder.—75-09430A
Shock-induced and shock-assisted solid-state chemical reactions in powder mixtures.—75-01659A
SHS powders—the present and future.—75-01660A
SiC nanopowder by high-temperature pyrolysis.—75-04210A
SiC—now and future: I.—75-06513A
Silicon nitride powder and method for producing the same.—75-06141P
Silicon nitride powder and silicon nitride-containing aqueous slurry.—75-06142P
Silicon nitride/silicon carbide composite powders.—75-08848P
Silicon-aluminum mixed oxide.—75-01136P
Sintering and microstructural development of ceria-gadolinia dispersed powders.—75-04219A
Sintering behavior of precursor mullite powders and resultant microstructures.—75-09438A
Sintering kinetics study of zirconia powder compact—analysis of a flow model.—75-04221A
Sintering studies on submicrometer-sized Y-Ba-Cu oxide powder.—75-05831A
Sol-gel synthesis of monoclinic phase of barium aluminosilicate ceramics.—75-06772A
Spraying of zirconium diboride powder by an electrical column explosive technique and its mechanism.—75-01680A
Structural and FTIR spectroscopic studies of gel-xerogel-oxide transitions of SnO_2 and SnO_2:Sb powders and dip-coated films prepared via inorganic sol-gel route.—75-06371A
Surface state analysis of wet ground silicon nitride powders by X-ray photoelectron spectroscopy.—75-01249A
Synthesis and properties of BaO-Al_2O_3-$2SiO_2$-SrO-Al_2O_3-$2SiO_2$ (BAS-SAS) ceramics.—75-01094A
Synthesis of ceramic powders by novel microwave-hydrothermal processing.—75-04242A
Synthesis of ultrafine ceramic powders with integration of solvent extraction.—75-04249A
Synthesis of ultrafine metallic powders in a dc plasma reactor by chemical vapor deposition.—75-04250A
Thermal spray abradable powder for very high temperature applications.—75-08634P
Thermal spray powder of tungsten carbide and chromium carbide.—75-01201P
Tribological and mechanical properties of ceramics sintered from powders obtained by self-propagating high-temperature synthesis.—75-09684A
Tube-making mechanism having a fill tube for depositing a ceramic powder into the tube as it is being made.—75-08636P
Use of a finely divided, refractory, oxidic micropowder for preparing ceramic masses and moldings.—75-00280P
Use of colloidal and surface chemistry for processing nanosized ceramic powders.—75-01739A
Vapor phase synthesis of titanium nitride powder.—75-06828A
Visualization of atmospheric pressure chemical vapor deposition and powder spray pyrolysis by laser light scattering.—75-03604A
Zirconia fine powder by hydrothermal process.—75-09491A

power,
Development of a three dimensional power circuit package for aircraft applications.—75-00458A
Development of an advanced hermetic power package for a solid state power controller.—75-00459A
Electromagnetic interference study of a multi-chip carrier power hybrid.—75-00331A
High-temperature superconducting current limiter.—75-08458P
Hybrid microsystem using a high voltage solar cell array as a power supply.—75-00509A
Lateral power MOSFET structure using silicon carbide.—75-08104P
Miniature high frequency planar thick film transformer.—75-00544A
Power hybrid packaging technique remains the packaging tecnique of choice for high power density circuits.—75-00363A
Progress towards developing a planar solid oxide fuel cell at Ceramic Fuel Cells Limited [Clayton, Australia].—75-00980A
Semiconducting properties of TiO_2.—75-00594A
Sintering of ceramics using low-frequency rf power.—75-01666A
Thermal effects in integratable power semiconductor devices.—75-00616A
Tl-based superconductors for high-current, high-field applications.—75-08442A
Transport in $BaTiO_3$.—75-00385A

praseodymium oxide,
Microstructure and crystal phases of praseodymium oxides in zinc oxide varistor ceramics.—75-05385A

praseodymium,
Conditions for transition to superconducting state in the YREBaCuO (RE=Pr, Nd) system.—75-08276A
Effect of Pr and Ca substitution on superconductivity in $Y_{(1-x-y)}Pr_xCa_y)Ba_2Cu_3O_{7-\delta}$).—75-05756A
Effect of praseodymium on the dynamics of domain walls in iron garnet films with rhombic magnetic anisotropy.—75-08206A
Effect of the sintering temperature and atmosphere on the grain growth and grain boundary phase formation of Pr-doped ZnO varistor.—75-07855A
Electronic structural differences of $RBa_2Cu_3O_{8\pm1}$ (R=Y, Pr, and Nd) single crystals probed by soft X-ray absorption spectroscopy.—75-05765A
Ferroelectric and piezoelectric studies of lanthanum- and praseodymium-modified $Ba_2AgNb_5O_{15}$ ceramics.—75-05575A
Ferroelectrical properties of the borosilicates $LnBSiO_5$ (Ln=La, Pr) in the structural family of stillvellite.—75-05582A
Improved Pr^{3+}-doped heavy metal fluoride glasses and fibers.—75-04905A

Low-temperature mechanical energy dissipation phenomena in praseodymium-doped yttrium superconductors.—75-03378A
Magnetic order of Pr ions in related perovskite-type Pr 123 compounds.—75-03380A
Magnetic ordering of Pr in $Pb_2Sr_2PrCu_3O_8$.—75-01226A
Microstructure in mixed phases of $BaTi_4O_9$-$BaPr_2Ti_4O_{12}$ ceramics.—75-06899A
New Pr-doped laser crystals of alkaline-earth rare-earth binary tungstate compounds.—75-08996A
Optical properties of Pr^{3+} ions in lithium borate glasses.—75-07358A
Phase equilibria in the Pr_2S_3-Pr_2O_3-In_2S_3 ternary system.—75-06305A
Superconducting device structure with Pr-Ba-Cu-O barrier layer.—75-03440P

precalcination,
Optimization of a precalciner kiln—a case study.—75-01063A

preceramic,
Ceramic matrix composites by a preceramic polymer route.—75-03962A
Curing of preceramic articles with gaseous hydrogen halide.—75-08571P
High-density zirconium diboride ceramics prepared with preceramic polymer binders.—75-08828P
Ion irradiation of preceramic polymer thin films.—75-06664A
Method for preparation of a functionally gradient material.—75-04878P
Method of making a ceramic tube.—75-08600P
Preceramic polycyclomethylsilazanes: chemistry of processing.—75-04145A
Preparation of high density zirconium diboride ceramics with preceramic polymer binders.—75-03751P
Water-soluble preceramic polymers and methods of their production.—75-03684P

precipitates,
Alpha-Si_3N_4 precipitation in C/C-SiC composites from inherent fiber impurity sources.—75-03952A
Direct observation of diffraction arcs from nanoscale precipitates in steels by highly brilliant and focused synchrotron radiation beam and imaging plate.—75-01824A

precipitation/precipitators,
Calcium phosphate materials prepared from precipitates with various calcium:phosphorus molar ratios.—75-09226A
Calcium silicate hydrate [observed] by the precipitation method.—75-04809A
Characterization of barium titanate prepared by precipitation technique.—75-06176A
Chemical preparation of lead-containing niobate powders.—75-06548A
Coating of yttria precursor on AlN powder by in situ precipitation.—75-06551A
Diamond precipitation and single-crystal homoepitaxial growth in the system Ag-C-H.—75-09259A
Effect of calcium phosphate ceramic composition and structure on in vitro precipitation reactions.—75-01830A
Effect of competing precipitation sites on distribution of nitrogen implanted in silicon under buried layer formation.—75-03001A
Effects of Al_2O_3 particles on the precipitation of AA6061 aluminum based metal matrix composites.—75-02460A
Effects of dopants on arsenic precipitation in GaAs deposited at low temperatures.—75-02902A
Features of the precipitation processes and properties of Si layers produced by a plasmochemical spray method with electron beam activation of gases.—75-09308A
Fundamentals of electrostatic precipitation at high temperatures and high pressures.—75-05901A
Growth of SiC epitaxial layers during chemical deposition from CH_3SiCl_3-H_2 vapor.—75-03040A
Impurity precipitation in CdTe doped with indium after annealing and [I$^+$] ion and electron irradiation.—75-07918A
New processing techniques for the production of pressureless sintered SiC parts.—75-01593A
Plasmochemical precipitation of silicon nitride [SiN_xH_y] films in the SiH_4-Ar-N_2 system studied by optical emission spectroscopy.—75-06707A
Precipitation and relaxation in strained $Si_{1-y}C_y$/Si heterostructures.—75-00578A
Precipitation of hydroxyapatite under stearic acid monolayers.—75-06710A
Precipitation of lead zirconate titanate powders under hydrothermal conditions.—75-08163A
Precipitation of SiO_2 layers from gas streams during activation of reagents by an electron beam.—75-09171A
Precipitation of SnO_2 films with set grain size.—75-06711A
Precipitation of the Pb compound from Pb-substituted Bi-2201 phase—comparison of precipitation behavior in the 2201 and the 2223 phase.—75-00845A
Preparation of monodispersed spherical zirconia particles by homogeneous precipitation.—75-04161A
Preparing pigments by precipitation.—75-02884A
Properties of Al_2O_3-15 vol% ZrO_2 ceramics prepared by precipitation.—75-04617A
Properties of zirconia powders produced by homogeneous precipitation.—75-03828A
Real-time hot-stage high-voltage transmission electron microscopy precipitation of CdS nanocrystals in glasses: experiment and theoretical analysis.—75-00221A
Recycling of electrostatic precipitator dust from glass furnaces.—75-03640A
Surface processes during plasmochemical precipitation of films of A_2B_6 semiconducting compounds.—75-08068A
Synthesis of hydroxyapatite powders by homogeneous precipitation method and their thermal changes.—75-09470A
Thermodynamic analysis of the precipitation process from gas phase of $(AlN)_x(SiC)_{1-x}$ solid solutions.—75-06393A
Uniform precipitation of yttria-stabilized zirconia.—75-05150A
Zirconium nitride precipitation in nominally pure yttria-stabilized zirconia.—75-01258A

precursors,
Boron carbide preparation by highly reactive precursors.—75-09224A
Ceramic fibers from sol-gel precursors.—75-01392A
Ceramic Precursor Technology and Its Applications.—75-02155B
Characterization of aluminum nitride from a precursor poly(isopropyliminoalane).—75-09528A
Chemical Processing of Ceramics.—75-02163B
Controlling properties of DLC [diamondlike carbon]: effects of pressure and precursor dilution.—75-09246A
Diamond growth precursor dependence in an electron cyclotron resonance plasma system.—75-08906A
Homogeneous salt and hydroxide systems as precursors for preparing ceramic powders.—75-09331A
Influence of some precursors on the physicochemical characteristics of transition aluminas for the preparation of ceramic catalytic filters.—75-04082A
Liquid precursor infiltration processing of powder compacts: I. Kinetic studies and microstructure development.—75-01560A
Liquid precursor infiltration processing of powder compacts: II. Fracture toughness and strength.—75-01561A
Method for the preparation of precursors for superconductors and compounds thus obtained.—75-08470P
Methods for fabricating shapes by use of organometallic, ceramic precursor binders.—75-00999P
Microstructure and crystallization behavior of TiO_2 precursor prepared by the sol-gel method using metal alkoxide.—75-03805A
Organometallic chemical vapor deposition: the roles of precursor design and growth ambient in film properties.—75-04130A
Poly(B-alkenyl-borazine) ceramic precursors.—75-08838P
Polymer precursor for silicon carbide/aluminum nitride ceramics.—75-03746P
Polymer precursors for aluminum nitride containing ceramics from polymeric precursors.—75-01183P
Polymer precursors for aluminum nitride.—75-06134P
Polymetalosilazane, process of producing same, silicon nitride based ceramic, and process of preparing same.—75-01184P
Precursor for ceramic coatings.—75-03748P
Preparation of a metallorganic deposition precursor for barium titanate.—75-01619A
Preparation of high density titanium carbide ceramics with preceramic polymer binders.—75-03750P
Preparation of PZT ceramics from a peroxide precursor.—75-01625A
Preparation of strontium titanate using strontium titanyl oxalate as precursor.—75-06737A
Preparation of thermally stable aluminas by hydrothermal treatment of an alkoxide-derived gel.—75-06738A
Preparation of YBCO superconductor thin film by spin-coating method with metallorganic precursors.—75-05818A
Process for making ultrafine ceramic particles.—75-05929P
Process for manufacturing SiC-based ceramic precursors.—75-01186P
Processing of CMCs from organometallic precursors.—75-04184A
Silicon-aluminium nitride ceramic and precursor compounds, processes for their preparation, and their use.—75-03757P
Sol-gel precursors: a spectroscopic study of transesterification reactions between silicon and titanium alkoxides.—75-06353A
Solid-state synthesis of precursor $MgNb_2O_6$ for the preparation of $Pb(Mg_{1/9}Nb_{2/9})O_9$.—75-06775A
Synthesis of yttrium aluminum garnet from yttrium and aluminum isobutyrate precursors.—75-01724A

preforms,
Fabrication of optical fiber preform by CIP forming technique.—75-08522A
Method and apparatus for preparing metal-ceramic composite body.—75-04877P
Method for producing ceramic products.—75-06094P

preheating,
Batch and cullet preheating for oxyfuel melting—the new paradigm for competitive advantage.—75-01055A
CVD diamond production using preheating.—75-08823P

preparation,
γ-Fe_2O_3 nanoparticle preparation from oxidation of iron powder synthesized by laser-induced decomposition of $Fe(CO)_5$.—75-03945A
Adhesion of diamond coatings synthesized by oxygen-acetylene flame CVD on tungsten carbide.—75-09213A
Alumina catalyst support preparation.—75-08770P
$Bi_2Sr_2CaCu_2O_x$ films prepared by chemical vapor deposition (CVD).—75-08266A
Boron carbide preparation by highly reactive precursors.—75-09224A
Calcium phosphate type reference material—development, preparation, and characterization.—75-01077A
Cathodoluminophors based on yttrium oxyorthosilicate prepared by sol-gel technique.—75-09232A
Cd_2SnO_4 thick layers prepared by the squeezing and sintering technique.—75-06543A
Ceramic Transactions, Volume 68: Hybrid Microelectronic Materials.—75-04774B
Chalcogenide films: electric conductivity and preparation by chemical deposition.—75-02702A
Characterization of $Pb_{0.97}Nd_{0.03}(Zr_{0.55}Ti_{0.45})O_3$ thin films prepared by pulsed laser ablation.—75-00429A
Characterization of $Tl_2Ba_2CaCu_2O_8$ films prepared by laser ablation of $Ba_2CaCu_2O_x$ precursor targets and ex situ thalliation.—75-08272A
Conductivity measurements of various yttria-stabilized zirconia samples.—75-06434A
Dense silica coatings on ceramic powder particles.—75-01423A
Deposition and conducting properties of $BaPbO_3$ thin films.—75-00453A
Deposition of diamond using an electron cyclotron resonance plasma system.—75-01430A
Diamondlike carbon films prepared from polymer.—75-09262A
Effect of aging on the preparation and properties of titania sols.—75-01446A
Effects of monosubstituting chelating agents on $BaTiO_3$ prepared by the sol-gel process.—75-06593A
Growth of epitaxial 2H-silicon carbide by pulsed laser deposition.—75-00503A
Growth, preparation, and surface modification of microcrystalline diamond powder for the synthesis of diamond ceramics.—75-09325A
Heavy clay preparation turned "fine."—75-05061A
High-T_c superconductivity in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_{2+x}O_y$ [x=1.6, 1.8, 2] compounds.—75-08332A
High-density production of carbon nanotubes in contact arc discharge at low helium pressure.—75-01522A
Increase in shock resistance of glassware via change in technological history.—75-02658A
Influence of additives on kinetic behavior of SiO_2-C-N_2 system.—75-06646A
Influence of annealing and surface chemical treatment of glass electrodes from lithium silicate glasses on the value of their asymmetric potential.—75-05020A
Influence of preparation conditions of glassy electrodes from lithium silicate glasses on the value of their asymmetric potential.—75-05021A
Influence of substrate temperature on physical structure of AlN thin films prepared on polycrystalline $MoSi_2$ by rf magnetron sputtering.—75-01546A
Method for preparing a cermet-coated article.—75-07266P
Method for preparing a modified solid oxide.—75-08595P
Method for the preparation of precursors for superconductors and compounds thus obtained.—75-08470P
Nanocoated particles: a special type of ceramic powder.—75-04119A
New polymeric route to silicon carbide and silicon nitride using elementary silicon as starting material.—75-06694A
New route for the obtention of cadmium antimony oxide semiconducting ceramic powders.—75-03098A
New synthetic route to hydroxyapatite coatings.—75-06695A
Oxide high-temperature superconducting material, method of preparing same, and superconducting wires.—75-08478P
Particulate silicon nitride based composites[—review].—75-06498A
Piezoelectric ceramic-polymer composite material and method for preparing the same.—75-08186P
Plasma-assisted two-stage selenization process for the preparation of selenide semiconductor thin films using elemental selenium vapor.—75-00573A
Poly(B-alkenyl-borazine) ceramic precursors.—75-08838P
Powder preparation and densification of $MgSiN_2$.—75-01609A
Powder preparation, mechanical and electrical properties of cubic zirconia ceramics.—75-09378A
Powder processing of $Bi_{1.84}Pb_{0.35}Sr_{1.91}Ca_{2.05}Cu_{3.05}O_{10+x}$.—75-00844A
Preparation and characterization of $(Bi_2S_3)_{1-x}(CdS)_x$ solid solution thin films.—75-00579A
Preparation and characterization of Al-doped ZnO transparent conducting thin film by sol-gel processing.—75-09379A
Preparation and characterization of alumina dispersed in Y-TZP.—75-01612A
Preparation and characterization of Bi-based single crystals of high-T_c superconductors.—75-05816A
Preparation and characterization of Bi-based single crystals of high-T_c superconductors.—75-05817A
Preparation and characterization of C_{60} powder.—75-04146A
Preparation and characterization of heavy metal oxide glasses: Bi_2O_3-PbO-B_2O_3-GeO_2 system.—75-05033A
Preparation and characterization of nanocrystalline powders of cuprous oxide by γ-radiation.—75-06713A
Preparation and characterization of phenol resin coatings containing silicon.—75-09381A
Preparation and characterization of SiC nanofibrils.—75-09382A
Preparation and characterization of strontium stannate.—75-06716A
Preparation and dielectric properties of lead iron niobate ceramics.—75-00364A
Preparation and electrical properties of sintered $Mn_{2-x}Co_{2x}Ni_{1-x}O_4$ ($0 \le x \le 1$) spinel-type oxides.—75-01614A
Preparation and evaluation of ferroelectric thin films.—75-00690A
Preparation and high-temperature strengthening of tetragonal zirconia-mullite whisker composites.—75-01615A
Preparation and investigation of porous silicon in powdered form.—75-03135A
Preparation and magnetic properties of BaM films with excellent crystallinity by Xe sputtering.—75-03327A
Preparation and magnetic properties of nanocrystalline $LiFe_5O_8$.—75-05704A
Preparation and microstructure of Al_2O_3-TiC composites by self-propagated high-temperature synthesis.—75-04151A
Preparation and microstructure of Si_3N_4-SiC multiphase ceramics using nano-size and submicron-size SiC powders.—75-04152A
Preparation and microstructures of micrograined PSZ(MGPSZ) ceramics.—75-04153A
Preparation and properties of $ABCO_4$ mixed oxides (A=Sr, Ba; B=La, Nd; C=Al, Ga).—75-09384A
Preparation and properties of CdO-SnO_2 complex oxide powders.—75-05444A
Preparation and properties of fibrous boehmite sol and its application for thin porous membranes.—75-06718A

Preparation and properties of new perovskite-like compounds in Ba-Pb-Cu-O system.—75-00849A
Preparation and properties of some lithium borate based glasses.—75-05034A
Preparation and sintering of alumina-coated SiC whiskers and particles.—75-01618A
Preparation and size control of cube-shaped hydrous titanium oxide fine particles by a colloid aging method.—75-09387A
Preparation and structural study of sodium germanium phosphate-sodium titanium phosphate solid solutions: II. Evolution of thermal expansion with composition.—75-01909A
Preparation and study of the structure and physicochemical properties of TiO_2-fixed montmorillonite.—75-06719A
Preparation and thermal stability of an Si+aluminoborosilicate glass composite.—75-07360A
Preparation conditions for aragonite whiskers by carbonation process.—75-09388A
Preparation of α- and ß-tricalcium phosphate ceramics, with and without magnesium addition.—75-04155A
Preparation of alumina gels by a nonhydrolytic sol-gel processing method.—75-06722A
Preparation of aluminum nitride powder from a (hydroxo)(succinato)aluminum(III) complex.—75-06723A
Preparation of barium titanate fine particles from chelated titanium and barium nitrates by the mist decomposition method in air.—75-06725A
Preparation of bimodal porous mullite ceramics.—75-04156A
Preparation of Ca-ß´´-Al_2O_3 from alumina gel.—75-09389A
Preparation of CaF_2 fibers.—75-09390A
Preparation of ceramic composite powders from waste colliery minestones.—75-04158A
Preparation of diamondlike carbon and boron nitride films by high-intensity pulsed ion beam deposition.—75-09392A
Preparation of diamondlike carbon films by high-intensity pulsed ion beam deposition.—75-01622A
Preparation of epitaxial indium tin oxide films on ZrO_2 substrates by magnetron sputtering.—75-09393A
Preparation of gelatinous aluminum hydroxide from aqueous solutions of aluminum salts containing sulfate group with alkali.—75-09395A
Preparation of high-strength calcium phosphate ceramics with low modulus of elasticity containing ß-$Ca(PO_3)_2$ fibers.—75-06073A
Preparation of highly concentrated alumina suspension through investigation of proton adsorption density.—75-09397A
Preparation of $LiSbO_3$ thin films from metal alkoxides.—75-09399A
Preparation of Mn-containing mixed oxide thin films by a dip coating method using metal naphthenates.—75-01623A
Preparation of monodispersed spherical silica-alumina particles by hydrolysis of mixed alkoxides.—75-04160A
Preparation of mullite fiber.—75-04162A
Preparation of multilayer composites by combination of centrifugal filter pressing and rate-controlled sintering.—75-01624A
Preparation of multilayered thin silicon-on-insulator structure.—75-07746A
Preparation of nanometric SiC-Si_3N_4 composite powders.—75-04163A
Preparation of porous Cr_3C_2 grains with Cr_2O_3.—75-06733A
Preparation of PZT ceramics from a peroxide precursor.—75-01625A
Preparation of semiconductive epitaxial $BaTiO_3$ thin film and its electrical properties.—75-08025A
Preparation of Si_3N_4 by carbothermal reduction of digested rice husk.—75-04165A
Preparation of SiAlON valves for gasoline engine.—75-03708A
Preparation of SiC platelet by a mechanical process.—75-04167A
Preparation of silica from rice husks.—75-06734A
Preparation of single-phase $Pb(Mg_{1/3}Nb_{2/3})O_3$ samples utilizing information from solubility relationships in the Pb-Mg-Nb–citric acid–H_2O system.—75-06735A
Preparation of sinterable ultrafine zirconia [ZrO_2-3 mol% Y_2O_3] powder by emulsion method.—75-04169A
Preparation of special-shaped γ-AlOOH γ-Al_2O_3 ultrafine powders by hydrothermal reaction method.—75-04170A
Preparation of spherical TiO_2 particles by an emulsion method using $TiCl_4$.—75-04171A
Preparation of stainless steel/ZrO_2(3Y) functionally gradient material.—75-02528A
Preparation of strontium titanate using strontium titanyl oxalate as precursor.—75-06737A
Preparation of thin metal oxides by Langmuir-Blodgett film deposition.—75-04172A
Preparation of thin sections of coated fibers for characterization by transmission electron microscopy.—75-06739A
Preparation of transparent, electrically conducting ZnO film from zinc acetate and alkoxide.—75-06741A
Preparation of uniform grain size $YBa_2Cu_3O_{7-x}$ ceramics from sedimented single-crystalline powder fractions.—75-08401A
Preparation of YBCO superconducting nanocomposite films by MOCVD.—75-00852A
Preparation of zirconium boride powder.—75-04175A
Preparation, characterization, and properties of a Ti-Al-O-N composite with high TiN concentration.—75-01627A
Properties of alumina aerogels prepared under different conditions.—75-06505A
Properties of CeO_2-Al_2O_3-SiO_2 glasses prepared in air.—75-04990A
Properties of PZT ceramics prepared from aqueous solutions.—75-03253A
Properties of submicron cemented carbides prepared by using finely ball-milled powders.—75-00124A
SiC-reinforced $MoSi_2$ composite materials.—75-04212A
Spherical particle preparation of Na^+ ion conductive $Na_xZr_2Si_yO_{12}$ [NZS] by mist pyrolysis.—75-06778A
TEM studies on the morphology, size distribution, and structure of nanocrystalline iron particles using a Formvar embedded preparation technique.—75-01964A
Textured $YBa_2Cu_3O_{7-x}$ superconductor.—75-05848A
Ultrathin film preparation of superconducting 2223 Bi(Pb)SrCaCuO by sputter deposition and rapid annealing.—75-08444A
Usefulness of alumina-coated SiC whiskers in the preparation of whisker-reinforced alumina ceramics.—75-04268A
Zircon ceramics prepared from hydrous zirconia and amorphous silica.—75-06832A
Zirconia-based organic precursor infiltration as a method for preparation of ZTA ceramics: II, Sintering and materials behavior.—75-06835A
Zirconium oxide fibers and process for their preparation.—75-08793P

presses/pressing,
30-MN OP [oil hydraulic press] system.—75-05054A
Advanced flexible design of hydraulic refractory presses.—75-07457A
Advancing numerical control.—75-05055A
Creating a complete pressing center.—75-05057A
Developing optimal pressing.—75-05058A
Dust pressing process speeds plate production.—75-02865A
Dust pressing process speeds plate production.—75-02866A
Evolution in presses.—75-03520A
Experimental installation for vibropressing articles from powder materials.—75-05093A
Filter pressing of alumina dispersions.—75-04045A
Intelligent forming.—75-09722A
Materials Science and Technology—A Comprehensive Treatment: Volume 17A, Part I, Processing of Ceramics.—75-07109B
Morphological analysis of structural features of equipment for semidry pressing.—75-07608A
New trends in refractory pressing technology.—75-07613A
New trends in refractory pressing technology.—75-07614A
Requirements and testing methods for ceramic press granulates.—75-05973A
Sintering kinetics of TSTC-42-1 piezoceramics prepressed under high pressure.—75-05637A

pressure,
10 kbar phase equilibria in the Y-Ba-Cu oxide system at 950°C.—75-00767A
Binary system of BN-Mg_3N_2 under high pressures and temperatures.—75-06165A
Comparison of the compressive yield response of aggregated suspensions: pressure filtration, centrifugation, and osmotic consolidation.—75-08883A
Compressional study of $MgSiO_3$ orthoenstatite up to 8.5 GPa.—75-03774A
Controlling properties of DLC [diamondlike carbon]: effects of pressure and precursor dilution.—75-09246A
Dynamic analysis of pressure infiltration processes.—75-03998A
Effect of external pressure on phase precipitation in copper halide photochromic glasses.—75-02710A
Effect of pressure during deposition on the growth of gold thin films on polycrystalline γ-Al_2O_3.—75-06581A
Effects of sputtering pressure and nitrogen concentration of the preferred orientation of AlN thin films.—75-03792A
Enabling technologies for low-cost high-volume pressure sensors.—75-00483A
Experimental determination of phase relations in the $CaSiO_3$ system from 8 to 15 GPa.—75-03797A
Experimental study of the influence of uniaxial pressure on the effects of hot holes in *p*-germanium in longitudinal electric fields.—75-05319A
Fabrication of functionally gradient materials by powder consolidation technique using underwater-shock pressure.—75-02477A
First-principles calculation of the elastic stiffness tensor of aluminum nitride under high pressure.—75-03894A
Gas pressure and temperature dependences of thermal conductivity of porous ceramic materials: II, Refractories and ceramics with porosity exceeding 30%.—75-03897A
Hydrostatic pressure on $HgBa_2CaCu_2O_{6+\delta}$ and $HgBa_2Ca_2Cu_3O_{8+\delta}$.—75-00811A
In situ liquid pressure measurements using a hypodermic needle: constant rate pressure casting.—75-03570A
Influence of processing pressure on the formation of the high-T_c phase in Bi-Pb-Sr-Ca-Cu-O superconductors.—75-05783A
Magnetoresistance of metastable high-pressure phases.—75-05373A
MgO at high temperatures and pressures: shell-model lattice dynamics and molecular dynamics.—75-06272A
New aspects of alumina-pressure casting.—75-01592A
Phase transitions in III-V compounds to megabar pressures.—75-05420A
Prediction of a high-pressure phase transition in Al_2O_3.—75-03824A
Preliminary investigation of sanitary ware slip and influencing factors for a pressure cast system.—75-02883A
Pressure and temperature effects on the kinetics and quality of diamond films.—75-01628A
Pressure behavior of α-cristobalite.—75-03825A
Pressure casting in the sanitary ware industry.—75-02885A
Pressure casting rate analysis using a baroid filter press.—75-03593A
Pressure casting rates.—75-06744A
Pressure casting sanitary ware.—75-05167A
Pressure of phosphorus in equilibrium with solid InP at different temperatures.—75-05447A
Pressure slip casting of silicon nitride.—75-01630A
Shaping of ceramic components by pressure filtration.—75-04205A
Sintering of Synroc.—75-01669A
Synthesis of boron nitride by self-propagating reactions at high pressure.—75-09467A
Thermo-emf and electrical resistivity of CuO single crystals under high pressures.—75-09207A
Ultrasonic behavior of ferrimagnetic yttrium iron garnet (YIG) crystal under pressure.—75-03338A

pretreatment,
Properties of mechanochemically pretreated precursors of doped $BaTiO_3$ ceramics.—75-06507A

printing,
Ceramic decoration by the four-color process.—75-04788A
Decorating options advance with pad printing.—75-02231A
Image-wise poled ferroelectric layers for printing application.—75-05588A
Method of applying a ceramic image to a complex ceramic article.—75-00296P

probes,
Method of using oxygen measuring probe.—75-07377P
Spatial and temporal probes of fracture, wear, and deformation.—75-04628A
Zn-exchanged γ-zeolites studied with CO and xenon as probes.—75-06416A

processing,
ACerS 96th Annual Meeting/Exposition.—75-04673A
Advanced refractory ceramic-matrix composites from polymer precursor for working temperatures up to 1700°C.—75-02806A
Al_2O_3/SiC nanocomposites by hybrid polymer and powder processing.—75-09215A
AlN ceramics prepared by aqueous colloidal processing.—75-01373A
Alumina ceramics by sol-gel technique.—75-06537A
Applications of microwaves for ceramic processing.—75-09218A
Applied dilatometry and intelligent processing of ceramics.—75-01381A
Auto-ignition processing of nanocrystalline CaO-doped ZrO_2 powders.—75-09220A
Ball clay basics.—75-06019A
Biomimetic process for producing SiC wood.—75-01387A
Biomimetics: a novel approach to materials design and processing.—75-04678A
Biotechnological enrichment and conditioning of minerals—refractory magnesite as a case study.—75-08513A
Borosilicate glass.—75-07409P
Ceramic ball finishing by magnetic fluid grinding.—75-09233A
Ceramic fibers for functional composite materials.—75-03961A
Ceramic Injection Molding.—75-07103B
Ceramic Transactions, Volume 59: Theory and Application in Materials Processing III.—75-02160B
Ceramics in Canada—an update.—75-04686A
Ceramitec continues to grow.—75-02758A
Ceramitech '94.—75-04688A
Characterization of microwave-processed ZnO.—75-01804A
Chemical processing and dielectric properties of $BaTiO_3$ ceramics.—75-00432A
Chemical Processing of Ceramics.—75-02163B
Chemically bonded ceramic processing of monocalcium aluminate.—75-03970A
Colloidal processing and fracture strength of alumina prepared from partially agglomerated theta-phase powder.—75-09243A
Colloidal processing of ceramics—technology and science.—75-01402A
Commercialization of microwave processes.—75-01405A
Commercialization—steps to successful applications and scaleup: May 1, 1995.—75-02118A
Construction and use of mathematical models of tunnel furnaces.—75-03609A
Containerless automated processing of single-crystal NiAl and intermetallic polyphase composites.—75-09245A
Controlling and understanding the variables: key to commercializing microwave processing of advanced materials.—75-02121A
Convection drying of porous material.—75-02764A
CVI processing of ceramic matrix composites.—75-03984A
Development of new low expansion ceramics—CMZP and modified ß-eucryptite.—75-01145A
Devitrification behavior of oxynitride glasses.—75-02643A
Economic considerations of relations between silicon nitride powder quality and material properties.—75-02126A
Effect of annealing on the superconductivity of $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals.—75-00787A
Effect of silver volume fraction on Bi (2223) phase in $Bi_{1.5}Pb_{0.5}Sr_2Ca_2Cu_3O_x$-Ag composite processed in air.—75-03361A
Effect of various processing methods on the state of 6H-SiC(000l) surface.—75-06588A
Effects of temperature and atmosphere on the formation mechanism of barium titanate using the citrate process.—75-04018A
Electronics processing in the '90s.—75-04705A
Equipment supplier's role in process development.—75-02128A
Evidence of carbon retention in $YBa_2Cu_3O_{7-x}$ ceramics and its effect on the superconducting properties.—75-08312A
Excimer laser surface processing of alumina substrates.—75-01489A
Experimental design and neural networks in ceramic processing.—75-01491A
Femtosecond laser processing of CVD diamond.—75-09309A
Ferroelectric-based microactuators.—75-05581A
Fifty years of mineral and materials synthesis.—75-01501A
FMC begins construction of new soda ash production facility.—75-02718A
Formation of pores and Y_2BaCuO_5-free regions during melt processing of $Y_{1.6}Ba_{2.3}Cu_{3.3}O_z$.—75-08144A
Graded casting: process control for producing tailored profiles.—75-01514A
Guidelines for large-scale MW [microwave] processing of hard metals.—75-01024A
Gyrotron system for ceramic sintering.—75-00955A

High-performance cement-based materials.—75-00041A
High-resolution electron microscopy studies on silicon nitride ceramics.—75-04339A
Intelligent process control of silicon nitride chemical vapor deposition.—75-03523A
Laser processing of ceramics of the SiO_2-Al_2O_3 system.—75-06670A
Layered ceramics.—75-09353A
Machining of CMC materials using YAG laser.—75-04099A
Materials processing via variable frequency microwave irradiation.—75-00963A
Materials Science and Technology—A Comprehensive Treatment: Volume 17A, Part I, Processing of Ceramics.—75-07109B
Materials Science and Technology—A Comprehensive Treatment: Volume 17B, Part II, Processing of Ceramics.—75-07110B
Mechanochemical treatment of zircon sand and $ZrSiO_4$ amorphization at ordinary temperature.—75-04108A
Method for producing an elongated sintered article.—75-08597P
Microelectronics packaging moves toward miniaturization.—75-02917A
Microprocessing of superconductive thin films by excimer laser.—75-00830A
Microstructural evolution during transient plastic phase processing of titanium carbide–titanium boride composites.—75-06891A
Microwave processing of polyimide thin films for electronics.—75-00352A
Microwave processing: steps to successful commercialization—panel discussions.—75-02134A
Microwave raytracing in large overmoded industrial resonators.—75-00965A
Mosaic challenges.—75-02303A
New generation castables for the hydrocarbon processing industry.—75-07611A
New state-of-the-art slurry plant provides precise formulations.—75-02785A
New technique for lapping ceramic balls.—75-03530A
Novel approach in the melt texturing of $YBa_2Cu_3O_{7-y}$.—75-03385A
NTC thermistor manufacturing.—75-00356A
Obstacles and remedies in microwave processing research and commercialization—an open forum.—75-01601A
Parameter for the evaluation of sintering of ceramic materials.—75-03532A
Particle characterization in ceramic processing.—75-01039A
Phase relationships in the Si_3N_4-SiC-La_2O_3-Y_2O_3-SiO_2 system under high-pressure gas processing.—75-09034A
Plasma synthesis of nanoscaled Si_3N_4, SiC, and Si_3N_4-SiC composite powders.—75-01606A
Polymerized complex route to barium titanate powders using barium-titanium mixed-metal citric acid [CA] complex.—75-08161A
Powder and bulk solids '94.—75-04730A
Preceramic polycyclomethylsilazanes: chemistry of processing.—75-04145A
Prediction of processing properties for nuclear waste glasses.—75-03486A
Predictive process control: varying raw materials properties can produce constant body properties.—75-03591A
Process commercialization: don't risk losing the benefits by ignoring the hazards.—75-02142A
Process for producing a casting ceramic.—75-08617P
Process study for making high-density bulk silica from silicone resin.—75-09407A
Processing and characteristics of spin-cast ferroelectric $Bi_4Ti_3O_{12}$ thin films.—75-00692A
Processing and characterization of SiCw-AlN composites.—75-04179A
Processing and flexural behavior of alumina multilayer structures.—75-04181A
Processing and fracture behavior of hot-pressed silicon carbide whisker reinforced alumina.—75-04616A
Processing and phase evolution in ZnO varistor prepared by oxide coprecipitation.—75-00581A
Processing and properties of Al_2O_3-Cu composites.—75-07226A
Processing and properties of Al_2O_3/SiC nanocomposites.—75-01633A
Processing and properties of barium titanate/polymer hybrid materials by sol-gel method.—75-02931A
Processing and properties of $La_{1-x}A_xCo_{1-y}Fe_yO_{3-\delta}$ (A=Sr,Ca) perovskites.—75-02932A
Processing and tribology of alumina-graphite composites.—75-09664A
Processing of a novel multilayered silicon nitride.—75-06746A
Processing of ceramic-metal composites (cermets) Al_2O_3-TiC_xN_{1-x}-Mo_2C-Ni.—75-00121A
Processing of copper thick film materials for hybrid circuits.—75-00367A
Processing of CVD diamond with uv and green lasers.—75-09408A
Processing of gradient materials with directed electrochemical oxidation of carbon foams.—75-03533A
Processing of mullite and its composites: II.—75-06748A
Processing trends in tile manufacturing.—75-02790A
Processing/recycling for waste materials of high-technology industries.—75-08539A
Production of submicron glass spheres from immiscible glass phases.—75-07398A
Properties of aluminosilicate fiberboard.—75-03919A
Pulsed power processing of CVD diamond.—75-09411A
Quasi-optical gyrotron materials processing at Los Alamos.—75-00981A
Quick change system for submerged entry nozzles.—75-05124A
Rainbows and Ferrofilms—smart materials for hybrid microelectronics.—75-03254A
Recent advances in diamond-based multichip modules (MCMs).—75-08040A
Recent development of high alumina refractories in China.—75-02831A
Relic processing of fine-scale, large-area piezoelectric ceramic fiber/polymer composites.—75-03255A
SHS powders—the present and future.—75-01660A
Silicon nitride materials for engine applications.—75-03718A
Sol-gel-derived ferroelectric films as high dielectric constant materials.—75-03259A
Springback in dry pressing: time, additive, and processing effects.—75-04228A
Stacking fault structures in melt-processed $YBa_2Cu_3O_{7-\delta}$ superconductors.—75-03405A
Status and perspective for processing of advanced ceramics.—75-04752A
Steiger blending plant: processed clays from Meissen.—75-00987A
Synthesis and physical properties of nanosized silicon nitride produced by LICVD.—75-04238A
Taguchi experiments for cast iron grates: 1995 PEI Technical Forum.—75-00140A
Techniques for the characterization and quality control of hydroxyapatite raw materials and coatings.—75-01095A
Temperature measurement during microwave processing.—75-01728A
Thermogravimetric study of yttrium isopropoxide and dispersant burnout in aluminum nitride ceramic processing.—75-06821A
Thin/thick film ceramic sensors.—75-01732A
Toward economical processing of composites.—75-04761A
Ultrafine alumina particles prepared by mechanochemical/thermal processing.—75-09486A
Ultrafine alumina-coated silicon carbide particles for alumina-silicon carbide nanocomposites.—75-04264A
Ultrasonic-assisted grinding of high-performance ceramics.—75-05917A
Understanding and improving processing through interpreting and manipulating predictive models.—75-03601A
Unreacted cement content in macrodefect-free composites: impact on processing-structure-property relations.—75-04837A
Use of a variable frequency source with a single-mode cavity to process ceramic filaments.—75-01738A
Using natural clays.—75-02375A
World Congress on Microwave Processing.—75-02154A

production processes,

Abrasive material based on zirconium corundum, a process for its production, and its use.—75-07115P
Accelerated drying of tableware.—75-02848A
Advanced ceramics in Taiwan.—75-04675A
Advances in multilayer ceramic capacitor technology.—75-02890A
Advantages of isostatic pressing.—75-02751A
Alumina.—75-06016A
Aluminum nitride from inorganic polymers.—75-06113P
Aluminum nitride powder capable of forming colored sintered body and process for preparing same.—75-06114P
Aluminum nitride refractory materials and methods for making the same.—75-07696P
Aluminum nitride sintered body and method of producing the same.—75-08817P
Aluminum nitride sintered body and method of producing the same.—75-08818P
Aluminum nitride.—75-06017A
Aluminum-containing oxide and process for producing aluminum-containing oxide.—75-01099P
Andalusite.—75-06018A
Apparatus and method for chemical vapor deposition of diamond.—75-01155P
Apparatus and method for chemical vapor deposition of diamond.—75-03943P
Apparatus and method for forming diamond coating.—75-08550P
Apparatus and method for synthesizing diamond in supercritical water.—75-01156P
Ash-based ceramic materials.—75-08553P
Ball clay.—75-06020A
Barium carbonate.—75-06021A
Barium titanate.—75-06022A
Basic principles for selecting terminals.—75-07137A
Bauxite.—75-06023A
Boron.—75-06024A
Calcium aluminate cements.—75-04808A
Carborundum Co., Ceramic Fibers Group.—75-04684A
Casting of particle-based hollow shapes.—75-00992P
Cement kiln refractories—recent trends of development.—75-07489A
Cement production and use in Italy.—75-02390A
Cement production can be ecology-friendly.—75-07139A
Century of SiC.—75-03688A
Ceramic composition for thermistor, thermistor element, and process for producing same.—75-05521P
Ceramic fiber and process therefor.—75-03728P
Ceramic fiber-reinforced composite articles and their production.—75-01104P
Ceramic honeycomb structural body.—75-08559P
Ceramic manufacturing—optimizing a multivariable system.—75-02115A
Ceramic Transactions, Volume 66: Challenges in Ceramic Product Development, Manufacture, and Commercialization.—75-04772B
Ceramic variability and production—a case study in pre-Islamic Southeast Arabia.—75-00014A
Cermets based on transition metal borides, their production and use.—75-02566P
Characterizations of carbon-carbon composites elaborated by a rapid densification process.—75-03966A
Chemical and physical properties of white cement concrete.—75-02391A
Chemical vapor deposition of polycrystalline diamond with orientation and growth facets.—75-03729P
Chromite.—75-06025A
Cold process for hydroxyapatite coatings.—75-06085P
Colors for ceramic bodies.—75-02861A
Continuous process for production of ceramic powders with controlled morphology.—75-03669P
Continuous thin diamond film and method for making same.—75-01160P
Controlled removal of ceramic surfaces with combination of ion implantation and ultrasonic energy.—75-03541P
Controlling product design, foundry practices, and enamel plant processes to improve cast iron and porcelain enamel compatibility.—75-00080A
Conversion of fullerenes to diamonds.—75-06121P
Copper oxide superconductor, a process for its production, and a copper complex used therein.—75-08455P
Cost-effective production techniques for continuous fiber-reinforced ceramic matrix composites.—75-01416A
Crystallization and crystallizing processes to produce controlled-properties solid particles.—75-05895A
Current status and future trends in refractory development in India.—75-07501A
Design of processing technology for advanced structural ceramics.—75-00949A
Designing ecologically safe cement production upgrades.—75-07143A
Development of Skid Brick for pickling process.—75-07444A
Diamond/industrial.—75-06027A
Diatomite.—75-06028A
Dolomite.—75-06029A
Ecology and cement production.—75-07144A
Ecology and liveability become the motto of the brick industry.—75-00242A
Economic forecast 1994-95.—75-04702A
Effectiveness of new technological schemes in cement production.—75-08519A
Exergetic analysis with reduction of power consumption in cement technology.—75-08721A
Fabrication of fiber-reinforced composites.—75-05920P
Fabrication of SiC matrix composites by liquid phase infiltration with a polymeric precursor.—75-04036A
Feldspar.—75-06030A
Filling of small, storey-high channels in reinforced masonry to give a sealed microstructure.—75-00243A
Floor and wall tile production through a multipurpose body.—75-02772A
Fluorspar.—75-06031A
Garnet/industrial.—75-06032A
Glass compositions and fibers therefrom.—75-07421P
Glass compositions and fibers therefrom.—75-07422P
Glass production method using ilmenite.—75-07423P
Graphite, natural and synthetic.—75-06033A
Gunnable plastics double service life.—75-02821A
HF-CVD method for forming diamond.—75-01169P
High index glasses.—75-07429P
High modulus glass-ceramics containing fine grained spinel-type crystals.—75-05048P
High-T_c superconductor and process for preparing it.—75-00904P
Hot blast stove design—Indian perspective.—75-07569A
Industrial production of high-porosity brick materials.—75-05064A
Industrial waste as raw material for cement production.—75-07160A
Injection molding of ceramics using a polyacetal-based binder system.—75-03522A
International activities in research and production of ceramics.—75-07083A
Kaolin.—75-06036A
Kiln for the production of ceramic products and process for the operation of the kiln.—75-06015P
Lithium minerals.—75-06038A
Lithium niobate crystal wafer, process for the preparation of the same, and method for the evaluation thereof.—75-03266P
Long-term prediction of the activity of an enameling plant.—75-02874A
Low-cost diamond production with large plasma torches.—75-08532A
Magnesia/magnesite.—75-06039A
Magotteaux-Slegten-Sturtevant optimized cement grinding system.—75-00053A
Manufacture and use of synthetic wollastonite in production of fast-fired ceramic tiles.—75-00244A
Manufacture of silicon carbide foam from a polyurethane foam impregnated with resin containing silicon.—75-03736P
Manufacturing costs of cement industry production.—75-09727A
Maximovers aid glaze manufacture.—75-02877A
Method for enhancing aluminum nitride.—75-08592P
Method for growing continuous diamond films.—75-03739P
Method for manufacturing an aluminum oxide sintered body.—75-07265P
Method for molding a ceramic port liner.—75-05924P
Method for preparation of a functionally gradient material.—75-04878P
Method for producing ceramic long body.—75-08598P
Method for producing ceramic parts.—75-08106P
Method for producing nitride ceramic powders.—75-03742P
Method for production of diamond particles.—75-06095P
Method for production of platelike hydroxyapatite.—75-01119P
Method for reducing shrinkage during firing of ceramic bodies.—75-05925P
Method of coating a ceramic body.—75-00995P
Method of making a diamond film.—75-01177P
Method of making a modified ceramic-ceramic composite.—75-01123P
Method of making analogs of ß-alumina.—75-06096P

Method of making artificial layered high-T_c superconductors.—75-03434P
Method of making cordierite bodies.—75-01124P
Method of making microcellular ceramic bodies.—75-00996P
Method of manufacturing a honeycomb structure of thermostructural composite material.—75-00997P
Method of manufacturing a powdery AlN.—75-06130P
Method of manufacturing cavitied ceramic multilayer block.—75-00998P
Method of manufacturing multilayer electronic component.—75-00401P
Method of obtaining porous solids based on refractory carbide.—75-06131P
Method of producing diamond of controlled quality.—75-08609P
Method of producing silicon carbide single crystals by sublimation recrystallization process using a seed crystal.—75-01179P
Method of producing superconductor which exhibits critical current density bifurcation.—75-05877P
Methods for densifying and strengthening ceramic-ceramic composites by transient plastic phase processing.—75-03672P
Methods for forming artificial diamond.—75-06132P
Mica.—75-06040A
Modern burning technique with PYRORAPID short rotary kiln and PYROCLON-LowNO_x precalciner.—75-01061A
Modernization of Volga-75 grate coolers at AO Gornozavodsktsement Co.—75-08733A
Modernizing sanitary ware production.—75-05165A
Mullite.—75-06043A
New corporate identity to serve customers.—75-04728A
New feldspar producer enters market.—75-01067A
New generation of process optimization systems for the cement industry.—75-00057A
Nitride glasses and methods of making same.—75-07433P
Olivine.—75-06045A
Oxide superconducting material, process for preparing the same, and applications thereof.—75-08481P
Pardo, glaze technology.—75-02787A
Partially crystalline, transitional aluminum oxides, methods for their synthesis and use for obtaining molded articles, which consist essentially of gamma-Al_2O_3.—75-01129P
Perlite.—75-06046A
Pfaltzgraff, a pioneer in new technology.—75-02881A
Piezoelectric ceramic composition.—75-08184P
Piezoelectric ceramic material including processes for preparation thereof and applications therefor.—75-08185P
Porcelain, porcelain batch composition, and method for the manufacture of the porcelain.—75-05172P
Porous fluid-permeable moldings of silicon carbide and process of production.—75-06135P
Porous silicon carbide.—75-03747P
Possible ways to save energy in cement production.—75-08737A
Preparation of high α-type silicon nitride powder.—75-03749P
Preparation of high α-type silicon nitride powder.—75-06136P
Preparation of mixed powders.—75-08782P
Preparation of superconducting oxides by oxidizing a metallic alloy.—75-03436P
Pressure slip casting process for making hollow-shaped ceramics.—75-01000P
Pricing the extraction of minerals in cement industry.—75-07175A
Problems calculating and classifying production costs in cement industry production.—75-09731A
Process and molding compound for producing inorganic sintered products by injection molding.—75-01001P
Process for aluminum nitride powder production.—75-08615P
Process for drip casting silicon nitride slurries.—75-06138P
Process for forming a refractory oxide coating.—75-01131P
Process for forming ceramic laminates.—75-08616P
Process for inductive heating of ceramic shaped parts.—75-01003P
Process for making ultrafine ceramic particles.—75-05929P
Process for preparing a ceramic porous body.—75-03548P
Process for preparing a ceramic wick.—75-06098P
Process for preparing $YBa_2Cu_3O_{7-x}$ superconductors.—75-08483P
Process for producing a highly crystalline, fine α-alumina powder.—75-01132P
Process for producing a tetragonal phase zirconia ceramic.—75-01133P
Process for producing bodies based on boron carbide by pressureless sintering.—75-08618P
Process for producing high strength alumina.—75-03677P
Process for producing lithium niobate single crystal.—75-08188P
Process for producing oxide superconductor.—75-05879P
Process for producing synthetic quartz glass powder.—75-08621P
Process for production of fine α-alumina powder.—75-03678P
Process for production of joined ceramic body.—75-08622P
Process for production of transition alumina.—75-08623P
Process for the preparation of zirconia.—75-03679P
Process for the production of a homogeneous ream-free body made of quartz glass.—75-02747P
Process for the production of silicon nitride.—75-06139P
Process of making thin-film 2H-α-SiC by laser ablation.—75-08110P
Product review—the latest in technology.—75-04731A
Product showcase '95.—75-04732A
Production and properties of alkali-activated slag cement (ASC) based on synthetic slag from fly ashes.—75-00059A
Production of carbides and nitrides.—75-08839P
Production of high-quality silica bricks for use in coke ovens.—75-07635A
Production of low-soda alumina.—75-08626P
Production of strontium titanate thin films.—75-08627P
Production of synthetic rutile.—75-01073P
Production of ultrafine alumina powders and fabrication of fine-grained strong ceramics.—75-06752A
Properties of SiC-SiC composites produced using CVR converted graphite cloth to SiC cloth.—75-04188A
Pusher mechanism for IS glass-forming machine.—75-08751P
Pyrophyllite.—75-06049A
Questions to Pierre-Claude Aitcin, Program Leader, Network of Centres of Excellence on High Performance Concrete, Universite de Sherbrooke.—75-04737A
Questions to Thomas J. Pasko, Jr., Director, Office of Advanced Research, Federal Highway Administration, McLean, Virginia.—75-04738A
Rapid prototyping of functional ceramic composites.—75-05909A
Rare earths.—75-06050A
Rare-earth elements in cement production materials.—75-07180A
Red ceramic molded bodies as well as processes for their production.—75-00255P
Refractories development for iron- and steelmaking in China.—75-05127A
Roller kiln improves ware production.—75-03629A
Scandia.—75-06054A
Scope and limits of climate-controlled convection drying.—75-00253A
Set up for making shaped ceramic composites with the use of a barrier means and articles produced thereby.—75-00167P
SiC fibers from modified polyorganosilanes: production, properties, and applications.—75-04209A
Silica.—75-06055A
Silicon carbide.—75-06056A
Silicon nitride ceramic and cutting tool made thereof.—75-08843P
Silicon nitride ceramics.—75-04214A
Silicon nitride powder and method for producing the same.—75-06141P
Solid electrolyte ceramic.—75-07277P
Sorting porcelain tiles.—75-02794A
Special features of the technology of continuous production of sheet figured glass with an elevated content of glass scrap.—75-02744A
Spray drying.—75-06780A
Status of certification of cement industry production.—75-07185A
Status of ferrite technology for high volume microwave applications.—75-00759A
Strong growth in ball and china clays.—75-02796A
Strontium.—75-06057A
Structures superconductor tracks and process for making them.—75-00918P
Superconductor and method of producing same.—75-08491P
Superior Graphite dedicates 8-SiC plant.—75-04757A
Surface-modified pyrogenically produced aluminum oxide.—75-01137P
Talc.—75-06058A
Tharu potters of Nepal.—75-02369A
Theory and practice of cement burning system.—75-01065A
Thermal removal of binders from ceramic particle bodies.—75-01004P
Thermocouple, the heart of the kiln.—75-03632A
Trends in steel plant refractories—present and future.—75-07685A
Tunnel kiln for China.—75-03633A
Vermiculite.—75-06060A
Wollastonite.—75-06061A
Zinc oxide.—75-06062A
Zircon.—75-06063A

propagation,
Relationship between field direction and wave propagation in activated combustion synthesis.—75-06757A
Self-propagating high-temperature synthesis flammable range and dominant parameters for synthesizing several ceramics and intermetallic compounds under heat-loss condition.—75-09429A

prosthetic ceramics,
Gelcasting of alumina for prosthetics.—75-01086A
Lifetime performance of bioceramics for biomedical prosthesis applications.—75-06108A
New medical material based on metastable form of carbon.—75-08808A
Two and three dimensional finite element analyses of a PSZ ceramic femoral knee prosthesis.—75-01097A

protection,
Article having a protective coating simulating brass.—75-07240P
Method of making ceramic composite bodies having a protective surface region thereon and bodies made thereby.—75-08604P
Possibilities and limits of wear protection through advanced ceramics.—75-09663A

protons,
Ac and dc electrochemical investigation of protonic conduction in calcium-doped barium cerate ceramics.—75-05174A
Characterization of proton exchange lithium niobate waveguides.—75-00639A
Defect formation in silicon exposed to proton bombardment.—75-02990A

pullout,
Consideration of radial dependences of axial stresses in the shear-lag model for fiber pullout.—75-04465A
Effect of the loading system on the stress distribution in the fully embedded fiber pullout test.—75-04503A
Interfacial debonding and fiber pullout stresses: V. A methodology for evaluation of interfacial properties.—75-05952A
Pullout behavior of corrugated steel fibers.—75-04829A
Single-fiber pullout test [analyzed] using Raman spectroscopy: III. Pullout of Nicalon fibers from a Pyrex matrix.—75-05979A

pulse,
Pulse/proportional jet firing at work.—75-03627A

pumps,
Nonicing pump improves production process.—75-03531A

purification,
Dry adsorbed purification of fluoride gases during aluminum production.—75-06209A
Study on the purification methods of carbon nanotubes and STM imaging of the carbon nanotubes.—75-01686A

purity,
Development of chemical-free, high-purity, zero-cement castable.—75-07518A

pushout,
Elevated temperature fiber pushout testing.—75-03561A

pyrochlore,
Order by disorder in an anisotropic pyrochlore lattice antiferromagnet.—75-00754A
Polymerized complex route to synthesis of pure $Y_2Ti_2O_7$ at 750°C using yttrium titanium mixed metal citric acid complex.—75-04141A
Thermal expansion behavior of some rare-earth oxide pyrochlores.—75-01968A
Thin films of $Pb_2(Zr_{1-x}Ti_x)_2O_6$ with pyrochlore structure.—75-06399A

pyroelectric materials/pyroelectricity,
Effect of the space charge on the properties of an inhomogeneous pyroelectric ceramic.—75-03229A
Lead-substituted perovskites for thin-film pyroelectric devices.—75-08181P
Photopyroelectric deconvolution of bulk and surface optical absorption and nonradiative energy conversion efficiency spectra in Ti:Al_2O_3 crystals.—75-03128A
Piezoelectric ceramic-polymer composite material and method for preparing the same.—75-08186P
Preparation of Mn-modified tetragonal PZT ceramics and their pyroelectric properties.—75-08166A
Pyroelectric ceramic bimorph structures.—75-00370A
Pyroelectric properties of diphasic polar glass-ceramics at low temperatures.—75-08167A
Pyroelectric sensors and arrays based on P(VDF/TrFE) copolymer films.—75-05632A

pyroelectricity,
Modification and pyroelectricity of Pb(Zr, Ti)O_3-based ceramics using HIP with novel glass encapsulation.—75-08154A

pyrolysis,
Ceramic materials from organometallics.—75-01393A
Characterization of aluminum nitride from a precursor poly(isopropyliminoalane).—75-09528A
Development of new silazanes for infiltration/pyrolysis processing of composites.—75-01435A
Formation of complex ceramic miniaturized structures by pyrolysis of poly(vinylsilazane).—75-04050A
Hydroxyapatite coating with EDTA chelate compound.—75-03651A
Metal/metalloid nitride/carbide ceramic powders prepared by flash pyrolysis.—75-07264P
Microstructural evaluation of ceramic matrix composites produced by polymer pyrolysis.—75-01884A
Microwave-assisted pyrolysis of SiC and its application to joining.—75-01586A
Preparation of SOFC electrode powders by the aerosol flow pyrolysis method and characteristics of the electrodes.—75-08537A
Process dependence of orientation of ribbonlike aromatic molecules in glassy carbon.—75-01910A
Process for the addition of functional groups to polysilyne polymers.—75-01189P
Pyrolitic behavior of Si-C-O fiber in alumina matrix composite.—75-09412A
Pyrolysis of $Pb(Zr_{0.4}Ti_{0.6})O_3$ precursors: avoiding lead partitioning.—75-01636A
Pyrolytic behavior of Si-C-O fiber in alumina powder under N_2 atmosphere.—75-09413A
SiC nanopowder by high-temperature pyrolysis.—75-04210A
Silicon oxide films produced by plasmochemical and pyrolytic methods.—75-06761A
Synthesis and pyrolysis of polyborosilazane with low oxygen content.—75-09079A
Synthesis of ultrafine Y-stabilized ZrO_2 powder by the pyrolysis of metal-oxalate-cellulose complex.—75-09480A
Zirconia-based structural materials under conditions of flame-initiated pyrolysis of hydrocarbons.—75-07695A

pyrophyllite,
Pyrophyllite.—75-06049A
Structural alteration of pyrophyllite by dry grinding as studied by ir spectroscopy.—75-06784A
Wollastonite, pyrophyllite, and talc for rapid-fire wall tile bodies.—75-02802A

quality control,
Advancement for ISO 9000 registration.—75-09701A
Automatic inspection of ceramic tiles and tableware.—75-05893A
Coors Ceramics [Golden, CO]—a diverse operation in the '90s.—75-04695A
Decorating options advance with pad printing.—75-02231A
Diamond growth rates and quality—dependence of gas phase composition.—75-01437A
Edward Orton Jr. Ceramic Foundation.—75-04704A
Effect of QAS [quality assurance system] on quality of refractory raw materials.—75-07541A
Emerging issues challenging the water heater market.—75-00092A
Enhancing the strength of bioceramics.—75-06973A
From quality control to quality management.—75-07075A
Hands-on guide for controlling quality of raw materials.—75-09718A
How Anchor established more effective customer relationships.—75-09720A

Humidity effects on electrostatic porcelain enamel powder.—75-00102A
Improving firing consistency.—75-03616A
ISO 9000—why many companies get it wrong.—75-04715A
Kentucky-Tennessee Clay Co.—75-04718A
Measurement and control in the refractories sector.—75-05104A
Method of producing diamond of controlled quality.—75-08609P
Qualicer '94.—75-02791A
Quality and ISO certification.—75-04733A
Quality assurance of ceramic clays—a deeper understanding.—75-01070A
Quality control of ceramic tiles.—75-02792A
Quality of refractories is the main way to power saving and efficiency.—75-05123A
Raw materials purchasers approve of current quality and level of service.—75-04740A
Reengineering program helps container maker take a fresh look at new ways to do business.—75-04741A
Refractories as a major input for quality and cost control in steelmaking.—75-07646A
Segregation affects glass quality.—75-05041A
Solving firing problems—guessing or facts.—75-03631A
SPC improves production at Consumers Glass[, Toronto, Canada].—75-02743A
Teaching DOE for quality improvement.—75-09737A
Techniques for the characterization and quality control of hydroxyapatite raw materials and coatings.—75-01095A
Thermal analysis, a tool for materials testing.—75-03600A
TQM concepts boost productivity at Lenox Inc.—75-02798A
Transferring technology to improve competitiveness.—75-04762A
World ceramic tile production and consumption.—75-02803A
World-class refractories.—75-07102A

quantum wells,
Carrier capture and emission processes in A_3B_5 semiconductor quantum well structures.—75-02968A
Carrier screening effects in piezoelectric strained InGaAs/GaAs quantum wells grown on the [111]B axis.—75-00421A
Design of a tunable GaAs/AlGaAs multiple quantum well resonant cavity photodetector.—75-05279A
Effect of a permanent electrical field on the optical properties of parabolic quantum wells.—75-05288A
Energy levels in a rectangular quantum well with complex shape.—75-05315A
Growth by molecular beam epitaxy and photoluminescence of InGaAs/GaAs quantum wells on GaAs(111)A substrates.—75-00502A
Hole states in ultrathin quantum wells.—75-07909A
Hot luminescence and electron-phonon interaction in structures with quantum wells.—75-07910A
Intersubband absorption of light in a semiconductor quantum well with complicated band structure.—75-03069A
Light absorption by semiconducting quantum well in constant electrical field.—75-07949A
Localized states of *3d* impurities in quantum wells and superlattices of type I.—75-03082A
Multiphonon carrier capture in deep centers in quantum wells.—75-03095A
Nonlinear absorption in (Cd,Zn)Se/ZnSe single quantum wells.—75-00551A
Optical property of InAsP/InP strained quantum wells grown on InP(111)B and (100) substrates.—75-00558A
Peculiarities of *I-V* characteristic of an asymmetrical quantum-well GaAs/AlGaAs structure having boundary barriers.—75-03111A
Photocurrent in a Schottky-gated AlGaAs/GaAs single quantum well structure.—75-03116A
Photomodulated spectroscopy for determination of integral excitonic absorption in single quantum well structure.—75-08020A
Polaron in a model of a superlattice with deep quantum wells.—75-06322A
Postgrowth tuning of quantum well infrared detectors by rapid thermal annealing.—75-03134A
Quantum beats of electron Lormor precession in GaAs wells.—75-05454A
Quasi-stationary states of hole pairs in heterostructures with quantum wells.—75-08034A
Separate transport of electrons and holes through the system of undoped quantum wells.—75-03159A
Shape of the emission spectra diffracted on laser-induced lattices in GaAs/AlGaAs quantum wells.—75-08054A
Spectral cathodoluminescence of quantum well layers in $A^{III}B^{V}$ heterostructures studied with the acoustooptical monochromator.—75-03167A
Strong charge correlations in p^+ quantum wells on *n*-type silicon surfaces.—75-08064A
Tunneling relaxation of holes in double quantum wells with nonideal heterointerfaces.—75-03193A
Variational calculation of light hole envelope functions and exciton binding energies in (Ga,In)As-GaAs quantum wells.—75-05513A
Zeeman splitting of heavy holes states in A_3B_5 and A_2B_6 heterostructures.—75-08096A

quartz,
R-curve and fracture of carbon fibers/fused quartz composite.—75-04446A
Accurate submicron particle size measurement of alumina and quartz powders using a cuvette photocentrifuge.—75-05932A
Aerodynamic purification, disintegration, and separation of quartz sands and similar bulk materials.—75-07440A
Amorphization process of neutron-irradiated crystalline quartz studied by Brillouin scattering.—75-06157A
Character mechanism of formation and transformation of point defects in type IV silica glass.—75-02703A
Components of surface free energy of quartz from contact angle measurements.—75-06187A
Dependence of charging on crystallographic orientations of an as-grown α-quartz.—75-01216A
Effect of quartz addition on mechanical strength of porcelain bodies prepared from pottery stone.—75-00285A
High-temperature ion implantation into quartz.—75-04066A
Hydraulic properties of montmorillonite-quartz and saponite-quartz mixtures.—75-02779A
Mechanism of the formation of tunneling Al-O^- centers in quartz studied using EPR.—75-06269A
Near-infrared spectral characteristics of Ge-doped cultured quartz crystals.—75-01894A
New criterion for measurement of stiffness constants c_{44}, c_{55}, c_{66}, and c_{33} of lithium niobate and quartz.—75-03813A
Phonon echo in irradiated crystalline quartz.—75-09037A
Piezoelectric crystal element.—75-03271P
Process for producing synthetic quartz glass powder.—75-08621P
Process for the production of a homogeneous ream-free body made of quartz glass.—75-02747P
Quartz ceramics—a new material in electrical engineering.—75-03143A
Quartz resonator fluid monitors for vehicle applications.—75-00694A
Quartz rotation (rate) sensor—theory of operation, construction and applications for a rotation sensor.—75-01040A
Role of singlet oxygen absorbed on quartz and transition metal oxides in the formation of ozone holes.—75-09055A
Scratching experiments on quartz crystals: orientation effects in chipping.—75-07029A
Solubility of quartz in NaOH aqueous solutions at increased temperatures and pressures.—75-06517A
Synchronous synthesis of primary and secondary inclusions in quartz.—75-09455A
Thermal migration of fluid inclusions in quartz.—75-09205A
Time-resolved Raman measurements in α-quartz shocked to 60 kbar.—75-06259A
Transversely varying thickness modes in quartz resonators with beveled cylindrical edges.—75-01362A
Vibrations of AT-cut quartz strips of narrow width and finite length.—75-03862A

quenching,
Annealing of semimetal chalcogenide foils produced by ultrarapid melt quenching.—75-07781A
Crystallization of mullite from rapidly quenched melt.—75-01212A
Effect of quenching a rod on the properties of a gradient-index image translator.—75-09281A
Quenched $YBa_2Cu_3O_{7-x}$-WO_3 superconductors.—75-03394A
Quenching of persistent photoconductivity by electric pulses.—75-08035A

R-curve,
R-curve and fracture of carbon fibers/fused quartz composite.—75-04446A
R-curve behavior of in situ toughened Al_2O_3:$CaAl_{12}O_{19}$ ceramic composites.—75-09602A
R-curve behavior of PZT ceramics near the morphotropic phase boundary.—75-06938A
R-curve behavior of TiC/Si_3N_4 material for long cracks and short cracks.—75-04447A
R-curve measurement of silicon nitride ceramics using single-edge notched beam specimens.—75-06939A
Correlation between long and short crack *R*-curves in alumina using the crack opening displacement and fracture mechanical weight function approach.—75-04467A
High-temperature *R*-curve behavior and failure mechanisms of in situ toughened composites.—75-04550A
Influence of reinforcement content and diameter on the *R*-curve response in SiC-whisker-reinforced alumina.—75-02068A
Measurement of fracture toughness and work-of-fracture of ceramics using the JIS-type bending beam with a chevron notch.—75-08681A
Method for measuring short-crack *R*-curves without calibration parameters: case studies of alumina and alumina/aluminum composites.—75-02077A
Microstructural contributions to the fracture resistance of silicon nitride ceramics.—75-04599A

radiation,
Contribution of thermal radiation to the temperature profile of ceramic composite materials.—75-06869A
Efficiency of radiation technology for preparing high-strength corundum-zirconium ceramics.—75-05089A
Formation of radiation defects in binary compounds.—75-07896A
Inorganic scintillating crystals and their radiation damage.—75-04284A
Millimeter-wave radiation from arrays of high-T_c Josephson junctions.—75-08370A
Oxidation of titanium films as a function of the wavelength of incident uv radiation.—75-09598A
Process- and radiation-induced defects in electronic materials and devices.—75-04289A
Radiation effects in InP solar cells irradiated with 5-MeV electrons.—75-08036A
Reversible and irreversible changes in dielectric properties of ZnSe crystals induced by CO_2 laser radiation.—75-08048A
Thermal model for the bolometric response of high-T_c superconducting films to chopped optical radiation.—75-08439A
Thermal radiation treatment of all-ceramic dentures.—75-08544A
Thermic-radiative effect of dissolution of parasitic phases in ceramic materials.—75-09088A

radioactive materials,
Behavior of platinum group metals during virtrification of simulators of high-level liquid wastes (induction furnace with water-cooled crucible).—75-03447A
Behavior of uranium, plutonium, and radiogenic americium upon vitrification of model high-level liquid wastes.—75-03448A
Contributions of the National Council on Radiation Protection and Measurements (NCRP) to radioactive waste management.—75-03453A
Crucible materials for the plasma treatment of radioactive waste.—75-08499A
Determining the content of natural radionuclides in raw materials and ceramic articles.—75-08500A
Evolving role of engineered barriers in disposing of commercial high-level radioactive waste.—75-03465A
Flow and transport modeling of a low-level radioactive waste disposal facility.—75-03466A
History of radioactive waste—how did we get here.—75-03471A
Innovative environmental solutions to radioactive waste management—blending technology and resources.—75-00931A
Laboratory testing of LITCO glasses.—75-03474A
Laboratory testing of West Valley reference 6 glass [WV6].—75-03475A
Materials performance in a high-level radioactive waste vitrification system.—75-08505A
Melter component performance during surrogate low-level mixed waste vitrification campaigns.—75-08506A
Product consistency testing of three reference glasses in stainless steel and Teflon vessels.—75-03488A
Radioactive wastes 1955-1995.—75-03491A
Radium-bearing waste disposal.—75-03492A
Role of deflocculants during concentration of the simulated high-level radioactive wastes.—75-03493A
Vitrification of radioactive Fernald wastes with the continuously fed Duramelter 100.—75-03504A
Vitrification technology for Hanford Site tank waste.—75-03505A

radiography,
Density maps of ceramic bodies using X-ray radiography.—75-01019A

Raman spectroscopy,
Determination of the hole concentration in InP by Raman spectroscopy.—75-07825A
Effect of disorder on the Raman spectra of glasses.—75-02583A
Electronic Raman scattering study on $YBa_2Cu_3O_7$ in the superconducting state.—75-05764A
In situ Raman spectroscopy during diamond growth in a microwave plasma reactor.—75-01870A
In situ Raman spectroscopy study of the hydration of tricalcium silicate.—75-03702A
Influence of surface potential on Raman scattering in indium phosphide.—75-05349A
Infrared and Raman spectroscopy applied to cement chemistry—complementary with NMR techniques.—75-00048A
Micro-Raman analysis of stress state in diamond thin films.—75-08984A
Micro-Raman spectroscopy for phase identification and stress measurement in advanced ceramics.—75-01033A
Phase transitions revealed by Raman spectroscopy in screen-printed lead zirconate titanate thick films.—75-01237A
Phonon Raman scattering in disordered silicon carbides.—75-03822A
Quantitative determination of the cubic, tetragonal, and monoclinic phases in partially stabilized zirconias by [vibrational] Raman spectroscopy.—75-06329A
Raman and ^{11}B nuclear magnetic resonance spectroscopic studies of alkaline-earth lanthanoborate glasses.—75-04920A
Raman and infrared spectra of lead gallosilicate glasses.—75-04921A
Raman band shifts of γ-Bi_2MoO_6 and α-$Bi_2Mo_3O_{12}$ exchanged with ^{18}O tracer at active sites for reoxidation.—75-06330A
Raman determination of structures of long-period SiC polytypes.—75-01921A
Raman fingerprinting of amorphous carbon films.—75-01922A
Raman investigation of lead haloborate glasses.—75-02603A
Raman scattering from $PbTiO_3$ of various grain sizes at high hydrostatic pressures.—75-03831A
Raman scattering in multicomponent halide glasses.—75-02604A
Raman scattering of ferroelectric $Sr_{1-x}Ca_xTiO_3$, x=0.007.—75-05706A
Raman spectra of MO-TeO_2 (M=Mg, Sr, Ba, and Zn) glasses.—75-04922A
Raman spectroscopic studies of phase trasnformations induced by a notch cut on a 3Y-TZP sample.—75-06334A
Raman spectroscopy of size-selected, matrix isolated Si clusters.—75-01925A
Raman spectroscopy study of microcrystalline silica.—75-03832A
Raman study of low-temperature phase transitions in bismuth titanate, $Bi_4Ti_3O_{12}$.—75-01238A
Raman study of the relationship between room temperature tetragonality and the Curie point of barium titanate.—75-09046A
Single-fiber pullout test [analyzed] using Raman spectroscopy: III, Pullout of Nicalon fibers from a Pyrex matrix.—75-05979A
Stress dependence of the Raman spectrum of ß-silicon nitride.—75-04637A
Structure of barium titanate thin films [investigated] by Raman spectroscopy.—75-01948A
Temperature-dependent Raman scattering studies of $Li_{0.02}Na_{0.98}NbO_3$.—75-01966A
Time-resolved Raman measurements in α-quartz shocked to 60 kbar.—75-06259A
Use of laser Raman microprobe spectroscopy for investigating residual surface strain in selected ceramics.—75-03602A
Vibrational spectra of rings in silicate glasses.—75-04938A

rare earths,
Abrasive grain having rare earth oxide therein.—75-07114P
Calculation of formation enthalpy of $RBa_2Cu_3O_7$ compounds.—75-05732A
Charge-transfer transitions of RE^{3+}-O^{2-} associates in BaF_2 crystal.—75-01812A
Cubic coordination in oxygen-containing compounds of rare-earth elements: fluorite-like and fluorite-fragmentary structures.—75-08901A
Depth-dependent lattice parameter variation and stress-induced magnetic anisotropy of ultrathin $Dy_2BiFe_4GaO_{12}$ garnet films deposited on the glass substrate by pyrolysis.—75-05661A
Effect of rare-earth oxide concentrate on reaction, densification, and slag resistance of Al_2O_3-SiO_2 ceramic refractories.—75-02816A
Effect of the intergranular glassy phase on the sintering process of Re-SiAlONs.—75-04012A
Effects of rare-earth doping on the properties of bulk crystals of III-V compounds.—75-05302A
Effects of the rare-earth ions on some properties of a nickel-zinc ferrite.—75-03290A
Entropy of coordination number changes of zirconium ions and free energy of fomation of several rare-earth zirconates.—75-06222A
Experimental study of the distribution of the rare-earth elements and yttrium between sulfide and silicate melts.—75-06464A
Extraction of rare-earth(III) nitrates by neutral organophosphoric compounds from concentrated water-salt solutions.—75-06603A
Features of Jahn Teller phase transformation in rare-earth orthomanganites.—75-05671A
Features of the width change of the band gap in Ln_2X_3 (Ln=rare-earth elements, X=O, S, Se).—75-08936A
Fluoride technology for producing high-energy magnetic alloys and hardeners based on rare-earth metals.—75-05673A
Formation kinetics of polycrystalline $Eu_{2-y}Ce_yCuO_{4-y}$ obtained from a sol-gel precursor.—75-00806A
Glass-forming ability of rare earths in fluorozirconate glasses.—75-05017A
Grain boundary films in rare-earth-glass-based silicon nitride.—75-04328A
Heat treatment of SiAlON-AlN polytypoid composites with rare-earth oxide additives.—75-04064A
High-temperature electrical properties in the ThO_2-rich region of ThO_2-RE_2O_3 systems.—75-03898A
High-temperature properties of silicon nitride materials with rare-earth additives.—75-04556A
Instability of Y- and rare-earth-substituted Bi(Pb)-2223 phase.—75-05787A
Irreversible alterations of ferroelectric domain structure in paramagnetic rare-earth molybdates induced by a magnetic field.—75-03238A
Isomorphic substitution of magnesium cations by cations of rare-earth elements in periclase ceramics.—75-08962A
Kinetics of vapor phase deposition of oxides from rare-earth dipivaloylmethanates.—75-09350A
Luminescent characteristics of epitaxial layers of GaSb doped with rare-earth metals.—75-06486A
Magnetic properties of carbon-coated rare-earth carbide nanocrystallites produced by a carbon arc method.—75-03904A
Magnetic properties of $Y_{3-x}Pr_xLu_xFe_5O_{12}$ garnet films.—75-03307A
Magnetoelastic anomalies of thermal expansion of rare-earth vanadates, RVO_4.—75-06886A
Mechanical property control of rare-earth oxide densified α-ß SiAlON composites by α+ß-SiAlON transformation.—75-04102A
Mechanism of *f-f* luminescence enhancement in semiconductors.—75-05376A
Method for harvesting rare-earth barium copper oxide single crystals.—75-08465P
Method for making rare-earth superconductive composite.—75-08466P
Morphotropic transitions in the rare-earth trifluoride series.—75-06280A
Mossbauer spectral investigations of ultrafine rare-earth garnets.—75-06281A
Nd-Fe-B rare-earth magnets—main applications.—75-08233A
New Pr-doped laser crystals of alkaline-earth rare-earth binary tungstate compounds.—75-08996A
Phase equilibria in rare-earth chloride–fluoride and rare-earth chloride–magnesium fluoride systems.—75-09014A
Photoluminescence of rare-earth-doped $(Ga_2S_3)_{0.95}(Eu_2O_3)_{0.05}$ single crystals.—75-06314A
Physicochemical properties of ZrF_4-BaF_2-LnF_3 glasses (Ln=Y or rare-earth elements).—75-02676A
Properties of gallium antimonide doped with rare-earth metals during crystallization from tin-containing melts by LPE.—75-05449A
Properties of slips of zirconia stabilized by oxides of rare-earth metals.—75-05122A
Proton conductor of $SrCe_{0.95}Ln_{0.05}$ (Ln=Eu, Sm, Ho, Tm).—75-05211A
Quadrupole approximation in the theory on magnetoelasticity of rare-earth compounds: magnetoelastic contribution to thermal expansion of the rare-earth vanadates, RVO_4.—75-09178A
Radiation effect mechanism of some rare-earth-doped BaF_2 crystals.—75-01918A
Raman and X-ray studies of $Ce_{1-x}RE_xO_{2-y}$, where RE=La, Pr, Nd, Eu, Ge, and Tb.—75-01920A
Raman linewidths in rare-earth sesquisulfide solid solutions.—75-03830A
Rare earths.—75-06050A
Rare-earth distribution behavior and lattice parameter changes on rare-earth-substituted garnet single crystals.—75-06336A
Rare-earth elements in cement production materials.—75-07180A
Rare-earth-substituted ferrimagnetics.—75-00757A
Relationship between weak ferromagnetism, superconductivity, and lattice parameter in the $A_{2-x}B_xCe_xCuO_4$ (A,B=La, Pr, Nd, Sm, Eu, Gd, Y) compounds.—75-03398A
Suppression of BaF_2 slow component of X-ray luminescence in nonstoichiometric $Ba_{0.9}R_{0.1}F_{2.1}$ crystals (R=rare-earth element).—75-01953A
Temperature stability of rare-earth-doped α-SiAlON ceramics.—75-03848A
Thermal expansion behavior of some rare-earth oxide pyrochlores.—75-01968A
Transport of multivalent metals in reactions of V_2O_5 and Nb_2O_5 with rare-earth metal oxides.—75-09522A
Wavelength upconversion transparent glass-ceramics.—75-00232P
raw materials,
Biobeneficiation of bauxite for refractory applications.—75-07483A
Byproducts of various industries as raw material for lightweight brick (block).—75-02755A
Carbonate strata of the Luchuiskoe and Larginskoe ore fields [investigated] using statistical methods.—75-08756A
Ceramitech '94.—75-04688A
Changing the plasticity by means of additives, clay disintegration and shaping temperature.—75-00238A
Chemically stable ceramics based on porcelain stone from the Boinaksaiskoe deposit.—75-08757A
China steel and refractories industries.—75-09705A
Colored nonfritted glazes from available raw materials for facade ceramics.—75-02859A
Critical role of raw material suppliers in market development.—75-04698A
Determining the content of natural radionuclides in raw materials and ceramic articles.—75-08500A
Developing techniques to utilize lower grade materials.—75-02863A
Diopside porcelain.—75-03637A
Dry Tech Multiline: an evolution in raw materials preparation for ceramic tiles.—75-00284A
Effect of QAS [quality assurance system] on quality of refractory raw materials.—75-07541A
Enamel modifications required for premilled materials: increased supplier responsibility.—75-00093A
European-style fast single firing of wall tiles.—75-00286A
Fast firing of large-size, vertically perforated clay units by optimization of the raw material composition.—75-05996A
Functional ceramics.—75-08579P
Glazes from premilled raw materials.—75-05164A
Hands-on guide for controlling quality of raw materials.—75-09718A
Hectorite as a critical element in the manufacturing of high-grade ceramic slips, bodies, and glazes.—75-03638A
High-alumina raw materials in Russia.—75-06035A
High-performance refractories based on Chinese raw materials.—75-07565A
Indigenous production of seawater magnesia—need of the hour.—75-08760A
Kaolins in southwest England.—75-03639A
Kaolins of the Prosyanovskoe and Kyshtymskoe Deposits as raw materials for synthesizing cordierite.—75-06037A
Kentucky-Tennessee Clay Co.—75-04718A
Monolithic refractories based on Chinese raw materials and their application.—75-07607A
Mullite refractories from bauxites of the Iksinskoe Deposit.—75-06042A
New feldspar producer enters market.—75-01067A
New option for investigating the ceramotechnological behavior of argillaceous materials, with special allowance for the mineralogical constitution.—75-05969A
Olivine rocks of the Topchulskoe Deposit in Kuznetsk Ala Tau.—75-06044A
Outlook of raw materials used for porcelain enamels.—75-01068A
Plasticizing additives to polymerization catalysts of tetrahydrofuran and epichlorhydrin prepared using silica-containing raw materials.—75-08763A
Porcelain bodies for potters.—75-02331A
Possible replacement of raw materials in continuous production of glass articles.—75-07394A
Potential applications for natural stone dusts and stands for brickmaking.—75-00249A
Potentiometric determination of chloride in glass and glassmaking raw materials.—75-08696A
Predictive process control: varying raw materials properties can produce constant body properties.—75-03591A
Problems with raw material security in the Russian ceramic industry.—75-06048A
Production of hard magnetic materials based on natural magnetite.—75-08238A
Production of synthetic rutile.—75-01073P
Raw materials base of Central Russia for refractory enterprises of the Moscow region.—75-08764A
Raw materials for the refractory industry.—75-07094A
Raw materials influence the alpha-particle emission rate of AlN.—75-08508A
Raw materials purchasers approve of current quality and level of service.—75-04740A
Recycling of electrostatic precipitator dust from glass furnaces.—75-03640A
Refractories development for iron- and steelmaking in China.—75-05127A
Refractories from kaolins of the Angrenskoe Deposit.—75-06051A
Reliable plastic raw materials.—75-06052A
Remarkable raw material from Wesko [Druschkowka, Ukraine].—75-06053A
Rutiles from diamond-bearing rocks.—75-08765A
Significance of fused refractory raw materials in the high-performance refractories.—75-07657A
Spending right to make money.—75-04751A
State of the art and prospects of the basic refractory raw materials in China.—75-07667A
Steatite diary: II, Technical ceramics—the World War II years.—75-04753A
Supplying high-quality natural fused magnesia to the world refractory industry—the Australian experience.—75-07670A
SV [slide valve] plates for special steel.—75-07671A
Tile made of bulgarite.—75-02797A
Topaz as a source of mullite.—75-01734A
Use of oil shale as nozzle fuel in rotary cement kilns.—75-08743A
Using Armenian rock as a glass crystal material.—75-08768A
reaction bonding,
Coarse reaction-bonded silicon nitride.—75-08567P
Formation of reaction-bonded silicon nitride using microwave heating.—75-06978A
Oxidation protection of porous reaction-bonded silicon nitride.—75-06933A
Possibility of production of reaction-bonded aluminum oxide using microwave energy.—75-04143A
Process for producing reaction-bonded silicon carbide refractory product.—75-07700P
Reaction bonding of ceramics by gas-metal reactions.—75-01641A
Reaction bonding of Cr_2O_3 ceramics.—75-01642A
Reaction-bonded mullite/zirconia composites.—75-01645A
Reaction-bonded Si_3N_4 reinforced with continuous SiC fibers: processing and interface characteristics.—75-04195A
Reaction-bonded titanium nitride ceramics.—75-09419A
Room-temperature cyclic fatigue of reaction-bonded silicon nitride using the double cleavage drilled compression specimen.—75-02093A
Silicon nitride swirl lower chamber fabricated by gas pressure sintering.—75-03721A
Sintering and characterization of gelcast alumina-chromia reaction bonded ceramics.—75-01663A
Stresses developed in reaction-bonded ceramics.—75-04640A
Temperature runaway and scale-up of the reaction bonding of aluminum oxide [RBAO].—75-09484A
reactions,
^{133}Cs NMR study of Cs reaction with clay minerals.—75-03445A
Applicability of quasi-steady-state solutions for the kinetics of diffusion-controlled solid-state reactions.—75-01981A
Chemical reaction mechanisms of diamond growth.—75-01397A
Chemically modified epoxy network with polyurethane (PU) by various coupling agents.—75-03971A
Complex perovskite oxidation reaction products.—75-08569P
Displacement reactions in the Ni-Al-O system resulting in periodic layer structures.—75-02455A
Dynamics of the interaction of zircon with hydrothermal carbonate fluid.—75-09128A
Effect of SiO_2 type and additives on the reaction products in SiO_2-Al-C-N_2 system.—75-01466A
Equilibrium in the reaction of Ti and C to form substoichiometric TiC_x.—75-06224A
Fullerenes entrapped in porous glass.—75-00171A
Fundamental processes in bath smelting: reactions of iron oxides with Fe-C melts.—75-02819A
HIPed silicon nitride having a reduced reaction layer.—75-08832P
Interaction between 3-amino-1-propanol and SiO_2 powder surfaces.—75-06246A
Interaction of hydrogen, methane, ethylene, and cyclopentane with hot tungsten: implications for the growth of diamond films.—75-01552A
Interaction of magnesium-containing refractories and melts of optical glass.—75-07584A
Interaction of molybdenum with molten glasses.—75-07304A
Interaction of Si_3N_4 with Cr.—75-06248A
Kinetic parameters of the reaction of an aqueous chromium trioxide solution with formic acid.—75-08963A
Kinetics of hydration and other reactions of calcium silicates and cements.—75-00263A
Kinetics of reaction between chromium sesquioxide and anhydrous sodium carbonate in oxidizing atmospheres.—75-03803A
Process analysis of AP-CVD of silicon carbide.—75-00580A
Reaction injection molding inorganics.—75-07273P
Reaction kinetics in the Ti/SiO_2 system and Ti thickness dependence on reaction rate.—75-00126A
Reaction mechanism of hot-pressed calcium α-SiAlON.—75-01643A
Reaction of molten cryolite with refractory ceramics.—75-00268A
Reaction of Ta thin film with single-crystalline (001)ß-SiC.—75-00583A
Reaction study of aluminum chloride with ammonia and mechanisms leading to aluminum nitride.—75-09047A
Reactivity of products of the interaction of zinc oxide with zinc and copper(II) salt solutions.—75-09050A
Solid-phase interaction of fluorapatite with ammonium hydrogen difluoride.—75-09058A
Solid-state reactions and some physical properties of reduced europium niobates Eu_xNbO_z ($0.5 \le x \le 2$).—75-09059A
Theoretical studies of C(100) surface reconstruction and reaction with CH_2.—75-01967A
Thermal decomposition of hydroxyapatite structure induced by titanium and its dioxide.—75-06524A
Thermodynamical analysis of reactions of oxides with carbon in nitrogen atmosphere.—75-07681A
reactivity,
Behavior of aluminum nitride in the iron and steel industry.—75-07481A

Chemical interaction between a SiAlON cutting tool and iron-based alloys.—75-02445A
Mechanically induced reactivity of $ZnFe_2O_4$.—75-05693A
Reactivity of boron in solid-state reaction and sintering for consolidation of boron compounds.—75-09049A
Reactivity of C_{60} in fuming sulfuric and chlorosulfonic acids.—75-01647A
Reactivity of submerged entry nozzle to molten steel: II.—75-05126A
Surface interaction and interfacial chemistry in multicomponent nanocrystalline materials.—75-01689A

reactors,
Chemical vapor deposition of $YBa_2Cu_3O_x$ in a cold plasma reactor using an aerosol vaporization technique.—75-03345A
Engineering aspects of scalable stagnation-flow reactors for combustion synthesis of diamond.—75-08520A
Experimental measurements and numerical simulations of the gas composition in a hot-filament-assisted diamond chemical vapor deposition reactor.—75-01022A
Hydrogen atom concentration measurements by multiphotonic excitation LIF [laser-induced fluorescence] technique—spatial distribution in a microwave bell jar reactor.—75-08672A
Manufacture of HTR [high-temperature reactor] fuel element.—75-08504A
Mixing reactors—new method for drying and conditioning of sludge.—75-00968A
Producing and controlling substrate temperature uniformity from 600°C to 1100°C in CVD rotating disk reactors.—75-03534A
Role of interfaces in nuclear technology.—75-00935A
Theoretical analysis of diamond chemical vapor deposition in a rotating disk reactor.—75-08707A

reagents,
Role of initial reagents in the low O_2 pressure synthesis of $YBa_2Cu_4O_8$.—75-05825A

reclamation,
Process to reclaim UO_2 scrap powder.—75-08624P

recombination,
Contactless method of finding diffusion-recombination parameters of semiconductors.—75-05265A
Exciton recombination radiation from highly pure diamond synthesized by pressurized combustion flame method.—75-08931A
Fast recombination of excess carrier in 6H-SiC.—75-01756A
Influence of surface recombination on the current-voltage characteristics of a *p-n* junction in a strong microwave field.—75-07928A
Radiative recombination in narrow-gap *n*-$Hg_{1-x}Cd_xSe$ solid solution.—75-08039A
Radiative recombination in zinc selenide single crystals activated with oxygen.—75-03145A

recording medium,
Alumina sol-coated recording sheet.—75-08814P
Ba ferrite thin-film media for high-density longitudinal recording.—75-03280A
Barium ferrite thin film for longitudinal recording.—75-08252P
Magnetic recording pattterns of obliquely evaporated Co-O thin films observed by using ultrafine Co particles.—75-00748A
Magnetooptical properties of Ba ferrite particulate media.—75-00749A
Microstructural investigation of barium ferrite longitudinal thin-film media.—75-03317A
Property change of AgO_x recordable compact disk with various dielectric films.—75-01092A
Successive Bloch line write operation in a 1-μm bubble material.—75-03333A
Surface modification of magnetic recording heads by plasma immersion ion implantation and deposition.—75-01690A
Uniaxial anisotropy of double-layered garnet films and magnetooptical recording characteristics.—75-03339A

recrystallization,
Amorphization and recrystallization of 6H-SiC by ion beam irradiation.—75-00414A
Dynamic recrystallization during the sliding wear of alumina at elevated temperatures.—75-08910A
Formation by ball milling and recrystallization of Y-Ba-Cu-O nanocrystalline phases.—75-00805A

recycling,
Ash recycling by design in cement and concrete production.—75-02386A
Byproducts of various industries as raw material for lightweight brick (block).—75-02755A
Can recycling of refractory material be economical.—75-02809A
Ceramics in Canada—an update.—75-04686A
Crystallization of glasses obtained by recycling goethite industrial wastes to produce glass-ceramic materials.—75-05003A
Cullet and recycling products.—75-02582A
Development of effective reuse system of mixed wastewater from electroplating mill by electrodialysis.—75-08517A
Development of recycling technology for slide gate plate.—75-07526A
Energy management—waste management. Programs and initiatives for energy conservation and waste recycling.—75-09711A
Glass container reuse: refillables hold opportunity for glass industry.—75-07076A
Processing/recycling for waste materials of high-technology industries.—75-08539A
Recycled crushed concrete as subbase pavement material.—75-00065A
Recycling and disposal of refractories.—75-00270A
Recycling flue gas particulate waste from glass-melting operations.—75-03628A
Recycling of electrostatic precipitator dust from glass furnaces.—75-03640A
Refractories technology for continuous recycle operation of tundish.—75-07652A
Refractory recycling developments.—75-02837A
Repair technology for slide gate plates.—75-05130A
Tests on the recyclability of the reaction product from flue gas cleaning plants to reduce fluorine concentration in the brick and tile industry.—75-06011A
Turning furnace waste into glass raw material.—75-03634A

redox,
Redox response model for partly substituted cuprates.—75-00858A

reduction,
Anti-alumina buildup material for submerged entry nozzle.—75-07467A
Consecutive reversible first-order two-stage reaction model for reduction of Cr_2O_3.—75-03776A
Electrical conductivity and thermodynamics of the process of indium oxide reduction and solid solutions based on it.—75-06216A
Fabrication of TiB_2 powder by SHS with reduction process.—75-09306A
Features of cathodic reduction of zinc oxide in alkali zincate solutions.—75-06606A
HIPed silicon nitride having a reduced reaction layer.—75-08832P
Microstructural aspects of reduction of Zimbabwe chromite to high-carbon ferrochromium.—75-04354A
Reduction of fluorspar consumption in secondary steelmaking.—75-02832A
Reduction of lead(II) and (IV) oxides by carbon in solid phase.—75-09052A
X-ray photoelectron spectroscopy, temperature-programmed desorption, and temperature-programmed reduction study of $LaNiO_3$ and $La_2NiO_{4+\delta}$ for methanol synthesis.—75-06411A

reduction-oxidation,
Oxidation-reduction reactions in fast-fire glazes.—75-02880A

reflectance,
Infrared reflectance and transmittance of diamondlike carbon films at normal, as well as glancing, angles of incidence.—75-09152A

reflection,
Bragg reflection in periodically segmented $KTiOPO_4$ waveguides.—75-01263A
Distribution of the satellite reflection of the modulation and its thermal stability in single-crystal $Bi_2Sr_2CaCu_2O_x$.—75-00786A
Effect of segmentation of conductive coatings on the radio wave reflection from solar control sheet glass.—75-07331A
Light absorbing semiconducting Bragg reflector.—75-07948A

reflectivity,
B-site order and infrared reflectivity in $A(B'B'')O_3$ complex perovskite ceramics.—75-01204A
Grazing incidence X-ray reflectance measurement of surface and interface roughness on the subnanometer scale.—75-01858A
Infrared studies of the Bi cuprates.—75-08345A
Reflectivity of ceramic materials for laser-cavity mirrors.—75-06509A

refraction,
Photorefraction in crystals with a nonstationary photovoltaic current.—75-06316A

refractive index,
Change in refractive index of a borosilicate glass fiber annealed below the glass transformation temperature.—75-07327A
Change in refractive index of silicate glasses under ionizing radiation.—75-02628A
Change in the refractive index of a two-alkali aluminosilicate glass upon K_{glass}^+-Na_{melt}^+ exchange in the glass transition range.—75-02629A
Composition and temperature dependence of the refractive index in $Hg_{1-x}Cd_xTe$.—75-00442A
Density and refractive index of silica aerogels after low- and high-temperature supercritical drying and thermal treatment.—75-06440A
Group effective indices of different types of optical fibers measured around 1550 nm.—75-06467A
High index glasses.—75-07429P
Index of refraction and its temperature coefficient in $CdSe_{0.18}Te_{0.82}$ at 10.2 μm wavelength.—75-00514A
Influence of the structural relaxation of a glass on the refractive index gradient in ion exchange at temperatures near T_g.—75-02662A
Optical glass with refractive index of 1.75 and high specific refraction for spectacle optics.—75-07309A
Refractive index and elastooptical properties of germanium sillenite.—75-09179A
Refractive index of SiO_2 glass at hydrostatic pressures up to 5 GPa.—75-02682A

refractories blast-furnace,
Blast furnace design for long campaigns and easy maintenance.—75-07484A
Hot blast stove design—Indian perspective.—75-07569A
Recent developments in the design and application of blast furnace refractories.—75-07642A

refractories brick,
Application of spinel-carbon brick in steel ladle.—75-07473A
Design of ladle lining based on temperature simulation.—75-07506A
Determination of selected properties of magnesia-carbon bricks after firing at intermediate temperatures.—75-07509A
Development and application of high-quality magnesite-chrome bricks for VOD refining furnace.—75-03612A
Development and performance of improved quality magnesia chrome refractory in AOD converter.—75-07513A
Development of LF [ladle furnace] refractories in Japan.—75-07520A
Development of magnesia—spinel-carbon brick for ladles of secondary metallurgy.—75-07522A
Development of magnesia-chrome bricks for tuyeres in AOD vessels.—75-07523A
Development research on high-performance sillimanite refractory.—75-02812A
Distribution and properties of secondary spinel in magnesia-chrome bricks.—75-07531A
Effect of additives on the properties and formation of MgO dense layer in MgO-C permeable samples.—75-07534A
Effect of metallic additives on the oxidation-reduction reaction in magnesia-carbon bricks under vacuum at elevated temperature.—75-07537A
Effects of pitch addition on MgO-C bricks.—75-07546A
Fuel-efficient furnace design with proper refractory and insulation bricks.—75-07555A
Influence of magnesia particle size distribution on the physical properties of MgO-C bricks.—75-07581A
Influence of various zirconia additives on high-temperature properties of magnesia spinel brick.—75-07582A
Lower carbon-containing MgO-C bricks with high spalling resistance.—75-07590A
Magnesia-graphite-metal bricks subjected to thermal gradient.—75-07593A
Magnesia-spinel brick containing MgO-rich spinel for steel refining ladle.—75-07594A
Magnetic susceptibility of MgO-C brick.—75-07597A
Oxidation behavior of MgO-C bricks with various additives.—75-07623A
Production and properties of Cr_2O_3 raw material for refractories.—75-02829A
Production of high-quality silica bricks for use in coke ovens.—75-07635A
Properties and performances of high-purity corundum bricks for chemical and petrochemical industries in China.—75-02830A
Refractories for continuous casting in China.—75-07649A
Superdense direct-bonded magnesia-chrome brick for AOD and OTBC applications.—75-07669A
Thermal shock resistance of 90 to 100% alumina brick.—75-07677A
Thermomechanical improvement of a flue wall in anode baking furnace.—75-07682A
Thermomechanical stresses in BOF linings.—75-07684A
Wear mechanism of alumina-spinel bricks in steel ladles.—75-07693A

refractories casting,
Advanced refractory castables.—75-07458A
Alumina clogging-resistant materials for immersion nozzle.—75-07461A
Alumina-based castables with very low contents of hydraulic compound: I, The effect of binder and particle size distribution on flow and set.—75-07464A
Alumina-based castables with very low contents of hydraulic compound: II, Strength and high-temperature reactions of no-cement castables with hydraulic alumina and microsilica.—75-07465A
Application of basic materials for CC refractories.—75-07469A
Application of self-flow type castable refractories in NKK.—75-07472A
Appropriate material for dams and weirs—Tata Steel's approach.—75-07477A
Behavior of aluminum nitride in the iron and steel industry.—75-07481A
Cartridge-type SGV system adapted to automation.—75-07487A
Continuous casting refractories with special reference to RSP [Rourkela Steel Plant, India] modernization.—75-07493A
Current status on development of alumina carbon composite refractories for continuous casting of steel.—75-07502A
Development of alumina-magnesia castable for steel ladle.—75-07516A
Development of CaO-containing basicity casting.—75-07517A
Development of new submerged nozzles to reduce alumina buildup in continuous casting.—75-07525A
Development of refractory inserts for improving the performance of ingot mold bottom plates.—75-07527A
Effect of manganese oxide on the corrosion behavior of alumina-silica-graphite shroud nozzle in continuous casting.—75-07536A
Experiences of different tundish lining materials in continuous casting.—75-07549A
Fracture behavior of Al_2O_3-C refractories used in continuous casting.—75-07554A
Improvement of tundish inner lining refractory.—75-07574A
Magnesia-containing basic castables.—75-07592A
Micronized α-Al_2O_3 in zero-cement castables.—75-07601A
New granular mold powder.—75-05114A
Optimization of continuous casting refractory materials and designs.—75-07619A
Production of basic castables and basic precast shapes for steel applications.—75-07634A
Refractories for continuous casting in China.—75-07649A
Refractory for use in casting operations.—75-07701P
Sintering behavior and application of Mg-PSZ ceramic powder made by wet chemical method.—75-07661A
Thermal shock resistance of alumina-graphite refractories for the continuous casting of steel.—75-07678A

refractories cement,
Aging of aluminous cement in LCC.—75-07460A
Cement kiln refractories—recent trends of development.—75-07489A
Development of chemical-free, high-purity, zero-cement castable.—75-07518A
Hydraulicity and high-temperature strength behavior of high-alumina cement in relation to synthetically prepared refractory aggregates.—75-07571A
Refractories for cement rotary kiln.—75-07648A

Refractory concretes of a new generation. Thermodynamic aspect of the technology.—75-05129A
Role of alumina cement in castable refractories.—75-07655A
Test methods for calcium aluminate cements.—75-07673A

refractories coatings,
Toughened ceramic composite materials comprising coated refractory fibers in a ceramic matrix wherein the fibers are coated with carbon and an additional coating of ceramic material and carbon mixture.—75-07703P

refractories concrete,
Development of drying schedules for one-side-heating drying of refractory concrete slabs based on a finite element model.—75-02811A
Effect of moisture on the thermal conductivity of the refractory concrete.—75-07538A
Utilization of waste catalyst in refractory concrete.—75-07692A

refractories fused cast,
Exudation and corrosion behavior of fusion-cast AZS refractories.—75-07551A
Influence of grain boundaries in fused ZrO_2 on the reaction with the mold powder.—75-07579A
Microstructural features of fusion cast Al_2O_3-ZrO_2-SiO_2 refractories.—75-05106A
Recent trends in fused-cast refractories for glass tank furnaces.—75-07643A
Significance of fused refractory raw materials in the high-performance refractories.—75-07657A
Use of fused-cast AZS products and their monolithic derivatives in applications for the ceramic industry.—75-07689A
White fused alumina and zirconia manufactured by AFM [Australian Fused Materials], Western Australia.—75-07694A

refractories industry,
Advancement for ISO 9000 registration.—75-09701A
BOF refractory campaign life in U.S. and Canada: past, present, and future.—75-09704A
China steel and refractories industries.—75-09705A
Demand of refractories in Saudi Arabia and technoeconomic feasibility for setting up a refractory plant.—75-07504A
Demands on unshaped refractories in the next decade.—75-09709A
Development of recycling technology for slide gate plate.—75-07526A
Development of RH degasser linings at British Steel PLC.—75-07528A
Dryout, heat-up procedures for refractories.—75-02813A
Fifty years of Japanese Refractories Association.—75-07073A
Firing technology for refractories in the 21st century.—75-07553A
Gunnable plastics double service life.—75-02821A
High-temperature microwave ovens for refractory laboratories.—75-07566A
Indigenous production of seawater magnesia—need of the hour.—75-08760A
Mutual interaction of the development of glass and refractories technology.—75-09729A
New developments in the field of technologies and equipment for refractories production.—75-07610A
New trends in refractory pressing technology.—75-07613A
Overview of the U.S. refractories industry.—75-02826A
Quality system in a production plant with continuous process: the case of Sardamag SpA (Italy).—75-07640A
Refractories industry in Europe.—75-02833A
Strong growth in ball and china clays.—75-02796A
Supplying high-quality natural fused magnesia to the world refractory industry—the Australian experience.—75-07670A
Technical analysis of the refractory products behavior in the iron and steel process conditions—results in the French steel industry 1985-1995: prospects.—75-09738A
Techniques in extension of campaign life for RH degasser vessel with oxygen top blowing equipment.—75-07672A

refractories magnesite ($MgCO_3$),
Biotechnological enrichment and conditioning of minerals—refractory magnesite as a case study.—75-08513A

refractories,
Advanced flexible design of hydraulic refractory presses.—75-07457A
Advanced refractory ceramic-matrix composites from polymer precursor for working temperatures up to 1700°C.—75-02806A
Advances in magnesia carbon refractories.—75-07459A
Al/Mg alloy as an antioxidant in magnesia-graphite refractories.—75-05072A
Alumina zircon refractory [AZR]—a new generation product for cement rotary kiln.—75-07462A
Aluminum nitride refractory materials and methods for making the same.—75-07696P
Application and development of unshaped refractories in iron and steel industry [in China].—75-07468A
Application of monolithic lining for the steel ladle at Kakogawa Works [Japan].—75-07470A
Application of plasma flame to sintering: plasma sintering temperature of Y_2O_3-doped AlN.—75-07471A
Application of thermomechanical modeling to carbon-bonded refractory structures.—75-07474A
Application technology of monolithic refractories in NSC [Nippon Steel Corp.].—75-07475A
Argon stirring—development of a novel system for safe and controllable operation.—75-07478A
Aspects of fracture behavior of Indian-grade high-alumina refractories.—75-07479A
Attritor grinding of refractories.—75-02808A
Behavior of antioxidants added to carbon-containing refractories.—75-07482A
Brown tabular alumina—a high-performance refractory aggregate for slag and chemical attack resistant formulations.—75-07485A
Calcium aluminate wool: a new fiber for high-temperature thermal insulation—a healthy solution for up to 1250°C.—75-07486A
Can recycling of refractory material be economical.—75-02809A
Cathodoluminescence microscopy—a technique uniquely suited to the solution of refractory wear problems.—75-00259A
Ceramic core for investment casting and method for preparation of the same.—75-05154P
Ceramic Transactions, Volume 78: Corrosion of Materials by Molten Glass.—75-09741B
Changing installation methods for refractory products.—75-03608A
Chemical gas-phase deposition of refractory boron-containing products on the basis of thermometallic reduction of boron halogenides.—75-07490A
Chemistry and reactions of additives in castables.—75-05076A
Chrome-free refractory for vacuum degassers.—75-07491A
Chromic oxide blocks for use in glass container industry.—75-07492A
Composition, microstructure, and application of bauxite based on mineral separation.—75-02810A
Contribution of electric force to sintering: II. Nature of the applied electric field for driving ionic diffusion.—75-04277A
Corrosion [of refractories]: a review of some fundamentals.—75-07494A
Corrosion assessment of refractory materials for waste vitrification.—75-08498A
Corrosion mechanism of magnesia spinel refractory by CaO-enriched converter slag.—75-07495A
Corrosion of dense chromic oxide refractory in E glass.—75-07496A
Corrosion of silica and mullite refractories used in glass furnaces under 100% oxy-firing process.—75-05078A
Corrosion rate of alumina [evaluated] by rotating cylinder method.—75-07497A
Corrosion testing of resin-bonded magnesia-carbon refractories.—75-00260A
Cost reduction of VOD ladle.—75-07499A
Cost-efficient brickwork with ground bricks.—75-00240A
Cr_2O_3-based clinkers and Cr_2O_3-Al_2O_3-ZrO_2 refractories for sewage sludge melting furnace.—75-07500A
Current developments in equipment for refractory placement.—75-05080A
Current status and future trends in refractory development in India.—75-07501A
Das Amitava's thermal conductivity equations on Indian insulating refractories.—75-07503A
Design parameters for high-temperature (1600°C and above) tunnel kiln and shuttle/car bell kiln for firing of high-duty refractories.—75-07507A
Detection of crack formation during slag-penetration-spalling test by AE analysis.—75-07508A
Development and application of directional type plug for ladle.—75-07510A
Development and applications of refractories—the experience in the nonferrous metallurgical industry.—75-07512A
Development of a large-capacity flame gunning repair system for plain carbon steelmaking BOFs.—75-07514A
Development of automatic thermal conductivity testing system and application to routine work.—75-05082A
Development of zircomullite aggregates from beach sand.—75-07530A
Dynamic gas/oxy superstructure refractory testing.—75-07532A
Effect of bauxite substitution on high-temperature strength properties of zirconia-corundum mullite material.—75-02815A
Effect of QAS [quality assurance system] on quality of refractory raw materials.—75-07541A
Effect of rare-earth oxide concentrate on reaction, densification, and slag resistance of Al_2O_3-SiO_2 ceramic refractories.—75-02816A
Effect of starting materials characteristics on microstructures and properties of magnesia-carbon refractories.—75-07543A
Effects of CaO and Al_2O_3 added to MgO-C refractories on MgO-C reaction.—75-07544A
Electric steelmaking and refractories.—75-07547A
Engineering a porous composite refractory with low wettability.—75-05090A
Evolution of gases from refractory mixtures on the BTSO phenol-furfural binder.—75-05091A
Experience in using zirconia refractories in linings of furnaces for the production of amorphous alloys.—75-05092A
Experimental study of ball clays.—75-07550A
Factors influencing the cold crushing strength and modulus of rupture of refractories.—75-00261A
Finite element anlysis applied to thermomechanical performance of ceramic anchors.—75-07552A
Formation and characterization of the microcrack network in advanced refractory ceramics.—75-00262A
Forming technology affects refractory performance.—75-02818A
Gas purging—high-tech refractory systems.—75-07556A
Giants in refractories.—75-02820A
Global trade in refractory minerals: Indian prospects.—75-07557A
Graphite-containing unshaped refractories.—75-07558A
Hardening time of resin-bonded hot repair mixes for BOFs.—75-07559A
Heat-insulating refractory material.—75-07697P
Help yourself.—75-07560A
High emissive refractory coating for industrial furnaces.—75-07561A
High zirconia fused cast refractories.—75-05155P
High-alumina mortar from scrap of refractory articles after use in metallurgical units.—75-05097A
High-alumina refractory corrosion in wastewater incinerator of a chemical plant.—75-07562A
High-emissive ceramic coating: an approach to save energy at high temperature.—75-07563A
High-performance refractories based on Chinese raw materials.—75-07565A
High-temperature corrosion resistance of glass refractories and electrodes.—75-09592A
High-temperature thermal insulation wools: their benefits, hazard, and future.—75-09719A
Hydration resistances and reactions with CO of Al_4O_4C and Al_2OC formed in carbon-containing refractories with Al.—75-07570A
Improvement in refractory of top and bottom blowing converter (K-BOP) at Chiba No. 1 steelmaking shop.—75-07573A
Influence of graphite flake orientation on textural modifications of graphite-based refractories at high temperature.—75-07580A
Influence of oxy-fuel combustion atmosphere in glass furnaces on refractory corrosion.—75-08730A
Influence of special silica on the in situ growth of silicon carbide whiskers in Al_2O_3-C refractories.—75-05101A
Installation of monolithic refractories: critical issues for successful performance.—75-05102A
Interaction between specialized sciences and refractory and metallurgical enterprises undergoing reconstruction.—75-09723A
Introduction of unshaped products without SiO_2 in secondary metallurgy for cleanliness of metal.—75-07585A
Jari Brazilian calcined bauxite—production and application in high-alumina refractories: MSL Minerais SA.—75-07586A
Joint stock company in the coming-to-be market.—75-07587A
Labor saving in ladle sliding nozzle.—75-07588A
Magnesia-chrome refractories with excellent spalling resistance obtained by microstructure control techniques.—75-07591A
Magnesioaluminate spinel—a potential raw material for making new generation refractories.—75-07595A
Manufacture of shaped refractory objects.—75-05157P
Materials handbook.—75-04727A
Measurement and control in the refractories sector.—75-05104A
Mechanization of BOF relining work in Nagoya Works [Japan].—75-07598A
Method to prevent molten steel from penetrating into purging plug.—75-07599A
MgO raw material improved the hydration resistance.—75-07600A
Microporous refractory materials for high-temperature applications.—75-07602A
Microstructure of magnesia refractories prepared from Iranian magnesite.—75-07603A
Modeling of the thermomechanical behavior of magnesia-carbon refractory materials.—75-07605A
Modern mixing and granulating processes for the preparation of refractory bodies.—75-07606A
Modified heat-insulating refractories from clay-polystyrene mixtures.—75-05107A
Mold lubricant for molten aluminum [ABN series].—75-05108A
Monolithic dewatering theory testing and practice: new challenges.—75-05109A
Monolithic refractories based on Chinese raw materials and their application.—75-07607A
Monolithic refractory powder mixture.—75-07699P
New corrosion testing method by X-ray transmission.—75-07609A
New generation refractory concretes. Interrelation between structure formation and strengthening.—75-05112A
New generation refractory concretes. Thermal processes, structure, and high-temperature properties.—75-05113A
New refractories for modern ladle lining.—75-07612A
New trends in refractory pressing technology.—75-07614A
Newest refractory products for glass plants.—75-02825A
Nitride-bonded silicon carbide refractories.—75-07615A
Nondestructive sonic testing of unfired refractories.—75-07616A
Nondestructive testing of refractories.—75-00266A
Nonhazardous pumpable refractory insulating composition.—75-00277P
Ongoing investigation of oxy-fuel firing impact on corrosion of nonglass contact refractories: II.—75-05116A
Optimization of monolithic refractory steel ladle lining.—75-07620A
Optimization of refractories of steel ladles with regard to process conditions at Sollac Dunkirk and Florange.—75-07621A
Optimizing heating schedules: a model study.—75-07622A
Overview of the U.S. refractories industry.—75-00267A
Oxidic and oxygen-free refractories [OFR] as thermionic emitters—a review.—75-07624A
Particle size distribution and its relevance in refractory castables.—75-07625A
Particle sizer boosts refractory inspection.—75-02827A
Performance of chromia and picrochromite refractories developed for the HYCOL coal gasification pilot plant reactor.—75-07626A
Periclase crystal size measurement—an international approach.—75-07627A
Periclase refractories from imported powders.—75-05117A
Photometric analysis of chromium oxide refractories.—75-02828A
Plymouth meets the extrusion market.—75-02788A
Postmortem study of glass-melting furnace refractories.—75-07632A
Preparation and characterization of chrome-bearing high-aluminosilicate refractories.—75-07633A
Process for producing low-shrink ceramic composition.—75-08619P

Process for producing reaction-bonded silicon carbide refractory product.—75-07700P
Production of refractories from Chinese periclase.—75-05119A
Production of refractories with specified properties.—75-05120A
Progress in ladle refractories techniques at Kawasaki Steel, Mizushima Works.—75-07636A
Properties of magnesia refractories prepared from Iranian magnesite.—75-07638A
Proven and probable use of/role of polymers in ceramics, refractories in particular.—75-07639A
Quality of refractories is the main way to power saving and efficiency.—75-05123A
Quick tube change [QTC] system.—75-05125A
Raw materials base of Central Russia for refractory enterprises of the Moscow region.—75-08764A
Raw materials for the refractory industry.—75-07094A
Reaction of molten cryolite with refractory ceramics.—75-00268A
Reaction-bonded silicon carbide refractory product.—75-05158P
Recent development of high alumina refractories in China.—75-02831A
Recent trends in monolithic refractories.—75-07644A
Recent trends in refractories.—75-00269A
Recent trends in refractory lining of dc furnaces.—75-07645A
Recycling and disposal of refractories.—75-00270A
Refractories as a major input for quality and cost control in steelmaking.—75-07646A
Refractories based on using dross from remelting of aluminum scrap.—75-07647A
Refractories development for iron- and steelmaking in China.—75-05127A
Refractories developments for the aluminum industry.—75-00271A
Refractories for future steelmaking—global scenario and trend in India.—75-07650A
Refractories for high-alkali environments.—75-00272A
Refractories selection for stainless steelmaking process.—75-07651A
Refractories technology for continuous recycle operation of tundish.—75-07652A
Refractories testing at Orton/RTRC.—75-02834A
Refractories usage in nickel smelting furnaces in China.—75-02835A
Refractory ceramic fiber composites and high-emissivity materials for energy savings in the industry: a state-of-the-art review.—75-05128A
Refractory Linings: Thermomechanical Design and Applications.—75-02169B
Refractory maintenance and repair.—75-02836A
Refractory mix and shapes made therefrom.—75-00279P
Refractory recycling developments.—75-02837A
Refractory wear of dolomitic and magnesitic BOF lining depending on temperature and lime saturation.—75-07654A
Reinforced ceramic tube.—75-05159P
Relationship between the ovality of a cement kiln and the wear rate of refractories.—75-06009A
Repair technology for slide gate plates.—75-05130A
Review on China's refractories industry in 1995.—75-05131A
Revolution in monolithic refractory installation—an overview.—75-05132A
Saffil alumina fiber: manufacture, properties, and application in high-temperature furnaces.—75-05134A
Scientific-technological solutions ensuring the production of high-alumina lightweight refractories.—75-05135A
Service of high-alumina refractories in arc furnaces.—75-05136A
SiAlON-bonded silicon carbide refractory.—75-07702P
Simple method for quick evaluation of thermal conductivity data and predictions of their gap with those of actual monolithic linings.—75-07659A
Size effect law in the fracture resistance of a graphite refractory.—75-07662A
Slag resistance of refractories in the lining of an arc steel melting furnace.—75-07663A
Sol-gel-based precursors for manufacturing refractory oxide fibers.—75-05138A
Sources for saving fuel and power resources.—75-08738A
Special steel pouring through fully partially stabilized zirconia.—75-07666A
Standardization of refractories in Russia and Germany.—75-05143A
State of the art and prospects of the basic refractory raw materials in China.—75-07667A
Statistics from the Yearbook of Iron and Steel Industry of China in 1993.—75-02839A
Statistics.—75-02840A
Structure of the production and use of magnesia refractories.—75-05145A
Suggestions on resource-saving refractory technologies.—75-07668A
SV [slide valve] plates for special steel.—75-07671A
Synthesis processes of Zr and Hf oxycarbide refractory coatings on carbon matrices.—75-02841A
Technogerma Mexico '94.—75-02842A
Textural change behavior of refractories during thermal shock resistance test and its quantitative evaluation.—75-07674A
Theoretical and technological principles of creating lightweight refractories reinforced by fine disperse refractory fibers.—75-05148A
Thermal history and mechanical behavior of MgO-C-based refractories.—75-07676A
Thermal shock acoustic emission and microstructure of refractories: I, High alumina refractories (60-90% Al_2O_3).—75-02844A
Thermal shock acoustic emission and microstructure of refractories: II, Basic refractories.—75-02845A
Thermal shock testing of advanced refractory ceramics.—75-00274A
Thermal shock testing of refractories and the energy balance approach to damage assessment.—75-07680A
Thermodynamical analysis of reactions of oxides with carbon in nitrogen atmosphere.—75-07681A
Trends in steel plant refractories—present and future.—75-07685A
Unidirectional purging system in secondary steelmaking.—75-07687A
Use of a finely divided, refractory, oxidic micropowder for preparing ceramic masses and moldings.—75-00280P
Use of anchors in refractory linings.—75-00275A
Use of Endless Lining System [ELS] for ladles in steel mills.—75-07688A
Utilization of beach sand sillimanite for development of high-alumina aggregates.—75-07691A
Vaporization behavior of nonstoichiometric refractory carbide materials and direct observations of the vapor phase using laser diagnostics.—75-00276A
VVS [Veitsch-Venete-Stirring] system, new bottom-blowing technique for electric furnace.—75-05151A
Wettability between TiN, TiC-containing carbon composite refractory, and molten slag or hot metal.—75-02846A
World-class refractories.—75-07102A
Zirconia refractories.—75-05153A

refractory cements,
Refractory cements in the system (Ca, Sr, Ba)O-MgO-Al_2O_3-Cr_2O_3.—75-07653A

regenerators,
Unburned spinel checker brick for glass furnace regenerators.—75-06014A

regulations,
Challenges in ceramic development.—75-07065A
Complying with the storm water regulations.—75-04693A
Current environmental regulatory activities.—75-00083A
Establishing regulatory compliance in a new plant.—75-02129A
GATT negotiations—a world market for ceramics.—75-04709A
Lead and cadmium release under conditions of consumer use: FDA experiments with cookware, glass tumblers, lead crystal baby bottles, and ceramic mugs.—75-04720A
New items in the standardization of concrete.—75-07170A
Opportunities and obstacles, challenges and changes in the glass container industry.—75-02137A
Problem of commercial growth in regulated times.—75-02141A
Voice for ceramics in Washington.—75-04765A

reinforcement,
Beam reinforcement ratio effect on column capacity and behavior in braced frames.—75-00025A
Clinical applications of hydroxyapatite-reinforced materials.—75-01081A
Composites take glass into the 21st century.—75-04694A
Crystalline ceramic fiber and method of manufacturing same.—75-08570P
Databook on Mechanical and Thermophysical Properties of Particulate-Reinforced Ceramic Matrix Composites.—75-04775B
Geometrical model for a two-layer woven composite reinforcement fabric.—75-06875A
Hot-pressed 3Y-TZP matrix composites with mullite whiskers and alumina platelets.—75-04069A
Investigation of repaired reinforced square short columns using ferrocement.—75-00051A
Mechanical performance of carbon-fiber- and glass-fiber-reinforced epoxy I-beams: I, Mechanical behavior.—75-07004A
Mechanisms and processes leading to changes in time in the properties of CFRC [carbon fiber reinforced cement].—75-04821A
Microstructure-fatigue crack propagation relationship in TiB_2 particle-reinforced ZN (ZA-8) alloy.—75-07014A
Reinforced ceramic tube.—75-05159P
Reinforced ceramics via oxidation of molten metals.—75-04201A
SiAlONs—ceramics with possibilities.—75-02095A
Theoretical and technological principles of creating lightweight refractories reinforced by fine disperse refractory fibers.—75-05148A

relaxation,
Analysis of the high-temperature relaxation in polycrystalline magnetite.—75-03275A
Anelastic relaxation associated with the intergranular phase in silicon nitride and zirconia ceramics.—75-04450A
Bismuth oxide, α-Bi_2O_3, studied by the muon method.—75-08877A
Choice of dimensionless parameters for analysis of relaxation changes in glass products.—75-02632A
Comparison of bend stress relaxation and tensile creep of CVD SiC fibers.—75-02024A
Conductivity relaxation in germanate glasses.—75-00181A
Dielectric relaxation of perovskite-oxide thin films.—75-05181A
Dielectric relaxations in ceramics with compositions $(1-x)Pb(Mg_{1/3}Nb_{2/3})O_{3-x}PbTiO_3$ (x=0, 0.05, 0.1, and 0.25).—75-05182A
Dielectric relaxations in yttria-stabilized zirconia alloys at lower temperatures.—75-00320A
Domain configurations due to multiple misfit relaxation mechanisms in epitaxial ferroelectric thin films: I, Theory.—75-00649A
Domain configurations due to multiple misfit relaxation mechanisms in epitaxial ferroelectric thin films: II, Experimental verification and implications.—75-00650A
Effect of composition of potassium borate glasses on relaxation properties.—75-04952A
Effect of composition of rubidium borate glasses on relaxation properties.—75-04953A
Elastic after-effect study of the ferroelastic tetragonal-orthorhombic transition in $YBa_2Cu_3O_x$.—75-03363A
Electrical relaxation from hydrated surface layers developed on Li_2O-Al_2O_3-$2SiO_2$ glass under atmospheric and aqueous environments.—75-04961A
Electrical relaxation in glasses and melts with large concentrations of mobile ions.—75-04962A
Electron spin lattice relaxation in high-temperature superconductors: Cu^{2+} in Y-Ba-Cu-O.—75-08309A
Energy relaxation of hot carriers in a short-period semiconductor superlattice.—75-03019A
Features of spin-lattice relaxation of Yb^{3+} ions in phosphate glasses.—75-04965A
Features of the relaxation α-process in vitreous B_2O_3.—75-04966A
Forming of functionally gradient materials for thermal stress relaxation by low pressure spraying technique.—75-04854A
Grain boundary relaxation in high-purity silicon nitride.—75-06877A
High-frequency structural relaxation in sodium silicates—a molecular dynamics study.—75-04903A
How to analyze relaxation and leakage currents of dielectric thin films: simulation of voltage-step and voltage-ramp techniques.—75-05198A
Influence of the structural relaxation of a glass on the refractive index gradient in ion exchange at temperatures near T_g.—75-02662A
Integrated planar gradiometer based on a double relaxation oscillation SQUID [DROS].—75-08347A
Kinetic model of structural relaxation in oxide glasses.—75-07343A
Long-time magnetic relaxation measurements on a quench melt growth YBCO superconductor.—75-00818A
Long-time relaxation from relaxor to normal ferroelectric states in $Pb_{0.91}La_{0.06}(Zr_{0.65}Ti_{0.35})O_3$.—75-05600A
Low magnetic relaxation in a single-crystal and a melt-processed $NdBa_2Cu_3O_{7-\delta}$ sample.—75-08354A
Mechanical relaxation of 4 wt% Y_2O_3-ZrO_2 tetragonal single crystals.—75-07012A
Modeling the development and relaxation of stresses in films.—75-07015A
Monte Carlo study of energy losses in hot stage of electronic excitation relaxation in scintillators.—75-01891A
Multistep thawing of chalcogenide glass structure in the softening point interval.—75-04918A
NMR relaxation in Y-Ba-Cu-O superconductors.—75-05803A
NMR spin lattice relaxation in nitrogen-doped 6H silicon carbide.—75-00550A
Nuclear spin-lattice relaxation time in d-wave superconductors.—75-08388A
Oxygen relaxation spectrum in $YBa_2Cu_3O_{6+x}$ at high temperature.—75-03390A
Polarization relaxation in disordered ferroelectrics.—75-05624A
Proton MR microimaging and relaxation of hydrating synthetic cement pastes.—75-00061A
Relaxation phenomena in amorphous bismuth borate condensate prepared by plasma treatment of glass.—75-02683A
Relaxation processes in semiinsulating CdTe(Cl).—75-06511A
Relaxation processes in silica glass.—75-07364A
Relaxation processes induced in Si-SiO_2 systems by ionizing radiation and pulsed magnetic field treating.—75-05462A
Relaxation properties of alkali silicate glasses according to mechanical measurements.—75-07365A
Relaxation properties of products made with basalt fiber.—75-09180A
Relaxation studies on V_2O_5-TeO_2 glasses using heterogeneous conductor model.—75-04991A
Relaxation transitions in vitreous B_2O_3 and their molecular mechanisms.—75-04992A
Relaxational polarization in ZnSe crystals under photoexcitation.—75-03149A
Role of structural relaxation in the fracture of vitreous silica.—75-02091A
Roughening instability and ion-induced viscous relaxation of SiO_2 surfaces.—75-01241A
Slow isothermal relaxation of dark resistance in dysprosium-doped indium selenide single crystals.—75-05477A
Stress relaxation study of aluminum/polymide bilayer thin films on substrate.—75-04638A
Structural relaxation around substitutional Cr^{3+} ions in sapphire.—75-02100A
Structural relaxation in silicate glass in cooling/heating and near-equilibrium experiments.—75-02689A
Structural relaxation with viscous flow followed by thermodilatometry.—75-05982A
Surface relaxation and surface area measurements in soft and hardened pastes.—75-01693A
Surface relaxation and surface area measurements in soft and hardened tricalcic silicate pastes.—75-01694A
Tunneling relaxation of holes in double quantum wells with nonideal heterointerfaces.—75-03193A

relaxors,
Ac drive-enhanced relaxor characteristics and domain breakdown in ferroelectrics containing quenched impurities.—75-08120A
Anisotropic glasslike characteristics of strontium barium niobate relaxors.—75-00638A
Dielectric, structural, and microstructural characteristics of tetragonal structured PLZT relaxors.—75-00648A
Electromechanical testing and modeling of a $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-$BaTiO_3$ relaxor ferroelectric.—75-05562A
Long-time relaxation from relaxor to normal ferroelectric states in $Pb_{0.91}La_{0.06}(Zr_{0.65}Ti_{0.35})O_3$.—75-05600A
Low-temperature observation of relaxor ferroelectric domains in lead zinc niobate.—75-00671A
Perovskite phase formation in the relaxor system $[Pb(Fe_{1/2}Nb_{1/2})O_3]_{1-x}$-$[Pb(Zn_{1/3}Nb_{2/3})O_3]_x$.—75-0 0360A

Processing and properties of $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbZrO_3$-$PbTiO_3$ ceramic relaxors.—75-05210A
Reliability of ceramic capacitor, past, present, and future.—75-00372A
Spontaneous relaxor to normal ferroelectric transformation in La-modified lead zirconate titanate.—75-03260A

removal,
Computer simulations of binder removal from 2-D and 3-D model particulate bodies.—75-03978A
Effect of humidity on the removal of fine particles on a solid surface using high-speed air jet.—75-06580A
Elimination of hydrogen-related instabilities in Si/SiO_2 structures by fluorine implantation.—75-01483A
Erasure of photorefractive gratings in barium titanate.—75-01289A
Pilot plant study for the SO_x removal in the ammonia incinerator.—75-08735A
Pyrolytic binder removal from injection-molded ceramic components: computer modeling of particle size effects on the critical heating rate.—75-09414A
Removal of additives from plastically formed ceramic components by thermolysis: a review.—75-09421A
Removal of fine particles from water surface by pulse air jets.—75-06758A
Surface chemistry of lead titanate and its impact on binder removal.—75-04234A

repair,
Calculating the norms of specific consumption of periclase-chromite parts for repairs of the main roof and roofs of port ends and slag chambers of open-hearth and twin-bath furnaces.—75-05074A
Development of a large-capacity flame gunning repair system for plain carbon steelmaking BOFs.—75-07514A
Development of gunning material for hot repair of CC tundish.—75-07519A
Hardening time of resin-bonded hot repair mixes for BOFs.—75-07559A
Investigation of repaired reinforced square short columns using ferrocement.—75-00051A
Refractory maintenance and repair.—75-02836A
Repair technology for slide gate plates.—75-05130A

research,
Accessing public laboratories to improve company technology.—75-07059A
Acoustic microscope and its application in ceramic research.—75-03550A
Anchor Glass chairman prods industry to expand R&D funding and marketing drive.—75-09703A
Ceramic powder synthesis—current status and future challenges.—75-01394A
CIC [Ceramic Information Center] supports ceramics community.—75-02117A
Innovative technology transfer initiatives.—75-04713A
Interest of research in building materials.—75-07082A
International activities in research and production of ceramics.—75-07083A
Japanese center leads ceramic technology.—75-04717A
Low thermal expansion ceramics—a retrospective.—75-01881A
New approach to joint research and development: determining the potential for a partnership between the glass industry and the federal government.—75-07089A
Overview of the U.S. refractories industry.—75-02826A
Patent's role in developing new technology.—75-04729A
Priority trend in cement research—development of a new generation of technology.—75-07177A
Progress on scintillator research by the Crystal Clear collaboration.—75-02143A
Projected research on high-efficiency energy conversion materials.—75-02535A
Questions to Arnon Bentur, Head, National Building Research Institute, Technion, Israel Institute of Technology, Haifa.—75-07093A
R&D trends of electronic ceramics in Japan.—75-02145A
R. T. Vanderbilt Co. Inc.—75-04739A
Research and development works on BaF_2 crystals in Shanghai Institute of Ceramics.—75-02146A
SiC—now and future: II.—75-03713A
Telestic (purposeful) and atelestic (curiosity-driven) research in the post-supercollider world.—75-04759A
Thermostructural CMCs—an overview of the French experience.—75-03723A
Trends of research on ceramic interfaces.—75-01972A
What can New York State colleges do for the glass industry.—75-02153A

resins,
Controlled formation of buried layers of carbon.—75-01413A
Epoxy-modified $YBa_2Cu_3O_{7-x}$ (123) superconductors with improved strength and fracture toughness.—75-00801A
Hardening time of resin-bonded hot repair mixes for BOFs.—75-07559A
Manufacture of silicon carbide foam from a polyurethane foam impregnated with resin containing silicon.—75-01173P
Mechanical properties of pure and epoxy-modified $(Bi,Pb)_2Sr_2Ca_2Cu_{10+x}$ (2223) superconductors.—75-00825A
Microporous membranes based on carbonizates of phenol formaldehyde resins.—75-09361A
Phenolic resins as carbon forming agents.—75-07628A
Semiconducting properties of epoxy-modified $YBa_2Cu_3O_{7-x}$ (123) superconductors.—75-00862A
Toughness and fracture properties of thermoplastic-toughened epoxy resin.—75-04656A

resistance,
Enhancement of creep resistance of a sintered Si_3N_4 ceramic by microwave annealing.—75-04512A
Thermally stimulated current of n^+-p junction with high resistance in series.—75-05504A

resistivity,
Effect of grain size and temperature on the field dependence of the resistivity of B-doped diamond.—75-09274A
Electric loss in a high-resistance silicon with deep levels.—75-07863A
Generation and amplification region in resonant-tunneling diodes.—75-07901A
Impurity photoresistor in optical heterodyne pulse mode.—75-05342A
Influence of molybdenum substitution on superconductivity of yttrium barium cuprate.—75-05781A
Resistivity peak anomaly in $Y_1Ba_2Cu_3O_{7-\delta}$ crystals and nonuniform distributed critical temperature inhomogeneities.—75-00859A
Surface resistivity of YBaCuO single crystals.—75-08434A
Temperature effects on the resistivity of polycrystalline silicon titanium salicide.—75-00613A

resistors,
Ceramic resistor wherein a resistance film is embedded.—75-00391P
CVD diamond resistor as heater and temperature sensor.—75-08799A
Effect of nitridation on the electrical properties of W:Ti resistors.—75-03006A
Evaluation of some commercial thick-film resistor materials for strain gages.—75-05193A
Nonlinear conduction mechanism in perovskite-type ceramics.—75-01315A
Processing of copper thick film materials for hybrid circuits.—75-00367A
Synthesis and characterization of metal boride/glass composite resistors.—75-00379A

resonance,
Challenges and opportunities in magnetic resonance force microscopy.—75-01014A
Double anticrossing of a localized optical mode and two exciton resonances in a semiconductor microcavity.—75-07837A
Electron paramagnetic resonance of beryllium, deep boron, and scandium acceptors in silicon carbide.—75-08920A
Electron spin resonance of transition elements in fluoride and oxyfluoride glasses.—75-02586A
EPR in copper monoxide.—75-08665A
Features of dimensional magnetoelastic resonance in iron borate in multidomain states.—75-05670A
Magnetophonon resonance in p-CdSb.—75-07962A
Monte Carlo simulation of electron behavior in an electron cyclotron resonance microwave discharge using circular TM_{11} mode fields.—75-08686A
Plasmons in C_{60}, carbon onions, and carbon tubes.— 75-01907A
Radio-frequency bias effects on SiO_2 films deposited by distributed electron cyclotron resonance plasma-enhanced chemical vapor deposition.—75-01638A
Spin resonance study of the 2.9 eV luminescence centers in natural and synthetic diamond.—75-00600A
Vibration method for tracking the resonant mode and impedance of a microwave cavity.—75-01052A

resonators,
Accurate measurements of electrical properties of dielectric resonators and substrate materials.—75-01007A
Ceramic compositions for BZN dielectric resonators.—75-02945P
Dielectric ceramic compositions and dielectric resonators.—75-05222P
Evaluation of microwave dielectric ceramics.—75-07728A
High-temperature superconducting dielectric resonator having mode-absorbing means.—75-05223P
Influence of internal interfaces on the dielectric properties of ceramic microwave resonators.—75-02914A
Microwave dielectric ceramic composition and preparing method thereof.—75-05231P
Microwave raytracing in large overmoded industrial resonators.—75-00965A
Properties of shielded microstrip line resonators made from double-sided $Y_1Ba_2Cu_3O_x$ films.—75-00855A
Quartz resonator fluid monitors for vehicle applications.—75-00694A
Transversely varying thickness modes in quartz resonators with beveled cylindrical edges.—75-01362A
Vibrations of AT-cut quartz strips of narrow width and finite length.—75-03862A
What is the best microwave absorber.—75-01366A

rhenium,
Crystal structure of lithium perrhenate sesquihydrate.—75-06193A
Effect of rhenium oxide addition on the superconducting characteristics in $YBa_2Cu_3O_x$.—75-00792A

rheology,
Control of highly concentrated suspensions based on titanium dioxide by rheological properties.—75-06435A
Influence of powder loading and binder additive on the properties of alumina injection-molding blends.—75-06655A
Injection molding of submicrometer zirconia—blend formulation and rheology.—75-04086A
Rheological behavior of fresh cement paste as measured by squeeze flow.—75-02422A
Rheological behavior of polymer-stabilized ceramic suspensions—role of the "free" polymer species.—75-01650A
Rheological behavior of the system portland clinker-Na_2CO_3-sulfonated polyphenolate-H_2O.—75-02423A
Rheological behavior of YSiAlON glasses—its incidence on the high-temperature deformation of Si_3N_4 ceramics sintered with Al_2O_3 and Y_2O_3 additives.—75-03922A
Rheological characterization of temperature effects in particle-filled polymer fluids.—75-03923A
Rheological properties of concentrated, nonaqueous silicon nitride suspensions.—75-09183A
Rheological property and stress development during drying of tape-cast ceramic layers.—75-09184A
Rheology and consolidation of colloidal alumina-coated silicon nitride suspensions.—75-04202A
Rheology of alumina-based slips used for pressureless- and pressure-casting.—75-01653A
Rheology of zirconia suspensions in a nonpolar organic medium.—75-01654A
Slip casting of nanometer-sized tetragonal zirconia powder.—75-06770A

rheometry,
Approach in relating torque rheometer and capillary viscosity data of ceramic/polymer mixes.—75-08637A

rhodium,
Mn-promoted Rh/NaY zeolite catalysts: an ir spectroscopic study.—75-06273A
Process for the inorganic chemical modification of rhodium alumina catalysts and automotive catalyst made by the process.—75-08784P

rice hulls,
Formation of SiC whiskers from compacts of raw rice husks.—75-06619A
Preparation of silica from rice husks.—75-06734A
Synthesis of silicon carbide from rice husk in a dc arc plasma reactor.—75-04248A

rocks,
Out of the Earth Into the Fire: A Course in Ceramic Materials for the Studio Potter.—75-02166B
Using Armenian rock as a glass crystal material.—75-08768A

rollers,
Ceramic rollers for conveyance of photographic films and paper polymeric webs.—75-08776P
High-temperature wear test of silicon nitride ceramics.—75-03700A
New roller kiln F1NH-type.—75-01062A

rotary kilns,
Changes in chemical and phase composition of materials when firing in kilns.—75-08718A
Combustion of anthracite and petroleum coke in cement kiln systems.—75-01056A
Dolomite, the successful approach for the burning zone of the cement rotary kiln.—75-01057A
Effect of alkalis on alumina refractories in cement rotary kilns.—75-05083A
Foundations for rotary kilns.—75-08724A
Refractories for cement rotary kiln.—75-07648A
Roller kiln improves ware production.—75-03629A
Use of oil shale as nozzle fuel in rotary cement kilns.—75-08743A

rotors,
Rotary capacitance transducers for automotive environments.—75-00373A
Silicon nitride components for reciprocating engines.—75-03717A
Zirconia vane for rotary compressors.—75-08790P

roughness,
Effects of interfacial roughness on the leakage properties of $SrTiO_3$ thin-film capacitors.—75-05189A
Excimer laser planarization of diamond films.—75-00489A
Fused ceramic beads.—75-08780P
Grazing incidence X-ray reflectance measurement of surface and interface roughness on the subnanometer scale.—75-01858A
Influence of kinetic roughening on the epitaxial growth of silicon.—75-00516A
Influence of residual stresses, interface roughness, and fiber coatings on interfacial properties in ceramic composites.—75-01544A
Interfacial roughness in GaAs/AlGaAs multilayers—influence of controlled impurity addition.—75-00525A
Laser finishing and measurement of diamond surface roughness.—75-08586P
Measurement of surface roughness parameters for cold-rolled steel sheet using lasers.—75-08683A
Remote laser tester of the surface roughness of articles.—75-03595A
Surface roughness effect on surface impedance of superconductors.—75-00881A
Surface roughness of Nicalon fiber.—75-06910A

rubidium,
Effect of composition of rubidium borate glasses on relaxation properties.—75-04953A
Epitaxial growth of $RbTiOPO_4$ films on $KTiOPO_4$ substrates by excimer laser ablation technique.—75-01485A
Features of the electrical properties connected with reorganization of domain structure in Rb_2ZnCl_4 ferroelectrics.—75-08141A
$Ga(PO_3)_3$-$RbPO_3$ system.—75-08942A
Magnetic susceptibility of binary rubidium–rare-earth vanadates, $Rb_3Ln(VO_4)_2$ (Ln=Pr, Nd, Gd, Tm, Yb).—75-09157A
Promotion of the oxidation of silicon carbide by a rubidium overlayer.—75-02015A
Rubidium ammonium triphosphates.—75-09425A
Solid solutions of $Rb_2KSc_{1-x}Ga_xF_6$.—75-06356A
Structure, EPR, and dielectric properties of single crystals of a new $Rb_3Ti_3P_5O_{20}$:V^{4+} compound.—75-09074A
Synthesis and properties of manganese(II) double molybdates with rubidium and cesium.—75-06384A
Synthesis and properties of vanadates of $M_3V_3O_{10}$ (M=K, Rb, Cs, Tl).—75-06520A
X-ray and optical studies of $Cs_xRb_{1-x}LiSO_4$ solid solutions.—75-06408A
X-ray study of crystallographic parameters of Rb_2ZnBr_4 in the phase transition region.—75-09112A

ruby,
Effect of tension on R lines in ruby crystals shocked along crystal c-axis.—75-02043A
Preparation of copper-ruby glasses by sputtering: the effect of atmosphere on the growth of copper particles.—75-02736A
Ruby spectral band-profile analysis for temperature sensing.—75-06512A

rupture,
Creep and rupture of advanced ceramic fiber reinforcements.—75-04470A
Environmental effects on creep and stress-rupture properties of advanced SiC fibers.—75-04513A
Stress-rupture-resistant sintered silicon nitride.—75-08851P
ruthenium oxide,
Crystallization of rapid thermal processed PZT: platinum and ruthenium oxide electrodes.—75-05541A
Effect of RuO_x bottom electrode annealing temperature on sol-gel-derived PZT capacitors.—75-05551A
Electrical characterization of PZT on rapid thermally annealed ruthenium oxide electrodes.—75-05558A
Gbit-scale DRAM stacked capacitor with ECR MOCVD $SrTiO_3$ over RIE patterned RuO_2/TiN storage nodes.—75-05194A
Materials potentially harder than diamond: quenchable high-pressure phases of transition metal dioxides.—75-06070A
Phase equilibria in the RuO_2-PbO-TiO_2 and RuO_2-PbO-NiO systems.—75-06307A
Preparation and electrical properties of high-quality PZT thin films on RuO_x electrode.—75-05626A
Preparation of ultrafine RuO_2 and IrO_2 particles by a sol-gel process.—75-06742A
Synthesis and structural characterization of a new system: ZrO_2-Y_2O_3-RuO_2.—75-09081A
Synthesis of ruthenium dioxide thin films by a solution chemistry technique.—75-01714A
ruthenium,
Diffusion and electrical conductivity of thick-film resistive compositions.—75-09497A
Features of the transfer of ruthenium in the form of RuO_4 in acetate-ethanol media.—75-06230A
Gas permeability of anodized alumina membranes with a palladium-ruthenium alloy layer.—75-09144A
Spinel solid solution $Co_2Ru_{1-x}Fe_xO_4$.—75-05710A
TEM study of the Pt-Ru bimetallic catalyst formation.—75-01965A
Rutherford backscattering,
Atomic scale characterization of $(NH_4)_2S_x$-treated GaAs(100) surface.—75-00416A
rutile,
Electrical conductivity of rutile single crystals after heating by pulsed laser.—75-06452A
Electron spin resonance investigation of Cr^{3+} diffusion in rutile.—75-06848A
Measurement of small concentrations of vanadium in rutile (TiO_2) using electron spin resonance.—75-05957A
Near-surface defects created by 355-nm laser irradiation of rutile.—75-01768A
Oriented barium titanate thick films by reactive coating on rutile.—75-06703A
Production of synthetic rutile.—75-01073P
Rutile formation in hydrothermally crystallized nanosized titania.—75-06759A
Rutiles from diamond-bearing rocks.—75-08765A
Synergistic mechanisms of composite collector.—75-09076A
Synthesis of $Cr_xTi_{1-2x}Nb_xO_2$, $0 \le x \le 0.5$, rutile solid solutions from alkoxides.—75-06807A
Synthesis, characterization, and semiconducting properties of solid solutions with rutile structure.—75-00885A
safety,
Argon stirring—development of a novel system for safe and controllable operation.—75-07478A
Ceramic fiber and occupational health and safety—a review of the literature.—75-02114A
Coalition advocates safe ceramic ware.—75-02857A
Exercises for a healthy back.—75-02245A
Inorganic lead compounds in electroceramics and glasses.—75-02132A
Process commercialization: don't risk losing the benefits by ignoring the hazards.—75-02142A
Safety of machinery in the ceramic and building brick industries.—75-04746A
Strong and safe brittle ceramics—materials aspects of design with structural ceramics.—75-09677A
Today's safety and health issues [in porcelain enameling].—75-02150A
saggars,
Smokeless saggar firings.—75-02360A
salt,
Adhesion force arising from solid salt bridge formed after drying of liquid bridge.—75-06154A
salts,
Aesthetic effects obtained by decorating soluble salts.—75-07704A
Corrosion of mullite by molten salts.—75-06919A
Effect of corrosion-inhibitor-added deicing salts and salt substitutes on reinforcing steels: I, Influence of concentration.—75-04424A
Effect of corrosion-inhibitor-added deicing salts and salt substitutes on reinforcing steels: II, Influence of temperature and oxygen content.—75-04425A
samarium oxide,
Preparation of an alkali element-doped CeO_2-Sm_2O_3 system and its operation properties as the electrolyte in planar solid oxide fuel cells.—75-07745A
Silicon nitride ceramic comprising samaria and ytterbia.—75-08844P
samarium,
Color centers produced by γ-irradiation and seeding of the samarium-, terbium-, and erbium-doped aluminosilicate optical fibers.—75-02576A
Comparison of the dynamic properties of samarium- and europium-containing iron garnet films.—75-08196A
Dynamic properties of Sm-containing ferrite garnet films.—75-08198A
Effect of the substitution of Sm for Ba on the superconductor $SmBa_2Cu_3O_x$.—75-08299A
Electrical properties and phase transitions in $Tm_{1-x}Sm_xS$ and $Tm_{1-x}La_xS$ systems.—75-03012A
Enhanced luminescence from rare-earth-doped thin films.—75-00484A
Formation of Sm^{2+} ions in sol-gel-derived glasses of the system Na_2O-Al_2O_3-SiO_2.—75-02654A
Influence of gamma irradiation on electrical parameters of thin SmS films.—75-03058A
Luminescence of ZnS:Tb^{3+} and ZnS:Sm^{3+} films obtained by the decomposition of chelate complexes.—75-07957A
Magnetic flux penetration and creep in a ceramic (Y, Sm)$Ba_2Cu_3O_7$.—75-08356A
Microstructure study of Sm, Mn-modified $PbTiO_3$ piezoelectric ceramics by XRD and profile-fitting technique.—75-05607A
MIS [metal-insulator-semiconductor] varicaps and photovaricaps [nonlinear capacitors] based on Al-Sm_2O_3-Si structures.—75-07971A
Optical spectra of $LnBa_2Cu_3O_x$ compounds.—75-05807A
Phase relationships in the Sm-Si-Al-O-N system.—75-03819A
Photochemical hole burning [PHB] and local structural change in Sm^{2+}-doped borate glasses.—75-00173A
Piezoelectric and structural properties of samarium-doped lead zirconate titanate ceramics.—75-05621A
Satellite peak generation in the electroluminescence spectrum of ZnS:Sm grown by metallorganic chemical vapor deposition with Cl codoping.—75-00591A
Sm_2BaCuO_5 refinement via an attrition milling and CeO_2 addition in Sm-Ba-Cu-O systems melt textured at oxygen partial pressures of 0.001–1 atm.—75-08412A
Spontaneous magnetoelastic deformation of the crystal lattice in the spin reorientation temperature region of the $SmFe_2$ compound.—75-09064A
Temperature stability of samarium-doped α-SiAlON ceramics.—75-09084A
Transport and magnetic properties of polycrystalline $Sm_{2-x}Ce_xCuO_{4-y}$ [$0.15 \le x < 0.18$].—75-03420A
X-ray spectral study of interaction of subvalence electron shells in samarium and ytterbium oxides.—75-06413A
sampling,
Automatic sampling improves QA procedures.—75-02387A
sands,
Aerodynamic purification, disintegration, and separation of quartz sands and similar bulk materials.—75-07440A
Calculation of optimum mixtures based on sandy-calcareous clay.—75-05056A
Mechanochemical treatment of zircon sand and $ZrSiO_4$ amorphization at ordinary temperature.—75-04108A
Microbial leaching of iron from silica sands by Aspergillus Niger.—75-06041A
Use of ceramics and cermets for wear protection applications in the oil sands industry.—75-09689A
sanitary ware,
Civita Castellana, specializing in sanitary ware.—75-02856A
Decorators identify trends in the industry.—75-02766A
Kiln technology for sanitary ware production.—75-02873A
Modernizing sanitary ware production.—75-05165A
Modular sanitary ware plant concept.—75-07087A
Polyacrylate developments in sanitary ware slurries.—75-02882A
Preliminary investigation of sanitary ware slip and influencing factors for a pressure cast system.—75-02883A
Pressure casting in the sanitary ware industry.—75-02885A
Pressure casting sanitary ware.—75-05167A
Recent advances in the understanding of gelation in sanitary ware slips.—75-02886A
Roller kiln improves ware production.—75-03629A
Sanitary ware firing.—75-07713A
Separator scores for simplicity and reliability.—75-02887A
Slip-casting method for manufacturing ceramic articles.—75-07718P
Steady expansion in Thai production.—75-02795A
saponites,
Group behavior of SAPO-11 molecular sieves containing various metals (Mg, Zn, Mn or Cd, Ni, Cr).—75-06880A
Hydraulic properties of montmorillonite-quartz and saponite-quartz mixtures.—75-02779A
Oriented microporous films of tetramethylammonium pillared saponite.—75-06904A
sapphire,
Crystallographic model of (00.1)aluminum nitride epitaxial thin film growth on (00.1)sapphire substrate.—75-01214A
Effect of coating thickness on interfacial shear behavior of zirconia-coated sapphire fibers in a polycrystalline alumina matrix.—75-04493A
Effects of controlled-geometry sinusoidal perturbations on the morphological evolution of pore channels in sapphire.—75-01835A
Integration of sol-gel-derived PZT with SOS [Si on sapphire] technology.—75-05592A
Lead zirconate titanate ferroelectric capacitors produced on sapphire and gallium arsenide substrates.—75-05597A
Nanoindentation studies of the chemomechanical effect in sapphire.—75-06282A
New England [New South Wales, Australia] sapphire industry.—75-02135A
Optical constants of sapphire (α-Al_2O_3) single crystals.—75-01322A
Photoelectric properties of polycrystalline $Cd_xHg_{1-x}Te$ layers on sapphire.—75-05427A
Raman and photoluminescence studies of undoped and magnesium-doped GaN films on sapphire.—75-01919A
Silicon to sapphire bond.—75-03549P
Steady-state dynamics of jewel bearing with a free ball.—75-04632A
Structural relaxation around substitutional Cr^{3+} ions in sapphire.—75-02100A
Thermally annealed GaN nucleation layers and the device-quality metallorganic chemical vapor deposition growth of Si-doped GaN films on (00.1)sapphire.—75-03184A
Thermally annealed GaN nucleation layers and the MOCVD growth of Si-doped GaN films on(00.1) sapphire.—75-00619A
Thin-film lithium niobate on sapphire for SAW applications.—75-05650A
Use of CVD AlN films as protective coatings in $MoSi_2$ composites.—75-02558A
saturation,
Calcium hydroxide saturation factors in the pore solution of hydrated portland cement fly ash pastes.—75-02389A
Enhanced saturation of sputtered amorphous SiN film frameworks using He and Ne Denning effects.—75-04023A
scaling,
Low-power high-speed deep submicron VLSI- device technologies and interconnect modeling issues.—75-00537A
scandium oxide,
Scandia.—75-06054A
scanning electron microscopy (SEM),
Field emission gun scanning electron microscope-high resolution at low beam energies.—75-00954A
Interface characterization using an SEM-based microindentor.—75-03574A
SEM, TEM, and microprobe investigations on Si_3N_4 valves.—75-03711A
scanning tunneling microscopy (STM),
Cross sectional scanning tunneling microscopy of III-V quantum structures.—75-00449A
Experimental and simulated scanning tunneling microscopy of the cleaved $Rb_{1/3}WO_3$(0001) surface.—75-01849A
FI-STM study of fullerenes.—75-01851A
Imaging the atomic-scale structure of molybdenum and vanadium oxides by scanning tunneling microscopy.—75-01866A
Investigation of the vicinal Ge(001) surface with STM.—75-00527A
Low-voltage point projection microscopy and time of flight STM—two new microscopies.—75-00957A
Particle sizing—getting the complete picture.—75-04386A
Photoinduced scanning tunneling microscopy of insulating diamond films.—75-02925A
Porous silicon [investigated] by scanning tunneling microscopy and atomic force microscopy.—75-04388A
Scanning tunneling microscopy (STM) and scanning force microscopy (SFM) of liquid crystals and polymers.—75-01929A
Spectroscopic characterization of nanoscale modification of passivated Si(100) surface by STM.—75-00598A
STM and photoconductivity studies of a:DLC [amorphous diamondlike carbon] films.—75-08063A
Surface morphology of diamond thin films using photoinduced scanning tunneling microscopy.—75-01958A
scattering,
c-axis optical response of fully oxygenated $YBa_2Cu_3O_{7-\delta}$ observation of dirty-limit-like superconductivity and residual unpaired carriers.—75-05721A
Comparison of sizing results obtained with electrolyte volume displacement laser light scattering instrumentation.—75-03551A
Effect of termination of scattering intensity curves on calculated parameters of short-range order in amorphous aluminum oxide.—75-06213A
Electron scattering in quantum well by interface phonons.—75-07873A
Electron-optical phonon scattering in two-dimensional quantum wells with independent electron and phonon confinement.—75-03016A
Hall factor of electrons in $Ge_{1-x}Si_x$ crystals when phonon scattering and scattering due to alloy disorder are dominant.—75-03042A
Inelastic neutron scattering study of NH_4 zeolites.—75-06244A
Inelastic scattering of slow neutrons by hematite.—75-08222A
Influence of the surface scattering on the thin semiconductor film conductivity in a high magnetic field in quantum limit.—75-03063A
Light scattering from sol-gel Pb(Zr,Ti)O_3 thin films: surface versus volume scattering.—75-05598A
New options for particle size analysis.—75-03585A
Parameters characteristic of electron-hole scattering in semiconductors under low level of charge carrier injection.—75-03109A
Rayleigh scattering in silica glasses.—75-07363A
science,
Ceramic Transactions, Volume 55: Sol-Gel Science and Technology.—75-02157B
Progress in planar SOFC science and technology.—75-02933A
Science and Design of Engineering Materials.—75-04781B
Sintering and Materials: Proceedings of the Sixth International Symposium on the Science and Technology of Sintering.—75-04782B
Telestic (purposeful) and atelestic (curiosity-driven) research in the post-supercollider world.—75-04759A
scintillator,
Calculation of energy levels of cerium in inorganic scintillator crystals.—75-01798A
Cerium-activated lanthanum beryllate as a gamma detector material.—75-00942A
Cerium-doped orthophosphate scintillators.—75-00425A
Chemistry of two-component fluoride crystalline optical media for heavy, fast, radiation-hard scintillators.—75-01266A
Choice of compounds with fast core-valence transitions.—75-00434A
Chromophore doped glasses as scintillator materials.—75-00209A
Cluster models of doped ionic crystal scintillators, quantum calculations.—75-01815A

Creation of electron-hole pairs in inorganic scintillators.—75-01818A
Crystal detectors in particle physics.—75-01018A
Deformation welding of scintillating materials.—75-01421A
Dependence of scintillators optical properties on intrinsic structural defects.—75-01749A
Elastic scintillation materials based on polyorganosiloxane.—75-01280A
Electronic trap defects in Y_2O_3:Eu and (Y, Gd)$_2O_3$:Eu X-ray scintillators.—75-01754A
Growth of halide scintillators with a modified heat exchange method.—75-01519A
Heavy fluoride glasses as an alternative to crystals in high-energy physics calorimetry.—75-00927A
Low dose rate tests of plastic scintillator plates and wavelength shifting fibers.—75-01304A
Methods for a systematic, comprehensive search for fast, heavy scintillator materials.—75-01031A
Modified fast analog technique for determining luminescence decay times of scintillators.—75-01311A
Monte Carlo study of energy losses in hot stage of electronic excitation relaxation in scintillators.—75-01891A
Nanosecond uv scintillations in cesium iodide.—75-01313A
New fluors for radiation-tolerant scintillators.—75-00933A
Optical spectroscopy of Ce^{3+}, Tb^{3+}, and Eu^{3+} in new scintillating glasses.—75-07359A
Photoluminescence and scintillation properties of Pb^{2+}-based quantum dots in CsCl host crystal.—75-00567A
Precision machining and polishing of scintillating crystals for large calorimeters and hodoscopes.—75-00979A
Progress on scintillator research by the Crystal Clear collaboration.—75-02143A
Relationship between microstructure and efficiency of scintillating glasses.—75-00198A
Research and development works on BaF_2 crystals in Shanghai Institute of Ceramics.—75-02146A
Role of core levels in scintillation processes.—75-00934A
Scintillating glass fiberoptic neutron sensors.—75-00222A
Scintillation mechanism in Gd-based crystals doped with RE^{3+} ions.—75-01338A
Scintillation mechanism in $PbWO_4$ crystals.—75-01339A
Study of neutron damage resistance of some scintillating crystals and associated photodetectors with the nuclear reactor Ulysse.—75-00936A
Subnanosecond scintillations in diamond.—75-01347A
Temperature stability of NaI(Tl) scintillators.—75-01354A
Time-resolved spectroscopy of scintillation materials using X-ray synchrotron radiation.—75-01970A
Use of plastic optical fibers for charged particle tracking in high-energy physics.—75-01049A
Van de Graaff ion beams as a useful instrument of scintillation study of crystals.—75-01051A

screen process printing,
Apparatus and method for applying a coating to glass using a screen printing process.—75-08549P

screens,
Philip Bellomo's ceramic screens.—75-02328A

sculpture,
49th Scripps Annual.—75-02182A
Andy Nasisse and Harvey Sadow.—75-02188A
Ann Linnemann.—75-02190A
Arch 191.—75-02191A
Bill Stewart.—75-02200A
Bobby Silverman—an autobiography.—75-02201A
California clay conference.—75-02208A
Celia Cymbalista—an autobiography.—75-02209A
Ceramic sculpture in Brazil.—75-02210A
Ceramics Israel.—75-02212A
Clay currents.—75-02218A
Close to the earth.—75-02221A
Coille McLaughlin Hooven.—75-02222A
Czeslaw Podlesny.—75-04790A
Desert light.—75-02233A
Do not think about the blue door.—75-02237A
Edda Kallweit.—75-02240A
Eduardo Andaluz.—75-02241A
Fire in the woods.—75-02250A
Functional/sculptural concerns.—75-02257A
Fusz Gyorgy.—75-02258A
Gregory Zeorlin.—75-02264A
Hydnocerus series.—75-02270A
Interplay of craft and wit: conceptual functional vessels by Eric Van Eimeren.—75-07125A
Jean-Luc Mas.—75-07127A
Jim Leedy—the reenchantment of clay.—75-02275A
Jindra Vikova.—75-02276A
John Woodward.—75-02277A
Justin Novak—consumer confidence.—75-02279A
Leslie Lee.—75-02285A
Maria Alquilar—a perspective on public art.—75-02288A
Mark Messenger.—75-02289A
National tea party.—75-02308A
North American Free Clay Agreement.—75-02313A
Object lessons at the European Ceramic Work Center [EKWC, Netherlands].—75-07130A
Patriciv Mateescv.—75-02322A
Philadelphia's clay studio.—75-02327A
Raku sculpture.—75-02335A
Reconstructing the Augsburg Kachelofen.—75-04800A
Richard Shaw.—75-02342A
Robert Harrison's Gibson Gateway.—75-02344A
Ron Dale.—75-02346A
Rules, rules, what rules. Sculptural freedom with paper clay.—75-04801A
Sadashi Inuzuka.—75-02350A
Sister Dennis Frandrup.—75-02358A
Starting over.—75-02361A
Summer workshops 1996.—75-02363A
Susan Low-Beer.—75-02365A
Vallauris Biennial.—75-02376A
Valuable offerings—the ceramic sculpture of Indira Freitas-Johnson.—75-02377A

seals and sealing,
Ceramic adhesive having a sealed porosity.—75-07249P
Ceramic heat exchanger design.—75-08557P
Designing aluminum sealing glasses for manufacturability.—75-00211A
Experimental and analytical study on thermocracking of alumina ceramic ring in a mechanical seal.—75-04517A
Hermetic protection for integrated circuits.—75-07762P
High-pressure discharge lamp with ceramic discharge vessel and ceramic sealing means having lead-through comprising thin wires having a thermal coefficient of expansion substantially less than that of the ceramic sealing means.—75-06090P
Highly chemically and thermally resistant borosilicate glass which is capable of forming a seal with tungsten.—75-05049P
Performance of water-lubricated ceramics in triboapplications—mechanical seals and journal bearings.—75-09659A
Sealing frit pastes.—75-07274P
Sealing glass compositions using ceramic composite filler.—75-07275P
Tribological evaluation of an Al_2O_3-SiO_2 ceramic fiber candidate for high-temperature sliding seals.—75-04657A
Tribological performance of ceramic materials in face seal applications.—75-09686A
Tribological properties of sprayed films for high-temperature seals.—75-02557A

second harmonic generation,
Anisotropic optical second harmonic generation in Si:SiO_2 superlattices.—75-06421A
Application of the optical second harmonic generation method in the study of the crystallization of noncentrosymmetric phases in glasses.—75-02574A
Barium titanate thin films on MgO substrates [investigated] by second harmonic generation.—75-01797A
Blue second-harmonic generation in waveguides fabricated in undoped and scandium-doped $KTiOPO_4$.—75-06423A
Calculation of phase-matching electrooptical modulation of SHG in KTP.—75-06425A
Determination of important parameters for SHG in LBO.—75-06441A
Growth of crystals for infrared detectors and second harmonic generation devices.—75-03039A
Improved second harmonic generation from Langmuir-Blodgett films of an azacrown ether fullerene derivative.—75-00512A
Optical second harmonic generation of oblique incident light in transmission potassium dihydrogen phosphate crystal.—75-06497A
Resonant second harmonic generation in Si/SiO_2 periodic quantum wells.—75-08047A
Second harmonic generation in transparent barium borate glass-ceramics.—75-04993A
Structure of porous silicon studied by second harmonic generation method and atomic force microscopy.—75-08704A
Tunable second-harmonic studies of GaN films near the fundamental band edge.—75-00627A

sediments/sedimentation,
Ceramic-metal functional gradient materials by sedimentation.—75-02442A
Laboratory device for sedimentation separation of powders.—75-03575A

Seebeck coeff.,
Electrical conduction in the $Sr_{1-x}La_xTi_{1-x}Co_xO_3$ (x<0.4) system.—75-02903A

seeding,
Effect of seed crystals on the microstructure of Si_3N_4 ceramics.—75-09543A
Effect of silicon nitride seeds addition on the particle size and the crystal form of resulting powder in carbothermal reduction-nitridation of silica.—75-09282A
Enhanced densification by seeding of extruded boehmite gels derived by hydrothermal decomposition of basic aluminum acetate.—75-01484A
Seeding with purified ultrafine diamond particles for diamond synthesis by CVD.—75-09426A
Synthesis of mullite powder from seeded diphasic gels.—75-04245A

segregation,
Appearance of surface segregation of basic components of a solid solution of $A^{III}B^{V}$ and the segregated subsurface heterojunction in GaAlAs.—75-05242A
Binder segregation in the processing of ceramics.—75-09222A
Effect of mercury segregation in $Cd_xHg_{1-x}Te$ [x=0.2] under [YAG:Nd^{3+}] laser pulse annealing.—75-03005A
Effect of poly(vinyl alcohol) adsorption on binder segregation during drying.—75-01462A
Interface properties of oxide ceramic materials.—75-01298A
Segregation affects glass quality.—75-05041A
Segregation-induced surface structures for Cr-doped CoO.—75-00593A
Simulation of segregation to free surfaces in cubic oxides.—75-01342A
Simulation of segregation to interfaces in metal oxides.—75-04398A
Solute segregation and grain boundary impedance in high-purity stabilized zirconia.—75-04401A
Solute segregations at the space charge layers of stabilized zirconia: an opportunity for ameliorating conductivity.—75-09575A
Sulfate segregation in vitrification of simulated Hanford nuclear waste.—75-03498A
Surface segregation in barium titanate.—75-01959A
Surface segregation in mullite-zirconia composites.—75-01960A
Wetting and segregant films at ceramic grain boundaries.—75-01976A

selenides,
Amphoteric behavior of bismuth atoms in lead selenide films.—75-02961A
Anomalous behavior of electrical properties of titanium diselenide intercalated with silver.—75-07783A
Atomic and magnetic structures of phases in the CuFe($S_{1-x}Se_x$)$_2$ system.—75-05245A
Babkinite $Pb_2Bi_2(S, Se)_3$—a new mineral.—75-08753A
Band structure and optical spectra of the ferroelectric semiconductor $Sn_2P_2Se_6$.—75-02965A
Calorimetric investigations on As-Te-Se and Ge-As-Se glasses.—75-04882A
CdSe-Ga_2Se_3-GeSe$_2$ system.—75-06174A
Characteristic features of self-compensation in PbSe:Cl:Se_{es} films.—75-07801A
Charged state of intrinsic atomic defects and thermodynamic n-p transition in lead selenide films.—75-07805A
Compact thermoelectric materials based on solid solutions of the Bi_2Te_3-Sb_2Te_3-Sb_2Se_3 system.—75-05262A
CuI-PbI$_2$-As_2Se_3 thin films prepared by chemical deposition.—75-07379A
CuInSe$_2$-InSe (SnSe$_2$, Bi_2Se_3) system.—75-05268A
Dependence of the $Bi_{0.5}Sb_{1.5}Te_3$/Bi-Sn and $Bi_2Te_{2.7}Se_{0.3}$/Bi-Sn junction resistances on the resistivity of the semiconductor crystal in the interfacial region.—75-07822A
Deviations from mercury chalcochromite, $HgCr_2Se_4$, stoichiometry.—75-07827A
Effect of copper on the properties of pressed thermoelectric materials based on Bi_2Te_3-Sb_2Te_3-Sb_2Se_3 solid solutions.—75-09131A
Electrical and magnetic properties of diluted magnetic $Hg_{1-x}Mn_xTe_{1-y}Se_y$ semiconductors.—75-05304A
Electrical conductivity and dielectric properties of the magnetic semiconductor $HgCr_2Se_4$ in strong super high-frequency electrical fields.—75-05305A
Electrical conductivity of $CoCr_2S_{3.5}Se_{0.5}$ in a variable field.—75-05307A
Electrophotographic spectroscopy of deep levels in As_2Se_3 and As_2S_3.—75-03017A
Electrophysical properties of $Fe_xHg_{1-x}Se$ alloys.—75-09140A
Energy spectrum of $Pb_{0.995-y}Sn_{0.005}Na_ySe$ deduced from optical absorption data.—75-03021A
Eutectics in $A^{II}B^{VI}$-$A^{IV}B^{VI}$ systems.—75-07880A
Fabrication of $CuGa_xIn_{1-x}Se_2$ films by pulse laser evaporation.—75-03027A
Features of electron-stimulated changes of the optical absorption limit of amorphous germanium monoselenide and monosulfide films.—75-07887A
Features of the width change of the band gap in Ln_2X_3 (Ln=rare-earth elements, X=O, S, Se).—75-08936A
Features of thermal expansion of solid solution single crystals of TlIn($S_{1-x}Se_x$)$_2$ in the low-temperature region.—75-05323A
Ferroelectric (Pb, Sn)$_2P_2$(Se, S)$_6$ crystals: from a single Lifshits point to a surface of Lifshits points.—75-05574A
Glass formation and transport properties of glasses in the CuI-PbI$_2$-As_2Se_3 system.—75-07340A
Hall coefficient (R) and resistance (π) anisotropy of germanium-doped $Bi_2Te_{2.85}Se_{0.15}$ single crystals.—75-07903A
Heteroepitaxy and characterization of $CuGaSe_2$ layers grown by low-pressure metallorganic chemical vapor deposition.—75-00505A
Hole-phonon scattering in a ferromagnetic $HgCr_2Se_4$ semiconductor.—75-03048A
Injection and field ionization of traps in $MnGa_2Se_4$ single crystals.—75-03064A
Interactions in the PbTe-NiSe$_2$ system.—75-05351A
Interactions of Sb_2X_3 with Cr_2X_3 (X=Se, Te).—75-06249A
Kinetics of decay of light-induced lattices in $AgGaSe_2$ during two-photon excitation.—75-07944A
Kinetics of etching $Ag_{0.2}Ge_{0.3}S_{0.5}$ and $Ag_{0.7}AsSe$ in acidic oxidizing media.—75-02663A
Kinetics of the dissolution of glasses of the As_2Se_3-CuO system in acidic oxidizing media.—75-07344A
Microstructure of single crystals of indium and gallium selenides and germanium arsenide.—75-09569A
Narrow gap semiconductors[—review].—75-03096A
Nonparabolicity of the electron spectra in Bi_2Te_3 and in $Bi_2Te_{2.7}Se_{0.3}$ solid solutions.—75-05407A
Optical properties of silicate glasses activated with CuInS$_{2-x}$Se$_{2(1-x)}$ solid solutions.—75-04984A
Optical properties of terbium sulfide and terbium selenide single crystals.—75-07996A
Optical properties of $TlSbS_2$-$TlSbSe_2$ single crystals.—75-06496A
Photoconductivity in thin lead selenide epitaxial layers.—75-08008A
Physical characteristics of single-crystal solid solutions of the SnTe-Cd(S, Se) system.—75-05436A
Plasma-assisted two-stage selenization process for the preparation of selenide semiconductor thin films using elemental selenium vapor.—75-00573A
Quantum conductivity of microcontacts of metal–narrowly cracked semiconductor, $Pb_{1-x}Sn_xSe$.—75-05455A
Reciprocal ternary system Cu, Pb‖Se, Te.—75-09051A
Structure and electrical properties of interfaces of $Bi_{0.5}Sb_{1.5}Te_3$ and $Bi_2Te_{2.7}Se_{0.3}$ with several melts.—75-05488A
Temperature and magnetic field shift of the long-wave region of photoelectric effects in $HgCr_2Se_4$.—75-05498A
Temperature dependence of electron mobility in HgSe:Fe in a model of strongly correlated coulomb liquids.—75-05499A
TeSe films by TeSe-SeF$_6$/Ar reactive sputtering for ablative optical recording.—75-05501A
Thermal and thermoelectric properties of [n-]Bi$_{2-x}$Sb$_x$Te$_{3-y}$Se$_y$ (x≤0.12, y≤0.36) solid solutions.—75-08080A
Thermal conductivity and heat capacity of $(As_2S_3)_x(As_2Se_3)_{1-x}$ glasses.—75-04998A

Thermoelectric effects at the solid-liquid interface in $As_2(Se_{1-x}Te_x)_3$ systems.—75-08084A
Two-photon and nonstationary energy exchange in $AgGaSe_2$ ternary semiconductors.—75-05509A
Uniformity of $Bi_2Te_{2.85}Se_{0.15}$ single crystals produced by the Czochralski method.—75-06826A
Uv photoelectron yield spectroscopy of chalcopyrite structure Cu-In-Se thin films.—75-05512A

selenium,
P-T phase diagrams and proton conductivity in $Rb_3H(SeO_4)_2$ and $(NH_4)_3H(SO_4)_2$ crystals.—75-06144A
Chemical stability of glasses in the selenium-sulfur system.—75-04945A
Determination of kinetic parameters in acidic $CuSO_4$ solutions containing accelerating agents—H_2SeO_3 and Na_2Se.—75-08903A
Effect of implantation conditions and activating annealing on the structure of silicon- and selenium-doped gallium arsenide plates.—75-05292A
Evaporation of SeO_2 and TeO_2 oxides.—75-08928A
Excited states of sulfur and selenium in germanium.—75-03024A
Introducing acceptor impurities under the photonuclear doping of gallium arsenide.—75-07941A
Ionization of an isoelectronic impurity of tin in dilute $Pb_{1-x}Sn_xSe$:Na solid solutions.—75-03072A
Melt growth and physicochemical properties of $TeSeO_4$ crystals.—75-05379A
Phase transition under hydrostatic pressure in HgSeS crystals.—75-05419A
Properties of $As_{40}S_{(60-x)}Se_x$ glasses for ir fiber optics.—75-02678A
Selective laser spectroscopy of localized excitons in solid solutions of $GaSe_{1-x}S_x$.—75-05469A
Silicate glasses doped with CdS-CdSe microcrystals and resulting optical waveguides.—75-02741A
Vitreous selenium containing fullerenes.—75-02699A

self-propagating high-temperature synthesis (SHS),
Fabrication of TiB_2 powder by SHS with reduction process.—75-09306A
Field-assisted self-propagating synthesis of ß-SiC.—75-01500A
Mechanism of combustion synthesis of silicon carbide.—75-04104A
New innovation in powder metallurgy—self-propagating high-temperature synthesis (SHS).—75-03584A
New materials for electronic engineering.—75-04120A
Peculiarities of structure and properties formation of diamond-containing functional gradient materials in the SHS regime.—75-02520A
Preparation and properties of magnesia-alumina spinel by SHS.—75-09385A
Preparation and properties of new structural ceramics in the system of Ti-Si-C.—75-09386A
Production of metal-hard alloy FGM in one-stage SHS compaction.—75-02534A
Self-propagating high-temperature synthesis [SHS] of alkali metal cuprates.—75-05911A
Self-propagating high-temperature synthesis and properties of abrasive material based on corundum.—75-04785A
Self-propagating high-temperature synthesis flammable range and dominant parameters for synthesizing several ceramics and intermetallic compounds under heat-loss condition.—75-09429A
Self-propagating high-temperature synthesis in the production of functionally gradient material.—75-02542A
Self-propagating high-temperature synthesis of Na-containing high-T_c superconductors.—75-05828A
Self-propagating high-temperature synthesis of TiN powder.—75-09430A
SHS powders—the present and future.—75-01660A
Specific aspects of sintering of powders prepared by combustion method (SHS).—75-01679A
Tribological and mechanical properties of ceramics sintered from powders obtained by self-propagating high-temperature synthesis.—75-09684A
Various ceramic/metal graded structures and functions tailored by SHS/HIP.—75-07237A

semiconductors,
Anderson impurity in the symmetrical inverted semiconducting heterocontact.—75-05239A
Anharmonic properties of wide band gap semiconductors.—75-07779A
Anomalous Schottky effect at semiconductor-dielectric interface.—75-07785A
Calculation of the dielectric and optical properties of wide-band semiconductors.—75-07794A
Capacitor for semiconductor integrated circuit and method of manufacturing the same.—75-00388P
Ceramic semiconductor package having varying conductive bonds.—75-08098P
Change of the work function of electrons from the surface of A^3B^5 semiconductors during sulfide passivation.—75-07799A
Chemical bond and reconstructed state of impurity centers in semiconductors.—75-05260A
Contactless method of finding diffusion-recombination parameters of semiconductors.—75-05265A
Correlation between stimulated gyrotropy and light scattering from spin density fluctuations in A_3B_5 semiconductors.—75-07813A
Database system DIAGRAMMA on phase diagrams of semiconducting systems.—75-05271A
Device for registering spatial-spectral distribution of irradiation intensity of semiconducting lasers at close range.—75-08659A
Diamond semiconductor device with carbide interlayer.—75-05523P
Dielectric confinement and linear and nonlinear optical properties of semiconductor-doped glasses.—75-04948A
Dynamic localization features of an electron of the quantum semiconductor superlattice in fast-alternating electromagnetic and magnetostatic fields.—75-05286A
Dynamics and resonance oscillations of ballistic electrons in an inhomogeneous semiconductor.—75-02998A
Dynamics of thermal generation of free carriers at semiconductor-insulator interface under relaxation of the volume generation center population.—75-05287A
Elastic constants and phonon frequencies of wide band gap semiconductors.—75-07860A
Electrostatic forces between a metallic tip and semiconductor surfaces.—75-00482A
Experimental modeling of planar nonuniform surface carrier generation in MIS structures.—75-07883A
Features of elastic behavior of ytterbium during the semimetal-semiconductor-semimetal transition under pressure.—75-07210A
Formation of radiation defects in binary compounds.—75-07896A
Function of spatial distribution of nonequilibrium electron-hole pairs in direct-gap semiconductors under one-photon excitation.—75-03033A
Ground-state wavefunctions of a noncoulomb acceptor in diamondlike semiconductors.—75-07902A
High dielectric layer containing alumina-based wiring substrate and package for semiconductor device.—75-08101P
Hydrogen-like states of 3*d* impurities in II-VI semiconductors.—75-05337A
Immiscibility region of ternary solid solutions of A^3B^5 compounds.—75-07916A
Impurity diffusion in a semiconductor in two states distinguished by diffusion coefficients and degrees of impurity ionization.—75-03052A
Indium antimonide metal-oxide-semiconductor structure prepared by direct photochemical vapor deposition.—75-00515A
Influence of elastic strain on crystallization of epitaxial layers of semiconducting solid solutions.—75-05345A
Interaction of atomic and electron-hole subsystems and role of point defects during diffusion in semiconductors.—75-03065A
Intracenter transitions in the Faraday effect of Co-containing semimagnetic semiconductors.—75-07940A
Keating-Harrison model for the description of elastic properties of wide-gap semiconductors.—75-07943A
Liquid semiconductors having degenerate electron gas.—75-03081A
Low profile metal-ceramic-metal packaging.—75-03206P
Low-temperature grown III-V materials.—75-05366A
Materials aspects of diamond-based electronic devices.—75-00539A
Mechanism of *f-f* luminescence enhancement in semiconductors.—75-05376A
Mechanisms of the dielectric-semiconductor transition during ionic thermal treatment.—75-07967A
Melting entropy of semiconductors.—75-03093A
Metal nitride oxide semiconductor device.—75-08105P
Metal-insulator electron phase transition in a strongly doped compensated semiconductor (SDCS).—75-05381A
Method for producing ceramic parts.—75-08106P
Method for rapid determination of surface parameters in planar-nonuniform MIS structures.—75-07969A
Method of fabricating a semiconductor device having a borosilicate glass spacer.—75-03207P
Method of forming a chlorinated silicon nitride barrier layer.—75-03209P
Method of making semiconductor device comprising a titanium nitride film.—75-05527P
Nature of defect levels in A^4B^6-type semiconducting compounds.—75-07980A
Nondegenerate optical Kerr effect in semiconductors.—75-05401A
Nonmonocrystalline silicon carbide semiconductor and semiconductor device employing the same.—75-08107P
Optical processes in semiconductor nanocrystallites (quantum dots)—review.—75-07995A
Phase diagram of electron system of compensated semiconductors in magnetic field.—75-08003A
Phase transformations in the region of the metal–amorphous semiconductor microcontact.—75-08004A
Phase transitions in III-V compounds to megabar pressures.—75-05420A
Phonon fluctuations and effect of pseudodoping in inhomogeneous amorphous semiconductors: III, Optical and thermal excitation of charge carriers with regard to fluctuations of phonon fields.—75-08006A
Phonon wind and exciton transport in Cu_2O semiconductors.—75-08007A
Plasma-assisted two-stage selenization process for the preparation of selenide semiconductor thin films using elemental selenium vapor.—75-00573A
Power MOSFET in silicon carbide.—75-08109P
Process for forming a silicon carbide film.—75-03213P
Pulsed energy synthesis and doping of silicon carbide.—75-01191P
Recombination and charge transport in polycrystalline semiconductors under optical illumination.—75-08041A
Role of holes in building the population coefficient of charged dislocations in *n*-type semiconductors.—75-03153A
Semiconducting silicon carbide: technology and devices (a review).—75-05472A
Semiconductor ceramic device having a ceramic element with negative temperature coefficient of resistance.—75-08112P
Semiconductor depth structure reconstruction by using photoluminescence spectra.—75-03158A
Semiconductor device with braded silicon nitride.—75-08113P
Semiconductor package using an aluminum nitride substrate.—75-05530P
Silicon carbide carrier for wafer processing in vertical furnaces.—75-03755P
Spectra of a contaminated particle in a thin semiconducting film that connects with solid crystals with random permeability.—75-05481A
Spectrum of levels of an electron-hole pair in semiconductor nanocrystals.—75-08059A
Spin ordering of electrons localized at deep donors in multivalley semiconductors.—75-08061A
Substrate and ceramic package.—75-08117P
Surface donor states induced by metal atoms adsorbed in broad-band semiconductors.—75-05494A
Thermal effects in integratable power semiconductor devices.—75-00616A
Thermal warming of wide-band semiconducting materials with a CO_2 laser.—75-08082A
Trap spatial recharging wave accompanying vibrations of the polar semiconductor.—75-05508A
Ways of heightening the figure-of-merit of semiconductor thermoelectrics.—75-03200A

sensitivity,
High-temperature ceramic sensors.—75-00337A
Oxygen-sensitive behavior of yellow lead oxide [studied] by defect chemistry.—75-01326A

sensors,
Advanced PZT glide head design and implementation for a small slider.—75-00710P
Application of oxygen sensors in industrial glass-melting tanks.—75-08717A
Applications of low temperature direct bonding in microsensor structures.—75-00300A
Ceramic heater for oxygen sensor of the type having oxygen ion conductive tube of solid electrolyte.—75-03666P
Ceramic oxides as potential hydrocarbon and NO_x sensors.—75-02972A
Ceramic Sensors.—75-07104B
Copper effect on the sensor properties of SnO_2 polycrystalline films.—75-09122A
Crack sensing intelligent materials.—75-06106A
CVD diamond resistor as heater and temperature sensor.—75-08799A
Damage detection in composite structures using piezoelectric materials.—75-03220A
Design tradeoffs/recent developments for low-cost piezoelectric sensors.—75-00646A
Development of wide range air/fuel sensors for internal combustion engine control.—75-00314A
Diamond thin-film flow sensor.—75-08802A
Direct energy conversion in single gas mixture by an oxide solid electrolyte electrochemical cell and its applications in multi-gas sensing.—75-00321A
Effect of V_2O_5 on the electrical properties of TiO_2-V_2O_5 humidity sensors.—75-03010A
Electro-formed thin-film silica device as oxygen sensor.—75-00330A
Enabling technologies for low-cost high-volume pressure sensors.—75-00483A
Gas sensing by ac impedance under dc bias or CuO/ZnO *pn* heterocontact.—75-00497A
Gas-sensing characteristics of doped SnO_2 thin films.—75-00334A
High sensitivity and wide temperature tolerance hydrogen gas sensors utilizing PECVD diamond technology.—75-07905A
High-temperature ceramic sensors.—75-00337A
Hydrogen sulfide sensing characteristics of tin oxide sol-derived thin films.—75-07912A
Laser ablation deposited PZT thin films for piezoelectric microsensors and microactuators.—75-05596A
Loss-in-weight feeders—principles, design strategies and applications.—75-00956A
Magnetooptical properties of $(BiGdY)_3Fe_5O_{12}$ for optical magnetic field sensors.—75-03315A
Method of activating zirconia oxygen sensor.—75-00636P
Microfabricated and micromachined chemical and gas sensor developments.—75-00543A
Modular mass flow sensor design.—75-00545A
Multielement microelectrode array sensors and compact instrumentation development at Lawrence Livermore National Laboratory.—75-00547A
New LSCO electrode material for ZrO_2 oxygen sensor.—75-02922A
Optical hydrogen sensor using Pd/MoO_x films.—75-00681A
Oxygen sensor.—75-03211P
Pd conductor for thick film hydrogen sensor.—75-03110A
Piezoresistive ceramic sensor based on PTCR barium titanate.—75-00689A
Preparation of an $Na_3Zr_2Si_2PO_{12}$–sodium aluminosilicate composite and its application as a solid-state electrochemical CO_2 gas sensor.—75-05206A
Properties of ceramics and sensors based on modified indium oxide.—75-06506A
Pyroelectric infrared sensors made of La-modified $PbTiO_3$ [PLT] thin films and their applications.—75-05631A
Pyroelectric sensors and arrays based on P(VDF/TrFE) copolymer films.—75-05632A
Quartz rotation (rate) sensor—theory of operation, construction and applications for a rotation sensor.—75-01040A
Relationship between crystal orientation and gas sensing property of sputtered SnO_2 films.—75-00587A
Research into novel sensors on silicon substrates.—75-00588A
Review of optical waveguides sensors for bio/chemical and environmental applications.—75-01093A
Rotary capacitance transducers for automotive environments.—75-00373A
Ruby spectral band-profile analysis for temperature sensing.—75-06512A
Scintillating glass fiberoptic neutron sensors.—75-00222A
Smart/intelligent sensors.—75-00698A
Study of hybrid humidity sensors using polymer and thick film sensing elements.—75-00377A

Surface chemistry of tin oxide based gas sensors.—75-00610A
Tensile properties of optical fiber–glass matrix sensor-based composite.—75-04997A
Test results of a ceramic-based carbon monoxide sensor in the automotive exhaust manifold.—75-03661A
Testing the oxygen-sensitive properties of strontium titanate thin films at high temperatures.—75-05983A
Thermal-sensitive device fabricated with diamond film and a planar microelectrode.—75-08812A
Thick film technology sensors meet the challange of today's applications.—75-00382A
Thin/thick film ceramic sensors.—75-01732A
Two chip approach to smart sensing.—75-00628A
Two-chip smart accelerometer.—75-00629A
Zirconia pump-gauge oxygen sensor operated with the gauge following a triangular emf.—75-03201A
ZnO/La_2CuO_4 heterocontacts as humidity sensors.—75-00634A

separators/separation,
Cyclone separators for fine particles and difficult operating conditions.—75-05897A
Fine particle separation by revised type air cyclone classifier.—75-05947A
Laboratory device for sedimentation separation of powders.—75-03575A
Magnetic separator trims reject rate.—75-02876A
Phase separation in cuprate superconductors: magnetic resonance analyses.—75-08393A
Separator scores for simplicity and reliability.—75-02887A
Shape separation of fine particles using fluid fields—dynamic properties of irregular shaped particles in wet cyclones.—75-05975A
Simultaneous process of granulation, grinding, and separation in a continuous tumbling conical granulator—on the shape evaluation of the granules and granulating conditions.—75-05912A

setting,
Retarding effects of cement mortar setting.—75-07181A
Self-setting calcium phosphate cements and methods for preparing and using them.—75-08785P
Setting of gypsum plaster: I, The hydration of calcium sulfate hemihydrate.—75-04831A
Setting of gypsum plaster: II, The development of microstructure and strength.—75-04832A

shaping,
Ceramic Transactions, Volume 62: Science, Technology, and Commercialization of Powder Synthesis and Shape Forming Processes.—75-04768B
Growth in near net shaping.—75-07077A
Handbuilding with suspended clay.—75-02266A
Inverse shape replication method of making ceramic composite articles.—75-08582P
Near-net-shape processing of metal-ceramic composites by reactive metal penetration.—75-04861A
Plastic shaping of aqueous alumina suspensions with saccharides and dicarboxylic acids.—75-04140A
Shape of the emission spectrum of electron-hole plasma in direct gap semiconductors under one-photon excitation.—75-05473A
Shape separation of fine particles using fluid fields—dynamic properties of irregular shaped particles in wet cyclones.—75-05975A
Shaped ceramic-metal composites.—75-07276P
Shaping of ceramic components by pressure filtration.—75-04205A

shear,
Double-shear geometry for the deformation and flow of ceramics at elevated temperatures.—75-02037A
Failure-related microstructure of 2-D-carbon/carbon under shear conditions.—75-04524A
Finite element analysis of the fiber twist test.—75-03565A
Shear behavior of engineered cementitious composites.—75-02424A
Shear modulus and yield stress measurements of attractive alumina particle networks in aqueous slurries.—75-09668A
Stress transfer from axially loaded fiber to matrix in a microcomposite.—75-04639A

sheets,
Binders for flexible ceramic sheet extrusion.—75-03955A
Ceramic sheet with catalyst and its manufacturing method.—75-08563P
Classification of phyllosilicates according to the symmetry of their octahedral sheets.—75-03772A
Decorating reaches new heights with Brittains papers.—75-02232A
Green sheets of controlled microporosity and method of producing same.—75-00007P
Handling apparatus for ceramic green sheet.—75-05921P
Laminated carrier film for use in ceramic green sheet.—75-08584P
Method of and apparatus for producing multilayer ceramic board.—75-05227P
Method of manufacturing cavitied ceramic multilayer block.—75-00998P
Method of manufacturing multilayer electronic component.—75-00401P
Process for producing piezoelectric ceramic sheet and dielectric ceramic sheet.—75-08620P
Sheet ceramic package having electrically independent products units.—75-08114P
Special features of the technology of continuous production of sheet figured glass with an elevated content of glass scrap.—75-02744A
Usage of the limiting forming height as the formability of sheet metals.—75-04267A
Water-based paint for glass sheets.—75-07439P

shells,
Method of making a shell mold from a ceramic material for a disposable pattern casting process.—75-08602P

shielding,
Experimental verification of the shielding effect in zirconia.—75-06976A
Magnetic shielding using high-temperature superconductors.—75-05792A
Superconducting tube for shielding magnetic fields.—75-08489P

shock resistance,
Increase in shock resistance of glassware via change in technological history.—75-02658A

shock,
Boron carbide particles formed from an amorphous boron/graphite powder mixture using a shock-wave technique.—75-03956A
Effect of tension on *R* lines in ruby crystals shocked along crystal *c*-axis.—75-02043A
Equation of state of aluminum nitride and its shock response.—75-01218A
Fabrication of functionally gradient materials by powder consolidation technique using underwater-shock pressure.—75-02477A
Shock compaction of nanosized diamond powder, as examined by microstructural analysis.—75-01657A
Shock-induced amorphization of α-GeO_2.—75-01340A
Shock-induced and shock-assisted solid-state chemical reactions in powder mixtures.—75-01659A
Shock-wave micron-size diamond synthesis from fullerites.—75-06760A
Time-resolved Raman measurements in α-quartz shocked to 60 kbar.—75-06259A

shrinkage,
Creep and shrinkage revisited.—75-02394A
Method for reducing shrinkage during firing of ceramic bodies.—75-05925P
Microscopic shrinkage-free silica gels by electrodialysis.—75-06684A
Optical band-gap shrinkage in highly transparent and conducting ZnO thin films deposited by the Pyrosol process.—75-01318A
Process for producing low-shrink ceramic composition.—75-08619P
Reuse of water treatment residuals.—75-00252A
Three-phase model of the elastic and shrinkage properties of mortar.—75-04836A

SiAlON,
α'/β' SiAlON composites—attractive science and great potential for high-performance applications.—75-01368A
α- to ß-SiAlON phase transformations in post-sintering heat treatment.—75-08853A
α-SiAlON ceramics with a crystalline melilite grain-boundary phase.—75-04293A
$\alpha \leftrightarrow \beta$-SiAlON transformation.—75-03759A
Alumina/ß-SiAlON/YAG composite ceramics.—75-01377A
Carbothermal formation of ß′-SiAlON from kaolinite and halloysite studied by ^{29}Si and ^{27}Al solid-state MAS NMR.—75-06172A
Changes in elasticity and viscosity of an SiYAlON glass during structural relaxation in the transformation range.—75-04943A
Chemical interaction between a SiAlON cutting tool and iron-based alloys.—75-02445A
Combustion-synthesized ß′-SiAlON reinforced with SiC [20 vol%] monofilaments.—75-03977A
Compositional optimization of α'-ß′-SiAlON ceramics with YAG as grain boundary phase.—75-03773A
Compositional variation of SiAlON phase produced after carbothermal reduction of a vermiculite-polyacrylonitrile intercalation compound.—75-01408A
Cost-effective fabrication technology for high-performance ceramic heat engine components.—75-03515A
Crystal phase and phonon densities of states [DOS] of ß′-SiAlON ceramics, $Si_{6-z}Al_zO_zN_{8-z}$ ($0 \leq z \leq 4$).—75-08890A
Crystallization of grain boundary phases in silicon nitride and SiAlON ceramics.—75-03780A
Cyclic fatigue life of SiAlON at room temperature.—75-04478A
Densification behavior and properties of Y_2O_3-containing α-SiAlON-based composites.—75-04310A
Densification of mixed α'/β'-SiAlON ceramics and evaluation of their grain-boundary phase.—75-01428A
Effect of a small amount of SiO_2 on the reaction during sintering in the Si_3N_4-Y_2O_3-AlN system.—75-09266A
Effect of Al_2O_3 (mul.) on phase compositions of O′-SiAlON ceramics.—75-02814A
Effect of microstructures of SiAlON ceramics on fatigue properties at room temperature.—75-09622A
Effect of the intergranular glassy phase on the sintering process of Re-SiAlONs.—75-04012A
Electronic structures of Ln^{3+} α-SiAlONs with correlations to solubility and solution effects.—75-08923A
Fabrication and mechanical properties of α'-SiAlON-12H multiphase ceramics.—75-04030A
Formation of Na α'- and σ'-SiAlON.—75-06617A
Fractal pore formation during post-HIP annealing of SiAlON ceramics.—75-02053A
Grain boundary configuration in SiAlON ceramics.—75-04327A
Grain growth and solubility change of SiAlON composites during annealing.—75-08944A
Hardness, indentation fracture toughness, and compositional formula of X-phase SiAlON.—75-06988A
Heat treatment of SiAlON-AlN polytypoid composites with rare-earth oxide additives.—75-04064A
High-performance of α'-ß′-SiAlON ceramics.—75-04337A
Homogeneity region and thermal stability of neodymium-doped α-SiAlON ceramics.—75-03799A
Influence of α- and ß-Si_3N_4 precursors on formation of α-SiAlON ceramics.—75-09336A
Influence of grain orientation on a steady-state creep rate in hot-pressed ß-Si_3N_4 whisker/SiAlON composite.—75-09644A
Influence of methane on the nitriding gas reduction of kaolinite.—75-06652A
Kinetic microhardness measurements of SiAlON-based ceramics.—75-06480A
Mechanical and thermal properties of ß′-SiAlON prepared by a slip casting method.—75-03906A
Mechanical property control of rare-earth oxide densified α-ß SiAlON composites by α+ß-SiAlON transformation.—75-04102A
Method of obtaining a SiAlON-based ceramic material by reducing an aluminosilicate material, and use thereof in forming a ceramic coating on a refractory substrate.—75-01178P
Microstructural characterization of ZrO_2/O′-SiAlON composites.—75-04355A
Microstructural design of Si_3N_4 and SiAlON ceramics in relation to combined mechanical and environmental behavior.—75-01883A
Microstructural features of the α- to ß-SiAlON phase transformation.—75-09362A
Microstructure formation and mechanical properties of α-ß-SiAlON.—75-09565A
Microstructure of BN/SiAlON multiphase ceramics.—75-04367A
Microstructure of interfacial boundaries in SiC(w)/SiAlON composite.—75-04368A
Microwave synthesis of SiAlONs.—75-01585A
Mixtures of ß-SiAlON and SiC prepared by carbothermal reduction of silica-rich clays.—75-01588A
O′+ß′ SiAlON composites for turbine engine applications.—75-03707A
Optimization of nucleation in a Y-Si-Al-O-N glass-ceramic.—75-02735A
Phase relationships in the Sm-Si-Al-O-N system.—75-03819A
Preparation of Ca α-SiAlON ceramics by pressureless sintering.—75-01621A
Preparation of Ca-α-SiAlON/SiC nanophase composites.—75-04157A
Preparation of fine-grained calcium α-SiAlON.—75-06728A
Preparation of SiAlON valves for gasoline engine.—75-03708A
Properties and microstructure of clay-derived ß-SiAlON.—75-01912A
Properties and microstructure of clay-derived ß-SiAlON.—75-04389A
Reaction mechanism of hot-pressed calcium α-SiAlON.—75-01643A
Reactions occurring in post-heat-treated α/ß-SiAlONs: on the thermal stability of α-SiAlON.—75-09048A
SiAlON composite ceramics.—75-03924A
SiAlON composites and method of preparing the same.—75-01192P
SiAlON composites containing rare-earth melilite and neighboring phases.—75-06349A
SiAlON composition.—75-03754P
SiAlON-bonded silicon carbide refractory.—75-07702P
SiAlONs—ceramics with possibilities.—75-02095A
Silicon carbide refractories with an SiAlON binder.—75-05137A
Silicon nitride base sintered body.—75-01195P
Silicon nitride sintered body.—75-01197P
Sintering reaction of SiAlON composites.—75-01671A
Solid-state NMR examination of the formation of ß-SiAlON by carbothermal reduction and nitridation of halloysite clay.—75-06357A
Specific aspects of sintering of powders prepared by combustion method (SHS).—75-01679A
Surface characterization of Si_3N_4 and ß-SiAlON powders.—75-06379A
Synthesis of ß-SiAlON from clays: effect of starting materials.—75-06801A
Temperature stability of rare-earth-doped α-SiAlON ceramics.—75-03848A
Temperature stability of samarium-doped α-SiAlON ceramics.—75-09084A
Thermal shock resistance of alumina-SiAlON composites.—75-07046A
Thermal stability of Y-α'-SiAlON at high temperature.—75-03939A
Toughening of X-SiAlON with Al_2O_3 platelets.—75-04654A
Wear behavior of alumina and SiAlON in line contact lubricated with diamond slurry.—75-09692A
Wetting of Si-Al-O-N ceramic by Sn-5 at.% Ti-X ternary active solder.—75-06830A

silanes,
Ceramic vapor deposited coating using a steam-containing carrier gas and nonalkoxy silane precursors.—75-01106P
Decomposition of methyltrichlorosilane [MTS] in hydrogen and helium.—75-03986A
Deposition parameters of silicon nitride films prepared by a silane nitrogen plasma-enhanced chemical vapor deposition process.—75-03988A
High-temperature thermosets and ceramics derived from linear carborane-(siloxane or silane)-acetylene copolymers.—75-08831P
Improved aqueous dispersion of silicon nitride with aminosilanes.—75-04073A
Injection electroluminescence of *pin* thin-film structures based on hydrogenated Si produced under conditions of super strong rarefication of silane by hydrogen.—75-07934A
Low-pressure chemical vapor deposition of silicon carbide thin films from hexamethyldisilane.—75-04096A
Method of strengthening glass.—75-05050P
Precursor for ceramic coatings.—75-03748P
Silanated graphite surface [observed] with scanning tunneling microscopy.—75-04396A
Thermal decomposition of branched polyfluoroalkylsilane coated on silica gels.—75-09086A

silazanes,
Conversion mechanism of perhydropolysilazane into silicon nitride based ceramics.—75-06562A

Development of new silazanes for infiltration/pyrolysis processing of composites.—75-01435A
Development of Si-B-O-N fibers from polyborosilazane.—75-06571A
Electronic coatings using filled borosilazanes.—75-01167P
Polymetalosilazane, process of producing same, silicon nitride based ceramic, and process of preparing same.—75-01184P
Si-B-(N,C)—a new ceramic material for high performance applications.—75-03712A
Synthesis and pyrolysis of polyborosilazane with low oxygen content.—75-09079A

silica fume,
Carbon components of silica fume.—75-01206A
Characterization by ^{29}Si NMR of silica fume [SF].—75-01079A
Properties of cementitious systems containing silica fume or nonreactive microfillers.—75-02417A
Properties of silica fume concrete and mortar.—75-02420A

silica,
Activation energy for mullitization of α-alumina/silica microcomposite particles.—75-01371A
Adsorption of α-tocopherol and its analogs on the surface of highly dispersed silica from aqueous micellar solutions of nonionogenic surfactants.—75-09116A
Adsorption properties of a glucose-modified silica surface.—75-09117A
Alkali resistance of inverted glasses in the RO-TiO_2-SiO_2 system.—75-07322A
Amorphous silica or silica-alumina spherical particles and process for preparation thereof.—75-03665P
Analysis of particle motion in the two-well potential: relation to characteristic low-temperature properties of silica glass.—75-02623A
Anisotropic optical second harmonic generation in Si:SiO_2 superlattices.—75-06421A
Apatite crystallization from metastable calcium phosphate solution on sol-gel prepared silica.—75-06159A
Apatite formation on various silica gels in a simulated body fluid containing excessive calcium ion.—75-09217A
Application of positron age momentum correlation measurement to the study of defects in electron-irradiated synthetic silica glass.—75-00179A
Aromatization of propylene on modified montmorillonite-containing catalysts based on a high-silica NTSVM zeolite.—75-06539A
Aspects of crystalline silica in silica fume.—75-02112A
Capability of plasma-enhanced chemical vapor deposited SiO_2 films as diffusion barriers on InGaAs.—75-00419A
Carbidizing of iron deposited on SiO_2 and Al_2O_3 during Fischer-Tropsch synthesis.—75-09227A
Castables in the system MgO-Al_2O_3-SiO_2.—75-07488A
Cenospheres: from waste to profits.—75-05075A
Ceramic coating on the carbon/carbon composites through the sol-gel technique.—75-03960A
Ceramic fiber yarn, and a method of, and a spinning machine for making the same.—75-08775P
Ceramic moldings composed of aluminum oxide having high metallization adhesion.—75-01105P
Changes induced in the electrical properties of Si-SiO_2 systems by pulsed magnetic fields.—75-05257A
Characteristics of composites based on PMMA-modified gel silica glasses.—75-06427A
Characterization and bactericidal effect of Na_2O-Al_2O_3-SiO_2 glass system by $Na^+ \leftrightarrow Ag^+$ ion exchange.—75-07287A
Characterization and preparation of glass-ceramics in the system Fe_2O_3-CaO-SiO_2: II.—75-07328A
Characterization by ^{29}Si NMR of silica fume [SF].—75-01079A
Characterization of defects in Si and SiO_2-Si using positrons.—75-01744A
Characterization of sol-gel-derived alumina-silica matrices for continuous fiber-reinforced composites.—75-09237A
Charge transfer transitions of copper(II) in drying silicate xerogels.—75-07288A
Charged defects in vitreous silica.—75-06839A
Chemical effects of DCCA [drying control chemical additives] to the sol-gel reaction process.—75-06546A
Chemical reaction of platinum with PbO-SiO_2 melt under direct current electrolysis.—75-07289A
Clustering in erbium-doped silica glass fibers analyzed using 980-nm excited-state absorption.—75-00180A
CMS [carbon molecular sieves]/SiO_2/Al_2O_3 catalysts for improved selectivity in the synthesis of amines from methanol and/or dimethyl ether and ammonia.—75-08822P
Coercivity of Fe-SiO_2 nanocomposite materials prepared by ball milling.—75-01267A
Collisional versus electronic sputtering of SiO_2.—75-03972A
Compact and robust fiber optic components using integrated optics with silica waveguides.—75-00947A
Comparison of the electrokinetic properties of silica surfaces.—75-06432A
Computer modeling of melts and glasses in the CaF_2-SiO_2 system.—75-04886A
Control of the porous structure of silica gel by the preparation pH and drying.—75-06560A
Corrosion of silica and mullite refractories used in glass furnaces under 100% oxy-firing process.—75-05078A
Creep of porcelain containing silica and alumina.—75-05161A
Crystallization and properties of Fe_2O_3-CaO-SiO_2 glasses.—75-02640A
Crystallization of Al_2O_3-SiO_2 glass fiber and effect of ZrO_2 and Cr_2O_3 additions on the crystallization.—75-08898A
Current transport in MIS structures Pd-SiO_2-$n(p)$-Si and the second mechanism of amplification.—75-02985A
Current transport mechanism in metal–silicon dioxide–silicon structures.—75-07817A
Dense silica coatings on ceramic powder particles.—75-01423A
Density and refractive index of silica aerogels after low- and high-temperature supercritical drying and thermal treatment.—75-06440A
Deposition and characterization of [diamondlike carbon] DLC/SiO_2 nanocomposite prepared by ion-assisted PECVD.—75-09253A
Deposition of thick silica-titania sol-gel films on Si substrates.—75-06568A
Depth-sensing indentation studies on thin films of Si_3N_4 and SiO_2.—75-08651A
Design and development of a low-k silica dielectric.—75-02899A
Determining role of the SiO_2/Al_2O_3 ratio in the stabilization of silver clusters in mordenite.—75-06442A
Determining the fractal dimensions of the surface for some porous silicas.—75-09615A
Development of glasses for novel polyphosphonate dental cements.—75-01082A
Development of silica bricks of modern coke ovens.—75-07529A
Diamond film deposited on a silica substrate with a ZnO:Al intermediate layer by hot-filament chemical vapor deposition.—75-01436A
Dielectric ceramic composition containing ZnO-B_2O_3-SiO_2 glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition.—75-07754P
Dielectric ceramic composition containing ZnO-B_2O_3-SiO_2 glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition.—75-07755P
Dielectric ceramic composition containing ZnO-B_2O_3-SiO_2 glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition.—75-07756P
Dielectric ceramic compositions.—75-07759P
Dissolution kinetics of silica glass as a function of pH between 40° and 85°C.—75-02644A
Durability of silica-protected ceramics in combustion atmospheres.—75-04423A
Dynamic behavior of lead nanoparticles in a dielectric matrix.—75-01827A
Effect of γ-radiation on the properties of SiO_2-GaAs structures.—75-07841A
Effect of a periodic cluster superstructure on the thermal conductivity of amorphous silica (opal).—75-09129A
Effect of a small amount of SiO_2 on the reaction during sintering in the Si_3N_4-Y_2O_3-AlN system.—75-09266A
Effect of diffusion flame configuration in aerosol synthesis of nanosize titania and silica powders.—75-04002A
Effect of ion bombardment on the structure and properties of PECVD Sioxygen.—75-04004A
Effect of pH on 980°C spinel phase—mullite formation of Al_2O_3-SiO_2 gels.—75-03788A
Effect of sidewall roughness in buried channel waveguides.—75-03009A
Effect of SiO_2 type and additives on the reaction products in SiO_2-Al-C-N_2 system.—75-01466A
Effect of stress on water diffusion in silica glass at various temperatures.—75-06584A
Effect of surface roughness on the acid etching of amorphous silica.—75-04011A
Effect of Y_2O_3 on the sintering behavior of coprecipitated ZrO_2-SiO_2 hydrogel.—75-06589A
Effect of Zn^{2+} on the size of the correlation zone in the Na_2O-ZnO-SiO_2 system.—75-08914A
Effect of ZrO_2 and Cr_2O_3 addition on softening and sintering of Al_2O_3-SiO_2 glass.—75-07382A
Effects of amorphous silica coatings on the sintering behaviors of SiC whisker-reinforced Al_2O_3 composites.—75-06590A
Effects of glass composition on compressive strength of bioactive cement based on CaO-SiO_2-P_2O_5 glass powders.—75-02648A
Effects of low-level alumina and silica additions on PZT ceramics.—75-00327A
Effects of nitrogen and carbon ion implantation on devitrification of silica glass.—75-05009A
Electrical and mechanical properties of the composite TSZ [tetragonal stabilized zirconia]-Al_2O_3-SiO_2.—75-01085A
Electrically induced shape changes in hardened cement pastes and porous silica gels: the dynamic nature of gel pore structures during water transport.—75-00035A
Electro-formed thin-film silica device as oxygen sensor.—75-00330A
Electron spin resonance evidence for an impurity-related E'-like hole trapping defect in thermally grown SiO_2 on Si.—75-01753A
Electron structure of amorphous SiO_2: experiment and numerical modeling.—75-08921A
Elimination of hydrogen-related instabilities in Si/SiO_2 structures by fluorine implantation.—75-01483A
Evaluation of adhesion of thin films of Si_3N_4 and SiO_2 to Si by the scratch method.—75-08668A
Evaluation of SiO_2 thin films prepared by the sol-gel method using photoirradiation.—75-03892A
Fabrication and AFM characterization of a coplanar tunnel junction with a less than 30-nm interelectrode gap.—75-03026A
Features of structural formation and properties of alkali slag binders on liquid glass of microsilica.—75-07299A
Filtering beer by ceramics.—75-06067A
Fluid composition effects on silica gel aging.—75-04047A
Formation of stress reduced silicon oxide films by Ar/H_2 sputtering method.—75-06620A
Friction and adhesion of silica fibers.—75-06986A
General and fine structures of intrinsic trap distribution over the width of an amorphous thermic SiO_2 on Si.—75-07899A
Generation of delocalized E_δ' defects in buried Si oxide by hole injection.—75-01757A
Glass development and controlled crystallization in the SiO_2-Li_2O-ZrO_2-P_2O_5 system.—75-07300A
Glasses in the La_2O_3-B_2O_3-SiO_2 system and crystallization of the ferroelectric $LaBSiO_5$ phase.—75-07303A
Growth of hydroxyapatite on silica gels.—75-04059A
Heat-resistant mixtures for heat-shielding coverings.—75-05096A
High and very high temperature ^{17}O and ^{27}Al nuclear magnetic resonance on liquid alumina and silica bearing oxides.—75-01087A
High strength porcelain and method therefor.—75-05170P
Identification of tunneling emission in Si-SiO_2 interfaces by multipoint correlation method with binomial weighting coefficients.—75-00510A
Improvement of the SiO_2/Si interface of metal-oxide-semiconductor devices using gate dielectrics formed by NF_3-aided oxidation and N_2O post-annealing.—75-05341A
Improving the visible transparency of silica aerogels.—75-05019A
Increase in pH during aging of porous sol-gel silica spheres.—75-06644A
Influence of mid-ir range laser radiation on the formation of silicon/silica heterostructures.—75-05348A
Influence of Ni impurities at the Si-SiO_2 interface on the metal-oxide-semiconductor characteristics.—75-03061A
Influence of viscous deformation at the contact point of primary particles on compaction of alkoxide-derived fine SiO_2 granules under ultrahigh isostatic pressure.—75-06999A
Initial stages of epitaxial growth of Y-stabilized ZrO_2 thin films on a-SiO_2/Si(001) substrates.—75-06883A
Inorganic ceramic paper, its method of manufacture, and articles produced therefrom.—75-01115P
Inorganic polymer ceramics for heat insulation in diesel engines.—75-03652A
Interaction between 3-amino-1-propanol and SiO_2 powder surfaces.—75-06246A
Irreversible and reversible changes in silica glasses observed by electrical properties: I. Synthetic silica glass by flame fusion.—75-00190A
Kinetics of alkali release from CaO-Al_2O_3-SiO_2 slags.—75-02413A
Kinetics of the tempering annealing of the charge in the gate SiO_2 of MOS structures irradiated by γ-quanta of Co^{60}.—75-03074A
Laser processing of ceramics of the SiO_2-Al_2O_3 system.—75-06670A
Laser synthesis of nanometer silica powders.—75-04090A
Leaching silicon-based wet gels to approach GRIN.—75-02730A
Low temperature synchrotron radiation excited etching of silicon dioxide with surface hexafluoride adsorption.—75-00534A
Luminescence spectra of silica glasses [studied] by time-resolved technique.—75-02594A
Machining of silica glasses using excimer laser radiation.—75-07389A
Magnetic and structural properties of CoNiPt(SiO_2) alloy films for high-density longitudinal recording.—75-00743A
Magnetic properties of FeSi-SiO_2 granular films.—75-00747A
Magnetic silica dispersions: preparation and stability of surface-modified silica particles with a magnetic core.—75-05689A
Material responses in electronic components based on single-crystalline Si/SiO_2/Si polycrystalline Si three-layer structures.—75-09553A
Mechanical strength increase of abraded silica glass by high pressure water vapor treatment.—75-04980A
Mechanism for the effect of surface-active substances on the destruction of silica materials (review).—75-04595A
Mechanism of leakage current through the nanoscale SiO_2 layer.—75-06487A
Mechanism of silica fume action in concrete studied by solid state ^{29}Si MAS NMR.—75-00264A
Method for forming porous ceramic materials.—75-03544P
Method for low-temperature plasma-enhanced chemical vapor deposition (PECVD) of an oxide and nitride antireflection coating on silicon.—75-01174P
Method of modeling the formation process of porous silica gel structures.—75-05962A
Microbial leaching of iron from silica sands by Aspergillus Niger.—75-06041A
Microscopic shrinkage-free silica gels by electrodialysis.—75-06684A
Mixed oxide composite ceramics and method of producing the same.—75-03673P
Modification of the monodispersed pore of silica gel with controlled microporous carbon.—75-01310A
Molecular dynamics simulation of molten silica at high pressure.—75-03808A
Molecular orbital models of silica.—75-06277A
Molten salt corrosion of ceramics.—75-02003A
Monitoring the formation and removal of superthin Si layers on the hydrogenated starting surface of single-crystalline Si.—75-07978A
Monolithic ceramic bodies using modified hydrogen silsesquioxane resin.—75-08611P
Monophasic silica glasses with large neodymia concentration.—75-05028A
Mullite formation by endothermic reaction of α-alumina/silica microcomposite particles.—75-01590A
Nanocrystalline structures of amorphous silicon dioxide.—75-08990A
Near-surface modification of silica structure induced by chemical/mechanical polishing.—75-06901A
New high dielectric constant materials: micron/nanocomposites of suspended Au clusters in SiO_2/SiO_2-Al_2O_3-Li_2O gels and relevant theory for high capacitance.—75-02921A
Nucleation and crystal growth of Li_2O·$2SiO_2$ in a microwave field.—75-00217A
Numerical analysis of energetic heterogeneity in complexing silicas.—75-08691A

Observation and electronic characterization of new *E'* center defects in technologically relevant thermal SiO_2 on Si: an additional complexity in oxide charge trapping.—75-00555A

Optical Casimir nonlocality—the source of macroscopic size effect during second harmonic generation in an Si:SiO_2 structure.—75-07991A

Optical characterization of SiO_2 formed by plasma-enhanced chemical vapor deposition of tetraethoxysilane.—75-01321A

Original way to elaborate cermet thin films: cluster deposition.—75-00974A

Oxygen diffusion and reaction of residual carbon in sol-gel-derived silica xerogel.—75-02601A

Oxygen diffusion in silica and corrosion of ceramics.—75-01770A

Phase diagram for the SiF_4 join in the system SiO_2-Al_2O_3-SiF_4.—75-09010A

Phase diagram of the system Al_2O_3-SiO_2.—75-05118A

Phase equilibria and microstructures in ZrO_2-MgO-SiO_2-SrO system: IV, MgO-based refractories.—75-01233A

Phase equilibria in the Na_2O-Cs_2O-SiO_2 system.—75-09021A

Phase equilibria in the Y_2O_3-SiO_2 system.—75-09025A

Phase equilibria, oxygen potentials, and activities in the system Ni-Co-Si-O at 1373 K.—75-09026A

Phase relations in the system CaO-SiO_2-ZrO_2 at 1573 K.—75-03818A

Photoinduced formation of small gold particles in silica gels.—75-04136A

Photoinduced transformations of oxygen-deficient centers in silica and germanosilicate glasses.—75-02674A

Photoluminescence spectra resulting from hydroxy groups on MgO supported on silica.—75-06315A

Photon scanning tunneling microscopy of optical waveguide structures.—75-01330A

Photosensitivity in a silica-based sol-gel glass.—75-04988A

Physical properties of quenched glasses in the Li_2O-ZrO_2-SiO_2 system.—75-02675A

Plasma-deposited silicon nitride on ultrathin silicon oxide films investigated by infrared grazing internal reflection microscopy.—75-01906A

Plasticizing additives to polymerization catalysts of tetrahydrofuran and epichlorhydrin prepared using silica-containing raw materials.—75-08763A

PM3 molecular orbital model of silica rings and their vibrational spectra.—75-06319A

Pore structure evolution in silica gel during aging/drying: IV, Varying pore fluid pH.—75-06708A

Porous silica-coated α-Fe_2O_3 ceramics for humidity measurement at elevated temperature.—75-03132A

Porous silica: a versatile material for microelectronic applications.—75-03133A

Positronium formation in SiO_2 films grown on Si substrates studied by nonenergetic positron beams.—75-01608A

Precipitation of SiO_2 layers from gas streams during activation of reagents by an electron beam.—75-09171A

Preparation and characterization of phenol resin coatings containing silicon.—75-09381A

Preparation and characterization of sol-gel silica spheres.—75-06714A

Preparation and properties of $PbTiO_3$-SiO_2 microcrystalline glass by sol-gel technique.—75-07395A

Preparation of monodispersed spherical silica-alumina particles by hydrolysis of mixed alkoxides.—75-04160A

Preparation of porous glass hollow fiber from glass based on SiO_2-B_2O_3-RO-ZrO_2 (R=Ca, Zn) system.—75-02737A

Preparation of radiopaque SiO_2-BaO fillers by the sol-gel process for dental composite resins.—75-01091A

Preparation of silica from rice husks.—75-06734A

Preparation of TiO_2-SiO_2 glass via sol-gel process containing a large amount of chlorine.—75-05037A

Preparation, characterization, and crystallization of calcium silicate glasses derived from melt and sol-gel routes.—75-00220A

Process study for making high-density bulk silica from silicone resin.—75-09407A

Production of high-quality silica bricks for use in coke ovens.—75-07635A

Radio-frequency bias effects on SiO_2 films deposited by distributed electron cyclotron resonance plasma-enhanced chemical vapor deposition.—75-01638A

Raman spectra and structure of the PbO-SiO_2 glasses.—75-07311A

Raman spectroscopy study of microcrystalline silica.—75-03832A

Rapid photochemical deposition of silicon dioxide films using an excimer lamp.—75-01639A

Rayleigh scattering in silica glasses.—75-07363A

Reaction kinetics in the Ti/SiO_2 system and Ti thickness dependence on reaction rate.—75-00126A

Refractive index of SiO_2 glass at hydrostatic pressures up to 5 GPa.—75-02682A

Relaxation processes in silica glass.—75-07364A

Relaxation processes induced in Si-SiO_2 systems by ionizing radiation and pulsed magnetic field treating.—75-05462A

Resonant second harmonic generation in Si/SiO_2 periodic quantum wells.—75-08047A

Role of particle dissolution in the stability of binary yttria-silica colloidal suspensions.—75-04203A

Role of structural relaxation in the fracture of vitreous silica.—75-02091A

Roughening instability and ion-induced viscous relaxation of SiO_2 surfaces.—75-01241A

Silica fracture: I, A ring contraction model.—75-07030A

Silica sols, a process for the production of silica sols, and use of the sols.—75-03681P

Silica.—75-06055A

Silicon oxide films produced by plasmochemical and pyrolytic methods.—75-06761A

Silicon-aluminum mixed oxide.—75-01136P

SiO_2/amorphous As/GaAs passivation systems prepared at room temperature by 50-Hz plasma-enhanced chemical vapor deposition.—75-00596A

Sol to gel reaction in the K_2O-Al_2O_3-SiO_2 system.—75-06352A

Solvent effect on aging of silica gels.—75-06776A

Spectroscopic characterization of doped sol-gel silica gels and glasses: evidence of inner sphere complexation of europium(III).—75-04928A

Spectroturbidimetric study of particle size distribution in SiO_2 sols.—75-03840A

Stability of $ZrSiO_4$-SiO_2-ZrO_2 assemblage in carbonate solutions at temperatures of 200–400°C and pressure of 1 kbar.—75-08766A

State and crystal structure of products of the interaction of SiC and SiO_2.—75-06370A

Static dielectric constant and dielectric relaxation of densified SiO_2 glass.—75-02686A

Strength-flaw relationship of corroded pristine silica studied by atomic force microscopy.—75-00202A

Structural and kinetic studies for the condensation of silica gels by HR ^{29}Si NMR.—75-01245A

Structural investigation of $NaNO_3$ nanophase confined in porous silica.—75-01246A

Structure and composition of interfacial silicon oxide layer in chemical vapor deposited Y_2O_3-SiO_2 bilayer dielectrics for metal-insulator-semiconductor devices.—75-00374A

Subcritical crack growth in silica optical fibers in a wide range of crack velocities.—75-00203A

Superparamagnetism in nanoclustered films of Fe-SiO.—75-05715A

Surface recombination velocity measurements at the silicon-silicon dioxide interface by microwave-detected photoconductance decay.—75-00611A

Surface states at the SiO_2-SiC interface studied by analysis of input admittance of MOS structure in a wide temperature range.—75-03178A

Synthesis and characteristic feature of 4CaO-Al_2O_3-Fe_2O_3-based glass with and without SiO_2.—75-07404A

Synthesis and characterization of structured metal/silica clusters.—75-00138A

Synthesis and properties of adsorptive catalysts based on high-silica zeolites and layered-columnar montmorillonites.—75-09460A

Synthesis and some adsorption characteristics of low-silica erionite-offretite.—75-09462A

Synthesis of high-silica glasses with an increased thermal expansion coefficient.—75-07405A

Synthesis of microporous silica gel and glass particles in W/O emulsion.—75-01963A

Synthesis of oxynitride powders via fluidized bed ammonolysis: I, Large, porous silica particles.—75-09474A

Temperature effects in the multiphonon photoemission of laser-irradiated α-SiO_2.—75-01353A

Theoretical analysis of dopant redistribution in silicon after implantation through an SiO_2 mask.—75-00615A

Thermal decomposition of branched polyfluoroalkylsilane coated on silica gels.—75-09086A

Thermal SiO_2-to-Si bonding interface for irradiation-hardness silicon-on-insulator (SOI) substrate.—75-02940A

Thermodynamic analysis of the metastable regions for the Al_2O_3-SiO_2 system.—75-03853A

Thin thermal SiO_2 after NH_3 or N_2O plasma action under plasma-enhanced chemical vapor deposition conditions.—75-04257A

Thin-film deposition on inside surfaces by plasma-enhanced chemical vapor deposition.—75-04258A

Threshold energies of high-field-induced hole currents and positive charges in SiO_2 layers of metal-oxide-semiconductor structures.—75-00620A

Toughness and fracture surface energy of wet SiO_2-SiO_2 sonogel composites.—75-07054A

Trap generation at Si/SiO_2 interface of submicrometer metal-oxide-semiconductor transistors by 4.9-eV ultraviolet radiation.—75-00626A

Tribological evaluation of an Al_2O_3-SiO_2 ceramic fiber candidate for high-temperature sliding seals.—75-04657A

Two pathways of positive oxide charge buildup during electron tunneling into silicon dioxide film.—75-00386A

Verification of the standard model of the photorefractive nonlinearity in BSO crystals.—75-06533A

Vibrational spectroscopy of silica sol-gel components during microwave irradiation.—75-01974A

Vibrational states of photoinduced defects in silica fibers.—75-06405A

Visible photoluminescence in Si*-implanted silica glass.—75-02698A

Volume minimum in computer simulations of supercooled, amorphous silica.—75-06406A

Waste forms based on Cs-loaded silicotitanates.—75-03507A

Water-repellent glass and process for producing the same.—75-00231P

Wetting and dewetting of Si/SiO_2-wafers by free and liquid-monolayer covered aqueous solutions under controlled humidity.—75-05515A

X-ray absorption spectroscopy of SiO_2 polymorphs: the structural characterization of opal.—75-03864A

XPS study on the interaction at the Fe_3O_4/SiO_2 boundary on the surface of composite microspheres prepared via a shear-compressive mechanical route.—75-06414A

silicates,

n(=1,2,3) dimensional, FT-EPR spectroscopy and MNDO [molecular neglect differential overlap] calculations for the interpretation of the HC_1 center detected in silicate glasses.—75-07281A

^{27}Al NMR of CaO-Al_2O_3-SiO_2 and CaO-Al_2O_3 liquids and glasses.—75-00256A

^{29}Si solid state NMR study of tricalcium silicate and cement hydration at high temperature.—75-00258A

Absorption of acoustic waves in langasite single crystals.—75-06151A

Ac surface discharge on dielectric materials observed by advanced Pockels effect technique.—75-00299A

Accurate measurements of the frequency dependence of photorefractive grating formation in $Bi_{12}SiO_{20}$.—75-01260A

Alkali magnesium/zinc silicate glasses with low Rayleigh scattering[—correction].—75-02622A

Atomistic structure of silicon nitride/silicate glass interfaces.—75-07283A

Attempting to predict the high-temperature corrosion of oxide ceramics by molten silicates.—75-01982A

Carbon fiber reinforced silicate polymer composite materials.—75-06426A

Catalytic activity of ferrisilicates.—75-09584A

Cathodoluminophors based on yttrium oxyorthosilicate prepared by sol-gel technique.—75-09232A

Ceramic adhesive.—75-06076P

Change in refractive index of silicate glasses under ionizing radiation.—75-02628A

Characterization of Czochralski- and hydrothermal-grown $Bi_{12}SiO_{20}$.—75-01016A

Chemical etching of $Bi_{12}GeO_{20}$ and $Bi_{12}SiO_{20}$ single crystals.—75-09239A

Combined hardening of an aqueous sodium silicate solution with polyisocyanate and epoxy resins.—75-06552A

Composition defects and cathodoluminescent properties of Y_2SiO_5 crystals doped with Tb and Ce.—75-08884A

Composition of spark anodizing coatings on Al obtained in Na silicate solution.—75-09244A

Corrosion and electrochemical protection of molybdenum in molten silicate glasses.—75-07293A

Crystal structure of a new natural (Na,Mn,Ti)-phyllosilicate.—75-08891A

Crystal structure of a new natural K,Na,Ca titanoberyllosilicate.—75-06190A

Crystal structure of a new representative of the ring silicates.—75-06191A

Crystal structure of calcybeborosilite and its place in the datolite-gadolinite isomorphous series.—75-08893A

Determination of fracture toughness of glasses by the microindentation technique.—75-02642A

Development of interfaces in oxide and silicate matrix composites.—75-03992A

Diamond-coated microcomposite sintered body.—75-02568P

Diffusion and electrical conductivity of thick-film resistive compositions.—75-09497A

Direct observation of Al guest ions in the silicate phases of cement minerals by ^{27}Al MAS NMR spectroscopy.—75-04813A

Direct observation of the fracture of CAS-glass/SiC composites: I, Delamination.—75-05004A

Effect of B_2O_3, CaO, and Al_2O_3 on the chemical durability of silicate glasses for Hanford low-level waste immobilization.—75-03459A

Effect of modifier ions on fluorescence and absorption of Eu^{3+} in alkali and alkaline-earth silicate glasses.—75-02647A

Effect of surface layer treatment of lead silicate glasses on their composition and structure.—75-07296A

Effect of water on phase separation of sodium silicate glasses.—75-05008A

Effects of polyacrylate and sodium silicate dispersant on plaster mold characteristics.—75-02867A

Electrical properties and structure of fluorine-containing lead silicate glasses.—75-02652A

Electron spin resonance study of the effect of thermal history on the structure of potassium silicate glasses.—75-04895A

Elementary diffusive displacements of modifier cations in network structures.—75-04282A

Energetics and structural changes associated with phase separation and crystallization in lithium silicate glass.—75-04896A

Energetics of the gel-to-glass transformation in sodium silicate gels.—75-02714A

Evaluation of critical cooling rate for 30Na_2O-10MgO-60SiO_2 glass based on viscosity.—75-07384A

Experimental study of the distribution of the rare-earth elements and yttrium between sulfide and silicate melts.—75-06464A

First-principles study of the thermal reactions of H_2 with germanosilicate optical fibers.—75-04898A

Formation and properties of lithium neodymium silicate glasses.—75-05011A

Gel to glass conversion in the cobalt silicate system.—75-02720A

Growth of bismuth silicate films on Si and its dielectric properties.—75-05195A

Heat capacity and thermal conductivity of lanthanum silicogallate.—75-09146A

Heat capacity and thermodynamic properties of eulytine, $Bi_4(SiO_4)_3$.—75-08948A

High-frequency structural relaxation in sodium silicates—a molecular dynamics study.—75-04903A

High-temperature dilatometery of fiber-reinforced calcium hydrosilicates.—75-03568A

Hydrolysis of polyacrylamide by sodium silicate.—75-06639A

Impregnated ORMOSIL matrices for efficient solid-state optical gain media.—75-05339A

Incorporation of arsenic in silicate slags as a disposal option.—75-03521A

Influence of annealing and surface chemical treatment of glass electrodes from lithium silicate glasses on the value of their asymmetric potential.—75-05020A

Influence of preparation conditions of glassy electrodes from lithium silicate glasses on the value of their asymmetric potential.—75-05021A

Influence of synthesis conditions on the kinetics of crystallization of photosensitive lithium silicate glasses.—75-02727A

Ion clustering and crystallization of sol-gel-derived erbium silicate glass.—75-02592A
Kinetics of hydration and other reactions of calcium silicates and cements.—75-00263A
Limited absorption in $Bi_{12}SiO_{20}$ crystals.—75-06481A
Local centers in $Bi_{12}SiO_{20}$ crystals with nonstoichiometric composition.—75-09511A
Metastable crystallization of glasses in the pseudobinary diopside-akermanite system.—75-02665A
Mo *K*-edge XAFS in Na_2O-K_2O-SiO_2 glasses.—75-07305A
Molecular dynamics investigation of structure and transport in the K_2O-$2SiO_2$ system using a partial charge-based model potential.—75-02596A
Mossbauer study of the low-temperature crystallization of ferrisilicate feldspars.—75-08687A
New approaches to preparation of ensemble of semiconductor nanocrystals with narrow size distribution.—75-05396A
Nuclear magnetic resonance and transmission electron microscopy studies of mixed alkali silicate glasses.—75-02599A
Optical properties of Co-doped $Bi_{12}TiO_{20}$ and $Bi_{12}SiO_{20}$ single crystals.—75-06495A
Optical properties of silicate glasses activated with $CuInS_{2-x}Se_{2(1-x)}$ solid solutions.—75-04984A
Phase relation in the system $Ca_3(PO_4)_2$-$MgSiO_3$.—75-09029A
Photoinduced dichroism in germanosilicate optical fibers.—75-04987A
Polymerization of silicate ions in aqueous solutions.—75-01069A
Possibilities of potentiometric determination of potassium in some silicate raw materials.—75-03589A
Preparation of zinc silicate luminophors by the sol-gel technique.—75-09402A
Principles of new energy-saving technology in the production of silicate wall materials.—75-07451A
Proton high-resolution solid-state NMR spectroscopy using CRAMPS techniques for studies in silicate and cement science.—75-01914A
Pyroelectric properties of diphasic polar glass-ceramics at low temperatures.—75-08167A
Raman and infrared spectra of lead gallosilicate glasses.—75-04921A
Relationship between microstructure and efficiency of lithium silicate scintillating glasses: the effect of alkaline earths.—75-04923A
Relationship between microstructure and efficiency of lithium silicate scintillating glasses: the effect of replacing lithium by sodium.—75-04924A
Relaxation properties of alkali silicate glasses according to mechanical measurements.—75-07365A
Role of additives in a complex lithium silicate glass-ceramic.—75-05040A
Secondary emission properties of the electron-irradiated lead silicate glasses.—75-07367A
Short-range and medium-range order in lithium silicate glasses: I, Diffraction experiments and results.—75-07312A
Short-range and medium-range order in lithium silicate glasses: II, Simulation of the structure by the reverse Monte Carlo [RMC] method.—75-07313A
Si^{29} MAS-NMR in lead silicates.—75-06347A
Silicate glasses doped with CdS-CdSe microcrystals and resulting optical waveguides.—75-02741A
Similarities in the behavior of magnesium and calcium in silicate glasses.—75-04927A
Structural relaxation in silicate glass in cooling/heating and near-equilibrium experiments.—75-02689A
Structure and spin dynamics of lanthanide-bearing silicate glasses.—75-02612A
Structure of anions in melts R_2O_y-SiO_2 (R=Ca, Pb, and Bi).—75-02613A
Structure of the polished surface of silica and silicate glasses from adsorption studies.—75-02615A
Structures and ionic conduction of $xNa_2S+(1-x)SiS_2$ glasses.—75-02691A
Structures of alkali metasilicate glasses by diffraction experiments and molecular dynamics simulations.—75-07315A
Surface layer formation due to leaching and heat treatment of alkali lead silicate glass.—75-07402A
Surface relaxation and surface area measurements in soft and hardened tricalcic silicate pastes.—75-01694A
Synthesis of porous silicates.—75-06386A
TEM-based definition of 2:1 layer silicates and their interstratified constituents.—75-04414A
Thermal and mechanical behavior of $Ba_{1+x}Zr_4P_{6-2x}Si_{2x}O_{24}$.—75-01356A
Thermal and photo-initiated reactions of H_2 with germanosilicate optical fibers.—75-06390A
Thermodynamic calculation of the MgO-Y_2O_3-SiO_2 system.—75-03855A
Third-order elastic constants of fused silica and silicate glasses.—75-02696A
Trapping levels in $Bi_{12}SiO_{20}$ crystals.—75-01363A
Vibrational spectra of bismuth silicate glasses and hydrogen-induced reduction effects.—75-04937A
Vibrational spectra of rings in silicate glasses.—75-04938A
Vibrational study of the role of trivalent ions in sodium trisilicate glass.—75-04939A
X-ray photoelectron spectroscopy of Al- and B-substituted sodium trisilicate glasses.—75-04941A
X-ray structural investigation of the redistribution of silver ions in ion-conducting channels of $AgSbOSiO_4$ after annealing at various temperatures.—75-09110A

silicides,
Ab-initio calculation of the vibronic spectrum of GeSi, valence states of GeSi*.—75-06150A
Cobalt silicide ohmic contacts to 6H-SiC.—75-00436A
Composite silicide/silicon carbide mechanical alloy.—75-06119P
Effect of ternary additions on the oxidation resistance of Ti_5Si_3.—75-09287A
Granular materials having an improved ceramic coating, methods of preparing same, and composite sheets including same.—75-01112P
High-rate deposition of titanium silicides under high gas flow rate by chemical vapor deposition.—75-06636A
Point defects and thermoelectric properties of iron disilicide ceramics sintered with SiH_4 plasma-processed micrograins.—75-01333A
Structural investigation of Fe silicide films grown by pulsed laser deposition.—75-01943A

silicon carbide,
α→ß reverse phase transformation in silicon carbide in silicon nitride particulate-reinforced silicon carbide composites.—75-08854A
15*R*→3C stress-induced transformation in SiC.—75-01203A
6H-SiC field effect transistor with Schottky diode gate.—75-02958A
Acoustic emission studies of fatigue-loaded SiC platelet-reinforced Y-TZP.—75-05933A
Active to passive transition in the high-temperature oxidation of CVD SiC and Si_3N_4.—75-01980A
Advancements of high-performance structural ceramics in China.—75-03685A
Al_2O_3/SiC nanocomposites by hybrid polymer and powder processing.—75-09215A
Alumina–silicon carbide–carbon-based low-cement castable and ramming masses for BF applications.—75-07463A
Aluminum nitride-coated silicon carbide fiber.—75-08819P
Amorphization and recrystallization of 6H-SiC by ion beam irradiation.—75-00414A
Analysis of flexural creep for an SiC fiber-reinforced Si_3N_4 composite.—75-06941A
Analytical modeling in support of the development of fiber-reinforced ceramic composite materials for reheater burners.—75-03686A
Application of electrochemical oxide films to technology of semiconducting silicon carbide.—75-07786A
Application of organosilicon pre-SiC polymer technology to optimize rapid prototyping of ceramic components.—75-00939A
Automated image analysis for morphology measurements and quantification of whisker and powder materials.—75-01795A
Biomimetic process for producing SiC wood.—75-01387A
Blue light electroluminescence from doped μc-SiC prepared by excimer (ArF) laser crystallization.—75-01141A
Braze for silicon carbide bodies.—75-02564P
Burner rig thermal fatigue failure of SiC continuous fiber/Si_3N_4 ceramic composites.—75-04455A
Capacitance spectroscopy of boron-doped silicon carbide.—75-02967A
Carbothermal synthesis of submicrometer ß-SiC powder using double precursor reaction mixture.—75-01390A
Cathodoluminescence of $(SiC)_{1-x}(AlN)_x$ solid solutions.—75-07797A
Century of SiC.—75-03688A
Ceramic coating on the carbon/carbon composites through the sol-gel technique.—75-03960A
Ceramic fiber-reinforced silicon carboxide composite.—75-06079P
Ceramic matrix composite material.—75-08561P
Characteristics of SiC of voltage stabilizers for the 20–300°C temperature range.—75-07803A
Characterization of defects in *n*-type 6H-SiC single crystals by optical admittance spectroscopy.—75-01743A
Characterization of nanocrystallites in porous *p*-type 6H-SiC.—75-00428A
Characterization of pseudoporous SiC/C coatings on Nextel 440 and Nicalon fibers.—75-04302A
Characterization of SiC layer formed by C ion implantation (ESR and ir studies).—75-00430A
Chemical instability of silicon carbide in the presence of transition metals.—75-06180A
Chemical interaction during the chemical vapor deposition of silicon carbide on aluminosilicate fibers from halogenated precursors.—75-06547A
Chemical vapor deposited ß-SiC for optics applications.—75-03967A
Chemical vapor deposition furnace and furnace apparatus.—75-06116P
Chemical vapor deposition of SiC+C in electric and temperature fields.—75-09240A
Chemical vapor deposition of Ti_3SiC_2 from $TiCl_4$-$SiCl_4$-CH_4-H_2 gas mixtures: I, Thermodynamic approach.—75-06182A
Chemical vapor deposition of Ti_3SiC_2 from $TiCl_4$-$SiCl_4$-CH_4-H_2 gas mixtures: II, An experimental approach.—75-06549A
CMC intake ramp for hypersonic propulsion systems.—75-03693A
Cobalt silicide ohmic contacts to 6H-SiC.—75-00436A
Cohesive energy of interfaces and toughness of fluorine-doped Si_3N_4/SiC composites.—75-09608A
Combined structural and optical assessment of CVD grown 3C-SiC/Si.—75-00437A
Combustion synthesis/dynamic densification of a TiB_2-SiC composite.—75-01404A
Combustion-synthesized ß´-SiAlON reinforced with SiC [20 vol%] monofilaments.—75-03977A
Comparative mechanical evaluation of two 2.5-D C/SiC composites processed via chemical vapor infiltraton and powder infiltration/polymer injection routes.—75-04459A
Comparative study of indentation in SiC and SiC-TiB_2 using confocal scanning laser microscopy.—75-08641A
Comparison of K_{Ic} values for ZrO_2-SiCw composites obtained by using SENB and IM methods.—75-04460A
Comparison of bend stress relaxation and tensile creep of CVD SiC fibers.—75-02024A
Comparison of microwave ECR and rf plasmas for dry etching of single-crystal 6H-SiC.—75-00438A
Comparison of thermal gate oxides on silicon and carbon face *p*-type 6H silicon carbide.—75-00440A
Complex components from ceramic matrix composites.—75-01143A
Composite ceramic materials with SiC fiber.—75-05077A
Composite ceramic sintered material.—75-06118P
Composite ceramics sintered body.—75-06086P
Composite honing of metals inlaid with ceramics.—75-02225A
Composite silicide/silicon carbide mechanical alloy.—75-06119P
Composition and process for making an engine valve.—75-00154P
Computer simulation of Si and C atoms on SiC surfaces.—75-00444A
Concept of layered interphases in SiC/SiC.—75-03876A
Conductivity anisotropy in epitaxial 6H- and 4H-SiC.—75-00445A
Conversion coatings on silicon carbide.—75-01161P
Correlation between friction coefficient and wear mechanism of SiC/SiC system.—75-04466A
Corrosion behavior of infiltrated reaction-sintered silicon carbide.—75-06917A
Corrosion of ceramics in special gas atmospheres.—75-01986A
Corrosion resistance of Al_2O_3-SiC castables to molten ash from incinerators.—75-07498A
Crack initiation in borosilicate glass–SiC fiber composites.—75-02579A
Creation of ß-SiC phase crystallites in porous layers of SiC.—75-07814A
Creep behavior of a 0-90° SiC_f-MLAS composite.—75-04471A
Creep behavior of SiC_f-YMAS composites.—75-04472A
Creep cavitation in a siliconized silicon carbide tested in tension and flexure.—75-04473A
Creep deformation in an alumina-silicon carbide composite produced via a directed metal oxidation [DIMOX] process.—75-06954A
Crystallization and densification of ultrafine Si/C/N powders.—75-01418A
CVD growth of low-doped 6H-SiC epitaxial films.—75-00451A
Cyclic fatigue behavior of SiC/SiC composites at room and high temperatures.—75-09611A
Damage and failure in model unidirectional CVI composites.—75-04480A
Damage tolerance of silicon carbide and alumina matrix surface composites.—75-04485A
Deep centers and electroluminescence of boron-doped 4H-SiC *p-n* structures.—75-07818A
Deformation potential of wide band semiconductors.—75-07820A
Degradation of SiC-based fibers in high-temperature high-pressure water.—75-06921A
Dense, self-sintered silicon carbide/carbon-graphite composite and process for producing same.—75-01163P
Deposition of epitaxially oriented films of cubic SiC on silicon by laser ablation of elemental targets.—75-00454A
Determination of ionization energies of the nitrogen donors in 6H-SiC by admittance spectroscopy.—75-00457A
Determination of the active-to-passive transition in the oxidation of silicon carbide in standard and microwave-excited air.—75-09586A
Development and investigation of epitaxial diffusion of 6H-SiC *p-n* structures.—75-02996A
Development of Al_2O_3-SiC-C refractories for torpedo ladle cars.—75-07515A
Development of diamond tools for superprecision machining with compositionally graded layers from silicon carbide shank to diamond chip.—75-01144A
Development of Si_2N_2O, Si_3N_4, and SiC ceramic materials using rice husk.—75-03993A
Development of Si-Ti-C-O fiber-reinforced SiC composites by chemical vapor infiltration and polymer impregnation & pyrolysis.—75-03994A
Development of sol-gel-derived coatings for Nicalon/SiC composites.—75-09257A
Direct observation of the fracture of CAS-glass/SiC composites: I, Delamination.—75-05004A
Direct observation of the fracture of CAS-glass/SiC composites: II, Notched tension.—75-06960A
Discontinuous phase formation and selective attack of SiC materials exposed to low oxygen partial pressure environments.—75-01988A
Dispersion of SiC whiskers in SiC whisker-reinforced Si_3N_4 composite and related microstructural characteristics.—75-01825A
Dynamics of the nitrogen-bound excitons in 6H- and 3C-SiC.—75-00461A
Early stage matrix cracking phenomena in fiber-reinforced brittle matrix composite.—75-02645A
Effect of boron nitride on the phase stability and phase transformations in silicon carbide.—75-08912A
Effect of characteristics of compressive deformation of ceramic granules on CIP compaction behavior and sinterability: II, The effect of characteristics of ceramic granules on density graduation in CIP compact.—75-09618A
Effect of Cr_3C_2 addition on the sintering of SiC-TiC composite.—75-09271A
Effect of interphase carbon thickness on environmental resistance of continuous fiber-reinforced ceramic matrix composites.—75-04318A
Effect of nanoscale microstructures on the mechanical behavior of silicon carbon-titanium carbon composites.—75-02042A
Effect of oxygen content on the superplastic behavior of $MoSi_2$/SiC composites.—75-09278A
Effect of polymer addition on the strength of carbon fiber-reinforced reaction-bonded SiC matrix composites.—75-04007A

Effect of rapid heat treatments on electrical properties of polymer-derived ceramic fibers.—75-04008A
Effect of SiC on the mechanical properties of 3Y-TZP/SiC composites.—75-06968A
Effect of SiC_w contents on the fracture toughness of $Al_2O_3/TiB_2/SiC_w$ composite at high temperature.—75-09626A
Effect of size and morphology of particulate SiC dispersions on fracture behavior of Si_3N_4 without sintering aids.—75-04500A
Effect of slip casting parameters on the properties of Si_3N_4-bonded SiC.—75-07542A
Effect of specimen shape on fracture toughness and effective fracture energy in SiC-SiC composite.—75-09627A
Effect of various processing methods on the state of 6H-SiC(0001) surface.—75-06588A
Effects of a ZDDP [zinc dialkyl dithiophosphate] additive on ceramic-steel contacts.—75-02459A
Effects of aluminum on properties of hot-pressed C-B_4C-SiC composites.—75-03696A
Effects of coating layer on mechanical properties of LAS/Nicalson SiC fibre composites.—75-00089A
Effects of different states of SiC on the microstructural development of Al_2O_3-SiC nanocomposite.—75-01836A
Effects of gadolinia and alumina addition on the densification and toughening of silicon carbide.—75-01470A
Effects of grain boundary structure on creep behavior for Si_3N_4/SiC nanocomposites.—75-02045A
Effects of heat treatment on mechanical properties of mullite/ZrO_2/SiC composites.—75-04505A
Effects of hot corrosion on the microstructure of a silicon carbide fiber-reinforced calcium aluminosilicate.—75-04426A
Effects of interfacial phase composition and structure on elevated temperature properties of SiC(w)/Si_3N_4 composites.—75-04320A
Effects of rigid platelet additions on matrix, texture, and microstructural development in a model platelet-reinforced composite.—75-06595A
Effects of second phase particles on interface and grain boundary structure in MgO-based ceramics.—75-01839A
Effects of silicon carbide nanophase on the wet erosive wear of polycrystalline alumina.—75-09629A
Effects of structural morphology on mechanical properties for SiC/Al ceramic-metal composites.—75-02462A
Elastic properties of silicon carbide polytypes.—75-06449A
Electrical and mechanical properties in CaF_2/SiC whisker composites.—75-01478A
Electrical and optical properties of vanadium in bulk *n*-type silicon carbide.—75-00468A
Electrical characterization of instabilities in 6H silicon carbide metal-oxide-semiconductor capacitors.—75-00471A
Electrochemical ZrO_2 and Al_2O_3 coatings on SiC substrates.—75-06598A
Electron cyclotron resonance plasma chemical vapor deposition of silicon carbide thin films using ditertiary butyl silane.—75-00474A
Electron paramagnetic resonance of beryllium, deep boron, and scandium acceptors in silicon carbide.—75-08920A
Electron properties of 3C-SiC containing structural defects.—75-06847A
Electron spin resonance studies of donors in bulk and thin-film ß-SiC.—75-00475A
Electronic structure of diamond, silicon carbide, and the group-III nitrides.—75-00479A
Electronic structures of ß-SiC(001) surfaces and Al/ß-SiC(001) interface.—75-00480A
Elevated temperature static fatigue of a Nicalon fiber-reinforced SiC composite.—75-04509A
Elevated-temperature mechanical behavior of plasma-sprayed $MoSi_2$-SiC.—75-04510A
Enhanced thermal conductivity of CVD SiC via beryllium and boron dopings.—75-04024A
Environmental effects on creep and stress-rupture properties of advanced SiC fibers.—75-04513A
Erosive wear characteristics of engineering ceramics.—75-02048A
ESCA characterization of boron and silicon carbide mixed layers deposited on HR [high strength] and HM [high modulus] carbon fibers by RCVD [reactive CVD]: properties of the as-coated fibers.—75-08926A
Estimate of polytype fractions and dislocation density in SiC before and after sintering in Si_3N_4 matrix.—75-06225A
Evaluation of characteristic properties of a newly developed graphite material with an SiC/C composition gradient.—75-03699A
Evaluation of grain boundary groove profiles and surface diffusion coefficients in SiC ceramics using atomic force microscopy.—75-09546A
Evaluation of the wettability of Al-Pb and Al-Sn alloys with SiC and Al_2O_3 particulates by means of pressure infiltration.—75-05944A
Evolution of the structure of Si/C/N nanocomposite powders formed by laser-aerosol interaction.—75-01488A
Experimental investigation of interface properties in SiC fiber-reinforced reaction-bonded silicon nitride matrix composites.—75-04520A
Extrusion of AlSi/SiC_p composite alloys in the semisolid state.—75-04851A
Fabrication and characterization of reaction-bonded silicon carbide and reaction-bonded silicon carbide/molybdenum disilicide composite.—75-04028A
Fabrication and mechanical properties of 3-dimensional Tyranno fiber-reinforced SiC composites by repeated infiltration of polycarbosilane.—75-09303A
Fabrication of Al_2O_3/SiC nanocomposites using a polymeric precursor for SiC.—75-01495A
Fabrication of oriented SiC whisker-reinforced Si_3N_4 ceramics by slip casting.—75-09305A
Fabrication of SiC matrix composites by liquid phase infiltration with a polymeric precursor.—75-04036A
Fabrication of SiC matrix composites using a liquid polycarbosilane as the matrix source.—75-04037A
Fabrication of SiC-SiC whisker composite by repeated infiltration of polycarbosilane.—75-01497A
Fabrication of textured silicon carbide via seeded anisotropic grain growth.—75-04038A
Fabrication of thin oxide coatings on ceramic fibers by a sol-gel technique.—75-04039A
Fabrication process and mechanical properties of SiC/SiC composites.—75-09307A
Failure analysis of an α-SiC tube subjected to thermal cycling in an oxygen-steam atmosphere.—75-04522A
Failure mechanisms in CAS/SiC composite as a function of the strain rate.—75-04523A
Fast recombination of excess carrier in 6H-SiC.—75-01756A
Fatigue behavior of a ceramic matrix composite (CMC), 2-D C_{fiber}/SiC_{matrix}.—75-04525A
Fatigue behavior of structural ceramics at elevated temperatures.—75-02049A
Fatigue crack growth rate and fracture toughness of 25 wt% silicon carbide whisker-reinforced alumina composite with residual porosity.—75-09634A
Fiber coatings and the fracture behavior of a continuous fiber ceramic composite.—75-04529A
Fiber deformation and residual strain in silicon carbide fiber-reinforced glass composites.—75-02052A
Field-assisted self-propagating synthesis of ß-SiC.—75-01500A
Filament winding of SiC_{fiber}/Si_3N_4 composites—process and control of fiber distribution.—75-04324A
Formation of SiC whiskers from compacts of raw rice husks.—75-06619A
Forward and reverse current in 6H-SiC-based *p-n* structures prepared by container-free liquid-phase epitaxy.—75-05326A
Forward conduction mechanisms in SiC *p-n* junctions.—75-00493A
Fractographic investigation of flaws in sintered SiC fiber.—75-04531A
Fractography used with lifetime prediction tests on commercial grades of alumina and silicon carbide.—75-04533A
Fracture behavior of silicon carbide/aluminum-2124 alloy functionally graded materials.—75-02484A
Fracture of silicon nitride and silicon carbide at elevated temperatures.—75-06982A
Fracture process of silicon carbide fiber-reinforced glasses.—75-04967A
Fracture toughness determination of SiC/SiC fabric composites.—75-04539A
Fracture toughness of 2-D woven SiC/SiC CVI composites with multilayered interphases.—75-04541A
Free carrier absorption in *n*-type 6H-SiC.—75-00494A
Functionally graded C/SiC films from CH_3SiCl_3-C_2H_4 mixtures.—75-09319A
Functionally gradient SiC coatings produced by chemical vapor reaction.—75-04052A
GaN on 6H-SiC—structural and optical properties.—75-00496A
Grain size effect on creep deformation of alumina-silicon carbide composites.—75-04545A
Graphite-loaded silicon carbide.—75-08825P
Growth of beta silicon carbide film on Si by hot-filament CVD.—75-01515A
Growth of boric acid crystallites on the surface of boron-doped silicon carbide samples.—75-04332A
Growth of diamond film by CVD on near-net-shape fabricated ß-SiC/TiC composites synthesized using SHS.—75-04058A
Growth of diamond film on Cu-SiC electrocodeposited layers.—75-07213A
Growth of epitaxial 2H-silicon carbide by pulsed laser deposition.—75-00503A
Growth of indentation-induced flaws in RBSiC and RBSiC-TiB_2 composites under an applied stress.—75-04546A
Growth of multistar CVD ß-SiC and SiC/TiC composites.—75-09324A
Growth of SiC epitaxial layers during chemical deposition from CH_3SiCl_3-H_2 vapor.—75-03040A
Growth orientation considerations of epitaxial AlN films on 6H-SiC substrates.—75-03041A
Heat treatment of ZTM/SiC(p) composite.—75-04065A
Heteroepitaxial growth of SiC epilayers on AlN/Al_2O_3 substrates.—75-03045A
High flexural strength ceramic fiber-reinforced silicon carboxide composite.—75-06089P
High-power and high-frequency silicon carbide devices.—75-00508A
High-temperature behavior of Al_2O_3:SiC nanocomposites.—75-02058A
High-temperature ceramic composite.—75-08830P
High-temperature corrosion resistance of chemically vapor deposited silicon carbide against hydrogen chloride and hydrogen gaseous environments.—75-01992A
High-temperature crack annealing effects on fracture toughness of alumina and alumina-SiC composite.—75-06989A
High-temperature fatigue fracture of Al_2O_3-33 vol% SiC_w.—75-02060A
High-temperature fatigue properties for some types of SiC and Si_3N_4 and the unified strength estimation method.—75-02061A
High-temperature flow of SiC continuous fiber–glass-ceramic matrix composites—the effect of interface/interphase ductility.—75-04553A
High-temperature lifetime in air of SiC/C(B)/SiC microcomposites prepared by LPCVD.—75-04554A
High-temperature mechanical and fracture properties of an Al_2O_3/SiC_w ceramic matrix composite.—75-06992A
High-temperature oxidation of CVD silicon-based ceramics.—75-09593A
High-temperature oxidation of SiC-based castable by mass spectrometric gas analysis.—75-07567A
High-temperature oxidation of SiC-based monolithic refractories: I, Oxidation by FeO.—75-05098A
High-temperature oxidation of SiC-based monolithic refractories: II, Effect of B_4C on oxidation.—75-05099A
High-temperature properties of SiC fiber-reinforced LAS glass-ceramic composite.—75-02657A
High-temperature strength of C/C and C/C-SiC composites under shear loading.—75-04558A
High-temperature strength of melt-infiltrated SiC-Mo(Al,Si_2 composites.—75-02063A
High-temperature tensile behavior of a boron nitride coated silicon carbide fiber glass-ceramic composite.—75-04559A
High-temperature toughening mechanisms of particle and particle-fiber reinforced SiC composites.—75-04560A
Hot gas corrosion of structural ceramics.—75-01996A
Hot isostatic pressing of silicon carbide based multiphase composed materials.—75-04068A
Hot molding of ceramics.—75-01526A
Hydrothermal synthesis of carbon films on SiC fibers and particles.—75-01531A
Identification of {$2\bar{1}\bar{1}0$} and {$10\bar{1}0$} Laue patterns of hexagonal and rhombohedral silicon carbide polytypes.—75-03800A
Improvement of strength and toughness of silicon nitride ceramics.—75-04561A
In situ observation of slow crack growth in a whisker-reinforced alumina matrix composite.—75-09642A
In situ production of silicon carbide-containing ceramic composite powders.—75-06123P
In situ synthesis of Al_2O_3 matrix SiC composite powders.—75-01537A
In situ synthesized TiB_2-toughened SiC.—75-09643A
In situ toughened silicon carbide with Al-B-C additions.—75-02066A
In situ toughened silicon carbide–titanium carbide composites.—75-04076A
Influence of grain size, free silicon content, and temperature on the strength and toughness of reaction-bonded silicon carbide.—75-04566A
Influence of loading rate and processing atmosphere on pullout of SiC fibers from Pyrex glass.—75-02725A
Influence of reinforcement content and diameter on the *R*-curve response in SiC-whisker-reinforced alumina.—75-02068A
Influence of surface oxidation on thermal shock resistance and flexural strength of SiC/Al_2O_3 composites.—75-06997A
Injection molding of SiC(w)/Si_3N_4 composite turbine blade.—75-04085A
Interdiffusion in SiC-AlN and AlN-Al_2OC systems.—75-06850A
Interfacial characterization of SiC/SiC composites with multilayered interphases.—75-04572A
Interfacial debonding behavior of mullite/SiC continuous fiber composite.—75-02069A
Interfacial properties of as-received and coated SiC (SCS-6) fiber-reinforced reaction-formed SiC matrix composites.—75-04350A
Internal friction of Pyrex glass and SiC whisker-reinforced glass matrix composites.—75-04974A
Investigation of structural defects in 4H SiC wafers.—75-01762A
Ir absorption spectra of impurities in 6H-SiC.—75-00529A
Isothermal section of Ti-B-C phase diagram at 1600°C.—75-03802A
Joining of SiC to SiC using a preceramic polymer.—75-04088A
Kink and crack interfaces in deformed 6H-SiC single crystals.—75-03075A
Large-band-gap SiC, III-V nitride, and II-VI ZnSe-based semiconductor device technologies.—75-00532A
Laser synthesis of ultrafine Si_3N_4-SiC powders from hexamethyldisilazane.—75-06671A
Laser-induced chemical vapor deposition of silicon carbide.—75-04091A
Laser-transformed SiC thin films.—75-00533A
Lateral power MOSFET structure using silicon carbide.—75-08104P
Lattice instability in ß-SiC and simulation of brittle fracture.—75-02070A
Lifetimes and diffusion lengths of nonequilibrium charge carriers in SiC *p-n* structures.—75-03077A
Light-emitting properties of porous SiC with different microstructures.—75-09153A
Liquid infiltration and pyrolysis of SiC matrix composite materials.—75-04094A
Liquid phase sintering of silicon carbide.—75-09355A
Liquid-phase sintering of chemically unstable silicon carbide–lithium/magnesium aluminosilicate–titania composites.—75-06672A
Local structure and bonding states in a-$Si_{1-x}C_x$:H.—75-01225A
Low temperature–high pressure oxidation of 3C-SiC.—75-03084A
Low-pressure chemical vapor deposition of silicon carbide thin films from hexamethyldisilane.—75-04096A
Low-temperature SiC film coating on metals by microwave plasma chemical vapor deposition.—75-07217A
Low-temperature synthesis of aluminum silicon carbide using ultrafine aluminum carbide and silicon carbide powders.—75-01566A
Machining-induced surface residual stress behavior in Al_2O_3-SiC nanocomposites.—75-07000A
Magnetic susceptibility of wide band gap semiconductors.—75-07961A
Making of sintered silicon carbide bodies.—75-06124P
Manufacture of silicon carbide foam from a polyurethane foam impregnated with resin containing silicon.—75-01173P

Manufacture of silicon carbide foam from a polyurethane foam impregnated with resin containing silicon.—75-03736P

Matrix cracking in brittle matrix composites with tailored interfaces.—75-04582A

Measurement of *n*-type dry thermally oxidized 6H-SiC metal-oxide-semiconductor diodes by quasi-static and high-frequency capacitance versus voltage and capacitance transient techniques.—75-03090A

Mechanical behavior and environmental stability of continuous fiber-reinforced glass-ceramic matrix composites.—75-07348A

Mechanical behavior of an alumina fiber-reinforced silicon carbide matrix composite at high temperature.—75-04585A

Mechanical behavior of SiC(f)/SiC composites and correlation to in situ fiber strength at room and elevated temperatures.—75-04586A

Mechanical behavior of silicon-silicon carbide composites.—75-09647A

Mechanical properties and recrystallization of alumina ceramics reinforced by silicon carbide whisker.—75-05105A

Mechanical properties of (Y-TZP)-alumina-silicon carbide nanocomposites and the phase stability of Y-TZP particles in it.—75-07007A

Mechanical properties of polycrystalline cubic silicon carbide deposits.—75-07009A

Mechanical properties of unidirectional reinforced carbon-SiC composite fabricated by hot-press sintering method: III.—75-02075A

Mechanical property/microstructure relationships in a range of Si_3N_4/SiC composites.—75-04594A

Mechanical response of interfacial reaction layer in SiC_f/6063 aluminum composites.—75-02502A

Mechanism of combustion synthesis of silicon carbide.—75-04104A

Mechanism of interface formation in a silicon carbide fiber-reinforced magnesium aluminosilicate.—75-04105A

Mechanism of oxidation of low-oxygen SiC fiber prepared by electron radiation curing method.—75-02002A

Mechanisms of oxidation in hot-pressed SiC-AlN solid solutions.—75-04433A

Method for epitaxially growing α-silicon carbide on *a*-axis α-silicon carbide substrates.—75-08593P

Method for making Si/SiC composite material.—75-01175P

Method for producing a wafer with a monocrystalline silicon carbide layer.—75-05525P

Method of fabricating a silicon carbide vertical MOSFET and device.—75-03208P

Method of fabricating high-voltage silicon carbide MESFETs.—75-05526P

Method of fabricating porous silicon carbide (SiC).—75-06127P

Method of forming crystalline silicon carbide coatings at low temperatures.—75-01176P

Method of forming crystalline silicon carbide coatings.—75-06128P

Method of preparing oxide superconducting wire.—75-00909P

Method of producing silicon carbide single crystals by sublimation recrystallization process using a seed crystal.—75-01179P

Microscopy investigation on fracture mechanisms in hot isostatically pressed Si_3N_4/SiC platelet composites.—75-04598A

Microstructural characterization of alumina and silicon carbide slip-cast cakes.—75-09554A

Microstructural development and mechanical properties of pressureless sintered Al_2O_3/SiC composites.—75-01572A

Microstructural development and mechanical properties of pressureless-sintered SiC with platelike grains using Al_2O_3-Y_2O_3 additives.—75-06889A

Microstructural development of Si_3N_4-SiC composites with HfO_2-Y_2O_3-Al_2O_3 additives.—75-04359A

Microstructural features of sintered Si_3N_4/SiC-whiskers composites: mechanical integrity of whiskers.—75-06892A

Microstructure and fracture behavior of an Al_2O_3-ZrO_2-SiCw ceramic composite.—75-04600A

Microstructure and fracture behavior of SiC platelet-reinforced Si_3N_4 matrix composites.—75-04602A

Microstructure and mechanical properties of 2-D SiC-reinforced carbon matrix composites.—75-04365A

Microstructure and mechanical properties of Mg-PSZ containing nanosized SiC particles.—75-09561A

Microstructure and mechanical properties of $MoSi_2$/SiC composites.—75-01886A

Microstructure and mechanical properties of reaction-formed silicon carbide ceramics.—75-04366A

Microstructure and thermal stability of a glass-coated SiC/SiC composite.—75-09563A

Microstructure control and wear of Al_2O_3-SiC-(Al,Si) composites made by melt oxidation.—75-04603A

Microstructure of interfacial boundaries in SiC(w)/SiAlON composite.—75-04368A

Microstructures of BN/SiC coatings on Nicalon fibers.—75-04375A

Microstructures of SiC/Si_3N_4 layer ceramics.—75-04376A

Microwave joining of engineering ceramics.—75-01576A

Microwave-assisted pyrolysis of SiC and its application to joining.—75-01586A

Military turbojet component design and validation with thermostructural composite materials.—75-03706A

Mixed oxide composite ceramics and method of producing the same.—75-03673P

Mixtures of ß-SiAlON and SiC prepared by carbothermal reduction of silica-rich clays.—75-01588A

Model of sintering α-silicon carbide.—75-04113A

Model of the nonlinear stress-strain behavior of a 2D-SiC/SiC ceramic matrix composite (CMC).—75-04604A

Modeling the flow of molten silicon in porous carbon preforms and the subsequent formation of silicon carbide.—75-04115A

Modeling the gas-phase chemistry of silicon carbide formation.—75-04116A

Models for the thermostructural properties of SiC fibers.—75-03907A

Modification of *a*-$Si_{1-x}C_x$:H film properties during annealing.—75-07975A

Molding of Si_3N_4 and SiC ceramics via direct coagulation casting [DCC]—basic principles and processing.—75-09365A

Mullite-corundum refractories with silicon carbide for linings of transportable mixers.—75-05111A

Nanocomposites obtained from ultrafine composite particles.—75-01591A

Nanoscale microstructure of 2-D C/C-SiC ceramic composites processed via silicon capillary impregnation.—75-04380A

Nanosize SiC particulate-reinforced hydroxyapatite composites.—75-03909A

Near-surface deformation in alumina–silicon carbide whisker composite due to surface machining.—75-07017A

Neutron irradiated SiC(6H) *p-n* structures: current-voltage characteristics.—75-07984A

New features of the photoluminescence of SiC (6H), SiC (4H), and SiC (15R).—75-01314A

New polymeric route to silicon carbide and silicon nitride using elementary silicon as starting material.—75-06694A

New processing techniques for the production of pressureless sintered SiC parts.—75-01593A

Newtonian flow process in polycrystalline silicon carbides: diffusional creep or Harper-Dorn creep.—75-07018A

Nitride-bonded silicon carbide refractories.—75-07615A

Nitrogen implantation induced enhanced adhesion of amorphous SiC films deposited on stainless steel and Cu.—75-01595A

NMR spin lattice relaxation in nitrogen-doped 6H silicon carbide.—75-00550A

Nonequilibrium characteristics of the gate-controlled diode in 6H-SiC.—75-05402A

Nonlinear behavior model for SiC/SiC composites.—75-04382A

Nonmonocrystalline silicon carbide semiconductor and semiconductor device employing the same.—75-08107P

Novel organosilicon precursors for Si-C ceramics and ceramic matrix composites.—75-04124A

Novel synthesis of α-Si_3N_4 fibers.—75-06698A

Nucleation and step dynamics in SiC epitaxial growth.—75-00554A

Nucleation and step motion in chemical vapor deposition of SiC on 6H-SiC{0001} faces.—75-00357A

Optical studies of the exciton spectra in epitaxial GaN films.—75-09000A

Origin of strength-limiting defects in a toughened SiC (HEXOLOY SX-SiC).—75-04614A

Oxidation and corrosion of $SiC_{(particulate)}$/Al/Al_2O_3 composites in sodium silicate at elevated temperatures.—75-06926A

Oxidation and properties degradation of SiC fibers below 850°C.—75-04435A

Oxidation behavior and effects of oxidation on the strength of SiC whisker-reinforced alumina.—75-04436A

Oxidation behavior of mullite-coated SiC and SiC/SiC composites under thermal cycling between room temperature and 1200–1400°C.—75-04439A

Oxidation behavior of porous SiC at high temperatures.—75-09596A

Oxidation behavior of SiC-coated carbon/carbon composites.—75-04440A

Oxidation kinetics of MgO-SiC composites.—75-04441A

Oxidation of BN-coated SiC fibers in ceramic matrix composites.—75-02009A

Oxidation of SiC-TiC composites.—75-06930A

Oxidation of ultrafine (Si-)SiC powders.—75-06931A

Oxidation process in silicon nitride.—75-02012A

Oxygen-free ceramic fibers from organosilicon precursors and e-beam curing.—75-04131A

Particle cellulation composite (PPC)—dispersion morphology of SiC particles in Si_3N_4/SiC composites.—75-04385A

Particle-inhibited grain growth in Al_2O_3-SiC: I. Experimental results.—75-09573A

Particle-inhibited grain growth in Al_2O_3-SiC: II. Equilibrium and kinetic analyses.—75-09005A

Particle/matrix interface and its role in creep inhibition in alumina/silicon carbide nanocomposites.—75-02084A

Passive oxidation kinetics of high-purity silicon carbide from 800° to 1100°C.—75-09599A

Perturbed-angular-correlation spectroscopy on indium and cadmium complexes in silicon carbide.—75-00563A

Phonon Raman scattering in disordered silicon carbides.—75-03822A

Pilot plant test of SiC UFP [ultrafine powder] synthesis with plasma.—75-04137A

Plasma synthesis of nanoscaled Si_3N_4, SiC, and Si_3N_4-SiC composite powders.—75-01606A

Polymer precursor for silicon carbide/aluminum nitride ceramics.—75-03746P

Polymer-derived silicon carbide fibers with near-stoichiometric composition and low oxygen content.—75-03916A

Polytypic transformation and gliding behavior in polycrystalline α-SiC deformed by compression at high temperatures.—75-07021A

Porous fluid-permeable moldings of silicon carbide and process of production.—75-06135P

Porous silicon carbide investigated by methods of vibrational and luminescence spectroscopies.—75-05441A

Porous silicon carbide.—75-03747P

Positive temperature coefficient of resistance effect in hot-pressed cristobalite-silicon carbide composites.—75-05442A

Power MOSFET in silicon carbide.—75-08109P

Precipitation and relaxation in strained $Si_{1-y}C_y$/Si heterostructures.—75-00578A

Preparation and abrasive properties of eutectic compositions in the system B_4C-SiC-TiB_2.—75-04784A

Preparation and characterization of SiC nanofibrils.—75-09382A

Preparation and economics of silicon carbide matrix composites by chemical vapor infiltration.—75-04149A

Preparation and mechanical properties of SiC whisker and nanosized mullite particulate-reinforced TZP ceramics.—75-09383A

Preparation and microstructure of Si_3N_4-SiC multiphase ceramics using nano-size and submicron-size SiC powders.—75-04152A

Preparation and properties of new structural ceramics in the system of Ti-Si-C.—75-09386A

Preparation and sintering of alumina-coated SiC whiskers and particles.—75-01618A

Preparation of Ca-α-SiAlON/SiC nanophase composites.—75-04157A

Preparation of ceramic coatings from preceramic precursors: I. SiC and Si_3N_4/Si_2N_2O coatings on alumina substrates.—75-06727A

Preparation of ceramic composite powders from waste colliery minestones.—75-04158A

Preparation of nanometric SiC-Si_3N_4 composite powders.—75-04163A

Preparation of Si_3N_4/SiC composite from organic precursor.—75-04166A

Preparation of SiC platelet by a mechanical process.—75-04167A

Preparation of SiC slip and fabrication of SiC components by slip casting.—75-04168A

Pressureless sintering of ß-SiC with Al_2O_3 additions.—75-06745A

Pressureless sintering of AlN-SiC-based multiphase ceramics.—75-04177A

Pressureless sintering of dense Si_3N_4 and Si_3N_4/SiC composites with nitrate additives.—75-09406A

Pressureless sintering of zirconia-SiC platelet composites.—75-01631A

Process analysis of AP-CVD of silicon carbide.—75-00580A

Process for forming a silicon carbide film.—75-03213P

Process for manufacturing SiC-based ceramic precursors.—75-01186P

Process for preparing silicon carbide powder from vaporized polysiloxanes.—75-01187P

Process for producing carbon bodies having a silicon carbide coating.—75-01188P

Process for producing reaction-bonded silicon carbide refractory product.—75-07700P

Process of making thin-film 2H-α-SiC by laser ablation.—75-08110P

Processing and characterization of SiCw-AlN composites.—75-04179A

Processing and fracture behavior of hot-pressed silicon carbide whisker reinforced alumina.—75-04616A

Processing and microstructure of continuous fiber-reinforced $MoSi_2$-based composites.—75-03917A

Processing and properties of Al_2O_3/SiC nanocomposites.—75-01633A

Promotion of the oxidation of silicon carbide by a rubidium overlayer.—75-02015A

Properties and structural characterization of the laser-synthesized nanocomposite Si-N-C powders.—75-03918A

Properties of MOS structure fabricated on 3C-SiC grown by reactive magnetron sputtering.—75-00368A

Properties of SiC-SiC composites produced using CVR converted graphite cloth to SiC cloth.—75-04188A

Properties of Silicon Carbide.—75-02168B

Properties of the heteroepitaxial AlN/SiC interface.—75-01913A

Pseudopotential calculation of band structure of SiC-AlN solid solution.—75-08031A

Pulsed energy synthesis and doping of silicon carbide.—75-01191P

Radiation defects in SiC—electron irradiation with different energies.—75-01772A

Raman determination of structures of long-period SiC polytypes.—75-01921A

Rapid fabrication of ceramic composite tubes using chemical vapor infiltration.—75-09416A

Rate of SiC deposition from methyltrichlorosilane and influence of HCl addition.—75-04193A

Reaction mechanisms of SiC fiber synthesis from radiation-cured polycarbosilane fiber.—75-04194A

Reaction of silicon carbide grains with molten iron penetrating in carbon-based refractories.—75-07641A

Reaction of Ta thin film with single-crystalline (001)ß-SiC.—75-00583A

Reaction-bonded Si_3N_4 reinforced with continuous SiC fibers: processing and interface characteristics.—75-04195A

Reaction-bonded silicon carbide refractory product.—75-05158P

Reactive magnetron sputtering of silicon in Ar+CH_4—identity and energy of the SiC growth species.—75-00584A

Relations between microstructure and mechanical properties of pressureless sintered SiC.—75-01926A

Relationship between defect luminescence in 6H-SiC and deep level centers.—75-05461A

Residual stress-induced spontaneous microcracking in α-SiC platelet Al_2O_3 composites.—75-07028A

Reticulated ceramic inserts (core busters) for ceramic radiant tube applications.—75-03710A

Rheology and processing of Al_2O_3-SiC whisker composite suspensions.—75-01652A

Scanning acoustic microscopy of SCS-6 silicon carbide fiber.—75-01928A

Schottky barrier height of metal contacts to *p*-type alpha 6H-SiC.—75-00592A

Self-consistent method to calculate fiber interactions in an SiC/Al_2O_3 ceramic composite.—75-03596A

Semiconducting silicon carbide: technology and devices (a review).—75-05472A

Shallow levels in *n*-type 6H-silicon carbide as determined by admittance spectroscopy.—75-06345A

Shifting-order-type kinetics may explain diethylsilane pyrolysis to silicon carbide deposition.—75-06346A
Si/SiC composite material and method for making Si/SiC composite material.—75-08840P
SiAlON-bonded silicon carbide refractory.—75-07702P
SiC (TiC)/Si_3N_4 (TiN) functionally gradient materials.—75-04207A
SiC and Si_3N_4 fibrous monoliths—nonbrittle fracture from powder processed ceramics produced by coextrusion.—75-02096A
SiC and Si_3N_4 matrix composites according to the hot-pressing route.—75-04208A
SiC fiber-reinforced LAS glass-ceramic via sol-gel technique.—75-02740A
SiC fibers from modified polyorganosilanes: production, properties, and applications.—75-04209A
SiC nanopowder by high-temperature pyrolysis.—75-04210A
SiC platelet composites and their mechanical properties.—75-04624A
SiC whisker- and particle-reinforced ceramic cutting tool material.—75-01135P
SiC whisker-reinforced ceramics with modulated microstructures.—75-04395A
SiC—now and future: I.—75-06513A
SiC—now and future: II.—75-03713A
SiC-6H dinistor structures.—75-03160A
SiC-AlN: II. Mechanical properties.—75-04625A
SiC-based fibers with low free carbon content.—75-04211A
SiC-reinforced $MoSi_2$ composite materials.—75-04212A
SiC-TiB_2 composites doped with Al_2O_3.—75-04213A
Silicon carbide articles for linings of reactors for the production of aluminum chloride.—75-07658A
Silicon carbide bodies and methods of making the same.—75-01193P
Silicon carbide carrier for wafer processing in vertical furnaces.—75-03755P
Silicon carbide coated carbon composite material and method for making same.—75-06140P
Silicon carbide electronic device manufacturing method.—75-08841P
Silicon carbide junction field effect transistor device for high-temperature applications.—75-08115P
Silicon carbide piston/cylinder for uncooled diesel engine.—75-03714A
Silicon carbide refractories with an SiAlON binder.—75-05137A
Silicon carbide sewing thread.—75-01194P
Silicon carbide wafer bonded to a silicon wafer.—75-03214P
Silicon carbide whisker reinforced cutting tool material.—75-03682P
Silicon carbide-titanium carbide nanocomposites: microstructural investigation.—75-01932A
Silicon carbide.—75-06056A
Silicon nitride-silicon carbide composite sintered material and manufacturing thereof.—75-08847P
Silicon nitride/silicon carbide composite powders.—75-08848P
Sinterability of plasma-synthesized ultrafine SiC powders from Si and CH_4.—75-09435A
Sintered composite boron carbide body and production process thereof.—75-01199P
Sintering behavior of TiC-reinforced SiC composites doped with Ti and C.—75-09440A
Solid-state synthesis and characterization of the ternary phase Ti_3SiC_2.—75-06358A
Special features of the formation of the structure of highly porous cellular materials based on reaction-sintered silicon carbide.—75-05142A
Spectroscopic study of SiC-like structures formed on polycrystalline silicon sheets during growth.—75-06365A
Spontaneous infiltration of aluminum-silicon alloy into silicon carbide preforms in air.—75-00135A
Stabilization of fine SiC particles dispersed in a molten Al alloy: application to composite casting.—75-07231A
Stacking fault energy calculations in 6H- and 15R-SiC.—75-00601A
Stacking faults in ß-SiC formed during carbothermal reduction of SiO_2.—75-06369A
State and crystal structure of products of the interaction of SiC and SiO_2.—75-06370A
Strength distribution of Carborundum polycrystalline SiC fibers as derived from the single-fiber composite test.—75-06783A
Strength recovery of ball impacted ceramics by heat treatment.—75-04635A
Stress analysis near the interfacial reaction layer in SiC$_f$/6063 aluminum composites.—75-02547A
Stress rupture in tension and flexure of an SiC whisker-reinforced silicon nitride composite at elevated temperatures.—75-09675A
Structural and mechanical characterization of some alumina and SiC based fibers.—75-03929A
Structural defects in glow discharge a-Si:C:H investigated by positron annihilation spectroscopy.—75-01777A
Structural investigations of Si/C/N ceramics from polysilazane precursors by nuclear magnetic resonance.—75-09066A
Structural study of SiC/AlN bilayers and trilayers on Si and 6H-SiC.—75-01945A
Structure and thermal evolution of SiC-based fibers with low oxygen content.—75-04406A
Structure perfection features of SiC-6H crystals grown by modified Lely method.—75-05490A
Substrates for the growth of 3C-silicon carbide.—75-08118P
Superior Graphite dedicates ß-SiC plant.—75-04757A
Surface barrier height in Schottky diodes based on *n*-SiC-6H.—75-05493A
Surface kinetics of adatoms in vapor phase epitaxial growth of SiC on 6H-SiC {0001} vicinal surfaces.—75-03845A
Surface states at the SiO_2-SiC interface studied by analysis of input admittance of MOS structure in a wide temperature range.—75-03178A
Suspension parameters of SiC$_w$/Al_2O_3 composites.—75-03931A
Synthesis and characterization of a remarkable ceramic: Ti_3SiC_2.—75-06790A
Synthesis and characterization of ultrafine powders of SiC-Si_3N_4.—75-06793A
Synthesis and processing of silicon carbide fibers—state-of-the-art.—75-01701A
Synthesis and pyrolysis of polysilazane as the precursor of Si_3N_4/SiC ceramic.—75-06797A
Synthesis of Al_2O_3-coated SiC composite powder.—75-06802A
Synthesis of Al_2O_3-SiC-ZrO_2 from kaolinite and zircon.—75-09465A
Synthesis of SiC-AlN ceramic alloys from Si, C, and AlN powder premixture by reaction HIP sintering and their mechanical properties.—75-09477A
Synthesis of SiC-AlN composite ultrafine powder by sol-gel processing.—75-09478A
Synthesis of silicon carbide ceramics at low temperatures.—75-01716A
Synthesis of silicon carbide fiber from blended precursor of organosilicon polymers.—75-01717A
Synthesis of silicon carbide from rice husk in a dc arc plasma reactor.—75-04248A
Synthesis of spherical ß-silicon carbide particles by ultrasonic spray pyrolysis.—75-06817A
TEM and EDX investigations of experimental SiC$_f$-YMAS composites.—75-04411A
Temperature-induced phase development in titanium-implanted silicon carbide.—75-03849A
Tensile behavior of a 2-D woven C/SiC composite at ambient and elevated temperatures.—75-04646A
Tensile creep and recovery of SiC$_f$/CAS-II composites.—75-04647A
Theoretical aspects of the oxidation of silica-forming ceramics.—75-02016A
Thermal conductivity of vapor-liquid-solid [VLS] and vapor-solid [VS] silicon carbide whisker-reinforced lithium aluminosilicate glass-ceramic composites.—75-02693A
Thermal diffusivity/conductivity and specific heat of mullite-zirconia-silicon carbide whisker composites.—75-09201A
Thermal shock behavior of fiber-reinforced ceramic composites.—75-04651A
Thermal shock behavior of Si_3N_4/SiC composites.—75-09679A
Thermal shock behavior of two-dimensional woven fiber-reinforced ceramic composites.—75-06528A
Thermal shock damage in a two-dimensional woven fiber-reinforced CVI SiC matrix composite.—75-09680A
Thermal stress of multilayer composite of SiC-TiC-Ni system.—75-00142A
Thermodynamic analysis of the precipitation process from gas phase of $(AlN)_x(SiC)_{1-x}$ solid solutions.—75-06393A
Thermodynamics and kinetics of passive oxidation of Si_3N_4-bonded SiC ceramics.—75-02019A
Thermomechanical and creep characterization of unidirectional SiC/Al composite.—75-07236A
Thermomechanical durability of CVI-processed two-dimensionally woven and three-dimensionally braided SiC fiber-reinforced SiC composites.—75-07047A
TiC-base/SiC whisker composite ceramic cutting tools.—75-03758P
Tight-binding study of the #8{211} σ=3 grain boundary in cubic silicon carbide.—75-00621A
Time-resolvable pulse exciton photoluminescence of pure 6H-SiC crystals and films.—75-08087A
Toughening of Si_3N_4 ceramics by nano SiC particles in grain boundary phase.—75-01735A
Transient liquid-phase bonding of Si-based ceramics using microdesigned Ni-based interlayers.—75-00144A
Transmission electron microscopy and high resolution electron microscopy studies of structural defects induced in 6H α-SiC single crystals irradiated by swift Xe ions.—75-06914A
Tribological properties of oil-retaining porous silicon carbide.—75-09688A
Ultrafine alumina-coated silicon carbide particles for alumina-silicon carbide nanocomposites.—75-04264A
Ultrafine dry grinding of α-SiC powders for advanced ceramics.—75-05916A
Use of deep level transient spectroscopy for investigation of SiC *p-n* structure parameters.—75-08092A
Usefulness of alumina-coated SiC whiskers in the preparation of whisker-reinforced alumina ceramics.—75-04268A
Uv-sensitive metal-semiconductor photodiodes on 6H-SiC.—75-00632A
Vacancy defects in silicon carbide.—75-09523A
Wear and wear transition in silicon carbide ceramics during sliding.—75-04663A
Wear of aluminum alloy matrix composites in lubricated conformal contact with case hardened steel.—75-04664A
Wear-resistant materials in SiC-B_4C system.—75-09696A
X-ray topographic studies of defects in PVT 6H-SiC substrates and epitaxial 6H-SiC thin films.—75-01780A
XPS and SIMS studies of CVD grown cubic SiC films on Si(100).—75-01979A

silicon nitride,

R-curve behavior of TiC/Si_3N_4 material for long cracks and short cracks.—75-04447A
R-curve measurement of silicon nitride ceramics using single-edge notched beam specimens.—75-06939A
α→ß reverse phase transformation in silicon carbide in silicon nitride particulate-reinforced silicon carbide composites.—75-08854A
ß-Si_3N_4 whiskers embedded in oxynitride glasses: interfacial microstructure.—75-07282A
ß-silicon nitride sintered body.—75-06112P
1995 Corporate Technical Achievement Award: Norton Advanced Ceramics—Cerbec silicon nitride bearing components.—75-06418A
3-D characterization of sintered microstructures with prismatic grains—a precondition for microstructural modeling of Si_3N_4 ceramics.—75-04294A
Abrasive wear behavior of an Si_3N_4-$MoSi_2$ composite.—75-04449A
Active to passive transition in the high-temperature oxidation of CVD SiC and Si_3N_4.—75-01980A
Advancements of high-performance structural ceramics in China.—75-03685A
Alpha-Si_3N_4 precipitation in C/C-SiC composites from inherent fiber impurity sources.—75-03952A
Analysis of flexural creep for an SiC fiber-reinforced Si_3N_4 composite.—75-06941A
Analytical modeling in support of the development of fiber-reinforced ceramic composite materials for reheater burners.—75-03686A
Anelastic relaxation associated with the intergranular phase in silicon nitride and zirconia ceramics.—75-04450A
Application of fractal fracture to advanced engine material.—75-04451A
Application of organosilicon pre-SiC polymer technology to optimize rapid prototyping of ceramic components.—75-00939A
Atomistic structure of silicon nitride/silicate glass interfaces.—75-07283A
Atomization and fuel saving of ceramic needle valves for diesel engine.—75-03642A
Automated image analysis for morphology measurements and quantification of whisker and powder materials.—75-01795A
Barium hexaferrite-silicon nitride-carbon magnetic recording medium.—75-05719P
BN/RBSN composite materials.—75-03871A
Burner rig hot-salt corrosion of Si_3N_4 in the temperature range 800°C to 1300°C.—75-01983A
Burner rig thermal fatigue failure of SiC continuous fiber/Si_3N_4 ceramic composites.—75-04455A
Can tooling components.—75-06115P
Carbon fiber-reinforced silicon nitride composites by slurry infiltration.—75-03958A
Cavitation mechanisms during tensile creep of an advanced silicon nitride.—75-09606A
Ceramic ball finishing by magnetic fluid grinding.—75-09233A
Ceramic bearing balls.—75-06103A
Ceramic matrix composite material.—75-08561P
Ceramic target.—75-06104A
Ceramics for engines.—75-03691A
Characterization of fluorinated hydrogenated amorphous silicon nitride (a-SiN_x:H) alloys.—75-01803A
Characterization of milled Si_3N_4 powder using X-ray peak broadening and surface area analysis.—75-06179A
Characterization of Si_3N_4 coated with chemically vapor deposited mullite after Na_2SO_4-induced corrosion.—75-06866A
Characterization of the surface chemistry of silicon nitride powders.—75-01807A
Chemical vapor deposition of silicon nitride filaments from silicon subhydrides and ammonia.—75-09241A
Chemical widths at composite interfaces—relationships to structural widths and methods for measurement.—75-04305A
Coarse reaction-bonded silicon nitride.—75-08567P
Coating of fine-grained silicon nitride whiskers on fiberlike silicon nitride.—75-01399A
Cohesive energy of interfaces and toughness of fluorine-doped Si_3N_4/SiC composites.—75-09608A
Colloidal processing of structurally reliable Si_3N_4.—75-03973A
Composite ceramic sintered material.—75-06118P
Compositions and thicknesses of grain boundary films in Ca-doped silicon nitride ceramics.—75-04306A
Conversion mechanism of perhydropolysilazane into silicon nitride based ceramics.—75-06562A
Corrosion of ceramics in special gas atmospheres.—75-01986A
Crack growth characteristics of silicon nitride and alumina—the dependence on crack extension and load cycling.—75-02029A
Crack propagation behavior and mechanism of a sintered silicon nitride under cyclic load.—75-02030A
Crack sensing intelligent materials.—75-06106A
Crack stability and its effect on fracture toughness of hot-pressed silicon nitride beam specimens.—75-06951A
Creep damage mechanisms in Si_3N_4.—75-04474A
Creep mechanisms in silicon nitride ceramics.—75-04476A
Crystalline Si_3N_4/amorphous Si_3N_4 composite.—75-02034A
Crystallization and densification of ultrafine Si/C/N powders.—75-01418A
Crystallization of grain boundary phases in silicon nitride and SiAlON ceramics.—75-03780A
Crystallization of the nanophase in silicon nitrides.—75-03782A
CVD of silicon-based ceramic materials on internal surface of a reactor.—75-01162P
Cyclic fatigue behavior of in situ toughened silicon nitrides.—75-02035A
Cyclic fatigue of hot isostatically pressed silicon nitride at elevated temperatures.—75-06956A
Cyclic fatigue–crack growth in Si_3N_4 ceramics.—75-04479A
Defects and hydrogen in amorphous silicon nitride.—75-06843A
Densification studies of SRBSN [sintered reaction-bonded Si_3N_4] with unstabilized zirconia by means of dilatometry and electron microscopy.—75-04311A
Deposition of silicon nitride by plasma-enchanced chemical vapor deposition.—75-08574P
Deposition parameters of silicon nitride films prepared by a silane nitrogen plasma-enhanced chemical vapor deposition process.—75-03988A
Depth-sensing indentation studies on thin films of Si_3N_4 and SiO_2.—75-08651A

Detection of wear transitions of unlubricated silicon nitride rubbing surfaces using acoustic emission technique.—75-08653A

Determination of weak surface layer thickness of sintered Si_3N_4.—75-08655A

Development of high-alkaline solution-resistant silicon nitride ceramics.—75-08800A

Development of high-performance silicon nitride ceramics and their applications.—75-03695A

Development of Si_2N_2O, Si_3N_4, and SiC ceramic materials using rice husk.—75-03993A

Diffusive phenomena in Si_3N_4 ceramics with MgO.—75-09502A

Dispersion of SiC whiskers in SiC whisker-reinforced Si_3N_4 composite and related microstructural characteristics.—75-01825A

Economic considerations of relations between silicon nitride powder quality and material properties.—75-02126A

Effect of Al_2O_3 and Y_2O_3 on machining of silicon nitride.—75-09267A

Effect of amount of halogen impurities on high-temperature mechanical properties of sintered Si_3N_4.—75-02038A

Effect of an electron beam on the energy distribution of localized states in amorphous SiN_x.—75-06446A

Effect of composition and physical properties of silicon nitride on rolling wear and fatigue performance.—75-04494A

Effect of creep on compliance of hot-pressed silicon nitride in bending tests under partial unloadings.—75-04495A

Effect of grain growth on the thermal conductivity of silicon nitride.—75-09273A

Effect of impurities in grain boundary phases on wear behavior of Si_3N_4.—75-09621A

Effect of materials properties on spherical particle impact damage for ceramics.—75-02040A

Effect of microwave heating on the sintering of silicon nitride doped with Al_2O_3 and Y_2O_3.—75-01458A

Effect of oxidation on creep of silicon-nitride-based ceramics.—75-01989A

Effect of pores on the fracture toughness of TiB_2/Si_3N_4 composites.—75-09624A

Effect of reactive ion bombardment on the properties of silicon nitride and oxynitride films deposited by ion beam sputtering.—75-04009A

Effect of rising *R*-curve behavior on the high-temperature delayed failure resistance of Si_3N_4 ceramics under elastic slow crack growth [SCG] regime.—75-09625A

Effect of seed crystals on the microstructure of Si_3N_4 ceramics.—75-09543A

Effect of Si_3N_4 powder surface chemistry on densification and secondary phase distribution.—75-01463A

Effect of Si_3N_4 whisker addition on microstructural development and fracture toughness of hot isostatically pressed Si_3N_4.—75-06582A

Effect of silicon nitride seeds addition on the particle size and the crystal form of resulting powder in carbothermal reduction-nitridation of silica.—75-09282A

Effect of size and morphology of particulate SiC dispersions on fracture behavior of Si_3N_4 without sintering aids.—75-04500A

Effect of slip casting parameters on the properties of Si_3N_4-bonded SiC.—75-07542A

Effective transverse thermal conductivity of amorphous Si_3N_4 thin films.—75-01276A

Effects of a ZDDP [zinc dialkyl dithiophosphate] additive on ceramic-steel contacts.—75-02459A

Effects of ball milling time on the properties of low-purity ß-phase silicon nitride powder and the hot-pressed body.—75-09292A

Effects of grain boundary structure on creep behavior for Si_3N_4/SiC nanocomposites.—75-02045A

Effects of humidity and sliding speed on the wear properties of Si_3N_4 ceramics.—75-04506A

Effects of interfacial phase composition and structure on elevated temperature properties of SiC(w)/Si_3N_4 composites.—75-04320A

Effects of interlayers on the bending strength of silicon nitride/stainless steel joints.—75-07207A

Effects of various reducing agents on the synthesis of Si_3N_4 whiskers from diatomaceous earth.—75-01476A

Emergence of ZrO phase and catastrophic failure of Si_3N_4-AlN-ZrN ceramics.—75-03697A

Enhanced saturation of sputtered amorphous SiN film frameworks using He and Ne Denning effects.—75-04023A

Enhancement of creep resistance of a sintered Si_3N_4 ceramic by microwave annealing.—75-04512A

Estimate of polytype fractions and dislocation density in SiC before and after sintering in Si_3N_4 matrix.—75-06225A

Estimation of grinding flaw size of ground silicon nitride based on fracture mechanics.—75-08666A

Evaluation of a high-quality, low-cost carbothermal silicon nitride powder for use in making cost-effective engine components.—75-03698A

Evaluation of adhesion of thin films of Si_3N_4 and SiO_2 to Si by the scratch method.—75-08668A

Evaluation of brazed silicon nitride joints: microstructure and mechanical properties.—75-02467A

Evaluation of strength, toughness, and subcritical crack extension of a commercial HP-Si_3N_4 exposed to a sulfidizing environment.—75-06975A

Evolution of the structure of Si/C/N nanocomposite powders formed by laser-aerosol interaction.—75-01488A

Experimental investigation of interface properties in SiC fiber-reinforced reaction-bonded silicon nitride matrix composites.—75-04520A

Fabrication and high-temperature properties of silicon nitride ceramics with transition metal silicide dispersion.—75-04029A

Fabrication of oriented SiC whisker-reinforced Si_3N_4 ceramics by slip casting.—75-09305A

Factors limiting the application of silicon nitride ceramics in sulfur-containing environments of low oxygen potential at high temperatures.—75-01991A

Fatigue fracture behavior of gas pressure sintered silicon nitride.—75-04526A

Fatigue of silicon nitride at 1000°C.—75-04528A

FEM residual stress analysis and mechanical properties of silicon nitride/stainless steel joint with multiinterlayer.—75-07212A

Filament winding of SiC_{fiber}/Si_3N_4 composites—process and control of fiber distribution.—75-04324A

Fine structural features in α-silicon nitride powder particles and their implications.—75-01219A

Fluorinated silicon nitride films.—75-06122P

Formation and characterization of α-Si_3N_4 whiskers from laser-synthesized nanoamorphous Si-N-C powders.—75-04049A

Formation of reaction-bonded silicon nitride using microwave heating.—75-06978A

Formation of Si_3N_4 during the direct nitridation of Si single crystal.—75-09317A

Fracture behavior of multilayer silicon nitride/boron nitride ceramics.—75-06980A

Fracture behavior of silicon nitride at elevated temperatures.—75-04536A

Fracture mechanics approach to ceramic wear.—75-04538A

Fracture mechanics fatigue tests and crack growth behaviors of ceramic materials up to very high temperatures.—75-02054A

Fracture of silicon nitride and silicon carbide at elevated temperatures.—75-06982A

Friction characteristics of sintered Si_3N_4 in oil-lubricated medium.—75-09637A

Friction properties of metal oxide-doped silicon nitride.—75-09638A

Gas composition dependence of silicon nitride used as gallium diffusion barrier during GaAs molecular beam epitaxy growth on Si complementary metal oxide semiconductor.—75-03034A

Gel casting of silicon compositions for SRBSN [sintered reaction-bonded Si_3N_4].—75-04055A

Grain boundary films in rare-earth-glass-based silicon nitride.—75-04328A

Grain boundary relaxation in high-purity silicon nitride.—75-06877A

Grain-boundary microstructure and chemistry of a hot isostatically pressed high-purity silicon nitride.—75-06879A

Grain-boundary structure and high-temperature mechanical response in low Ca-doped Si_3N_4.—75-01857A

Green-state deformation of boehmite-coated silicon nitride compacts.—75-04056A

Grindability of various silicon nitride ceramics.—75-09321A

Heat-screening glass.—75-00226P

Hertzian contact response of tailored silicon nitride multilayers.—75-04549A

High thermal conductive silicon nitride sintered body and method of producing the same.—75-03733P

High thermal conductivity in silicon nitride with anisotropic microstructure.—75-06471A

High-density green bodies.—75-08826P

High-performance silicon nitride composite ceramics through grain boundary and microstructural tailoring.—75-04338A

High-resolution electron microscopy studies on silicon nitride ceramics.—75-04339A

High-temperature *R*-curve behavior and failure mechanisms of in situ toughened composites.—75-04550A

High-temperature cyclic fatigue behavior of two kinds of ceramic composites.—75-04551A

High-temperature dissociation of silicon nitride.—75-09149A

High-temperature fatigue properties for some types of SiC and Si_3N_4 and the unified strength estimation method.—75-02061A

High-temperature oxidation of CVD silicon-based ceramics.—75-09593A

High-temperature properties of silicon nitride ceramics and their dependence on starting powder.—75-01296A

High-temperature properties of silicon nitride materials with rare-earth additives.—75-04556A

High-temperature properties of Yb-containing Si_3N_4.—75-03899A

High-temperature reliability of silicon nitride.—75-04557A

High-temperature wear test of silicon nitride ceramics.—75-03700A

High-temperature-resistance silicon nitride ceramics by optimized two-step gas pressure sintering.—75-04067A

HIPed silicon nitride having a reduced reaction layer.—75-08832P

HIPed silicon nitride turbine wheel development.—75-03701A

Hot-pressing of $MgSiN_2$ ceramics.—75-06638A

Impact damage behavior of CVD-coated silicon nitride for gas turbines.—75-06107A

Improved aqueous dispersion of silicon nitride with aminosilanes.—75-04073A

Improved aqueous disperson of silicon nitride with aminosilanes.—75-08952A

Improved dispersion of silicon nitride whiskers.—75-04074A

In situ formation and characterization of α-Si_3N_4 whiskers from nanoamorphous Si-N-C powders.—75-04075A

Influence of α- and ß-Si_3N_4 precursors on formation of α-SiAlON ceramics.—75-09336A

Influence of additives on kinetic behavior of SiO_2-C-N_2 system.—75-06646A

Influence of chemistry on crack propagation in silicon nitride.—75-04563A

Influence of grain orientation on a steady-state creep rate in hot-pressed ß-Si_3N_4 whisker/SiAlON composite.—75-09644A

Influence of granule character and compaction on the mechanical properties of sintered silicon nitride.—75-04567A

Influence of light on individual defect noise in a-Si:H/a-SiN_x:H double barrier structures.—75-06475A

Influence of molybdenum silicide additions on high-temperature oxidation resistance of silicon nitride materials.—75-06653A

Influence of oxidation on long-term reliability of silicon nitride.—75-01998A

Influence of oxygen content on Si_3N_4 grain boundary.—75-01872A

Influence of phase transformation on densification behavior and grain growth of fine silicon nitride powder.—75-08956A

Influence of preceramic binders on the microstructural development of silicon nitride.—75-06656A

Influence of spray-dry slurry flocculation on the structure of sintered silicon nitride.—75-09340A

Injection molding of SiC(w)/Si_3N_4 composite turbine blade.—75-04085A

Intelligent process control of silicon nitride chemical vapor deposition.—75-03523A

Interaction of Si_3N_4 with Cr.—75-06248A

Interface and mechanical properties of ceramic fiber-reinforced silicon nitride composites prepared by a preceramic polymer impregnation method.—75-03900A

Interfacial electronic structure and full spectral Hamaker constants of Si_3N_4 intergranular films from VUV and SR-VEEL spectroscopy.—75-04348A

Intergranular film in silicon nitride ceramics—a diffuse interface approach.—75-04351A

Internal interfaces in silicon nitride studied by high-resolution electron microscopy.—75-01879A

Internal stresses in silicon nitride and their influence on mechanical behavior.—75-04574A

Investigation on the mechanism of bonding Si_3N_4 to 40Cr steel by vacuum brazing.—75-02498A

Joining of Al plasma-sprayed Si_3N_4 ceramics.—75-02499A

Kinetics of silicon monoxide ammonolysis for nanophase silicon nitride synthesis.—75-08966A

Kinetics of thermal oxidation of silicon nitride powders.—75-09595A

Laser synthesis of ultrafine Si_3N_4-SiC powders from hexamethyldisilazane.—75-06671A

Layered Si_3N_4-based composites.—75-01559A

Lifetime prediction for ceramics under dynamic loading at high temperatures.—75-04577A

Light-induced metastable changes in amorphous silicon nitride.—75-06258A

Lubricated rolling contact fatigue on silicon nitride rods.—75-04352A

Lubrication of silicon nitride sliding contact.—75-04098A

Mechanical performance of a commercial silicon nitride preexposed to a sulphidizing atmosphere at high temperature.—75-04588A

Mechanical properties of continous carbon fiber reinforced silicon nitride: influence of fiber coatings.—75-04591A

Mechanical properties of silicon nitrides with tailored microstructure by seeding.—75-09652A

Mechanical properties of single-crystal α-Si_3N_4.—75-07010A

Mechanical property/microstructure relationships in a range of Si_3N_4/SiC composites.—75-04594A

Mechanism of mirror finish grinding of silicon nitride ceramics.—75-09359A

Mechanistic understanding of silicon nitride dispersion using cationic and anionic polyelectrolytes.—75-06270A

Metallization of Si_3N_4 ceramics by molten salt reactions.—75-02505A

Method for low-temperature plasma-enhanced chemical vapor deposition (PECVD) of an oxide and nitride antireflection coating on silicon.—75-01174P

Method for making fiber-reinforced silicon nitride composites.—75-08834P

Method for manufacturing whisker preforms and composites.—75-06125P

Method of forming a chlorinated silicon nitride barrier layer.—75-03209P

Method of making high performance, durable, low-E glass.—75-00227P

Microscopy investigation on fracture mechanisms in hot isostatically pressed Si_3N_4/SiC platelet composites.—75-04598A

Microstructural contributions to the fracture resistance of silicon nitride ceramics.—75-04599A

Microstructural design of Si_3N_4 and SiAlON ceramics in relation to combined mechanical and environmental behavior.—75-01883A

Microstructural development and mechanical properties of Si_3N_4 ceramics.—75-04358A

Microstructural development of Si_3N_4 ceramics derived from polymer precursors.—75-01573A

Microstructural development of Si_3N_4 ceramics derived from polymer precursors.—75-09556A

Microstructural development of Si_3N_4-SiC composites with HfO_2-Y_2O_3-Al_2O_3 additives.—75-04359A

Microstructural features of sintered Si_3N_4/SiC-whiskers composites: mechanical integrity of whiskers.—75-06892A

Microstructure and crack behaviors in hot-pressed TiB_2-Si_3N_4 composites.—75-06894A

Microstructure and fracture behavior of hot-pressed TiC/Si_3N_4 composites.—75-04601A

Microstructure and fracture behavior of SiC platelet-reinforced Si_3N_4 matrix composites.—75-04602A

Microstructure and mechanical properties of ß-Si_3N_4 rod crystal reinforced Si_3N_4 composites.—75-04364A

Microstructure and mechanical properties of Si_3N_4 composite for tappet sleeve.—75-03705A

Microstructure in reaction-bonded silicon nitride ceramics.—75-01888A

Microstructure, properties, and toughening mechanisms of in situ toughened silicon nitride.—75-04373A

Microstructures of SiC/Si_3N_4 layer ceramics.—75-04376A

Microwave sintering kilogram batches of silicon nitride.—75-01580A

Model experiments concerning abnormal grain growth in silicon nitride.—75-09570A
Modification of silicon nitride slip properties by poly(acrylic acid).—75-04117A
Molding of Si_3N_4 and SiC ceramics via direct coagulation casting [DCC]—basic principles and processing.—75-09365A
Monolithic silicon nitride having high fracture toughness.—75-03745P
Morphological control of silicon nitride by seeding.—75-04377A
Nanocomposites obtained from ultrafine composite particles.—75-01591A
New polymeric route to silicon carbide and silicon nitride using elementary silicon as starting material.—75-06694A
Novel synthesis and characterization of silicon nitride fibers.—75-04125A
Optical waveguide moldings made from silicon nitride and a method of detecting optical wavelengths using same.—75-07435P
Organic additive systems for spray drying and dry pressing silicon nitride.—75-04129A
Oxidation process in silicon nitride.—75-02012A
Oxidation protection of porous reaction-bonded silicon nitride.—75-06933A
Particle cellulation composite (PPC)—dispersion morphology of SiC particles in Si_3N_4/SiC composites.—75-04385A
Particulate silicon nitride based composites[—review].—75-06498A
Performance testing and strength prediction of ceramic-to-metal joints.—75-04863A
Phase equilibrium relationships and the liquid-phase-assisted oxidative corrosion of silicon nitride.—75-02013A
Phase relationships in the Si_3N_4-SiC-La_2O_3-Y_2O_3-SiO_2 system under high-pressure gas processing.—75-09034A
Phase relationships in the Sr-Si-O-N system.—75-03820A
Phenomenological relation between final stage densification and creep rate in hot isostatically pressed Si_3N_4-based ceramics.—75-09660A
Phosphate-bonded Si_3N_4 and AlN ceramics.—75-01152A
Photon scanning tunneling microscopy of optical waveguide structures.—75-01330A
PIP [polymer infiltration/pyrolysis] processing, microstructure and properties of Si_3N_4 fiber and Al_2O_3 fiber-reinforced silicon nitride.—75-04138A
Plasma synthesis of nanoscaled Si_3N_4, SiC, and Si_3N_4-SiC composite powders.—75-01606A
Plasma-deposited silicon nitride on ultrathin silicon oxide films investigated by infrared grazing internal reflection microscopy.—75-01906A
Plasma-enhanced chemical vapor deposited silicon nitride films for interface studies.—75-04139A
Plasmochemical precipitation of silicon nitride [SiN_xH_y] films in the SiH_4-Ar-N_2 system studied by optical emission spectroscopy.—75-06707A
Polymetalosilazane, process of producing same, silicon nitride based ceramic, and process of preparing same.—75-01184P
Post-reaction sintering of silicon nitride ceramics.—75-04144A
Preparation and microstructure of Si_3N_4-SiC multiphase ceramics using nano-size and submicron-size SiC powders.—75-04152A
Preparation of ceramic coatings from preceramic precursors: I, SiC and Si_3N_4/Si_2N_2O coatings on alumina substrates.—75-06727A
Preparation of Ge quantum crystallites embedded in a-SiN_x by the PECVD method.—75-06729A
Preparation of high α-type silicon nitride powder.—75-03749P
Preparation of high α-type silicon nitride powder.—75-06136P
Preparation of nanometric SiC-Si_3N_4 composite powders.—75-04163A
Preparation of Si_3N_4 by carbothermal reduction of digested rice husk.—75-04165A
Preparation of Si_3N_4/SiC composite from organic precursor.—75-04166A
Pressure slip casting of silicon nitride.—75-01630A
Pressureless sintering of dense Si_3N_4 and Si_3N_4/SiC composites with nitrate additives.—75-09406A
Pressureless sintering of silicon nitride ceramics doped with MgO and Nd_2O_3.—75-04178A
Process for drip casting silicon nitride slurries.—75-06138P
Process for the addition of functional groups to polysilyne polymers.—75-01189P
Process for the production of silicon nitride.—75-06139P
Processing of a novel multilayered silicon nitride.—75-06746A
Processing optimization of some sintering aids for GPS-Si_3N_4 ceramics.—75-04185A
Processing, phase formation, and creep behavior of Si_3N_4 with Y_2O_3 and Al_2O_3.—75-03827A
Properties and structural characterization of the laser-synthesized nanocomposite Si-N-C powders.—75-03918A
Properties of crystalline 3C-SiC grown from methyl trichlorosilane.—75-00582A
Properties of plasma-enhanced chemical vapor deposited a-SiN_x:H by various dilutroie gases.—75-01335A
Reaction bonding of ceramics by gas-metal reactions.—75-01641A
Reaction injection molding of silicon nitride ceramics having crystallized grain boundary phases.—75-08628P
Reaction-bonded Si_3N_4 reinforced with continuous SiC fibers: processing and interface characteristics.—75-04195A
Recent development of brazing technology for Si_3N_4 to 40Cr steel.—75-02538A
Remote plasma deposition of SiN_x:H layers from hexamethylcyclotrisilazane.—75-09420A
Residual stresses and apparent strengthening in ceramic matrix nanocomposites.—75-09422A
Rheological behavior of YSiAlON glasses—its incidence on the high-temperature deformation of Si_3N_4 ceramics sintered with Al_2O_3 and Y_2O_3 additives.—75-03922A
Rheological properties of concentrated, nonaqueous silicon nitride suspensions.—75-09183A
Rheology and consolidation of colloidal alumina-coated silicon nitride suspensions.—75-04202A
Role of additives in the sintering of silicon nitride studied by multinuclear solid-state MAS NMR.—75-01240A
Role of additives in the sintering of silicon nitride: a ^{29}Si, ^{25}Mg, and ^{89}Y MAS NMR and X-ray diffraction study.—75-06341A
Role of silicon particle defect structure during low-temperature nitriding.—75-04392A
Rolling fatigue of hot isostatically pressed silicon nitride bearing balls with emphasis on statistical properties.—75-02092A
Room-temperature cyclic fatigue of reaction-bonded silicon nitride using the double cleavage drilled compression specimen.—75-02093A
Self-multilayered structures of SiN films prepared by plasma-enhanced reactive sputtering.—75-01931A
SEM, TEM, and microprobe investigations on Si_3N_4 valves.—75-03711A
Semiconductor device with braded silicon nitride.—75-08113P
Short-crack toughness and abrasive machining of silicon nitride.—75-09669A
Si_3N_4-based composite with layered microstructure.—75-04206A
Si_3N_4-TiC composites.—75-04394A
Si-rich surface layer of photochemically deposited silicon nitride.—75-06348A
SiAlON composition.—75-03754P
SiC (TiC)/Si_3N_4 (TiN) functionally gradient materials.—75-04207A
SiC and Si_3N_4 fibrous monoliths—nonbrittle fracture from powder processed ceramics produced by coextrusion.—75-02096A
SiC and Si_3N_4 matrix composites according to the hot-pressing route.—75-04208A
SiC whisker-reinforced ceramics with modulated microstructures.—75-04395A
Silicon carbide thin film circuit element and method of manufacturing the same.—75-08116P
Silicon nitride base sintered body.—75-01195P
Silicon nitride based ceramic nanocomposites.—75-04397A
Silicon nitride based cutting tool insert.—75-01196P
Silicon nitride bearing ball having a high rolling contact fatigue life.—75-08842P
Silicon nitride ceramic and cutting tool made thereof.—75-08843P
Silicon nitride ceramic comprising samaria and ytterbia.—75-08844P
Silicon nitride ceramic having high fatigue life and high toughness.—75-08630P
Silicon nitride ceramic matrix for CMC's from silane-derived Si powders and preceramic polymers.—75-03715A
Silicon nitride ceramic piston crown for uncooled diesel engine.—75-03716A
Silicon nitride ceramics containing a dispersed pentamolybdenum trisilicide phase.—75-03756P
Silicon nitride ceramics.—75-04214A
Silicon nitride components for reciprocating engines.—75-03717A
Silicon nitride deposition.—75-08631P
Silicon nitride fiber synthesis from polycarbosilane fiber by radiation curing and pyrolysis under ammonia.—75-04215A
Silicon nitride filaments from silicon and ammonia.—75-01661A
Silicon nitride films grown by hydrogen radical enhanced chemical vapor deposition utilizing trisdimethylaminosilane.—75-04216A
Silicon nitride materials for engine applications.—75-03718A
Silicon nitride materials for engine applications.—75-03719A
Silicon nitride materials for heat engine applications.—75-03720A
Silicon nitride oxidation based on oxynitride interlayers with graded stoichiometry.—75-09601A
Silicon nitride powder and method for producing the same.—75-06141P
Silicon nitride powder and silicon nitride-containing aqueous slurry.—75-06142P
Silicon nitride sintered body.—75-01197P
Silicon nitride sintered body.—75-08845P
Silicon nitride sintered body.—75-08846P
Silicon nitride swirl lower chamber fabricated by gas pressure sintering.—75-03721A
Silicon nitride–stainless steel braze joining with an active filler metal.—75-04866A
Silicon nitride—from the past to the future—the career of an exceptional engineering material.—75-03722A
Silicon nitride-silicon carbide composite sintered material and manufacturing thereof.—75-08847P
Silicon nitride/silicon carbide composite powders.—75-08848P
Silicon-aluminium nitride ceramic and precursor compounds, processes for their preparation, and their use.—75-03757P
Sintering development and oxidation characterization of $AlYO_3$-doped Si_3N_4 ceramic.—75-04220A
Sintering of hBN using polysilazane.—75-01667A
Sintering reaction in the system Si_3N_4-Y_2O_3-AlN.—75-01670A
Slip casting and pressure slip casting of Si_3N_4 aqueous suspensions.—75-01672A
Solid-liquid reaction in the Si_3N_4-AlN-Y_2O_3 system under 1 MPa of nitrogen.—75-03836A
Solid-state ^{29}Si NMR analysis of amorphous silicon nitride powder.—75-01242A
Solid-state bonding of silicon nitride ceramics to metal using nickel-chromium alloy.—75-07230A
Spectroscopic ellipsometry measurement of the oxide thickness on silicon nitride ceramics.—75-03838A
Static fatigue resistance of Si_3N_4+Si_3N_4 whisker ceramics at 1200°C.—75-07031A
Strength and crack growth behavior of sintered silicon nitride in cyclic fatigue.—75-02099A
Strength and microstructure of silicon nitride ceramics brazed with nickel-chromium-silicon alloys.—75-02546A
Strength distribution in toughened ceramics exhibiting *R*-curve behavior.—75-04633A
Strength recovery of ball impacted ceramics by heat treatment.—75-04635A
Stress analysis by finite element methods of silicon nitride bonded to a titanium substrate.—75-00136A
Stress analysis of Si_3N_4 swirl chamber during thermal fatigue test.—75-09674A
Stress and strain relaxation behavior in HIPed silicon nitrides.—75-07038A
Stress dependence of the Raman spectrum of ß-silicon nitride.—75-04637A
Stress rupture in tension and flexure of an SiC whisker-reinforced silicon nitride composite at elevated temperatures.—75-09675A
Stress-rupture-resistant sintered silicon nitride.—75-08851P
Structural investigations of SiC/N ceramics from polysilazane precursors by nuclear magnetic resonance.—75-09066A
Structural nanodefects in α-silicon nitride.—75-09517A
Subcritical crack growth of Si_3N_4 under thermal loading by light irradiation.—75-04641A
Subcritical crack growth resistance in silicon nitride ceramics.—75-04642A
Surface characterization of Si_3N_4 and ß-SiAlON powders.—75-06379A
Surface charge and viscosity of mixed Si_3N_4-Y_2O_3 suspensions containing lignosulfonate.—75-09193A
Surface chemistry of silicon nitride powder in the presence of dissolved ions.—75-06380A
Surface modification of silicon nitride powder with aluminum.—75-01691A
Surface modification of silicon nitride powders by metallorganic surfactants.—75-04235A
Surface oxidation of a sintered silicon nitride—implications for mechanical properties.—75-02101A
Surface state analysis of wet ground silicon nitride powders by X-ray photoelectron spectroscopy.—75-01249A
Synthesis and characterization of ultrafine powders of SiC-Si_3N_4.—75-06793A
Synthesis and densification of Si_3N_4 powders by carbothermic reduction of colloidal SiO_2.—75-01700A
Synthesis and physical properties of nanosized silicon nitride produced by LICVD.—75-04238A
Synthesis and pyrolysis of polysilazane as the precursor of Si_3N_4/SiC ceramic.—75-06797A
Synthesis of monocrystalline silicon nitride filaments.—75-06810A
Synthesis of nanostructured composite materials in the B-Si-N system.—75-06812A
Synthesis of Si_3N_4 fibers by a gas-phase process.—75-01715A
Synthesis of Si_3N_4-based composite powders by SHS process.—75-04247A
Synthesis of silicon nitride powder through nitrogen gas atomization.—75-06815A
Tensile creep rupture and subcritical crack growth of silicon nitride.—75-04648A
Theoretical aspects of the oxidation of silica-forming ceramics.—75-02016A
Thermal conductivity of gas-pressure-sintered silicon nitride.—75-09198A
Thermal emission of charges at Si_3N_4-GaAs interfaces plasma pretreated with H_2, Ar, and Ar+H_2.—75-00617A
Thermal loading and corrosion of ceramics by light irradiation.—75-02018A
Thermal shock behavior of Si_3N_4/SiC composites.—75-09679A
Thermodynamics and kinetics of passive oxidation of Si_3N_4-bonded SiC ceramics.—75-02019A
Thermodynamics of the Si-O-N system: I, High-temperature study of the vaporization behavior of silicon nitride by mass spectrometry.—75-03857A
Threshold stress intensity for oxidative crack healing in sintered silicon nitride.—75-06937A
Toughening of Si_3N_4 ceramics by nano SiC particles in grain boundary phase.—75-01735A
Toughening of silicon nitride ceramics by Y-TZP addition.—75-04653A
Transient liquid-phase bonding of Si-based ceramics using microdesigned Ni-based interlayers.—75-00144A
Transport mechanism and photoelectrical characteristics of Pd-SiN-*p*-Si structures.—75-08088A
Tribochemically assisted wear of silicon nitride ball.—75-09683A
Two-dimensional model of the chemical vapor deposition of silicon nitride in a low-pressure hot-wall reactor including multicomponent diffusion.—75-04263A
Two-temperature technique for plasma-enhanced chemical vapor deposition growth of silicon nitride on InP.—75-06824A
VAMAS round robin on fracture toughness of silicon nitride.—75-09690A

silicon oxynitride,
Devitrification behavior of oxynitride glasses.—75-02643A
Effect of reactive ion bombardment on the properties of silicon nitride and oxynitride films deposited by ion beam sputtering.—75-04009A
Low-temperature synthesis of silicon oxide, oxynitride, and nitride films by pulsed excimer laser ablation.—75-01567A
Rietveld refinement of the crystal structures of the yttrium silicon oxynitrides $Y_2Si_3N_4O_3$ (N-melilite) and $Y_4Si_2O_7N_2$ (J-phase).—75-09053A
Si_2N_2O-ZrO_2 composites prepared by hot isostatic pressing.—75-09432A

Structure, formation, and stability of oxynitride glasses.—75-02690A
Surface sensitivity of SiON integrated optical waveguides (IOW) examined by IOW attenuated total reflection spectrometry and IOW Raman spectroscopy.—75-03177A
Synthesis of silicon oxynitride from a polymeric precursor: III, Polymerization and copolymerization of methylcyclosiloxanes and methylcyclosilazanes.—75-06816A
Thermodynamics of the Si-O-N system: I, High-temperature study of the vaporization behavior of silicon nitride by mass spectrometry.—75-03857A
Thermodynamics of the Si-O-N system: II, Stability of $Si_2N_2O(s)$ by high-temperature mass spectrometric vaporization.—75-03858A

silicon,
U^- centers in selectively doped heterostructures.—75-02956A
^{29}Si NMR analysis of reactions between ethoxytrimethlysilane and alkali ions.—75-08855A
Ab initio calculation of the mechanical strength of the Si–O–Si bond.—75-06940A
Absorption and photoluminescence of a free porous silicon.—75-02959A
Acceptor binding energy and band lineup of III-V nitride alloys and MOCVD growth of GaN on GaAs- or GaP-coated Si.—75-00412A
Acceptor levels in mercury-doped $Ge_{1-x}Si_x$ [x=0–0.3] solid solutions.—75-07778A
Adsorptive and isomeric activity of catalysts based on high-silicon zeolites and columnar montmorillonite.—75-08866A
Advances in surface micromachined force sensors.—75-00413A
Anisotropic optical second harmonic generation in $Si:SiO_2$ superlattices.—75-06421A
Atomic resolution electronic structure using spatially resolved electron energy loss spectroscopy.—75-01793A
Atomic structure observation of ECR hydrogen plasma passivated Si(111) surface by scanning tunneling microscope in air.—75-05247A
Atomic structure of Si(100) surfaces coated by submonolayered films of Bi.—75-08873A
Behavior of charge carrier mobility in the inversion channel of Si MIS structures.—75-07791A
Capacitance-voltage characteristics of diamond/silicon MIS structures.—75-07796A
Ceramic body.—75-01103P
Ceramic device.—75-03204P
Changes induced in the electrical properties of $Si-SiO_2$ systems by pulsed magnetic fields.—75-05257A
Characteristics of parameter optimization and energy resources of thermoelectric materials based on silicon compounds.—75-02974A
Characteristics of Si-containing diamondlike films deposited at low temperature.—75-09527A
Characteristics of solar cells at low temperatures.—75-02975A
Characterization of diamond films grown on AlN/silicon substrates and of heterostructures with such films.—75-09530A
Characterization of diamond nucleation-enhancing layer formed during bias treatment on silicon.—75-09531A
Characterization of the titanium silicon two/Si interface in titanium disilicide films on silicon, formed by deposition of alternate titanium-silicon layers and annealing.—75-01808A
Charge carrier transport in polycrystalline silicon p-n structures.—75-07804A
Charge relaxation in silicon at grain boundaries enriched with oxygen and carbon.—75-02979A
Chemical binding and structural distortions in silicon doped with nontransition elements.—75-07806A
Classification of growth microdefects in silicon crystals grown by the Czochralski method.—75-06840A
Comparison of thermal gate oxides on silicon and carbon face p-type 6H silicon carbide.—75-00440A
Computer simulation of Si and C atoms on SiC surfaces.—75-00444A
Consecutive transformation of gold-containing complexes in n-type silicon under saturation by atomic hydrogen.—75-07812A
Correlation between structural, optical, and electrical properties of GaAs grown on (001)Si.—75-02982A
Crystalline and amorphous diamond coatings on silicon field emitters.—75-07815A
Current transport in MIS structures $Pd-SiO_2$-$n(p)$-Si and the second mechanism of amplification.—75-02985A
Current transport mechanism in metal–silicon dioxide–silicon structures.—75-07817A
CVD of silicon-based ceramic materials on internal surface of a reactor.—75-01162P
Czochralski growth of photorefractive bismuth silicon oxide [BSO] crystals.—75-03985A
Defect formation in silicon exposed to proton bombardment.—75-02990A
Defect formation in surface region of silicon during thermal oxidation.—75-05274A
Degradation of photoluminescence of porous silicon exposed to ^{60}Co γ-irradiation.—75-02991A
Dehydrogenation mechanism for SiN_x:H layers prepared from hexamethylcyclotrisilazane.—75-09249A
Dependence of parameters of the deep level centers in calcium fluoride grown on silicon by molecular beam epitaxy.—75-02993A
Deposition of hydroxyapatite film on silicon single crystal from solution.—75-03987A
Diamond nucleation and growth of mirror-polish silicon wafer pretreated by silicon ion implantation.—75-09258A
Diffusion of group III and group V elements in silicon during short heat treatments.—75-09498A
Effect of as-grown structural imperfections on defect formation in silicon under ambient treatment.—75-03000A
Effect of competing precipitation sites on distribution of nitrogen implanted in silicon under buried layer formation.—75-03001A
Effect of diffusion processes on the contact melting of metallization layers of multilayered $Si-Si_x(Ge_n)$-Al structures.—75-09504A
Effect of elastic deformation during electron bombardment of Si single crystals.—75-07847A
Effect of high-temperature annealing on the electrical and photoelectrical properties of phosphorus-doped a-Si:H films.—75-07848A
Effect of implantation conditions and activating annealing on the structure of silicon- and selenium-doped gallium arsenide plates.—75-05292A
Effect of iron on nitriding rate of silicon.—75-09277A
Effect of oxidation ambient on the dielectric breakdown characteristics of thermal oxide films of silicon.—75-00324A
Effect of oxidation on the thermoelectricity of Fe-Si-based materials.—75-09134A
Effect of phosphorus doping on tin diffusion in a-Si:H films.—75-03007A
Effect of Si^+ implantation on properties of amorphous hydrogenated silicon [a-Si:H].—75-03008A
Effect of sidewall roughness in buried channel waveguides.—75-03009A
Effect of the composition fluctuations on the dislocation kinetics in films of solid solutions of semiconductors.—75-05297A
Effect of TiO_2 addition on phase formation in the $Al-Si-Al_2O_3$ system.—75-09290A
Effective carrier lifetime in tracks of α-particles during diffusion-drift transport in Si.—75-07857A
Effects of passivation and photoluminescence in silicon solar cells with optical coatings.—75-07859A
Effects of prolonged high-voltage STM scanning on an oxidized silicon wafer surface.—75-04321A
Effects of rapid thermal annealing on electrical properties of heavily doped silicon molecular beam epitaxial layer with B_2O_3 doping source.—75-01473A
Ejection of positive ions from plasmas induced by laser ablation of Si and $Nd_{1.85}Ce_{0.15}CuO_4$.—75-01477A
Electric loss in a high-resistance silicon with deep levels.—75-07863A
Electric-field dependence of the photocarrier hopping mobility in bismuth silicon oxide.—75-01281A
Electrical characterization of rapid thermal nitrided and reoxidized plasma-enhanced chemical vapor deposited silicon dioxide metal-oxide-silicon structures.—75-00472A
Electroless plated nickel contacts to hydrogenated amorphous silicon.—75-02464A
Electroluminescence of erbium-doped silicon.—75-07868A
Electromotive force in silicon p-n junction in strong superhigh frequency fields.—75-07869A
Electron emission observations from as-grown and vacuum-coated chemical vapor deposited diamond.—75-07871A
Electron processes in an $a-WO_3$/Si heterostructure with electro- and photochromism.—75-07872A
Electron transport in $Ge_{1-x}Si_x$ alloys at low electric fields.—75-07874A
Electronic structure and bonding at interfaces between CVD diamond and silicon.—75-01843A
Electrophysical characteristics of Au/CaF_2/n-Si(111) structures with ultrathin (less than 20 nm) CaF_2 layers grown by molecular beam epitaxy.—75-07876A
Enabling technologies for low-cost high-volume pressure sensors.—75-00483A
Epitaxial p-n structures of GaAs on Si substrates: electrical, photoelectrical, and electroluminescent properties.—75-03022A
Epitaxial $(GaAs)_{1-x}(Si_2)_x$ metastable alloys on GaAs(001) and $(GaAs)_{1-x}(Si_2)_x$/GaAs strained-layer superlattices: crystal growth, spinodal decomposition, and antiphase domains.—75-00485A
Epitaxial $YBa_2Cu_3O_{7-\delta}$/$(Ba, Sr)TiO_3$ heterostructures on an Si-on-sapphire substrate.—75-08311A
Evaluation of influence of high injection level on photovoltaic effect in p^+-n-n^+ structures with vertical p-n junctions.—75-07881A
Evaluation of LPDs [light point defects] on Si wafer surface.—75-09508A
Evolution of the In oxide/Si(111) interface: analysis by electron spectroscopies.—75-00488A
Fabrication of silicon quantum wires by conventional silicon processing.—75-07886A
Far-infrared photoconductivity of silicon irradiated by fast neutrons.—75-05320A
Features of dislocationless Si crystals grown by the floating crucible method.—75-06607A
Features of initial generation kinetics of thermal donors in hydrogenated Si(O) crystals.—75-08933A
Features of the precipitation processes and properties of Si layers produced by a plasmochemical spray method with electron beam activation of gases.—75-09308A
Features of variation of oxygen activity and solubility on cooling and crystallization of quaternary Fe-C-Si-O melts.—75-08937A
Ferroelectric thin films for integrated devices.—75-05578A
FGM compliant pad design for high-efficiency silicon germanium thermoelectric cell.—75-03029A
Films of amorphous hydrated silicon deposited at elevated temperatures.—75-07890A
Formation and annealing of radiation-induced defects in p-Si<P,Pt>.—75-03031A
Formation and scanning electron microscopy investigation of $LiNbO_3$ films on silicon substrates.—75-05583A
Formation mechanism of the stationary reverse I-V characteristics of MIS structures with charge transport.—75-03032A
Formation of donor centers during annealing of erbium-implanted silicon.—75-07894A
Formation of Si_3N_4 during the direct nitridation of Si single crystal.—75-09317A
Fracture characterization of silicon-joined ceramic matrix composites.—75-04537A
Fundamental electrical properties of fluorinated and N_2O plasma-annealed ultrathin silicon oxides grown by microwave plasma afterglow oxidation at low temperatures.—75-01295A
Gas condensation of ultrafine silicon particles using dc magnetron sputtering.—75-04053A
Gas phase epitaxy of CdS from separate components on silicon.—75-05330A
General and fine structures of intrinsic trap distribution over the width of an amorphous thermic SiO_2 on Si.—75-07899A
Generation of dislocations during the growth of Si crystals from the melt.—75-09320A
Ground impurity states of substitutional silver atoms in $Ge_{1-x}Si_x$ crystals.—75-03038A
Growth and structure of rapid thermal silicon oxides and nitroxides studied by spectroellipsometry and Auger electron spectroscopy.—75-01859A
Growth of diamond particles on sharpened silicon tips for field emission.—75-09322A
Growth of oriented aluminum nitride films on silicon by chemical vapor deposition.—75-06631A
Hall factor of electrons in $Ge_{1-x}Si_x$ crystals when phonon scattering and scattering due to alloy disorder are dominant.—75-03042A
Heteroepitaxy of diamond film on silicon.—75-09549A
High-temperature oxidation behavior of an Si_3N_4-ZrO_2 composite.—75-04429A
Hybrid microsystem using a high voltage solar cell array as a power supply.—75-00509A
Hydrogen-containing center with negative-U properties in silicon.—75-07913A
Identification of point defects localized near the semiconductor interface by acoustic wave perturbation.—75-07915A
Identification of tunneling emission in $Si-SiO_2$ interfaces by multipoint correlation method with binomial weighting coefficients.—75-00510A
Imaging of buried Si and Si:Ge surface structure under amorphous Ge films by planview transmission electron microscopy.—75-00511A
Improvement of solar cell [SC] efficiency and stability by deposition of [diamondlike carbon] DLC films.—75-09334A
Improvement of the SiO_2/Si interface of metal-oxide-semiconductor devices using gate dielectrics formed by NF_3-aided oxidation and N_2O post-annealing.—75-05341A
Influence of α-irradiation on the photoluminescence of porous silicon.—75-07921A
Influence of Cr, Fe, Ni, and Ti additives on the nitridation kinetics of silicon powder compacts.—75-04078A
Influence of electron-electron scattering on the charge carrier transport in the n channel of a silicon submicron MOS field effect transistor: Monte Carlo method.—75-03056A
Influence of fast-diffusing impurities on the kinetics of thermodonor generation in silicon at 300–500°C.—75-03057A
Influence of high-temperature annealing on electrical properties of compensated a-Si:H films containing boron and phosphorus.—75-07923A
Influence of ion bombardment on the gold diffusion in silicon.—75-05347A
Influence of kinetic roughening on the epitaxial growth of silicon.—75-00516A
Influence of manganese on the diffusion distribution of nickel in silicon.—75-03059A
Influence of mid-ir range laser radiation on the formation of silicon/silica heterostructures.—75-05348A
Influence of Ni impurities at the $Si-SiO_2$ interface on the metal-oxide-semiconductor characteristics.—75-03061A
Influence of prolonged illumination on the properties of a compensated a-Si:H.—75-07926A
Influence of silicon incorporation on the properties of hard a-C:H films.—75-01545A
Injection electroluminescence of *pin* thin-film structures based on hydrogenated Si produced under conditions of super strong rarefication of silane by hydrogen.—75-07934A
Integration of sol-gel-derived PZT with SOS [Si on sapphire] technology.—75-05592A
Interaction between capillary flow and macroscopic silicon concentration in liquid siliconized carbon/carbon.—75-03573A
Interaction of uninterrupted ß-SiC filaments with aluminum melt and Al-Si alloys.—75-07215A
Interactions of dislocations and antiphase (inversion) domain boundaries in III-V/IV heteroepitaxy.—75-03066A
Interatomic spacings of transition metal-silicon and types of chemical bonds in binary transition metal silicides.—75-06478A
Interface properties of thin oxides grown on strained Ge_xSi_{1-x} layer.—75-00524A
Interrelationship between intensive photoluminescence and surface state in a porous silicon including free-standing films of porous silicon.—75-07939A
Investigation of self-heating effects in submicron SOI MOSFETs.—75-00526A
Isothermal oxidation behavior of Mo-Si-B intermetallics at 1450°C.—75-09594A
Kinetic analysis of silicon oxidation in the thin regime by incremental growth.—75-02001A
Kinetics and spectral distribution of electroluminescence [EL] of porous silicon/metal structures.—75-03073A
Light-emitting Si:Er structures. Technology and physical properties[—review].—75-03079A
Lithium niobate thin films deposited on silicon substrates and their SAW applications.—75-05599A

Local inhomogeneities in single crystals of Ge-Si solid solutions.—75-09512A
Low dielectric constant coatings.—75-07763P
Low-level leakage currents in thin silicon oxide films.—75-00536A
Low-temperature breakdown of donor states of Sb impurities in $Ge_{1-x}Si_x$ alloys.—75-07954A
Low-temperature diffusion of oxygen and formation of thermodonors in silicon doped with an isovalent impurity of germanium.—75-05365A
Low-temperature thermodynamic characteristics of lanthanum silicide.—75-08976A
MAS NMR evidence for the presence of silicon in the alumina spinel from thermally transformed kaolinite.—75-08978A
Material responses in electronic components based on single-crystalline Si/SiO_2/Si polycrystalline Si three-layer structures.—75-09553A
Measurement of stress and mechanical properties of tungsten thin film.—75-04584A
Mechanical behavior of silicon-silicon carbide composites.—75-09647A
Mechanical characterization of sol-gel-derived silicon oxycarbide glasses.—75-04979A
Mechanism of nitridation of silicon powder in a fluidized-bed reactor.—75-01570A
Mechanism of self-formation of nanodimensional structures of porous silicon under currentless etching in water.—75-05377A
Mechanisms and kinetics of nitridation in silicon powder compacts.—75-04107A
Mechanisms of oxygen gettering in silicon wafers having nonuniform distribution of mechanical stresses.—75-05378A
Method for making Si/SiC composite material.—75-01175P
Method for producing a wafer with a monocrystalline silicon carbide layer.—75-05525P
Method for substitution of alumina in the framework of zeolites by silicon.—75-01120P
Microfabricated and micromachined chemical and gas sensor developments.—75-00543A
Microstructural dependence of sputtering temperature in magnetron sputtered Al-Si-Cu films.—75-02507A
Model for intermetallic/ceramic composite microstructures from solid-state displacement reactions between metal carbides and silicon.—75-07220A
Modeling the flow of molten silicon in porous carbon preforms and the subsequent formation of silicon carbide.—75-04115A
Modification of the properties of HTSC YBCO thin films on silicon by superfast laser annealing in oxygen with a cw CO_2 laser.—75-03383A
Modular mass flow sensor design.—75-00545A
Multielement microelectrode array sensors and compact instrumentation development at Lawrence Livermore National Laboratory.—75-00547A
Multiphoton ionization detection of an SiO molecule formed by O_2 oxidation of a silicon surface.—75-00548A
Multiple twinning in GaAs epitaxial layers grown on Si(001) and Si(111).—75-05391A
Nanoscale coating of silicon and manganese on ferrimagnetic yttrium iron garnets.—75-08232A
Nanostructural and nanochemical investigation of luminescent photoelectrochemically etched porous *n*-type silicon.—75-00549A
New narrow bandwidth a-Si:H photodetector.—75-03097A
New ternary nitride ceramics: $CaSiN_2$.—75-06109A
Nitrogen atom incorporation into the network of an amorphous hydrogenated silicon.—75-03099A
Numerical investigation into the microindentation of silicon.—75-02081A
Optical absorption features of luminescent porous silicon films.—75-03101A
Optical Casimir nonlocality—the source of macroscopic size effect during second harmonic generation in an Si:SiO_2 structure.—75-07991A
Optimized epitaxial growth of GaAs:Si single-heterojunction infrared emitting diodes [SH-IREDs].—75-03107A
Origin of fracture in the surface layers of Ge and Si single crystals.—75-09657A
Overview of integrated circuits for control networks.—75-00560A
Phase composition of $Bi_{12}MO_{20}$ and $Bi_4M_3O_{12}$ (M=Si, Ge, Ti) crystal surfaces during annealing in a vacuum.—75-06296A
Phase equilibria in the Fe-Si-V-O system.—75-09018A
Photoadsorption effects on niobium oxide compounds.—75-09038A
Photodegradation of porous silicon luminescence under pulse excitation.—75-03117A
Photoelectron diffraction studies of oriented diamond nucleation on silicon(100).—75-09040A
Photoinduced strong luminescence enhancement from anodically oxidized porous silicon.—75-08013A
Photoluminescence at wavelength of 1.54 μm in an erbium-doped amorphous hydrogenated silicon.—75-08015A
Photoluminescence of a-Si:H films doped with rare-earth elements.—75-03125A
Photoluminescence spectra in plastically deformed [Ge and Si] semiconductors and electronic states in split dislocations.—75-08018A
Photosensitivity of *p*-*n*-GaAs-*n*-GaP/*n*-Si heterostructures in linearly polarized radiation.—75-08021A
Photosensitivity of epitaxial *p*-GaAs/*n*-GaAs/*p*-Si structure.—75-05435A
Physical characterization of ultrathin anodic silicon oxide films.—75-00572A
Physicochemical processes at the interface of $MnSi_{1.75}$ and CoSi.—75-06317A
Plasma CVD process for forming amorphous silicon thin film.—75-03212P
Polarization of donor-acceptor photoluminescence of *p*-$CdSiAs_2$(In) single crystals.—75-08023A
Porous silicon [investigated] by scanning tunneling microscopy and atomic force microscopy.—75-04388A
Porous silicon luminescence study by imaging methods—relationship to pore dimensions.—75-00576A
Porous silicon oxycarbide glasses.—75-07393A
Precipitation and relaxation in strained $Si_{1-y}C_y$/Si heterostructures.—75-00578A
Preparation and investigation of porous silicon in powdered form.—75-03135A
Preparation and thermal stability of an Si+aluminoborosilicate glass composite.—75-07360A
Preparation of diamond films on silicon substrates.—75-05529P
Preparation of multilayered thin silicon-on-insulator structure.—75-07746A
Primary luminescence of porous silicon.—75-08026A
Properties of amorphous films from hydrogenated solid solution of the germanium-silicon system.—75-08027A
Properties of avalanche photodiodes on the basis of Si-TiO_2 heterojunction.—75-03138A
Properties of C_xC_y bistable pairs in silicon.—75-03139A
Properties of Si melt near melting point.—75-03140A
Pyrolytic growth of ZnS on Si.—75-03142A
Quantitative characterization of the fracture surface of Si single crystals by confocal microscopy.—75-02088A
Question of the formation of structural defects due to the stopping of fast ions in silicon.—75-03144A
Raman scattering and photoluminescence [PL] of porous silicon.—75-03147A
Raman spectroscopy of size-selected, matrix isolated Si clusters.—75-01925A
Reactive wetting in the liquid-silicon/solid-carbon system.—75-04199A
Regularities of the electron spectrum of impurity centers of *d*-elements in silicon.—75-03148A
Relationships between photoluminescence spectra and porosity of porous silicon.—75-01927A
Relaxation processes induced in Si-SiO_2 systems by ionizing radiation and pulsed magnetic field treating.—75-05462A
Research into novel sensors on silicon substrates.—75-00588A
Resonant second harmonic generation in Si/SiO_2 periodic quantum wells.—75-08047A
Rf magnetron sputtering deposition of CaF_2 on Si.—75-03152A
Role of background substrate impurities in the formation of the transition layer in lightly doped homoepitaxial silicon.—75-08049A
Role of dielectric effects in the red-green switching of porous silicon luminescence.—75-00590A
Si/SiC composite material and method for making Si/SiC composite material.—75-08840P
Silicon carbide wafer bonded to a silicon wafer.—75-03214P
Silicon double-collector strain transistor with accelerating base electric field.—75-05475A
Silicon oxycarbide glasses with low O/Si ratio from organosilicon precursors.—75-05042A
Silicon oxycarbonitride by pyrolysis of polycyclosiloxanes in ammonia.—75-03944P
Silicon to sapphire bond.—75-03549P
Silicon–electroceramics integration.—75-03161A
Silicon-containing diamondlike carbon coatings formed by ion-beam-assisted deposition (IBAD): processing and properties of a new category of hard, wear-resistant thin films.—75-08811A
Simultaneous Si molecular beam epitaxy and high-dose ion implantation.—75-09434A
Sinks for radiation-induced vacancies and interstitial atoms in as-grown silicon crystals.—75-03165A
Spectral characteristic of diamond-silicon sandwich structures of photodiode, photoconductor, and MISFET.—75-08058A
Spectroscopic characterization of nanoscale modification of passivated Si(100) surface by STM.—75-00598A
Stability of chemically bound complexes of S with group IB elements in Si.—75-08062A
Strong charge correlations in p^+ quantum wells on *n*-type silicon surfaces.—75-08064A
Structural and magnetic properties of epitaxially grown fcc Fe/Cu(100) and Fe/CaF_2/Si(111).—75-01939A
Structural modification of amorphous hydrogenated silicon films with the help of ultraviolet radiation.—75-08065A
Structural network and Fermi level of a pseudodoped amorphous hydrated silicon.—75-03172A
Structure of porous silicon studied by second harmonic generation method and atomic force microscopy.—75-08704A
Sublimation method in obtaining doped films of polycrystalline silicon.—75-03174A
Surface defects and local strain in polished silicon [characterized] by transmission electron microscopy.—75-09578A
Surface recombination in a-Si:H *p*-*i*-*n* structures.—75-08070A
Surface recombination velocity measurements at the silicon-silicon dioxide interface by microwave-detected photoconductance decay.—75-00611A
Surface structure of porous silicon studied by a nuclear magnetic resonance method.—75-05495A
Synthesis and thermal stability of Si-Ti-C-O compounds.—75-04240A
Synthesis and thermoelectric properties of silicon-boron compounds with high boron contents.—75-03182A
Synthesis of lanthanum fluoride nanolayers by ionic stratification on the surface of silicon.—75-06808A
Synthesis of thin-film ferroelectrics on Si and shape memory effect TiNi substrates.—75-03263A
Synthesis of $ZnO_{2-x}nH_2O$ nanolayers on the surface of silicon by the ionic stratification method.—75-06819A
Thermal donors in oxygen-containing silicon.—75-09203A
Thermal SiO_2-to-Si bonding interface for irradiation-hardness silicon-on-insulator (SOI) substrate.—75-02940A
Thermodynamic stability of binary oxides in contact with silicon.—75-03856A
Thermoelectric properties of Fe-Si alloys—effects of oxidation and SiO_2 dispersion.—75-09208A
Transformation of radiation defects and their clusters in B^+ ion-implanted silicon.—75-03189A
Transient FGM approach to joining silicon-based ceramics.—75-02556A
Transport mechanism and photoelectrical characteristics of Pd-SiN-*p*-Si structures.—75-08088A
Trap generation at Si/SiO_2 interface of submicrometer metal-oxide-semiconductor transistors by 4.9-eV ultraviolet radiation.—75-00626A
Tribology of silicon-based ceramics.—75-04659A
Two chip approach to smart sensing.—75-00628A
Two-chip smart accelerometer.—75-00629A
Vacancy defects in silicon single crystals irradiated at 77 K.—75-03195A
Visible and infrared electroluminescence of porous silicon.—75-03198A
Visible photoluminescence in Si^+-implanted silica glass.—75-02698A
Voltage-current characteristics of *n*-*p*-p^+ structures based on silicon-germanium solid solution compensated with chromium.—75-08094A
Wetting of ceramic materials by liquid silicon, aluminum, and metallic melts containing titanium and other reactive elements—a review.—75-04275A
X-ray study of chromium- and boron-doped synthetic $Ca_2Al(AlSi)O_7$ gehlenites.—75-09111A
XPS and SIMS studies of CVD grown cubic SiC films on Si(100).—75-01979A

sillimanite,
Development research on high-performance sillimanite refractory.—75-02812A
Effect of TiO_2 and ZrO_2 on sintering of sillimanite.—75-04013A
Utilization of beach sand sillimanite for development of high-alumina aggregates.—75-07691A

siloxanes,
Ceramic fiber-reinforced silicon carboxide composite.—75-06079P
High flexural strength ceramic fiber-reinforced silicon carboxide composite.—75-06089P
High-temperature thermosets and ceramics derived from linear carborane-(siloxane or silane)-acetylene copolymers.—75-08831P
Process for preparing silicon carbide powder from vaporized polysiloxanes.—75-01187P
Silicon oxycarbonitride by pyrolysis of polycyclosiloxanes in ammonia.—75-03944P
Siloxane coating process for metal or ceramic substrates.—75-08632P

silver oxide,
Effects of sintering temperature on the superconducting and microstructural properties of $Bi_{1.7}Pb_{0.4}Sr_{1.6}Cu_{3.6}O_x/Ag_2O$ composites.—75-05761A
Property change of AgO_x recordable compact disk with various dielectric films.—75-01092A

silver,
Ac and dc susceptibility studies on silver-doped BPSCCO (2223) superconductors.—75-05724A
Anomalous behavior of electrical properties of titanium diselenide intercalated with silver.—75-07783A
Calorimetric ac loss measurements of silver-sheathed Bi-2223 superconducting tapes.—75-08268A
Ceramic materials and methods of making the same comprising yttrium, barium, silver, and either selenium or sulfur.—75-08560P
Ceramic multilayer wiring board.—75-02946P
Composition studies for Ag-sheathed $Bi_2Sr_2CaCu_2O_8$ conductors processed in 100% O_2.—75-08275A
Corrosion behavior of Al_2O_3 toughened by Ag particles.—75-09585A
Creep of silver at 900°C.—75-08278A
Development of microstructure and superconductivity of silver-clad Bi(2223) composite tapes in the process of heat treatment.—75-05746A
Dielectric properties of silver borophosphate glasses.—75-04949A
Dielectric properties of silver tantalates in the infrared range.—75-06203A
Dispersion and compounding process of particulate Ag and fine Ni powder using a high-speed/high-shear mill.—75-06572A
Effect of crystal dynamics on properties of inorganic materials.—75-06210A
Effect of silver in $YBa_2Cu_3O_{7-x}$ samples.—75-05757A
Effect of silver volume fraction on Bi (2223) phase in $Bi_{1.8}Pb_{0.35}Sr_2Ca_2Cu_3O_x$-Ag composite processed in air.—75-03361A
Effect of temperature on the coefficient of friction of $Bi_2Sr_2CaCu_2O_x/Bi_2Sr_2CaCu_2O_x$ and $Bi_2Sr_2CaCu_2O_x/Ag$.—75-05758A
Electrically conductive paste based on silver-copper functionally gradient powder.—75-05192A
Electrically heatable transparency.—75-00398P
Electrocatalytic activity of Ag-based electrodes for solid-state electrochemical devices.—75-02906A
Energy estimation of photolytical centers in Ag_2O.—75-05314A
Fabrication and mechanical properties of Cu/Ni and Ag/Ni superlaminates.—75-02472A
Fabrication of $Bi_2Sr_2CaCu_2O_x/Ag$ superconducting tape using a screen-printing method.—75-05767A
Fusibility diagram of the $Ga(PO_3)_3$-$AgPO_3$ system and properties of the $AgGa(PO_3)_4$ compound.—75-08940A
Ground impurity states of substitutional silver atoms in $Ge_{1-x}Si_x$ crystals.—75-03038A

Ionic conductivity of Na, K, and Ag β″-alumina–ZrO_2 composites.—75-05200A
Ionic transport in sodium chloride and silver chloride during microwave irradiation.—75-01763A
Kinetics of decay of light-induced lattices in $AgGaSe_2$ during two-photon excitation.—75-07944A
Kinetics of etching $Ag_{0.2}Ge_{0.3}S_{0.5}$ and $Ag_{0.7}AsSe$ in acidic oxidizing media.—75-02663A
Kinetics of excitonic luminescence in mixed silver halides.—75-00531A
Mass density evolution during manufacturing of Ag-sheathed BPSCCO tapes.—75-08360A
Mechanical performance of $YBa_2Cu_3O_{7-\epsilon}$-Ag composites.—75-05795A
Method of producing a metal superconductive ceramic connection.—75-05875P
Microstructures and mechanical properties of Bi-Sr-Ca-Cu-O/Ag superconductor composites.—75-08367A
Nanoanalytical characterization of granular Ag-Fe films with giant magnetoresistance.—75-00752A
Photoelement with a photocathode based on an $In_{0.53}Ga_{0.47}As/InP/Ag$ heterostructure with Schottky barrier for the spectral range of 0.97–1.7 μm.—75-08011A
Preparation of 2212-Ag laminated superconducting wires.—75-00850A
Preparation of YBCO-Ag composites with low carbon contents by a wet method.—75-05445A
Reliability of Ag terminal electrode under heat cycle.—75-00128A
Self-field ac losses and critical currents in multitube Ag-Bi-2223 conductors.—75-08409A
Silver doping and its influence on the oxygenation during in situ growth of $YBa_2Cu_3O_{7-\epsilon}$ films.—75-00863A
Special $AgNO_3$-induced formation of $YBa_2Cu_4O_8$ thin films through spray pyrolysis.—75-08414A
Structure and mechanical properties of nanocrystalline Ag/MgO composites.—75-06519A
Structure of hot-pressed Ag-BiPbSrCaCuO composites.—75-05837A
Surface resistance, residual losses, and granularity in Ag-doped $YBa_2Cu_3O_{7-\delta}$ thin films.—75-00880A
Thermal expansion and specific heat of nonrandom YBCO/Ag composites.—75-08438A
Toughening zirconia with bimodally distributed silver inclusions.—75-04655A
Two-photon and nonstationary energy exchange in $AgGaSe_2$ ternary semiconductors.—75-05509A
X-ray structural investigation of the redistribution of silver ions in ion-conducting channels of $AgSbOSiO_4$ after annealing at various temperatures.—75-09110A
$YBa_2Cu_3O_{7-\delta}$/Ag biepitaxial grain boundary junctions for flux flow devices.—75-08449A

single crystals,
Determination of optimal crystal growth conditions of complex compounds using phase solubility diagrams of ternary systems. Growth and properties of single crystals.—75-06202A
Diamond film and method of producing same.—75-01165P
Growth of nickel oxide single crystals and bicrystals via chemical vapor transport [CVT].—75-04060A
Method of forming a single crystal film of sodium-beta-alumina.—75-01122P
Method of growing single crystal of ß-barium borate.—75-06837P
Method of producing an oxide superconductor single-crystal film.—75-08474P
Method of producing silicon carbide single crystals by sublimation recrystallization process using a seed crystal.—75-01179P
Optical constants of sapphire (α-Al_2O_3) single crystals.—75-01322A
Preparation and characterization of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ single crystals.—75-00847A
Process for producing single crystal of potassium niobate.—75-06099P
Quantitative characterization of the fracture surface of Si single crystals by confocal microscopy.—75-02088A
Self-diffusion in indium antimonide.—75-01775A
Single-crystal cleavage of brittle materials.—75-04626A
Single-crystal diamond of very high thermal conductivity.—75-01198P
Single-crystal elastic constants of fluorapatite, $Ca_5F(PO_4)_3$.—75-03925A
Single-crystal growth of complex oxides by floating zone method.—75-06762A
Small-angle neutron scattering study of the flux-line lattice in a single crystal of $Bi_{2.15}Sr_{1.95}CaCu_2O_{8+x}$.—75-00865A
X-ray diffraction identification of plastic deformation and quantitative measurements of high density dislocations in single-crystalline layers of heteroepitaxial systems with mismatch of lattice spacing.—75-08713A
YIG single-crystal fiber growth using ir-assisted laser FZ [floating zone] technique.—75-03341A

sinter forging, see also sintering
Sinter forging of zirconia-toughened alumina.—75-06763A
Transformation and densification of nanocrystalline θ-alumina during sinter forging.—75-09099A

sinter/sintering,
ß-silicon nitride sintered body.—75-06112P
3-D characterization of sintered microstructures with prismatic grains—a precondition for microstructural modeling of Si_3N_4 ceramics.—75-04294A
Acousto-ultrasonic study of the effect of porosity on a sintered glass system.—75-04880A
Alumina composites reinforced by plate-shaped aluminates—effect of platelet size on properties.—75-01374A
Aluminum nitride body utilizing a vitreous sintering additive.—75-08815P
Aluminum nitride sintered body and method for manufacturing the same.—75-08816P
Aluminum nitride sintered body and method of producing the same.—75-08817P
Apparatus for sintering ceramic formed bodies.—75-01066P
Application of microwave processing to preparation of ceramic and metal-ceramic FGM.—75-02437A
Application of plasma flame to sintering: plasma sintering temperature of Y_2O_3-doped AlN.—75-07471A
Behavior of PbO in the two-stage sintering of PLZT ceramics.—75-03954A
Calculations of internal stresses during sintering in two dimensions.—75-05938A
Ceramic bearing balls.—75-06103A
Ceramic substrate and manufacturing method thereof.—75-08565P
Characterization and sintering of precipitated hydroxyapatite.—75-01801A
Colloidal processing and sintering of nanoscale TiN.—75-01401A
Computer simulation method for sintering in three-dimensional powder compacts.—75-06557A
Contamination and sinterability of planetary-milled alumina.—75-06559A
Creep sintering of polycrystalline ceramic particulate composites.—75-03982A
Densification and properties of sol-gel-derived PZT-fibers for 1-3 composites.—75-01271A
Densification of mixed α′/ß′-SiAlON ceramics and evaluation of their grain-boundary phase.—75-01428A
Development of dense nanocrystalline titanium nitride.—75-01432A
Effect of a small amount of SiO_2 on the reaction during sintering in the Si_3N_4-Y_2O_3-AlN system.—75-09266A
Effect of CeO_2 on sintering and hydration resistance of natural dolomite.—75-05084A
Effect of chemical composition on the sintering of mullite powders obtained by γ-Al_2O_3 and kaolin.—75-01451A
Effect of lead stoichiometry on the optimum sintering profile of PZT ceramics.—75-01456A
Effect of nonoxide additions to hydroxyapatite during sintering.—75-01461A
Effect of particle size distribution on sintering: I, Modeling.—75-04006A
Effect of sintering atmosphere on microstructure and mechanical properties of TiO_2-added zirconia-toughened alumina: II, Effect of the content of TiO_2.—75-09283A
Effect of sintering atmosphere on the densification and abnormal grain growth of ZnO.—75-01464A
Effect of sintering on the mechanical properties of SOFC ceramic interconnect materials.—75-06583A
Effect of sintering periods on the pinning force, activation energy, and microstructure of high-T_c superconducting Bi-(Pb)-Sr-Ca-Cu-O tapes.—75-08297A
Effect of sintering temperature on the kinetics of isothermal tetragonal-to-monoclinic transformation in ZrO_2 (2 mol% Y_2O_3).—75-03790A
Effect of the intergranular glassy phase on the sintering process of Re-SiAlONs.—75-04012A
Effects of amorphous silica coatings on the sintering behaviors of SiC whisker-reinforced Al_2O_3 composites.—75-06590A
Effects of reduction of the Al-Y-O containing secondary phases during sintering of AlN with YF_3 additions.—75-08915A
Effects of sintering conditions on hydroxyapatite for use in medical applications: a powder diffraction study.—75-06596A
Effects of sintering temperature on the superconducting and microstructural properties of $Bi_{1.7}Pb_{0.4}Sr_{1.6}Cu_{3.6}O_y/Ag_2O$ composites.—75-05761A
Empirical evaluation of process operations affecting sintered density.—75-08664A
Exaggerated growth of hexagonal barium titanate under reducing sintering conditions.—75-04323A
Expansion during sintering of NaCl powders.—75-04026A
Fabrication of Cu/TiO_2 composite by powder sintering method.—75-02475A
Fabrication of semiconducting $BaTiO_3$ ceramics at lower sintering temperatures.—75-07885A
Fabrication of Ti-6% Al-4% V/TiC metal matrix composites by sintering and thermomechanical processing.—75-04853A
Final stage sintering of aluminum titanate with and without additives by hot isostatic pressing.—75-01502A
Formation of $NaMg_2Al_{15}O_{25}$ in an α-Al_2O_3 matrix and its effect on the mechanical properties of alumina.—75-06618A
Forming and sintering of multiphase bioceramics.—75-04051A
Friction characteristics of sintered Si_3N_4 in oil-lubricated medium.—75-09637A
Functionally gradient materials from Al and polyimide.—75-02485A
Generation of cracklike voids during sintering of Al_2O_3-10ZrO_2 ceramics and their prevention by presintering with low pressure (2 MPa).—75-04544A
Gyrotron system for ceramic sintering.—75-00955A
High-density titanium carbide ceramics.—75-08827P
High-pressure sintering of nanocrystalline γ-Al_2O_3.—75-09328A
High-temperature properties of silicon nitride ceramics and their dependence on starting powder.—75-01296A
High-temperature-resistance silicon nitride ceramics by optimized two-step gas pressure sintering.—75-04067A
Hot molding of ceramics.—75-01526A
Hydrothermal reaction sintering of metal oxides.—75-01530A
Importance of dielectric properties in modeling of microwave sintering of ceramics.—75-01533A
Improvement of sintering and piezoelectric properties of soft lead zirconate titanate ceramics.—75-05590A
Influence of MgO and SiO_2 dopants on the sintering behavior of yttrium aluminum garnet ceramics.—75-01541A
Influence of powder properties on the sintering of polyaromatic mesophases to high-strength isotropic graphite.—75-01543A
Influence of temperature nonuniformity on ceramic sintering.—75-01547A
Ionic conductivity and sinterability of Nasicon-type ceramics: the systems $NaM_2(PO_4)_3$+yNa_2O (M=Ge, Ti, Hf, and Zr).—75-07735A
Kinetics and optimization of temperature and time regimes for sintering naturally pure Russian dolomites.—75-08761A
Liquid phase sintering of silicon carbide.—75-09355A
Liquid phase sintering of the systems with interacting components.—75-04095A
Low-temperature sintering of ceramics for the production of low-voltage insulators.—75-07737A
Making of sintered silicon carbide bodies.—75-06124P
Master sintering curve: a practical approach to sintering.—75-09358A
Materials Science and Technology—A Comprehensive Treatment: Volume 17B, Part II, Processing of Ceramics.—75-07110B
Mechanical behavior of sintering powder compacts.—75-01308A
Method for manufacturing an aluminum nitride sintered body.—75-08835P
Method for manufacturing an aluminum oxide sintered body.—75-07265P
Method for producing an elongated sintered article.—75-08597P
Method for producing ceramic long body.—75-08598P
Microstructural evolution during the sintering of nanostructured ceramic oxides.—75-04361A
Microstructure development and solid-state reactions during liquid phase sintering.—75-09564A
Microwave and conventional sintering of rapidly solidified Al_2O_3-ZrO_2 powders.—75-06685A
Microwave plasma sintering of low-soda alumina.—75-01578A
Microwave reaction sintering and properties of B_4C-Al composite.—75-07219A
Microwave sintering kilogram batches of silicon nitride.—75-01580A
Microwave sintering of $BaTiO_3$ thick films.—75-06488A
Microwave sintering of hydroxyapatite.—75-01581A
Microwave sintering of nanocrystalline γ-Al_2O_3.—75-04110A
Microwave sintering of nanocrystalline ceramics.—75-01582A
Microwave sintering of zirconia-toughened mullite and its heating characteristics.—75-04111A
Microwave-enhanced sintering of ceramics.—75-01587A
Model of sintering α-silicon carbide.—75-04113A
Modeling of multifrequency microwave sintering of ZnO ceramic.—75-01589A
Nanostructured FGM of the system AlN-M (M=Al, Ni, Mo).—75-02514A
New kiln technology.—75-06005A
Parameter for the evaluation of sintering of ceramic materials.—75-03532A
Pendulum clinker cooler with horizontal air jets.—75-00976A
Phase composition in sintered lanthana-doped (Zr,Sn)TiO_4 ceramics.—75-06295A
Plasma-activated sintering of ceramic materials.—75-08536A
Post-reaction sintering of silicon nitride ceramics.—75-04144A
Preparation of Ca α-SiAlON ceramics by pressureless sintering.—75-01621A
Preparation of Ca-2,2,2-trifluoroethanolate as a sintering additive for AlN ceramics.—75-06726A
Preparation of ZrO_2(3Y)/SUS(410) functionally gradient plasma material by thermal gradient sintering.—75-00120A
Pressureless sintering of ß-SiC with Al_2O_3 additions.—75-06745A
Pressureless sintering of AlN-SiC-based multiphase ceramics.—75-04177A
Pressureless sintering of dense Si_3N_4 and Si_3N_4/SiC composites with nitrate additives.—75-09406A
Pressureless sintering of zirconia-SiC platelet composites.—75-01631A
Process for inductive heating of ceramic shaped parts.—75-01003P
Process for producing bodies based on boron carbide by pressureless sintering.—75-08618P
Processing optimization of some sintering aids for GPS-Si_3N_4 ceramics.—75-04185A
Processing parameters influencing the sintering of alumina in a conventional and 14-GHz microwave furnace.—75-01064A
Rapid consolidation of Bi-Pb-Sr-Ca-Cu-O powders by a plasma-activated sintering [PAS] process.—75-05822A
Rapid rate sintering of nanocrystalline ZrO_2-3 mol% Y_2O_3.—75-04192A
Rate-controlled sintering of ultrafine Y-TZP powder.—75-01640A
Reaction plasma sintering of aluminum oxynitride ceramics.—75-09418A
Reaction sintering and mechanical behavior of cordierite containing sapphirine dispersoids.—75-06755A
Reaction sintering of an iron-based ceramic-metal composite.—75-00127A
Reaction sintering of ZnO-Al_2O_3.—75-01644A
Role of additives in the sintering of silicon nitride studied by multinuclear solid-state MAS NMR.—75-01240A
Role of additives in the sintering of silicon nitride: a ^{29}Si, ^{25}Mg, and ^{89}Y MAS NMR and X-ray diffraction study.—75-06341A
Role of space charge for microwave sintering of oxides.—75-01656A
Selection and evaluation of sintering aids for low-temperature sintering of AlN ceramics.—75-09427A
Silicon nitride base sintered body.—75-01195P

Silicon nitride sintered body.—75-01197P
Silicon nitride sintered body.—75-08845P
Silicon nitride sintered body.—75-08846P
Silicon nitride-silicon carbide composite sintered material and manufacturing thereof.—75-08847P
Sinterability improvement of $Ba(Mg_{1/3}Ta_{2/3})O_3$ dielectric ceramics.—75-02937A
Sinterability of plasma-synthesized ultrafine SiC powders from Si and CH_4.—75-09435A
Sintered alumina—hard and strong like hot-pressed Al_2O_3/TiC composites.—75-01662A
Sintered ceramic article formed mainly of alumina.—75-03683P
Sintering and characterization of yttria-stabilized cubic zirconia with alumina derived from solid solution.—75-01664A
Sintering and crystallization behavior of a glass powder and block with a composition of anorthite and the microstructure dependence of its thermal expansion.—75-05043A
Sintering and crystallization of ground hexagonal boron nitride powders.—75-04218A
Sintering and electrical conductivity of doped WO_3.—75-08056A
Sintering and Materials: Proceedings of the Sixth International Symposium on the Science and Technology of Sintering.—75-04782B
Sintering and mechanical properties of ß-wollastonite.—75-04627A
Sintering and microstructural investigations on combustion-processed mullite.—75-09436A
Sintering behavior of precursor mullite powders and resultant microstructures.—75-09438A
Sintering behavior of TiC-reinforced SiC composites doped with Ti and C.—75-09440A
Sintering capability of V_2O_5/Nb_2O_5 system treated by sol-gel technique.—75-09441A
Sintering characteristics of microfine zirconia powder.—75-06764A
Sintering kinetics of TSTC-42-1 piezoceramics prepressed under high pressure.—75-05637A
Sintering kinetics study of zirconia powder compact—analysis of a flow model.—75-04221A
Sintering mechanisms and microstructural development of coprecipitated mullite.—75-04222A
Sintering of $(Ca_{1-x}Mg_x)Zr_4(PO_4)_6$ [x=0, 0.1, and 0.4] ceramics.—75-04223A
Sintering of alumina ceramics in a single-mode cavity under automated control.—75-01665A
Sintering of alumina in microwave-induced oxygen plasma.—75-09442A
Sintering of ceramics using low-frequency rf power.—75-01666A
Sintering of corundum ceramics based on aluminum hydroxide.—75-04224A
Sintering of diphasic mullite gel.—75-09056A
Sintering of fine oxide powders: I, Microstructural evolution.—75-09574A
Sintering of hBN using polysilazane.—75-01667A
Sintering of Li_2CO_3-doped $CaCO_3$.—75-01668A
Sintering of mechanically activated χ-alumina.—75-06765A
Sintering of MgO and MgO-TiC ceramics by plasma, microwave, and conventional heating.—75-06766A
Sintering of nanophase γ-Al_2O_3 powder.—75-06767A
Sintering of sol-sprayed alumina-zirconia composites.—75-06768A
Sintering of Synroc.—75-01669A
Sintering of thin sheets of alumina prepared by the sol-spray technique.—75-04225A
Sintering of zirconium diboride through Fe-based liquid phase.—75-09443A
Sintering reaction of SiAlON composites.—75-01671A
Sintering studies on submicrometer-sized Y-Ba-Cu oxide powder.—75-05831A
Sintering Theory and Practice.—75-07111B
Slip casting and sintering of monodispersed TiO_2 particles.—75-06769A
Special features of the formation of the structure of highly porous cellular materials based on reaction-sintered silicon carbide.—75-05142A
Specific aspects of sintering of powders prepared by combustion method (SHS).—75-01679A
Statistical analysis of the influence of processing conditions on the properties of fused silica.—75-07370A
Structural ceramics produced through post-sintering of dynamically compacted powder.—75-04230A
Synthesis and sintering of amorphous cordierite powders by a combustion method.—75-06798A
Synthesis and sintering of mullite powders by the decomposition/combustion of aluminum nitrate—amorphous fumed silica-urea mixtures.—75-06799A
Synthesis of hydroxyapatite-based powders by mechanochemical method and their sintering.—75-09471A
Theoretical studies on sintering and grain growth in ceramic materials.—75-09485A
Thermal analysis of sintering of magnetite pellets.—75-04255A
Thermal conductivity of gas-pressure-sintered silicon nitride.—75-09198A
Thermal processing technology—quality and reliability.—75-06013A
Ultrasonic and dielectric characterization of microwave-sintered and conventionally sintered zinc oxide.—75-09582A
Ultrasonic evaluation of elastic parameters of sintered powder compacts.—75-05985A
Viscous phase sintering of particle-reinforced glass matrix composites.—75-07407A
Yttria doping and sintering of submicrometer-grained α-alumina.—75-06831A

sintering,
Effect of sintering atmosphere on the pore-structure stability of cerium-doped nanostructured alumina.—75-01465A
Role of the addition of $Pb(Li_{1/4}Fe_{1/4}W_{1/2})O_3$ in the low-temperature sintering and dielectric characteristics of $Pb(Mg_{1/2}Nb_{2/3})O_3$ ceramics.—75-08170A
Sintering behavior of sol-gel synthesized alumina and alumina-8 vol% zirconia composite.—75-09439A

size,
Evaluation of K_{Ic} depending on sample size for ceramics.—75-04515A
Mysterious hole—determining correct burner-orifice size.—75-02306A
Periclase crystal size measurement—an international approach.—75-07627A
Preparation and size control of cube-shaped hydrous titanium oxide fine particles by a colloid aging method.—75-09387A
Raman spectroscopy of size-selected, matrix isolated Si clusters.—75-01925A
Size effect law in the fracture resistance of a graphite refractory.—75-07662A
Size effect of tensile characteristics of carbon fiber-reinforced cement composites [CFRCs].—75-07183A
Size effect on the fracture toughness and the *R*-curve of carbon materials.—75-09670A
Strength variability and size effect of Nicalon fiber bundles.—75-07035A

sizing,
Effect of sizing agent on corrosion of glass fibers in water.—75-04954A

slags,
Contact-condensation properties of hydrated ashes.—75-07141A
Development and application of scum weir for a tundish and exploration for its antislag erosion mechanism.—75-07511A
Dissolution of MgO in stagnant CaO-FeO-SiO_2 slags.—75-04316A
Effect of presence of carbon, iron, and sulfur on rate of alkali release from CaO-Al_2O_3-SiO_2 slags.—75-02400A
Glassy slag from rotary hearth vitrification.—75-03469A
Incorporation of arsenic in silicate slags as a disposal option.—75-03521A
Materials handbook.—75-04727A
Production and properties of alkali-activated slag cement (ASC) based on synthetic slag from fly ashes.—75-00059A
Slag resistance of refractories in the lining of an arc steel melting furnace.—75-07663A
Slag waste in the production of glass crystallite.—75-07400A
Slag-foaming phenomena [analyzed] using an X-ray fluoroscopy technique and development of antifoamer for desiliconization process.—75-07664A
Study of rheological and mechanical properties of mixed alkali activated slag pastes.—75-02426A

slip casting,
Alpha-alumina obtained from monobasic aluminum formate and organic additives.—75-06536A
Centrifugal slip casting of components.—75-03959A
Effect of characteristics of plaster mold on the slip casting of high concentrated alumina slurry.—75-09270A
Effect of drying air pressure on the slip casting process.—75-04003A
Effect of slip casting parameters on the properties of Si_3N_4-bonded SiC.—75-07542A
Effects of organics in casting slips.—75-09295A
Fabrication of oriented SiC whisker-reinforced Si_3N_4 ceramics by slip casting.—75-09305A
Forming and sintering of multiphase bioceramics.—75-04051A
High toughness carbide ceramics by slip casting and method thereof.—75-03734P
Influence of electrolytes on the casting properties of porcelain slips.—75-07709A
Kinetic modeling of pressure filtration of ceramic powder suspensions.—75-01555A
Mechanical and thermal properties of ß′-SiAlON prepared by a slip casting method.—75-03906A
Microstructural development and mechanical properties of pressureless sintered Al_2O_3/SiC composites.—75-01572A
No-draft slip casting with low CTE materials.—75-07090A
Preparation of SiC slip and fabrication of SiC components by slip casting.—75-04168A
Pressure slip casting of silicon nitride.—75-01630A
Pressure slip casting process for making hollow-shaped ceramics.—75-01000P
Rheology of alumina-based slips used for pressureless- and pressure-casting.—75-01653A
Slip casting alumina with Na-CMC [sodium carboxymethylcellulose].—75-09444A
Slip casting and sintering of monodispersed TiO_2 particles.—75-06769A
Slip casting of alumina powder mixtures with bimodal size distribution.—75-09445A
Slip casting of large size alumina products.—75-05914A
Slip casting of nanometer-sized tetragonal zirconia powder.—75-06770A
Slip-casting method for manufacturing ceramic articles.—75-07718P

slips,
Coat of many colors.—75-02858A
Dispersant for α-Al_2O_3 slip.—75-03997A
Modification of silicon nitride slip properties by poly(acrylic acid).—75-04117A
Recent advances in the understanding of gelation in sanitary ware slips.—75-02886A

slurries,
Casting of particle-based hollow shapes.—75-00992P
Combustible slurry for joining metallic or ceramic surfaces or for coating metallic, ceramic, and refractory surfaces.—75-04875P
Effect of temperature on characteristics of alumina slurry.—75-01467A
Hydrophobic aluminum nitride powder for aqueous tape casting.—75-01529A
Imaging voids in cement slurries.—75-00043A
Manufacture of shaped refractory objects.—75-05157P
Method for molding a ceramic port liner.—75-05924P
Method of preparing a high solids content, low viscosity ceramic slurry.—75-05927P
New state-of-the-art slurry plant provides precise formulations.—75-02785A
Non-Newtonian effects of powder-lubricant slurries in hydrostatic and squeeze-film bearings.—75-04607A
Non-Newtonian temperature and pressure effects of a lubricant slurry in a rotating hydrostatic step bearing.—75-04608A
Polyacrylate developments in sanitary ware slurries.—75-02882A
Process for drip casting silicon nitride slurries.—75-06138P
Silicon nitride powder and silicon nitride-containing aqueous slurry.—75-06142P
Slurry abrasion resistance of engineering ceramics.—75-05980A
Ultrasonic measurements on hydrating cement slurries.—75-02428A
Yttria-zirconia slurries and mold face coats for casting reactive metals.—75-06102P

smectites,
Electrooptical properties of the uniform chevron state of a ferroelectric smectic liquid crystal.—75-05564A
Hectorite as a critical element in the manufacturing of high-grade ceramic slips, bodies, and glazes.—75-03638A
Microwave drying of boehmite sol intercalated smectites.—75-06687A
Smectites: the relationship between their properties and isomorphic substitution.—75-06514A

smelting,
Fundamental processes in bath smelting: reactions of iron oxides with Fe-C melts.—75-02819A
Inert anodes for the smelting of aluminum.—75-01539A
Refractories usage in nickel smelting furnaces in China.—75-02835A

smoke,
Smokeless saggar firings.—75-02360A

soda ash,
FMC begins construction of new soda ash production facility.—75-02718A

soda,
Chemical basis of the structural modification in sodium borovanadate glasses: thermal and spectroscopic studies.—75-04884A
In search of Samarra soda.—75-04796A
Production of low-soda alumina.—75-08626P

soda-lime,
Er^{3+}-doped soda-lime glasses and planar waveguide devices.—75-05010A
Mechanisms for hackle formation and crack branching.—75-02664A
Mode-mismatched thermal lens determination of temperature coefficient of optical path length in soda-lime glass at different wavelengths.—75-00193A

soda-lime-silica,
Bubbling potential of molybdenum and tungsten and their alloys in soda-lime-silica glasses.—75-07284A
Dissolution of rising helium bubbles in a soda-lime-silica glass melt.—75-05995A
Effect of MnO, CaO, and nitrogen on the alkaline durability of soda-lime silicate glasses.—75-05007A
Electrochemical corrosion and protection of molybdenum and molybdenum disilicide in a molten soda-lime silicate glass environment.—75-06923A
Interaction of solutes with silicate glass and its effect on dissolution rates.—75-05022A
SAXS study of the micro-inhomogeneity of industrial soda lime silica glass.—75-04925A
Threshold stress intensity factor in soda-lime-silicate glass by interrupted static fatigue test.—75-07373A

sodalites,
Production of sodalite waste forms by addition of glass.—75-03489A

sodium chloride,
Effect of salt composition of a solution on transformations of natural borates.—75-06212A
Expansion during sintering of NaCl powders.—75-04026A
Homogeneous salt and hydroxide systems as precursors for preparing ceramic powders.—75-09331A
Ionic transport in sodium chloride and silver chloride during microwave irradiation.—75-01763A

sodium oxide,
Characterization and bactericidal effect of Na_2O-Al_2O_3-SiO_2 glass system by $Na^+ \leftrightarrow Ag^+$ ion exchange.—75-07287A
Effect of Na_2O additions in the crystallization of barium ferrite from a BaO-B_2O_3-Fe_2O_3 glass.—75-00213A
Effect of Zn^{2+} on the size of the correlation zone in the Na_2O-ZnO-SiO_2 system.—75-08914A
Method of making analogs of ß-alumina.—75-06096P
Phase equilibria in the Na_2O-Cs_2O-SiO_2 system.—75-09021A

sodium sulfate,
Burner rig hot-salt corrosion of Si_3N_4 in the temperature range 800°C to 1300°C.—75-01983A
Density of xNa_2S-$(1-x)B_2S_3$ (x=0 to 0.8) glasses: correlation with short-range order.—75-00183A
Molten salt corrosion of ceramics.—75-02003A

sodium,
Anionic framework of a mixed type in $Na_3[Al_2F_3[PO_4]_2]$ crystalline structure.—75-08868A
Band structure of sodium nitrate.—75-08874A
Changes in structure and electric properties of $NaNbO_3$ induced by Mn dopant.—75-03872A
Characteristics of the ferroelectric phase transition in $Na_2Sr_4Nb_{10}O_{30}$.—75-05535A

Characterization of $Bi_{0.5}Na_{0.5}TiO_3$-$PbTiO_3$ dielectric materials.—75-02896A

Chemical bonding in the tungstate $NaLa(WO_4)_2$.—75-09120A

Combined hardening of an aqueous sodium silicate solution with polyisocyanate and epoxy resins.—75-06552A

Composition and influence of the surface layer of alumina enriched with sodium on its interaction with $TiCl_4$ and H_2O vapors.—75-06556A

Composition of spark anodizing coatings on Al obtained in Na silicate solution.—75-09244A

Composition of surface layers formed upon interaction with solutions and electrolytic properties of alkali aluminum borosilicate glasses: II, Sodium aluminum borosilicate glass.—75-02578A

Conductivity of surface layers of sodium aluminosilicate glass treated with aqueous solutions.—75-07330A

Crystal structure of a new natural (Na,Mn,Ti)-phyllosilicate.—75-08891A

Crystal structure of a new orthophosphate, $CsNa_4Zn_7[PO_4]_6$.—75-08892A

Crystal-chemical aspects of three types of cation mobility—dipole ordering, ionic conductivity, and cold nuclear synthesis in orthophosphates of $KTiOPO_4$, $Na_3M_2(PO_4)_3$ (M=Sc, Fe, Cr), $NaTh_2(PO_4)_3$, KD_2PO_4, and related compounds.—75-06195A

Crystallization process of vitreous sodium trimetaphosphate: I, Crystallochemical aspect.—75-06198A

Effect of water on phase separation of sodium silicate glasses.—75-05008A

Elastic anomalies in sodium-doped Bi-2212 single-phase HTSC materials.—75-08304A

Electrical conductivity and magnetic resistivity in $La_{0.9}Na_{0.1}Mn_{0.9}Re_{0.1}O_3$ crystals.—75-05668A

Electrical conductivity studies of sodium tetraborate glasses containing copper.—75-04959A

Electronic properties of sodium tungsten bronze.—75-08136A

Energetics of the gel-to-glass transformation in sodium silicate gels.—75-02714A

Features of structural relaxation of glass in Na^+-Li^+ ion exchange.—75-02653A

Ferro- and ferrimagnetism of $La_{0.9}Na_{0.1}Cu_xMn_{1-x}O_3$.—75-05672A

Ferroic phase transitions in $(Na_{1/2}Bi_{1/2})TiO_3$ crystals.—75-03232A

Glass composition development for high sodium content nuclear waste.—75-03468A

High-frequency structural relaxation in sodium silicates—a molecular dynamics study.—75-04903A

Hydrolysis of polyacrylamide by sodium silicate.—75-06639A

Influence of synthesis conditions of porous glasses on their structure.—75-02726A

Interaction of low-expansion NZP ceramics with Na_2SO_4 at 1000°C.—75-01874A

Interaction of sodium cyclotriphosphate with iron and its phosphides.—75-06662A

Ionic conductivity and Raman spectroscopic investigations of B_2O_3-Na_2O-Na_2I_2 glasses.—75-07341A

Kinetics of GaAs(100) surface passivation in sodium sulfide aqueous solutions.—75-07945A

Liquidus surface of the sodium metavanadate–sodium pyrovanadate–sodium tungstate system.—75-06262A

Low-temperature anomaly of ionic conductivity in an $Na_{4+x}FeP_2O_{8+x}F_{1-x}$ (x=0.5) superionic conductor.—75-05683A

Method of forming a single crystal film of sodium-beta-alumina.—75-01122P

Migration of triplet excitations of benzaldehyde in a porous matrix of sodium borosilicate glass.—75-07349A

Na doping effect on the magnetic properties of the YBCO ceramics.—75-00835A

Nature and magnitude of the influence of deep electroactive doping on the band spectra of IV-VI compounds studied based on the valence band of lead telluride.—75-05392A

Novel varistor material based on tungsten oxide.—75-05202A

Phase composition and magnetic properties of the $(100-x)BaFe_{11.2}O_{17}$-$x(NaM)_{1/2}Fe_{12}O_{19}$ ferrites (M=Bi, Fe, Mn).—75-08236A

Phase diagram of the Li_2MoO_4-Na_2MoO_4-$CaMoO_4$ system.—75-09011A

Phase diagram of the $NaVO_3$-$Na_4V_2O_7$ system.—75-06300A

Phase equilibria in the $NaVO_3$-Na_2WO_4-WO_3 system.—75-09022A

Phase transition of new solid-solution crystal $Li_{0.7}Na_{0.3}NbO_3$.—75-00683A

Phosphorescence of aromatic compounds in the porous matrix of sodium borosilicate glass and their interaction with pore walls.—75-07310A

Prediction of the phase complex of quaternary reciprocal systems of Na, K||F, CO_3, $MoO_4(WO_4)$.—75-09042A

Rate of chemical decomposition of sodium zinc phosphate glass with hydrochloric acid: effect of the ratio of the solution volume to the glass surface area.—75-02681A

Self-propagating high-temperature synthesis of Na-containing high-T_c superconductors.—75-05828A

Sodium metal deposition by electron beam irradiation during SEM observation.—75-07747A

Sodium metasilicate-modified lightweight high alumina cements for use as geothermal well-cementing materials.—75-04833A

Sodium pyrophosphate peroxosolvate, $Na_4P_2O_7{\cdot}3H_2O_2$.—75-06515A

Solubility of alkaline and alkaline-earth sulfates in anhydrous hydrogen peroxide.—75-06516A

Spectrochemical studies of mesoporous silicate glasses.—75-02608A

Structural investigation of $NaNO_3$ nanophase confined in porous silica.—75-01246A

Structural role of aluminum ions in sodium aluminophosphate glasses.—75-00174A

Structures and ionic conduction of $xNa_2S+(1-x)SiS_2$ glasses.—75-02691A

Subsolidus region of the Na_2MoO_4-$MnMoO_4$ system.—75-06377A

Surface tension of aqueous solutions of chromium sulfate and sodium dodecylsulfate solutions.—75-07041A

Surface tension of aqueous solutions of sodium dodecylsulfate with salt additives.—75-09075A

Synthesis of $NaZr_2P_3O_{12}$ powders by evaporative decomposition of solutions.—75-06813A

Temperature stability of NaI(Tl) scintillators.—75-01354A

Temperature-dependent Raman scattering studies of $Li_{0.02}Na_{0.98}NbO_3$.—75-01966A

Ternary oxides of sodium, scandium, and titanium.—75-06387A

Ternary system of Na_2MoO_4-$BaMoO_4$-MoO_3.—75-06388A

Thermal expansion of sodium bismuth tungstate single crystals.—75-06912A

Thermodynamic evaluation of oxidation potential of the BaO-BaF_2-CaF_2-NaF melts used for refinement of Fe-C-Cr steels.—75-07235A

Thermodynamic properties of alkali germanate melts containing lithium and sodium oxides.—75-02694A

Two-phase K-Na feldspar from Sikhote-Alin and the structure of its K component.—75-08767A

Vibrational modes in Na+ß-alumina by molecular dynamics.—75-06404A

X-ray analysis of two phases in the barium borate, sodium barium borate, and sodium borate ternary phase system.—75-06407A

X-ray photoelectron spectroscopy of Al- and B-substituted sodium trisilicate glasses.—75-04941A

X-ray structural investigation on sodium borate samples prepared by the sol-gel method.—75-02619A

soils,

Radio-frequency-enhanced soil vapor extraction for in situ remediation.—75-00982A

sol-gel,

3-D alumina networks via the sol-gel process.—75-01369A

Alumina ceramics by sol-gel technique.—75-06537A

Alumina sol-gel fiber.—75-08772P

Aqueous sol-gel synthesis of mullite powder by using aluminum oxalate and tetraethoxysilane.—75-06538A

Barium strontium titanate (BST) thin films by holmium donor doping.—75-03203P

Bioactive composite material produced by the sol-gel method.—75-06540A

Ceramic Transactions, Volume 55: Sol-Gel Science and Technology.—75-02157B

Characteristics of composites based on PMMA-modified gel silica glasses.—75-06427A

Chemical effects of DCCA [drying control chemical additives] to the sol-gel reaction process.—75-06546A

Crystallization of sol-gel-derived glass-ceramic powders in the CaO-MgO-Al_2O_3-SiO_2 system.—75-04890A

Crystallization of sol-gel-derived lead zirconate titanate thin films in argon and oxygen atmospheres.—75-00644A

Deposition of thick silica-titania sol-gel films on Si substrates.—75-06568A

Development of sol-gel-derived coatings for Nicalon/SiC composites.—75-09257A

Effect of drying control chemical additives [DCCA] in sol-gel-glass monolith processing.—75-02709A

Effect of water, acetone, or acids on Bi system superconducting films prepared by use of sol-gel method.—75-00793A

Electrical properties of sol-gel-processed PLZT thin films.—75-05561A

Evaluation of SiO_2 thin films prepared by the sol-gel method using photoirradiation.—75-03892A

Fabrication of BiSrCaCuO superconducting films by use of sol-gel method and their properties.—75-00803A

Ferroelectric thin films of calcium-modified lead titanate by sol-gel processing.—75-05580A

Hollow ceramic microspheres by sol-gel dehydration with improved control over size and morphology.—75-08581P

Influence of residual carbon on the behavior of superconducting $YBa_2Cu_3O_{7-x}$ derived from sol-gel-based precursors.—75-05784A

Influences of sol-gel-derived thin $Pb(Zr_{0.52}Ti_{0.48})O_3$ layers as a buffer on rf-sputtered $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films.—75-05591A

Ion clustering and crystallization of sol-gel-derived erbium silicate glass.—75-02592A

Method for forming porous ceramic materials.—75-03544P

Method of controlling crystal orientation of PZT and PLZT thin films on platinum substrates.—75-03268P

Method of forming a ceramic composite.—75-03671P

Microstructure and crystallization behavior of TiO_2 precursor prepared by the sol-gel method using metal alkoxide.—75-03805A

Microstructure characterization of sol-gel derived PZT films.—75-06897A

Perovskite phase formation in sol-gel-derived $Pb(Zr_xTi_{1-x})O_3$ thin films.—75-05618A

Phase reactions in samples of the CaO-TiO_2-H_2O system produced by the sol-gel method in highly alkaline media.—75-06705A

Photosensitivity in a silica-based sol-gel glass.—75-04988A

Preparation and characterization of amorphous $LiNbO_3$ powders from completely hydrolyzed metal alkoxides.—75-07743A

Preparation and characterization of $Ba_xSr_{1-x}TiO_3$ thin films by a sol-gel technique.—75-03250A

Preparation and characterization of sol-gel silica spheres.—75-06714A

Preparation and magnetic properties of sodium-modified iron oxide thin films by a sol-gel method.—75-04150A

Preparation and properties of $PbTiO_3$-SiO_2 microcrystalline glass by sol-gel technique.—75-07395A

Preparation and properties of piezoelectric lead zirconate titanate thin films for microsensors and microactuators by sol-gel processing.—75-08164A

Preparation of alumina fiber by sol-gel processing.—75-06721A

Preparation of alumina gels by a nonhydrolytic sol-gel processing method.—75-06722A

Preparation of lanthanum aluminate thin films by a sol-gel procedure using alkoxide precursors.—75-06731A

Preparation of lead-based perovskite structure ferroelectric thin films by sol-gel method and the properties of the films.—75-08165A

Preparation of TiO_2-SiO_2 glass via sol-gel process containing a large amount of chlorine.—75-05037A

Preparation of ultrafine RuO_2 and IrO_2 particles by a sol-gel process.—75-06742A

Preparation of ZnO films with preferential orientation by sol-gel method.—75-09403A

Preparation of ZnO-based varistors by the sol-gel technique.—75-05446A

Preparation of ZrO_2 powder and ZrO_2-based composites.—75-09404A

Preparing vitreous coatings on metals by the sol-gel method.—75-07225A

Process for coating ceramic powder with alumina by sol-gel process and improved densification.—75-03675P

Production of fiber-reinforced zirconium ceramics by the sol-gel method.—75-04186A

Properties of polycrystalline samples of $Nd_{2-x}Ce_xCuO_{4-y}$ obtained from a sol-gel precursor.—75-00854A

PTCR thermistors- reproducibility achieved via sol-gel synthesis.—75-00369A

Seeded sol-gel-derived alumina-zirconia composites.—75-04393A

Simple system for the preparation of submicrometer lead titanate powders by the sol-gel method.—75-09433A

Sol-gel coating of ceramic powders.—75-04226A

Sol-gel optical coatings for lasers: III.—75-01673A

Sol-gel precursors: a spectroscopic study of transesterification reactions between silicon and titanium alkoxides.—75-06353A

Sol-gel preparation of alumina gels forming α-alumina around 500°C.—75-09447A

Sol-gel preparation of mesoporous Al_2O_3 and TiO_2 membranes.—75-01674A

Sol-gel processing and pyroelectric properties of highly oriented $Pb(Mg,Zn)_{1/3}Nb_{2/3}O_3$ [PMZN] thin films.—75-03258A

Sol-gel processing of highly oriented $PbTiO_3$-based thin films.—75-06771A

Sol-gel processing of $Pb(Zr_{0.52},Ti_{0.48})O_3$ thin films: dopant compensation mechanism and leakage current characteristics.—75-03166A

Sol-gel state of hydrated zirconium dioxide.—75-06354A

Sol-gel synthesis of a mixture for preparing cordierite.—75-09448A

Sol-gel synthesis of lithium aluminate.—75-01676A

Sol-gel synthesis of monoclinic phase of barium aluminosilicate ceramics.—75-06772A

Sol-gel synthesis of superconducting $YBa_2Cu_4O_8$ using acetate and tartrate precursors.—75-05832A

Sol-gel synthesis of ZrO_2 solid solutions with Y_2O_3.—75-06773A

Sol-gel technology for ferroelectric thin films.—75-00699A

Sol-gel-derived hydroxyapatite ceramic coatings.—75-01678A

Solid solution range of mullite up to 1800°C and microstructural development of ceramics.—75-06355A

Solid solutions of $Al_{2-x}Cr_xO_3$ produced by the sol-gel method.—75-06774A

Solution doping of sol-gel bodies to make graded index glass articles.—75-02748P

Structural and microstructural evolution of barium titanate thin films deposited by the sol-gel process.—75-01940A

Structure and properties of $PbZrTiO_3$ thin films produced by the sol-gel method.—75-06374A

Suppression of grain growth in sol-gel-derived tin dioxide ultrathin films.—75-06909A

Synthesis of barium titanate by the sol-gel process.—75-06803A

Synthesis of $BaTiO_3$ nanocrystals by stearic acid gel method.—75-04241A

Synthesis of nonaggregated nanometric crystalline zirconia particles.—75-01710A

Synthesis of stable PZT sol using chelating agent and preparation of its thin film.—75-01719A

Synthesis of $YBa_2Cu_3O_{7-x}$ superconductor with fiber structure by the sol-gel method.—75-03414A

Textured magnetoplumbite fiber-matrix interphase derived from sol-gel fiber coatings.—75-03336A

Ultra-microindentation of sol-gel-derived zirconia films on stainless steel.—75-02107A

X-ray structural investigation on sodium borate samples prepared by the sol-gel method.—75-02619A

ZrO_2 obtained by the sol-gel method: influence of synthesis parameters on physical and structural characteristics.—75-06836A

ZrO_2 ultrafiltration membranes processed by the sol-gel route.—75-01741A

solar cells,

Hybrid microsystem using a high voltage solar cell array as a power supply.—75-00509A

Improvement of solar cell [SC] efficiency and stability by deposition of [diamondlike carbon] DLC films.—75-09334A

solders/soldering,

Ceramic base and metallic member assembly.—75-07250P

Wetting of Si-Al-O-N ceramic by Sn-5 at.% Ti-X ternary active solder.—75-06830A

solid oxide fuel cell,
Applications of ceramic electrolytes and electrodes in the beta battery and solid oxide fuel cell: current assessment.—75-02891A
Ceramic interconnectors for planar solid oxide fuel cells through tape casting of reaction-sprayed powders.—75-00302A
Challenges to obtaining high efficiency in solid oxide fuel cells.—75-02895A
Effect of sintering on the mechanical properties of SOFC ceramic interconnect materials.—75-06583A
Electrophoretic deposition [EPD] of Y_2O_3-stabilized ZrO_2 electrolyte films in solid oxide fuel cells.—75-02910A
Functional gradient electrode/electrolyte for solid oxide fuel cells: gradient materials design for an electrochemical energy conversion device.—75-02911A
Method of producing electrically conductive ceramic film for interconnectors of solid oxide fuel cells.—75-00402P
Microstructure and properties of barium cerate based electrolytes for solid oxide fuel cells.—75-02918A
Overview of solid oxide fuel cell developments—designs, materials, properties, current status.—75-02138A
Preparation of an alkali element-doped CeO_2-Sm_2O_3 system and its operation properties as the electrolyte in planar solid oxide fuel cells.—75-07745A
Preparation of SOFC electrode powders by the aerosol flow pyrolysis method and characteristics of the electrodes.—75-08537A
Progress in planar SOFC science and technology.—75-02933A
Progress towards developing a planar solid oxide fuel cell at Ceramic Fuel Cells Limited [Clayton, Australia].—75-00980A
Solid oxide electrolyte fuel cell having dimpled surfaces of a power generation film.—75-07775P
Tubular solid oxide fuel cell developments[—review].—75-02942A
solid solutions,
Immiscibility region of ternary solid solutions of A^3B^5 compounds.—75-07916A
Influence of chemistry and processing on the electrical properties of $Ba_{6-3x}Ln_{8+2x}Ti_{18}O_{54}$ solid solutions.—75-00341A
Monte Carlo simulation of cation diffusion via vacancies in quasi-binary spinel solid solutions involving multiple types of cation-vacancy exchanges.—75-01765A
Piezoelectric ceramics.—75-08187P
Possibility of the existence of quasi-particles in antiferromagnetic semiconducting solid solutions of $x$$CoCr_2S_4$-$(1-x)$$CuCr_{1.5}Sb_{0.5}S_4$ (x=0.25, 0.5).—75-05443A
Raman linewidths in rare-earth sesquisulfide solid solutions.—75-03830A
Synthesis of $Cr_xTi_{1-2x}Nb_xO_2$, $0 \le x \le 0.5$, rutile solid solutions from alkoxides.—75-06807A
Synthesis, characterization, and semiconducting properties of solid solutions with rutile structure.—75-00885A
Thermal expansion of nepheline solid solutions in the system $Na_{1-2x}Ca_xAlSiO_4$.—75-06527A
solid state,
Applicability of quasi-steady-state solutions for the kinetics of diffusion-controlled solid-state reactions.—75-01981A
Reactivity of boron in solid-state reaction and sintering for consolidation of boron compounds.—75-09049A
Self-mode-locked femtosecond solid-state lasers.—75-03156A
Stoichiometrically controlled solid-state synthesis and crystal growth of $C_{60}H_2$.—75-01682A
Structural investigation of calcium silicates from ^{29}Si chemical shift measurements.—75-00702A
solidification,
Blended waste form for Cd^{2+}- and Na^+-rich liquid waste stream.—75-03449A
Crystallization of superconducting yttrium barium cuprates from peritectic melts.—75-08282A
Effects of Y_2BaCuO_5 [211] and platinum additions on the unidirectional solidification of $YBa_2Cu_3O_{7-\delta}$.—75-08303A
High-pressure liquid-encapsulated directional solidification of copper-deficient copper indium selenides.—75-03047A
Solidification of grain boundaries with increasing temperature.—75-04400A
solids,
Atomistic simulation methods applied to defect structure and transport phenomena in solid materials.—75-09219A
Broad-line ^1H NMR—a new application for studying the Bronsted acid strength of solids.—75-01012A
Chemical Kinetics of Solids.—75-07105B
D.O.R.—a new NMR method for high-resolution characterization in solids of quadrupolar nuclei with half-integer spins.—75-01420A
High surface purity heat transfer solids for high-temperature fluidized bed reactions.—75-07698P
Loading of solids in a liquid medium: determination of CBVC [critical binder volume concentration] by torque rheometry.—75-08677A
Method for preparing a modified solid oxide.—75-08595P
Powder and bulk solids '94.—75-04730A
Resonance fracture of solid particles by a liquid: a new concept of dispersion of minerals.—75-05910A
Surface electrical properties of ionic solids.—75-01348A
solitons,
Forward volume wave microwave envelope solitons in yttrium iron garnet films: propagation, decay, and collision.—75-00736A
sols,
Silica sols, a process for the production of silica sols, and use of the sols.—75-03681P
Spectroturbidimetric study of particle size distribution in SiO_2 sols.—75-03840A
solubility,
Aesthetic effects obtained by decorating soluble salts.—75-07704A
Grain growth and solubility change of SiAlON composites during annealing.—75-08944A
Influence of alloying on the solubility of carbon fibers in aluminum-based composites: nonempirical approach.—75-04857A
Preparation of single-phase $Pb(Mg_{1/3}Nb_{2/3})O_3$ samples utilizing information from solubility relationships in the Pb-Mg-Nb–citric acid–H_2O system.—75-06735A
Solid solubility and diffusivity in an alumina/zirconia system.—75-04291A
Solubility in the $B(OH)_3$-$MgSO_4$-$FeSO_4$-H_2O systems at 25 and 90°C and the $B(OH)_3$-$MgSO_4$-$Fe(SO_4)_3$-H_2O system at 25°C.—75-09061A
Solubility in the zirconium oxychloride–hafnium oxychloride–water system at 25 and 50°C.—75-06359A
Solubility limits for troublesome components in a simulated low-level nuclear waste glass.—75-03496A
Solubility of alkali metal sulfates in anhydrous dimethoxyethane.—75-09188A
Solubility of aluminum in yttrium nitrogen melilite phases.—75-01243A
Solubility of calcium oxide in barium titanate.—75-06360A
Solubility of CaO in $CaTiO_3$.—75-06361A
Solubility of quartz in NaOH aqueous solutions at increased temperatures and pressures.—75-06517A
solutes,
Interaction of solutes with silicate glass and its effect on dissolution rates.—75-05022A
Solute segregations at the space charge layers of stabilized zirconia: an opportunity for ameliorating conductivity.—75-09575A
solutions,
Etching of CdTe in $K_2Cr_2O_7$-HCl-H_2O solutions.—75-06602A
Properties of hydrated salt compositions for synthesis of HTSC with Y, Ba, Cu components.—75-05820A
Synthesis of $Bi_2Sr_2CaCu_2O_x$ from aqueous solutions using pyridine.—75-05844A
Synthesis of $YBa_2Cu_3O_{7-x}$ by the fast expansion of supercritical aqueous solutions of yttrium, barium, and copper nitrates.—75-05846A
solvents,
Effect of water, acetone, or acids on Bi system superconducting films prepared by use of sol-gel method.—75-00793A
sorbents,
Nontraditional use of new inorganic ion exchangers as functionally graded sorbents.—75-02516A
Pillared metakandite clay compositions as sorbents, catalysts, and ceramic and refractory precursors.—75-01072P
sorption,
Acid-base properties of sorbents based on modified zirconium(IV) phosphates.—75-08860A
Acid-base properties of sorbents based on zirconium(IV) phosphates.—75-08861A
Experimental study of phosphorus sorption on manganese dioxide.—75-09143A
Mathematical model of the sorption of iron ions from phosphoric acid by complex-forming cation exchangers.—75-05955A
Sorption behavior of barium sulfate colloids in the system $BaCl_2$-Na_2SO_4-H_2O cation exchanger.—75-06777A
Sorption properties of NaX zeolite modified by polydimethyldiallylammonium chloride.—75-09189A
Water sorption-desorption characteristics of proton-conducting antimonic acids with cubic and monoclinic structures.—75-03863A
space charge,
Influence of ultraviolet irradiation on excitation efficiency and space charge in ZnS thin-film electroluminescent devices.—75-00517A
Space-charge-controlled diffusional creep: volume diffusion case.—75-01776A
spacecraft,
Sublimitable carbon-carbon structure for nose tip for reentry space vehicle.—75-01200P
spalling,
Progress in ladle refractories techniques at Kawasaki Steel, Mizushima Works.—75-07636A
Refractory for use in casting operations.—75-07701P
spark plug,
Spark plug having titanium diboride electrodes.—75-08849P
Spark plug insulator for use in internal combustion engine.—75-08850P
specific heat,
Low-temperature specific heat of $NdMO_3$ (M=Co, Fe, Cr, Ni): magnetic ordering of Nd.—75-05684A
Thermal conductivity and specific heat of boron carbides.—75-03934A
spectra,
^{29}Si and ^{31}P MAS-NMR spectra of Li_2S-SiS_2-Li_3PO_4 rapidly quenched glasses.—75-00175A
Absorption spectra of CuO single crystals in the region of the fundamental band and nature of the optical gap in copper oxides.—75-08858A
Absorption spectra of CuO single crystals irradiated by electrons.—75-06152A
Accumulation of weak optical signals and spectral memory in InSe(Dy) single crystals.—75-05235A
Appearance of the effects of strong electron correlations in X-ray and X-ray electron spectra of copper of high-temperature superconductors.—75-05727A
Boundary electron states in semiconducting superlattices.—75-05254A
Calculation of energy spectra of binary semiconductors doped with rare-earth elements.—75-02966A
Ceramic pigments of the brown spectrum based on galvanic slime.—75-02851A
Characterization of defects in *n*-type 6H-SiC single crystals by optical admittance spectroscopy.—75-01743A
Comparative studies of optical spectra in PbF_2 at different excitations.—75-01268A
Energy spectra of two- and three-dimensional holes with removed spin degradation (study of tellurium).—75-03020A
Energy spectrum of $Pb_{0.995-y}Sn_{0.005}Na_ySe$ deduced from optical absorption data.—75-03021A
EPR spectra of shallow donors responsible for the electron-stimulated reactions of defects in CdS crystals.—75-07878A
Experimental study of the influence of free carrier concentrations on the vibration spectra of $YBa_2Cu_3O_{7-y}$ compounds.—75-08315A
Features of the band spectra of an In_4Se_3 crystal.—75-08934A
Features of the transfer of ruthenium in the form of RuO_4 in acetate-ethanol media.—75-06230A
Ferromagnetic resonance spectra of oriented barium ferrite tapes.—75-00735A
Ir absorption spectra of impurities in 6H-SiC.—75-00529A
Luminescence spectra of highly compensated *n*-InP.—75-07959A
Nature of color center formation in corundum studied by the reflection spectra with application of synchrotron irradiation.—75-06283A
Neutron and calorimetric studies of the excitation spectra of La_2CuO_{4+y} compounds (y=0.08, 0).—75-08379A
Nonlinear optical properties of CdSe nano- and microcrystals.—75-05405A
Occupied and unoccupied orbitals of C_{60} and C_{70} probed with C 1s emission and absorption.—75-01316A
Optical characteristics of Ce_2O_3 single crystals.—75-06493A
Optical spectra of iron ions in $LiNbO_3$.—75-06294A
Peculiarities of a photoconductivity spectrum in compensated germanium.—75-03112A
Phonon spectrum of CdTe/HgTe semiconductor superlattices.—75-05421A
Photodetectors with a controlled spectrum of photosensitivity.—75-08693A
Photogeneration of sound in the system of CdS thermally insulated microcrystals in zeolite.—75-08012A
PM3 molecular orbital model of silica rings and their vibrational spectra.—75-06319A
Polaron imprints in the ir spectra of Nd_2CuO_{4-y}.—75-06321A
Properties of the $Cd_{1-x}Zn_xTe$ reflection spectra in the far-ir region of the spectrum.—75-08030A
Semiconductor depth structure reconstruction by using photoluminescence spectra.—75-03158A
Shape of the emission spectrum of electron-hole plasma in direct gap semiconductors under one-photon excitation.—75-05473A
Time-resolved and cw photoluminescence spectra of polycrystalline diamond films.—75-09098A
Transformation of thermally stimulated current [TSC] spectrum in an n^*-π-p transition with regard to electric field of a neutral part of π region.—75-05506A
Ultraviolet absorption and fluorescence spectra of cerium and the effect of glass composition.—75-07374A
Vibrational spectra of bismuth silicate glasses and hydrogen-induced reduction effects.—75-04937A
Weak binding approximation for calculating the carrier spectrum in heterostructures.—75-08712A
X-ray and photoemission spectra study of $Tl_{0.3}MoO_3$.—75-06409A
spectrometers/spectrometry,
Diagnostics of $YBa_2Cu_3O_{7-\delta}$ laser plume by time-of-flight mass spectrometry.—75-00785A
Reactivity of C_{60} in fuming sulfuric and chlorosulfonic acids.—75-01647A
spectroscopy,
Adsorption of benzene on the acidic and basic sites of KH ß-zeolites studied by in situ spectroscopy.—75-06155A
Adsorption of isobutane on H-ZSM-5 zeolite studied by ir and uv spectroscopies.—75-06156A
Applications of TXRF in submicron VLSI.—75-04295A
Atomic resolution chemical analysis at 100 kV in the scanning transmission electron microscope.—75-01792A
Capacitance spectroscopy of boron-doped silicon carbide.—75-02967A
Compositions and chemical bonding in ceramics by quantitative electron energy loss spectrometry.—75-01817A
Crevice corrosion behavior of 304 stainless steel—crevice depth effect.—75-04421A
Cryogenic scanning tunneling microscopy/spectroscopy on the (001) surfaces of $YBa_2Cu_3O_x$ epitaxial thin films.—75-00780A
Deep levels in a semiinsulating GaAs studied by the method of photoinduced admittance transient spectroscopy.—75-05272A
EELS imaging of biological materials.—75-01829A
Electron energy loss spectroscopy of mass selected ion beam deposited diamondlike carbon.—75-01841A
Energy-dispersive X-ray spectroscopic analysis in a microscopic area of a grain in YBCO ceramic superconductor.—75-03366A
EXAFS study of nanocrystalline zirconia.—75-06226A
EXELFS [extended energy loss fine structure] studies of CN_x thin films.—75-08932A
High-pressure polymorph of titania [observed] by vibrational ball milling.—75-06239A
Impedance spectroscopy of Mg-partially stabilized zirconia and cubic phase decomposition.—75-08951A
Impedance spectroscopy of undoped $BaTiO_3$ ceramics.—75-02913A
In situ OES [optical emission spectroscopy] diagnosis of the dc arc plasma jet in the synthesis of diamond.—75-08954A
Influence of activator concentration on the spectroscopic properties of radiophotoluminescent glasses.—75-02660A
Interfacial electronic structure and full spectral Hamaker constants of Si_3N_4 intergranular films from VUV and SR-VEEL spectroscopy.—75-04348A
Interpretation of the impedance spectroscopy of cement paste via computer modeling.—75-04819A

Introduction to ^{27}Al and ^{29}Si NMR spectroscopy of cements and concretes.—75-00049A
Ir Fourier spectroscopy of GaAs/AlAs heterostructures with double quantum wells.—75-07942A
Mass spectrometric study of thermodynamic properties of melts of calcium aluminates.—75-06268A
Method of determining the extent of the fracture process zone based on spectral analysis of acoustic emissions.—75-05961A
Mossbauer spectrometry study of magnesioferrite particles.—75-00751A
Nanostructures detected by conductivity spectroscopy.—75-00172A
Near-infrared spectral characteristics of Ge-doped cultured quartz crystals.—75-01894A
Photoelectric deep level relaxation spectroscopy in CdS single crystals with deviations from stoichiometry imposed during the growth process.—75-06313A
Plasmochemical precipitation of silicon nitride [SiN_xH_y] films in the SiH_4-Ar-N_2 system studied by optical emission spectroscopy.—75-06707A
Porous silicon carbide investigated by methods of vibrational and luminescence spectroscopies.—75-05441A
Proton high-resolution solid-state NMR spectroscopy using CRAMPS techniques for studies in silicate and cement science.—75-01914A
Quantitative electronic structure analysis of α-Al_2O_3 using spatially resolved valence electron energy loss spectra.—75-01915A
Shallow levels in *n*-type 6H-silicon carbide as determined by admittance spectroscopy.—75-06345A
Spatially resolved local atomic structure from EXELFS.—75-01935A
Spectrometer for studying broad dipolar magnetic transitions in magnetic materials and Hall conductivity at microwave frequency in conducting materials.—75-08703A
Spectroscopic characterization of doped sol-gel silica gels and glasses: evidence of inner sphere complexation of europium(III).—75-04928A
Structural defects in glow discharge a-Si:C:H investigated by positron annihilation spectroscopy.—75-01777A
Trace analysis of nanoscale materials by analytical electron microscopy.—75-01971A
Ultraviolet spectroscopy of gaseous species in a hot filament diamond deposition system when C_2H_2 and H_2 are the input gases.—75-06402A
Use of band-to-band illumination to determine local level parameters in the noise spectroscopy technique.—75-05988A
Use of deep level transient spectroscopy for investigation of SiC *p-n* structure parameters.—75-08092A
X-ray absorption spectroscopy study of the binary semiconductive glass PbV_2O_6.—75-04940A
X-ray photoelectron spectra of Ln 4*f* electrons and their localization on lanthanides in the oxides.—75-09107A

sphalerite,
Electrophysical properties of polycrystalline sphalerite boron nitride.—75-09142A

sphene,
FTIR, DTA, and XRD study of sphene ($CaTiSiO_5$) crystallization in a ceramic frit and a nonborate base glass.—75-06236A

spheres,
Cenospheres: from waste to profits.—75-05075A
Development of porous zirconia spheres by polymerization-induced colloid aggregation—effect of polymerization rate.—75-06570A
Optimum control of the sphere-fiber and fiber-fiber binary packing systems.—75-01037A
Preparation and characterization of sol-gel silica spheres.—75-06714A
Production of submicron glass spheres from immiscible glass phases.—75-07398A
Spherical particle preparation of Na^+ ion conductive $Na_4Zr_2Si_3O_{12}$ [NZS] by mist pyrolysis.—75-06778A

spin glass,
$LiNiO_2$: quantum liquid or concentrated spin glass.—75-03902A
Slow cooling dynamics of the Ising *p*-spin interaction spin-glass model.—75-09057A

spin,
Electron spin resonance studies of donors in bulk and thin-film B-SiC.—75-00475A
Exchange spin waves in nonuniform yttrium iron garnet films.—75-00733A
Excitation conditions for quantitative determination of quadrupolar spins with a spin-echo sequence; cancellation of spurious signals.—75-01490A
Magnetism and spin dynamics of nanoscale FeOOH particles.—75-03308A
Nonequilibrium spin and spin flux in quantum films of GaAs-type semiconductors.—75-05403A
Nuclear spin-lattice relaxation time in d-wave superconductors.—75-08388A
Quartz rotation (rate) sensor—theory of operation, construction and applications for a rotation sensor.—75-01040A
Solution spinning of high-T_c oxide superconductors: VII. The effect of polyvinyl alcohol spinning medium on the sintering of $YBa_2Cu_3O_x$ superconducting filaments.—75-08413A
Spin casting in maghemite particles.—75-03331A
Spin structures of tetragonal lamellar copper oxides.—75-06366A
Theory of spin dynamics in the metallic cuprates.—75-00887A

spinels,
AEM investigation of tetrahedrally coordinated Ti^{4+} in nickel titanate spinel.—75-01784A
Application of spinel-carbon brick in steel ladle.—75-07473A
Atomistic simulation of the surface structure of spinel.—75-06163A
Ceramic composite containing a spinel phase and an oxide phase and the preparation thereof.—75-07252P
Development of magnesia spinel slide gate plate for Ca-treated steel.—75-07521A
Discontinuous dissolution of spinel precipitates in the Al_2O_3-Fe_2O_3 system.—75-03785A
Electronic structure of the bulk and surface of spinels.—75-07727A
First observation of amorphization in single-crystal $MgAl_2O_4$ spinel.—75-03893A
Generation of electron carriers in insulating thin films of $MgIn_2O_4$ spinel by Li^+ implantation.—75-00335A
High modulus glass-ceramics containing fine grained spinel-type crystals.—75-05048P
Influence of structural order on the luminescence of oxide spinels: manganese-activated spinels.—75-01224A
Low-moisture regular corundum/spinel castables with superior properties.—75-07589A
Low-temperature synthesis of magnesium chromite spinel via suspension of $Mg_5(CO_3)_4(OH)_2{\cdot}4H_2O$ in aqueous Cr(III) solution.—75-04097A
Magnesia-spinel brick containing MgO-rich spinel for steel refining ladle.—75-07594A
Magnetic and electrical properties of new thiospinels containing Fe, Cr, and Sn.—75-05370A
Method for thermal processing alumina-enriched spinel single crystals.—75-01121P
Method of making spinel compounds.—75-08606P
Microstructure and properties of alumina-rich spinel and its products.—75-02823A
Mineral composition change in matrix of alumina-spinel castable.—75-07604A
Monte Carlo simulation of cation diffusion via vacancies in quasi-binary spinel solid solutions involving multiple types of cation-vacancy exchanges.—75-01765A
New preparative procedure for ultrafine spinel ferrites.—75-05698A
NMR spectrum of Cu^{2+} Jahn-Teller ions in ferrospinels.—75-05699A
Preparation and electrical properties of sintered $Mn_{2-x}Co_{2x}Ni_{1-x}O_4$ ($0 \le x \le 1$) spinel-type oxides.—75-01614A
Production of refractories with specified properties.—75-05120A
Relationship between crystal structure and electric properties for lithium-containing spinels.—75-01239A
Sol-gel synthesis of magnesium aluminum spinel from a heterometallic alkoxide.—75-01677A
Structure of spinel/oxide reaction fronts during spinel-forming solid-state reactions.—75-04408A
Ultrafine spinel powders by flame spray pyrolysis of a magnesium aluminum double alkoxide.—75-04265A
Wear mechanism of alumina-spinel bricks in steel ladles.—75-07693A

spinodal,
Dynamical scaling for spinodal decomposition—a small angle neutron scattering study of porous Vycor glass with fractal properties.—75-04951A
Microwave interaction with ceramics and its application to spinodal decomposition.—75-09363A

spodumene,
Controlled phase transformations by glass particle size in spodumene and cordierite glass-ceramics.—75-04888A

spray drying,
Cogeneration installations on clay spray dryers.—75-00946A
Dorst America Inc.—75-04701A
Machine versatility from A to Z.—75-00958A
Organic additive systems for spray drying and dry pressing silicon nitride.—75-04129A
Spray drying.—75-06780A
Uniaxial pressing of spray-dried alumina agglomerates.—75-01736A

spray pyrolysis,
Aerosol synthesis of spherical PbO particles.—75-06535A
Characteristics and formation mechanism of $BaTiO_3$ powders prepared by twin-fluid and ultrasonic spray pyrolysis methods.—75-03963A
Deposition of $PbTiO_3$ film by the spray-ICP technique.—75-06567A
Effect of starting materials on the preparation of spherical Pd powders by ultrasonic spray pyrolysis.—75-09284A
Effects of deposition variables on the spray pyrolysis of ZnO thin film.—75-06591A
Effects of starting materials on properties of hydroxyapatite powders prepared by spray pyrolysis technique.—75-09297A
Formation mechanism of fine $BaTiO_3$ powder from spray pyrolysis.—75-01507A
Humidity-sensitive characteristics of SnO_2-Fe_2O_3 thin films prepared by spray pyrolysis.—75-06474A
Oriented growth of tin oxide thin films on glass substrates by spray pyrolysis of organotin compounds.—75-09373A
Preparation and characterization of fine Y-ZrO_2 powders by spray pyrolysis.—75-04147A
Preparation and characterization of PZT submicron powders using a spray pyrolysis process.—75-01613A
Preparation and characterization of SnO_2 thin films deposited by spray pyrolysis from $SnCl_2$ and $SnCl_4$ precursors.—75-04148A
Preparation and characterization of spray-pyrolyzed $BaTiO_3$ films.—75-06715A
Preparation of fine particles of ZnS-CdS solid solution by spray pyrolysis.—75-09394A
Size dependence of properties of superconducting Bi-Ca-Sr-Cu-O fine particles prepared by a spray pyrolysis method.—75-03403A
Special $AgNO_3$-induced formation of $YBa_2Cu_4O_8$ thin films through spray pyrolysis.—75-08414A
Synthesis of spherical B-silicon carbide particles by ultrasonic spray pyrolysis.—75-06817A
Ultrafine spinel powders by flame spray pyrolysis of a magnesium aluminum double alkoxide.—75-04265A
Visualization of atmospheric pressure chemical vapor deposition and powder spray pyrolysis by laser light scattering.—75-03604A

spraying,
Characterization of sprayed CdO thin films.—75-06867A
Comparison of structures and properties between spray and conventional cast Pn-Sn alloys.—75-03874A
Extracting aerograph overspray.—75-02471A
Modeling of droplet velocity during spray deposition process.—75-03582A
Spraying of zirconium diboride powder by an electrical column explosive technique and its mechanism.—75-01680A
Tribological properties of sprayed films for high-temperature seals.—75-02557A

sputtering,
Collisional versus electronic sputtering of SiO_2.—75-03972A
Direct current magnetron sputtered In_2O_3 films as tunnel barriers.—75-05183A
Experimental evidence of resputtering of the yttria layer in a $YBa_2Cu_3O_{7-x}/Y_2O_3/YBa_2Cu_3O_{7-x}$ trilayer film.—75-00802A
Formation of stress reduced silicon oxide films by Ar/H_2 sputtering method.—75-06620A
In situ growth of Y-Ba-Cu-O films by ion beam sputtering.—75-05777A
Indium nitride thin films prepared by radio-frequency reactive sputtering.—75-01538A
Influence of sputtering parameters and substrates on ZnO thin-film structure.—75-04083A
Ion-beam-assisted sputtered carbon nitride films.—75-09347A
Method of manufacturing an ITO sintered body.—75-01125P
Radio-frequency sputtering and the deposition of high-temperature superconductors.—75-03395A
Soft laser sputtering of InP(100) surface.—75-00597A
Sputter deposition of cubic boron nitride films.—75-09449A
Sputter deposition of ferroelectric $PbTiO_3$ thin films on MgO(100) substrates.—75-00700A
Sputtering apparatus for making high-temperature superconducting oxide films.—75-03438P
Surface morphology of rf-sputtered bismuth titanate thin films.—75-06382A
TeSe films by TeSe-SeF_6/Ar reactive sputtering for ablative optical recording.—75-05501A

stability,
Aging phenomenon of stabilized bismuth oxides.—75-06861A
Application of the quasi-paraboloidal regulations of intermediate compounds in ceramic ternary systems.—75-08871A
Characteristics of SiC of voltage stabilizers for the 20–300°C temperature range.—75-07803A
Colored glass crumb for finishing.—75-02577A
Development of a vitrification process to solidify Savannah River M Area waste.—75-03456A
Dielectric properties of stable and metastable WO_3 ceramics depending on temperature and γ-irradiation dose.—75-09127A
Effects of high oxygen pressures and temperatures on the stability of the three superconducting Y-Ba-Cu-O compounds.—75-00794A
Effects of lanthanum modification on the antiferroelectric-ferroelectric stability of high-zirconium-content lead zirconate titanate.—75-00654A
Effects of particle size distribution and extrusion rate on the dimensional stability of extruded alumina rods.—75-04017A
Enthalpy stabilization of some perovskite-like oxides.—75-09300A
Formation of Na α''- and σ''-SiAlON.—75-06617A
Glass-forming ability and glass stability in simple systems.—75-05016A
High-temperature chemical stability of plasma-sprayed $Ca_{0.5}Sr_{0.5}Zr_4P_6O_{24}$ [CS50] coatings on Nicalon/SiC ceramic matrix composite and Ni-based superalloy substrates.—75-09148A
High-temperature stability of Nicalon under Ar or O_2 atmosphere.—75-06470A
Influence of the stability of zircon suspensions on direct slurry-ICP chemical analysis.—75-01873A
Interfacial microstructure and stability of BN-coated Nicalon fiber/glass-ceramic matrix composites.—75-04349A
Interfacial stability, oxidation response, and mechanical properties of a Nicalon fiber-reinforced chemical bonded ceramic matrix composite.—75-06479A
New "incipient-wetness" method for the synthesis of chemically stabilized B-cristobalite.—75-03527A
Novel metallization scheme for diamond.—75-07223A
Phase stability and microstructure of some sol-gel-derived anorthite-based hybrid materials.—75-04135A
Production of stabilized and nonstabilized ZrO_2 by carbothermic reduction of $ZrSiO_4$.—75-06751A
Properties of slips of zirconia stabilized by oxides of rare-earth metals.—75-05122A
Reactions occurring in post-heat-treated α/B-SiAlONs: on the thermal stability of α-SiAlON.—75-09048A
Refractories for high-alkali environments.—75-00272A
Size-effect stabilization of the low-*T* ferroelectric phase in nanocrystalline WO_3.—75-00697A
Stability of chemically bound complexes of S with group IB elements in Si.—75-08062A
Stability of cubic ZrO_2 (10 mol% Y_2O_3) when alloyed with NiO, Al_2O_3, or TiO_2: implications to solid electrolytes and cermets.—75-06781A
Stability of dc and rf SQUIDs in static ambient fields.—75-08416A
Stability of $MoSi_2$ films in vacuum and oxidizing atmospheres.—75-03927A
Stability of the potentials of glassy electrodes and their asymmetric potential.—75-04995A

Stability of $ZrSiO_4$-SiO_2-ZrO_2 assemblage in carbonate solutions at temperatures of 200–400°C and pressure of 1 kbar.—75-08766A
Stabilization of the high-T_c phase in the $Bi_{1.6}Pb_{0.3}M_{0.1}Sr_2Ca_2Cu_3O_x$ (M=W,Mo) superconducting system.—75-03404A
Stable phases in the MgO-Nb_2O_5 system at 1250°C.—75-06368A
Structural stability and crystallization studies of metastable sputtered W-Ni-C films.—75-03843A
Synthesis of stable PZT sol using chelating agent and preparation of its thin film.—75-01719A
Temperature stability of rare-earth-doped α-SiAlON ceramics.—75-03848A
Temperature stability of resonant frequency of filtered materials produced by different production process methods.—75-05649A
Temperature stability of samarium-doped α-SiAlON ceramics.—75-09084A
Thermal stability and pozzolanic activity of calcined kaolin.—75-03937A
Thermal stability of PZT piezoceramics.—75-08176A
Thermal stability of synthetic hydroxyapatites.—75-01096A
Thermal stability of Y-α′-SiAlON at high temperature.—75-03939A
Thermally stable metallizations on polycrystalline diamond films.—75-07234A
Thermodynamic stability of binary oxides in contact with silicon.—75-03856A
Thermodynamics of the Si-O-N system: II, Stability of $Si_2N_2O(s)$ by high-temperature mass spectrometric vaporization.—75-03858A
YBCO thin film formation near the stability line by resistive evaporation of BaF_2, Cu, and Y.—75-00898A
Yttria-stabilized zirconia: I, Thermal stability of B_2O_3-Al_2O_3-SiO_2 added Y-TZP.—75-06534A

stabilization,
$CeO_{1.5}$-stabilized tetragonal ZrO_2.—75-06175A
Electron diffraction and microscope studies of zirconium oxides stabilized by several metal oxides.—75-06217A
Role of oxoanions in the stabilization of tetragonal zirconia.—75-06344A
Stabilization of aluminum titanate.—75-06782A

stacking faults,
Faults of ZnO crystal in ZnO varistor.—75-00490A
Stacking fault energy calculations in 6H- and 15R-SiC.—75-00601A
Stacking fault structures in melt-processed $YBa_2Cu_3O_{7-\delta}$ superconductors.—75-03405A
Stacking faults in β-SiC formed during carbothermal reduction of SiO_2.—75-06369A

standards,
Advancement for ISO 9000 registration.—75-09701A
Aspects of changeover to new standards.—75-07135A
Chemical standardization of the surface of diamond.—75-08880A
Development of ASTM standards for bioceramics.—75-02125A
Eco-audit order and development of environmental management systems.—75-07067A
European standardization with reference to masonry construction.—75-07071A
Evolving role of engineered barriers in disposing of commercial high-level radioactive waste.—75-03465A
Factors influencing the cold crushing strength and modulus of rupture of refractories.—75-00261A
From quality control to quality management.—75-07075A
Hands-on guide for controlling quality of raw materials.—75-09718A
International standards for lead and cadmium release from ceramic foodware surfaces.—75-04714A
International standards in fine ceramics ISO/TC 206.—75-07084A
ISO 9000—why many companies get it wrong.—75-04715A
Issues related to the standardization of implantable ceramics.—75-07085A
Necessity for establishment of international standards for powders.—75-07088A
New Australian and New Zealand specifications and standard methods of tests for masonry units and segmental pavers.—75-00246A
New items in the standardization of concrete.—75-07170A
Overview of ASTM standard activities in support of advanced structural ceramics development.—75-07091A
Present circumstances of international standardization activities on flexural strength.—75-09730A
Standardization of heat-engineering properties of ceramic wall materials.—75-07455A
Standardization of refractories in Russia and Germany.—75-05143A
Standardized guidelines for fractography of advanced ceramics—a view from Europe.—75-04629A
Test methods for porcelain enamel—a report on ASTM committee activities.—75-00141A

stannates,
Cd_2SnO_4 thick layers prepared by the squeezing and sintering technique.—75-06543A
Effect of compositional variations in the lead lanthanum zirconate stannate titanate system on electrical properties.—75-08129A
Preparation and characterization of strontium stannate.—75-06716A
Properties of Cd_2SnO_4 conducting powder for ohmic contacts.—75-02934A

statistical process control,
Designing aluminum sealing glasses for manufacturability.—75-00211A
Experimental design and neural networks in ceramic processing.—75-01491A
Rapid prototyping applied to industrial design of ceramic processing in a fluidized bed.—75-00251A
SPC improves production at Consumers Glass[, Toronto, Canada].—75-02743A

statistics,
Ball posts 30% earnings increase for quarter.—75-02701A
Ceramics enrollment continues decline.—75-02116A
Creative learning and training towards competence.—75-02122A
Engineering's future: more complex, but more interesting.—75-07069A
Great Britain, waiting for consumption to take off.—75-02776A
Italy—turnover of ceramic tile producers.—75-02781A
Statistical criterion of characterization on failure and damage of ceramic materials after thermal shock.—75-04631A
Statistical representation of the excess conductivity in a Bi-Sr-Ca-Cu-O superconductor.—75-08418A
Statistics from the Yearbook of Iron and Steel Industry of China in 1993.—75-02839A

steatite,
Steatite diary: II, Technical ceramics—the World War II years.—75-04753A
Steatite Diary: III, Technical ceramics: the years after World War II.—75-04754A

steel,
Aging embrittlement and microstructure observation in a CF8 duplex stainless steel aged at 400°C.—75-03274A
Applied technology of roller of stainless steel, fiber-reinforced castable.—75-07476A
Beam reinforcement ratio effect on column capacity and behavior in braced frames.—75-00025A
Coloring of SUS304 stainless steel by current pulse method and characteristic properties of the colored film.—75-03974A
Continuous casting refractories with special reference to RSP [Rourkela Steel Plant, India] modernization.—75-07493A
Crevice corrosion behavior of 304 stainless steel—crevice depth effect.—75-04421A
Direct observation of diffraction arcs from nanoscale precipitates in steels by highly brilliant and focused synchrotron radiation beam and imaging plate.—75-01824A
Effect of austenitizing temperature on the hardening of oil quench tool steels.—75-04492A
Effect of short-time high-temperature annealing on kinetics of carbidic reactions in 2.7Cr-0.6Mo-0.3V [wt%] steel.—75-02817A
Effects of interlayers on the bending strength of silicon nitride/stainless steel joints.—75-07207A
Hot-rolled steels for porcelain enameling.—75-00101A
Investigation on the mechanism of bonding Si_3N_4 to 40Cr steel by vacuum brazing.—75-02498A
Measurement of surface roughness parameters for cold-rolled steel sheet using lasers.—75-08683A
Mechanical properties of laser welded T-300 maraging steel.—75-04592A
Physical metallurgy of mechanically alloyed oxide dispersion strengthened MA956 and MA957 stainless steels: I, Recrystallization mechanism.—75-02521A
Physical metallurgy of mechanically alloyed oxide dispersion strengthened MA956 and MA957 stainless steels: II, Grain control.—75-02522A
Reactivity of submerged entry nozzle to molten steel: II.—75-05126A
Recent development of brazing technology for Si_3N_4 to 40Cr steel.—75-02538A
Reproducibility of the contact angle of enamel on steel substrate.—75-02539A
Saving money by proper handling of steel.—75-00131A
Superplastic forming of Superdux 64 stainless steel.—75-04229A
Trends in steel plant refractories—present and future.—75-07685A
Use of sulfates in eliminating loose oxides on the unenameled steel surface.—75-00146A

steelmaking,
Application and development of unshaped refractories in iron and steel industry [in China].—75-07468A
Improvement in refractory of top and bottom blowing converter (K-BOP) at Chiba No. 1 steelmaking shop.—75-07573A
Method to prevent molten steel from penetrating into purging plug.—75-07599A
Optimization of refractories of steel ladles with regard to process conditions at Sollac Dunkirk and Florange.—75-07621A
Reduction of fluorspar consumption in secondary steelmaking.—75-02832A
Refractories for future steelmaking—global scenario and trend in India.—75-07650A
Refractories selection for stainless steelmaking process.—75-07651A
Selection of castables used in iron and steel production.—75-07656A
Significance of fused refractory raw materials in the high-performance refractories.—75-07657A
Technical analysis of the refractory products behavior in the iron and steel process conditions—results in the French steel industry 1985-1995: prospects.—75-09738A
Unidirectional purging system in secondary steelmaking.—75-07687A

stength,
Strength, hardness, and microstructure of 2Y PSZ-Al_2O_3 composites prepared from commercial powders.—75-07037A

stiffness,
Exchange stiffness of Ca-doped YIG.—75-00734A
New criterion for measurement of stiffness constants c_{44}, c_{55}, c_{66}, and c_{33} of lithium niobate and quartz.—75-03813A
Stiffness and strength of transformation toughening ceramics with misoriented microcracks.—75-07032A

stoichiometry,
Effect of lead stoichiometry on the optimum sintering profile of PZT ceramics.—75-01456A
Local stoichiometry measurement of Y-Ba-Cu-O thin layers grown by metallorganic chemical vapor deposition.—75-00817A
Nonstoichiometric Cr_2O_3 raw material for photoconducting system A_2B_6—a-Cr_2O_3.—75-00553A
Stoichiometry dependence of oxygen anelastic relaxation in $YBa_2Cu_3O_{7-\delta}$ and the orthorhombic-to-tetragonal phase transition.—75-03406A

stones,
Cevisama '94.—75-02759A
Int'l Tile and Stone Exposition '94.—75-02780A
Potential applications for natural stone dusts and stands for brickmaking.—75-00249A

stoneware,
9th San Angelo Competition.—75-02184A
Alabama's Monarch National.—75-02185A
Bill Grace: marks of process.—75-07119A
Chris Carter.—75-02217A
David MacDonald.—75-07121A
Desert light.—75-02233A
Echizen stoneware—800 years of Japanese tradition.—75-02239A
Eduardo Andaluz.—75-02241A
Form and function in Baltimore.—75-02253A
Increasing the strength of stoneware floor tiles.—75-05063A
Jean-Luc Mas.—75-07127A
Jindra Vikova.—75-02276A
Ken Eastman.—75-02281A
Marian Baker.—75-04799A
Mirek Oliva.—75-02299A
Painting with fire.—75-02320A
Slumping earthenware in a sodium vapor atmosphere.—75-00294A
Starting over.—75-02361A
Their own voices.—75-02370A
Tribute to the sentinels.—75-04803A
Virginia Clay.—75-07133A
Vitrified ceramic stoneware tiles.—75-05070A

storage,
Ceramic substrates and magnetic data storage components prepared therefrom.—75-08253P
Gypsum handling.—75-02778A
New technologies in storage plants using AGV's [automated wire-guided vehicles].—75-00972A
Storage handling of ceramic products by means of AGVs [automatic guided vehicles].—75-04755A
The 70's: from selection of alternative waste forms to evaluation of storage system variables.—75-03501A

strain,
Assessment of residual strains in mullite/zirconia-toughened alumina composites using X-ray diffraction.—75-06942A
Boron-doped polycrystalline diamond films for strain-sensing applications.—75-08796A
Calculation of strained states in surface structures of arbitrary system from the data of a double-crystal X-ray diffractometry.—75-06944A
Ferroelastic properties of lead zirconate titanate ceramics.—75-08142A
Fiber deformation and residual strain in silicon carbide fiber-reinforced glass composites.—75-02052A
Impurity doping effect on piezoelectricity and strain induced by electric field in piezoelectric ceramics.—75-08148A
Influence of elastic strain on crystallization of epitaxial layers of semiconducting solid solutions.—75-05345A
Measurement and analysis of the *p(u)* curve giving the bridging tractions vs crack opening displacement in fiber-reinforced ceramic matrix composites.—75-04583A
Model of the nonlinear stress-strain behavior of a 2D-SiC/SiC ceramic matrix composite (CMC).—75-04604A
Modeling of the stress-strain behavior during monotonic and cyclic tensile testing of unidirectional SiC fiber-reinforced BMAS glass-ceramic composites.—75-02669A
Numerical simulation of the nonlinear stress-strain behavior of SiC/SiC composites.—75-04612A
Residual strains and stresses in mullite/zirconia-toughened alumina (ZTA) composites.—75-02089A
Sources of strain-measurement error in flag-based extensometry.—75-03597A
Strain and domain evolution in $YBa_2Cu_3O_x$.—75-03407A
Strain effects in epitaxial GaN grown on AlN-buffered Si(111).—75-00602A
Strain effects in high-purity InP epilayers grown on slightly mismatched substrates.—75-05482A
Strain fields and damage around notches in ceramic matrix composites.—75-02098A
Strain-induced electrically active stoichiometric defects in $InAs_xP_{1-x}$ deposited onto (100)InP by gas source molecular beam epitaxy.—75-00603A
Stress and strain relaxation behavior in HIPed silicon nitrides.—75-07038A
Stresses developed in reaction-bonded ceramics.—75-04640A
Surface defects and local strain in polished silicon [characterized] by transmission electron microscopy.—75-09578A
Use of laser Raman microprobe spectroscopy for investigating residual surface strain in selected ceramics.—75-03602A

strength,
Accelerated OPC performance in high early-strength concrete.—75-00023A
AlN-BN machinable ceramics.—75-02022A
Alumina-based castables with very low contents of hydraulic compound: II, Strength and high-temperature reactions of no-cement castables with hydraulic alumina and microsilica.—75-07465A
Aluminosilicate air-hardening mortar solutions with elevated strength.—75-07466A

Analyzing glass strength data using the distribution of flaw depth.—75-00178A
Boron carbide cermet structural materials with high flexure strength at elevated temperatures.—75-07243P
Chemical vapor infiltration.—75-06550A
Comparison of pressure compaction and diametral compression tests for determining granule strengths.—75-04461A
Compatibility of pitch-based carbon fibers with aluminum for the improvement of aluminum-matrix composites.—75-06555A
Compositions for strengthening porcelain bodies in alumina-feldspar-kaolin system.—75-00282A
Correlation of the mechanical to the thermomechanical strength of ceramic packages.—75-04468A
Crystallization of TiO_2-doped glass-ceramic in the system MgO-CaO-SiO_2-P_2O_5.—75-00210A
Damage tolerance of high-temperature composite systems.—75-04484A
Degradation of the strength of glass after light contact with other materials.—75-02641A
Density dependence of bending strength and Vickers hardness of mullite-silica and zirconia ceramics.—75-09613A
Determination of weak surface layer thickness of sintered Si_3N_4.—75-08655A
Determining brick strength during examination of stone structures.—75-07443A
Development and investigation of HAp-based bone graft materials.—75-06066A
Development of high-performance silicon nitride ceramics and their applications.—75-03695A
Discriminating between volume and surface integral theories for brittle materials.—75-04488A
Effect of bond composition on the strength of partially bonded vitrified ceramic abrasives.—75-06962A
Effect of interfacial shear strength on crack-fiber interaction behavior in ceramic matrix composites.—75-02039A
Effect of internal stress on the strength of PZT ceramics.—75-08131A
Effect of quartz addition on mechanical strength of porcelain bodies prepared from pottery stone.—75-00285A
Effect of SiC on the mechanical properties of 3Y-TZP/SiC composites.—75-06968A
Effects of interlayers on the bending strength of silicon nitride/stainless steel joints.—75-07207A
Effects of post-hot isostatic pressing on the strength of NiAl-ZrO_2 composites.—75-06972A
Enhanced mechanical properties by grain boundary strengthening in ultrafine-grained TZP ceramics.—75-09630A
Enhancing the strength of bioceramics.—75-06973A
Evaluation of strength, toughness, and subcritical crack extension of a commercial HP-Si_3N_4 exposed to a sulfidizing environment.—75-06975A
Fatigue life prediction of structural ceramics.—75-04527A
Grain bridging mechanism and *R*-curve behavior for in situ reinforced ceramics.—75-04329A
Grain size distributions and strength variability of high-purity alumina.—75-02055A
Grindability of various silicon nitride ceramics.—75-09321A
High-strength aluminum nitride fibers and composites and processes for the preparation thereof.—75-08829P
High-temperature strength of C/C and C/C-SiC composites under shear loading.—75-04558A
High-temperature strength of melt-infiltrated SiC-Mo$(Al,Si)_2$ composites.—75-02063A
High-temperature strength properties of some oxide and nonoxide composites.—75-07568A
Hydration and strength of high-performance concrete.—75-04818A
Hydraulicity and high-temperature strength behavior of high-alumina cement in relation to synthetically prepared refractory aggregates.—75-07571A
Improvement of the transverse strength properties of lightweight verticle coring clay bricks and blocks by optimization of the web geometry.—75-05062A
In situ electron microscopy studies of the behavior of metal particles on ceramic substrates.—75-04342A
Increasing the strength of stoneware floor tiles.—75-05063A
Influence of grain size, free silicon content, and temperature on the strength and toughness of reaction-bonded silicon carbide.—75-04566A
Lithium borate glasses: a quantitative study of strength and fragility.—75-04977A
Measurement and modeling of strength distributions associated with grinding damage.—75-00964A
Measurement of bending strength using specimens cut from commercially produced high-strength porcelains.—75-08680A
Mechanical properties and modeling of high-performance ceramic matrix composites.—75-04590A
Mechanical strength increase of abraded silica glass by high pressure water vapor treatment.—75-04980A
Method of increasing strength of porous ceramic brick.—75-07449A
Microstructural instability and the resultant strength of Si-C-O (Nicalon) and Si-N-C-O (HPZ) fibers.—75-09558A
Optical oscillator strengths and quantum mechanics matrix elements of WO_3 polycrystalline thin films.—75-04613A
Origin of strength-limiting defects in a toughened SiC (HEXOLOY SX-SiC).—75-04614A
Passivation and strengthening of mold parts for molding ceramic plates.—75-09374A
Performance testing and strength prediction of ceramic-to-metal joints.—75-04863A
Polymeric binders for enhancing green strength of pressed ceramics.—75-08613P
Precision grinding of advanced ceramics using superabrasives with glass bond.—75-00978A
Preparation of high-strength calcium phosphate ceramics with low modulus of elasticity containing ß-Ca$(PO_3)_2$ fibers.—75-06073A
Proof testing and subsequent fatigue characteristics in ceramics.—75-02087A
Prospects of strengthening thin and superthin glasses.—75-07399A
Recent advances in the development of ceramic stationary components for automotive CGT [ceramic gas turbine].—75-09732A
Researching and appling of high-strength concrete in building engineering in Beijing.—75-00067A
Shear strength of shock-loaded brittle solids.—75-02094A
Single-fiber pullout method for evaluating interfacial strength in CFRP [carbon fiber-reinforced plastic composite].—75-08702A
Stiffness and strength of transformation toughening ceramics with misoriented microcracks.—75-07032A
Strength and crack growth behavior of sintered silicon nitride in cyclic fatigue.—75-02099A
Strength and microstructure of cast gypsum.—75-07187A
Strength and microstructure of silicon nitride ceramics brazed with nickel-chromium-silicon alloys.—75-02546A
Strength characteristics of laminated glass.—75-00201A
Strength distribution in toughened ceramics exhibiting *R*-curve behavior.—75-04633A
Strength distribution of Carborundum polycrystalline SiC fibers as derived from the single-fiber composite test.—75-06783A
Strength formation in lightweight concrete and the mechanism of its deformation and failure.—75-07188A
Strength of fiber-reinforced ceramics on the basis of a micromechanical analysis.—75-07034A
Strength of hot salt corroded structural ceramics.—75-04634A
Strength recovery of ball impacted ceramics by heat treatment.—75-04635A
Strength variability and size effect of Nicalon fiber bundles.—75-07035A
Strength–grain size behavior of ZrO_2 at room temperature.—75-07036A
Strong and safe brittle ceramics—materials aspects of design with structural ceramics.—75-09677A
Thermodynamic aspects of binder system strength.—75-07193A
Toughness and strength of ceramic materials in regard to industrial applications.—75-02106A

strengthening,
Conditions to obtain reliable high-strength alumina via centrifugal casting.—75-01410A
High-performance of α´-ß´-SiAlON ceramics.—75-04337A
Method of strengthening glass.—75-05050P
Strengthening and toughening of Cr_3C_2-reinforced Al_2O_3.—75-01684A
Toughening and strengthening of ceramic materials through discontinuous reinforcement.—75-07050A

stress,
15*R*→3*C* stress-induced transformation in SiC.—75-01203A
Applications of finite element techniques in advanced ceramics.—75-05935A
Birefringence of cadmium telluride at 77 K induced by uniaxial stress.—75-07792A
Calculation of properties and stresses in glass layers modified by ion exchange: II, Relaxation of properties of thin layers of glass after rapid changes in its composition.—75-07326A
Calculations of internal stresses during sintering in two dimensions.—75-05938A
CBED procedure for determining local residual stresses from nanoscale areas in cermets.—75-01799A
Ceramic base and metallic member assembly.—75-07250P
Characterization of residual stresses in graded ceramic-metal structures: a comparison of diffraction experiments and FEM calculations.—75-02444A
Compressive properties of yttrium oxide.—75-04464A
Crack growth in elastically damaged materials.—75-06949A
Cracking of laminates subjected to biaxial tensile stresses.—75-06953A
Design and experimental investigation of ceramic combustion chamber in diesel engines.—75-03516A
Effect of graded interlayer in a ceramic-metal joint on stress distribution and failure probability.—75-02457A
Effect of internal stress on the strength of PZT ceramics.—75-08131A
Effect of stress and temperature of ferroelastic domain switching of partially stabilized zirconia pseudosingle crystals.—75-08132A
Effect of stress on the phase distribution during superplastic deformation of an alumina-zirconia composite.—75-04502A
Effect of stress on water diffusion in silica glass at various temperatures.—75-06584A
Effects of poly(vinyl alcohol) on fiber cement interfaces: I, Bond stress–slip response.—75-02403A
Elastic behavior of fibrous ceramic matrix composites at high temperature under tensile stress.—75-03887A
Evolution of internal stresses in composites during creep.—75-04516A
Experimental and theoretical investigation of the residual stress distribution in brazed ceramic steel components.—75-02468A
Experimental determination of the stress field in fiber/matrix interphases of microcomposites.—75-04519A
Fatigue crack growth mechanisms in ceramics.—75-02050A
FEM residual stress analysis and mechanical properties of silicon nitride/stainless steel joint with multiinterlayer.—75-07212A
Fundamental problems in the grinding of ceramic materials.—75-01023A
Grain-size-dependent residual microstresses in submicron Al_2O_3 and ZrO_2.—75-09640A
Growth of aluminum nitride thin films on Si(111) and Si(001): structural characteristics and development of intrinsic stresses.—75-06881A
Influence of elastic anisotropy on stress concentrations around holes and notches in 2-D woven ceramic matrix composites.—75-04564A
Influence of interfacial sliding stress on fatigue behavior of oxidized Nicalon/calcium aluminosilicate composites.—75-09645A
Influence of residual stresses on the mechanical properties of a layered ceramic composite.—75-09646A
Influence of residual stresses, interface roughness, and fiber coatings on interfacial properties in ceramic composites.—75-01544A
Interfacial debonding and fiber pullout stresses: V, A methodology for evaluation of interfacial properties.—75-05952A
Internal stresses in semiinsulating gallium arsenide single crystals.—75-05354A
Internal stresses in silicon nitride and their influence on mechanical behavior.—75-04574A
Lifetime prediction for ceramics under dynamic loading at high temperatures.—75-04577A
Machining-induced surface residual stress behavior in Al_2O_3-SiC nanocomposites.—75-07000A
Measurement and analysis of the $p(u)$ curve giving the bridging tractions vs crack opening displacement in fiber-reinforced ceramic matrix composites.—75-04583A
Mechanisms of oxygen gettering in silicon wafers having nonuniform distribution of mechanical stresses.—75-05378A
Micro-Raman analysis of stress state in diamond thin films.—75-08984A
Model of the nonlinear stress-strain behavior of a 2D-SiC/SiC ceramic matrix composite (CMC).—75-04604A
Modeling of the stress-strain behavior during monotonic and cyclic tensile testing of unidirectional SiC fiber-reinforced BMAS glass-ceramic composites.—75-02669A
Modeling the development and relaxation of stresses in films.—75-07015A
New method for measurement of powder characteristics based on reentrainment phenomena.—75-05966A
Nonaxisymmetric residual stress distribution in axisymmetric glass articles.—75-07356A
Numerical simulation of the nonlinear stress-strain behavior of SiC/SiC composites.—75-04612A
Polarization spectroscopy of luminescent excitation as a method for controlling elastic stresses in epitaxial GaAs layers.—75-08694A
Polarized cathodoluminescence study of stress for GaAs grown selectively on patterned Si(100).—75-00575A
Prediction of failure in tiling systems.—75-00250A
Prediction of the fiber-matrix interface failure due to longitudinal tensile loading using finite element methods.—75-03590A
Quantitative analysis of closure stress-crack separation curve in grain bridge toughening of polycrystalline ceramics.—75-07026A
Radiative recombination transitions via the states of bound and free excitons in a uniaxially stressed cadmium telluride.—75-03146A
Residual stress and Raman spectra of laser-deposited highly tetrahedral-coordinated amorphous carbon films.—75-01649A
Residual stress in CrNi/ZrO_2 graded materials, numerical modeling, and X-ray measurements.—75-02540A
Residual stress measurement in thermal-sprayed hydroxyapatite coatings.—75-04621A
Residual stresses and apparent strengthening in ceramic matrix nanocomposites.—75-09422A
Residual stresses in joined ceramic-metal structures—FEM studies of interlayer and creep effects.—75-02541A
Residual stresses in unidirectional composites with closely spaced fibers.—75-02090A
Residual thermal stresses in multilayer electronic ceramic devices.—75-00130A
S-curve behavior and temperature increase of ceramic matrix composites during fatigue testing.—75-04623A
Shear modulus and yield stress measurements of attractive alumina particle networks in aqueous slurries.—75-09668A
Stress analysis by finite element methods of silicon nitride bonded to a titanium substrate.—75-00136A
Stress analysis near the interfacial reaction layer in SiC_f/6063 aluminum composites.—75-02547A
Stress analysis of elastic-plastic contact damage in ceramic coatings on metal substrates.—75-09673A
Stress analysis of functionally gradient materials based on a heterogenization procedure.—75-04636A
Stress analysis of Si_3N_4 swirl chamber during thermal fatigue test.—75-09674A
Stress and strain relaxation behavior in HIPed silicon nitrides.—75-07038A
Stress concentration reduction in a plate with a hole using piezoceramic layers.—75-03261A
Stress dependence of the Raman spectrum of ß-silicon nitride.—75-04637A
Stress in ceramic films and coatings.—75-07039A
Stress redistribution around a ceramic/metal interface.—75-00137A
Stress relaxation study of aluminum/polymide bilayer thin films on substrate.—75-04638A
Stress rupture in tension and flexure of an SiC whisker-reinforced silicon nitride composite at elevated temperatures.—75-09675A
Stress transfer from axially loaded fiber to matrix in a microcomposite.—75-04639A
Stress-rupture-resistant sintered silicon nitride.—75-08851P
Stresses developed in reaction-bonded ceramics.—75-04640A
Temperature and stress issues in devices with diamond substrates during manufacturing and operation.—75-08077A
Thermal stress analysis of ceramic thermal barrier coatings under loading.—75-04652A
Thermal stress in diamond films.—75-09682A

Thermal stresses in tightly jacketed double-coated optical fibers at low temperature.—75-00204A
Thermoviscoelastic theory of freezing of stress and strain in a symmetrically cooled infinite glass plate.—75-02695A
Threshold stress intensity factor in soda-lime-silicate glass by interrupted static fatigue test.—75-07373A
Threshold stress intensity for oxidative crack healing in sintered silicon nitride.—75-06937A
Twinning-induced stress and electric field concentrations in ferroelectric ceramics.—75-00709A
Viability of oxide fiber coatings in ceramic composites for accommodation of misfit stresses.—75-04662A
Ways of heightening the figure-of-merit of semiconductor thermoelectrics.—75-03200A
Wear resistance of alumina-based ceramics.—75-02108A
Yield stress of alumina-zirconia suspensions.—75-09699A

strontium barium niobate,
Anisotropic glasslike characteristics of strontium barium niobate relaxors.—75-00638A
Formation mechanism of strontium barium niobate ceramic powders.—75-06612A
Synthesis and phase transition of ferroelectric $Sr_{0.2}Ba_{0.8}Nb_2O_6$ with V_2O_5 addition [1 mol%].—75-08174A
Synthesis of strontium barium niobate thin films through metal alkoxide.—75-05647A

strontium oxide,
Abrasive grain comprising calcium oxide and/or strontium oxide.—75-07113P
Crystal structure and ionic conductivity of high-bismuth beta solid solution in Bi_2O_3-SrO-CaO system.—75-01209A
Determination of phase diagram cuts in the $BiO_{1.5}$-SrO-CaO-CuO system.—75-08287A
Electrical conduction of glasses in the system Fe_2O_3-SrO-TeO_2.—75-07334A
Nd_2O_3-SrO-CuO system: compounds and phase relations.—75-03812A
Phase equilibria in the CaO-SrO-CuO system (≥70 mol% CuO).—75-06303A
Phase equilibria of the SrO-CaO-CuO system at 950°C in 1 atm of oxygen and at 10 kbar.—75-01234A
Structure change in strontium oxide-doped dicalcium silicates.—75-09069A
Thermal hysteresis for the $\alpha' _L \leftrightarrow \beta$ transformations in strontium oxide-doped dicalcium silicates.—75-09087A

strontium titanate,
Atmosphere control of interface migration and its effect on dielectric property of CuO-infiltrated strontium titanate.—75-02892A
Ceramic ferroelectric composite material—BSTO-ZrO_2.—75-08177P
Characterization of $Ba_{0.5}Sr_{0.5}TiO_3$ [BSTO] thin-film capacitors produced by pulsed laser deposition.—75-05178A
Characterization of doped BST thin films prepared by a modified sol-gel method.—75-05539A
Conduction mechanism of $SrTiO_3$ thin films by rf sputtering.—75-00641A
Control of electrical conductivity in laser-deposited $SrTiO_3$ thin films with Nb doping.—75-00305A
Dc electric field effect on the microwave properties of $YBa_2Cu_3O_7$/$SrTiO_3$ layered structures.—75-00783A
Dielectric hysteresis in multilayered structures based on strontium titanate.—75-07722A
Direct determination of grain boundary atomic structure in $SrTiO_3$.—75-04314A
Effect of Cu-implanted joining interface on oxygen grain boundary diffusion in $SrTiO_3$ bicrystal.—75-09590A
Effect of Ti/Sr ratio on grain growth of La-doped $SrTiO_3$ ceramics.—75-09289A
Effects of interfacial roughness on the leakage properties of $SrTiO_3$ thin-film capacitors.—75-05189A
Electrical and mass transport properties of strontium titanate niobates.—75-05556A
Electrical conduction in the $Sr_{1-x}La_xTi_{1-x}Co_xO_3$ (x<0.4) system.—75-02903A
Electrical properties of barium strontium titanate (BST) thin films deposited on various Pt-base electrodes.—75-05191A
Electrical properties of pulsed excimer laser deposited strontium titanate films.—75-06454A
Evolution of the microstructure of undoped and Nb-doped $SrTiO_3$.—75-06874A
Features of formation of $SrTiO_3$ and $Ba_{0.5}Sr_{0.5}TiO_3$ films during magnetron sputtering.—75-08139A
Gbit-scale DRAM stacked capacitor with ECR MOCVD $SrTiO_3$ over RIE patterned RuO_2/TiN storage nodes.—75-05194A
Growth and characterization of epitaxial $SrTiO_3$ thin films with prominent polarizability.—75-00336A
Hydrogen-catalyzed crystallization of strontium titanate.—75-01221A
Influence of grain boundary on the electrical properties of WO_3-doped $SrTiO_3$.—75-07733A
Influence of polymerization on the synthesis of $SrTiO_3$: I, Characteristics of the polymeric precursors and their thermal decomposition.—75-04080A
Influence of polymerization on the synthesis of $SrTiO_3$: II, Particle and agglomerate morphologies.—75-04081A
Influence of YBCO film constants on the properties of an HTSC dc SQUID.—75-08344A
Integration of BST thin film for DRAM fabrication.—75-05199A
Low-angle grain boundary in iron-doped strontium titanate revealed by transmission electron microscopy.—75-06885A
Method of producing an $SrTiO_3$/$YBa_2Cu_3O_7$ layer system and a layer system as thus produced as a high-temperature superconductor.—75-00911P
Microstructure and dielectric characteristics of $(Pb,Ba_{0.5-x}Sr_{0.5})TiO_3$ ceramics.—75-00674A
Microstructure of strontium titanate thin film grown by the hydrothermal-electrochemical method.—75-04370A
Modification of PTCR behavior of $(Sr_{0.7}Ba_{0.3})TiO_3$ materials by post-heat treatment after microwave sintering.—75-07976A
Morphology of Cu clusters on $SrTiO_3$(001) at initial stages of metal film growth.—75-04379A
Partial conductivities in $SrTiO_3$: bulk polarization experiments, oxygen concentration cell measurements, and defect-chemical modeling.—75-00359A
Phase diagram of the $BaTiO_3$-$SrTiO_3$ system.—75-06298A
Preparation and electrical properties of $SrTiO_3$ thin films by plasma-enhanced metallorganic chemical vapor deposition.—75-07744A
Preparation of strontium titanate using strontium titanyl oxalate as precursor.—75-06737A
Production of strontium titanate thin films.—75-08627P
Pyroelectric properties of diphasic polar glass-ceramics at low temperatures.—75-08167A
Raman scattering of ferroelectric $Sr_{1-x}Ca_xTiO_3$, x=0.007.—75-05706A
Structural and dielectric properties of $Ba_{0.5}Sr_{0.5}TiO_3$ thin films grown on Si by off-axis sputtering.—75-05213A
Structural and electrical properties of wet chemically deposited $Sr(Ti_{1-y}Zr_y)O_3$ (y=0...1) thin films.—75-05214A
Structure and phase composition of $SrTiO_3$ films obtained by rf magnetron sputtering.—75-09068A
Temperature-induced phase transition and morphotropic phase boundary in the nanocrystalline $Pb_{1-x}Sr_xTiO_3$ system.—75-03850A
Testing the oxygen-sensitive properties of strontium titanate thin films at high temperatures.—75-05983A
X-ray study of the three-dimensional orientation of mixed a/c-oriented $YBa_2Cu_3O_x$ films on (100)$SrTiO_3$ substrates by metallorganic chemical vapor deposition.—75-00896A

strontium,
$(Hg_{0.8}Ti_{0.2})Sr_2(Ca_{1-x}Y_x)_2Cu_2O_{6+\delta}$: a new series of mercury-based 1212 superconductors.—75-08257A
Ceramic ferroelectric composite material—BSTO-MgO.—75-00711P
Characteristics of the ferroelectric phase transition in $Na_2Sr_4Nb_{10}O_{30}$.—75-05535A
Characterization of an n-channel 1T [transistor]–1C [capacitor] nonvolatile memory cell using ferroelectric $SrBi_2Ta_2O_9$ as the capacitor dielectric.—75-05537A
Cu site substitution effect on the Hall coefficient of $La_{2-x}Sr_xCuO_4$.—75-05740A
Dielectric properties of (Ba,Sr)TiO_3 films by rf sputtering.—75-00317A
Distortion of the crystal lattice near Cd^{2+} impurity centers in CaF_2 and SrF_2 crystals.—75-08909A
Effect of buffer layers on the structural and electrical properties of (Ba,Sr)TiO_3 thin films deposited on indium tin oxide coated glass substrate by using an rf magnetron sputtering method.—75-01448A
Effect of pressure-induced oxygen ordering on the superconducting properties of $GdBa_{2-x}Sr_xCu_3O_y$.—75-08296A
Effect of the sensing capacitance in a Sawyer-Tower setup on hysteresis loops: model calculations and $SrBi_2Ta_2O_9$ [SBT] experimental results.—75-05552A
Effects of additives on magnetic properties of sheet Sr-Ba ferrite magnets.—75-00732A
Electrical characteristics of MOCVD deposited $Ba_{1-x}Sr_xTiO_3$/$YBa_2Cu_3O_{7-x}$ on $LaAlO_3$ substrate.—75-05190A
Electrical transport properties and electronic structure of $La_{2-x}Sr_xCoO_4$ [0≤x≤1.2].—75-09138A
Electrophysical properties of $SrBi_2Nb_2O_9$-based solid solutions.—75-06462A
Energy bands, Fermi surface, and density of states in the superconducting state of $La_{2-x}Sr_xCuO_4$.—75-05766A
Enthalpy stabilization of T^* phase (La, R, Sr)$_2CuO_{4-\delta}$, where R=Sm–Er, Y.—75-06463A
Flame pyrolysis: a preparation route for ultrafine powders of metastable ß-$SrMnO_3$ and $NiMn_2O_4$.—75-06609A
Glass-added strontium ferrite of high coercivity.—75-08220A
HREM study of the ionic conductor strontium lithium ß-alumina.—75-02912A
Influence of the annealing atmosphere on the superconductivity in $(Pb,Sr)Sr_2(Cu,Ca)Cu_2O_y$.—75-05785A
Influence of the effects of strong electron correlations on the form of X-ray CuK absorption spectra of $La_{2-x}Sr_xCuO_4$.—75-08343A
La(Sr)CrO_3 for use in a magnetohydrodynamic generator.—75-03299A
Long-lasting afterglow characteristics of Eu, Dy codoped SrO-Al_2O_3 phosphor.—75-08973A
Mechanical properties of slip-cast $La_{0.8}Sr_{0.2}CrO_{3-\delta}$.—75-07011A
Mossbauer characteristics of Sr_2CoFeO_6 obtained by electrochemical oxidation.—75-05696A
Mossbauer emission measurements on highly dilute ^{57}Fe impurities in the high-T_c superconductors $La_{2-x}Sr_xCuO_4$.—75-00834A
Nonepitaxial sputter synthesis of aligned strontium hexaferrite, SrO·6(Fe_2O_3), films.—75-03322A
Nonequilibrium low-solubility solid phase in the $K_4P_2O_7$-$Sr(NO_3)_2$-H_2O system.—75-06291A
Optical characterization of Nd^{3+}:$Sr_5(VO_4)_3F$.—75-01320A
Order-disorder and magnetic exchange interactions in substituted strontium hexaferrite $SrA_xFe_{12-x}O_{19}$ (A=Ga,In).—75-03323A
Oxide superconductor and a method for manufacturing an oxide superconductor.—75-00913P
Oxygen nonstoichiometry of $LaSr_2Fe_3O_{9-\delta}$ compounds.—75-09002A
Percolation type of dependences of parameters of the transport processes in $Sr_{1-x}La_xF_{2+x}$ in molten and crystalline states.—75-06853A
Phase diagram of the Bi-Sr-Cu-O system.—75-06299A
Phase equilibria of the La_2O_3-SrO-CuO system at 950°C and 10 kbar.—75-08392A
Phase relationships in the Sr-Si-O-N system.—75-03820A
Phase transition in ferroelectric $Sr_2Nb_2O_7$.—75-05619A
Preparation and characterization of $Ba_xSr_{1-x}TiO_3$ thin films by a sol-gel technique.—75-03250A
Preparation and characterization of strontium stannate.—75-06716A
Preparation and properties of $ABCO_4$ mixed oxides (A=Sr, Ba; B=La, Nd; C=Al, Ga).—75-09384A
Preparation of barium strontium titanate thin-film capacitors on silicon by metallorganic decomposition.—75-00365A
Preparation of thin-film $(Ba_{0.5},Sr_{0.5})TiO_3$ by the laser ablation technique and electrical properties.—75-00366A
Properties of $Ca_{1-x}Sr_xCuO_2$ infinite layer films grown by laser ablation deposition.—75-05819A
Proton conductor of $SrCe_{0.95}Ln_{0.05}$ (Ln=Eu, Sm, Ho, Tm).—75-05211A
Room temperature preparation of crystallized $Ba_{1-x}Sr_xWO_4$ [0≤x≤1] solid-solution films by an electrochemical method.—75-09424A
Sequestration of cesium and strontium by tobermorite synthesized from fly ashes.—75-03495A
Solid-state synthesis of strontium titanate niobates.—75-09060A
Sr^{2+} sorption and leach rate studies on synthetic calcium silicate hydroxy hydrate.—75-03926A
Strontium calcium aluminate glasses.—75-07401A
Strontium.—75-06057A
Structural and electrical properties of rf magnetron-sputtered $Ba_{1-x}Sr_xTiO_3$ thin films on indium tin oxide coated glass substrate.—75-03928A
Structure, stoichiometry, and phase purity of strontium-doped lanthanum manganite powders.—75-06376A
Superconductivity of 1212-type phase $TlSr_2(Ca, Cr)Cu_2O_7$ and $TlSr_2(Sr, Tm)Cu_2O_7$.—75-05840A
Synthesis and characterization of $(Sr_{1-x}K_{2x})Zr(PO_4)_6$ ceramics.—75-06789A
Synthesis and X-ray diffraction study of the phases (A´, A)CuO_2 (A´=Sr and Ba; A=Ca, Sr, and Ln) [Ln=rare-earth metals].—75-08435A
Thermal stability of $SrBi_2O_4$ compounds.—75-06529A
Thermodynamic functions of $LnSrMn_2O_{5.5}$ (Ln=La, Nd, Gd, Ho, Er, Lu) in the interval of 298.15–673 K.—75-09090A
X-ray and thermodynamic study of $DySrMn_2O_{5.5}$.—75-06410A

structural ceramics,
FDC [fused deposition of ceramics], rapid fabrication of structural components.—75-08525A
Growth in near net shaping.—75-07077A

structural clay products,
Fast firing of large-size, vertically perforated clay units by optimization of the raw material composition.—75-05996A
Improvement of the transverse strength properties of lightweight verticle coring clay bricks and blocks by optimization of the web geometry.—75-05062A
Tests on the behavior of lightweight, vertically perforated, clay masonry units.—75-05067A

structural materials,
Biomimetics: a novel approach to materials design and processing.—75-04678A
Cavitation erosion of structural ceramics.—75-04419A
Ceramic engineers in the 21st century.—75-02113A
Challenges in ceramic development.—75-07065A
Characterization of ceramic materials from the machining point of view.—75-09529A
Current problems and future directions for ceramic machining.—75-05896A
Design of processing technology for advanced structural ceramics.—75-00949A
Development of structural ceramic components for automobile applications.—75-00951A
Erosion of structural ceramics.—75-04514A
From quality control to quality management.—75-07075A
Giants in structural clay.—75-02774A
Improving practice for engineering ceramics X-ray testing technique.—75-03569A
Joining ceramics.—75-07086A
Microfocal X-ray CT experimental system for NDT of advanced structural ceramics.—75-03581A
Nanophase ceramics for commercial application.—75-06691A
No-draft slip casting with low CTE materials.—75-07090A
Precision machining of technical ceramics.—75-05908A
Science and Design of Engineering Materials.—75-04781B
Statistical aspect on fatigue fracture of structural ceramics under cyclic loading.—75-02097A
Strength of hot salt corroded structural ceramics.—75-04634A
Tensile specimens from ceramic components.—75-02103A
Testing advanced structural ceramics.—75-01044A
Tribological performance of ceramic materials in face seal applications.—75-09686A
Zirconia-based structural materials under conditions of flame-initiated pyrolysis of hydrocarbons.—75-07695A

structure,
Σ5 (210)/[001] symmetric tilt grain boundary in yttrium aluminum garnet.—75-09211A
^{17}O MAS NMR investigation of the structure of calcium silicate hydrate gel.—75-02383A
^{29}Si and ^{17}O NMR investigation of the structure of some crystalline calcium silicate hydrates.—75-06146A
^{29}Si MAS NMR study of the structure of calcium silicate hydrate.—75-06147A
12th Annual Giants in Ceramics.—75-04669A
Adsorptive honeycomb-shaped ceramic structure and method for its production.—75-08547P
Analyzing the structure of ceramics.—75-09524A
Anisotropy of the transport features in structures with ß-Sn quantum wells on vicinal faces of GaAs.—75-05240A
Anisotropy of threshold energies of oxygen atom displacement in perovskite structure.—75-08869A

Annular dark field imaging in STEM.—75-01788A
Application of high spatial resolution electron diffraction techniques to the study of local properties of crystalline solids.—75-01789A
Atomic scale characterization of $(NH_4)_2S_x$-treated GaAs(100) surface.—75-00416A
Atomic structure features of high-temperature superconducting 1212, 2201, and 2212 Tl-containing phases.—75-08264A
Atomic structure observation of ECR hydrogen plasma passivated Si(111) surface by scanning tunneling microscope in air.—75-05247A
Atomic structure of metal/ceramic interfaces.—75-07200A
Atomistic simulation of the surface structure of spinel.—75-06163A
Atomistic study of energy and structure of surfaces in NiO.—75-02964A
Avalanche multiplication coefficients of carriers in *p-n* structures.—75-07789A
Blue light electroluminescence from doped μc-SiC prepared by excimer (ArF) laser crystallization.—75-01141A
Blue-green emitters in wide-gap II-VI quantum-confined structures.—75-05253A
Calculation of energy spectra of binary semiconductors doped with rare-earth elements.—75-02966A
Calculation of strained states in surface structures of arbitrary system from the data of a double-crystal X-ray diffractometry.—75-06944A
Capacitance-voltage characteristics of diamond/silicon MIS structures.—75-07796A
Causality of cracked rendering.—75-00236A
CBED procedure for determining local residual stresses from nanoscale areas in cermets.—75-01799A
Ceramic honeycomb structural body and catalyst comprising the same.—75-08558P
Ceramic honeycomb structural body.—75-08559P
Ceramic matrix composites by a preceramic polymer route.—75-03962A
Change of structure of high-temp. superconductor core of compositional conductor after melting and crystallization.—75-05734A
Changes in structure and electric properties of $NaNbO_3$ induced by Mn dopant.—75-03872A
Characterization and structural developments of gel-derived borosilicate glasses: a multinuclear MAS-NMR study.—75-04883A
Characterization of a thick homoepitaxial CVD diamond film.—75-01802A
Charge carrier transport in polycrystalline silicon *p-n* structures.—75-07804A
Chemical and structural evolution of sol-gel-derived hydroxyapatite thin films under rapid thermal processing.—75-03771A
Chemical binding and structural distortions in silicon doped with nontransition elements.—75-07806A
Chemical bonding, structure, and morphology of Mg/α-Al_2O_3 and MgO/α-Al_2O_3 interfaces.—75-04304A
Choice of dimensionless parameters for analysis of relaxation changes in glass products.—75-02632A
Combined structural and optical assessment of CVD grown 3C-SiC/Si.—75-00437A
Comparison of defect structure in N_2O- and NH_3-nitrided oxide dielectrics.—75-00304A
Comparison of structures and properties between spray and conventional cast Pn-Sn alloys.—75-03874A
Comparison of the Jenq-Shah two-parameter procedure and the cohesive zone procedure for predicting the failure of large concrete structures.—75-02392A
Compressional study of $MgSiO_3$ orthoenstatite up to 8.5 GPa.—75-03774A
Computer modeling of composition changes of complex and multilayer structures during ionic sputtering.—75-08644A
Computer simulation of percolation structure in composites.—75-08886A
Conservation parameters related to Australia's First Government House.—75-00017A
Control of nanostructures for soft magnetic materials.—75-00727A
Correlation between structural, optical, and electrical properties of GaAs grown on (001)Si.—75-02982A
Cubic coordination in oxygen-containing compounds of rare-earth elements: fluorite-like and fluorite-fragmentary structures.—75-08901A
Defect formation in β-Al_2TiO_5 and its influence on structure stability.—75-06842A
Deposition of $PbTiO_3$ film by the spray-ICP technique.—75-06567A
Design methodology of engine using ceramic components and thermos structure.—75-03694A
Determination of the structure of the cubic phase in high-ZrO_2 Y_2O_3-ZrO_2 alloys by convergent-beam electron diffraction.—75-03784A
Determination of two-dimensional electron gas characteristics in structures of InGaAs/InP by acoustic methods in the quantum Hall regime.—75-02995A
Determining structural parameters of YBaCuO thin films by high-resolution X-ray diffractometry.—75-08288A
Determining the structural constants of the gradient epitaxial layer by high-resolution X-ray diffraction: I, Initial approximation of the solution of the inverse problem of diffraction.—75-08656A
Determining the structural constants of the gradient epitaxial layer by high-resolution X-ray diffraction: II, Solution to the inverse problem in the framework of kinematic and statistical dynamic theory of diffraction.—75-08657A
Deuteron magnetic resonance and infrared absorption studies of structure and dynamics in amorphous hydrogenated carbon and carbon nitride.—75-01822A
Direct determination of grain boundary atomic structure in $SrTiO_3$.—75-04314A
Direct observation of channel structures on zeolite Y and A with a slow-scan, charge-coupled device [CCD] camera.—75-08660A
Domain structure in modified lead titanate ferroelectrics.—75-03224A
Dynamics at a step on the diamond (111) surface.—75-01828A
Effect of γ-radiation on the properties of SiO_2-GaAs structures.—75-07841A
Effect of a periodic cluster superstructure on the thermal conductivity of amorphous silica (opal).—75-09129A
Effect of a strong electric field on the properties of nonequilibrium two-dimensional electron gas in nonideal structures.—75-07842A
Effect of anisotropy on the formation of incommensurate magnetic structures of Cr_2BeO_4.—75-08662A
Effect of calcium doping on the atomistic structure of the (1̄104) twin boundary in alumina.—75-06870A
Effect of incorporation of nitrogen on the structure and dielectric properties of modified oxide sol-precipitated borosilicate glasses and glass-ceramics.—75-02711A
Effect of ion bombardment on the structure and properties of PECVD Sioxygen.—75-04004A
Effect of particle size on the room-temperature structure of barium titanate.—75-01833A
Effect of temperature on the structure and properties of $MoSi_2$-6 mol% Y_2O_3 partially stabilized ZrO_2 composites.—75-09286A
Effect of the space charge on the properties of an inhomogeneous pyroelectric ceramic.—75-03229A
Effect of uv irradiation on the semiconductor-metal phase transition in VO_2 films with different subsurface-layer structure.—75-05300A
Elastic anomaly and structure of phosphate glasses containing divalent cations.—75-02649A
Elastic properties of silicon carbide polytypes.—75-06449A
Elastic scintillation materials based on polyorganosiloxane.—75-01280A
Electron structure of amorphous SiO_2: experiment and numerical modeling.—75-08921A
Elemental mapping by energy-filtered electron microscopy.—75-01846A
European standardization with reference to masonry construction.—75-07071A
Evaluation of influence of high injection level on photovoltaic effect in p^+-n-n^+ structures with vertical *p-n* junctions.—75-07881A
Evidence of self-organization of the structure of cement stone.—75-07148A
Fast X-ray method for determining the structure and properties of the $MA^{+}A_2^{+}Cu_2O_{6-\delta}$ phases.—75-05946A
Fatigue behavior of structural ceramics at elevated temperatures.—75-02049A
Features of magnetoresistivity of magnetite.—75-08215A
Features of structure formation and atomistic aspect of the interpretation of solid phase reactions in porcelain.—75-07706A
Features of structure formation of a high-carbon ash-based binder.—75-07149A
Features of the dynamics of $LiNbO_3$ single-crystal structure based on ^7Li NMR data.—75-06229A
Features of the structure of amorphous titanium oxide films depending on synthesis conditions.—75-08935A
Fine structural features in α-silicon nitride powder particles and their implications.—75-01219A
First-principles calculations for metal/ceramic interfaces.—75-04325A
Formation of dissipative structures of polaritons in semiconductors.—75-07893A
Formation of the structure of gas-sensitive tin dioxide layers prepared by reactive magnetron sputtering.—75-05325A
Forward and reverse current in 6H-SiC-based *p-n* structures prepared by container-free liquid-phase epitaxy.—75-05326A
Frequency-capacitive method for determining the electrostatic constants of semiconducting structures with a potential barrier.—75-08670A
Functionally gradient structures in biological composites.—75-06068A
Gas-phase forming of anisotropic porous ceramic structures.—75-04054A
Genesis of the vitreous state: effect of pressure on the thermodynamic properties of glasses and their structure.—75-02589A
Grain boundary structures in covalent-bonded ceramics.—75-01855A
Grain-boundary structure and high-temperature mechanical response in low Ca-doped Si_3N_4.—75-01857A
Growth of aluminum nitride thin films on Si(111) and Si(001): structural characteristics and development of intrinsic stresses.—75-06881A
Growth of epitaxial 2H-silicon carbide by pulsed laser deposition.—75-00503A
Guide for evaluation of concrete structures prior to rehabilitation.—75-02409A
Heteroepitaxial diamond formed on silicon wafer observed by high resolution electron microscopy.—75-04333A
High resolution electron microscopy and computer simulation studies of the atomic structure of tilt boundaries in TiO_2.—75-04335A
High-density production of carbon nanotubes in contact arc discharge at low helium pressure.—75-01522A
Hot luminescence and electron-phonon interaction in structures with quantum wells.—75-07910A
HREM study of oxygen-defective $LaMnO_{3-\delta}$ with twin structure.—75-09550A
Imaging single nacreous tablets with the atomic force microscope.—75-01865A
In situ HREM observation of the oxidation of nickel thin foils.—75-04431A
Indium antimonide metal-oxide-semiconductor structure prepared by direct photochemical vapor deposition.—75-00515A
Influence of ferroelectric structural ordering on the effects of the acoustoelectrical interaction in polycrystals with complex perovskite structure.—75-08149A
Influence of interface properties and deep levels in the band gap on capacitance-voltage characteristics of InAs-based metal-insulator-semiconductor structures.—75-07924A
Influence of radio-frequency sputtering and crystallization parameters on the structure of the BiGa-DyIG garnet films for magnetooptical recording.—75-00740A
Influence of spray-dry slurry flocculation on the structure of sintered silicon nitride.—75-09340A
Interaction of Pt films with ZnO(0001) and ZnO(000$\bar{1}$).—75-04344A
Interfaces in ceramics [investigated] by electron spectroscopic imaging.—75-03524A
Intermediate state of a controlled four-layer *p-n-p-n* structure.—75-05353A
Laser-transformed SiC thin films.—75-00533A
Lifetimes and diffusion lengths of nonequilibrium charge carriers in SiC *p-n* structures.—75-03077A
Light-emitting Si:Er structures. Technology and physical properties[—review].—75-03079A
Liquid channel grain boundary structures.—75-04093A
Lithium-sodium metaborate glasses: structural aspects and vitrification chemistry.—75-04914A
Local structure and bonding states in a-$Si_{1-x}C_x$:H.—75-01225A
Magnetic and structural properties of Co/CoO bilayers.—75-03903A
Magnetic and structural properties of CoNiPt(SiO_2) alloy films for high-density longitudinal recording.—75-00743A
Magnetic and structural properties of Fe-FeO bilayers.—75-00744A
Mechanical and structural properties of $YBa_2Cu_3O_{7-x}$ superconductors.—75-05794A
Mechanisms of the formation of structures of cement block and concrete with additives of ultradispersed materials.—75-07166A
Models for the thermostructural properties of SiC fibers.—75-03907A
Modulation of $Bi_4Sr_4CaCu_3O_{14+x}$ superconductor structures.—75-08374A
Moire patterns in high-resolution electron microscopy images.—75-01890A
Molecular dynamics investigation of structure and transport in the K_2O·$2SiO_2$ system using a partial charge-based model potential.—75-02596A
Morphological analysis of structural features of equipment for semidry pressing.—75-07608A
Movement of channel H_2O in cordierite observed with quasi-elastic neutron scattering.—75-03811A
Multistep thawing of chalcogenide glass structure in the softening point interval.—75-04918A
Nanocrystalline structures of amorphous silicon dioxide.—75-08990A
Nanometer-scale structures resulting from graphite oxidation.—75-02005A
Nanoscale control of ferroelectric domain structure by AFM.—75-03243A
Nanostructures detected by conductivity spectroscopy.—75-00172A
Nature of the lattice mode of 137 cm^{-1} in an $Hg_{1-x}Cd_xTe$ melt. Modeled calculation of ir-active lattice vibrations for CuAu-1-type ordered structure and partially ordered structures based on it in $A_{1-x}B_xC$ melts.—75-05394A
Near-surface modification of silica structure induced by chemical/mechanical polishing.—75-06901A
Negative capacitance in semiconductor structures.—75-07982A
Neutron diffraction and solid-state MAS-NMR studies of the structure of Y-Al-Si-O-N oxynitride glasses.—75-02597A
Neutron diffraction structural study of the nasicon-related phases $Li_xM_x^{III}M_{2-x}^{III}(SO_4)_3(SeO_4)_3$: M^{III}=Mg, Ni, Zn; M^{III}=Al, Cr.—75-06285A
Neutron irradiated SiC(6H) *p-n* structures: current-voltage characteristics.—75-07984A
New borides of $LnMo_3B_7$ (Ln=Tb, Dy, Ho, Er, Tm) with the YMo_3B_7 structure.—75-08992A
New generation refractory concretes. Interrelation between structure formation and strengthening.—75-05112A
New generation refractory concretes. Thermal processes, structure, and high-temperature properties.—75-05113A
NMR spectroscopic study of structural and dynamic features of fluorine in $Al(PO_3)_3$-BaF_2-MF_n glasses.—75-07307A
Nonstoichiometry and related properties of ceramic interfaces.—75-01898A
Observation of cell structures developed by Marangoni convection in glass thick films.—75-00218A
Optical characterization of Ho^{3+} ions in $LiNbO_3$ and in $LiNbO_3$:MgO crystals.—75-06293A
Oriented microporous films of tetramethylammonium pillared saponite.—75-06904A
Origin of structural instability in metal-intercalated layered dichalcogenides.—75-07999A
Origin of the fine structure of subsidiary absorption in tangentially magnetized YIG films.—75-03325A
Origin of the grain growth anisotropy in titania.—75-01902A
Particular properties of a nonlinear reflection of electromagnetic waves from a multilayer structure which are connected with electron gas heating in a high-doped GaAs layer.—75-05414A
Photoelectric effect in GaP surface barrier structures: temperature dependence of the short-wave quantum efficiency.—75-03119A
Physics and Chemistry of Earth Materials.—75-02167B
Piezoelectric and structural properties of samarium-doped lead zirconate titanate ceramics.—75-05621A
Pigeon castles in Saudi Arabia.—75-02329A
PM3 molecular orbital model of silica rings and their vibrational spectra.—75-06319A
Possibility of calculating the entropy of structural phase transitions in perovskites using an order-disorder model.—75-06325A

Possibility of coexistence of weak ferromagnetism and spatially modulated spin structure in ferroelectrics.—75-08162A

Powder neutron diffraction study of the nasicon-related phases $Na_xM^{II}M_{2-x}^{III}(SO_{4/3-y})(SeO_4)_y$: M^{II}=Mg; M^{III}=Fe, In.—75-06327A

Preparation and structural study of sodium germanium phosphate-sodium titanium phosphate solid solutions: II. Evolution of thermal expansion with composition.—75-01909A

Production and structure of a new diphosphate, $Rb(Ni_{0.35}Cr_{0.3}Ti_{0.35})P_2O_7$.—75-06749A

Production of antimony germanate, its structure, and some physical properties.—75-09172A

Properties and structural characterization of the laser-synthesized nanocomposite Si-N-C powders.—75-03918A

Properties and structures of TeO_2-based glasses containing ferroelectric components.—75-07361A

Properties of MOS structure fabricated on 3C-SiC grown by reactive magnetron sputtering.—75-00368A

Properties of zirconia powders produced by homogeneous precipitation.—75-03828A

Quality assurance of ceramic clays—a deeper understanding.—75-01070A

Quantitative HRTEM—measuring projected potential, surface roughness, and chemical composition.—75-01916A

Questions to Richard D. Gaynor, Executive Vice President, National Ready Mixed Concrete Association/National Aggregate Association, Silver Springs, Maryland.—75-02421A

Raman scattering and structure of cubic solid solutions based on zirconium and hafnium dioxides.—75-06331A

Raman spectra and structure of the PbO-SiO_2 glasses.—75-07311A

Real structure of $Bi_2Sr_2CaCu_2O_{8+\delta}$ prepared from various starting materials.—75-05823A

Recovery of structural perfection of CdTe and ZnTe bombarded by low-energy ions as a result of subthreshold electron irradiation.—75-05460A

Refractory concretes of a new generation. Thermodynamic aspect of the technology.—75-05129A

Regulating structural-mechanical and rheological properties of forming bodies based on titanium dioxide.—75-06510A

Resistibility and structure of Zn-Co coatings.—75-09600A

RF design considerations for passive elements in LTCC.—75-01041A

Role of mechanical deformation in the acoustoelectrical effect in $YBa_2Cu_3O_{7-x}$ films.—75-05826A

Self-multilayered structures of SiN films prepared by plasma-enhanced reactive sputtering.—75-01931A

Self-organizing of quantum-dimensional strained $In_xGa_{1-x}As$ structures on misoriented GaAs(100) surfaces during submonolayer molecular beam epitaxy.—75-03157A

SiC-6H dinistor structures.—75-03160A

Spatially resolved local atomic structure from EXELFS.—75-01935A

Special features of the formation of the structure of highly porous cellular materials based on reaction-sintered silicon carbide.—75-05142A

Spectroscopic investigation of the influence of uranium ions on the structure of borate glasses.—75-04929A

Spectroscopic study of SiC-like structures formed on polycrystalline silicon sheets during growth.—75-06365A

Spin structures of tetragonal lamellar copper oxides.—75-06366A

Spontaneous emission of BeO and fluctuated reconstruction of the structure: II, Ceramics.—75-09063A

Sputter deposition of ferroelectric $PbTiO_3$ thin films on MgO(100) substrates.—75-00700A

Strong growth forecast for advanced structural ceramics.—75-04756A

Structural alteration of pyrophyllite by dry grinding as studied by ir spectroscopy.—75-06784A

Structural and defect properties of high-T_c oxides determined by atomistic lattice simulation.—75-05835A

Structural and dielectric properties of $Pb(Mn_{1/4}X_{1/4}Nb_{1/2})O_3$ (X=Zn, Cd, or Ni) ferroelectric ceramics.—75-05641A

Structural and electrical characterization of PZT and PLZT films grown on spin-on-processed conductive oxide electrodes.—75-05642A

Structural and electrical properties of $PbTiO_3$ thin films grown on silicon substrates.—75-08172A

Structural and electrical properties of wet chemically deposited $Sr(Ti_{1-y}Zr_y)O_3$ (y=0...1) thin films.—75-05214A

Structural and kinetic studies for the condensation of silica gels by HR ^{29}Si NMR.—75-01245A

Structural and magnetic investigations of $YBa_2Cu_3O_{7-\delta}$.—75-08420A

Structural and magnetic properties of $CaAl_2Fe_8O_{19}$.—75-05712A

Structural and microstructural evolution of barium titanate thin films deposited by the sol-gel process.—75-01940A

Structural and spectroscopic investigation of (111) twins in barium titanate.—75-04404A

Structural change in plasma-sprayed alumina coatings by laser melting: III, Analysis by computer simulation technique.—75-09452A

Structural changes and interlayer charge transfer in HTSC at high pressures.—75-08421A

Structural characterization and semiconducting properties of new iridium(IV) perovskites.—75-00869A

Structural characterization of GaN grown by electron cyclotron resonance-metallorganic molecular beam epitaxy (ECR-MOMBE).—75-01942A

Structural characterization of $LaPO_4$ [monazite] fiber coatings.—75-09577A

Structural degradation of tobermorite during vibratory milling.—75-03842A

Structural effects observed in Sn-Te system during melt solidification with super-high (10^7–10^8 K/s) cooling speeds.—75-06785A

Structural evolution of $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals studied [by] in situ heating electron microscopy.—75-03408A

Structural formation in highly dispersed hydrated aluminum oxides.—75-06372A

Structural implications of elastic properties, fracture toughness, and fracture surface energies of R_2O-Al_2O_3-SiO_2 glasses.—75-02688A

Structural investigation of calcium silicates from ^{29}Si chemical shift measurements.—75-00702A

Structural investigation of Fe silicide films grown by pulsed laser deposition.—75-01943A

Structural investigations of SiC/N ceramics from polysilazane precursors by nuclear magnetic resonance.—75-09066A

Structural modification of amorphous hydrogenated silicon films with the help of ultraviolet radiation.—75-08065A

Structural modifications induced by high electric field in PZT ceramics.—75-00703A

Structural nanodefects in α-silicon nitride.—75-09517A

Structural network and Fermi level of a pseudodoped amorphous hydrated silicon.—75-03172A

Structural phase transitions in layered perovskite-like crystals.—75-05836A

Structural properties of InN films grown on sapphire substrates by microwave-excited metallorganic vapor phase epitaxy.—75-01944A

Structural properties of Zn-substituted epitaxial $YBa_2Cu_3O_{7-\delta}$ thin films.—75-08422A

Structural properties of ZnSe on GaAs grown by atomic layer epitaxy.—75-00605A

Structural relaxation in silicate glass in cooling/heating and near-equilibrium experiments.—75-02689A

Structural relaxation with viscous flow followed by thermodilatometry.—75-05982A

Structural studies on RD-MgO-Al_2O_3-SiO_2 (R=Ca, Sr, or Ba) glassy systems by density measurements.—75-04996A

Structural study of polycrystalline AlN films prepared by ion-beam-assisted deposition.—75-04405A

Structural study of Rb and (Rb,Ag) germanate glasses by EXAFS and XPS.—75-04932A

Structural study of SiC/AlN bilayers and trilayers on Si and 6H-SiC.—75-01945A

Structural transition and dielectric characteristics of high-purity calcium hydroxyapatite.—75-09191A

Structural transition and superconductivity of Mo-stabilized $R_{1-x}Ca_xSr_2Cu_3O_{7-\delta}$ compounds (R=Pr, Nd, Y).—75-00870A

Structural, optical, and electrical properties of epitaxial chalcopyrite $CuIn_3Se_5$ films.—75-00607A

Structural, optical, and magnetic properties of $Cd_{0.77}Mn_{0.23}Te$ thin films.—75-06518A

Structural-property relations in a reduced and internally biased oxide wafer (RAINBOW) actuator material.—75-05643A

Structure analysis of coprecipitated $ZnFe_2O_4$ by extended X-ray absorption fine structure.—75-00760A

Structure and composition of metal/ceramic interfaces.—75-07232A

Structure and dynamics in CaO-Al_2O_3 and SiO_2-Al_2O_3 liquids—investigation by ion dynamics simulation.—75-00273A

Structure and electronic properties of diamondlike amorphous carbon.—75-01345A

Structure and magnetic properties of $LiMVO_4$ (M=Co, Ni, Cu) spinels.—75-05713A

Structure and mechanical properties of nanocrystalline Ag/MgO composites.—75-06519A

Structure and phase composition of $SrTiO_3$ films obtained by rf magnetron sputtering.—75-09068A

Structure and photoluminescence of AlP/GaP short-period superlattices grown by organometallic vapor phase epitaxy.—75-00608A

Structure and properties of $PbZrTiO_3$ thin films produced by the sol-gel method.—75-06374A

Structure and properties of tin dioxide films.—75-06906A

Structure and radiative properties of aluminophosphate glasses.—75-04933A

Structure and spin dynamics of lanthanide-bearing silicate glasses.—75-02612A

Structure and thermal evolution of SiC-based fibers with low oxygen content.—75-04406A

Structure change in strontium oxide-doped dicalcium silicates.—75-09069A

Structure evolution in hydrothermally processed (<100°C) $BaTiO_3$ films.—75-01685A

Structure of aluminosilicate melts: evidence from Raman scattering spectra.—75-09070A

Structure of $Ba(Y_{1/2}^{3+}Ta_{1/2}^{5+})O_3$ and its dielectric properties in the range 10^2–10^{14} Hz, 20–600 K.—75-00375A

Structure of barium titanate thin films [investigated] by Raman spectroscopy.—75-01948A

Structure of dispersible titania gels.—75-01949A

Structure of glass.—75-07314A

Structure of hot-pressed Ag-BiPbSrCaCuO composites.—75-05837A

Structure of spinel/oxide reaction fronts during spinel-forming solid-state reactions.—75-04408A

Structure of spinnable solution of triethylaluminum and ethylsilicate-40 and calcination process of drawn alumina gel fiber.—75-09072A

Structure of thin diamond films—a ^1H and ^{13}C nuclear magnetic resonance study.—75-01950A

Structure of transparent porous alumina studied by X-ray small-angle [XSA] scattering.—75-06907A

Structure of V-MgO and MgO-V interfaces.—75-09073A

Structure, composition, and mechanical behavior at high temperature of the oxygen-free Hi-Nicalon fiber.—75-03930A

Structure, physicomechanical properties, and production of cement-dacite binders.—75-07189A

Structure-forming processes in spherical-shaped keramzit doped with aluminum etching wastes.—75-09454A

Structures and ionic conduction of $xNa_2S+(1-x)SiS_2$ glasses.—75-02691A

Structures and phase relations of aluminum-substituted calcium silicate hydrate.—75-03844A

Structures of alkali metasilicate glasses by diffraction experiments and molecular dynamics simulations.—75-07315A

Structures of high-temperature cuprate superconductors.—75-00871A

Stucture and formation kinetics of $MoSi_2$ composites formed by reactive vapor infiltration process.—75-04231A

Suppressing the formation of cone structures in chemical-vapor-deposited aluminum nitride/titanium nitride films.—75-04233A

Surface structure of HFCVD [hot filament-assisted CVD] diamond films.—75-09579A

Surface structure of porous silicon studied by a nuclear magnetic resonance method.—75-05495A

Synthesis and properties of mullite/zirconia-toughened alumina (ZTA) composites.—75-01703A

Synthesis and thermal evolution of structure in alkoxide-derived niobium pentoxide gels.—75-06385A

Synthesis of $YBa_2Cu_3O_{7-x}$ superconductor with fiber structure by the sol-gel method.—75-03414A

TEM-based definition of 2:1 layer silicates and their interstratified constituents.—75-04414A

Theory of La_2CuO_4 structure.—75-06389A

Theory on the structure of twin boundaries in $La_{2-x}Ba_xCuO_{4-\delta}$.—75-03417A

Thermochemistry and structure of bismuth(III) borate melts.—75-07317A

Thin ferromagnetic films in a ferromagnetic/semiconductor structure studied by an optical orientation method.—75-08247A

Thin films of $Pb_2(Zr_{1-x}Ti_x)_2O_6$ with pyrochlore structure.—75-06399A

Threshold energies of high-field-induced hole currents and positive charges in SiO_2 layers of metal-oxide-semiconductor structures.—75-00620A

Time behavior of currents in ZnS:Mn metal-insulator-semiconductor-insulator-metal structures.—75-00622A

Transmission electron microscopy and high resolution electron microscopy studies of structural defects induced in 6H α-SiC single crystals irradiated by swift Xe ions.—75-06914A

Transverse photovoltage in a [Ge-GaAs] heteroepitaxial structure.—75-03192A

Trends in atomic resolution electron microscopy.—75-01047A

Twin-determined growth of diamond films.—75-04262A

Use of deep level transient spectroscopy for investigation of SiC *p-n* structure parameters.—75-08092A

Variation of structural and superconducting properties with initial stoichiometry variation in (Bi,Pb)-Sr-Ca-Cu-O bulk superconductor.—75-05858A

Woven fabric reinforcement of cement matrix.—75-02432A

X-ray absorption spectroscopy of SiO_2 polymorphs: the structural characterization of opal.—75-03864A

X-ray absorption studies of Bi-based superconductors.—75-05862A

X-ray Berg-Barrett topography of the deformation substructure of stabilized zirconium oxide single crystals deformed at 1673 K.—75-03865A

X-ray diffraction study of the incommensurate structure in $Bi_{2.2}Sr_{1.8}CaCu_2O_{8+\delta}$ single crystals.—75-03426A

X-ray powder diffraction data for high-T_c superconductor $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ (2223).—75-00895A

X-ray studies of the ordered structure in epitaxial $In_xGa_{1-x}P$ layers.—75-05518A

X-ray study of single crystals of the $Ca_{0.65}Ho_{0.35}F_{2.35}$ solid solution with modified fluorite structure.—75-09113A

X-ray waveguide modes in layer structures.—75-06916A

XPS and SIMS studies of CVD grown cubic SiC films on Si(100).—75-01979A

Y_2O_3 single crystals: growth, structure, and photoinduced effects.—75-06415A

Zirconia formation by reaction of zirconium sulfate in molten alkali metal nitrates or nitrites.—75-06834A

ZrO_2 obtained by the sol-gel method: influence of synthesis parameters on physical and structural characteristics.—75-06836A

substitution,

Anomalous phenomenology in nickel-substituted cuprates.—75-00770A

Effect of double substitutions on transport properties, superconductivity, and band spectra in the $YBa_2Cu_3O_x$ system.—75-05751A

Effects of monosubstituting chelating agents on $BaTiO_3$ prepared by the sol-gel process.—75-06593A

Effects of substituting mercury for yttrium, barium, and copper on the superconducting transition temperature of $YBa_2Cu_3O_6$.—75-03362A

Isotope substitution in B_2O_3 glass: a molecular dynamics study.—75-04911A

Lead-substituted perovskites for thin-film pyroelectric devices.—75-08181P

Magnetic properties of $Y_{3-x-y}Pr_xLu_yFe_5O_{12}$ garnet films.—75-03307A

Potassium substitution in the $Bi_2Sr_2CaCu_2O_x$ superconductor.—75-05815A

Powered thermal transients modeling to compare AlN substitution for BeO.—75-02928A

Raman and X-ray studies of $Ce_{1-y}RE_yO_{2-y}$, where RE=La, Pr, Nd, Eu, Ge, and Tb.—75-01920A

Redox response model for partly substituted cuprates.—75-00858A

Smectites: the relationship between their properties and isomorphic substitution.—75-06514A

Substitution of lithium in copper oxide.—75-06787A
Superconducting thallium cuprates obtained by substitution of copper for thallium in the double-thallium layer cuprate.—75-05839A
Superconductivity of Fe-substituted $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals.—75-00874A

substrates,
Al_2O_3-TiC sintered product and substrate for magnetic heads.—75-08548P
Auger electron spectroscopic analysis of chemical vapor deposited diamond/substrate interfaces.—75-06164A
Ceramic coatings.—75-03727P
Ceramic substrate and a method for producing the same.—75-08564P
Ceramic substrate and manufacturing method thereof.—75-08565P
Ceramic substrate for an electronic circuit.—75-07750P
Ceramic substrate provided with metallized layers for connection with chip, cjrcuit board, or the like.—75-07751P
Ceramic substrates and magnetic data storage components prepared therefrom.—75-08253P
Ceramic substrates with molybdenum-copper layered foil conductors for power hybrids.—75-00076A
Ceramic veneer composite structure.—75-01107P
Ceramic veneer composite structure.—75-03540P
Chemical vapor deposition of polycrystalline diamond films on steel substrates.—75-07201A
Circuit board.—75-00392P
Composition for producing low-temperature cofired substrate.—75-05219P
Composition for the formation of ceramic vias.—75-02947P
Convex line type thermal printing head.—75-01017A
Detailed evaluation of alternative high power substrates for thick film circuits.—75-00456A
Development of polymide substrate for Gb/s-class MCM-D/C.—75-00313A
Diamond field effect transistors.—75-00460A
Diamond films on nondiamond substrates.—75-08100P
Diamond nucleation studies on refractory metals and nickel.—75-01439A
Effect of substrate surface temperature on the morphology and quality of diamond films produced by the oxyacetylene combustion method.—75-06585A
Effect of the ZrO_2-CaO substrate on superconducting properties of thick [$YBa_2Cu_3O_{7-\delta}$] high-T_c films.—75-05759A
Effect of trace impurities on UV irradiation induced changes in aluminum nitride substrates.—75-01146A
Electrophoretic coating of metal and ceramic substrates by hydroxyapatite.—75-01480A
Excimer laser surface processing of alumina substrates.—75-01489A
Fabrication of advanced ceramic substrates for multichip module applications.—75-01494A
Glassy binder system for ceramic substrates, thick films, and the like.—75-00400P
Guide to substrate selection for thin-film growth.—75-04063A
Heater having a multiple layer ceramic substrate and method of fabrication.—75-06088P
Improved alumina fibers using sisal fiber substrates.—75-09333A
Influence of sputtering parameters and substrates on ZnO thin-film structure.—75-04083A
Influence of substrate temperature on physical structure of AlN thin films prepared on polycrystalline $MoSi_2$ by rf magnetron sputtering.—75-01546A
Large ceramic articles and method of manufacturing.—75-02950P
Laser processing of diamond substrates for multichip modules: I.—75-07946A
Laser processing of diamond substrates for multichip modules: II.—75-07947A
Low-temperature cofired ceramic (LTCC) high density interconnect package with circuitry within the cavity walls.—75-05225P
Metal-containing ceramic coatings.—75-07263P
Method for closing holes in ceramic substrates.—75-08589P
Method for formation of barium titanate film.—75-03267P
Method for forming tabular diamond crystals.—75-03738P
Method for preparing an aluminum nitride sintered body.—75-02951P
Method of fabricating a silicon carbide vertical MOSFET and device.—75-03208P
Method of fabricating ceramic circuit substrate.—75-05228P
Method of fabricating oriented diamond films on nondiamond substrates and related structures.—75-03743P
Method of making glazed AlN substrate with an Al_2O_3-SiO_2 interfacial layer.—75-06129P
Method of obtaining a SiAlON-based ceramic material by reducing an aluminosilicate material, and use thereof in forming a ceramic coating on a refractory substrate.—75-01178P
Millimeter wave ceramic package.—75-03210P
Minimal capture pads applied to ceramic vias in ceramic substrates.—75-05528P
Modified mixed oxide perovskites $0.7Sr(Al_{1/2}B_{1/2})O_3$-$0.3LaAlO_3$ and $0.7Sr(Al_{1/2}B_{1/2})O_3$-$0.3NdGaO_3$ (B=Ta^{5+} or Nb^{5+}) for high-T_c superconductor substrate applications.—75-05799A
Monitoring the cure of thin-layer polymides on glass substrates with photoacoustic infrared spectroscopy.—75-00353A
Nonmagnetic ceramic substrate material.—75-08781P
Oriented diamond film structures on nondiamond substrates.—75-08108P
Oxidation of aluminum nitride substrates.—75-04442A
Photoimageable thick-film metallization on microwave substrate for wireless applications.—75-00361A
Piezoelectric/electrostrictive element having ceramic substrate formed essentially of stabilized zirconia.—75-00720P
Planar SQUID of oxide superconductor.—75-03435P
Process for manufacture of synthetic diamond layers on substrates.—75-03753P
Process for the manufacture of PZT films.—75-08189P
Properties of CdSe layers grown on cubic and hexagonal substrates.—75-08029A
Properties of lead sulfide thin films deposited on a ferroelectric ceramic substrate.—75-00693A
Reasons for formation of crystals with the c-axis oriented parallel to the substrate plane in $YBa_2Cu_3O_{7-x}$ films.—75-05824A
Research into novel sensors on silicon substrates.—75-00588A
Semiconductor package using an aluminum nitride substrate.—75-05530P
Sheet ceramic package having electrically independent products units.—75-08114P
Spectroscopic ellipsometry measurement of the oxide thickness on silicon nitride ceramics.—75-03838A
Strengthening of multilayer ceramic/glass articles.—75-00409P
Structures superconductor tracks and process for making them.—75-00918P
Substrate and ceramic package.—75-08117P
Substrates for the growth of 3C-silicon carbide.—75-08118P
Surface preparation of single-crystal C(001) substrates for homoepitaxial diamond growth.—75-01692A
Surface skimming bulk wave generation in $KTiOPO_4$ and its analogs.—75-03272P
Surface-mount-type ceramic capacitor.—75-00410P
Thin-film circuit fabrication on diamond substrates for high-power applications.—75-08086A
Time domain wavelets "D.S.P" lossy transmission line simulator in the mentor graphic's "layout" package.—75-00623A
Vapor deposition of ceramic materials.—75-01006P
X-ray topographic studies of defects in PVT 6H-SiC substrates and epitaxial 6H-SiC thin films.—75-01780A

sulfates,
P-T phase diagrams and proton conductivity in $Rb_3H(SeO_4)_2$ and $(NH_4)_3H(SO_4)_2$ crystals.—75-06144A
Accelerating effect of pyrophosphate ions on the copper discharge process in sulfate solution.—75-08859A
Anomalous pyroelectricity in sharply cooled lithium sulfate monohydrate and nonpolar alum crystals.—75-09118A
Circular dichroism in Cr^{3+}-activated alum under electric and magnetic fields: III, Circular dichroism induced by a magnetic field on transitions of Cr^{3+} ions in alum crystals.—75-06431A
Determination of kinetic parameters in acidic $CuSO_4$ solutions containing accelerating agents—H_2SeO_3 and Na_2Se.—75-08903A
Effects of organics in casting slips.—75-09295A
Formation of lead sulfate in the Pb|$PbSO_4$|H_2SO_4|PbO_2|Pb system and its electrochemical properties when used as a Pb electrode.—75-06465A
Formation of lead sulfate in the Pb|$PbSO_4$|H_2SO_4|PbO_2|Pb system and its electrochemical properties when used as a Pb-Sb electrode.—75-06466A
Kinetics and mechanism of surface nucleation of calcium sulfate during its crystallization on the heat exchange surface.—75-06251A
Kinetics of dehydration of lithium sulfate monohydrates [LSM] studied by conducting scanning calorimetry [CSC].—75-05953A
Kinetics of surface crystallization of calcium sulfate in a temperature gradient.—75-06254A
Low-temperature phase transition in $(CH_3)_2NH_2Ga(SO_4)_2$·$6H_2O$ crystals.—75-08975A
Process of sulfate attack on cement mortars.—75-04826A
Pulsed switching in triglycine sulfate crystals with defects.—75-06855A
Raman scattering spectra and phase transition in a potassium lithium bisulfate crystal [$K_4LiH_3(SO_4)_4$].—75-06332A
Segregation of sulfate and phosphate in the vitrification of high-level wastes.—75-03494A
Solubility of alkali metal sulfates in anhydrous dimethoxyethane.—75-09188A
Solubility of alkaline and alkaline-earth sulfates in anhydrous hydrogen peroxide.—75-06516A
Sorption behavior of barium sulfate colloids in the system $BaCl_2$-Na_2SO_4-H_2O cation exchanger.—75-06777A
Sulfate segregation in vitrification of simulated Hanford nuclear waste.—75-03498A
Surface tension of aqueous solutions of chromium sulfate and sodium dodecylsulfate solutions.—75-07041A
Surface tension of aqueous solutions of sodium dodecylsulfate with salt additives.—75-09075A
Use of sulfates in eliminating loose oxides on the unenameled steel surface.—75-00146A

sulfides,
I-V characteristics of lead sulfide films with different oxide phase contents.—75-05233A
Atomic and magnetic structures of phases in the $CuFe(S_{1-x}Se_x)_2$ system.—75-05245A
Babkinite $Pb_2Bi_2(S, Se)_3$—a new mineral.—75-08753A
Baksanite $Bi_6(Te_2S_3)$—a new mineral species from Tyrnyauz (Northern Caucasus).—75-08754A
Band structure and optical spectra of ferroelectric-semiconductor, $Sn_2P_2S_6$.—75-05250A
Chemical and structural alteration in the surface layers of oxides and sulfides.—75-01814A
Classical Hall effect in an amorphous As_2S_3 semiconducting glass.—75-00435A
Compositional coatings with lead sulfide matrices for photoconducting layers.—75-02980A
CVD coating of alumina film on WC-8-Co cemented carbide by using hydrogen-sulfide-containing atmosphere.—75-00084A
Dielectric properties and ac conductivity of $TlInS_2$ single crystals.—75-07833A
Dosage dependence of the charge carrier concentration in electron irradiated lead sulfide.—75-07836A
Effect of aluminum hydride on the synthesis of CdI_2 from CdS and I_2 initiated by hydrogen.—75-09269A
Effect of CVD conditions on the porosity of zinc sulfide.—75-06575A
Effect of scattering centers on the optical loss of As_2S_3 glass fibers in the infrared.—75-00186A
Effect of Sn additives on electrophysical properties and the superconducting transition in $(PbTe)_{0.95}(PbS)_{0.05}$:Tl.—75-08298A
Effects due to repulsive barriers in a $GdIn_2S_4$ compound.—75-07858A
Electrical properties and phase transitions in $Tm_{1-x}Sm_xS$ and $Tm_{1-x}La_xS$ systems.—75-03012A
Electroabsorption and laser generation in ZnCdSe/ZnSeS quantum well diodes.—75-07867A
Electrochemical characterization of thio sol-gel-derived titanium sulfide (TiS_2) powders with unique morphologies.—75-02907A
Electron properties of real and sulfurized surfaces of GaAs.—75-03014A
Electrophotographic spectroscopy of deep levels in As_2Se_3 and As_2S_3.—75-03017A
EPR study of the $Mn_xV_{1-x}S$ system [x=0–1].—75-07879A
Eutectics in $A^{II}B^{VI}$-$A^{IV}B^{VI}$ systems.—75-07880A
Experimental study of the distribution of the rare-earth elements and yttrium between sulfide and silicate melts.—75-06464A
Features of electron-stimulated changes of the optical absorption limit of amorphous germanium monoselenide and monosulfide films.—75-07887A
Features of thermal expansion of solid solution single crystals of $TlIn(S_{1-x}Se_x)_2$ in the low-temperature region.—75-05323A
Ferroelectric (Pb, Sn)$_2P_2$(Se, S)$_6$ crystals: from a single Lifshits point to a surface of Lifshits points.—75-05574A
Fibonacci superlattices of PbS-C type produced by pulsed laser ablation: optical and electrical properties.—75-03030A
Formation of ultrafine $CuInS_2$.—75-07898A
Glass formation and properties of glasses in the $(Sb_2S_3)_{1-x}(PbI_2)_x$ system.—75-02655A
Hydrogen sulfide sensing characteristics of tin oxide sol-derived thin films.—75-07912A
Image potential induced surface states of W(100) and PbS(100) studied by spectroscopy of polarized electrons.—75-08950A
Impurity electron states of Tl and Sn atoms in a $(PbTe)_{0.9}(PbS)_{0.1}$ solid solution.—75-08953A
In situ dynamic high-resolution transmission electron microscopy investigation of guest-layer behavior during deintercalation of mercury titanium disulfide.—75-01869A
Incommensurate-incommensurate phase transition in the sequence of structural phase transformations in $TlInS_2$ layered crystals.—75-07919A
Influence of gamma irradiation on electrical parameters of thin SmS films.—75-03058A
Influence of MnS and $MnCl_2$ on the glass structure in the GeS_2-Ga_2S_3 system.—75-02591A
Influence of uniaxial deformation on the conductivity and photoconductivity of PbS films.—75-07930A
Kinetics of etching $Ag_{0.2}Ge_{0.3}S_{0.5}$ and $Ag_{0.7}AsSe$ in acidic oxidizing media.—75-02663A
Kinetics of GaAs(100) surface passivation in sodium sulfide aqueous solutions.—75-07945A
Kinetics of hydrogen sulfide absorption in a drop of a sodium carbonate solution with resistivity to mass transfer in the liquid phase.—75-06253A
Magnetic structure of $CuCr_2S_4$ spinels doped with antimony.—75-08151A
Measurement of thermo-emf of piezoelectric lanthanum sulfide.—75-05603A
Mechanism of formation of conducting channels in CdS crystals under the action of the electric field.—75-03091A
Modification of photocurrent spectra of $TlInS_2$ single crystals during intercalation.—75-05387A
Nature of intrinsic defects in $CdGa_2S_4$ polycrystalline films.—75-05393A
Optical absorption and photoconductivity of $ZnCr_2S_4$ single crystals.—75-07989A
Optical properties of terbium sulfide and terbium selenide single crystals.—75-07996A
Optical properties of $TlSbS_2$-$TlSbSe_2$ single crystals.—75-06496A
Phase diagrams of the Ho_2O_3-In_2S_3, Ho_2O_3-Ho_2S_3, and Ho_2O_2S-In_2S_3 systems.—75-09012A
Phase equilibria and several properties of compounds in $In_2(Ga_2)S_3$-P_2S_5 systems.—75-06302A
Phase equilibria in the Bi_2S_3-Ln_2O_2S (Ln=La, Ce, Pr) systems.—75-09016A
Phase equilibria in the CaS-Y_2S_3 system.—75-09017A
Phase equilibria in the Pr_2S_3-Pr_2O_3-In_2S_3 ternary system.—75-06305A
Phase formation and thermal stability of calcium lanthanum sulfide powder.—75-03817A
Phase transition in HgTeS crystals under high pressure.—75-08005A
Phase transition under hydrostatic pressure in HgSeS crystals.—75-05419A
Photoconductivity of $MnGaInS_4$ single crystals.—75-08009A
Photoconductivity of $MnIn_2S_4$ single crystals.—75-05424A
Photoelectrical properties of highly compensated lead sulfide films produced by radiation technologies.—75-03121A
Photoinduced structural transition in $Pb_{0.2}Sn_{0.8}S$ single crystals.—75-08014A
Photoluminescence [PL] of $CuAl_xIn_{1-x}S_2$ single crystals.—75-03124A
Photoluminescence of rare-earth elements in $CaGa_2S_4$ compounds.—75-05434A
Photostructural transformations in amorphous and polycrystalline As_4S_4 films.—75-02602A

Physicochemical principles of arsenic extraction from sulfide ores.—75-06503A
Possibility of the existence of quasi-particles in antiferromagnetic semiconducting solid solutions of $xCoCr_2S_4$-$(1-x)CuCr_{1.5}Sb_{0.5}S_4$ (x=0.25, 0.5).—75-05443A
Preparation of conducting In_2S_3 and In_2O_3(S) films from the volatile compound $In(S_2COC_3H_7\text{-}iso)_3$ and their electrical properties.—75-09391A
Raman linewidths in rare-earth sesquisulfide solid solutions.—75-03830A
Selective imaging of metal atoms in the semiconducting layered compound MoS_2 by STM/STS.—75-01930A
Selective laser spectroscopy of localized excitons in solid solutions of $GaSe_{1-x}S_x$.—75-05469A
Structure of indium sulfide layers on InAs.—75-05489A
Sulfide ceramics in molten salt electrolyte batteries.—75-02939A
Synthesis and physicochemical properties of $LnBiOS_2$ [Ln=La, Ce, Pr, Nd, Sm, Gd, Dy, Yb] compounds.—75-09459A
Synthesis of diamond from carbon disulfide in hydrogen.—75-01707A
Synthesis of nickel sulfide by homogeneous precipitation from acidic solutions of thioacetamide.—75-04246A
Thermal conductivity and heat capacity of $(As_2S_3)_x(As_2Se_3)_{1-x}$ glasses.—75-04998A
Thermal conductivity of lanthanum monosulfide doped with thullium and lutetium.—75-09199A
Thermoelectric properties of Bi_2S_3-GaTe solid solutions.—75-08085A
Thick-section AS4-graphite/E-glass/PPS [poly(phenylene sulfide)] hybrid composites: II, Flexural response.—75-07049A
Topological transitions and chemical ordering in network glasses of the Ge-Ga-S system.—75-04936A
X-ray and optical studies of $Cs_xRb_{1-x}LiSO_4$ solid solutions.—75-06408A

sulfur oxides,
Emissions of sulfur dioxide and hydrogen chloride from the firing of clay ceramics.—75-03613A
Pilot plant study for the SO_x removal in the ammonia incinerator.—75-08735A

sulfur,
Change of the work function of electrons from the surface of A^3B^5 semiconductors during sulfide passivation.—75-07799A
Chemical stability of glasses in the selenium-sulfur system.—75-04945A
Concrete and articles based on S-containing industrial wastes.—75-07140A
Electrical conductivity of $CoCr_2S_{3.5}Se_{0.5}$ in a variable field.—75-05307A
Electrodeposition of Cu in acidic $CuSO_4$ solutions containing sulfite-accelerating additive: II, Effect of sulfite ions on the voltammetric behavior of Cu/Cu^{2+} system at initial Pt electrode.—75-08918A
EPR study of defect formation and γ-irradiation effects in Ge-S-Ga glasses.—75-07337A
Excited states of sulfur and selenium in germanium.—75-03024A
Glass formation in the $Al_2(SO_4)_3$-H_2O system.—75-07301A
Low-temperature electrical properties of $Me_xV_{1-x}S$.—75-09156A
Luminescence of localized electron-hole pairs in the range of the fundamental absorption of Zn(S,Se)-(Zn,Cd)Se structures having quantum wells.—75-05369A
Magnetocircular polarization of luminescence and tunneling relaxation of excitons in $CdS_{1-x}Se_x$ solid solutions.—75-05371A
Mechanisms of high-temperature holographic recordings in As-S materials.—75-07966A
Optically enhanced forced diffusion of sulfur and chlorine in diamond.—75-09515A
Parameters of the free volume theory for As-S-Br glasses.—75-02673A
Properties of $As_{40}S_{(60-x)}Se_x$ glasses for ir fiber optics.—75-02678A
Sulfur passivation of GaAs surface: unpinning of Fermi level.—75-03175A
Sulfur polymer cement [SPC] encapsulation of RCRA toxic metals and metal oxides.—75-03499A

sulfuric acid,
Reactivity of C_{60} in fuming sulfuric and chlorosulfonic acids.—75-01647A

superconducting quantum interference device (SQUID),
Bicrystal junctions and superconducting quantum interference devices in $YBa_2Cu_3O_7$ thin films.—75-03344A
Influence of YBCO film constants on the properties of an HTSC dc SQUID.—75-08344A
Interpretation of experimentally measured magnetic susceptibilities of a SQUID ring in terms of the quantum mechanics of a double Josephson junction.—75-08348A
Low-frequency (1/*f*) noise in $YBa_2Cu_3O_{7-\delta}$ grain boundary junction dc superconducting quantum interference devices.—75-00819A
$YBa_2Cu_3O_7$ Josephson junctions and dc SQUIDs by mechanically induced growth disorder.—75-00897A

superconductivity,
High-T_c superconducting band reject ferroelectric filter (TFF).—75-08179P
High-T_c superconducting monolithic ferroelectric tunable band pass filter.—75-08180P
Nonvolatile ferroelectric superconducting field effect transistor [FSuFET].—75-05613A
Stressed state of a conductor from a fixed superconductor during its magnetization in a transverse field.—75-09676A

superconductor quantum interference device (SQUID),
High-T_c SQUID magnetometers for biomagnetic measurements.—75-08329A
High-T_c SQUIDs fabricated by inhibiting ion implantation.—75-08330A
High-T_c superconducting quantum interference device with an alternating current bias DOIT [direct offset integrated technique] and additional positive feedback.—75-08331A
Integrated planar gradiometer based on a double relaxation oscillation SQUID [DROS].—75-08347A
Magnetically coupled SQUID for the digital readout of integrated HTS circuits.—75-08358A
Multichannel high-T_c SQUID system and its application.—75-08375A
Niobium planar SQUID gradiometer operating in an unshielded environment.—75-08381A
Single-layer and integrated YBCO gradiometer coupled SQUIDs.—75-08410A
Stability of dc and rf SQUIDs in static ambient fields.—75-08416A

superconductors,
a-axis superconductor on a yttrium oxide film.—75-00899P
c-axis-oriented high-temperature superconductors deposited onto single crystals of gadolinium gallium garnet and method of making the same.—75-00900P
(Hg or Pb)-Pr-Tl-Sr-Cu-O based superconductors.—75-08450P
(Hg,Pb)-Ba-Ca-Cu-O superconductor and method of manufacturing the same.—75-03428P
Atomic position and electronic field gradient of Fe dopant in Y-124 superconductor.—75-00773A
Bi oxide superconductors.—75-08451P
Bi-Sr-Ca-Cu-O superconductor junction through a Bi-Sr-Cu-O barrier layer.—75-08452P
Ceramic superconductor having a heterogeneous composition distribution and method of preparing the same.—75-08453P
Characterization of submillimeter quasi-optical twin-slot-double junction SIS mixers.—75-08271A
Coated precursor powder for oxide superconductors.—75-05866P
Composite superconductor and method of the production thereof.—75-00006P
Composite superconductor and method of the production thereof.—75-08454P
Controlled texturing of HTSC materials: technology, properties, and application in the protection of contacts of superconducting devices.—75-08277A
Copper oxide superconductor, a process for its production, and a copper complex used therein.—75-08455P
Critical state models for flux-pinning-induced magnetostriction in type-II superconductors.—75-00779A
Crystal compensated superconducting thin film formed of oxide superconductor material.—75-00901P
Cuprate-titanate superconductor and method for making.—75-00902P
Dc transmission cable prototype using high-temperature superconductors.—75-08284A
Determination of oxygen content and metal valences in oxide superconductors by chemical methods.—75-08286A
Device for forming a compound oxide superconductor thin film.—75-05867P
Diamondlike carbon [DLC] for high-temperature superconductor encapsulation.—75-08805A
Effect of a second-order superconductor on the basic state of a uniaxial ferromagnetic film.—75-05664A
Effects of Y_2BaCuO_5 on the directional growth of $YBa_2Cu_3O_x$ superconductor.—75-05763A
Electromagnetic and thermomagnetic properties of high-T_c superconductor in its mixed state: the single vortex motion model.—75-08308A
Electron holography of flux lattices in niobium.—75-00799A
Enhancement of T_c in argon-pretreated $NdSrBaCu_3O_{6+z}$.—75-00800A
Epitaxial thallium high-temperature superconducting films formed via a nucleation layer.—75-08456P
Experimental testing of applicability of the Preisach hysteresis model to superconductors.—75-03369A
Fabrication of $Bi_2Sr_2CaCu_2O_x$/Ag superconducting tape using a screen-printing method.—75-05767A
Features of growth and properties of Tb-doped Y-123-type single crystals.—75-08320A
Flux distributions of superconductors in the presence of structural defects.—75-08325A
Flux line dynamics with electron holography.—75-01852A
Formation of the high-T_c phase and retrograde densification of Bi-Pb-Sr-Ca-Cu-O pellets.—75-03371A
High temperature superconducting coil and method of manufacturing thereof.—75-08457P
High-T_c superconducting ceramic oxide products and macroscopic and microscopic methods of making the same.—75-00903P
High-T_c superconductor and process for preparing it.—75-00904P
High-T_c thin-film intrinsic stacked Josephson junctions.—75-08333A
High-T_c transistors.—75-08334A
High-performance complementary metal-oxide-superconductor field effect transistor (CMoSuFET) current-mode operational amplifier.—75-08336A
High-temperature oxide superconductor.—75-05868P
High-temperature superconducting current limiter.—75-08458P
High-temperature superconducting dielectric resonator having mode-absorbing means.—75-05223P
High-temperature superconducting multilayers and heterostructures grown by atomic layer-by-layer molecular beam epitaxy.—75-05775A
HREM of ceramic high-T_c superconductors.—75-08337A
Identification of phase transitions in superconductors and ferroelectrics by the secondary electron emissions method.—75-05950A
Josephson effects in Bi-2212 single crystals.—75-08350A
Josephson junction device formed of oxide superconductor and process for preparing the same.—75-08459P
$LaAlO_3$ substrate for copper oxide superconductors.—75-08460P
Laminated superconductor oxide with strontium, calcium, copper and at least one of thallium, lead, and bismuth.—75-08461P
Layered structure comprising insulator thin film and oxide superconductor thin film.—75-08462P
Magnetic shielding using high-temperature superconductors.—75-05792A
Magnetically coupled SQUID for the digital readout of integrated HTS circuits.—75-08358A
Mean-field description of the transition to the mixed state of superconducting microbridges with low vortex pinning forces.—75-00822A
Mercury-thallium-barium-calcium-strontium-copper-oxide 1223 superconductor and method of making same.—75-08463P
Metallorganic chemical vapor deposition of superconducting oxide films.—75-03429P
Method for annealing thin-film superconductors.—75-08464P
Method for forming a patterned oxide superconductor thin film.—75-03430P
Method for forming continuous oxide superconducting layer having difference thickness portions for superconducting device.—75-00905P
Method for harvesting rare-earth barium copper oxide single crystals.—75-08465P
Method for joining superconductor segments to form a superconducting article.—75-03431P
Method for making rare-earth superconductive composite.—75-08466P
Method for manufacturing a superconducting device having a thin superconducting channel formed of oxide superconductor material.—75-05869P
Method for manufacturing a superconducting device having an extremely thin superconducting channel formed of oxide superconductor material.—75-08467P
Method for manufacturing a superconducting device having an extremely thin superconducting channel.—75-08468P
Method for manufacturing an oxide superconductor thin film and a target for use in the method.—75-00906P
Method for manufacturing high-T_c superconductor coils.—75-00907P
Method for manufacturing superconducting thin film formed of oxide superconductor having nonsuperconducting region and device utilizing the superconducting thin film.—75-05870P
Method for manufacturing three-terminal oxide superconducting devices.—75-08469P
Method for preparing copper oxide superconductor containing carbonate radicals.—75-03432P
Method for production of thin oxide superconducting film and substrate for production of the film.—75-00908P
Method for the preparation of precursors for superconductors and compounds thus obtained.—75-08470P
Method of fabricating oxide superconducting films by laser deposition.—75-03433P
Method of forming Hg-containing oxide superconducting films.—75-05871P
Method of joining Y-based oxide superconductors.—75-08471P
Method of making artificial layered high-T_c superconductors.—75-03434P
Method of making electrical contacts on Bi-based oxide superconductors.—75-08472P
Method of manufacturing an oxide superconductor thin film.—75-05872P
Method of manufacturing Y-Ba-Cu-O superconducting thin film.—75-05873P
Method of preparing oxide superconducting wire.—75-05874P
Method of preparing oxide superconducting wire.—75-08473P
Method of producing a layer of superconductive oxide.—75-00910P
Method of producing a metal superconductive ceramic connection.—75-05875P
Method of producing an oxide superconductor single-crystal film.—75-08474P
Method of producing an $SrTiO_3$/$YBa_2Cu_3O_7$ layer system and a layer system as thus produced as a high-temperature superconductor.—75-00911P
Method of producing compound oxide superconducting thin film.—75-05876P
Method of producing highly oxidized superconductors containing barium, copper, and a third metal.—75-08255P
Method of producing superconductor which exhibits critical current density bifurcation.—75-05877P
Microprocessing of superconductive thin films by excimer laser.—75-00830A
Microstructure and properties of high-temperature superconducting materials[—review].—75-05797A
Microwave absorption in high-T_c superconductors in low magnetic fields.—75-08368A
Microwave component of compound oxide superconductor having crystal orientation for reducing electromagnetic field penetration.—75-08475P
Microwave surface impedance of granular high-T_c superconductors in dc magnetic fields: its relationship to frequency dependence.—75-00832A
Modified mixed oxide perovskites $0.75Sr(Al_{1/2}B_{1/2})O_3$-$0.3LaAlO_3$ and $0.75Sr(Al_{1/2}B_{1/2})O_3$-$0.3NdGaO_3$ (B=Ta^{5+} or Nb^{5+}) for high-T_c superconductor substrate applications.—75-05799A
Multifilamentary oxide superconducting wire and coil formed by the same.—75-08476P
Multilayer distorted lattice copper oxide perovskite structures including NdCeCuO and YBaCuO multilayers.—75-08477P
Nature of grain boundaries in the high-T_c superconductors.—75-05800A
Nonlinear effects in high-temperature superconducting bolometers.—75-00837A

Normal domains in large multifilamentary composite superconductors.—75-03384A
Nuclear spin-lattice relaxation time in d-wave superconductors.—75-08388A
Oxide high-temperature superconducting material, method of preparing same, and superconducting wires.—75-08478P
Oxide superconducting device.—75-08479P
Oxide superconducting film manufacturing apparatus.—75-08480P
Oxide superconducting material, process for preparing the same, and applications thereof.—75-08481P
Oxide superconduction grain boundary tunneling device.—75-00912P
Oxide superconductor and a method for manufacturing an oxide superconductor.—75-00913P
Phase diagram of superconducting oxides.—75-00841A
Planar SQUID of oxide superconductor.—75-03435P
Possibility of controlling growth mechanisms of HTSC films by molecular beam epitaxy.—75-08398A
Preparation of Bi-Pb-Sr-Ca-Cu-O (2223) superconductors.—75-08482P
Preparation of superconducting oxides by oxidizing a metallic alloy.—75-03436P
Process for depositing high-temperature superconducting oxide thin films.—75-03437P
Process for manufacturing a composite oxide superconducting wire.—75-00914P
Process for preparing a superconducting thin film.—75-05878P
Process for preparing oxide superconductor.—75-00915P
Process for preparing $YBa_2Cu_3O_{7-x}$ superconductors.—75-08483P
Process for producing oxide superconductor.—75-05879P
Process for producing tubular parts of high-T_c superconductor material.—75-05880P
Process of preparing superconductive oxide complexes containing L, Ba, Cu, and O and method of using the same.—75-05881P
Production of oxide superconductors having large magnetic levitation force.—75-05882P
Quasi-optical log-periodic antenna SIS mixers for the 100-GHz band.—75-08405A
Radio-frequency sputtering and the deposition of high-temperature superconductors.—75-03395A
Rapid formation of phase-clean 110 K (Bi-2223) powders derived via freeze-drying process.—75-08484P
Rare earth oxide superconducting material and process for producing the same.—75-00916P
$REBa_2Cu_3O_{7-y}$-type oxide superconductive material having high critical current density and process for preparation thereof.—75-08485P
Redistribution of local current densities in high-T_c ceramics in external magnetic fields.—75-00857A
Sealed glass coating of high-temperature ceramic superconductors.—75-00917P
Sign and temperature dependence of the Hall effect of $Bi_2Sr_2YCu_2O_8$ single crystals at compositions below that for metallic conduction.—75-03401A
Sputtering apparatus for making high-temperature superconducting oxide films.—75-03438P
Stacked Josephson junction device composed of oxide superconductor material.—75-05883P
Stationary properties of high-critical-temperature proximity effect Josephson junctions.—75-08417A
Structures of high-temperature cuprate superconductors.—75-00871A
Structures superconductor tracks and process for making them.—75-00918P
Substrates for microwave applications of high-T_c superconductors.—75-03409A
Subsurface overheating of targets in laser deposition of superconducting films.—75-03410A
Superconducting composite.—75-08486P
Superconducting device having a reduced thickness of oxide superconducting layer.—75-03439P
Superconducting device having an extremely short superconducting channel formed of extremely thin oxide superconductor film.—75-05884P
Superconducting device having an extremely thin superconducting channel formed of oxide superconductor material.—75-08487P
Superconducting device having an thin superconducting channel formed of oxide superconducting material.—75-00919P
Superconducting device structure with Pr-Ba-Cu-O barrier layer.—75-03440P
Superconducting FET circuits for analogue VLSI signal processing.—75-08427A
Superconducting films on alkaline earth fluoride substrate with multiple buffer layers.—75-00920P
Superconducting microwave parts having a package, two substrates, and line and grounding conductors.—75-08488P
Superconducting multilayer interconnection formed of *a*-axis and *c*-axis oriented oxide superconductor materials.—75-00921P
Superconducting particle detectors.—75-08428A
Superconducting thin film and a method for preparing the same.—75-03441P
Superconducting thin film formed of oxide superconductor material, superconducting current path, and superconducting device utilizing the superconducting thin film.—75-00922P
Superconducting thin film of compound oxide and a process of preparing the same.—75-00923P
Superconducting thin films on epitaxial magnesium oxide grown on silicon.—75-00924P
Superconducting transistors using InAs inserted channel InAlAs/InGaAs inverted HEMTs.—75-08431A
Superconducting tube for shielding magnetic fields.—75-08489P
Superconducting $YBa_2Cu_3O_{7-x}$ produced at low temperatures.—75-08490P
Superconductive copper-containing oxide materials of the formula $A_pB_qCu_rO_{3+y}$.—75-03442P
Superconductive material, a superconductive body, and a method of forming such a superconductive material or body.—75-05885P
Superconductive optoelectronic devices with the basic substance Bi_2O_3 of conductive-conjugate photoconductivity.—75-05886P
Superconductive oxide single crystal and manufacturing method thereof.—75-03443P
Superconductivity of Fe-substituted $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals.—75-00874A
Superconductor and method of producing same.—75-08491P
Superconductor junction structure including two oxide superconductor layers separated by a nonsuperconducting layer.—75-08492P
Superconductors having continuous ceramic and elemental metal matrices.—75-05887P
Surface roughness effect on surface impedance of superconductors.—75-00881A
Susceptibility study of site-selective doped fullerenes—K_2RbC_{60}, Rb_3C_{60}, K_2CsC_{60}, and Rb_2CsC_{60}.—75-00883A
Synthesis of high-temperature superconducting thin films in microwave field.—75-03413A
Synthesis of highly phase pure BSCCO superconductors.—75-05888P
Thallium-, bismuth-, and lead-containing oxide superconductor.—75-08493P
Thallium-calcium-barium-copper-oxide superconductor with silver and method.—75-08494P
Thermal model for the bolometric response of high-T_c superconducting films to chopped optical radiation.—75-08439A
Thick film ceramic oxide buffer layers for high temperature superconductors.—75-00888A
Thick film superconductors and their application in the microelectronics technology.—75-00889A
Thin film of oxide superconductor possessing locally different crystal orientations and processes for preparing the same.—75-05889P
Thin film superconductor with an interlayer on a silicon substrate.—75-00925P
Thin-film high-T_c oxide superconductors and vapor deposition methods for making the same.—75-03444P
Thin-film high-T_c superconductor comprising a ferroelectric buffer layer.—75-00926P
THz SIS mixers with normal-metal Al tuning circuits.—75-08441A
$Tl_1(Ba_{1-x}Sr_x)_2Ca_2Cu_3O_y$ oxide superconductor and method of producing the same.—75-08495P
Tl-M-Cu-O-F superconductors.—75-08496P
Variations of order parameter and bias current distribution with time in thin-film superconducting lines.—75-08445A

superlattices,
Boundary electron states in semiconducting superlattices.—75-05254A
Dynamic localization features of an electron of the quantum semiconductor superlattice in fast-alternating electromagnetic and magnetostatic fields.—75-05286A
Electron drag by solitons in superlattices in external magnetic fields.—75-07870A
Electronic structure of layered and linear chain materials by scanning probe microscopy.—75-01844A
Energy relaxation of hot carriers in a short-period semiconductor superlattice.—75-03019A
Epitaxial $(GaAs)_{1-x}(Si_2)_x$ metastable alloys on GaAs(001) and $(GaAs)_{1-x}(Si_2)_x$/GaAs strained-layer superlattices: crystal growth, spinodal decomposition, and antiphase domains.—75-00485A
Indirect exchange of RKKI and magnetic states of ferromagnetic-superconducting superlattices.—75-08339A
Instability of surface polaritons in a classical semiconductor superlattice.—75-07936A
Interband multiphoton absorption in superlattices.—75-05352A
Interplay between crystalline and magnetic ordering in Fe_3O_4/NiO superlattices.—75-00741A
Localized states of 3*d* impurities in quantum wells and superlattices of type I.—75-03082A
Magnetic and crystallographic properties of molecular beam epitaxially grown Fe_3O_4/NiO superlattices and Fe_3O_4 films.—75-03302A
Nonmonotonic dependence on the barrier width of the tunnel transparency of disordered superlattices containing impurity centers in barriers.—75-05406A
Optical and magnetooptical properties and giant magnetoresistivity of Fe/Cr superlattices with noncollinear ordering of Fe layers.—75-08235A
Polaron in a model of a superlattice with deep quantum wells.—75-06322A
Resonance Raman scattering by interfacial phonons in the magnetic field in GaAs/AlAs superlattice.—75-05463A
Structure and photoluminescence of AlP/GaP short-period superlattices grown by organometallic vapor phase epitaxy.—75-00608A

superplastic,
Effect of oxygen content on the superplastic behavior of $MoSi_2$/SiC composites.—75-09278A
Method for enhancing superplasticity in composites.—75-00163P
Relationship between surface roughness and bonding strength in superplastic diffusion bonding.—75-01648A
Superplastic alumina at temperatures below 1300°C using charge-compensating dopants.—75-01688A

superplasticizers,
Accelerated OPC performance in high early-strength concrete.—75-00023A
Effect of Melment superplasticizer on C_3S hydration—from suspension to paste.—75-00034A
Effectiveness of superplasticizers depending on the amount of alkali in portland cement.—75-07146A

surface acoustic waves,
Lithium niobate thin films deposited on silicon substrates and their SAW applications.—75-05599A
Thin-film lithium niobate on sapphire for SAW applications.—75-05650A
Velocity surface measurements for ZnO films over {001}-cut GaAs.—75-00633A

surface area,
Characterization of milled Si_3N_4 powder using X-ray peak broadening and surface area analysis.—75-06179A
Effect of carbonation on the nitrogen BET surface area of hardened portland cement paste.—75-04814A
Influence of atmosphere and sample surface area on phase formation in melt-quenched Bi(Pb)-Sr-Ca-Cu-O glass-ceramics.—75-05778A
Method for increasing the surface area of ceramics, metals, and composites.—75-05923P

surface energy,
Components of surface free energy of quartz from contact angle measurements.—75-06187A
Simulation of segregation to free surfaces in cubic oxides.—75-01342A
Surface energies and morphologies of chemical vapor deposited diamond films.—75-01956A

surface,
Adsorption of α-tocopherol and its analogs on the surface of highly dispersed silica from aqueous micellar solutions of nonionogenic surfactants.—75-09116A
Adsorption of organic additives on powder surfaces.—75-03869A
Adsorption properties of a glucose-modified silica surface.—75-09117A
Advanced surface techniques for the investigation of corrosion problems.—75-01009A
Aluminum nitride sintered body having a metallized coating layer on its surface.—75-07239P
Application of low-energy ion scattering to oxidic surfaces.—75-01790A
Application of surface chemical activation for synthesis of high-temperature superconductors.—75-05728A
Applications of TXRF in submicron VLSI.—75-04295A
Atomic bonding at oxide surfaces.—75-04296A
Atomic scale flattening and characterization of a YBCO film surface.—75-08263A
Atomic scale imaging of ceramic thin-film surfaces.—75-06862A
Atomic structure observation of ECR hydrogen plasma passivated Si(111) surface by scanning tunneling microscope in air.—75-05247A
Atomic structure of Si(100) surfaces coated by submonolayered films of Bi.—75-08873A
Atomistic simulation of the surface structure of spinel.—75-06163A
Auger electron spectroscopy of aluminum nitride powder surfaces.—75-03765A
Binder segregation in the processing of ceramics.—75-09222A
Bulk and surface properties of $BaTiO_3$.—75-00301A
Calculation of strained states in surface structures of arbitrary system from the data of a double-crystal X-ray diffractometry.—75-06944A
Calculations of reactions of H_2O and NH_3 molecules with the surface of modified aluminosilicates and ZnO crystal.—75-06171A
Cation concentration profiles in float glass surfaces during corrosion in aqueous solutions.—75-07285A
Changes of work function of CVD diamond with ultraviolet light.—75-07800A
Characterization of Mg-Al mixed oxides by temperature programmed reaction of 2-propanol.—75-06178A
Characterization of the surface chemistry of silicon nitride powders.—75-01807A
Characterization of the surface of ZnO layers and the ZnO/ZnSe interface in heterostructures prepared by radical-beam getter epitaxy.—75-05259A
Chemical and structural alteration in the surface layers of oxides and sulfides.—75-01814A
Chemical standardization of the surface of diamond.—75-08880A
Comparison of surface cleaning processes for diamond C(001).—75-00439A
Comparison of test methods used for evaluating porcelain enameled and painted surfaces.—75-00079A
Comparison of the electrokinetic properties of silica surfaces.—75-06432A
Composition and influence of the surface layer of alumina enriched with sodium on its interaction with $TiCl_4$ and H_2O vapors.—75-06556A
Conductivity of surface layers of sodium aluminosilicate glass treated with aqueous solutions.—75-07330A
Controlled removal of ceramic surfaces with combination of ion implantation and ultrasonic energy.—75-03541P
Defect formation in surface region of silicon during thermal oxidation.—75-05274A
Determination of the number of molecules bonded to a CdSe nanocrystalline surface.—75-01821A
Determination of weak surface layer thickness of sintered Si_3N_4.—75-08655A
Determining the fractal dimensions of the surface for some porous silicas.—75-09615A
Diamond negative electron affinity [NEA] surfaces, structures, and devices.—75-07830A
Diamondlike atomic-scale composite films: surface properties and stability studied by STM and AFM.—75-09537A
Dynamics at a step on the diamond (111) surface.—75-01828A
Effect of anisotropy on the dispersion dependences of surface plasmon-phonon polaritons of zinc oxide.—75-09130A
Effect of surface layer treatment of lead silicate glasses on their composition and structure.—75-07296A
Effect of surface layers on ferromagnetic resonance in thin Fe films: Ni, Co, Si, and $YBa_2Cu_3O_{7-\delta}$.—75-03289A

Effect of surface roughness on the acid etching of amorphous silica.—75-04011A
Effect of surface structure on the adsorption of Co(II) on α-Al_2O_3—a glancing angle XAFS study.—75-04319A
Effects of grinding aids on the surface properties of flaky graphite.—75-09294A
Effects of prolonged high-voltage STM scanning on an oxidized silicon wafer surface.—75-04321A
Electrochemical surface modification of diamond.—75-09298A
Electron properties of real and sulfurized surfaces of GaAs.—75-03014A
Electronic structure of the bulk and surface of spinels.—75-07727A
Electrostatic forces between a metallic tip and semiconductor surfaces.—75-00482A
Evaluation of grain boundary groove profiles and surface diffusion coefficients in SiC ceramics using atomic force microscopy.—75-09546A
Experimental and simulated scanning tunneling microscopy of the cleaved $Rb_{1/3}WO_3$(0001) surface.—75-01849A
Experimental modeling of planar nonuniform surface carrier generation in MIS structures.—75-07883A
Fractal analysis of fracture surfaces using the patchwork method.—75-03566A
Fused ceramic beads.—75-08780P
Generation of electron-hole pairs at the surface of a semiconductor in the edge fields of macroscopic charged clusters: effects of electrical inhomogeneities of different scales.—75-03035A
Graphite-containing unshaped refractories.—75-07558A
Growth of boric acid crystallites on the surface of boron-doped silicon carbide samples.—75-04332A
Hackles revisited.—75-04547A
Halogenation of diamond (100) and (111) surfaces by atomic beams.—75-06634A
High precision machining of carbon products.—75-09327A
Hydrogen content of polished glass surfaces using forward recoil spectroscopy.—75-04904A
Hydrolysis at stepped MgO surfaces.—75-06241A
In process surface modification of alumina grains in sintered bodies.—75-09551A
Influence of surface potential on Raman scattering in indium phosphide.—75-05349A
Influence of surface recombination on the current-voltage characteristics of a *p-n* junction in a strong microwave field.—75-07928A
Influence of surface structure on the interaction of water with TiO_2(100).—75-04343A
Influence of the semiconductor substrate surface treatment on electrical characteristics of the metal–gallium arsenide contact.—75-07929A
Influence of the surface scattering on the thin semiconductor film conductivity in a high magnetic field in quantum limit.—75-03063A
Instability of surface polaritons in a classical semiconductor superlattice.—75-07936A
Interaction between 3-amino-1-propanol and SiO_2 powder surfaces.—75-06246A
Interaction of hyperthermal hydrogen with the diamond surface.—75-01999A
Interfacial phenomena in Y_2O_3-ZrO_2-based ceramics—a surface science perspective.—75-01878A
Investigation of the vicinal Ge(001) surface with STM.—75-00527A
Kinetics and mechanism of surface nucleation of calcium sulfate during its crystallization on the heat exchange surface.—75-06251A
Laser finishing and measurement of diamond surface roughness.—75-08586P
Laser irradiation of ceramics.—75-06668A
Light scattering from sol-gel Pb(Zr,Ti)O_3 thin films: surface versus volume scattering.—75-05598A
Lubricated rolling contact fatigue on silicon nitride rods.—75-04352A
Measurement of biaxial displacement by a speckle correlation method at high temperature.—75-02071A
Measurement of surface roughness parameters for cold-rolled steel sheet using lasers.—75-08683A
Mechanism for the effect of surface-active substances on the destruction of silica materials (review).—75-04595A
Method of making ceramic composite bodies having a protective surface region thereon and bodies made thereby.—75-08604P
Methods divergence between measurements of micrometer and submicrometer surface features.—75-03580A
Microwave surface impedance of granular high-T_c superconductors in dc magnetic fields: its relationship to frequency dependence.—75-00832A
Modification of surface band bending of diamond by low energy argon and carbon ion bombardment.—75-06490A
Modified CuO surface appropriate for selective CO gas sensing at CuO/ZnO heterocontact.—75-07977A
Monitoring the formation and removal of superthin Si layers on the hydrogenated starting surface of single-crystalline Si.—75-07978A
Multiphoton ionization detection of an SiO molecule formed by O_2 oxidation of a silicon surface.—75-00548A
Near-surface forces in optical polishing [determined] using atomic force microscopy.—75-04381A
New approach to investigating surface transport in ceramics.—75-08688A
New technique for lapping ceramic balls.—75-03530A
Nucleation and step motion in chemical vapor deposition of SiC on 6H-SiC{0001} faces.—75-00357A
Nucleation at cordierite glass surfaces: kinetic aspects.—75-07308A
Passivation of GaAs surface during treatment in phosphine vapor.—75-08000A
Plasma-enhanced fluorination of $YBa_2Cu_3O_{7-\delta}$ ceramics: I, Improvement of the superconducting properties.—75-05813A
Production of ceramic and ceramic-metal composite articles with surface coatings.—75-08625P
Properties of CVD diamond domes.—75-09174A
Roughening instability and ion-induced viscous relaxation of SiO_2 surfaces.—75-01241A
Si-rich surface layer of photochemically deposited silicon nitride.—75-06348A
Silanated graphite surface [observed] with scanning tunneling microscopy.—75-04396A
Soft laser sputtering of InP(100) surface.—75-00597A
Solid oxide electrolyte fuel cell having dimpled surfaces of a power generation film.—75-07775P
Spectroscopic characterization of nanoscale modification of passivated Si(100) surface by STM.—75-00598A
Strong charge correlations in p^+ quantum wells on *n*-type silicon surfaces.—75-08064A
Structure and dynamics of the vortical lattice near the surface of the YBaCuO single crystal.—75-08423A
Structure of the polished surface of silica and silicate glasses from adsorption studies.—75-02615A
Subsurface defect detection in ceramics using an optical gated scatter reflectometer.—75-03598A
Sulfur passivation of GaAs surface: unpinning of Fermi level.—75-03175A
Surface analyses of SRS glasses buried in limestone for up to 5 years.—75-03500A
Surface and grain boundary modifications of $YBa_2Cu_3O_{7-\delta}$ ceramics by plasma-enhanced fluorination.—75-00875A
Surface and internal crystallization in glasses as determined by differential thermal analysis.—75-07316A
Surface characterization of Si_3N_4 and ß-SiAlON powders.—75-06379A
Surface chemistry of silicon nitride powder in the presence of dissolved ions.—75-06380A
Surface chemistry of tin(IV) oxide—defects, doping, and conductivity.—75-01954A
Surface cleaning, topography, and temp. measurements of single-crystal diamond.—75-01955A
Surface coating of mullite fibers with microporous titanium silicate and aluminophosphate.—75-06788A
Surface crack initiation in 2Y-TZP ceramics by low-temperature aging.—75-04643A
Surface donor states induced by metal atoms adsorbed in broad-band semiconductors.—75-05494A
Surface electrical properties of ionic solids.—75-01348A
Surface electronic states.—75-07190A
Surface interaction and interfacial chemistry in multicomponent nanocrystalline materials.—75-01689A
Surface kinetics of adatoms in vapor phase epitaxial growth of SiC on 6H-SiC {0001} vicinal surfaces.—75-03845A
Surface layer formation due to leaching and heat treatment of alkali lead silicate glass.—75-07402A
Surface magnetostatic waves [SMSWs] in exchange-coupled ferrite films.—75-08244A
Surface mass transport under high-pressure inert gas and hot isostatic process for producing porous materials.—75-09518A
Surface modification during scanning tunneling microscope measurements on $YBa_2Cu_3O_7$ thin films.—75-00878A
Surface modification of magnetic recording heads by plasma immersion ion implantation and deposition.—75-01690A
Surface modification of silicon nitride powder with aluminum.—75-01691A
Surface modification of silicon nitride powders by metallorganic surfactants.—75-04235A
Surface modification of $YBa_2Cu_3O_{7-\delta}$ thin films using the scanning tunneling microscope: five methods.—75-03411A
Surface modification of $YBa_2Cu_3O_x$ thin films with a scanning tunneling microscope.—75-00879A
Surface morphology of pulsed laser-deposited aluminum nitride thin films.—75-06381A
Surface morphology of rf-sputtered bismuth titanate thin films.—75-06382A
Surface preparation of single-crystal C(001) substrates for homoepitaxial diamond growth.—75-01692A
Surface processes during plasmochemical precipitation of films of A_2B_6 semiconducting compounds.—75-08068A
Surface properties of crystals of $Cd_xHg_{1-x}Te$ solid solutions.—75-08069A
Surface recombination in a-Si:H *p-i-n* structures.—75-08070A
Surface relaxation and surface area measurements in soft and hardened tricalcic silicate pastes.—75-01694A
Surface resistivity of YBaCuO single crystals.—75-08434A
Surface roughness effect on surface impedance of superconductors.—75-00881A
Surface roughness of Nicalon fiber.—75-06910A
Surface segregation in barium titanate.—75-01959A
Surface sensitivity of SiON integrated optical waveguides (IOW) examined by IOW attenuated total reflection spectrometry and IOW Raman spectroscopy.—75-03177A
Surface states in an accurately resolved model of semiconducting films.—75-08071A
Surface states in MIS structures studied by the two-temperature admittance method.—75-03179A
Surface states in slotless semiconductors.—75-08072A
Surface structure of HFCVD [hot filament-assisted CVD] diamond films.—75-09579A
Surface structure of porous silicon studied by a nuclear magnetic resonance method.—75-05495A
Surface studies relevant to the initial stages of diamond nucleation.—75-01961A
Surface tension of calcium aluminosilicate glass using computerized drop shape analysis.—75-03599A
Surface-barrier CdS structures with thin barrier layers.—75-03180A
Surface-modified pyrogenically produced aluminum oxide.—75-01137P
Synchrotron radiation X-ray absorption of ion-bombardment-induced defects on diamond(100).—75-01779A
System of fast surface electron states on the real surface of germanium.—75-08076A
Theoretical studies of C(100) surface reconstruction and reaction with CH_3.—75-01967A
Threshold of two-wave decay of a surface magnetostatic wave in a magnetized cubically anisotropic ferrite film in a dipole approximation.—75-08248A
Towards perfectly parallel and flat sheet and plate glass surfaces.—75-05045A
Use of laser Raman microprobe spectroscopy for investigating residual surface strain in selected ceramics.—75-03602A
Vibrational spectra of surface hydrides of high-temperature aluminum oxide forms.—75-09105A

surfactants,
Crystallization of hydroxyapatite under Langmuir monolayers.—75-08899A

susceptibility,
Ac susceptibility study of BiPbSrCaCuO (2223) superconductors.—75-08259A
Complex susceptibility of superconducting BiPbSrCaCuO ceramics fabricated through combined magnetic melt texturing and hot-pressing.—75-08273A
Frequency and low-field dependence of ac susceptibility in YBaCuO.—75-00808A
Susceptibility of $ErBa_2Cu_3O_8$ single crystal: a dipolar antiferromagnet.—75-00882A
Transverse susceptibility and magnetic anisotropy of CoTi-doped barium hexaferrite single crystals.—75-00761A

suspensions,
Ceramic Transactions, Volume 54: Science, Technology, and Applications of Colloidal Suspensions.—75-02156B
Characterization of concentrated suspensions of particles using electroacoustics.—75-01015A
Citric acid—a dispersant for aqueous alumina suspensions.—75-06185A
Comparison of the compressive yield response of aggregated suspensions: pressure filtration, centrifugation, and osmotic consolidation.—75-08883A
Control of highly concentrated suspensions based on titanium dioxide by rheological properties.—75-06435A
Effect of undispersed agglomerates on the relative viscosity of ceramic molding suspensions.—75-06215A
Heteroflocculation in binary colloidal suspensions: Monte Carlo simulations.—75-08949A
Improved aqueous disperson of silicon nitride with aminosilanes.—75-08952A
Influence of the stability of zircon suspensions on direct slurry-ICP chemical analysis.—75-01873A
Obtention of highly dispersed platelet-reinforced Al_2O_3 composites.—75-06700A
Particle characterization in ceramic processing.—75-01039A
Plastic shaping of aqueous alumina suspensions with saccharides and dicarboxylic acids.—75-04140A
Preparation of highly concentrated alumina suspension through investigation of proton adsorption density.—75-09397A
Rheological behavior of polymer-stabilized ceramic suspensions—role of the "free" polymer species.—75-01650A
Rheological properties of concentrated, nonaqueous silicon nitride suspensions.—75-09183A
Rheological properties of Y_2O_3-ZrO_2 suspensions with various dispersants.—75-01651A
Rheology of zirconia suspensions in a nonpolar organic medium.—75-01654A
Suspension parameters of SiC_w/Al_2O_3 composites.—75-03931A
Ultraviolet curing of highly loaded hydroxyapatite suspension.—75-04266A

switching,
Antiferroelectric-ferroelectric switching and induced strains for sol-gel derived lead zirconate thin layers.—75-05531A
Current and time dependence of the residual voltage of the photon-injection pulse switches [PIPS].—75-02984A
Dc voltage and cycling induced recovery of switched polarization in fatigued ferroelectric thin films.—75-05543A
Effect of polarization switch upon stress in thickness vibration of a ferroelectric plate.—75-03228A
Multiceramic layer switch circuit.—75-07770P
Optical control by switching and the switch-off mechanism in AlAs-GaAs *p-n-i-n*$^+$ structures by the voltage pulse of positive polarity.—75-03102A
Pulsed switching in triglycine sulfate crystals with defects.—75-06855A
Spontaneous switching of the impact ionization current in *p-n* junction.—75-03168A
Superoxidation and electrochemical reactions during switching in Pb(Zr,Ti)O_3 ceramics.—75-08173A
Switching of ferroelectric thin films.—75-05646A
Transient current during switching in increasing electric field as a basis for a new testing method.—75-05651A

Synroc,
Impact on Synroc of anionic process impurities.—75-00928A
Incorporation of rare earths and actinides in zirconolite and Synroc.—75-00929A
Microstructures of inactive Synroc-C samples produced by different hot consolidation methods.—75-08507A
Sintering of Synroc.—75-01669A

synthesis,
Addition of metals into rf plasma for diamond synthesis.—75-07197A
Aerosol synthesis of spherical PbO particles.—75-06535A
Alternative route for synthesis of barium titanyl oxalate [BTO]: molecular precursor for microcrystalline barium titanate powders.—75-09216A
Application of microwaves to rapid chemical synthesis.—75-01380A
Aqueous sol-gel synthesis of mullite powder by using aluminum oxalate and tetraethoxysilane.—75-06538A
Cathodic electrosynthesis of ceramic deposits.—75-09231A

Ceramic fibers from sol-gel precursors.—75-01392A
Ceramic pigments of the brown spectrum based on galvanic slime.—75-02851A
Ceramic powder synthesis—current status and future challenges.—75-01394A
Ceramic Transactions, Volume 62: Science, Technology, and Commercialization of Powder Synthesis and Shape Forming Processes.—75-04768B
Ceramic Transactions, Volume 67: Synthesis and Application of Lanthanide-Doped Materials.—75-04773B
Ceramic Transactions, Volume 79: Advanced Synthesis and Processing of Composites and Advanced Ceramics, II.—75-09742B
Characterization of (Pb, La)TiO_3 thin films prepared by the sol-gel method.—75-03218A
Combustion synthesis of $LaCrO_3$ powders.—75-01403A
Commercialization of powder synthesis processes.—75-04692A
Complex susceptibilities of Co-doped $YBa_2Cu_3O_{7-\delta}$ synthesized by the polymerized complex method: II.—75-00776A
Covalent carbon nitride films synthesized by ablated graphite plasma under ion beam coprocessing.—75-09248A
Crystal structure of Al-rich mullite.—75-03778A
Crystallization and densification of ultrafine Si/C/N powders.—75-01418A
Design of metals coordination compounds precursors for MOCVD synthesis of functionally gradient materials.—75-02452A
Development and investigation of HAp-based bone graft materials.—75-06066A
Development of Si-B-O-N fibers from polyborosilazane.—75-06571A
Diamond synthesis via hydrothermal pyrolysis of hydrocarbons and halogenated hydrocarbons on diamond seeds.—75-09260A
Differential thermal analysis of exothermic reactions in the synthesis of $MoSi_2$.—75-06204A
Direct carbide synthesis by multiphase excimer laser treatment of Ti samples in ambient CH_4 gas at superatmospheric pressure.—75-01442A
Effect of Ca compound addition on the synthesis of AlN powder by the carbothermal reduction-nitridation method.—75-01450A
Effect of diffusion flame configuration in aerosol synthesis of nanosize titania and silica powders.—75-04002A
Effects of composition, synthesis conditions, oxygen content, and F doping on superconductivity and structure for R-substituted Bi-2201.—75-08301A
Effects of various reducing agents on the synthesis of Si_3N_4 whiskers from diatomaceous earth.—75-01476A
Enhancement in critical parameters of the 2212 phase during solid-state synthesis and sintering.—75-08310A
EPR of chromium ions in synthetic forsterite in the submillimeter range.—75-06223A
Experimental design in the synthesis of aluminum hydroxide.—75-01492A
Fabrication of continuous fiber-reinforced ceramics with a nanosized mullite precursor.—75-04032A
Fifty years of mineral and materials synthesis.—75-01501A
Formation of nanosized titania particles in AOT microemulsions.—75-01508A
Hydrothermal synthesis of biocompatible whiskers.—75-06641A
Hydrothermal synthesis of cerium(IV) oxide.—75-04072A
Hydrothermal synthesis of fine perovskite powders with a simple mode of size distribution.—75-06642A
In situ OES [optical emission spectroscopy] diagnosis of the dc arc plasma jet in the synthesis of diamond.—75-08954A
In situ synthesis of Al_2O_3 matrix SiC composite powders.—75-01537A
In situ synthesis of TiB_2 or TiC by reactions in a molten NiCrAlY alloy.—75-07214A
In situ synthesis of titanium carbide and alpha-alumina by exothermic reactions of titania, carbon, and aluminum powder in high vacuum and quadrupole gas analysis during experiment.—75-06643A
In situ synthesized TiB_2-toughened SiC.—75-09643A
Influence of magnesium oxide on the properties of a high-temperature superconductor of $Bi_2Sr_2CaCu_2O_{8+x}$ synthesized by melt methods.—75-08342A
Influence of methane on the nitriding gas reduction of kaolinite.—75-06652A
Influence of polymerization on the synthesis of $SrTiO_3$: I. Characteristics of the polymeric precursors and their thermal decomposition.—75-04080A
Influence of polymerization on the synthesis of $SrTiO_3$: II. Particle and agglomerate morphologies.—75-04081A
Influence of synthesis conditions of porous glasses on their structure.—75-02726A
Influence of synthesis conditions on the kinetics of crystallization of photosensitive lithium silicate glasses.—75-02727A
Influence of synthesis methods on the dielectric properties of $(Ba_{0.2}Pb_{0.8})TiO_3$ ceramics.—75-06657A
Internal synthesis method for mullite-chromium carbide composite in a vacuum system.—75-06663A
Kinetics and mechanisms of hydrothermal synthesis of barium titanate.—75-08964A
Kinetics of silicon monoxide ammonolysis for nanophase silicon nitride synthesis.—75-08966A
Laser synthesis of nanometer silica powders.—75-04090A
Laser synthesis of ultrafine Si_3N_4-SiC powders from hexamethyldisilazane.—75-06671A
Liquid source misted chemical deposition (LSMCD)—a critical review.—75-05904A
Liquid-phase-assisted synthesis of single thallium layer superconductors.—75-00815A
Low-temperature synthesis of Al-AlN composites from a nanostructure made by controlled magnetoball milling of Al in ammonia.—75-01565A
Low-temperature synthesis of aluminum silicon carbide using ultrafine aluminum carbide and silicon carbide powders.—75-01566A
Low-temperature synthesis of $Ba(Mg_{1/3}Ta_{2/3})O_3$ ceramics from Ba-Mg-Ta alkoxide precursor.—75-05201A
Low-temperature synthesis of bismuth vanadium oxide isomorphous with γ-$Bi_4V_2O_{11}$.—75-06674A
Low-temperature synthesis of magnesium chromite spinel via suspension of $Mg_5(CO_3)_4(OH)_2{\cdot}4H_2O$ in aqueous Cr(III) solution.—75-04097A
Low-temperature synthesis, pyrolysis, and crystallization of tantalum oxide gels.—75-06676A
Lyothermal synthesis of nanocrystalline $BaTiO_3$ and TiO_2 powders.—75-01568A
Mechanochemical synthesis of dispersed composites with layer structure from kaolinite and some organic and inorganic acids: ir study.—75-08982A
Mechanochemical synthesis of the dispersive layered compositions on the basis of kaolinite and higher organic acids.—75-06680A
Method and apparatus of synthesizing diamond in vapor phase.—75-08588P
Microwave synthesis of aluminum titanate in air and nitrogen.—75-01583A
Microwave synthesis of nonoxide ceramic powders.—75-01584A
Microwave synthesis of SiAlONs.—75-01585A
Mixtures of ß-SiAlON and SiC prepared by carbothermal reduction of silica-rich clays.—75-01588A
MOCVD of high-quality $YBa_2Cu_3O_{7-\delta}$ films: in situ preparation of fluorine-free layers from a fluorinated barium source.—75-05798A
Modeling of prebiotic synthesis of oligopeptides in the presence of zeolites and kaolin.—75-06276A
Nanostructures: the next generation of high-performance bulk materials and coatings.—75-06692A
New "incipient-wetness" method for the synthesis of chemically stabilized ß-cristobalite.—75-03527A
New compounds of $AB_xW_{1-x}O_6$ with hexagonal tungsten bronze type structure.—75-05611A
New ferromagnetic oxide La_2MnIrO_6: synthesis, characterization, and calculation of its electronic structure.—75-00753A
New synthesis route to electrode materials for rechargeable lithium batteries.—75-02923A
Nickel-alumina composites—in situ synthesis by a displacement reaction, and mechanical properties.—75-02515A
Nonepitaxial sputter synthesis of aligned strontium hexaferrite, SrO·6(Fe_2O_3), films.—75-03322A
Novel carbon source for diamond synthesis.—75-01597A
Novel method for zirconium oxide synthesis from aqueous solution.—75-09370A
Novel synthesis and characterization of silicon nitride fibers.—75-04125A
Novel synthetic pathway to Bi(Pb)-2223 phase with variable Ca:Sr ratio, $Bi_{1.7}Pb_{0.3}Sr_{4-x}Ca_xCu_3O_y$: $1.85 \le x \le 2.4$.—75-05805A
One-pot synthesis of polyzirconoxane as a precursor for continuous zirconia fibers.—75-06701A
Partially crystalline, transitional aluminum oxides, methods for their synthesis and use for obtaining molded articles, which consist essentially of gamma-Al_2O_3.—75-01129P
Pathway for the low temperature synthesis of nanosized crystalline barium zirconate.—75-06704A
Peroxide route for synthesis of magnesium titanate powders of various compositions.—75-04133A
Phase transformation of smooth diamond films grown by hot filament chemical vapor deposition on positively biased silicon substrates.—75-01603A
Phase transition investigation of zirconia by synchrotron radiation.—75-09035A
Phenylation of fullerene-C60.—75-01604A
Phyllosiloxides: new layered oxides as potential interphase materials.—75-09167A
Physicochemical characterization of NiO/YSZ powders prepared by the citrate route.—75-06502A
Pilot plant test of SiC UFP [ultrafine powder] synthesis with plasma.—75-04137A
Polymerized complex route to synthesis of pure $Y_2Ti_2O_7$ at 750°C using yttrium titanium mixed metal citric acid complex.—75-04141A
Preparation of cobalt-doped nickel ferrite thin films on optical fibers by dip-coating technique.—75-03329A
Preparation, thermal expansion, and mechanical properties of $K_{1-x}Sr_{0.5x}Zr_2P_3O_{12}$ ceramics.—75-04176A
Processing of CMCs from organometallic precursors.—75-04184A
Processing of molybdenum disilicide[—review].—75-06747A
Properties of CVD diamond domes.—75-09174A
Properties of hydrated salt compositions for synthesis of HTSC with Y, Ba, Cu components.—75-05820A
Properties of TiB_2 powders obtained in a mechanochemical way.—75-03921A
PTCR thermistors- reproducibility achieved via sol-gel synthesis.—75-00369A
Pyrolysis of $Pb(Zr_{0.5}Ti_{0.5})O_3$ precursors: avoiding lead partitioning.—75-01636A
Range of metals that work in the LPSSS [low-pressure solid-state source] process of diamond synthesis.—75-09415A
Reaction mechanisms of SiC fiber synthesis from radiation-cured polycarbosilane fiber.—75-04194A
Reaction synthesis of $MoSi_2$-Al_2O_3 composite using MoO_3, Al, and Si powders.—75-03833A
Reactive multilayer synthesis of hard ceramic foils and films.—75-08629P
Role of initial reagents in the low O_2 pressure synthesis of $YBa_2Cu_4O_8$.—75-05825A
Role of oxoanions in the stabilization of tetragonal zirconia.—75-06344A
Room-temperature electrochemical synthesis of sequentially layered superconducting Bi-Sr-Ca-Cu-O films.—75-03399A
Seeding with purified ultrafine diamond particles for diamond synthesis by CVD.—75-09426A
Shock-wave micron-size diamond synthesis from fullerenes.—75-09431A
Shock-wave micron-size diamond synthesis from fullerites.—75-06760A
SiC-based fibers with low free carbon content.—75-04211A
Silicon nitride fiber synthesis from polycarbosilane fiber by radiation curing and pyrolysis under ammonia.—75-04215A
Simple solution polymerization route for oxide powder synthesis.—75-04217A
Simultaneous synthesis and densification of $MoSi_2$ by field-activated combustion.—75-05913A
Sinterability of plasma-synthesized ultrafine SiC powders from Si and CH_4.—75-09435A
Sodium pyrophosphate peroxosolvate, $Na_4P_2O_7{\cdot}3H_2O_2$.—75-06515A
Sol-gel synthesis of a new oxide-ion conductor Sr- and Mg-doped $LaGaO_3$ perovskite.—75-02938A
Sol-gel synthesis of fine Gd_2CuO_4 particles: influence of synthesis variables.—75-01675A
Sol-gel synthesis of superconducting $YBa_2Cu_4O_8$ using acetate and tartrate precursors.—75-05832A
Solid-state synthesis and characterization of the ternary phase Ti_3SiC_2.—75-06358A
Solid-state synthesis and sintering below 1000°C of lithium ferrite freeze-dried powders.—75-00758A
Solid-state synthesis of precursor $MgNb_2O_6$ for the preparation of $Pb(Mg_{1/3}Nb_{2/3})O_3$.—75-06775A
Stoichiometrically controlled solid-state synthesis and crystal growth of $C_{60}H_2$.—75-01682A
Structural study of polycrystalline AlN films prepared by ion-beam-assisted deposition.—75-04405A
Synchronous synthesis of primary and secondary inclusions in quartz.—75-09455A
Synthesis and analysis of PbO-modified Bi-Sr-Ca-Cu-O superconductors.—75-05842A
Synthesis and application of nanoparticulate aluminosilicate sols: III. Single-phasic aluminosilicate sols.—75-09456A
Synthesis and characterization of a remarkable ceramic: Ti_3SiC_2.—75-06790A
Synthesis and characterization of codeposited carbon nitride and boron materials.—75-09457A
Synthesis and characterization of doped lanthanum chromite.—75-01695A
Synthesis and characterization of group IV metal adamantanol alkoxides as potential PZT precursors.—75-00704A
Synthesis and characterization of lead iron tungstate ceramics sintered by two preparation methods.—75-01696A
Synthesis and characterization of nanocrystalline Y-TZP.—75-01697A
Synthesis and characterization of $PbTiO_3$ and Ca- and Mn-modified $PbTiO_3$ fibers produced by extrusion of diol-based gels.—75-06791A
Synthesis and characterization of titanium oxide-based gels synthesized from acetate modified titanium butoxide precursors.—75-06792A
Synthesis and characterization of ultrafine powders of SiC-Si_3N_4.—75-06793A
Synthesis and characterization of ultrafine zircon powder.—75-04236A
Synthesis and characterization of zirconyl phosphate materials.—75-01699A
Synthesis and crystal structure of $Li_2NaTa_7O_{19}$.—75-05215A
Synthesis and crystallization of yttrium aluminum garnet and related compounds.—75-03335A
Synthesis and densification of Si_3N_4 powders by carbothermic reduction of colloidal SiO_2.—75-01700A
Synthesis and electrical characterization of thin films of PT [lead titanate] and PZT made from a diol-based sol-gel route.—75-00705A
Synthesis and friction behavior of chemically vapor deposited composite coatings containing discrete TiN and MoS_2 phases.—75-04237A
Synthesis and growth of self-activated scintillation crystals of $Bi_3Al_5O_{12}$.—75-06794A
Synthesis and intercalation properties of orthorhombic lithium titanate.—75-02548A
Synthesis and luminescent properties of $Bi_2Ga_4O_9$ single crystals.—75-09458A
Synthesis and optical properties of CdS clusters in type X zeolite.—75-05496A
Synthesis and phase transformations of mullites obtained from SiO_2-Al_2O_3 gels.—75-09078A
Synthesis and phase transition of ferroelectric $Sr_{0.5}Ba_{0.5}Nb_2O_6$ with V_2O_5 addition [1 mol%].—75-08174A
Synthesis and processing of silicon carbide fibers—state-of-the-art.—75-01701A
Synthesis and properties of a new ß polymorph of Li_3CrO_4.—75-06795A
Synthesis and properties of $BaO{\cdot}Al_2O_3{\cdot}2SiO_2$-$SrO{\cdot}Al_2O_3{\cdot}2SiO_2$ (BAS-SAS) ceramics.—75-01094A
Synthesis and properties of mullite ceramics prepared from silica fume and alumina.—75-01702A
Synthesis and properties of mullite/zirconia-toughened alumina (ZTA) composites.—75-01703A
Synthesis and properties of tialite, ß-Al_2TiO_5.—75-01704A
Synthesis and properties of ytterbium-doped C_{60}.—75-01350A
Synthesis and pyrolysis of polyborosilazane with low oxygen content.—75-09079A
Synthesis and pyrolysis of polysilazane as the precursor of Si_3N_4/SiC ceramic.—75-06797A
Synthesis and selected micromechanical properties of titanium nitride thin films by the pyrolysis of tetrakis titanium in ammonia.—75-04644A

Synthesis and sintering of mullite powders by the decomposition/combustion of aluminum nitrate—amorphous fumed silica-urea mixtures.—75-06799A
Synthesis and some adsorption characteristics of low-silica erionite-offretite.—75-09462A
Synthesis and study of new palladium(II) chalcogenochlorides.—75-09464A
Synthesis and study of solid solutions based on cadmium oxide in the CdO-In_2O_3 system.—75-08074A
Synthesis and superconductivity of $YBa_2Cu_3O_x$ ceramics doped with Sb, Ag, and Te.—75-05843A
Synthesis and thermal decomposition of intercalated compounds of aluminum hydroxide, $Li_3M(EDTA)\cdot 4Al(OH)_3\cdot 4H_2O$ (M=Co, Ni, Cu).—75-06800A
Synthesis and thermal evolution of structure in alkoxide-derived niobium pentoxide gels.—75-06385A
Synthesis and thermal expansion of $M_{1/2}Sr_{1/4}Zr_2P_3O_{12}$ (M=Li, Na, K) compounds.—75-04239A
Synthesis and thermoelectric properties of silicon-boron compounds with high boron contents.—75-03182A
Synthesis of α-Al_2O_3 powder by using a microemulsion.—75-01705A
Synthesis of ß-SiAlON from clays: effect of starting materials.—75-06801A
Synthesis of Al_2O_3-Al composites by reactive metal penetration.—75-00139A
Synthesis of Al_2O_3-coated SiC composite powder.—75-06802A
Synthesis of barium titanate by the sol-gel process.—75-06803A
Synthesis of $Bi_2Sr_2CaCu_2O_x$ from aqueous solutions using pyridine.—75-05844A
Synthesis of bismuth cuprate.—75-06804A
Synthesis of bismuth germanate.—75-09466A
Synthesis of bismuth/strontium/calcium/copper and yttrium/barium/copper oxide systems from malonate precursors.—75-03412A
Synthesis of boron nitride by self-propagating reactions at high pressure.—75-09467A
Synthesis of Ca-doped Y124 [$YBa_2Cu_3O_8$] superconductor by polymerized complex method followed by O_2-HIP technique and discussion of Ca site selectivity in the crystal structure.—75-00884A
Synthesis of celsian ceramics from zeolite precursors.—75-06805A
Synthesis of cordierite and cordierite-$ZrSiO_4$ composite by colloidal processing.—75-06806A
Synthesis of $Cr_xTi_{1-2x}Nb_xO_2$, $0 \le x \le 0.5$, rutile solid solutions from alkoxides.—75-06807A
Synthesis of crystalline bismuth oxide by hydrolysis of bismuth ethoxide.—75-09468A
Synthesis of crystalline ferrites below 60°C.—75-08245A
Synthesis of $CsM^{II}M^{III}P_4O_{18}$ cyclohexaphosphates with M^{II}=Mg, Co, Zn, or Mn and M^{III}=Al, Ga, V, or Fe. The crystal structure of $CsZnVP_4O_{18}$.—75-09469A
Synthesis of fine composite powders of AlN-TiN-YN system by floating-type fluidized-bed CVD.—75-01708A
Synthesis of fluorine muscovite by solid-state reaction model and its thermal durability.—75-09082A
Synthesis of functional copolymer of 4-methyl-1-pentene via organoborane.—75-04243A
Synthesis of high-silica glasses with an increased thermal expansion coefficient.—75-07405A
Synthesis of high-temperature superconducting thin films in microwave field.—75-03413A
Synthesis of HTSC based on bismuth using oxalic acid.—75-05845A
Synthesis of hydroxyapatite-based powders by mechanochemical method and their sintering.—75-09471A
Synthesis of large pore size and large pore volume aluminas by glycothermal treatment of aluminum alkoxide and subsequent calcination.—75-06809A
Synthesis of lead barium niobate powders and thin films by the sol-gel method.—75-03262A
Synthesis of $MgAl_2O_4$ whiskers by an oxidation-reduction reaction.—75-01709A
Synthesis of monocrystalline silicon nitride filaments.—75-06810A
Synthesis of monodisperse spherical $ZrTiO_4$ powders by thermal hydrolysis of metal salts.—75-04244A
Synthesis of mullite fiber from an aluminosiloxane precursor.—75-06811A
Synthesis of mullite powder from seeded diphasic gels.—75-04245A
Synthesis of nanostructured composite materials in the B-Si-N system.—75-06812A
Synthesis of needle-shaped γ-$LiAlO_2$ crystals by using LiOH-Al_2O_3-Al(OH)$_3$-NaOH system as the raw material.—75-09472A
Synthesis of nickel sulfide by homogeneous precipitation from acidic solutions of thioacetamide.—75-04246A
Synthesis of nitrides from microwave nitrogen plasma.—75-09473A
Synthesis of nonaggregated nanometric crystalline zirconia particles.—75-01710A
Synthesis of organometallic compounds and its application as a surface modifier: I, Synthesis of organo-Zr-P compound and its application as an adsorbent of bovine serum albumin (BSA).—75-01711A
Synthesis of oxynitride perovskites.—75-01712A
Synthesis of oxynitride powders via fluidized bed ammonolysis: I, Large, porous silica particles.—75-09474A
Synthesis of $Pb(Mg_{1/3}Nb_{2/3})O_3$ powder by solvent evaporation and its dielectric property.—75-08175A
Synthesis of perovskite $Ba(Mg_xTa_y)O_3$ powder from Ba-Mg-Ta alkoxide precursor.—75-01713A
Synthesis of porou: barium titanate using emulsification techniques.—75-09475A
Synthesis of porous silicates.—75-06386A
Synthesis of ruthenium dioxide thin films by a solution chemistry technique.—75-01714A
Synthesis of Si_3N_4 fibers by a gas-phase process.—75-01715A
Synthesis of Si_3N_4-based composite powders by SHS process.—75-04247A
Synthesis of SiC-AlN ceramic alloys from Si, C, and AlN powder premixture by reaction HIP sintering and their mechanical properties.—75-09477A
Synthesis of SiC-AlN composite ultrafine powder by sol-gel processing.—75-09478A
Synthesis of silicon carbide ceramics at low temperatures.—75-01716A
Synthesis of silicon carbide from rice husk in a dc arc plasma reactor.—75-04248A
Synthesis of silicon nitride powder through nitrogen gas atomization.—75-06815A
Synthesis of silicon oxynitride from a polymeric precursor: III, Polymerization and copolymerization of methylcyclosiloxanes and methylcyclosilazanes.—75-06816A
Synthesis of single-walled buckytubes.—75-01718A
Synthesis of strontium barium niobate thin films through metal alkoxide.—75-05647A
Synthesis of the WC-type tantalum nitride by mechanical alloying.—75-06818A
Synthesis of thin-film ferroelectrics on Si and shape memory effect TiNi substrates.—75-03263A
Synthesis of titania composite membranes by the pressurized sol-gel technique.—75-01720A
Synthesis of titanium carbide powders using carbon-coated titanium dioxide precursor.—75-09479A
Synthesis of transparent aluminum nitride whiskers and their applications to composite materials.—75-01721A
Synthesis of transparent Nd-doped HfO_2-Y_2O_3 ceramics using HIP.—75-01722A
Synthesis of ultrafine ceramic powders with integration of solvent extraction.—75-04249A
Synthesis of ultrafine Y-stabilized ZrO_2 powder by the pyrolysis of metal-oxalate-cellulose complex.—75-09480A
Synthesis of vanadium dioxide thin films from vanadium alkoxides.—75-01723A
Synthesis of well-sinterable alumina powder by dispersing hydroxide precipitate in alcohol.—75-09481A
Synthesis of $YBa_2Cu_3O_{7-x}$ by the fast expansion of supercritical aqueous solutions of yttrium, barium, and copper nitrates.—75-05846A
Synthesis of yttrium aluminum garnet from yttrium and aluminum isobutyrate precursors.—75-01724A
Synthesis of yttrium-stabilized zirconium oxide from metal ion-containing interpolymer complex—interpolymer coprecipitation method.—75-09482A
Synthesis on the silica surface of $Ti_2O_3\cdot nH_2O$ nanolayers by the ionic stratification method.—75-06820A
Synthesis process for advanced ceramics.—75-08633P
Synthesis processes of Zr and Hf oxycarbide refractory coatings on carbon matrices.—75-02841A
Synthesis routes and characterization of high-purity, single-phase gallium nitride powders.—75-05497A
Synthesis, characterization, and properties of ionic metal-fullerene adducts.—75-01351A
Synthesis, characterization, and semiconducting properties of solid solutions with rutile structure.—75-00885A
Synthesis, characterizations, and optical properties of stacked porous thin films derived from sol-gel process.—75-04251A
Synthetic conditions of single 110-K phase of Bi-containing high-T_c superconductor.—75-08436A
Thallium solubility range in $Tl_{2-x}Ba_2Ca_{n-1}Cu_nO_{2n+4-x}$ superconductors.—75-05850A
Thermal and mechanical behavior of $Ba_{1+x}Zr_4P_{6-2x}Si_{2x}O_{24}$.—75-01356A
Thermal barrier coatings for diesel engines.—75-02552A
Thermal decomposition of alkoxides in an inert organic solvent: novel method for the synthesis of homogeneous mullite precursor.—75-04256A
Thermodynamic analysis of the hydrothermal synthesis of the $Mn_{0.5}Zn_{0.5}Fe_2O_4$ ferrite.—75-03337A
Two members of the ABC-D6R family of zeolites: zeolite phi and Linde D.—75-06074A
Use of colloidal and surface chemistry for processing nanosized ceramic powders.—75-01739A
Using microwave furnaces for solid-phase synthesis of inorganic phosphates.—75-09487A
Vanadium dioxide ceramics.—75-09488A
Vanadyl phosphite, $VOHPO_4\cdot 5H_2O$.—75-09489A
Vapor phase synthesis of titanium nitride powder.—75-06828A

systems,
Available options in porcelain enamel systems.—75-00073A
Commercializing microwave systems: paths to success or failure.—75-02119A
Storage handling of ceramic products by means of AGVs [automatic guided vehicles].—75-04755A

tableware,
Accelerated drying of tableware.—75-02848A
Additives used in the pressing of tableware.—75-05160A
American Way.—75-02186A
Animals & Co., 1983-1992.—75-02189A
Automatic inspection of ceramic tiles and tableware.—75-05893A
Dust pressing process speeds plate production.—75-02866A
In their cups.—75-07124A
Long-term prediction of the activity of an enameling plant.—75-02874A
Making a puzzle mug.—75-07128A
Restaurant trends heat up tableware market.—75-00293A
Table is set.—75-07132A
Tabletops sizzle with color.—75-07714A

talc,
Calculation of Henry's constants of adsorption of noble gases on idealized surface of talc.—75-03766A
Early stages in mechanochemical activation of kaolinite and talc.—75-08911A
Formation of expandable mica from talc using the intercalation procedure.—75-09315A
Properties of ceramic materials with fillers of talc-chlorite shales.—75-07452A
Talc.—75-06058A
Talcomagnesia ores of the Pravdinskoe Deposit as a raw material for the refractory industry.—75-06059A

tanks,
Geometric considerations for modeling oxy-fuel glass tanks.—75-08725A
Numerical simulation of bubble behavior in glass-melting tanks: I, Under ideal conditions.—75-07390A

tantalates,
Characterization of an *n*-channel 1T [transistor]–1C [capacitor] nonvolatile memory cell using ferroelectric $SrBi_2Ta_2O_9$ as the capacitor dielectric.—75-05537A
Chemical and polar nanodomain fluctuations in relaxor-type lead scandium tantalate.—75-01813A
Depolarization characteristics of ferroelectric $Pb(Zr_{0.4}Ti_{0.6})O_3$ and $SrBi_2Ta_2O_9$ thin films.—75-05544A
Dielectric properties of $Ba(Mg_{1/3}Ta_{2/3})O_3$ ceramics at microwave frequencies.—75-00318A
Dielectric properties of silver tantalates in the infrared range.—75-06203A
Dielectric relaxation of paired defects in perovskite-type oxides.—75-05180A
Effect of A site substitution on order-disorder transition in $Pb(Fe_{1/2}Nb_{1/2})O_3$ (PFN) and $Pb(Sc_{1/2}Ta_{1/2})O_3$ (PST).—75-08128A
Effect of the sensing capacitance in a Sawyer-Tower setup on hysteresis loops: model calculations and $SrBi_2Ta_2O_9$ [SBT] experimental results.—75-05552A
Features of dielectric and spectral characteristics of polydomain lithium tantalate [LT] single crystals.—75-05570A
Influence of structural defects on the dielectric properties of ceramic microwave resonators.—75-01759A
Kinetics of acoustic phonons in virtual ferroelectrics of $KTaO_3$.—75-05594A
Metastable binary niobates and tantalates of barium and aluminum or gallium with perovskite structure.—75-06271A
Method of making an unactivated yttrium tantalate X-ray phosphor.—75-08603P
Nonlinear optical properties of proton-exchanged waveguides in *z*-cut $LiTaO_3$.—75-00678A
Optical absorption and luminescence of neodymium and erbium in single crystals of yttrium and gadolinium orthotantalates.—75-06492A
Phase transitions in $BaTiO_3$-$KTaO_3$ solid solutions.—75-05204A
Proton-exchanged waveguides in lithium tantalate crystals: I, Method of determining the crystal lattice parameters of nonstressed $H_xLi_{1-x}TaO_3$ solid solutions.—75-09043A
Proton-exchanged waveguides in lithium tantalate crystals: II, Crystal structure and optical properties.—75-09044A
Sinterability improvement of $Ba(Mg_{1/3}Ta_{2/3})O_3$ dielectric ceramics.—75-02937A
Synthesis and crystal structure of $Li_2NaTa_7O_{19}$.—75-05215A
Synthesis and recrystallization of antimony orthoniobate and orthotantalate.—75-09080A

tantalum nitride,
Effects of annealing on the structure of Ta_2N thin films deposited on Al_2O_3.—75-04016A

tantalum oxide,
Effect of deposition temperature on dielectric properties of PECVD Ta_2O_5 thin film.—75-04001A
Effects of additive elements on electrical properties of tantalum oxide films.—75-05188A
Fabrication of Nb/Ta-O/Ta/epitaxial Nb Josephson junctions.—75-08316A
Low-temperature synthesis, pyrolysis, and crystallization of tantalum oxide gels.—75-06676A
Method of making TA_2O_5 thin film by low-temperature ozone plasma annealing (oxidation).—75-05229P
Variation in the field-dependent behavior of thermally oxidized tantalum oxide films.—75-01365A

tantalum,
Characterization of a texture gradient in tantalum plate.—75-04300A
Electrophysical properties of ferroelectric solid solutions of $xPbFe_{1/2}Ta_{1/2}O_3$-$yPbFe_{1/2}Nb_{1/2}O_3$-$(1-x-y)$P $bMg_{1/3}Nb_{2/3}O_3$.—75-08137A
Features of structural ordering and ferroelectric properties of $LiTa_xNb_{1-x}O_3$ solid solutions.—75-08140A
Formation of barium-tantalum oxynitrides.—75-06613A
Phase transformations during interaction of niobium and tantalum pentoxides with iron monosulfide.—75-06311A
Polarization processes in the anodic tantalum oxides.—75-06320A
Reaction of Ta thin film with single-crystalline (001)ß-SiC.—75-00583A
Synthesis and protonic conductivity of tantalum hydrogen phosphate.—75-09461A
Synthesis of the WC-type tantalum nitride by mechanical alloying.—75-06818A

tape casting,
Acrylic emulsion binder for tape casting.—75-03948A
Binder burnout of aluminum nitride tape casting with YF_3 and Y_2O_3 additives.—75-01386A
Evaluation of the effectiveness of a phosphate ester in Al_2O_3 tape casting slips.—75-01487A
Hydrophobic aluminum nitride powder for aqueous tape casting.—75-01529A
Rheological property and stress development during drying of tape-cast ceramic layers.—75-09184A
Sintering of thin sheets of alumina prepared by the sol-spray technique.—75-04225A
Using polymer blends to fine-tune binder performance.—75-04269A

tapes,
Ag-clad $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ high-T_c superconducting wires and tapes.—75-00769A
Blistering phenomenon in BiSCCO-2223 high-T_c superconducting tapes.—75-08267A
Characterization of monofilamentary and multifilamentary 2223-BSCCO tapes by magnetic loss measurements.—75-08270A
Development of microstructure and superconductivity of silver-clad Bi(2223) composite tapes in the process of heat treatment.—75-05746A
Device to process green-tape type circuits.—75-03542P
Effect of sintering periods on the pinning force, activation energy, and microstructure of high-T_c superconducting Bi-(Pb)-Sr-Ca-Cu-O tapes.—75-08297A
Green ceramic via metallization technique.—75-05524P
Laser-assisted tape winding of ceramic green parts.—75-09352A
Silver via metallization for low temperature cofired ceramic tape.—75-00132A
TEM study of microstructure of longitudinal cross section of Ag-clad $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ tapes.—75-00886A
Texture of Bi-based superconductor tapes.—75-05847A
technology,
Accessing public laboratories to improve company technology.—75-07059A
Advancing nanophase technology.—75-04676A
Advancing numerical control.—75-05055A
Agile manufacturing, a solution for many ceramic industry manufacturing problems.—75-05891A
Application and development of unshaped refractories in iron and steel industry [in China].—75-07468A
Application technology of monolithic refractories in NSC [Nippon Steel Corp.].—75-07475A
Applications of technology of compound lining of semigraphitized self-baking carbon block ceramic brickwork in large-sized blast furnaces.—75-03606A
Bone cell assay system from Millenium Biologix Inc.[,Kingston, Canada].—75-05937A
Brickworks technology of the future.—75-00235A
Bringing the world of ceramics together.—75-07062A
Ceramic Precursor Technology and Its Applications.—75-02155B
Ceramic Science & Technology Days—National Engineers Week.—75-04685A
Ceramic Sensors.—75-07104B
Ceramic technologies for portable radio applications.—75-00941A
Ceramic Transactions, Volume 54: Science, Technology, and Applications of Colloidal Suspensions.—75-02156B
Ceramic Transactions, Volume 55: Sol-Gel Science and Technology.—75-02157B
Ceramitec '94.—75-04687A
Chinese porcelain and technological discovery—a unique cultural environment.—75-00016A
CIC [Ceramic Information Center] supports ceramics community.—75-02117A
CIMID, a technology for high density integration of electronic systems.—75-00303A
Combined method of cement production at Sebryakovski Cement plant.—75-08515A
Commercialization—steps to successful applications and scaleup: May 1, 1995.—75-02118A
Congress and science & engineering funding.—75-02120A
Cutting technology expands glass production.—75-02706A
Continuous casting refractories with special reference to RSP [Rourkela Steel Plant, India] modernization.—75-07493A
Demand of refractories in Saudi Arabia and technoeconomic feasibility for setting up a refractory plant.—75-07504A
Development and application of directional type plug for ladle.—75-07510A
Development of fiber optic cabling technology.—75-00950A
Direct Coagulation Casting (DCC)—fundamentals of a new forming process for ceramics.—75-00952A
Drying technology for today's manufacturer.—75-03519A
Effectiveness of new technological schemes in cement production.—75-08519A
Evolution in presses.—75-03520A
Firing technology for refractories in the 21st century.—75-07553A
Help yourself.—75-07560A
High time for reconstruction.—75-07154A
High-temperature technology company [FTC/Rodental, Germany] makes unprecedented recovery.—75-07079A
Highly effective and reliable equipment. Technological innovations to solve cement industry problems.—75-07155A
Highly reliable cofiring technologies of AlN PGA type packages.—75-00339A
Improving the design and technology of molds for ceramic articles.—75-08530A
Innovative technology transfer initiatives.—75-04713A
Innovative technology transfer initiatives.—75-07080A
Interest of research in building materials.—75-07082A
Isostatic pressing technology making headway in the ceramics industry.—75-06665A
Issues in powder forming technologies.—75-04716A
Kiln furniture clears the way for new technology.—75-06000A
Large signal measurement technology for piezoelectric actuator materials.—75-05595A
Low loss, low temperature cofired ceramic for microwave multichip modules.—75-00347A
Materials and equipment data file.—75-04726A
Microwave technology for waste management applications including disposition of electronic circuitry.—75-00966A
Microwave-assisted firing of ceramics.—75-06003A
Mutual interaction of the development of glass and refractories technology.—75-09729A
New approach to joint research and development: determining the potential for a partnership between the glass industry and the federal government.—75-07089A
New developments in the field of technologies and equipment for refractories production.—75-07610A
New emphasis on drying.—75-03528A
New England [New South Wales, Australia] sapphire industry.—75-02135A
New roller kiln F1NH-type.—75-01062A
New technologies in storage plants using AGV's [automated wire-guided vehicles].—75-00972A
New technologies must continue to meet increasing environmental demands.—75-02598A
New trends in refractory pressing technology.—75-07613A
New trends in refractory pressing technology.—75-07614A
Patent's role in developing new technology.—75-04729A
Preparation of SiC platelet by a mechanical process.—75-04167A
Priority trend in cement research—development of a new generation of technology.—75-07177A
Process commercialization: don't risk losing the benefits by ignoring the hazards.—75-02142A
Progress in planar SOFC science and technology.—75-02933A
Progress towards developing a planar solid oxide fuel cell at Ceramic Fuel Cells Limited [Clayton, Australia].—75-00980A
Questions to Arnon Bentur, Head, National Building Research Institute, Technion, Israel Institute of Technology, Haifa.—75-07093A
Questions to Dr. Damian J. Kulash, Executive Director, Strategic Highway Research Program, National Research Council, Washington, D.C.—75-04734A
Questions to Dr. Richard N. Wright, Director, Building and Fire Research Laboratory, National Institute of Standards and Technology, Gaithersburg, Maryland.—75-04735A
Questions to Dudley R. Morgan, Chief Materials Engineer, HBT AGRA Limited, Burnaby, British Columbia, Canada.—75-04736A
Questions to Thomas J. Pasko, Jr., Director, Office of Advanced Research, Federal Highway Administration, McLean, Virginia.—75-04738A
Refractories developments for the aluminum industry.—75-00271A
Saint-Gobain/Norton Industrial Ceramic Corp.—75-04747A
Sintering and Materials: Proceedings of the Sixth International Symposium on the Science and Technology of Sintering.—75-04782B
Starting a manufacturing business in New York State—economic and technology issues.—75-02148A
Status of certification of cement industry production.—75-07185A
Suggestions on resource-saving refractory technologies.—75-07668A
Technical analysis of the refractory products behavior in the iron and steel process conditions—results in the French steel industry 1985-1995: prospects.—75-09738A
Technical ceramics—where do they stand and where are they heading.—75-07096A
Techniques in extension of campaign life for RH degasser vessel with oxygen top blowing equipment.—75-07672A
Technological and economic aspects of transporting and handling cement—a review.—75-07192A
Telestic (purposeful) and atelestic (curiosity-driven) research in the post-supercollider world.—75-04759A
Thermal granulation of ceramic bodies in a fluidized bed.—75-05915A
Thick film technology sensors meet the challange of today's applications.—75-00382A
Transferring technology to improve competitiveness.—75-04762A
Various methods of machining advanced ceramic materials[—review].—75-04764A
VVS [Veitsch-Venete-Stirring] system, new bottom-blowing technique for electric furnace.—75-05151A
Whitewares technology at the turn of the millennium.—75-07716A
World's tile production: technology, markets, and prospects.—75-07101A
tellurides,
Absorption coefficient in lead telluride implanted with high doses of argon.—75-07777A
Acoustooptical and elastic constants of bismuth telluride.—75-09115A
Auger interband transitions and carrier lifetime in *p*-type degenerate narrow gap semiconductors.—75-05248A
Baksanite $Bi_6(Te_2S_3)$—a new mineral species from Tyrnyauz (Northern Caucasus).—75-08754A
Baric hysteresis of electrical conductivity and thermo-emf of the high-pressure phases of germanium telluride.—75-07790A
$CdSe_xTe_{1-x}$ surface barrier structures for solar cells.—75-02970A
Compact thermoelectric materials based on solid solutions of the Bi_2Te_3-Sb_2Te_3-Sb_2Se_3 system.—75-05262A
Complex study of narrow-gap *p*-$Mn_xHg_{1-x}Te$ semiconductors.—75-07809A
Defect formation in ZnTe and (Cd, Zn)Te epitaxial layers grown on (001)GaAs.—75-07819A
Dependence of homogeneity of single crystals of $Bi_{0.5}Sb_{1.5}Te_3$ solid solutions on growth conditions.—75-05277A
Dependence of the $Bi_{0.5}Sb_{1.5}Te_3$/Bi-Sn and $Bi_2Te_{2.7}Se_{0.3}$/Bi-Sn junction resistances on the resistivity of the semiconductor crystal in the interfacial region.—75-07822A
Dopant solubility in off-stoichiometric GeTe.—75-05285A
Dynamics of point defects in HgTe-based alloys.—75-06846A
Effect of γ-radiation on kinetic coefficients of $Pb_{1-x}Sn_xTe$ films.—75-07840A
Effect of copper on the properties of pressed thermoelectric materials based on Bi_2Te_3-Sb_2Te_3-Sb_2Se_3 solid solutions.—75-09131A
Effect of Ge additives on the distribution of components and the superconducting transition in $Sn_{1-x}Pb_xTe$:In films.—75-08295A
Effect of In dopants on the electrophysical properties of $Sn_{0.9}Ge_{0.2}Te$ thin films fabricated by laser evaporation.—75-07849A
Effect of Shubnikov-de Haas and energy spectra of $In_xSb_{2-x}Te_3$ solid solutions.—75-05295A
Effect of Sn additives on electrophysical properties and the superconducting transition in $(PbTe)_{0.95}(PbS)_{0.05}$:Tl.—75-08298A
Effect of temperature of reactor walls on growth of the layers of cadmium telluride by the reaction of dimethylcadmium with diethyltelluride.—75-05296A
Electrical and magnetic properties of diluted magnetic $Hg_{1-x}Mn_xTe_{1-y}Se_y$ semiconductors.—75-05304A
Electrical conductivity of *n*-type $Pb_{0.78}Sn_{0.22}Te$ and $Pb_{1-x}Ge_xTe$ in the ferroelectric region.—75-05306A
Electrical properties of ytterbium-doped $Pb_{1-x}Ge_xTe$ solid solutions.—75-06457A
Electroactive and electroinactive dopants in Bi_2Te_3 and their interaction with antisite defects.—75-05309A
Eutectics in $A^{II}B^{VI}$-$A^{IV}B^{VI}$ systems.—75-07880A
Faraday effect in $Hg_{1-x}Mn_xTe$ semimagnetic semiconductors.—75-05321A
Formation of hydrogen-containing complexes in ZnTe single crystals annealed in H plasma and their decomposition under high-energy electron irradiation.—75-05324A
Heat capacity and thermodynamic functions of $Ge_1As_2Te_3$ and $GeAs_2SeTe_3$ glassy phases in the range 55–320 K.—75-08946A
Hopping conductivity through extremely localized In impurity states in $Pb_{0.78}Sn_{0.22}Te$ solid solutions.—75-03049A
Influence of surface range of a space charge on the photoconductivity of $Cd_xHg_{1-x}Te$ ($x \approx 0.3$).—75-05350A
Interaction of TlTe with FeTe and physical properties of $TlFeTe_2$.—75-07937A
Interactions of Sb_2X_3 with Cr_2X_3 (X=Se, Te).—75-06249A
Kinetics of PbTe(Ga) photoconductivity.—75-05356A
Light transmission characteristics of telluride-based chalcogenide glass for infrared fiber application.—75-04976A
Liquid phase epitaxy of variable-band-gap $Pb_{1-x}Sn_xTe$ solid solutions.—75-09354A
Low-frequency plasmons and radiation of ZnTe crystals in the red region of the spectra.—75-05364A
Low-temperature photoelectric property peculiarities of $Mn_xHg_{1-x}Te$.—75-07955A
Luminescence of ZnTe films due to two types of isovalent substitutions.—75-07958A
Mechanical properties of Bi_2Te_3<Cu> single crystals close to the *p-n* transition.—75-07964A
Narrow gap semiconductors[—review].—75-03096A
Nature of the reaction in the Eu-As-Te ternary system.—75-06284A
Nonlinear generation of ultrasound in PbTe(Ga).—75-07985A
Nonparabolicity of the electron spectra in Bi_2Te_3 and in $Bi_2Te_{2.7}Se_{0.3}$ solid solutions.—75-05407A
Optimization of annealing conditions for controlling composition of $(Pb_{1-x}Ge_x)_{1-\delta}Te_{1+\delta}$ crystals.—75-05412A
Phase relations and magnetic properties of tellurides in the Cr-Te system.—75-09030A
Physical characteristics of single-crystal solid solutions of the SnTe-Cd(S, Se) system.—75-05436A
Physicochemical and magnetic properties of iron solid solutions in chromium telluride, Cr_3Te_4.—75-06501A
Physicochemical study of the $Sb_2Te_3(Bi_2Te_3)$-TmTe system.—75-09041A
Properties of single crystals of solid solutions of Sb_2Te_3-Bi_2Te_3 systems.—75-05450A
Quaternary reciprocal system of Cd, Zn‖S, Se, Te.—75-05457A
Reciprocal ternary system Cu, Pb‖Se, Te.—75-09051A
Recombination characteristics of ion-implanted (I, III, and VIII groups) and thermally annealed $Cd_xHg_{1-x}Te$ crystals.—75-05459A
Relationship between thermoelectric properties and microstructure on *p*-type $(Bi_2Te_3)_{0.25}(Sb_2Te_3)_{0.75}$ system using milled powder.—75-08045A
Relationship between thermoelectric properties and formation of microstructure, and compressive strength and grain size of Bi-Te materials.—75-08044A
Stabilization of gallium donor action in $Pb_{1-x}Sn_xTe$ alloys irradiated with electrons.—75-03169A
Strengthening of lattices during cation substitution in semiconducting compounds of SnTe.—75-05485A
Structural and optical properties in ZnTe/GaAs strained heterostructures grown by temperature-gradient vapor transport deposition.—75-03171A
Structure and electrical properties of interfaces of $Bi_{0.5}Sb_{1.5}Te_3$ and $Bi_2Te_{2.7}Se_{0.3}$ with several melts.—75-05488A
Superconducting and electrophysical properties of thin films of $Sn_{1-x}Ge_xTe$:In solid solutions.—75-08424A
Surface states in slotless semiconductors.—75-08072A
Switching effect in single crystals of $(In_2Te_3)_{0.99}(Fe_2Te_3)_{0.01}$.—75-08073A
Temperature dependence of the $Cd_xHg_{1-x}Te$ refractive index.—75-05500A
Thermoelectric effects at the solid-liquid interface in $As_2(Se_{1-x}Te_x)_3$ systems.—75-08084A
Thermoelectric properties of Bi_2S_3-GaTe solid solutions.—75-08085A
Transmission loss characterization of telluride-based chalcogenide glass optical fibers.—75-00206A
Volume change investigations during melting and heating of HgTe melt by γ-radiation penetration method.—75-08095A
tellurites,
Mixed alkali effect in the $30[(1-x)Li_2O$-$xNa_2O]$:$70TeO_2$ glass system.—75-04916A

Nonlinear optical properties of some tellurium(IV) oxide glasses.—75-00194A

tellurium oxide,
Ac conductivity for amorphous TeO_2-P_2O_5 glass system.—75-02620A
Electrical conduction of glasses in the system Fe_2O_3-SrO-TeO_2.—75-07334A
Electrical conductivity of V_2O_5-Sb_2O_3-TeO_2 glasses.—75-04957A
Microaggregation processes in B_2O_3-TeO_2 glasses.—75-05027A
Properties and structures of TeO_2-based glasses containing ferroelectric components.—75-07361A
Raman spectra of MO-TeO_2 (M=Mg, Sr, Ba, and Zn) glasses.—75-04922A
Relaxation studies on V_2O_5-TeO_2 glasses using heterogeneous conductor model.—75-04991A
X-ray absorption fine structure (XAFS) study on the coordination of Te in PbO-TiO_2-TeO_2 glasses with high third-order optical nonlinearity.—75-02618A

tellurium,
BaO(CdO)-TeO_2-WO_3 systems in the TeO_2-rich regions.—75-08875A
Cation ordering in distorted perovskites $(MLa)(MgTe)O_6$, M=Na, K.—75-06173A
Change of intrinsic defect structure of CdS(ZnSe) during doping with O and Te isoelectronic impurities.—75-07798A
Charge carrier transfer in Bi_2TeO_5 crystals.—75-06429A
Elastic properties and cohesive energy of glasses in the R_2O-TeO_2 system.—75-02650A
Energy spectra of two- and three-dimensional holes with removed spin degradation (study of tellurium).—75-03020A
Evaporation of SeO_2 and TeO_2 oxides.—75-08928A
Hall coefficient (R) and resistance (π) anisotropy of germanium-doped $Bi_2Te_{2.85}Se_{0.15}$ single crystals.—75-07903A
Local range order of tellurium atoms in TeO_2-BaO and TeO_2-BaF_2 glassy systems.—75-04915A
Melt growth and physicochemical properties of $TeSeO_4$ crystals.—75-05379A
Microdefects in Te-doped GaSb.—75-05383A
New oxobromides of neodymium-tellurium and samarium-tellurium.—75-06287A
Oxygen in the ZnSe:Te luminescence.—75-03108A
Phase transition in HgTeS crystals under high pressure.—75-08005A
Photoconductivity caused by the tellurium impurity in germanium.—75-03115A
Stabilization of the n-GaAs photoanode using the Te^{-2}/Te_2^{-2} redox couple.—75-03170A
Structural effects observed in Sn-Te system during melt solidification with super-high (10^7–10^8 K/s) cooling speeds.—75-06785A
System Sn-Te: critical evaluation and optimization of data on the thermodynamic properties and phase diagrams.—75-09083A
Te doping of GaAs using diethyl tellurium.—75-00612A
Thermal and thermoelectric properties of $[n\text{-}]Bi_{2-x}Sb_xTe_{3-y}Se_y$ ($x \leq 0.12$, $y \leq 0.36$) solid solutions.—75-08080A
Third-order optical nonlinearity of TeO_2-PbO-GeO_2 glasses.—75-05000A
Uniformity of $Bi_2Te_{2.85}Se_{0.15}$ single crystals produced by the Czochralski method.—75-06826A
X-ray analysis of melts of the Sn-Te system produced by super-high speed cooling.—75-05516A

temperature dependence,
Colossal magnetoresistance in La-Ca-Mn-O ferromagnetic thin films.—75-00726A
Effects of temperature and filament poisoning on diamond growth in hot filament reactors.—75-01474A
Environmental microcracking of [NZP] type ceramics.—75-02047A
Oxygen redistribution during low-energy oxygen implantation.—75-09003A
Polarization relaxation in zinc oxide varistors from 77 K to 450 K.—75-00362A
Reference relations for the evaluation of the materials properties of orthorhombic $YBa_2Cu_3O_x$ superconductors.—75-03397A
Reference relations for the evaluation of the materials properties of orthorhombic $YBa_2Cu_3O_x$ superconductors[—correction].—75-08407A
Sign and temperature dependence of the Hall effect of $Bi_2Sr_2YCu_2O_8$ single crystals at compositions below that for metallic conduction.—75-03401A
Superconducting fast microbolometers operating below their critical temperature.—75-00872A
Temperature dependence of ferroelectric imprint.—75-05648A
Temperature dependence of the energy gap in GaN bulk single crystals and epitaxial layer.—75-01352A
Temperature effects in the multiphonon photoemission of laser-irradiated α-SiO_2.—75-01353A
Temperature effects on structure and dynamics in borate and borosilicate liquids: high-resolution and high-temp. NMR results.—75-04935A
Temperature effects on the resistivity of polycrystalline silicon titanium salicide.—75-00613A
Temperature-dependent growth of $LaAlO_3$ films on $YBa_2Cu_3O_7$ c-axis films for multilayer structures.—75-03415A
Temperature-dependent kinetic inductance of $YBa_2Cu_3O_{7-\delta}$ thin films predicted by the coupled grain model in the strong-coupling limit.—75-03416A

temperature measuring,
High-temperature and abrasion-resistant temperature measuring device.—75-05990P
Ruby spectral band-profile analysis for temperature sensing.—75-06512A

temperature,
I-V characteristics of $YBa_2Cu_3O_{7-x}$ single crystals near T_c analyzed with a modulated procedure.—75-05722A
Acoustic plasmons as a possible cause for the anomalous peak of thermal conductivity in high-temperature superconductors below the critical temperature.—75-08260A
Characteristics of solar cells at low temperatures.—75-02975A
Cooling effect due to negative luminescence.—75-02981A
Correlating the Curie temperature of mixed bismuth oxides to the crystal chemical parameters of constituent ions.—75-08121A
Dependence of Curie temperature on the crystal chemical parameters of multicomponent PZT-based solid solutions.—75-08123A
Design of ladle lining based on temperature simulation.—75-07506A
Effect of austenitizing temperature on the hardening of oil quench tool steels.—75-04492A
Effect of stress and temperature of ferroelastic domain switching of partially stabilized zirconia pseudosingle crystals.—75-08132A
Effect of substrate surface temperature on the morphology and quality of diamond films produced by the oxyacetylene combustion method.—75-06585A
Effect of temperature on characteristics of alumina slurry.—75-01467A
Effect of temperature on impact ionization in amorphous semiconductors.—75-07854A
Electrical behavior of compressed magnesia powder.—75-06451A
Electrostrictive coefficients of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$-$0.1PbTiO_3$ relaxor ferroelectric ceramics in the ferroelectricity-dominated temperature range.—75-00657A
Features of production of piezoceramic materials during small-scale manufacturing.—75-05571A
Galvanomagnetic effects in antiferromagnets. Temperature dependences.—75-08218A
Glass-ceramic phase of $Bi_8Sr_4Ca_3Cu_4O_x$ high-T_c superconductor.—75-05771A
In situ temperature measurement on diamond-coated tools: a new instrument for optimizing cutting processes.—75-08674A
Influence of temperature nonuniformity on ceramic sintering.—75-01547A
Infrared non-contact temperature measurement, an overview.—75-01027A
Kinetics and optimization of temperature and time regimes for sintering naturally pure Russian dolomites.—75-08761A
Kinetics of thermal oxidation of silicon nitride powders.—75-09595A
Measurement of the static disorder contribution to the temperature factor in cubic stabilized ZrO_2.—75-03577A
Measurement system for thermoelectric properties of gradually segmented composite elements over a large temperature span.—75-03578A
Mechanism of the low-temperature impurity breakdown.—75-07965A
Modeling of high-temperature ferroelectric-piezoelectric ceramic materials.—75-05608A
Nitridation of zirconia.—75-09369A
Non-ohmic I-V behavior in granular $YBa_2Cu_3O_{7-\delta}$ and (Bi, $Pb)_2Sr_2Ca_2Cu_3O_{10}$ high-T_c superconductors.—75-08382A
Passive oxidation kinetics of high-purity silicon carbide from 800° to 1100°C.—75-09599A
Pressure and temperature effects on the kinetics and quality of diamond films.—75-01628A
Raman study of the relationship between room temperature tetragonality and the Curie point of barium titanate.—75-09046A
Rheological characterization of temperature effects in particle-filled polymer fluids.—75-03923A
Solubility in the $B(OH)_3$-$MgSO_4$-$FeSO_4$-H_2O systems at 25 and 90°C and the $B(OH)_3$-$MgSO_4$-$Fe(SO_4)_3$-H_2O system at 25°C.—75-09061A
Steady-state temperature profile in a cylinder heated by microwaves.—75-01681A
Superconducting transition temperature and energy gap in $YBa_2Cu_3O_{6+x}$ superconductors, where x=0.41–0.88.—75-08432A
Surface states in MIS structures studied by the two-temperature admittance method.—75-03179A
Temperature and stress issues in devices with diamond substrates during manufacturing and operation.—75-08077A
Temperature dependence of the band gap width in GaAs.—75-03183A
Temperature distribution considerations during microwave heating of ceramics.—75-01727A
Temperature measurement during microwave processing.—75-01728A
Temperature stability of resonant frequency of filtered materials produced by different production process methods.—75-05649A
Thermodynamic properties of mullite, $3Al_2O_3$-$2SiO_2$.—75-06397A
Vortex phase diagram of $Bi_2Sr_2CaCu_2O_{8-y}$ near T_c.—75-05860A

tempering,
New glass tempering system substantially reduces energy costs.—75-02732A

tensile,
Constitutive equation for unidirectional composites under tensile impact.—75-06947A
Effect of loading rate on the monotonic tensile behavior of a continuous-fiber-reinforced glass-ceramic matrix composite.—75-00185A
High-temperature tensile behavior of a boron nitride coated silicon carbide fiber glass-ceramic composite.—75-04559A
Tensile and cyclic fatigue behavior of a carbon-carbon composite at room temperature.—75-04645A
Tensile behavior of a 2-D woven C/SiC composite at ambient and elevated temperatures.—75-04646A
Tensile behavior of cement-based composites with random discontinuous steel fibers.—75-00070A
Tensile damage development in fiber-reinforced ceramic matrix composites.—75-04649A
Tensile specimens from ceramic components.—75-02103A

tension,
Effect of tension on R lines in ruby crystals shocked along crystal c-axis.—75-02043A
Measurement of biaxial displacement by a speckle correlation method at high temperature.—75-02071A
Small-specimen compact tension testing of ceramics.—75-05981A
Surface tension of calcium aluminosilicate glass using computerized drop shape analysis.—75-03599A

terbium,
Color centers produced by γ-irradiation and seeding of the samarium-, terbium-, and erbium-doped aluminosilicate optical fibers.—75-02576A
Composition defects and cathodoluminescent properties of Y_2SiO_5 crystals doped with Tb and Ce.—75-08884A
Effect of ultraviolet radiation on a ZnS:Tb thin film electroluminescent device.—75-05299A
Features of growth and properties of Tb-doped Y-123-type single crystals.—75-08320A
Heat capacity of β-$Tb_2(MoO_4)_3$ crystals in the region of the nonintrinsic ferroelectric phase transition.—75-08146A
Luminescence of Eu^{3+} and Tb^{3+} ions in transparent beryllium ceramics.—75-06483A
Luminescence of ZnS:Tb^{3+} and ZnS:Sm^{3+} films obtained by the decomposition of chelate complexes.—75-07957A
Magnetooptic and magnetic properties of Tb:YIG.—75-03314A
New Faraday rotation glass with a large Verdet constant.—75-02671A
Nonequilibrium nature of the destruction of an elementary cell of an HTSC crystal during field evaporation.—75-08383A
Optical properties of terbium sulfide and terbium selenide single crystals.—75-07996A
Optical spectroscopy of Ce^{3+}, Tb^{3+}, and Eu^{3+} in new scintillating glasses.—75-07359A
Optical-magnetic study of Stark sublevels of the $^7F_6$ basic multiplet of the Tb^{3+} ion in $Y_3Al_5O_{12}$.—75-05701A
Para- and diamagnetoelectrical interactions in $Tb_2(MoO_4)_3$ and $LiIO_3$ crystals.—75-05702A
Spectroscopic studies of magnetic transitions in $TbPO_4$.—75-03839A
Two-dimensional magnetic order in $Pb_2Sr_2TbCu_3O_8$.—75-03421A
Unusual transport and magnetic properties of Tb-doped $YBa_2Cu_3O_7$ single crystals and epitaxial thin films.—75-03425A

testing,
1994's top products.—75-04671A
Behavior of cohesive powder in the biaxial tester.—75-05936A
Bronsted acid sites in zeolites. FTIR study of molecular hydrogen as a probe for acidity testing.—75-06167A
Castability test of experimental apatite-based glass-ceramic for small castings.—75-05939A
China's state of art on ceramic components in diesel engines.—75-03511A
Coefficient of restitution as an indication of impact resistance.—75-00239A
Comparison of pressure compaction and diametral compression tests for determining granule strengths.—75-04461A
Comparison of test methods used for evaluating porcelain enameled and painted surfaces.—75-00079A
Compressive testing of ceramics.—75-03552A
Critical notch-root radius effect in SENB-S [single edge notch bend-saw cut] fracture toughness testing.—75-08649A
Determination of interfacial properties using a single-fiber microcomposite test.—75-03557A
Determination of parameters of CMC materials using slice compression tests.—75-03558A
Development of automatic testing system for modulus of rupture at elevated temperatures and application to measuring.—75-08658A
Development of automatic thermal conductivity testing system and application to routine work.—75-05082A
Dynamic gas/oxy superstructure refractory testing.—75-07532A
Electromechanical testing and modeling of a $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-$BaTiO_3$ relaxor ferroelectric.—75-05562A
Elevated temperature fiber pushout testing.—75-03561A
Experimental verification of the shielding effect in zirconia.—75-06976A
Fiber twist test—a new test technique to measure composite interface properties.—75-03564A
Finite element analysis of the fiber twist test.—75-03565A
Fracture criteria for piezoelectric ceramics—comment[—correction].—75-05584A
Fracture criteria for piezoelectric ceramics[—comment].—75-03233A
Fracture criteria for piezoelectric ceramics[—reply].—75-03234A
Fracture toughness of a high-strength alumina: compact tension vs indentation fracture techniques.—75-06984A
Heat transmission during thermal shock testing of ceramics.—75-06469A
Highly sensitive fluoroscopy test for ceramics with image subtraction.—75-08671A
In vitro testing of plasma-sprayed hydroxyapatite coatings.—75-03571A

In vivo and in vitro evaluation of a biomachinable glass-ceramic.—75-05951A
Indentation thermal shock test for ceramics.—75-03572A
Japanese center leads ceramic technology.—75-04717A
Laboratory testing of LITCO glasses.—75-03474A
Laboratory testing of West Valley reference 6 glass [WV6].—75-03475A
Loading rate for modulus of rupture test.—75-05954A
Long-term test results from a West Valley actinide-doped reference glass.—75-03478A
Materials and equipment data file.—75-04724A
Materials and equipment data file.—75-04725A
Materials and equipment data file.—75-04726A
Measuring the fracture properties of ceramics.—75-05959A
Microwave testing of high-T_c-based direct current to a single flux quantum converter.—75-00833A
New concept in cost-effective machining.—75-05965A
New corrosion testing method by X-ray transmission.—75-07609A
New method for performing capillary absorption test.—75-05967A
Pilot-scale vitrification high-nitrate/high-sodium content Hanford low-level waste simulant.—75-03484A
Porcelain enamel challenge: dare to compare.—75-00117A
Preloading technique in dynamic fatigue testing of glass and ceramics with an indentation flaw system.—75-03592A
Product consistency testing of three reference glasses in stainless steel and Teflon vessels.—75-03488A
Proof testing and subsequent fatigue characteristics in ceramics.—75-02087A
Quality control of ceramic tiles.—75-02792A
Refractories testing at Orton/RTRC.—75-02834A
Remote laser tester of the surface roughness of articles.—75-03595A
Requirements and testing methods for ceramic press granulates.—75-05973A
Single-fiber pullout test [analyzed] using Raman spectroscopy: III. Pullout of Nicalon fibers from a Pyrex matrix.—75-05979A
Small-specimen compact tension testing of ceramics.—75-05981A
Standardization of refractories in Russia and Germany.—75-05143A
Statistical analysis of properties of portland cement clinkers.—75-07184A
Strength distribution of Carborundum polycrystalline SiC fibers as derived from the single-fiber composite test.—75-06783A
Stress analysis of Si_3N_4 swirl chamber during thermal fatigue test.—75-09674A
Tensile specimens from ceramic components.—75-02103A
Test challenges for an ASEM MCM foundry.—75-00005A
Test methods for calcium aluminate cements.—75-07673A
Test methods for porcelain enamel—a report on ASTM committee activities.—75-00141A
Testing method for cemented carbides triboperformance evaluation.—75-08706A
Testing of actively cooled functionally gradient materials under high heat flux conditions.—75-02551A
Testing of concrete under closed-loop control.—75-04834A
Thermal analysis, a tool for materials testing.—75-03600A
Thermal shock test for large ladle shrouds.—75-07679A
Threshold stress intensity factor in soda-lime-silicate glass by interrupted static fatigue test.—75-07373A
Trends in laboratory testing equipment.—75-03536A
Use of supplementary cementing materials to increase the resistance to chloride ion penetration of concretes cured at elevated temperatures.—75-02430A

texture,
Characterization of a texture gradient in tantalum plate.—75-04300A
Characterization of texture and microstructure of oriented $PbTiO_3$ films grown by metallorganic chemical vapor deposition on Si(100).—75-01806A
Comparative study of machining effects on the surface texture of a ceramic composite.—75-01406A
Controlled texturing of HTSC materials: technology, properties, and application in the protection of contacts of superconducting devices.—75-08277A
Deformation textures in hot-worked polyphase ceramics.—75-06959A
Fabrication of textured silicon carbide via seeded anisotropic grain growth.—75-04038A
Ferroelectric-pyroelectric texture based on glass-ceramic materials containing the $LaBGeO_5$ stillwellite-like phase.—75-07338A
Forming textured ceramics by multiple coextrusion.—75-01511A
Fused ceramic beads.—75-08780P
Melt texturing of preferentially aligned $YBa_2Cu_3O_x$ superconductor by a seeded directional solidification method.—75-00827A
Melt-textured $YBa_2Cu_3O_{7-\epsilon}$ superconductor [studied] by transmission electron microscopy.—75-00828A
Novel approach in the melt texturing of $YBa_2Cu_3O_{7-y}$.—75-03385A
Platinum-enhanced textural growth of grain-aligned $YBa_2Cu_3O_{7-x}$ thick films.—75-00842A
Seeded melt texturing [SMT] and melt joining of $YBa_2Cu_3O_x$.—75-03400A
Textural change behavior of refractories during thermal shock resistance test and its quantitative evaluation.—75-07674A
Texture assessment of magnetically processed iron titanate.—75-03851A
Texture of Bi-based superconductor tapes.—75-05847A
Textured magnetoplumbite fiber-matrix interphase derived from sol-gel fiber coatings.—75-03336A
Textured $YBa_2Cu_3O_{7-x}$ superconductor.—75-05848A
Texturing and texture-induced intergranular critical state anisotropy of superconducting $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ ceramics.—75-05849A
Tribute to the sentinels.—75-04803A

thallium,
Anomalous long-time tail behavior of spin-spin correlation in the normal state of $Tl_2Ba_2CuO_x$.—75-05726A
Atomic structure features of high-temperature superconducting 1212, 2201, and 2212 Tl-containing phases.—75-08264A
Characterization of InTlSb/InSb grown by low-pressure metallorganc chemical vapor deposition on a GaAs substrate.—75-05258A
Characterization of $Tl_2Ba_2CaCu_2O_8$ films prepared by laser ablation of $Ba_2CaCu_2O_x$ precursor targets and ex situ thalliation.—75-08272A
Composition of thallium high-T_c superconductors prepared via ceramic route.—75-08274A
Dielectric properties and ac conductivity of $TlInS_2$ single crystals.—75-07833A
Epitaxial thallium high-temperature superconducting films formed via a nucleation layer.—75-08456P
Features of thermal expansion of solid solution single crystals of $TlIn(S_{1-x}Se_x)_2$ in the low-temperature region.—75-05323A
Incommensurate-incommensurate phase transition in the sequence of structural phase transformations in $TlInS_2$ layered crystals.—75-07919A
Interaction of TlTe with FeTe and physical properties of $TlFeTe_2$.—75-07937A
Liquid-phase-assisted synthesis of single thallium layer superconductors.—75-00815A
Mercury-thallium-barium-calcium-strontium-copper-oxide 1223 superconductor and method of making same.—75-08463P
Modification of photocurrent spectra of $TlInS_2$ single crystals during intercalation.—75-05387A
Optical properties of $TlSbS_2$-$TlSbSe_2$ single crystals.—75-06496A
Properties of $(Tl_{1-x}Pb_x)Sr_2Ca_{2.05}Cu_{3.2}O_y$.—75-00853A
Reproducible synthesis by metallorganic chemical vapor deposition and thallium vapor diffusion of oriented thin-film $Tl_{1+x}Ba_2Ca_2Cu_3O_{9+x}$: intergrowth of $TlBa_2Ca_2Cu_3O_9$ and $Tl_2Ba_2Ca_2Cu_3O_{10}$ structures.—75-08408A
Stabilization of superconducting phases in thallium-barium-copper oxide system by fluorine substitution $[TlBa_2CuO_{5-x}F_x]$.—75-05834A
Superconducting properties of (1223) and (2223) phases in Tl-Ba-Ca-Cu-O thin films.—75-08429A
Superconducting thallium cuprates obtained by substitution of copper for thallium in the double-thallium layer cuprate.—75-05839A
Superconductive material, a superconductive body, and a method of forming such a superconductive material or body.—75-05885P
Superconductivity of 1212-type phase $TlSr_2(Ca, Cr)Cu_2O_7$ and $TlSr_2(Sr, Tm)Cu_2O_7$.—75-05840A
Synthesis on the silica surface of $Tl_2O_3{\cdot}nH_2O$ nanolayers by the ionic stratification method.—75-06820A
Thallium solubility range in $Tl_{2-x}Ba_2Ca_{n-1}Cu_nO_{2n+4-x}$ superconductors.—75-05850A
Thallium-, bismuth-, and lead-containing oxide superconductor.—75-08493P
Thallium-calcium-barium-copper-oxide superconductor with silver and method.—75-08494P
Thermodynamic and kinetic studies of the phase transitions in $Tl_2Ba_2CuO_{6+x}$.—75-03854A
$Tl_1(Ba_{1-x}Sr_x)_2Ca_2Cu_3O_x$ oxide superconductor and method of producing the same.—75-08495P
Tl-based superconductors for high-current, high-field applications.—75-08442A
Tl-M-Cu-O-F superconductors.—75-08496P
X-ray and photoemission spectra study of $Tl_{0.3}MoO_3$.—75-06409A

theory,
Density functional theory as a major tool in computational materials science.—75-05941A
Driving force for deposition in the chemical vapor deposition process.—75-06573A
Effective medium theory of piezoelectric composites.—75-00652A
Electronic structure theory in the new age of computational materials science.—75-07068A
Fractal behavior in fatigue of materials.—75-04530A
Mott transition criterion in flat lattices.—75-05389A
Sintering Theory and Practice.—75-07111B
Soliton solutions in theory of slot waveguide transmission lines with nonlinear ferroelectric films.—75-05639A
Steps and possibilities for developing a theory of reinforced concrete.—75-07186A
Theoretical study of GaN growth: a Monte Carlo approach.—75-01730A
Theory and experiment in corrosion of advanced ceramics.—75-02017A
Thermistors—fundamentals and manufacturing issues.—75-00380A

thermal analysis,
ETA [emanation thermal analysis] of nanocomposite xerogel powders.—75-08667A
Thermal analysis of 3 mol% yttria-stabilized tetragonal zirconia powder doped with copper oxide.—75-01250A
Thermal analysis, a tool for materials testing.—75-03600A
Use of differential thermal analysis for hydrothermally cured cement products.—75-00072A

thermal barriers,
Characterization of a zirconia-yttria-titania thermal barrier coating.—75-04843A
Combination thermal barrier and wear coating for internal combustion engines.—75-01159P
Comparison of thermal cycling and oxidation behavior of graded and duplex ZrO_2 thermal barrier coatings.—75-02446A
Concept of functionally graded materials for advanced thermal barrier coating applications.—75-07202A
Determination of optimum condition in plasma spraying process.—75-07203A
Effect of intermediate layers on residual stress distributions and debonding of sprayed thermal barrier coatings.—75-02458A
Evolution of thermal barrier coatings in gas turbine engine applications.—75-07072A
Fabrication of thermal barrier type of SiC-AlN/Mo FGM by hot isostatic pressing and its thermomechanical performance.—75-02478A
Initiation of surface cracks in multilayer ceramic thermal barrier coatings under thermal loads.—75-04569A
Microstructural investigations of plasma-sprayed yttria partially stabilized zirconia thermal barrier coatings.—75-06893A
Porous thermal barrier coating.—75-07271P
Sublimitable carbon-carbon structure for nose tip for reentry space vehicle.—75-01200P
Temperature dependence of dynamic Young's modulus and internal friction in LPPS NiCr AlY.—75-04868A
Thermal barrier coating system for titanium aluminides.—75-00168P
Thermal barrier coatings for diesel engines.—75-02552A
Thermal barrier coatings on turbine blades by plasma spraying with improved coating.—75-04869A
Thermal cyclic response of laser-glazed plasma-sprayed ZrO_2-19.5 wt% Y_2O_3/Ni-22Cr-10Al-1Y thermal barrier coatings.—75-02553A
Thermal fracture of multilayer ceramic thermal barrier coatings.—75-07045A
Thermal stress analysis of ceramic thermal barrier coatings under loading.—75-04652A

thermal conductivity,
Acoutic plasmons as a possible cause for the anomalous peak of thermal conductivity in high-temperature superconductors below the critical temperature.—75-08260A
Das Amitava's thermal conductivity equations on Indian insulating refractories.—75-07503A
Development of automatic thermal conductivity testing system and application to routine work.—75-05082A
Effect of a periodic cluster superstructure on the thermal conductivity of amorphous silica (opal).—75-09129A
Effect of AlN addition on the thermal conductivity of sintered Al_2O_3.—75-09268A
Effect of grain boundary phase on the thermal conductivity of aluminum nitride ceramics.—75-03886A
Effect of grain growth on the thermal conductivity of silicon nitride.—75-09273A
Effect of moisture on the thermal conductivity of the refractory concrete.—75-07538A
Effect of thickness on the transverse thermal conductivity of thin dielectric films.—75-00325A
Effective medium theory and the thermal conductivity of plasma-sprayed ceramic coatings.—75-06448A
Effective transverse thermal conductivity of amorphous Si_3N_4 thin films.—75-01276A
Gas pressure and temperature dependences of thermal conductivity of porous ceramic materials: II. Refractories and ceramics with porosity exceeding 30%.—75-03897A
Heat conductivity of LiF-NaF-Al$(PO_3)_3$ mixed alkali glasses.—75-02656A
High thermal conductive silicon nitride sintered body and method of producing the same.—75-03733P
High thermal conductivity in silicon nitride with anisotropic microstructure.—75-06471A
High-temperature investigations of composite gradient materials in nonequilibrium air plasma.—75-02488A
In situ measurement of through-the-thickness thermal conductivities in ceramic/metal composition-graded multilayers by means of thermography.—75-02491A
Inexpensive technique for estimating the thermal conductivity of CVD diamond from the optical absorption.—75-08675A
Influence of microstructure on the thermal conductivity of aluminum nitride.—75-06882A
Influence of neutron irradiation on the thermal conductivity of vapor-deposited diamond.—75-01542A
Local thermal conductivity in chemical vapor deposited diamond.—75-01303A
Low-temperature sintering and high thermal conductivity of $YLiO_2$-doped AlN ceramics.—75-06673A
Low-temperature thermal conductivity measurement apparatus: design assembly, calibration, and measurement on (Y123, Bi2223) superconductors.—75-08679A
Measurement and interpretation of thermal transport in directionally reinforced ceramic matrix composites.—75-03576A
Measurements of thermal conductivity of diamond films by photothermal deflection technique.—75-03579A
Method for making high thermal conducting diamond.—75-03741P
Method for manufacturing an aluminum nitride sintered body.—75-08835P
Morphological effect of second phase on the thermal conductivity of AlN ceramics.—75-04378A
Nonequilibrium effects on the thermal conductivity of Bi-based high-temperature superconductors.—75-05804A
Picosecond optical studies of amorphous diamond and diamondlike carbon: thermal conductivity and longitudinal sound velocity.—75-01332A
Round robin thermal conductivity measurements on CVD diamond.—75-08699A
Single-crystal diamond of very high thermal conductivity.—75-01198P
Technique for measuring thermal conductivity of carbon fibrous insulators by transient hot wire method.—75-08705A
Thermal conduction behavior in polycrystalline $(Sr_{1-x}K_{2x})Zr_4(PO_4)_6$ ceramic.—75-01357A
Thermal conductivity and specific heat of boron carbides.—75-03934A
Thermal conductivity of basalt fiber materials.—75-07675A
Thermal conductivity of diamond film.—75-09197A

Thermal conductivity of gas-pressure-sintered silicon nitride.—75-09198A
Thermal conductivity of lanthanum monosulfide doped with thullium and lutetium.—75-09199A
Thermal conductivity of MW-CVD diamond films synthesized with varying CH_4 concentration [2.5–10%].—75-09200A
Thermal conductivity of pure or iron-doped $YBa_2Cu_3O_{7-\delta}$ with or without an excess of CuO.—75-03418A
Thermal diffusivity, specific heat, and thermal conductivity of $(Ca_{1-x}Mg_x)Zr_4(PO_4)_6$ ceramic.—75-03935A
Zirconia refractories.—75-05153A

thermal decomposition,
Thermal decomposition of branched polyfluoroalkylsilane coated on silica gels.—75-09086A
Thermal decomposition of hydroxyapatite structure induced by titanium and its dioxide.—75-06524A
Thermal reduction of $KTiOPO_4$ single crystals.—75-01251A

thermal diffusivity,
Thermal conductivity of diamond film.—75-09197A
Thermal diffusivity measurement of CVD diamond.—75-08709A
Thermal stability studies of diamondlike carbon films.—75-01359A
Transient temperature response and evaluation of thermal diffusivity in FGM.—75-03941A

thermal expansion,
$(Ca_{1-x}Mg_x)Zr_4(PO_4)_6$ [CMZP] and ZrP_2O_7 coatings and foams.—75-01259A
Acoustic emission study of microcracking in the system $Ca_{1-x}Sr_xZr_4P_6O_{24}$.—75-02021A
Anomalous thermal expansion of Ising magnets in the low-temp. region.—75-08193A
Ceramic composite attachments for transmission of high-torque loads.—75-07063A
Ceramic turbine nozzle.—75-07255P
Computer simulations of thermal expansion anisotropy induced microcracking in brittle ceramics.—75-02025A
Effect of component size on thermal stress.—75-01452A
Effect of variation in framework composition on the thermal expansivity of NZP phases.—75-01834A
Effects of starting powder with various high-T_c phase contents on the expansion of Bi-Pb-Sr-Ca-Cu-O pellets.—75-05762A
Effects of thermal cycling on the physical and mechanical properties of [NZP] ceramics.—75-01278A
Environmental microcracking of [NZP] type ceramics.—75-02047A
Interaction of low-expansion NZP ceramics with Na_2SO_4 at 1000°C.—75-01874A
Isotropic materials with low or negative thermal expansion.—75-01880A
Low thermal expansion ceramics—a retrospective.—75-01881A
Low thermal stress ceramic turbine nozzle.—75-08833P
Magnetoelastic anomalies of thermal expansion of rare-earth vanadates, RVO_4.—75-06886A
Mechanical properties and thermal expansion behavior in leucite containing materials.—75-07006A
Negative thermal expansion material.—75-01128P
Preparation, thermal expansion, and mechanical properties of $K_{1-x}Sr_{0.5x}Zr_2P_3O_{12}$ ceramics.—75-04176A
Product property between thermal expansion and piezoelectricity in piezoelectric composites: pyroelectricity.—75-05628A
Quadrupole approximation in the theory on magnetoelasticity of rare-earth compounds: magnetoelastic contribution to thermal expansion of the rare-earth vanadates, RVO_4.—75-09178A
Sintering and crystallization behavior of a glass powder and block with a composition of anorthite and the microstructure dependence of its thermal expansion.—75-05043A
Synthesis and thermal expansion of $M_{1/2}Sr_{1/4}Zr_2P_3O_{12}$ (M=Li, Na, K) compounds.—75-04239A
Synthesis of high-silica glasses with an increased thermal expansion coefficient.—75-07405A
Thermal expansion and specific heat of nonrandom YBCO/Ag composites.—75-08438A
Thermal expansion behavior of some rare-earth oxide pyrochlores.—75-01968A
Thermal expansion of gallium nitride.—75-00618A
Thermal expansion of hot isostatically pressed hydroxyapatite.—75-06526A
Thermal expansion of nepheline solid solutions in the system $Na_{1-2x}Ca_xAlSiO_4$.—75-06527A
Thermal expansion studies of prestrained Al_2O_3/Al metal matrix composite.—75-04870A

thermal insulation,
Processing of thermal insulation materials with controlled porosity.—75-01911A

thermal properties,
Active glasses for the near-infrared.—75-00177A
Aluminum titanate ceramics and their application in exhaust pipes for engines.—75-03641A
Barrier thermo-emf on *p-n* junction.—75-05251A
Comparison of thermal stability, acidity, catalytic properties, and deactivation behavior of novel aluminophosphate-based molecular sieves of type 36.—75-06433A
Contribution of thermal radiation to the temperature profile of ceramic composite materials.—75-06869A
Corning produces monolithic mirror blank.—75-03514A
Dryout, heat-up procedures for refractories.—75-02813A
Electromagnetic and thermomagnetic properties of high-T_c superconductor in its mixed state: the single vortex motion model.—75-08308A
Energy savings using autoclaved aerated concrete.—75-00037A
Extended application of ceramic heat exchanger.—75-03647A
Germanate glass-ceramic.—75-07420P
High-temperature dilatometery of fiber-reinforced calcium hydrosilicates.—75-03568A
Homogeneity region and thermal stability of neodymium-doped α-SiAlON ceramics.—75-03799A
Influence of molybdenum on thermal properties of CMCs.—75-06476A
Measurement of thermo-emf of piezoelectric lanthanum sulfide.—75-05603A
Silicon carbide piston/cylinder for uncooled diesel engine.—75-03714A
Standardization of heat-engineering properties of ceramic wall materials.—75-07455A
Structure and thermal evolution of SiC-based fibers with low oxygen content.—75-04406A
Synthesis of hydroxyapatite powders by homogeneous precipitation method and their thermal changes.—75-09470A
Thermal and electrical properties of $K_{2x}M_{1-x}Zr_4(PO_4)_6$ (M=Sr, Ba) systems.—75-09195A
Thermal aspects of high-performance packaging with synthetic diamond.—75-08081A
Thermal behavior of (organosilicon) polymer-derived ceramics: V. Main facts and trends.—75-09196A
Thermal dissociation of Ca_2CuO_3.—75-09202A
Thermal shock resistance of KSZP ceramics.—75-03936A
Thermal stability of GaN thin films grown on (0001)Al_2O_3, (0112)Al_2O_3, and (0001)$_{Si}$6H-SiC substrates.—75-01358A
Thermal stability of PZT piezoceramics.—75-08176A
Thermal stability of synthetic hydroxyapatites.—75-01096A
Thermal stability of Y-α′-SiAlON at high temperature.—75-03939A
Thermal strain and viscous flow of glass films.—75-01360A
Thermal stresses in tightly jacketed double-coated optical fibers at low temperature.—75-00204A
Thermal-sensitive device fabricated with diamond film and a planar microelectrode.—75-08812A
Thermalization and diffusion of streams of sputtered atoms in gases.—75-09520A
Thermoelastic behavior in Ca_2SiO_4 solid solutions.—75-09097A
Thermogalvanomagnetic effects in bismuth.—75-03185A
Use of modified ac calorimetry to measure the thermal properties of CVD diamond.—75-08711A
Yttria-stabilized zirconia: I. Thermal stability of B_2O_3-Al_2O_3-SiO_2 added Y-TZP.—75-06534A

thermal shock resistance,
Damage evaluation of functionally gradient materials caused by cyclic thermal shock.—75-02450A
Densely sintered, tabular ceramic parts of aluminum oxide having improved thermal shock resistance.—75-08573P
Effect of ion implantation on thermal shock resistance of magnesia and glass.—75-04497A
Evaluation of characteristic properties of a newly developed graphite material with an SiC/C composition gradient.—75-03699A
Indentation thermal shock test for ceramics.—75-03572A
Mechanical behavior and thermal shock parameters of carbon anode materials.—75-02072A
Mg-PSZ ceramic for high-temperature applications.—75-06683A
Multiple-tube permeable element for combined blowing converter.—75-03620A
Overview of the thermal shock characteristics of aluminum titanate.—75-02083A
Textural change behavior of refractories during thermal shock resistance test and its quantitative evaluation.—75-07674A
Thermal shock behavior of Si_3N_4/SiC composites.—75-09679A
Thermal shock behavior of two-dimensional woven fiber-reinforced ceramic composites.—75-06528A
Thermal shock fracture mechanism of functionally gradient materials as studied by burner heating test.—75-02554A
Thermal shock resistance of 90 to 100% alumina brick.—75-07677A
Thermal shock resistance of a ductile particle (iron) toughened alumina.—75-09681A
Thermal shock resistance of alumina-SiAlON composites.—75-07046A
Thermal shock test for large ladle shrouds.—75-07679A

thermal shock,
Crack initiation and crack growth in ceramics and glass under thermal stress.—75-06950A
Heat transmission during thermal shock testing of ceramics.—75-06469A
Thermal loading and corrosion of ceramics by light irradiation.—75-02018A
Thermal shock behavior of carbon anode materials.—75-02104A
Thermal shock behavior of fiber-reinforced ceramic composites.—75-04651A
Thermal shock damage in a two-dimensional woven fiber-reinforced CVI SiC matrix composite.—75-09680A
Thermal shock testing of advanced refractory ceramics.—75-00274A
Thermal shock testing of refractories and the energy balance approach to damage assessment.—75-07680A

thermal spraying,
Boron nitride and aluminum thermal spray powder.—75-07244P
Residual stress measurement in thermal-sprayed hydroxyapatite coatings.—75-04621A
Sol-gel-derived thick ZrO_2 coatings by liquid thermal spraying.—75-00133A
Structural changes of plasma-sprayed hydroxyapatite coatings during in vitro testing.—75-01941A
Thermal spray abradable powder for very high temperature applications.—75-08634P
Thermal spray powder of tungsten carbide and chromium carbide.—75-01201P

thermistors,
Ceramic composition for thermistor, thermistor element, and process for producing same.—75-05521P
High-temperature ceramic sensors.—75-00337A
Highly oriented diamond film thermistor.—75-08102P
NTC thermistor composition based on barium titanate.—75-00716P
NTC thermistor manufacturing.—75-00356A
Positive temperature coefficient thermistor device.—75-00721P
PTC thermistor.—75-08111P
PTCR thermistors- reproducibility achieved via sol-gel synthesis.—75-00369A
Thermistors—fundamentals and manufacturing issues.—75-00380A

thermochemical properties,
CAD/CAM review—a computer database of thermochemical properties.—75-04680A
Thermal properties and crystallization kinetics of new fluoride glasses.—75-02617A

thermocouples,
Application of aluminum titanate as thermocouple protection tubes in the molten aluminum industry.—75-01075A
Carrier gradient thermoelectric material of $Bi_2Te_{2.85}Se_{0.15}$ single crystal fabricated with Czochralski technique.—75-02969A
Solving firing problems—guessing or facts.—75-03631A
Thermocouple, the heart of the kiln.—75-03632A

thermodynamics,
Application of the quasi-paraboloidal regulations of intermediate compounds in ceramic ternary systems.—75-08871A
Approximate calculations of some thermodynamic characteristics of a hydrocarbon-X-zeolite system from gas chromatography data.—75-08872A
Calculation of phase diagrams of multicomponent systems.—75-03767A
Chemical Kinetics of Solids.—75-07105B
Correction of statistical weights of condition equations for determining consistent thermodynamic data on the Ga-Sb system.—75-08648A
Low-temperature thermodynamic characteristics of lanthanum silicide.—75-08976A
Mass spectrometric study of the thermodynamic properties of ZnO-P_2O_5 system melts.—75-08980A
Mass spectrometric study of thermodynamic properties of melts of calcium aluminates.—75-06268A
Modeling routes for the chemical vapor deposition process.—75-04114A
Possible explanations of transient neck formation between pairs of {100} faceted particles.—75-06326A
Refractory concretes of a new generation. Thermodynamic aspect of the technology.—75-05129A
System Sn-Te: critical evaluation and optimization of data on the thermodynamic properties and phase diagrams.—75-09083A
Thermodynamic analysis of the metastable regions for the Al_2O_3-SiO_2 system.—75-03853A
Thermodynamic aspects of binder system strength.—75-07193A
Thermodynamic assessment of the zirconia-urania system.—75-01252A
Thermodynamic calculation of gas/slag/refractory equilibria in coal gasification.—75-08710A
Thermodynamic evaluation of the Bi-Cu-O system.—75-01253A
Thermodynamic properties of alkaline-earth metal antimonates.—75-09092A
Thermodynamic properties of anorthite, $CaAl_2Si_2O_8$, and gehlenite, $Ca_2Al_2SiO_7$.—75-06395A
Thermodynamic properties of chromium phosphides.—75-09093A
Thermodynamic properties of chromium-phosphorus melts.—75-09094A
Thermodynamic properties of europjum oxides.—75-09095A
Thermodynamic properties of manganese oxides.—75-06396A
Thermodynamic properties of mullite, $3Al_2O_3{\cdot}2SiO_2$.—75-06397A
Thermodynamics of the Zr-H system.—75-01254A

thermoelectric materials,
Electrostatic potential and temperature distribution in case of a series of a parallel configuration of two thermoelectric conversion phases.—75-09545A
Science and technology in composite materials—functionally gradient materials.—75-04865A

thermoelectric properties,
Carrier gradient thermoelectric material of $Bi_2Te_{2.85}Se_{0.15}$ single crystal fabricated with Czochralski technique.—75-02969A
Characteristics of parameter optimization and energy resources of thermoelectric materials based on silicon compounds.—75-02974A
Correlations between the thermoelectric power and Hall effect of Sn or Ge doped In_2O_3 semiconductors.—75-05267A
Effect of oxidation on the thermoelectricity of Fe-Si-based materials.—75-09134A
Evaluation of conversion efficiency of tandem thermoelectric devices.—75-03891A
FGM compliant pad design for high-efficiency silicon germanium thermoelectric cell.—75-03029A
Gradient potential design for functionally gradient energy conversion materials.—75-03036A
High-temperature thermoelectric properties of In_2O_3-based mixed oxides and their applicability to thermoelectric power generation.—75-06473A
Measurement system for thermoelectric properties of gradually segmented composite elements over a large temperature span.—75-03578A
Point defects and thermoelectric properties of iron disilicide ceramics sintered with SiH_4 plasma-processed micrograins.—75-01333A
Relationship between thermoelectric properties and formation of microstructure, and compressive strength and grain size of Bi-Te materials.—75-08044A

Theory of electroded thin thermopiezoelectric plates subjected to large driving voltages.—75-00707A
Thermoelectric power of the $Bi_2Sr_2Ca_{1-x}Ce_xCu_2O_{8+y}$ [x=0–0.4] system.—75-08440A
Thermoelectric properties of Bi_2S_3-GaTe solid solutions.—75-08085A
Thermoelectric properties of Fe-Si alloys—effects of oxidation and SiO_2 dispersion.—75-09208A
Thermoelectric properties of homologous compounds in the ZnO-In_2O_3 system.—75-05505A
Using thermoelectric coolers and diamond films for temperature control of power electronic circuits.—75-08546A

thermoluminescence,
Low-temperature thermoluminescence of cuprate high-temperature superconductors.—75-05789A
Photostimulated thermoluminescence in C-doped α-Al_2O_3 crystals.—75-03913A
Ultraviolet-induced thermoluminescence in ZrO_2 doped by Er_2O_3.—75-03860A

thermomechanical properties,
Current-carrying anisotropy and the effects on it of thermomechanical treatments for Ag-sheathed Bi(Pb)-Sr-Ca-Cu-O superconducting tapes.—75-08283A
Development of new low expansion ceramics—CMZP and modified ß-eucryptite.—75-01145A
Effect of degree of reduction in thermomechanical processing on the transport characteristics of Ag-clad $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{110+x}$ high-T_c superconducting wires and tapes.—75-00788A
Fabrication of Ti-6% Al-4% V/TiC metal matrix composites by sintering and thermomechanical processing.—75-04853A
Finite element analysis of metal casting around low expansion ceramic materials.—75-01292A
Finite element anlysis applied to thermomechanical performance of ceramic anchors.—75-07552A
Influence of micromechanical approaches on macroelastic-plastic response of C/M FGMs: I. Steady-state problem.—75-02493A
Influence of micromechanical approaches on macroelastic-plastic response of C/M FGMs: II. Transient problem.—75-02494A
Refractory Linings: Thermomechanical Design and Applications.—75-02169B
Short-circuited semiconductor thermomechanical energy converter.—75-05474A
Simple models for thermomechanical behavior of glass products during their molding by drawing.—75-02742A
Thermomechanical analysis of ceramic components for engines.—75-03940A
Thermomechanical and creep characterization of unidirectional SiC/Al composite.—75-07236A
Thermomechanical behavior of mullite-zirconia composite.—75-09209A
Thermomechanical improvement of a flue wall in anode baking furnace.—75-07682A
Thermomechanical stresses in BOF linings.—75-07684A

thermometers,
Infrared non-contact temperature measurement, an overview.—75-01027A

thermophysical properties,
Transient temperature response and evaluation of thermal diffusivity in FGM.—75-03941A

thickness,
Developing a thick-film cermet.—75-07721A
Effect of thickness on the transverse thermal conductivity of thin dielectric films.—75-00325A
Epifilm thickness measurements using Fourier transform infrared spectroscopy: effect of refractive index dispersion and refractive index measurement.—75-01020A
Prediction of thickening times of oil field cements using artificial neural networks and Fourier transform infrared spectroscopy.—75-02416A
Prospects of strengthening thin and superthin glasses.—75-07399A
Thickness dependence of critical current density for electrophoretically deposited $YBa_2Cu_3O_{7-x}$ films.—75-00890A
Transversely varying thickness modes in quartz resonators with beveled cylindrical edges.—75-01362A

thin films,
Alumina thin films as optical waveguides.—75-00208A
Atomic scale imaging of ceramic thin-film surfaces.—75-06862A
Bone cell assay system from Millenium Biologix Inc.[,Kingston, Canada].—75-05937A
Cesium/oxide interactions for ultrathin films on α-Al_2O_3(0001) and α-Al_2O_3(1102).—75-04299A
Characterization of thin films and multilayers by specular X-ray reflectivity.—75-01809A
Chlorophyll *b*-modified nanocrystalline SnO_2 semiconductor thin film as a photosensitive electrode.—75-00433A
Continuous thin diamond film and method for making same.—75-01160P
Copper and nickel ultrathin films on metal oxide crystal surfaces.—75-01414A
Crystal compensated superconducting thin film formed of oxide superconductor material.—75-00901P
Decrease of defects of sol-gel-derived $PbTiO_3$ thin film and its grain size effect on ferroelectric properties.—75-00645A
Depth-dependent lattice parameter variation and stress-induced magnetic anisotropy of ultrathin $Dy_3BiFe_4GaO_{12}$ garnet films deposited on the glass substrate by pyrolysis.—75-05661A
Device for forming a compound oxide superconductor thin film.—75-05867P
Diamond thin film and single crystal etching under critical ECR plasma conditions.—75-09261A
Diamond thin-film growth mechanism in a filament-assisted excimer laser ablation system.—75-01440A
Domain configurations due to multiple misfit relaxation mechanisms in epitaxial ferroelectric thin films: I. Theory.—75-00649A
Domain configurations due to multiple misfit relaxation mechanisms in epitaxial ferroelectric thin films: II. Experimental verification and implications.—75-00650A
Effect of the composition and age of solution on the properties of thin films deposited on glass.—75-07332A
Electrochemical thin films fabricated by an ambient plasma technique.—75-04021A
Enhanced chemical vapor deposition of diamond and related materials.—75-08575P
Evaluation of electrooptic phenomena in ferroelectric thin films using ellipsometric techniques.—75-05566A
Ferroelectric thin films for integrated devices.—75-05578A
Ferroelectric thin films for photonics: properties and applications.—75-05579A
Flexible ceramic thermal protection system resistant to high aeroacoustic noise comprising a three-dimensional woven-fiber structure having a multilayer top fabric layer, a bottom fabric layer, and an intermediate rib fabric layer.—75-03670P
Growth and mechanism of metal oxide thin films prepared by multi-ion-beam reactive cosputtering.—75-03235A
Guide to substrate selection for thin-film growth.—75-04063A
Hard high-density carbon thin films for X-ray multilayer optics.—75-01149A
Hardness measurements on anode- and cathode-mounted, plasma-deposited amorphous hydrogenated carbon.—75-02057A
How to analyze relaxation and leakage currents of dielectric thin films: simulation of voltage-step and voltage-ramp techniques.—75-05198A
In situ ellipsometric monitoring of the electron cyclotron resonance etching of diamondlike carbon.—75-01534A
In situ growth of Y-Ba-Cu-O films by ion beam sputtering.—75-05777A
Influences of sol-gel-derived thin $Pb(Zr_{0.52}Ti_{0.48})O_3$ layers as a buffer on rf-sputtered $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films.—75-05591A
Integration of thin film decoupling capacitors.—75-00342A
Kinetics of interface formation between AlN and Ti thin films.—75-00109A
Laser via ablation technology for MCMs thin film packaging-past, present, and future at IBM microelectronics.—75-00346A
Layered structure comprising insulator thin film and oxide superconductor thin film.—75-08462P
Liquid source misted chemical deposition (LSMCD)—a critical review.—75-05904A
Magnetic anomalies in single-crystal Fe_3O_4 thin films.—75-03304A
Manufacturing of perovskite thin films using liquid delivery MOCVD.—75-05601A
Measurement of electrooptic properties of ferroelectric thin films using the Ultimate Ellipsometer.—75-05602A
Measurement of stress and mechanical properties of tungsten thin film.—75-04584A
Metal-alkoxide-derived oriented and epitaxial ferroelectric thin films.—75-00673A
Metallorganic chemical vapor deposition of ferroelectric oxide thin films for electronic and optical applications.—75-05605A
Metallorganic chemical vapor deposition of superconducting oxide films.—75-03429P
Method for annealing thin-film superconductors.—75-08464P
Method for formation of barium titanate film.—75-03267P
Method for forming a patterned oxide superconductor thin film.—75-03430P
Method for forming continuous oxide superconducting layer having difference thickness portions for superconducting device.—75-00905P
Method for manufacturing a superconducting device having a thin superconducting channel formed of oxide superconductor material.—75-05869P
Method for manufacturing an oxide superconductor thin film and a target for use in the method.—75-00906P
Method for manufacturing superconducting thin film formed of oxide superconductor having nonsuperconducting region and device utilizing the superconducting thin film.—75-05870P
Method for producing a glass thin film with controlling an oxide vapor of an additive.—75-07432P
Method for production of thin oxide superconducting film and substrate for production of the film.—75-00908P
Method of manufacturing an oxide superconductor thin film.—75-05872P
Method of manufacturing Y-Ba-Cu-O superconducting thin film.—75-05873P
Method of producing compound oxide superconducting thin film.—75-05876P
Method of providing a sintered ceramic body having a concave portion.—75-00403P
Microprocessing of superconductive thin films by excimer laser.—75-00830A
Minimal capture pads applied to ceramic vias in ceramic substrates.—75-05528P
Modeling of the desorption behavior of microporous amorphous hydrogenated carbon films.—75-06489A
Nonconductive aluminum oxide-titanium carbide (Al_2O_3-TIC) thin film computer head substrate, method of making same, and slider element incorporating same.—75-00406P
Nonmagnetic ceramic substrate material.—75-08781P
Optical characterization and modeling of amorphous hydrogenated carbon films.—75-01319A
Optical loss mechanisms in oxide thin films.—75-06494A
Plasma CVD process for forming amorphous silicon thin film.—75-03212P
Plasma-enhanced chemical vapor deposition of titanium nitride thin films using cyclopentadienyl cycloheptatrienyl titanium.—75-01607A
Preparation and evaluation of ferroelectric thin films.—75-00690A
Preparation of Mn-containing mixed oxide thin films by a dip coating method using metal naphthenates.—75-01623A
Preparation of thin metal oxides by Langmuir-Blodgett film deposition.—75-04172A
Preparation of YBCO superconductor thin film by spin-coating method with metallorganic precursors.—75-05818A
Process for depositing high-temperature superconducting oxide thin films.—75-03437P
Process for preparing a superconducting thin film.—75-05878P
Process of making thin-film 2H-α-SiC by laser ablation.—75-08110P
Production of strontium titanate thin films.—75-08627P
Pulsed energy synthesis and doping of silicon carbide.—75-01191P
Residual stress and Raman spectra of laser-deposited highly tetrahedral-coordinated amorphous carbon films.—75-01649A
Silicon carbide thin film circuit element and method of manufacturing the same.—75-08116P
Sol-gel technology for ferroelectric thin films.—75-00699A
Spectra of a contaminated particle in a thin semiconducting film that connects with solid crystals with random permeability.—75-05481A
Superconducting device having a reduced thickness of oxide superconducting layer.—75-03439P
Superconducting multilayer interconnection formed of *a*-axis and *c*-axis oriented oxide superconductor materials.—75-00921P
Superconducting thin film and a method for preparing the same.—75-03441P
Superconducting thin film formed of oxide superconductor material, superconducting current path, and superconducting device utilizing the superconducting thin film.—75-00922P
Superconducting thin film of compound oxide and a process of preparing the same.—75-00923P
Superconducting thin films on epitaxial magnesium oxide grown on silicon.—75-00924P
Switching of ferroelectric thin films.—75-05646A
Synthesis of vanadium dioxide thin films from vanadium alkoxides.—75-01723A
Synthesis, characterizations, and optical properties of stacked porous thin films derived from sol-gel process.—75-04251A
TEM investigation of CVD graphite on nickel.—75-04412A
Thin film coatings and the glass industry.—75-00223A
Thin film of oxide superconductor possessing locally different crystal orientations and processes for preparing the same.—75-05889P
Thin film superconductor with an interlayer on a silicon substrate.—75-00925P
Thin films on grain boundaries in metals and ceramics and their importance for the properties of the materials.—75-01969A
Thin-film deposition on inside surfaces by plasma-enhanced chemical vapor deposition.—75-04258A
Thin-film high-T_c oxide superconductors and vapor deposition methods for making the same.—75-03444P
Visualizing Langmuir-Blodgett films with the atomic force microscope.—75-01975A

thin sections,
Techniques for diamond thinning and polishing by diffusional reactions with metals.—75-08543A

thixotropy,
Rheological study on the thixotropic flow: effect of time scale on flow type measurement.—75-02793A
Thixotropic casting of ceramic matrix composites.—75-01733A

thoria,
High-temperature electrical properties in the ThO_2-rich region of ThO_2-RE_2O_3 systems.—75-03898A

thullium,
Calculation of dipole moments and crystal field parameters in $TmBa_2Cu_3O_6$.—75-06168A
Electrical properties and phase transitions in $Tm_{1-x}Sm_xS$ and $Tm_{1-x}La_xS$ systems.—75-03012A
Further investigations of a 2-μm Tm:YVO_4 laser.—75-05327A
Growth and superconducting properties of $TmBa_2Cu_3O_{7-x}$ crystals.—75-05772A
Magnetic anisotropy and energy spectra of thullium iron garnet.—75-05685A
Special properties of the superconducting 1-2-3 compounds: Cu(2) NQR and Tm NMR in $TmBa_2Cu_3O_x$ at low temperatures.—75-08415A

tile industry,
Influence of wastewaters, recovery muds, and exhausted lime upon mix deflocculation.—75-08531A

tile,
Achieving tile consistency with a new process.—75-02749A
Advancing numerical control.—75-05055A
Advantages of isostatic pressing.—75-02751A
Agrob-Buchtal-Keramik: the German tradition.—75-09702A
Assessing the plastic properties of Australian paver clays by triaxial compression testing.—75-00233A
Automatic inspection of ceramic tiles and tableware.—75-05893A
Barcelona's Castilla Fountain.—75-02197A
Big producer between Europe and Asia.—75-02752A
Ceramic factory in the former East Germany.—75-02757A
Cevisama '94.—75-02759A
Cevisama '95.—75-02760A
Chamber dryer purpose-designed for modernized tile plant.—75-02761A
Choice of a brick-tile line of plastic forming.—75-07442A
Coefficient of restitution as an indication of impact resistance.—75-00239A
Color revolution.—75-02763A

Coloring effects of synthetic inorganic cobalt pigments in fast-fired porcelainized tiles.—75-02860A
Compositional parameters to evaluate feldspathic fluxes for ceramic tiles.—75-00281A
Continued success for Italy's machinery suppliers.—75-07066A
Convection drying of porous material.—75-02764A
Creating a complete pressing center.—75-05057A
Decorating for trouble-free product.—75-02765A
Decorators identify trends in the industry.—75-02766A
Designing in ceramic tile.—75-02767A
Developing optimal pressing.—75-05058A
Development of low-temperature fast-firing glazed tiles using diopside.—75-02864A
Dry glazing.—75-02768A
Dry Tech Multiline: an evolution in raw materials preparation for ceramic tiles.—75-00284A
European ceramic tile industry.—75-07070A
Evolution of glazing and glazes.—75-07445A
Expanding the assortment of articles in the current production of fine ceramics.—75-07446A
Glass-ceramic systems as components of new tile glazes.—75-00287A
Granulation without drying.—75-02775A
Great Britain, waiting for consumption to take off.—75-02776A
Growth of porcelain tiles.—75-02777A
Influence of microwave annealing on the mechanical properties of alumina tiles.—75-00289A
Int'l Tile and Stone Exposition '94.—75-02780A
Intelligent forming.—75-09722A
Italy—turnover of ceramic tile producers.—75-02781A
Keller [GmbH, Germany], a century of innovation.—75-02782A
M_2O-CaO-ZrO_2-SiO_2 glass-ceramic system as component for matte tile glazes.—75-07710A
Making roofing tile Japanese style.—75-02783A
Manufacture and use of synthetic wollastonite in production of fast-fired ceramic tiles.—75-00244A
Method for cooling ceramics, especially ceramic tiles produced in roller kilns, and the relative plant.—75-05171P
Microwave energy versus convected hot air for rapidly drying ceramic tile.—75-00291A
Moisture expansion kinetics as a function of conditioning.—75-00245A
Most famous ceramic landmark of the world.—75-02304A
New decorating technique for tiles.—75-00292A
New niche for a century old plant.—75-00247A
New technologies in storage plants using AGV's [automated wire-guided vehicles].—75-00972A
Optimizing glaze transparency by design.—75-07711A
Optimizing throughput in tile plants.—75-02786A
Pardo, glaze technology.—75-02787A
Possibilities and limits of fast firing in the brick and tile industry.—75-00248A
Prediction of failure in tiling systems.—75-00250A
Preparing for fairs.—75-02789A
Pressure cast alumina tile reinforced aluminum alloy armor and process for producing the same.—75-07272P
Processing trends in tile manufacturing.—75-02790A
Qualicer '94.—75-02791A
Quality control of ceramic tiles.—75-02792A
Residential tile.—75-02340A
Revolution in ceramic tile sorting systems.—75-07453A
Rotary ceramic tile glazing and decorating machine.—75-05930P
Rotary glazing machine having an elastically deformable matrix cylinder.—75-05931P
Shifting focus—from vessels to tile murals.—75-02355A
Sorting porcelain tiles.—75-02794A
Steady expansion in Thai production.—75-02795A
Susan Gamble—Rio de Mi Corazon.—75-02364A
Swedish tiles from Hoganas [Angelholm, Sweden].—75-09736A
Tile made of bulgarite.—75-02797A
Tiles of Ohio.—75-02372A
Use of built-up granulate in tile manufacture.—75-05068A
Vitrified ceramic stoneware tiles.—75-05070A
World ceramic tile production and consumption.—75-02803A
World's tile production: technology, markets, and prospects.—75-07101A
Zannoni—Italy is still world champion.—75-02804A

tin oxide,
Chlorophyll *b*-modified nanocrystalline SnO_2 semiconductor thin film as a photosensitive electrode.—75-00433A
Copper diffusion in SnO_2 polycrystalline films.—75-06841A
Copper effect on the sensor properties of SnO_2 polycrystalline films.—75-09122A
Deposition of polycrystalline SnO_2 and SnO_2(CuO) films by laser ablation.—75-07823A
Effect of cobalt(II) oxide and manganese(IV) oxide on sintering of tin(IV) oxide.—75-04000A
Electrical conductivity in the $Gd_2(Ti_{1-x}Sn_x)_2O_7$ [$x \leq 0.6$] pyrochlore system.—75-02904A
Gas-sensing characteristics of doped SnO_2 thin films.—75-00334A
Humidity-sensitive characteristics of SnO_2-Fe_2O_3 thin films prepared by spray pyrolysis.—75-06474A
Hydrogen sulfide sensing characteristics of tin oxide sol-derived thin films.—75-07912A
Inert anodes for the smelting of aluminum.—75-01539A
Interface between SnF_2 particles and air in stannous fluoride heated in air.—75-04346A
Mechanism for oxygen vacancy formation in antimony-doped tin(IV) oxide.—75-09513A
Method of manufacturing an ITO sintered body.—75-01125P
Morphological characterization of aqueous tin oxyhydroxide gel.—75-03809A
Optical and electrical properties of radio-frequency-sputtered tin oxide films doped with oxygen vacancies, F, Sb, or Mo.—75-01317A
Oriented growth of tin oxide thin films on glass substrates by spray pyrolysis of organotin compounds.—75-09373A
Performance analysis of a new metal-insulator-semiconductor capacitor incorporated with Pt-SnO_x catalytic layers for the detection of O_2 and CO gases.—75-00562A
Precipitation of SnO_2 films with set grain size.—75-06711A
Preparation and characterization of SnO_2 thin films deposited by spray pyrolysis from $SnCl_2$ and $SnCl_4$ precursors.—75-04148A
Preparation and properties of CdO-SnO_2 complex oxide powders.—75-05444A
Relationship between crystal orientation and gas sensing property of sputtered SnO_2 films.—75-00587A
Structural and electrical properties of rf magnetron-sputtered $Ba_{1-x}Sr_xTiO_3$ thin films on indium tin oxide coated glass substrate.—75-03928A
Structural and FTIR spectroscopic studies of gel-xerogel-oxide transitions of SnO_2 and SnO_2:Sb powders and dip-coated films prepared via inorganic sol-gel route.—75-06371A
Structure and properties of tin dioxide films.—75-06906A
Suppression of grain growth in sol-gel-derived tin dioxide ultrathin films.—75-06909A
Surface chemistry of tin oxide based gas sensors.—75-00610A
Surface chemistry of tin(IV) oxide—defects, doping, and conductivity.—75-01954A
Thermodilatometric behavior of pure and doped $ZrTiO_4$-SnO_2.—75-06530A
Tin dioxide films prepared by a rapid chemical vapor deposition method.—75-04259A

tin,
770-K isothermal section of the Zr-Co-Sn phase diagram and crystal structure of $Zr_6Co_{1.65}Sn_{1.35}$.—75-08857A
Band structure and optical spectra of ferroelectric-semiconductor, $Sn_2P_2S_6$.—75-05250A
Band structure and optical spectra of the ferroelectric semiconductor $Sn_2P_2Se_6$.—75-02965A
Bulk and microscopic characterization of bismuth cuprate (2212) tin composites.—75-00774A
Cathodoluminescence and depth profiles of tin in float glass.—75-02626A
Compositional heterogeneity and the origins of the multicell cubic state in Sn-doped lead zirconate titanate ceramics.—75-00443A
Crystallization of PbTe-SnTe alloys at ultrahigh cooling rates.—75-07816A
Effect of γ-radiation on kinetic coefficients of $Pb_{1-x}Sn_xTe$ films.—75-07840A
Effect of copper ions on the oxidation of Sn(II) in halogenide solutions.—75-09588A
Effect of copper ions on the tin(II) oxidation reaction in sulfuric acid solutions.—75-09589A
Effect of frequency on the electrical characteristics of tin-antimony-oxide mixtures.—75-05184A
Effect of Ge additives on the distribution of components and the superconducting transition in $Sn_{1-x}Pb_xTe$:In films.—75-08295A
Effect of In dopants on the electrophysical properties of $Sn_{0.8}Ge_{0.2}Te$ thin films fabricated by laser evaporation.—75-07849A
Effects of WO_3 addition on the microwave dielectric properties of $Zr_{0.8}Sn_{0.2}TiO_4$ [ZST] ceramics.—75-07725A
Electrical conductivity of *n*-type $Pb_{0.78}Sn_{0.22}Te$ and $Pb_{1-x}Ge_xTe$ in the ferroelectric region.—75-05306A
Hopping conductivity through extremely localized In impurity states in $Pb_{0.78}Sn_{0.22}Te$ solid solutions.—75-03049A
Incommensuration and the distorted oxygen octahedron of antiferroelectric tin-modified lead zirconate titanate.—75-00668A
Insert metal of Al-Sn alloy for diffusion bonding in the atmosphere.—75-02497A
Ionization of an isoelectronic impurity of tin in dilute $Pb_{1-x}Sn_xSe$:Na solid solutions.—75-03072A
Liquid phase epitaxy of variable-band-gap $Pb_{1-x}Sn_xTe$ solid solutions.—75-09354A
Mechanism of the blue emission of light diodes based on zinc selenide.—75-03092A
Model for the high-temperature equilibrium of point defects in Sn-doped CdTe.—75-07973A
Optical and piezospectroscopic properties and structure of gallium vacancy–silicon complexes in *n*-type GaAs: comparison with gallium vacancy–tin complexes.—75-07990A
Photoinduced structural transition in $Pb_{0.2}Sn_{0.8}S$ single crystals.—75-08014A
Photoluminescence of tin-doped GaAs grown by liquid phase epitaxy from mixed Ga-Bi solvent.—75-08017A
Physicochemical properties and hydration stability of $YBa_2Cu_3O_x$ ceramics doped with Sn, Nb, and Zr oxides.—75-05812A
Preparation of spherical $Zr_{0.8}Sn_{0.2}TiO_4$ powder by ultrasonic spray pyrolysis.—75-01626A
Properties of Sn-added YBCO prepared by the powder melting process.—75-00856A
Quantum conductivity of microcontacts of metal–narrowly cracked semiconductor, $Pb_{1-x}Sn_xSe$.—75-05455A
Role of the excited state in piezoelectroscopic properties of an Sn_{As} acceptor in GaAs.—75-03154A
Spectrum of point defects in cooled crystals of Sn-doped CdTe.—75-08060A
Spin reorientation phase transition in melts of a unified system of $Mn_{2-x}A_xSb_{1-y}B_y$ (A=Cu, Zn, Ni, Fe; B=As, Sn).—75-08242A
Stabilization of gallium donor action in $Pb_{1-x}Sn_xTe$ alloys irradiated with electrons.—75-03169A
Strengthening of lattices during cation substitution in semiconducting compounds of SnTe.—75-05485A
Structural effects observed in Sn-Te system during melt solidification with super-high (10^7–10^8 K/s) cooling speeds.—75-06785A
Superconducting and electrophysical properties of thin films of $Sn_{1-x}Ge_xTe$:In solid solutions.—75-08424A
System Sn-Te: critical evaluation and optimization of data on the thermodynamic properties and phase diagrams.—75-09083A
Wear of tin coating and Al-Si alloy substrate against carburized steel under mixed lubrication.—75-04666A
X-ray analysis of melts of the Sn-Te system produced by super-high speed cooling.—75-05516A

titanates,
AEM investigation of tetrahedrally coordinated Ti^{4+} in nickel titanate spinel.—75-01784A
Barium neodymium titanate electroceramics: phase equilibria studies of $Ba_{6-3x}Nd_{8+2x}Ti_{18}O_{54}$ solid solution.—75-02893A
Barium strontium titanate (BST) thin films by holmium donor doping.—75-03203P
Ceramic fibers for functional composite materials.—75-03961A
Characterization of $(Pb_{1-x}La_x)TiO_3$ [PLT] thin films grown by radio frequency magnetron sputtering and their electrical properties.—75-05536A
Chemistry and microwave properties of Bi_2O_3-doped $Ba_{4.5}Nd_9Ti_{18}O_{54}$-based ceramics.—75-01265A
Cuprate-titanate superconductor and method for making.—75-00902P
Dielectric relaxation of paired defects in perovskite-type oxides.—75-05180A
Effect of pentavalent additives on the optical and photoconducting properties of $Bi_{12}TiO_{20}$.—75-06447A
Effects of an organotitanate cross-linking additive on the processing and properties of macro-defect-free cement.—75-02402A
Effects of dopants and oxygen vacancies on the dielectric loss tangent of $(Zn_{1/3}Sn_{0.2})TiO_4$ dielectric ceramics.—75-00326A
Effects of WO_3 addition on the microwave dielectric properties of $Zr_{0.8}Sn_{0.2}TiO_4$ [ZST] ceramics.—75-07725A
Epitaxial $YBa_2Cu_3O_{7-\delta}$/(Ba, Sr)TiO_3 heterostructures on an Si-on-sapphire substrate.—75-08311A
Excess dielectric nonlinearity of inhomogeneous ferroelectrics: I, Bulk effects.—75-05567A
Ferroic phase transitions in $(Na_{1/2}Bi_{1/2})TiO_3$ crystals.—75-03232A
Formation of zirconium titanate in oxide fibers.—75-06622A
Improved adhesion strength of precious metal conductors on microwave ceramics.—75-00667A
Influence of structural defects on the dielectric properties of ceramic microwave resonators.—75-01759A
Interface phenomena in Synroc, a titanate-based nuclear waste ceramic.—75-00932A
Kinetic dissociation of nickel titanate and nickel tungstate in oxygen potential gradients.—75-06250A
New layered perovskite compounds, $LiLaTiO_4$ and $LiEuTiO_4$.—75-08994A
Nonstoichiometry and mass transport in bismuth titanate with sillenite structure.—75-09514A
Novel plutonium titanate compounds and solid solutions $Pu_2Ti_2O_7$-$La_2Ti_2O_7$: relevance to nuclear waste disposal.—75-03482A
Optical properties of Co-doped $Bi_{12}TiO_{20}$ and $Bi_{12}SiO_{20}$ single crystals.—75-06495A
Oxygen nonstoichiometry and defects in Mn-doped $Gd_2Ti_2O_{7+x}$.—75-07741A
Peroxide route for synthesis of magnesium titanate powders of various compositions.—75-04133A
Practical application of alkali metal titanates as inorganic ion exchangers.—75-06709A
Preparation and microwave dielectric properties of pure and doped magnesium titanate ceramics.—75-01616A
Preparation of spherical $Zr_{0.8}Sn_{0.2}TiO_4$ powder by ultrasonic spray pyrolysis.—75-01626A
Preparing magnesium titanate $MgTiO_3$ from metal alcoholates.—75-09405A
Quantitative X-ray microanalysis for the study of nanometer-scale phases in the AEM.—75-01917A
Role of niobium in magnesium titanate microwave dielectric ceramics.—75-02936A
Screening of spontaneous polarization in lead titanate crystals.—75-08171A
Solid-state synthesis of strontium titanate niobates.—75-09060A
Structure and microwave dielectric properties of ceramics based on $Ba_{3.75}Nd_{9.5}Ti_{18}O_{54}$.—75-01247A
Structure and optical properties of thin films of lead and barium titanates.—75-05644A
Synthesis and intercalation properties of orthorhombic lithium titanate.—75-02548A
Synthesis of monodisperse spherical $ZrTiO_4$ powders by thermal hydrolysis of metal salts.—75-04244A
Technical problems encountered in the manufacture of lead calcium titanate.—75-01726A
Texture assessment of magnetically processed iron titanate.—75-03851A
Top-seeded solution growth and characterization of $Bi_{12}TiO_{20}$ crystals.—75-03188A
Tungsten oxidation state and the effect on PCT [lead calcium titanate] electrical properties.—75-02020A
Voltage-controlled capacitor for wide-band tuning.—75-00387A
Waste forms based on Cs-loaded silicotitanates.—75-03507A
Water-dispersible, heat-resistant composition and use thereof.—75-01139P
Zinc titanate (Zn_2TiO_4) based spinels as desulfurization sorbents.—75-03867A

titania,
Adsorption of liquid and vapor water on TiO_2(110) surfaces—the role of defects.—75-04276A
Alkali resistance of inverted glasses in the RO-TiO_2-SiO_2 system.—75-07322A
Ceramic coating composition for a hybrid scavengeless development donor roll.—75-06077P
Charge transport in highly humidity-sensitive alkali-doped titania thin films.—75-09494A
Chrome-free refractory for vacuum degassers.—75-07491A

Control of highly concentrated suspensions based on titanium dioxide by rheological properties.—75-06435A
Copper phthalocyanine titanium oxide multilayers.—75-00448A
Deposition of thick silica-titania sol-gel films on Si substrates.—75-06568A
Dielectric ceramic composition for high frequencies and method for preparation of the same.—75-07757P
Dispersion and electronic structure of TiO_2-supported cobalt and cobalt oxide.—75-06207A
Effect of aging on the preparation and properties of titania sols.—75-01446A
Effect of diffusion flame configuration in aerosol synthesis of nanosize titania and silica powders.—75-04002A
Effect of drying temperature on the physical properties of titania aerogels.—75-06576A
Effect of sintering atmosphere on microstructure and mechanical properties of TiO_2-added zirconia-toughened alumina: II. Effect of the content of TiO_2.—75-09283A
Effect of TiO_2 and ZrO_2 on sintering of sillimanite.—75-04013A
Effect of TiO_2 on properties of magnesium oxide obtained from seawater.—75-06586A
Effect of V_2O_5 on the electrical properties of TiO_2-V_2O_5 humidity sensors.—75-03010A
Effects of titania whisker precipitation on wear property of the glass-ceramic.—75-07333A
Fabrication of Cu/TiO_2 composite by powder sintering method.—75-02475A
Formation and orientation of low-energy MgO/Pd, Al_2O_3/Pd, and TiO_2/Pd interfaces.—75-04326A
Formation of monodisperse spherical TiO_2 powders by thermal hydrolysis of $Ti(SO_4)_2$.—75-09316A
Formation of nanosized titania particles in AOT microemulsions.—75-01508A
Growth of TiO_x overlayers by CVD on a single-crystal copper substrate.—75-06632A
High resolution electron microscopy and computer simulation studies of the atomic structure of tilt boundaries in TiO_2.—75-04335A
High-pressure polymorph of titania [observed] by vibrational ball milling.—75-06239A
Improvement in flowability, oxidation resistance, and water wettability of graphite powders by TiO_2 coating.—75-07572A
Influence of alumina dopant on the structural transformation of gel-derived nanometer titania powders.—75-06647A
Influence of surface structure on the interaction of water with TiO_2(100).—75-04343A
Influence of TiO_2 doping on the quantum efficiency of α-Fe_2O_3 electrodes in water photoelectrolysis.—75-04084A
Interaction of ozone with surface electron-donor centers of magnesium and titanium oxides.—75-08957A
Laser-induced surface alloying of Al_2O_3 ceramics with ZrO_2-TiO_2 powders.—75-04092A
Liquid-phase sintering of chemically unstable silicon carbide–lithium/magnesium aluminosilicate–titania composites.—75-06672A
Microstructure and crystallization behavior of TiO_2 precursor prepared by the sol-gel method using metal alkoxide.—75-03805A
Microstructure of TiO_2 and ZnO films fabricated by the sol-gel method.—75-04371A
Molecular dynamic [MD] simulation in titanium dioxide polymorphs: rutile, brookite, and anatase.—75-03807A
Monolithic ceramic supports for filtration membranes.—75-01127P
New ceramic membrane for high-temperature gas filtration.—75-00113A
Observation and characterization of electric fields at grain boundaries.—75-04383A
Origin of the grain growth anisotropy in titania.—75-01902A
Phase equilibria in the RuO_2-PbO-TiO_2 and RuO_2-PbO-NiO systems.—75-06307A
Phase formation and electrical properties in the system BaO-Li_2O-TiO_2.—75-06308A
Phase reactions in samples of the CaO-TiO_2-H_2O system produced by the sol-gel method in highly alkaline media.—75-06705A
Photoelectrochemical behavior of the TiO_2 semiconductor electrodes obtained by thermal oxidation of the titanium foils.—75-03123A
Photoelectrochemical properties of dye-sensitized TiO_2 films containing dispersed gold metal particles prepared by sol-gel method.—75-09166A
Preparation and size control of cube-shaped hydrous titanium oxide fine particles by a colloid aging method.—75-09387A
Preparation and study of the structure and physicochemical properties of TiO_2-fixed montmorillonite.—75-06719A
Preparation of Al_2O_3-TiO_2 nanocomposite powder.—75-06720A
Preparation of spherical TiO_2 particles by an emulsion method using $TiCl_4$.—75-04171A
Preparation of TiO_2-SiO_2 glass via sol-gel process containing a large amount of chlorine.—75-05037A
Production of acid-soluble titania.—75-01134P
Properties of avalanche photodiodes on the basis of Si-TiO_2 heterojunction.—75-03138A
Regulating structural-mechanical and rheological properties of forming bodies based on titanium dioxide.—75-06510A
Rutile formation in hydrothermally crystallized nanosized titania.—75-06759A
Semiconducting properties of TiO_2.—75-00594A
Sintering and microstructure of Al_2O_3-ZrO_2 ceramics containing TiO_2 [0–12 wt%].—75-09437A
Slip casting and sintering of monodispersed TiO_2 particles.—75-06769A
Sol-gel preparation of mesoporous Al_2O_3 and TiO_2 membranes.—75-01674A
Solid-state diffusive amorphization in TiO_2/ZrO_2 bilayers.—75-06856A
Structure of dispersible titania gels.—75-01949A
Structure of titania hydrolysates.—75-01951A
Synthesis of titania composite membranes by the pressurized sol-gel technique.—75-01720A
Synthesis of titanium carbide powders using carbon-coated titanium dioxide precursor.—75-09479A
Temperature profile of anatase-TiO_2 powder compact during microwave heating.—75-09483A
Thermal expansion and microstructures of melted Al_2O_3-ZrO_2-TiO_2 ceramics.—75-06911A
Thermodilatometric behavior of pure and doped $ZrTiO_4$-SnO_2.—75-06530A
Titania-based catalyst carriers.—75-08787P
Titanium dioxide-based material.—75-05232P
Titanium/zirconium/cerium oxide granular particulates/agglomerates.—75-08635P
X-ray absorption fine structure (XAFS) study on the coordination of Te in PbO-TiO_2-TeO_2 glasses with high third-order optical nonlinearity.—75-02618A

titanium carbide,
R-curve behavior of TiC/Si_3N_4 material for long cracks and short cracks.—75-04447A
Al_2O_3-TiC sintered product and substrate for magnetic heads.—75-08548P
Atomic structure at Ti(C,N)-TiB_2 interfaces in Ti(C,N)-TiB_2-Ni ceramics.—75-03764A
Carbide products of electrospark dispersion of hard metals containing tungsten and titanium.—75-04840A
Carbothermal synthesis of TiC whiskers via a vapor-liquid-solid [VLS] growth mechanism.—75-09230A
Cermet alloy.—75-04873P
Cermet cutting tool and process for producing the same.—75-00153P
Cermet sintered body.—75-04874P
Characteristics of the combustion synthesis of TiC and Fe-TiC composites.—75-06545A
Cutting tool.—75-07259P
Diffusion bonding of Al_2O_3/TiC composite.—75-06845A
Dilatometry of nonstoichiometric titanium carbide in the order-disorder phase transition region.—75-06206A
Direct carbide synthesis by multiphase excimer laser treatment of Ti samples in ambient CH_4 gas at superatmospheric pressure.—75-01442A
Effect of attack angles on erosion behavior of ZrO_2-Al_2O_3-TiC ceramic composites.—75-04491A
Effect of Cr_3C_2 addition on the sintering of SiC-TiC composite.—75-09271A
Effect of nanoscale microstructures on the mechanical behavior of silicon carbon-titanium carbon composites.—75-02042A
Effects of ZrC and VC addition on the diffusion-induced recrystallization of TiC-Cr_3C_2.—75-08916A
Elaboration of symmetric functionally gradient materials of the Al_2O_3/TiC/Ni/TiC/Al_2O_3 system.—75-02463A
Electrochemical Al_2O_3 coatings on TiB_2 and TiC substrates.—75-04020A
Equilibrium in the reaction of Ti and C to form substoichiometric TiC_x.—75-06224A
Existence and regular arrangement of metal vacancies in ordered modification of titanium carbide.—75-06227A
Fabrication of Ti-6% Al-4% V/TiC metal matrix composites by sintering and thermomechanical processing.—75-04853A
Fabrication of TiB_2/TiC composites by the directional reaction of Ti with B_4C.—75-06605A
Growth of diamond film by CVD on near-net-shape fabricated ß-SiC/TiC composites synthesized using SHS.—75-04058A
Growth of multistar CVD ß-SiC and SiC/TiC composites.—75-09324A
High-density titanium carbide ceramics.—75-08827P
Hot isostatic pressing of silicon carbide based multiphase composed materials.—75-04068A
In situ [diamondlike carbon] DLC/TiC composite coating by plasma-enhanced chemical vapor deposition.—75-09335A
In situ measurement of bending strength of TiC whiskers in the scanning electronic microscope.—75-04562A
In situ synthesis of TiB_2 or TiC by reactions in a molten NiCrAlY alloy.—75-07214A
In situ synthesis of titanium carbide and alpha-alumina by exothermic reactions of titania, carbon, and aluminum powder in high vacuum and quadrupole gas analysis during experiment.—75-06643A
In situ toughened silicon carbide–titanium carbide composites.—75-04076A
Kinetics of decomposition of titanium carbide powders produced from titanium alloy chips in H_2O_2 and H_2SO_4 solutions.—75-06666A
Mechanical properties and cutting performance of titanium carbide whisker/alumina composites.—75-09648A
Method for preparing ceramic composite.—75-08596P
Microstructural evolution during transient plastic phase processing of titanium carbide–titanium boride composites.—75-06891A
Microstructure and mechanical properties of Ti(C,N) based cermets.—75-02509A
Nonconductive aluminum oxide-titanium carbide (Al_2O_3-TIC) thin film computer head substrate, method of making same, and slider element incorporating same.—75-00406P
Oxidation of SiC-TiC composites.—75-06930A
Preparation and microstructure of Al_2O_3-TiC composites by self-propagated high-temperature synthesis.—75-04151A
Preparation and properties of new structural ceramics in the system of Ti-Si-C.—75-09386A
Preparation of high density titanium carbide ceramics with preceramic polymer binders.—75-03750P
Preparation of TiB_2-$TiC_{0.5}N_{0.5}$ ceramic composite by reactive hot-pressing and its microstructure.—75-04173A
Si_3N_4-TiC composites.—75-04394A
Silicon carbide-titanium carbide nanocomposites: microstructural investigation.—75-01932A
Sintering behavior of TiC-reinforced SiC composites doped with Ti and C.—75-09440A
Sintering of MgO and MgO-TiC ceramics by plasma, microwave, and conventional heating.—75-06766A
Structural and mechanical properties of TiB_2 and TiC prepared by self-propagating high temperature synthesis/dynamic compaction.—75-07040A
Synthesis of titanium carbide powders using carbon-coated titanium dioxide precursor.—75-09479A
Thermal stress of multilayer composite of SiC-TiC-Ni system.—75-00142A
TiC-base/SiC whisker composite ceramic cutting tools.—75-03758P
Wettability between TiN, TiC-containing carbon composite refractory, and molten slag or hot metal.—75-02846A

titanium carbonitride,
Titanium carbonitride-based cermet cutting insert.—75-07278P
Wear-resistant titanium carbonitride-based cermet cutting insert.—75-04879P

titanium diboride,
Atomic structure at Ti(C,N)-TiB_2 interfaces in Ti(C,N)-TiB_2-Ni ceramics.—75-03764A
Ceramic fiber and process therefor.—75-03728P
Combustion synthesis of TiB and TiB_2 under vacuum.—75-06554A
Combustion synthesis/dynamic densification of a TiB_2-SiC composite.—75-01404A
Comparative study of indentation in SiC and SiC-TiB_2 using confocal scanning laser microscopy.—75-08641A
Dynamic consolidation of combustion-synthesized alumina-titanium diboride composite ceramics.—75-09265A
Effect of indentation load on the microhardness of titanium diboride films prepared by magnetron sputtering.—75-09275A
Effect of pores on the fracture toughness of TiB_2/Si_3N_4 composites.—75-09624A
Effect of SiC_w contents on the fracture toughness of Al_2O_3/TiB_2/SiC_w composite at high temperature.—75-09626A
Electrochemical Al_2O_3 coatings on TiB_2 and TiC substrates.—75-04020A
Fabrication and mechanical properties of TiB_2-TiN_xC_y composites by reaction sintering of B_4C and TiN powders.—75-09304A
Fabrication and properties of TiB_2 cermets.—75-00094A
Fabrication of TiB_2 powder by SHS with reduction process.—75-09306A
Fabrication of TiB_2-Cu functionally gradient materials using gas-pressure combustion sintering.—75-04040A
Fabrication of TiB_2/TiC composites by the directional reaction of Ti with B_4C.—75-06605A
Group IVB boride based cutting tools for machining group IVB based materials.—75-01168P
Growth of indentation-induced flaws in RBSiC and RBSiC-TiB_2 composites under an applied stress.—75-04546A
In situ synthesis of TiB_2 or TiC by reactions in a molten NiCrAlY alloy.—75-07214A
In situ synthesized TiB_2-toughened SiC.—75-09643A
Isothermal section of Ti-B-C phase diagram at 1600°C.—75-03802A
Microstructural evolution during transient plastic phase processing of titanium carbide–titanium boride composites.—75-06891A
Microstructure and crack behaviors in hot-pressed TiB_2-Si_3N_4 composites.—75-06894A
Microstructure-fatigue crack propagation relationship in TiB_2 particle-reinforced ZN (ZA-8) alloy.—75-07014A
Oxidation of TiB_2 powders below 900°C.—75-02011A
Preparation and abrasive properties of eutectic compositions in the system B_4C-SiC-TiB_2.—75-04784A
Preparation of TiB_2-$TiC_{0.5}N_{0.5}$ ceramic composite by reactive hot-pressing and its microstructure.—75-04173A
Processing and properties of some alumina-boride composites.—75-04182A
Production of wear-resistant materials based on "chipped" titanium diboride.—75-06753A
Properties of TiB_2 powders obtained in a mechanochemical way.—75-03921A
Reactive hot-pressing of AlN/TiB_2 particulate composites.—75-04196A
SiC-TiB_2 composites doped with Al_2O_3.—75-04213A
Sintered composite boron carbide body and production process thereof.—75-01199P
Spark plug having titanium diboride electrodes.—75-08849P
Structural and mechanical properties of TiB_2 and TiC prepared by self-propagating high temperature synthesis/dynamic compaction.—75-07040A
TEM investigation of impurity phases and the penetration of liquid aluminum in hot isostatically pressed TiB_2 compacts.—75-04413A
Thermoanalytical studies on titanium diboride, titanium-diboride-dispersed alumina, and zirconia ceramics.—75-04444A
Use of nickel and iron additives as sintering aids for titanium diboride.—75-06827A

titanium nitride,
Atomic structure at Ti(C,N)-TiB_2 interfaces in Ti(C,N)-TiB_2-Ni ceramics.—75-03764A
Ceramic armor.—75-03726P
Chemically vapor deposited diamond films grown on titanium nitride coated and uncoated iron substrates.—75-01398A
Colloidal processing and sintering of nanoscale TiN.—75-01401A
Corrosion behavior of TiN films obtained by plasma-assisted chemical vapor deposition.—75-04420A
Development of dense nanocrystalline titanium nitride.—75-01432A
Effects of deposition temperature on the interfacial properties of SiH_4 reduced blanket tungsten on TiN glue layer.—75-03791A
Fabrication and mechanical properties of TiB_2-TiN_xC_y composites by reaction sintering of B_4C and TiN powders.—75-09304A

Formation of yttrium aluminates in the presence of TiN.—75-01509A
Gbit-scale DRAM stacked capacitor with ECR MOCVD $SrTiO_3$ over RIE patterned RuO_2/TiN storage nodes.—75-05194A
Integrated circuit with a titanium nitride contact barrier having oxygen stuffed grain boundaries.—75-08103P
Iron-doped titanium nitride films.—75-01554A
Kinetic studies of laser chemical vapor deposition of titanium nitride.—75-01556A
Method for chemical vapor depositing a titanium nitride layer on a semiconductor wafer and method of annealing TiN films.—75-00635P
Method for forming titanium nitride film and vessel coated by same.—75-02569P
Method of making semiconductor device comprising a titanium nitride film.—75-05527P
Microstructure and mechanical properties of Ti(C,N) based cermets.—75-02509A
Morphology and modification by high-energy ion beam bombardment concurrent with TiN film growth.—75-06279A
Morphology and preferred orientation of titanium nitride plates prepared by chemical vapor deposition.—75-06689A
Natural gas tin float bath roof.—75-00229P
Nitriding reactions of Ti-Al system induced by ball milling in ammonia gas.—75-04122A
Phase changes and properties of electroless Ni-P-TiN composite coatings after their thermal treatment.—75-09007A
Phase equilibria in the quaternary system Ti-Al-C-N.—75-06306A
Plasma-enhanced chemical vapor deposition of titanium nitride thin films using cyclopentadienyl cycloheptatrienyl titanium.—75-01607A
Preparation, characterization, and wear behavior of TiN_x-coated cermets obtained by plasma-enhanced chemical vapor deposition.—75-04864A
Pressure filtration of AlN-TiO_2 slurries for the production of reaction hot-pressed Al_2O_3/TiN composites.—75-01629A
Reaction-bonded titanium nitride ceramics.—75-09419A
Self-lubricating, TiN-MoS_2 composite coatings produced by simultaneous deposition from $Ti((CH_3)_2N)_4/NH_3/MoF_6/H_2S$ gas mixtures.—75-04204A
Self-propagating high-temperature synthesis of TiN powder.—75-09430A
Special features of structure formation in sintering ultradisperse powders of TiN-AlN compositions.—75-05140A
Structure and composition of demixing phases in Ti-Zr-N ternary ceramic composite.—75-09067A
Suppressing the formation of cone structures in chemical-vapor-deposited aluminum nitride/titanium nitride films.—75-04233A
Synthesis and selected micromechanical properties of titanium nitride thin films by the pyrolysis of tetrakis titanium in ammonia.—75-04644A
Titanium nitride coated valve and method for making.—75-02572P
Tribological behavior of nanocrystalline TiN ceramics and coatings.—75-09685A
Tribological potential of physical vapor deposited TiN coating for machine element application.—75-03725A
Using simultaneous deposition and rapid growth to produce nanostructured composite films of AlN/TiN by chemical vapor deposition.—75-04270A
Vapor phase synthesis of titanium nitride powder.—75-06828A
Wettability between TiN, TiC-containing carbon composite refractory, and molten slag or hot metal.—75-02846A

titanium oxide,
Dielectric ceramic composition for low temperature sintering.—75-00396P
Dielectric ceramic compositions.—75-00397P
Electron emission properties of the negative electron affinity (111)2×1 diamond-TiO interface.—75-01840A
Formation of the structure of gas-sensitive tin dioxide layers prepared by reactive magnetron sputtering.—75-05325A
Fusibility diagram of the La_2O_3-TiO_2-Nb_2O_5 system.—75-08941A
Lyothermal synthesis of nanocrystalline $BaTiO_3$ and TiO_2 powders.—75-01568A
Microwave dielectric ceramic composition.—75-00404P
Novel aspects of microwave processing of ceramic materials.—75-01596A
Polymorphic transformations of titania induced by ball milling.—75-06323A
Surface skimming bulk wave generation in $KTiOPO_4$ and its analogs.—75-03272P
Synthesis and characterization of titanium oxide-based gels synthesized from acetate modified titanium butoxide precursors.—75-06792A

titanium silicide,
Characterization of the titanium silicon two/Si interface in titanium disilicide films on silicon, formed by deposition of alternate titanium-silicon layers and annealing.—75-01808A
Heat capacity of titanium disilicide.—75-01220A
Temperature effects on the resistivity of polycrystalline silicon titanium salicide.—75-00613A

titanium,
2.4-Gb/s, 50-km optical fiber transmission using Ti:$LiNbO_3$ external modulator.—75-08119A
Analysis of Ti compound particle distribution in AlN-matrix composites.—75-01786A
Anomalous behavior of electrical properties of titanium diselenide intercalated with silver.—75-07783A
Biocompatible glass-ceramic coatings for titanium alloys (review).—75-02438A
Calcium phosphate precipitation on calcium-ion-implanted titanium in electrolyte.—75-01076A
Characteristics of titanium nitride elasticity in the homogeneity region studied by ultrasonic resonance.—75-06428A
Characterization of optical waveguides in $KTiOPO_4$ by second harmonic spectroscopy.—75-01805A
Chemical vapor deposition of Ti_3SiC_2 from $TiCl_4$-$SiCl_4$-CH_4-H_2 gas mixtures: I, Thermodynamic approach.—75-06182A
Chemical vapor deposition of Ti_3SiC_2 from $TiCl_4$-$SiCl_4$-CH_4-H_2 gas mixtures: II, An experimental approach.—75-06549A
Combustion patterns of thin layers of the Ti-B powder mixture.—75-06553A
Crystal structure of a new natural K,Na,Ca titanoberyllosilicate.—75-06190A
Crystal structure of the baykovite mineral.—75-06194A
Dielectric and magnetoelectric properties of Bi_3FeTi_{15}.—75-06444A
Dispersion observed in electrical properties of titanium-substituted lithium ferrites.—75-03285A
Effect of combined treatment on the oxidation of thin titanium films.—75-09587A
Effect of crystal growth on Ti^{3+} centers in $KTiOPO_4$.—75-01453A
Effect of nitridation on the electrical properties of W:Ti resistors.—75-03006A
Effect of ternary additions on the oxidation resistance of Ti_5Si_3.—75-09287A
Effects of titanium doping on surface properties of alumina.—75-04019A
Electrochemical characterization of thio sol-gel-derived titanium sulfide (TiS_2) powders with unique morphologies.—75-02907A
Electronic properties and formation mechanism of metallocarbohedrenes.—75-01285A
Estimation of direct current bias and drift of Ti:$LiNbO_3$ optical modulators.—75-00659A
Experimental investigation of the dynamic elastic modulus and vibration damping in molybdenum- and alumina-coated Ti-25Al-10Nb-3V-1Mo aluminides cycled at elevated temperatures.—75-07209A
Far-infrared spectra of lithium-titanium mixed ferrites.—75-05669A
Fe and Ti doping of InP grown by metallorganic chemical vapor deposition for the fabrication of thermally stable high-resistivity layers.—75-00491A
Features of the structure of amorphous titanium oxide films depending on synthesis conditions.—75-08935A
Flattening of dielectric constant by inhomogeneity control in $Ba(Ti_{1-x}Zr_x)O_3$ ceramics.—75-00333A
Formation and reduction of a mixed three-dimensional perovskite of copper and titanium.—75-01506A
Functionally graded dental implant composed of titanium and hydroxyapatite.—75-03649A
High-rate deposition of titanium silicides under high gas flow rate by chemical vapor deposition.—75-06636A
In situ dynamic high-resolution transmission electron microscopy investigation of guest-layer behavior during deintercalation of mercury titanium disulfide.—75-01869A
Kinetics of interface formation between AlN and Ti thin films.—75-00109A
Method for enhancing superplasticity in composites.—75-00163P
Method for preparing an aluminum nitride sintered body.—75-02951P
Nearly cut-off modes caused by diffusion in lithium niobate.—75-01769A
Orientation control and laser-beam-assisted crystallization of sol-gel-derived, titanium-doped $LiNbO_3$ [LNT] thin films.—75-05616A
Oxidation of titanium films as a function of the wavelength of incident uv radiation.—75-09598A
Part made from ceramic composite having a metallic coating, process for producing same, and powder composition used.—75-00166P
Photopyroelectric deconvolution of bulk and surface optical absorption and nonradiative energy conversion efficiency spectra in Ti:Al_2O_3 crystals.—75-03128A
Preparation of bioactive titanium metal.—75-00119A
Preparation of titanium carbonitride powders from titanium alloy chips.—75-06740A
Processing of TiAl components with gradient microstructures.—75-02533A
Production of titanium-aluminum-carbon ternary composites with dispersed fine TiC particles by combustion synthesis and their microstructure observations.—75-07228A
Reaction kinetics in the Ti/SiO_2 system and Ti thickness dependence on reaction rate.—75-00126A
SiC (TiC)/Si_3N_4 (TiN) functionally gradient materials.—75-04207A
Solid-state synthesis and characterization of the ternary phase Ti_3SiC_2.—75-06358A
Spontaneous formation of bonelike apatite layer on chemically treated titanium metals.—75-02545A
Stress analysis by finite element methods of silicon nitride bonded to a titanium substrate.—75-00136A
Structural response of $KTiOPO_4$ to electrical fields: effects due to low-frequency modulation.—75-00606A
Structure, EPR, and dielectric properties of single crystals of a new $Rb_3Ti_3P_5O_{20}$:V^{4+} compound.—75-09074A
Synthesis and characterization of a remarkable ceramic: Ti_3SiC_2.—75-06790A
Synthesis and thermal stability of Si-Ti-C-O compounds.—75-04240A
Synthesis of TiB-TiB_2-reinforced titanium matrix composites by combustion synthesis.—75-07233A
Temperature-induced phase development in titanium-implanted silicon carbide.—75-03849A
Ternary oxides of sodium, scandium, and titanium.—75-06387A
Thermal barrier coating system for titanium aluminides.—75-00168P
Thermal drift as a source of output instabilities in Ti:$LiNbO_3$ optical modulators.—75-01731A
Titanium acoustic diaphragm coated with polycrystal diamond film.—75-08813A
Titanium metal matrix composite inserts for stiffening turbine engine components.—75-02433P
Titanium nitride coated valve and method for making.—75-02572P
Trigonal ordered structure in titanium carbonitride.—75-09101A
Uv-sensitive metal-semiconductor photodiodes on 6H-SiC.—75-00632A
Vacuum plasma spray deposition of titanium particle/glass-ceramic matrix biocomposites.—75-04272A
XPS studies at the interface of Ti/AlN ceramic.—75-04417A
Yttrium oxide/titanium oxide ceramic compositions.—75-08788P

titration,
Point of zero charge [pzc] of CeO_2.—75-03823A

tobermorite,
Morphological forms of tobermorite in hydrothermally treated calcium silicate hydrate gels.—75-04823A
Sequestration of cesium and strontium by tobermorite synthesized from fly ashes.—75-03495A
Structural degradation of tobermorite during vibratory milling.—75-03842A

tomography,
Combination of fractography and computed tomography [CT] for the determination of the cause of fracture (case study).—75-04457A

tools,
Advanced ceramics for precision machine design.—75-09700A
Bomas Machine Specialties Inc.—75-04679A
CAD/CAM review: solving problems with spreadsheets.—75-04683A
Can tooling components.—75-06115P
Designing for manufacturing—an update.—75-02124A
Development of diamond tools for superprecision machining with compositionally graded layers from silicon carbide shank to diamond chip.—75-01144A
Superabrasive tool.—75-02174P

topaz,
Topaz as a source of mullite.—75-01734A

topology,
Microstructural characterization of metal/ceramic functionally gradient materials.—75-02506A

torsion,
Lifetime prediction of ceramics—importance of the test method.—75-04578A
Low-temperature torsion pendulum measurements on YBCO superconductors.—75-03379A
Measurement of biaxial displacement by a speckle correlation method at high temperature.—75-02071A

toughening,
Combination of transformation and nanotoughening in mullite composites.—75-03975A
Cyclic fatigue behavior of in situ toughened silicon nitrides.—75-02035A
Heat treatment for particle-reinforced alumina ceramic composite.—75-01113P
High-temperature toughening mechanisms of particle and particle-fiber reinforced SiC composites.—75-04560A
Improvement of strength and toughness of silicon nitride ceramics.—75-04561A
Influence of particle size distribution on ductile-phase toughening in brittle materials.—75-02067A
Mechanical properties of a zirconia-based ternary alloy.—75-02073A
Microstructure, properties, and toughening mechanisms of in situ toughened silicon nitride.—75-04373A
Optimization of a ductile-particle-toughened ceramic.—75-09372A
SiC platelet composites and their mechanical properties.—75-04624A
Strength distribution in toughened ceramics exhibiting *R*-curve behavior.—75-04633A
Strengthening and toughening of Cr_3C_2-reinforced Al_2O_3.—75-01684A
Toughening and strengthening of ceramic materials through discontinuous reinforcement.—75-07050A
Toughening mechanism for ceramics by a ductile metallic phase.—75-07051A
Toughening mechanisms in the high temperature fracture of high purity alumina.—75-07052A
Toughening of layered ceramic composites with residual surface compression.—75-02105A
Toughening of Si_3N_4 ceramics by nano SiC particles in grain boundary phase.—75-01735A
Toughening of silicon nitride ceramics by Y-TZP addition.—75-04653A
Toughening of sol-gel-derived mullite matrix by Al_2O_3 platelets.—75-07053A
Toughening of X-SiAlON with Al_2O_3 platelets.—75-04654A
Toughness and fracture properties of thermoplastic-toughened epoxy resin.—75-04656A

toughness,
ß-silicon nitride sintered body.—75-06112P
Determination of short-crack toughness curves.—75-02036A
Enhanced toughness of a partially stabilized zirconia at elevated temperatures.—75-09631A
Evaluation of strength, toughness, and subcritical crack extension of a commercial HP-Si_3N_4 exposed to a sulfidizing environment.—75-06975A
High toughness carbide ceramics by slip casting and method thereof.—75-03734P
In situ toughened silicon carbide with Al-B-C additions.—75-02066A
In situ toughened silicon carbide–titanium carbide composites.—75-04076A
Influence of grain size on the toughness and thermal shock resistance of polycrystalline $YBa_2Cu_3O_{7-\delta}$.—75-08341A

Influence of grain size, free silicon content, and temperature on the strength and toughness of reaction-bonded silicon carbide.—75-04566A
Method for enhancing the toughness of CVD diamond.—75-03737P
Short-crack toughness and abrasive machining of silicon nitride.—75-09669A
Silicon nitride ceramic having high fatigue life and high toughness.—75-08630P
Toughening zirconia with bimodally distributed silver inclusions.—75-04655A
Toughness and fracture surface energy of wet SiO_2-SiO_2 sonogel composites.—75-07054A
Toughness and strength of ceramic materials in regard to industrial applications.—75-02106A

trace elements,
Effect of trace impurities on UV irradiation induced changes in aluminum nitride substrates.—75-01146A
Trace analysis of nanoscale materials by analytical electron microscopy.—75-01971A

tracers,
^{18}O tracer studies of CO oxidation with O_2 on MoO_3: I. Determination of the number of active sites.—75-06145A
Evaluation of oxygen tracer diffusion profiles in two-stage oxidation experiments.—75-01990A

trade,
Economic forecast 1994-95.—75-04702A
New corporate identity to serve customers.—75-04728A
Questions to Dr. Richard N. Wright, Director, Building and Fire Research Laboratory, National Institute of Standards and Technology, Gaithersburg, Maryland.—75-04735A
Refractories industry in Europe.—75-02833A

transducers,
Advances in surface micromachined force sensors.—75-00413A
Manufacturing technology of multilayered transducers.—75-00962A

transfer,
Computational modeling of mass transfer for ceramic microstructure.—75-09533A
Repeat orders for materials transfer systems.—75-04743A
Spectral element method for thermoconvection in a glass melt.—75-08739A

transformation toughening,
Improved endurance limit of zirconia ceramics by overloading.—75-06993A
Optimum microstructure of transformation-toughened ceramics for improved wear performance.—75-02082A
Stiffness and strength of transformation toughening ceramics with misoriented microcracks.—75-07032A

transformations,
15*R*→3*C* stress-induced transformation in SiC.—75-01203A
3-D alumina networks via the sol-gel process.—75-01369A
Combination of transformation and nanotoughening in mullite composites.—75-03975A
Driving force for cracking by indentation in ceramics containing transformable particles.—75-06961A
Energetics of the gel-to-glass transformation in sodium silicate gels.—75-02714A
Enhancement of *t*→*m* ZrO_2 transformation by MoO_2 and its application.—75-04511A
Ferroelastic transformation in zirconia studied by neutron diffraction.—75-05573A
Influence of alumina dopant on the structural transformation of gel-derived nanometer titania powders.—75-06647A
Martensitic transformation.—75-06069A
Mechanism of structural transformations in $Cu_{1.7}Cd_{0.05}Te$ crystals.—75-08981A
Photostructural transformations in amorphous and polycrystalline As_8S_1 films.—75-02602A
Polymorphic transformations of titania induced by ball milling.—75-06323A
Proposal for a new mechanism for the transformation of alumina into aluminum nitride.—75-04189A
Raman spectra of the high-temp. phase of vanadium dioxide and model of structural transformations close to the metal-semiconductor phase transition [MSPT].—75-09045A
Spontaneous relaxor to normal ferroelectric transformation in La-modified lead zirconate titanate.—75-03260A
Transformation of γ-AlOOH (boehmite) and $Al(OH)_3$ (gibbsite) to α-Al_2O_3 (corundum) induced by high-energy ball milling.—75-04261A
Transformation of radiation defects and their clusters in B^+ ion-implanted silicon.—75-03189A
Transformation of thermally stimulated current [TSC] spectrum in an n^+-π-p transition with regard to electric field of a neutral part of π region.—75-05506A
Transformation studies of M- to W-type hexaferrite in $BaFe_{12-2x}Co_{3x}O_{19}$.—75-05718A

transformers,
Piezoelectric ceramic transformer.—75-03270P

transistors,
Heterojunction bipolar transistors in AlGaInP/GaAs grown by metallorganic vapor phase epitaxy.—75-00506A
High-T_c transistors.—75-08334A
Local film deposition for microwave devices.—75-07951A
Method of fabricating a semiconductor device having a borosilicate glass spacer.—75-03207P
Silicon double-collector strain transistor with accelerating base electric field.—75-05475A

transition metals,
Chemical instability of silicon carbide in the presence of transition metals.—75-06180A
Computer modeling of the optical properties of transition-metal ions in solids.—75-01269A
Electrochemical properties of complex transition metal dichalcogenides and their intercalated compounds.—75-06458A
Fabrication and high-temperature properties of silicon nitride ceramics with transition metal silicide dispersion.—75-04029A
Fluoride technology for producing high-energy magnetic alloys and hardeners based on rare-earth metals.—75-05673A
High-temperature electrical resistivity of solid-solution $LaSr(Cu,M)O_4$ ceramics.—75-06472A
Interatomic spacings of transition metal-silicon and types of chemical bonds in binary transition metal silicides.—75-06478A
Interface reactions between glass melts containing transition metal oxides and ferrites.—75-04907A
Magnetic properties of a novel $Sm_3(Fe,Ti)_{29}N_y$ nitride.—75-00110A
Mechanism of phase formation in metal-oxide-metal thin-film structures with transition metal oxides.—75-04859A
Mechanisms of vacancy formation in transition metal oxides under resonance laser action.—75-06852A
Nitrogen pressure on cubic stoichiometric and nonstoichiometric transition metal nitrides and carbonitrides.—75-06697A
Phase transitions in carbides, nitrides, monooxides of transition metals and defects of their structure.—75-06854A
Role of singlet oxygen absorbed on quartz and transition metal oxides in the formation of ozone holes.—75-09055A
Selective imaging of metal atoms in the semiconducting layered compound MoS_2 by STM/STS.—75-01930A
Vibronic coupling during intracenter transitions in transition metal impurity ions in semiconductors.—75-03197A

transitions,
Anisotropy of the transport features in structures with δ-Sn quantum wells on vicinal faces of GaAs.—75-05240A
Choice of compounds with fast core-valence transitions.—75-00434A
Determination of the active-to-passive transition in the oxidation of silicon carbide in standard and microwave-excited air.—75-09586A
Electric field dependence of exciton transitions in InGaAs/GaAs asymmetric step quantum wells.—75-07862A
Features of elastic behavior of ytterbium during the semimetal-semiconductor-semimetal transition under pressure.—75-07210A
Induced intracenter radiative transitions in a strongly deformed *p*-Ge.—75-07920A
Intracenter transitions in the Faraday effect of Co-containing semimagnetic semiconductors.—75-07940A
Mean-field description of the transition to the mixed state of superconducting microbridges with low vortex pinning forces.—75-00822A
Mechanisms of the dielectric-semiconductor transition during ionic thermal treatment.—75-07967A
Modeling of super-high-frequency meander switches on the *s*-*n* transition in HTSC films.—75-08372A
Mott transition criterion in flat lattices.—75-05389A
Nature of Verwey transition in magnetite.—75-08991A
Optical transitions in perfect undoped $CdAs_2$ single crystals at the edge of fundamental absorption and in the impurity region.—75-09001A
Plastic-to-brittle transition of saturated, alumina powder compacts.—75-09662A
Process for production of transition alumina.—75-08623P
Radiative recombination transitions via the states of bound and free excitons in a uniaxially stressed cadmium telluride.—75-03146A
Relaxation transitions in vitreous B_2O_3 and their molecular mechanisms.—75-04992A
Size effect of the martensitic transformation in ZrO_2-containing ceramics.—75-03835A
Spectrometer for studying broad dipolar magnetic transitions in magnetic materials and Hall conductivity at microwave frequency in conducting materials.—75-08703A
Spectroscopic studies of magnetic transitions in $TbPO_4$.—75-03839A
Stressed state of a conductor from a fixed superconductor during its magnetization in a transverse field.—75-09676A
Structural transition and dielectric characteristics of high-purity calcium hydroxyapatite.—75-09191A
Suppression of metal-semiconductor transition in $NdNiO_{3-\delta}$ doped with Cu.—75-05492A
Theory on the structure of twin boundaries in $La_{2-x}Ba_xCuO_4$.—75-03417A
Transformation of thermally stimulated current [TSC] spectrum in an n^+-π-p transition with regard to electric field of a neutral part of π region.—75-05506A
Transition of a domain wall to nonlinear mobility in the presence of a planar field.—75-08249A
Transition of the particle-growth mechanism with temperature variation in the molten salt method.—75-04415A
Variation of mechanism transition wavelength of self-pumped phase conjugation with Ce content in $BaTiO_3$:Ce crystals.—75-06403A
Verwey transition in magnetite: mean-field solution of the three-band model.—75-00763A
Vibronic coupling during intracenter transitions in transition metal impurity ions in semiconductors.—75-03197A
Wannier states in magnetite.—75-00764A
Wear and wear transition in silicon carbide ceramics during sliding.—75-04663A
Zinc-blende [*ZB*]–wurtzite [*W*] structural transition during change in composition of $Zn_xCd_{1-x}Se$ solid solutions.—75-08097A

transmission electron microscopy (TEM),
Analysis of interface dynamics in solid-state phase transformations by in situ hot-stage high-resolution transmission electron microscopy.—75-01785A
Characterization by transmission electron microscopy of gradients in the chemical composition of $GaAs/Al_xGa_{1-x}As$ semiconductor laser structures.—75-02976A
Direct visualization of electromagnetic microfields by interference of three-electron waves.—75-08661A
Elemental mapping by energy-filtered electron microscopy.—75-01846A
Growth phenomena of carbon nanotubes produced by arc discharge.—75-01860A
High resolution transmission electron microscopy of the CoGa/GaAs heterostructure grown by MBE.—75-05335A
High-resolution electron microscopy study of hydroxyapatite.—75-01861A
Low-angle grain boundary in iron-doped strontium titanate revealed by transmission electron microscopy.—75-06885A
Low-voltage point projection microscopy and time of flight STM—two new microscopies.—75-00957A
Microscopic characterization of crystalline phases in waste forms.—75-03480A
Microstructural considerations for fractographic analysis of polyphase ceramics via transmission electron microscopy.—75-04356A
Modern applications of a new 300-kV field emission transmission electron microscopy to the study of advanced materials.—75-08685A
Structure and composition of metal/ceramic interfaces.—75-07232A
TEM study of growth defects in CVD diamond films.—75-04292A
TEM-based definition of 2:1 layer silicates and their interstratified constituents.—75-04414A
Transmission electron microscopy of microstructures in ceramic materials.—75-09581A
Transmission electron microscopy study of B-site cation configurations in perovskite-structured $Pb(Mg_{1/2}W_{1/2})O_3$-$Pb(Ni_{1/3}Nb_{2/3})O_3$-$PbTiO_3$ ceramics.—75-00708A

transmission,
2.4-Gb/s, 50-km optical fiber transmission using Ti:$LiNbO_3$ external modulator.—75-08119A
Multifunctional ceramic substrates and packages for telecommunication applications.—75-00354A

transmittance,
Infrared reflectance and transmittance of diamondlike carbon films at normal, as well as glancing, angles of incidence.—75-09152A

transparency,
Improving the visible transparency of silica aerogels.—75-05019A
Optimizing glaze transparency by design.—75-07711A
Transparent glass-ceramics.—75-07437P

transparent materials,
Coating solutions for forming transparent conductive ceramic coatings, substrates coated with transparent conductive ceramic coatings and process for preparing same, and uses of substrates coated with transparent conductive ceramic coatings.—75-00393P
Preparation of transparent, electrically conducting ZnO film from zinc acetate and alkoxide.—75-06741A
Production of transparent ceramics (review).—75-04187A
Transparent ceramic composite armor.—75-07279P

transport processes,
Straightened voltage effect in high-T_c superconductors.—75-00868A

transport properties,
Direct correlation of transport properties and microstructure in $Y_1Ba_2Cu_3O_{7-\delta}$ thin-film grain boundaries.—75-03356A
Effect of degree of reduction in thermomechanical processing on the transport characteristics of Ag-clad $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{110+x}$ high-T_c superconducting wires and tapes.—75-00788A
Transport properties of semiconducting Fe_2O_3-PbO-B_2O_3 glasses.—75-02697A

transport,
Aspects of changeover to new standards.—75-07135A
Atomistic simulation methods applied to defect structure and transport phenomena in solid materials.—75-09219A
Ceramic Transactions, Volume 71: Mass and Charge Transport in Ceramics.—75-09740B
Charge carrier transport in polycrystalline silicon *p*-*n* structures.—75-07804A
Charge transport in highly humidity-sensitive alkali-doped titania thin films.—75-09494A
Correlation of transport and magnetic critical currents in melt-processed $YBa_2Cu_3O_{7-\delta}$ thick films.—75-00778A
Current transport mechanism in metal–silicon dioxide–silicon structures.—75-07817A
Effect of an intermediate SnI_4 coating treatment on the critical transport current of the high-T_c superconductor YBCO.—75-08293A
Effect of double substitutions on transport properties, superconductivity, and band spectra in the $YBa_2Cu_3O_y$ system.—75-05751A
Effect of transport superconducting current on the critical currents of Bi(2212) wires in silver sheath.—75-08300A
Effective carrier lifetime in tracks of α-particles during diffusion-drift transport in Si.—75-07857A
Effects of photoinduced hole doping on transport properties of $YBa_2Cu_3O_x$ grain boundary junctions.—75-00796A
Electric field effect and transport properties of 90° grain boundary in $YBa_2Cu_3O_{7-x}$ thin films.—75-08305A
Electrical and mass transport properties of strontium titanate niobates.—75-05556A
Electrical transport and superconductivity in $YBa_2Cu_3O_{7-\delta}$-$YBa_2HfO_{5.5}$ percolation system.—75-00798A
Electrical transport in ultrafine ceramics: effects of grain-size-dependent solute segregation and nonstoichiometry.—75-09506A
Electron transport in $Ge_{1-x}Si_x$ alloys at low electric fields.—75-07874A
Electron transport in Sb-doped metallorganic epitaxial GaAs grown at moderate As-rich conditions.—75-00476A
Energy characteristics of hole transport in rare-earth oxides.—75-09507A
Features of low-frequency conductivity and polaronic transport in the dielectric phase of YBaCuO.—75-08321A
Features of transport phenomenon in alternately doped $GaAs/Ga_{1-x}Al_xAs$ heterostructures.—75-07889A

Formation mechanism of the stationary reverse *I-V* characteristics of MIS structures with charge transport.—75-03032A
Influence of electron-electron scattering on the charge carrier transport in the *n* channel of a silicon submicron MOS field effect transistor: Monte Carlo method.—75-03056A
Ionic transport in sodium chloride and silver chloride during microwave irradiation.—75-01763A
Magnetotransport study of a Bi2223 superconductor produced by a high-pressure method.—75-08359A
Mass and energy transport in an H_2 microwave plasma obtained under diamond deposition discharge conditions: role of the spatial distribution of the microwave power density.—75-08979A
Mechanization of BOF relining work in Nagoya Works [Japan].—75-07598A
New approach to investigating surface transport in ceramics.—75-08688A
Nonlinear dynamics of the normal band in thin HTSC films with transport current.—75-08384A
Phonon wind and exciton transport in Cu_2O semiconductors.—75-08007A
Point defects and transport of matter and charge in nonstoichiometric oxides.—75-04287A
Point defects and transport of matter and charge in nonstoichiometric oxides: II.—75-09375A
Quasi-stationary charge transport by a surface acoustic wave.—75-08033A
Recombination and charge transport in polycrystalline semiconductors under optical illumination.—75-08041A
Separate transport of electrons and holes through the system of undoped quantum wells.—75-03159A
Ship to shore[—based on the materials supplied by EstMineral and BMH Marine Companies].—75-07182A
Surface mass transport under high-pressure inert gas and hot isostatic process for producing porous materials.—75-09518A
Technological and economic aspects of transporting and handling cement—a review.—75-07192A
Transport kinetics of Cr in undoped CoO.—75-00625A
Transport measurements and donor spectra of very high purity GaAs grown using tertiarybutylarsine and triethylgallium.—75-05507A
Transport properties and band spectra of HTSCs of the bismuth system.—75-05854A
Unusual transport and magnetic properties of Tb-doped $YBa_2Cu_3O_7$ single crystals and epitaxial thin films.—75-03425A

traps,
^2H trapping in $YBa_2Cu_3O_{7-\delta}$/$LaAlO_3$<100> samples under $^2H^+$ irradiation.—75-00766A
Deep traps in molecular beam epitaxial GaAs grown at low temperatures.—75-00452A
Electron spin resonance evidence for an impurity-related *E′*-like hole trapping defect in thermally grown SiO_2 on Si.—75-01753A
Electron trapping in oxynitride layers in metal-oxide-semiconductor structures.—75-00477A
General and fine structures of intrinsic trap distribution over the width of an amorphous thermic SiO_2 on Si.—75-07899A
Trap generation at Si/SiO_2 interface of submicrometer metal-oxide-semiconductor transistors by 4.9-eV ultraviolet radiation.—75-00626A
Trapping levels in $Bi_{12}SiO_{20}$ crystals.—75-01363A

treatment,
Commercialization of the in situ vitrification [ISV] technology.—75-05890A
Effect of magnetic field treatment on enhanced exchange coupling of $Nd_2Fe_{14}B/Fe_3B$ magnet.—75-08205A
Effect of plasma treatment of polyethylene fibers on interface and cementitious composite properties.—75-02399A
Microwave treatment of emissions from the destruction of electronic circuitry.—75-00967A
Plasma-enhanced fluorination of $YBa_2Cu_3O_{7-\delta}$ ceramics: II, Interaction mechanisms between the reactive species and the materials.—75-05814A
Quasi-optical gyrotron materials processing at Los Alamos.—75-00981A
Thermal radiation treatment of all-ceramic dentures.—75-08544A

tribology,
Amorphous hydrogenated carbon [AHC] films for tribological applications.—75-08794A
Friction and Wear of Ceramics.—75-02164B
Microtribological studies by using atomic force and friction force microscopy and its applications.—75-02078A
Testing method for cemented carbides triboperformance evaluation.—75-08706A
Tribochemically assisted wear of silicon nitride ball.—75-09683A
Tribochemistry of ceramics.—75-09210A
Tribological and mechanical properties of ceramics sintered from powders obtained by self-propagating high-temperature synthesis.—75-09684A
Tribological behavior of nanocrystalline TiN ceramics and coatings.—75-09685A
Tribological performance of ceramic materials in face seal applications.—75-09686A
Tribological potential of physical vapor deposited CrN coating for machine element application.—75-03724A
Tribological potential of physical vapor deposited TiN coating for machine element application.—75-03725A
Tribological properties of cBN films fabricated by the reactive ion plating method and modified by ion implantation.—75-09687A
Tribological properties of oil-retaining porous silicon carbide.—75-09688A
Tribological study of two-dimensional carbon-carbon composites.—75-04658A

tricalcium phosphate,
Effects of sulfate, pyrophosphate, and citrate ions on the physicochemical properties of cements made of β-tricalcium phosphate–phosphoric acid–water mixtures.—75-02405A

tubes,
Ceramic heat exchanger design.—75-08557P
Failure analysis of an α-SiC tube subjected to thermal cycling in an oxygen-steam atmosphere.—75-04522A
First-principles determination of the polarizabilities of carbon tubules as a function of length.—75-01293A
Graphene nanotubule cold field emission electron sources.—75-00499A
Growth phenomena of carbon nanotubes produced by arc discharge.—75-01860A
High-temperature ceramic nut.—75-06092P
Manufacture of conical pore ceramics by electrophoretic deposition.—75-05922P
Measurements of the conductivity of individual 10 nm carbon nanotubes.—75-00349A
Method of making a ceramic tube.—75-08600P
Method of making a modified ceramic-ceramic composite.—75-01123P
Process for production of joined ceramic body.—75-08622P
Reinforced ceramic tube.—75-05159P
Reticulated ceramic inserts (core busters) for ceramic radiant tube applications.—75-03710A
Rupture of Incoloy 800 tubes in a reform furnace.—75-03630A
Study on the purification methods of carbon nanotubes and STM imaging of the carbon nanotubes.—75-01686A
Synthesis of single-walled buckytubes.—75-01718A
Tube-making mechanism having a fill tube for depositing a ceramic powder into the tube as it is being made.—75-08636P
Tubular solid oxide fuel cell developments[—review].—75-02942A
Vapor-phase grown bundles of carbon nanotubes.—75-01740A

tundish,
Appropriate material for dams and weirs—Tata Steel's approach.—75-07477A
Development and application of scum weir for a tundish and exploration for its antislag erosion mechanism.—75-07511A
Development of gunning material for hot repair of CC tundish.—75-07519A
Experiences of different tundish lining materials in continuous casting.—75-07549A
Improvement of tundish inner lining refractory.—75-07574A
Refractories technology for continuous recycle operation of tundish.—75-07652A
Research and application of coating material for tundish.—75-02838A

tungstates,
Appearance of nonlinear optical interactions in $KY(WO_4)_2$ and $KGd(WO_4)_2$ laser crystals.—75-09119A
$BaO(CdO)$-TeO_2-WO_3 systems in the TeO_2-rich regions.—75-08875A
Chemical bonding in the tungstate $NaLa(WO_4)_2$.—75-09120A
Effect of nonstoichiometry of calcium tungstate on luminescence in a 420-nm band.—75-08913A
Kinetic dissociation of nickel titanate and nickel tungstate in oxygen potential gradients.—75-06250A
Lead tungstate for high-energy calorimetry.—75-01089A
Light output and radiation damage in a lead tungstate crystal.—75-01764A
Liquidus surface of the sodium metavanadate–sodium pyrovanadate–sodium tungstate system.—75-06262A
New Pr-doped laser crystals of alkaline-earth rare-earth binary tungstate compounds.—75-08996A
Phase equilibria in the $NaVO_3$-Na_2WO_4-WO_3 system.—75-09022A
Photo- and cathodoluminescence of hydrothermally synthesized $Y_3Al_5O_{12}$:Tb [YAG:Tb] and $NaY(WO_4)_2$:Tb.—75-05423A
Room temperature preparation of crystallized $Ba_{1-x}Sr_xWO_4$ [$0 \le x \le 1$] solid-solution films by an electrochemical method.—75-09424A
Scintillation mechanism in $PbWO_4$ crystals.—75-01339A
Stable $CaWO_4$-$BaWO_4$-NaCl and $CaWO_4$-$BaCl_2$-NaCl triangles of a four-component reciprocal system of sodium, calcium, and barium chlorides and tungstates.—75-06367A
Stoichiometric dependence of the aging phenomena in lead iron tungstate ceramics.—75-05640A
Synthesis and characterization of lead iron tungstate ceramics sintered by two preparation methods.—75-01696A
Thermal expansion of sodium bismuth tungstate single crystals.—75-06912A
Vibrational spectra of lanthanide molybdates and tungstates with tetrahedral anions.—75-09103A
Vibrational spectra of rare-earth tungstates and molybdates with different oxygen coordinations of tungsten and molybdenum.—75-09104A

tungsten bronze,
Guided-wave electrooptic applications for tungsten bronze ferroelectrics.—75-03236A

tungsten carbide,
Brazing of diamond film to tungsten carbide.—75-07246P
Brazing of diamond film to tungsten carbide.—75-07247P
Carbide products of electrospark dispersion of hard metals containing tungsten and titanium.—75-04840A
Cermet alloy.—75-04873P
Chromium carbide based ceramics composite block gauge.—75-06117P
Dilatometric study of the processing of WC-Co based gradient materials.—75-02454A
Effect of laser irradiation on adhesion strength of diamond films on WC-6 wt%/Co hard metal substrate.—75-07205A
Fabrication and properties of gradient hard metals.—75-02474A
Functionally gradient carbide superhard alloy for cutting tool.—75-04855A
Green strength of WC/Co bilayer compacts.—75-02487A
Interfaces in tungsten carbide.—75-01877A
Liquid phase sintering of gradient WC/Co materials.—75-02500A
Multilayer diamond-coated WC tools.—75-07221A
Processing and characterization of WC-Co functional gradient materials.—75-02532A
Structural stability and crystallization studies of metastable sputtered W-Ni-C films.—75-03843A
Thermal spray powder of tungsten carbide and chromium carbide.—75-01201P
WC-Co graded materials: heat flux measurements and estimation.—75-02559A

tungsten oxide,
Computer simulation of CaO-WO_3 liquid oxides.—75-08646A
Dielectric properties of stable and metastable WO_3 ceramics depending on temperature and γ-irradiation dose.—75-09127A
Effects of WO_3 addition on the microwave dielectric properties of $Zr_{0.8}Sn_{0.2}TiO_4$ [ZST] ceramics.—75-07725A
Electrochromic and photoelectrochromic behavior of thin WO_3 films prepared from quantum size colloidal particles.—75-06459A
Electron processes in an a-WO_3/Si heterostructure with electro- and photochromism.—75-07872A
Influence of grain boundary on the electrical properties of WO_3-doped $SrTiO_3$.—75-07733A
Novel varistor material based on tungsten oxide.—75-05202A
Optical oscillator strengths and quantum mechanics matrix elements of WO_3 polycrystalline thin films.—75-04613A
Quenched $YBa_2Cu_3O_{7-x}$-WO_3 superconductors.—75-03394A
Real composition of the phase formed in the Fe_2O_3-V_2O_5-WO_3 system.—75-06338A
Sintering and electrical conductivity of doped WO_3.—75-08056A
Size-effect stabilization of the low-*T* ferroelectric phase in nanocrystalline WO_3.—75-00697A

tungsten,
$Bi_2W_{1-x}Cu_xO_{6-t}$ ($0.7 \le x \le 0.8$): a new oxide ion conductor.—75-05175A
Bubbling potential of molybdenum and tungsten and their alloys in soda-lime-silica glasses.—75-07284A
Crack-interface interactions in a tungsten yttria-stabilized zirconia directionally solidified eutectic.—75-00082A
Effect of nitridation on the electrical properties of W:Ti resistors.—75-03006A
Effects of deposition temperature on the interfacial properties of SiH_4 reduced blanket tungsten on TiN glue layer.—75-03791A
Electronic properties of sodium tungsten bronze.—75-08136A
Highly chemically and thermally resistant borosilicate glass which is capable of forming a seal with tungsten.—75-05049P
Image potential induced surface states of W(100) and PbS(100) studied by spectroscopy of polarized electrons.—75-08950A
Interaction of hydrogen, methane, ethylene, and cyclopentane with hot tungsten: implications for the growth of diamond films.—75-01552A
Measurement of stress and mechanical properties of tungsten thin film.—75-04584A
Mechanical properties and microstructure of AlN/W composites.—75-09649A
Microstructures and electrical characterization of CVD W and Mo films as contacts in photocells.—75-04374A
Mobility of tungsten clusters and microstructure of tungsten films on amorphous carbon substrates.—75-02511A
New compounds of $AB_xW_{1-x}O_9$ with hexagonal tungsten bronze type structure.—75-05611A
New superconductors with tetragonal tungsten bronze structure in the Sr-La-Nb-O system.—75-05802A
Reactive ion beam sputtered WN_x films on silicon: growth mode and electrical properties.—75-01646A
Single layer of BaO on tungsten(100): structure and work function.—75-09187A
Solid-phase reaction of tungsten thin films with polycrystalline diamond.—75-01933A
Test of a diamond-tungsten sampling calorimeter.—75-01043A

tunnel kilns,
Design parameters for high-temperature (1600°C and above) tunnel kiln and shuttle/car bell kiln for firing of high-duty refractories.—75-07507A

tunneling,
Electron tunneling in heterostructures having a single barrier and symmetrical spacers in longitudinal magnetic field.—75-03015A
Macroscopic tunneling of spins in weakly ferromagnetic particles of orthorhombic antiferromagnets.—75-08227A
Mechanism of the formation of tunneling Al-O^- centers in quartz studied using EPR.—75-06269A
Nature of a linear phonon in tunneling conductivity of metal oxides: pressure effects.—75-08376A
Photoeffect in an epitaxial *p-n* structure having an *n* region of variable thickness and a metal oxide tunneling contact.—75-05426A
Two pathways of positive oxide charge buildup during electron tunneling into silicon dioxide film.—75-00386A

turbines,
Accelerated testing method of ZrO_2-based FGM coating for gas turbine blades.—75-02434A
Ceramic gas turbine heat exchanger development.—75-01078A
Ceramic materials for gas turbine applications.—75-03689A
Ceramic turbine nozzle.—75-07255P
HIPed silicon nitride turbine wheel development.—75-03701A
Low thermal stress ceramic turbine nozzle.—75-08833P

Method for preparing a ceramic gas-turbine nozzle with cooling fine holes.—75-01117P
Recent advances in the development of ceramic stationary components for automotive CGT [ceramic gas turbine].—75-09732A

twinning,
Dynamic behavior of twins in $BaTiO_3$.—75-03225A
Formation of microtwins in (001) heteroepitaxial layers.—75-07895A
Interaction of twin boundaries with grain boundaries in $YBa_2Cu_3O_{7-\delta}$.—75-03375A
Multiple twinning in GaAs epitaxial layers grown on Si(001) and Si(111).—75-05391A
Nucleation of twins by grain coalescence during the sintering of $BaTiO_3$ ceramics.—75-03814A
Orientation states of ferroelectric domains and {111} twins in $BaTiO_3$.—75-08157A
Role of penetration twins in the morphological development of vapor-grown diamond films.—75-01655A
Structural and spectroscopic investigation of (111) twins in barium titanate.—75-04404A
Synchrotron radiation topography studies of twinning in NdP_5O_{14} crystals.—75-04410A
Theory on the structure of twin boundaries in $La_{2-x}Ba_xCuO_4$.—75-03417A

ultrasonics,
Damage mechanisms in CMCs as assessed by ultrasonic measurements.—75-04481A
Effect of ultrasound on ripening of aluminogels.—75-06587A
In situ characterization of ceramic fine powders produced by a nebulization process.—75-04341A
Nondestructive characterization of woven fabric ceramic composites.—75-03587A
Nonlinear electromagnetic excitation of longitudinal ultrasound in ferromagnets in the saturation region.—75-08234A
Scanning of ultrasonic beams in ferroceramics by a nonuniform electrical field.—75-08700A
Synthesis of spherical ß-silicon carbide particles by ultrasonic spray pyrolysis.—75-06817A
Ultrasonic anomalies and phase transitions in $YBa_2Cu_4O_8$ and $Y_{1-x}Ca_xBa_2Cu_4O_8$ systems.—75-03422A
Ultrasonic behavior of ferrimagnetic yttrium iron garnet (YIG) crystal under pressure.—75-03338A
Ultrasonic characterization of zirconia-toughened alumina ceramics.—75-09583A
Ultrasonic compacting of zirconium ceramics from ultradispersed powders.—75-08545A
Ultrasonic detection of changes in the microstructure of glass-ceramics during crystallization.—75-06915A
Ultrasonic determination of the superconducting energy gap in domain boundaries of melt-textured $YBa_2Cu_3O_7$.—75-05856A
Ultrasonic particle sizing.—75-05986A
Ultrasonic testing of ceramics.—75-05987A
Ultrasonic-assisted grinding of high-performance ceramics.—75-05917A
Viscoelastic behavior of macrodefect-free cement.—75-04838A

ultraviolet,
Ultraviolet drying in ceramic decoration technology.—75-04804A
Ultraviolet ray absorbent glass and method for preparing the same.—75-07438P

unit cells,
Symmetrical orthogonalization of the framework Bloch functions in diamond.—75-03181A

uranium oxide,
Process to reclaim UO_2 scrap powder.—75-08624P
Spectroscopic investigation of the influence of uranium ions on the structure of borate glasses.—75-04929A
Thermodynamic assessment of the zirconia-urania system.—75-01252A

uranium,
Metathetical routes to uranium and thorium oxides and nitrides.—75-06682A
Model calculation of thermodynamic properties of uranium gadolinium oxide fuels.—75-06274A
Role of water in the formation of the crystal structure of $Ca(PUO_6)_2{\cdot}nH_2O$ and $Ca(AsUO_6)_2{\cdot}nH_2O$ compounds.—75-08509A

vacancies,
Calculation of the formation energies of anion vacancies, F^+-, and F-centers in an MgO crystal by the molecular statics method.—75-06169A
Correlation between the intensity distribution of the 1.49-eV carbon luminescence band and the arsenic-vacancy concentration in semiinsulating undoped GaAs crystals.—75-05266A
Effect of oxygen vacancies on the X-ray emission spectra of Y-Ba-Cu-O thin films.—75-05755A
Effects of dopants and oxygen vacancies on the dielectric loss tangent of $(Zr_{0.8}Sn_{0.2})TiO_4$ dielectric ceramics.—75-00326A
Existence and regular arrangement of metal vacancies in ordered modification of titanium carbide.—75-06227A
Mechanism for oxygen vacancy formation in antimony-doped tin(IV) oxide.—75-09513A
Mechanisms of vacancy formation in transition metal oxides under resonance laser action.—75-06852A
Optical and piezospectroscopic properties and structure of gallium vacancy–silicon complexes in *n*-type GaAs: comparison with gallium vacancy–tin complexes.—75-07990A
Oxygen vacancy motion in perovskite oxides.—75-01602A
Role of O^{2-}, OH^-, and anion vacancies in the degradation of Y-TZP in moist environments.—75-06343A
Sinks for radiation-induced vacancies and interstitial atoms in as-grown silicon crystals.—75-03165A
Vacancy defects in silicon carbide.—75-09523A
Vacancy defects in silicon single crystals irradiated at 77 K.—75-03195A

vacuum,
Combustion synthesis of TiB and TiB_2 under vacuum.—75-06554A

valence,
Ab-initio calculation of the vibronic spectrum of GeSi, valence states of $GeSi^+$.—75-06150A
Bi and O valences in Ba-K-Bi-O, Ba-K-M-Bi-O (M=Rb, La, Eu, In, Tl, and Pb) and the related compounds.—75-06422A
Cluster model of the localized electron pairs in mixed valence metal oxides.—75-05736A
Determination of oxygen content and metal valences in oxide superconductors by chemical methods.—75-08286A
Direct experimental determination of the spin-orbital constants of the separated valence band of gallium arsenide.—75-07834A
Highly sensitive analysis for valence band edge of C_{60} films by total yield photoelectron spectroscopy.—75-01297A
X-ray induced valence changes in the V_2O_5-MgO system.—75-03866A

valves,
Ceramic valve for internal combustion engines having a reduced tendency to stress fracture.—75-08821P
Preparation of SiAlON valves for gasoline engine.—75-03708A
SEM, TEM, and microprobe investigations on Si_3N_4 valves.—75-03711A

vanadates,
Characterization of coprecipitated ferroelectric $Bi_2VO_{5.5}$.—75-05538A
Chemical basis of the structural modification in sodium borovanadate glasses: thermal and spectroscopic studies.—75-04884A
Chemical reaction in a five-component reciprocal system of lithium, sodium, and potassium fluorides, chlorides, and metavanadates.—75-06181A
Crystal-chemical and magnetic properties of $Ca_{1-x}Mn_x(VO_3)_2$.—75-09123A
Further investigations of a 2-µm Tm:YVO_4 laser.—75-05327A
Ge-doped bismuth vanadate solid electrolytes: synthesis, phase diagram, and electrical properties.—75-06237A
Grain size effects on the dielectric properties of ferroelectric $Bi_2VO_{5.5}$ ceramics.—75-05585A
Influence of aluminum alloy components on the process of color anodizing in vanadate electrolyte.—75-09150A
Liquidus surface of the sodium metavanadate–sodium pyrovanadate–sodium tungstate system.—75-06262A
Magnetic susceptibility of binary rubidium–rare-earth vanadates, $Rb_3Ln(VO_4)_2$ (Ln=Pr, Nd, Gd, Tm, Yb).—75-09157A
Magnetoelastic anomalies of thermal expansion of rare-earth vanadates, RVO_4.—75-06886A
Microstructure-property studies of BICUVOX ceramics.—75-02919A
Nonstoichiometry in yttrium orthovanadate.—75-01899A
Nonuniform magnetic state of $La_{0.9}Na_{0.1}Mn_{1-x}(Cu, V)_xO_3$.—75-05700A
Optical characterization of Nd^{3+}:$Sr_5(VO_4)_3F$.—75-01320A
Phase diagram of the $NaVO_3$-$Na_4V_2O_7$ system.—75-06300A
Phase equilibria in the $NaVO_3$-Na_2WO_4-WO_3 system.—75-09022A
Production of bronze $La_xV_2O_5$ by magnetron sputtering.—75-06750A
Quadrupole approximation in the theory on magnetoelasticity of rare-earth compounds: magnetoelastic contribution to thermal expansion of the rare-earth vanadates, RVO_4.—75-09178A
Spectroscopic characterization of magnesium vanadate catalysts: I, Vibrational characterization of $Mg_3(VO_4)_2$, $Mg_2V_2O_7$, and MgV_2O_6 powders.—75-06363A
Spectroscopic characterization of magnesium vanadate catalysts: II, FTIR study of the surface properties of pure and mixed-phase powders.—75-06364A
Structural properties of lead vanadate glasses containing La^{3+} or Fe^{3+} ions.—75-02611A
Structure and magnetic properties of $LiMVO_4$ (M=Co, Ni, Cu) spinels.—75-05713A
Synthesis and properties of vanadates of $M_5V_3O_{10}$ (M=K, Rb, Cs, Tl).—75-06520A
Synthesis of Nd:YVO_4 thin films by a sol-gel method.—75-08075A
X-ray absorption spectroscopy study of the binary semiconductive glass PbV_2O_6.—75-04940A

vanadia,
Effect of niobia and vanadia additions on the mechanical properties of alumina.—75-04498A
Effect of V_2O_5 on the electrical properties of TiO_2-V_2O_5 humidity sensors.—75-03010A
Glass formation and structure of glasses in the V_2O_5-MoO_3-Bi_2O_3 system.—75-04901A
Ir spectra and structure of V_2O_5-GeO_2-Bi_2O_3 glasses.—75-04910A
Optical absorption in CeO_2-V_2O_5 thin films.—75-06292A
Real composition of the phase formed in the Fe_2O_3-V_2O_5-WO_3 system.—75-06338A
Synthesis and phase transition of ferroelectric $Sr_{0.2}Ba_{0.8}Nb_2O_6$ with V_2O_5 addition [1 mol%].—75-08174A
X-ray induced valence changes in the V_2O_5-MgO system.—75-03866A

vanadium oxide,
Electrical conductivity of V_2O_5-Sb_2O_3-TeO_2 glasses.—75-04957A
Nonohmic characteristics of ZnO-V_2O_5 ceramics.—75-00552A
Relaxation studies on V_2O_5-TeO_2 glasses using heterogeneous conductor model.—75-04991A
Sintering capability of V_2O_5/Nb_2O_5 system treated by sol-gel technique.—75-09441A
Structure of V_2O_5-MoO_3-Fe_2O_3 glasses.—75-04934A
Synthesis of vanadium dioxide thin films from vanadium alkoxides.—75-01723A

vanadium oxides, see also vandium oxides
Atomic-scale characterization of defects on cleaved vanadium and molybdenum oxide surfaces using STM.—75-04297A
Effect of uv irradiation on the semiconductor-metal phase transition in VO_2 films with different subsurface-layer structure.—75-05300A
Electrode properties of oxide vanadium bronzes of $M_xY_2O_5$ type, where M is Na, Mg, Ca, Cu, Al, and Fe.—75-06460A
Low-temperature synthesis of bismuth vanadium oxide isomorphous with γ-$Bi_4V_2O_{11}$.—75-06674A
New compounds in the MoO_3-V_2O_5 system.—75-06693A
Oxidation of vanadium during magnetic roasting of titanium magnetite concentrates by natural gas in the presence of sodium carbonate.—75-06932A
Phase equilibria in the La_2O_3-VO system.—75-09020A
Phase equilibria in the V_2O_5-SiO_2 system.—75-09025A
Raman spectra of the high-temp. phase of vanadium dioxide and model of structural transformations close to the metal-semiconductor phase transition [MSPT].—75-09045A
Thin films and single crystals of V_2O_3 in the phase transition region studied by surface acoustic wave method.—75-06398A
Transport of multivalent metals in reactions of V_2O_5 and Nb_2O_5 with rare-earth metal oxides.—75-09522A
Vanadium dioxide ceramics.—75-09488A

vanadium,
Characterization of V/Al_2O_3 interface.—75-01810A
Electrical and optical properties of vanadium in bulk *n*-type silicon carbide.—75-00468A
Electrical properties of pure vanadium phosphate phases and of VPO catalysts used in the partial oxidation of *n*-butane to maleic anhydride.—75-06455A
Electron paramagnetic resonance spectra of VO^{2+} ions in alkali fluoroborate.—75-04894A
EPR study of the $Mn_xV_{1-x}S$ system [x=0–1].—75-07879A
Gas-sensitive properties of contacts of platinum oxide vanadium phosphate glass.—75-07339A
Intercalation compounds [IC] of vanadium(V) phosphate dihydrate with univalent cations: synthesis and properties.—75-09345A
$Li_2O(Na_2O)$-CoO-V_2O_5 system.—75-06257A
Low-temperature electrical properties of $Me_xV_{1-x}S$.—75-09156A
Measurement of small concentrations of vanadium in rutile (TiO_2) using electron spin resonance.—75-05957A
Metal-insulator transition in a magnetic field.—75-08983A
Mobility and concentration of charge carriers in $H_xV_{12-x}Mo_xO_{31\pm\delta}{\cdot}nH_2O$ xerogels.—75-08985A
Partial thermodynamic functions of hydrogen in $H_xV_{12-x}Mo_xO_{31\pm\delta}{\cdot}nH_2O$ [y=0–3.5] xerogels.—75-09004A
Structural relaxation and crossover effect for Young's modulus of amorphous $Fe_{81.5}V_{2.5}P_{16}$ and $Fe_{81.5}Mo_{2.5}P_{16}$ ferromagnetics.—75-03332A
Structure of V-MgO and MgO-V interfaces.—75-09073A
Vanadyl phosphite, $VOHPO_3{\cdot}5H_2O$.—75-09489A

vapor phase epitaxy,
AlGaAs grown by low-pressure metallorganic vapor phase epitaxy using an N_2 carrier.—75-02960A
Simplified model describing enhanced growth rates during vapor phase selective epitaxy.—75-03162A

vaporization,
Thermodynamics of the Si-O-N system: I, High-temperature study of the vaporization behavior of silicon nitride by mass spectrometry.—75-03857A
Thermodynamics of the Si-O-N system: II, Stability of $Si_2N_2O(s)$ by high-temperature mass spectrometric vaporization.—75-03858A
Vaporization behavior of nonstoichiometric refractory carbide materials and direct observations of the vapor phase using laser diagnostics.—75-00276A
Vaporization of $LaCrO_3$: partial and integral thermodynamic properties.—75-09102A

vapors,
Atomic carbon vapor as a diamond growth precursor in thermal plasmas.—75-01383A
Crystallinity of AlN film deposited by reactive sputtering method: effects of residual water vapor.—75-08896A
Method for the cold end coating of glassware using a vaporizer having an internal flow path from a reservoir of liquid coating material to a vapor deposition chamber.—75-08750P

varistors,
Crystallized glass compositions for coating oxide-based ceramics.—75-03205P
Dependence of ZnO varistor grain boundary resistance on sintering temperature.—75-05278A
Effect of addition of calcined grains on the microstructure and nonlinearity features of ZnO varistors.—75-05289A
Faults of ZnO crystal in ZnO varistor.—75-00490A
Ineffective grain boundaries and breakdown threshold of zinc oxide varistors.—75-05343A
Influence of gas medium and heat treatment on nonlinearity of *I-V* characteristics of zinc oxide varistors.—75-05346A
Interface formation of Bi on ceramic ZnO: a simple model varistor grain boundary.—75-00523A
Low breakdown voltage varistors by grain boundary diffusion of molten Bi_2O_3 in ZnO.—75-03083A
Microstructure and crystal phases of praseodymium oxides in zinc oxide varistor ceramics.—75-05385A
Polarization currents in zinc oxide varistors from 77 to 450 K.—75-00574A
Polarization relaxation in zinc oxide varistors from 77 K to 450 K.—75-00362A
Preparation of ZnO-based varistors by the sol-gel technique.—75-05446A
Processing and phase evolution in ZnO varistor prepared by oxide coprecipitation.—75-00581A
Varistor performance of ZnO-based ceramics related to their densification and structural development.—75-03196A

velocity,
Overview of impact damages in ceramic materials for impact velocity below 2 km/s.—75-07019A

Ultrasonic phase velocity and elastic modulus in isotopically enhanced manufactured diamonds.—75-01364A
Ultrasound attenuation and velocity in $Bi_2Sr_{3-x}Ca_{1+x}Cu_2O_{8-\delta}$ [x=0, 0.25, 0.5, 0.75, and 1].—75-03423A

vermiculite,
Application of vermiculite in construction.—75-08752A
Compositional variation of SiAlON phase produced after carbothermal reduction of a vermiculite-polyacrylonitrile intercalation compound.—75-01408A
Vermiculite.—75-06060A

vibration,
Additive oscillating modes in MgO-Fe^{2+} and MgO-Fe^{3+} crystals.—75-08863A
Application of self-flow type castable refractories in NKK.—75-07472A
Experimental installation for vibropressing articles from powder materials.—75-05093A
Experimental study of the influence of free carrier concentrations on the vibration spectra of $YBa_2Cu_3O_{7-y}$ compounds.—75-08315A
Phonon fluctuations and effect of pseudodoping in inhomogeneous amorphous semiconductors: III. Optical and thermal excitation of charge carriers with regard to fluctuations of phonon fields.—75-08006A
Theory of electromagnetic radiation of 2-D magnetoplasmon and cyclotron oscillations in a semiconducting heterostructure with periodic shields.—75-08079A
Theory of impurity vibrations in cubic boron nitride and boron phosphide.—75-09085A
Trap spatial recharging wave accompanying vibrations of the polar semiconductor.—75-05508A
Vibration control [analyzed] using piezoceramics in planar flexible linkage mechanisms.—75-03264A
Vibration damping of laminated composites with viscoelastic layer.—75-04274A
Vibration method for tracking the resonant mode and impedance of a microwave cavity.—75-01052A
Vibrational modes in Na^+-ß-alumina by molecular dynamics.—75-06404A
Vibrational spectra of bismuth silicate glasses and hydrogen-induced reduction effects.—75-04937A
Vibrational spectra of rare-earth tungstates and molybdates with different oxygen coordinations of tungsten and molybdenum.—75-09104A
Vibrational spectra of rings in silicate glasses.—75-04938A
Vibrational study of the role of trivalent ions in sodium trisilicate glass.—75-04939A
Vibrations of AT-cut quartz strips of narrow width and finite length.—75-03862A

viscoelasticity,
ShearDamping of advanced ceramic structures.—75-08542A
Thermoviscoelastic theory of freezing of stress and strain in a symmetrically cooled infinite glass plate.—75-02695A
Vibration damping of laminated composites with viscoelastic layer.—75-04274A
Viscoelastic behavior of macrodefect-free cement.—75-04838A
Viscoelasticity of ceramics at high temperatures.—75-07056A
Viscoelasticity of nanoalumina dispersions.—75-03942A

viscosity,
Approach in relating torque rheometer and capillary viscosity data of ceramic/polymer mixes.—75-08637A
Changes in elasticity and viscosity of an SiYAlON glass during structural relaxation in the transformation range.—75-04943A
Effect of undispersed agglomerates on the relative viscosity of ceramic molding suspensions.—75-06215A
Errors of the glass viscosity measurements by the beam-bending method as a result of defects of specimen surface and shape.—75-02587A
Evaluation of critical cooling rate for $30Na_2O$-$10MgO$-$60SiO_2$ glass based on viscosity.—75-07384A
High-frequency vortex dynamics in $YBa_2Cu_3O_7$.—75-08335A
Measurements of density and viscosity of aqueous aluminum nitrate solutions.—75-09159A
New description and interpretation of the flow behavior of glass-forming melts.—75-05029A
Surface charge and viscosity of mixed Si_3N_4-Y_2O_3 suspensions containing lignosulfonate.—75-09193A
Thermal strain and viscous flow of glass films.—75-01360A
Viscosity of portland cement paste as a function of concentration.—75-02431A

vitreous materials,
Aluminum nitride body utilizing a vitreous sintering additive.—75-08815P
Annealing of massive vitreous waste forms.—75-03446A
Charged defects in vitreous silica.—75-06839A
Durability of vitrified ceramic waste forms produced from simulated low-level wastes using a plasma centrifugal furnace.—75-03458A
Vitreous ceramic waste form for Hanford tank wastes.—75-03502A
Vitrified ceramic stoneware tiles.—75-05070A

vitrification,
Behavior of platinum group metals during virtrification of simulators of high-level liquid wastes (induction furnace with water-cooled crucible).—75-03447A
Behavior of uranium, plutonium, and radiogenic americium upon vitrification of model high-level liquid wastes.—75-03448A
Commercialization of the in situ vitrification [ISV] technology.—75-05890A
Correlation of the secondary electron emission coefficient of vitreous and crystalline materials with their atomization energies.—75-08889A
Corrosion assessment of refractory materials for waste vitrification.—75-08498A
Development of a vitrification process to solidify Savannah River M Area waste.—75-03456A
Genesis of the vitreous state: effect of pressure on the thermodynamic properties of glasses and their structure.—75-02589A
Glassy slag from rotary hearth vitrification.—75-03469A
High-temperature vitrification of surrogate Savannah River Site (SRS) mixed waste materials.—75-03470A
Initiatives in high-level radioactive waste vitrification.—75-00930A
Low-frequency vibrational spectra of the vitreous and crystalline germanium dioxide.—75-02593A
Materials performance in a high-level radioactive waste vitrification system.—75-08505A
Melter component performance during surrogate low-level mixed waste vitrification campaigns.—75-08506A
Melter technology evaluation for vitrification of Hanford Site low-level waste.—75-03479A
Method for the vitrification of waste materials and apparatus to carry out the method.—75-03545P
Pilot-scale vitrification high-nitrate/high-sodium content Hanford low-level waste simulant.—75-03484A
Preparing vitreous coatings on metals by the sol-gel method.—75-07225A
Quantum-chemical study of the destruction of the infinite random network in vitreous B_2O_3.—75-09666A
Structural features of vitreous and glass-ceramic materials prepared from brown coal ashes.—75-02610A
Vitreous selenium containing fullerenes.—75-02699A
Vitrification of low-level waste streams that contain large amounts of fluorides.—75-03503A
Vitrification technology for Hanford Site tank waste.—75-03505A
Waste loading maximization for vitrified Hanford HLW blend.—75-03508A
Waste vitrification—choice of melter.—75-03509A
XRF in waste glass analysis and vitrification process control: III, Rapid and accurate chemical analysis of vitrified wastewater treatment sludge surrogates.—75-03510A

volatilization,
Three-dimensional modeling of alkali volatilization/crown corrosion in oxy-fired glass furnaces.—75-08741A
Volatilization during thermal plasma processing of glass melts containing heavy metals.—75-05919A
Volatilization rates of troublesome components from a simulated low-level nuclear waste glass.—75-03506A

voltage,
Characteristics of SiC of voltage stabilizers for the 20–300°C temperature range.—75-07803A
Discovery of photosensitivity in semiconductor/green leaf heterocontacts.—75-02997A
Dynamics of variation of forward voltage drop on *pin* diodes under transient neutron irradiation.—75-07839A
Effect of substrate bias on selected properties of Ta-C [tetrahedral amorphous carbon] films deposited by FCVA [filtered cathodic vacuum arc] technique.—75-09285A
Field-independent relationship between critical current and voltage drop for bulk YBCO superconducting sample in a magnetic field.—75-08322A
Influence of sample geometry on the current-voltage characteristics of *p-n* junctions in a high microwave field.—75-07927A
Low-level leakage currents in thin silicon oxide films.—75-00536A
Method for producing ceramic parts.—75-08106P
Straightened voltage effect in high-T_c superconductors.—75-00868A
Voltage-current characteristic of the heterostructure on the basis of disordered zinc selenide.—75-05514A

vtrification,
Properties of glasses for Idaho mixed waste vitrification.—75-03490A

wafers,
Convex line type thermal printing head.—75-01017A
Effects of prolonged high-voltage STM scanning on an oxidized silicon wafer surface.—75-04321A
Evaluation of LPDs [light point defects] on Si wafer surface.—75-09508A
Lithium niobate crystal wafer, process for the preparation of the same, and method for the evaluation thereof.—75-03266P
Method for chemical vapor depositing a titanium nitride layer on a semiconductor wafer and method of annealing TiN films.—75-00635P
Method for producing a wafer with a monocrystalline silicon carbide layer.—75-05525P
Silicon carbide carrier for wafer processing in vertical furnaces.—75-03755P
Silicon carbide wafer bonded to a silicon wafer.—75-03214P

wall tiles,
75 years of experience in the ceramics field.—75-02109A
Cecrisa, the reconquest of Brazil.—75-02756A
Effect of ball clays on tile body formulations.—75-02770A
Effect of carbonates on wall tile bodies.—75-02771A
European-style fast single firing of wall tiles.—75-00286A
Floor and wall tile production through a multipurpose body.—75-02772A
Glazes for single fast-fired wall tiles containing iron slag.—75-00288A
Single fast-fired wall tiles containing Iranian iron slags.—75-00254A
Wollastonite, pyrophyllite, and talc for rapid-fire wall tile bodies.—75-02802A

washing,
Influence of crystallization and washing medium on the characteristics of nanocrystalline Y-TZP.—75-09338A
Reminiscences of an old building ceramics clay preparation method—washing: II.—75-00983A
Washing agent attacks on bone china glazes.—75-05169A

waste disposal,
Ceramic Transactions, Volume 61: Environmental Issues and Waste Management Technologies in the Ceramic and Nuclear Industries.—75-02162B
Contributions of the National Council on Radiation Protection and Measurements (NCRP) to radioactive waste management.—75-03453A
Development of large ceramic container technology for nuclear waste disposal.—75-03457A
Energy management—waste management. Programs and initiatives for energy conservation and waste recycling.—75-09711A
Evolving role of engineered barriers in disposing of commercial high-level radioactive waste.—75-03465A
Hot isostatically pressed concrete as a radwaste form.—75-03472A
Immobilization as a route to surplus fissile materials disposition.—75-03473A
Incorporation of arsenic in silicate slags as a disposal option.—75-03521A
Industrial refuse incinerator.—75-05903A
Melter technology evaluation for vitrification of Hanford Site low-level waste.—75-03479A
Microwave technology for waste management applications including disposition of electronic circuitry.—75-00966A
Microwave treatment of emissions from the destruction of electronic circuitry.—75-00967A
Radio-frequency-enhanced soil vapor extraction for in situ remediation.—75-00982A
Radium-bearing waste disposal.—75-03492A
Semigasification-type refuse incinerator.—75-08541A
The 70's: from selection of alternative waste forms to evaluation of storage system variables.—75-03501A
Vitrification of low-level waste streams that contain large amounts of fluorides.—75-03503A
Vitrification technology for Hanford Site tank waste.—75-03505A

wastes,
Annealing of massive vitreous waste forms.—75-03446A
Behavior of platinum group metals during virtrification of simulators of high-level liquid wastes (induction furnace with water-cooled crucible).—75-03447A
Behavior of uranium, plutonium, and radiogenic americium upon vitrification of model high-level liquid wastes.—75-03448A
Blended waste form for Cd^{2+}- and Na^+-rich liquid waste stream.—75-03449A
Candidate glass-ceramic waste forms for immobilization of the calcines stored at the Idaho Chemical Processing Plant.—75-03450A
Chemical analyses and morphologies of some solid industrial process wastes with possible use as raw materials in the clay-based ceramic industry.—75-00944A
Chemical resistance of decorated film coatings based on iron-containing industrial waste.—75-02631A
Complying with the storm water regulations.—75-04693A
Concrete and articles based on S-containing industrial wastes.—75-07140A
Conversion of fly ash to zeolites for waste treatment.—75-03513A
Coprocessing of waste products.—75-00028A
Corrosion assessment of refractory materials for waste vitrification.—75-08498A
Crucible materials for the plasma treatment of radioactive waste.—75-08499A
Designed cements for waste encapsulation.—75-00029A
Development of a vitrification process to solidify Savannah River M Area waste.—75-03456A
Development of effective reuse system of mixed wastewater from electroplating mill by electrodialysis.—75-08517A
Durability of vitrified ceramic waste forms produced from simulated low-level wastes using a plasma centrifugal furnace.—75-03458A
Effect of controlled crystallization on the chemical durability of a lead-containing waste glass.—75-05005A
Effect of crystallization on the durability of mixed waste glasses.—75-03461A
Electrical corrosion of Inconel 690 as an electrode material for waste glass melters.—75-08501A
Electrochemical corrosion and protection of electrodes for a simulated high-level waste high-temperature glass melter.—75-08502A
Environmental conservation—what does the future hold?—75-02127A
Evaluation of models of waste glass durability.—75-03464A
Flow and transport modeling of a low-level radioactive waste disposal facility.—75-03466A
Glass and ceramic waste forms—applications and materials properties.—75-03467A
Glass furnace waste glass chemistry.—75-08726A
Glassy slag from rotary hearth vitrification.—75-03469A
High-temperature vitrification of surrogate Savannah River Site (SRS) mixed waste materials.—75-03470A
History of radioactive waste—how did we get here.—75-03471A
Industrial waste as raw material for cement production.—75-07160A
Innovative environmental solutions to radioactive waste management—blending technology and resources.—75-00931A
Leachability of a blended cement waste form for Cd^{2+}- and Na^+-rich liquid waste.—75-03476A
Long-term performance of glasses for Hanford low-level waste.—75-03477A
Materials performance in a high-level radioactive waste vitrification system.—75-08505A
Melter component performance during surrogate low-level mixed waste vitrification campaigns.—75-08506A
Method for the vitrification of waste materials and apparatus to carry out the method.—75-03545P
Microscopic characterization of crystalline phases in waste forms.—75-03480A
Monophasic sodium zirconium phosphate (NZP) as a host structure for the immobilization of reprocessed high-level commercial wastes.—75-03481A

Pilot-scale vitrification high-nitrate/high-sodium content Hanford low-level waste simulant.—75-03484A
Processability of a glass-ceramic formulation to immobilize Fluorinel-sodium calcine.—75-03487A
Processing/recycling for waste materials of high-technology industries.—75-08539A
Properties of a loess-cinder-flotation waste system using a simplex-latticed design.—75-07362A
Properties of glasses for Idaho mixed waste vitrification.—75-03490A
Radioactive wastes 1955-1995.—75-03491A
Refractories based on using dross from remelting of aluminum scrap.—75-07647A
Results of pressing and heating some solid industrial process wastes alone with water as a binder.—75-00984A
Reuse of water treatment residuals.—75-00252A
Role of deflocculants during concentration of the simulated high-level radioactive wastes.—75-03493A
Segregation of sulfate and phosphate in the vitrification of high-level wastes.—75-03494A
Slag waste in the production of glass crystallite.—75-07400A
Sludge reuse in glazes and engobes.—75-05066A
Statistical experimental design of a waste glass study.—75-03497A
Surface analyses of SRS glasses buried in limestone for up to 5 years.—75-03500A
Transforming hazardous waste into sellable ceramics by the Qubator Process.—75-00989A
Turning furnace waste into glass raw material.—75-03634A
Use of industrial waste for the production of building materials.—75-05069A
Use of recovery wastes of oil shales from the Volga basin in the production of ceramic bricks.—75-07456A
Utilization of synthetic phillipsite as a means for decreasing the concentration of ammonium ions in waste waters.—75-03537A
Utilization of waste catalyst in refractory concrete.—75-07692A
Vitreous ceramic waste form for Hanford tank wastes.—75-03502A
Vitrification of radioactive Fernald wastes with the continuously fed Duramelter 100.—75-03504A
Waste loading maximization for vitrified Hanford HLW blend.—75-03508A
Waste vitrification—choice of melter.—75-03509A
Wastewater treatment in today's regulatory environment.—75-03538A
XRF in waste glass analysis and vitrification process control: III, Rapid and accurate chemical analysis of vitrified wastewater treatment sludge surrogates.—75-03510A

water glass,
Process for producing a casting ceramic.—75-08617P

water,
Calcium phosphate conversions in water and H_3PO_4 solutions.—75-09225A
Chemical durability of simulated nuclear waste glasses containing water.—75-03451A
Complying with the storm water regulations.—75-04693A
Crystal structure of neptunyl oxalate hexahydrate $(NpO_2)_2C_2O_4{\cdot}6H_2O$.—75-08894A
Crystallinity of AlN film deposited by reactive sputtering method: effects of residual water vapor.—75-08896A
Development of effective reuse system of mixed wastewater from electroplating mill by electrodialysis.—75-08517A
Durability of concrete incorporating high volumes of fly ash from sources in the U.S.—75-02398A
Dynamic properties of water in porous Vycor glass studied by dielectric techniques.—75-04892A
Heat of water chemisorption on a-Al_2O_3 at 200–400°C.—75-06238A
Influence of surface structure on the interaction of water with TiO_2(100).—75-04343A
Is your glass full of water.—75-05023A
Movement of channel H_2O in cordierite observed with quasi-elastic neutron scattering.—75-03811A
Multicomponent clinkerless waterproof gypsum binders.—75-07169A
Performance of water-lubricated ceramics in triboapplications—mechanical seals and journal bearings.—75-09659A
Production of water glasses in the presence of hydrogen peroxide.—75-05039A
Rapid evaluation of the water/cement ratio of hardened portland cement paste.—75-04830A
Removal of fine particles from water surface by pulse air jets.—75-06758A
Slip rolling friction and wear of ceramics in water and oil.—75-09671A
Water sorption-desorption characteristics of proton-conducting antimonic acids with cubic and monoclinic structures.—75-03863A

waveguides,
Alumina thin films as optical waveguides.—75-00208A
Bragg reflection in periodically segmented $KTiOPO_4$ waveguides.—75-01263A
Characterization of proton exchange lithium niobate waveguides.—75-00639A
Compact and robust fiber optic components using integrated optics with silica waveguides.—75-00947A
Crystal structure of proton-exchanged $LiNbO_3$ waveguides.—75-00642A
Effect of sidewall roughness in buried channel waveguides.—75-03009A
Er^{3+}-doped soda-lime glasses and planar waveguide devices.—75-05010A
Glass optical waveguide amplifier.—75-04968A
Lithium niobate optical TE-TM mode splitter.—75-00713P
Low-loss fiber-matched diluted multiple quantum well waveguides.—75-03085A
Mica as a waveguiding support for investigating ultrathin layers.—75-01032A
Nonlinear optical properties of proton-exchanged waveguides in z-cut $LiTaO_3$.—75-00678A
Numerical and experimental investigation of metal waveguide containing a layer of transversely magnetized semiconductor.—75-07987A
Optical properties and crystalline structure of annealed proton-exchanged waveguides in $LiNbO_3$.—75-08155A
Optical waveguide moldings made from silicon nitride and a method of detecting optical wavelengths using same.—75-07435P
Optical waveguide-type bistable devices.—75-04985A
Partially loaded microwave waveguide resonant standing wave electrooptic modulator.—75-00717P
Performance of 1.3 μm ridge waveguide distributed feedback lasers fabricated by one-step metallorganic chemical vapor deposition.—75-03114A
Photon scanning tunneling microscopy of optical waveguide structures.—75-01330A
Photorefractive damage in $LiNbO_3$ thin-film optical waveguides grown by liquid phase epitaxy.—75-00684A
Planar waveguide-type optical amplifiers.—75-05032A
Polarization of superluminescence and anisotropy of optical losses in a waveguide InGaP/GaAs/InGaP structure.—75-03130A
Processing of highly oriented $LiNbO_3$ films for waveguides from aqueous solution.—75-03252A
Proton-exchanged waveguides in lithium tantalate crystals: I, Method of determining the crystal lattice parameters of nonstressed $H_xLi_{1-x}TaO_3$ solid solutions.—75-09043A
Proton-exchanged waveguides in lithium tantalate crystals: II, Crystal structure and optical properties.—75-09044A
Review of optical waveguides sensors for bio/chemical and environmental applications.—75-01093A
Sol-gel-derived La-doped $PbTiO_3$ waveguides.—75-05638A
Soliton solutions in theory of slot waveguide transmission lines with nonlinear ferroelectric films.—75-05639A
Surface sensitivity of SiON integrated optical waveguides (IOW) examined by IOW attenuated total reflection spectrometry and IOW Raman spectroscopy.—75-03177A
X-ray waveguide modes in layer structures.—75-06916A

waves,
Bolometers for infrared and millimeter waves[—review].—75-01011A
Combining orthogonally polarized waves in barium titanate through parametric scattering.—75-08881A
Exchange spin waves in nonuniform yttrium iron garnet films.—75-00733A
Generation of radio impulses by an electromagnetic shock wave in a transmission line with a ferrite.—75-08219A
Quasi-stationary charge transport by a surface acoustic wave.—75-08033A
Relationship between field direction and wave propagation in activated combustion synthesis.—75-06757A
Trap spatial recharging wave accompanying vibrations of the polar semiconductor.—75-05508A

wear resistance,
Coated cemented carbides.—75-07256P
Composite wear-resistant glass-ceramic materials with various fillers.—75-03875A
Engine bearing surface treatment.—75-00157P
Fine grain diamond workpieces.—75-03732P
Grain size dependence of sliding wear in tetragonal zirconia polycrystals.—75-09639A
High-temperature wear test of silicon nitride ceramics.—75-03700A
Mechanically retained wear-resistant ceramic pad.—75-00160P
Microstructural design of ceramics for optimum wear resistance.—75-09654A
Production of wear-resistant materials based on "chipped" titanium diboride.—75-06753A
Protective materials on the base of the Cr-C-system with phase gradient.—75-02537A
Technological and product requirements for fast firing of glass-ceramic glazes.—75-02889A
Tribological properties of sprayed films for high-temperature seals.—75-02557A
Wear resistance of ZTM ceramics.—75-04667A
Wear-resistant coatings with graded structure.—75-02560A
Wear-resistant cubic boron nitride-based cutting tool.—75-06143P
Wear-resistant materials in SiC-B_4C system.—75-09696A
Wear-resistant, self-lubricating surfaces of diamond coatings.—75-09697A

wear,
Abrasive wear behavior of an Si_3N_4-$MoSi_2$ composite.—75-04449A
Abrasive wear of borosilicate glass.—75-04942A
Cathodoluminescence microscopy—a technique uniquely suited to the solution of refractory wear problems.—75-00259A
Classification of the wear performance of ceramic particulate-reinforced aluminum alloys.—75-09607A
Combination thermal barrier and wear coating for internal combustion engines.—75-01159P
Correlation between friction coefficient and wear mechanism of SiC/SiC system.—75-04466A
Designing for effective use of "debris" in wearing systems: with an illustration from ceramic wear.—75-09614A
Detection of wear transitions of unlubricated silicon nitride rubbing surfaces using acoustic emission technique.—75-08653A
Development of wear maps for the abrasion and erosion of ceramic materials.—75-09616A
Direct observation of the boundary lubrication of ceramics.—75-09617A
Dynamic cutting forces during machining with ceramic cutting tools.—75-00953A
Dynamic recrystallization during the sliding wear of alumina at elevated temperatures.—75-08910A
Effect of composition and physical properties of silicon nitride on rolling wear and fatigue performance.—75-04494A
Effect of excimer laser irradiation on slurry erosion wear rates of alumina.—75-09620A
Effect of grain boundary devitrification on the wear of glass-bonded alumina ceramics.—75-06966A
Effect of impurities in grain boundary phases on wear behavior of Si_3N_4.—75-09621A
Effects of friction and wear on PECVD diamond films.—75-01837A
Effects of grain size and humidity on fretting wear in fine-grained alumina, Al_2O_3/TiC, and zirconia.—75-04504A
Effects of hardness and fracture toughness of target ceramics and abrasive particles on wear rate by abrasive water jet.—75-09628A
Effects of humidity and sliding speed on the wear properties of Si_3N_4 ceramics.—75-04506A
Effects of silicon carbide nanophase on the wet erosive wear of polycrystalline alumina.—75-09629A
Effects of titania whisker precipitation on wear property of the glass-ceramic.—75-07333A
Erosive wear characteristics of engineering ceramics.—75-02048A
Fatigue wear mechanism of alumina-based ceramics under synchronized cyclic normal and tangential loads.—75-09635A
Fracture mechanics approach to ceramic wear.—75-04538A
Friction and wear mechanism of zirconia in unlubricated sliding contact.—75-09318A
Friction and Wear of Ceramics.—75-02164B
Grain size effects on the mechanism of wear in alumina.—75-02056A
Improved wear of amorphic diamond-coated medical and dental implant substrates.—75-09641A
Influence of electrochemical potentials on the friction and wear of iron and iron oxides in aqueous systems.—75-04565A
Influence of liquid media on oscillating sliding wear of cordierite glass and cordierite ceramic.—75-04971A
Machining performance of zirconia cutting tools.—75-01028A
Method of making synthetic diamond wear component.—75-00008P
Microstructure control and wear of Al_2O_3-SiC-(Al,Si) composites made by melt oxidation.—75-04603A
Nanophase diamond films.—75-01181P
Optimum microstructure of transformation-toughened ceramics for improved wear performance.—75-02082A
Possibilities and limits of wear protection through advanced ceramics.—75-09663A
Preparation, characterization, and wear behavior of TiN_x-coated cermets obtained by plasma-enhanced chemical vapor deposition.—75-04864A
Refractory wear of dolomitic and magnesitic BOF lining depending on temperature and lime saturation.—75-07654A
Review of abrasive wear of ceramics.—75-09182A
Shear and trace-wear behavior of ZA-12 alloy/ZnO_w composite.—75-02544A
Slip rolling friction and wear of ceramics in water and oil.—75-09671A
Slurry abrasion resistance of engineering ceramics.—75-05980A
Spatial and temporal probes of fracture, wear, and deformation.—75-04628A
Tribochemically assisted wear of silicon nitride ball.—75-09683A
Tribochemistry of ceramics.—75-09210A
Tribology of silicon-based ceramics.—75-04659A
Use of ceramics and cermets for wear protection applications in the oil sands industry.—75-09689A
Wear and micromechanical properties of microstructurally improved ceramic plasma-sprayed coatings.—75-09691A
Wear and wear transition in silicon carbide ceramics during sliding.—75-04663A
Wear behavior of alumina and SiAlON in line contact lubricated with diamond slurry.—75-09692A
Wear mechanism of diamond-coated cutting tools.—75-09693A
Wear mechanism of magnesia ramming material for cobalt-melting induction furnace.—75-03636A
Wear mechanisms in ceramic cutting tools.—75-09694A
Wear mechanisms of ceramics.—75-09695A
Wear of aluminum alloy matrix composites in lubricated conformal contact with case hardened steel.—75-04664A
Wear of enamel against glass-ceramic, porcelain, and amalgam.—75-06075A
Wear of graphite and PAN-pitch carbon-carbon composites.—75-04665A
Wear of tin coating and Al-Si alloy substrate against carburized steel under mixed lubrication.—75-04666A
Wear properties of alumina/aluminum composites with interpenetrating networks.—75-00147A
Wear resistance of alumina-based ceramics.—75-02108A
Wear studies of fiber-reinforced ceramic matrix composites.—75-04668A
Wet erosive wear behavior of fine-grain zircon ceramic.—75-09698A

Weibull statistics,
Calculation of Weibull life expectancy parameters from fracture data using the maximum likelihood criterion and a Nelder-Mead simplex minimization algorithm.—75-08640A
Simplified statistical analysis of constituent scaling in composites.—75-05976A

welding,
Deformation welding of scintillating materials.—75-01421A
Mechanical properties of laser welded T-300 maraging steel.—75-04592A

Modeling the formation potential of intragranular acicular ferrite in welding microstructure.—75-03320A

wet processing,
Colloidal processing of structurally reliable Si_3N_4.—75-03973A
Fine grinding.—75-06608A
Nonstoichiometric lead titanate ceramics prepared by a wet chemical processing.—75-03244A
Preparation of YBCO-Ag composites with low carbon contents by a wet method.—75-05445A
Slip casting and pressure slip casting of Si_3N_4 aqueous suspensions.—75-01672A
Surface state analysis of wet ground silicon nitride powders by X-ray photoelectron spectroscopy.—75-01249A
Wet process preparation of amorphous Y-Fe oxide films ferromagnetic at room temperature.—75-03340A

wettability,
Evaluation of the wettability of Al-Pb and Al-Sn alloys with SiC and Al_2O_3 particulates by means of pressure infiltration.—75-05944A
Wetting of Si-Al-O-N ceramic by Sn-5 at.% Ti-X ternary active solder.—75-06830A

wetting,
Observations on wetting in the Bi_2O_3-ZnO system.—75-06903A
Reactive wetting in the liquid-silicon/solid-carbon system.—75-04199A
Reactive wetting taxonomy.—75-04200A
Solidification of grain boundaries with increasing temperature.—75-04400A
Strategies for controlling the wetting behavior of intergranular films in liquid phase sintered ceramics.—75-01683A
Thermal stage for nanoscale structure studies with the scanning force microscope.—75-01045A
Wetting and dewetting of Si/SiO_2-wafers by free and liquid-monolayer covered aqueous solutions under controlled humidity.—75-05515A
Wetting and segregant films at ceramic grain boundaries.—75-01976A
Wetting of ceramic materials by liquid silicon, aluminum, and metallic melts containing titanium and other reactive elements—a review.—75-04275A

whiskers,
ß-Si_3N_4 whiskers embedded in oxynitride glasses: interfacial microstructure.—75-07282A
Apparatus for making nanostructured ceramic powders and whiskers.—75-08552P
Can tooling components.—75-06115P
Carbothermal synthesis of TiC whiskers via a vapor-liquid-solid [VLS] growth mechanism.—75-09230A
Ceramic cutting tool reinforced by whiskers.—75-06078P
Coating of fine-grained silicon nitride whiskers on fiberlike silicon nitride.—75-01399A
Effects of titania whisker precipitation on wear property of the glass-ceramic.—75-07333A
Effects of various reducing agents on the synthesis of Si_3N_4 whiskers from diatomaceous earth.—75-01476A
Formation and characterization of α-Si_3N_4 whiskers from laser-synthesized nanoamorphous Si-N-C powders.—75-04049A
Hydrothermal synthesis of biocompatible whiskers.—75-06641A
Improved dispersion of silicon nitride whiskers.—75-04074A
In situ formation and characterization of α-Si_3N_4 whiskers from nanoamorphous Si-N-C powders.—75-04075A
In situ measurement of bending strength of TiC whiskers in the scanning electronic microscope.—75-04562A
In situ NZP type whisker growth.—75-01536A
Method for manufacturing whisker preforms and composites.—75-06125P
Method of manufacturing aluminum borate whiskers having a reformed surface based upon gamma-alumina.—75-08836P
Microstructural features of sintered Si_3N_4/SiC-whiskers composites: mechanical integrity of whiskers.—75-06892A
Preparation and critical current density of a Bi-based superconducting whisker composite.—75-00848A
Preparation conditions for aragonite whiskers by carbonation process.—75-09388A
Silicon carbide whisker reinforced cutting tool material.—75-03682P
Static fatigue resistance of Si_3N_4+Si_3N_4 whisker ceramics at 1200°C.—75-07031A
Synthesis of transparent aluminum nitride whiskers and their applications to composite materials.—75-01721A
Whisker- and particle-reinforced ceramic cutting tool material.—75-01140P

whiteware,
Advances in isostatic pressing.—75-03949A
Alabama's Monarch National.—75-02185A
Developing techniques to utilize lower grade materials.—75-02863A
Dust pressing process speeds plate production.—75-02865A
Giants in whiteware.—75-02871A
Localized surface glazing of ceramic articles.—75-00295P
Magnetic separator trims reject rate.—75-02876A
Restaurant trends heat up tableware market.—75-00293A
Whitewares technology at the turn of the millennium.—75-07716A

windows,
Automobile window glasses with complex shapes.—75-05001A
Diamondlike carbon film on ZnSe by ac sputtering and MPCVD [microwave power] hybrid method for infrared window applications.—75-08806A
Infrared glass window adhering to diamond film.—75-07388A

wire,
Ag-clad $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+}x$ high-T_c superconducting wires and tapes.—75-00769A
Application of high-T_c superconducting $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ Ag-clad wires in a prototype fault current-limiter.—75-00772A
Ceramic insulated electrical conductor wire and method for manufacturing such a wire.—75-05217P
Composite superconductor and method of the production thereof.—75-00006P
Composite superconductor and method of the production thereof.—75-08454P
Development and characterization of miniaturized circuits for high-frequency applications using micromatching techniques.—75-00311A
Effect of transport superconducting current on the critical currents of Bi(2212) wires in silver sheath.—75-08300A
Fabrication of silicon quantum wires by conventional silicon processing.—75-07886A
High temperature superconducting coil and method of manufacturing thereof.—75-08457P
Interband impurity light absorption in thin III-V semiconductor wires.—75-07938A
Mechanical and electronic manipulation of nanometer-sized wires.—75-03526A
Method for manufacturing high-T_c superconductor coils.—75-00907P
Method of preparing oxide superconducting wire.—75-00909P
Method of preparing oxide superconducting wire.—75-05874P
Method of preparing oxide superconducting wire.—75-08473P
Multifilamentary oxide superconducting wire and coil formed by the same.—75-08476P
Ni incorporated into anodic porous alumina formed on an Al wire.—75-06696A
Oxide high-temperature superconducting material, method of preparing same, and superconducting wires.—75-08478P
Preparation of 2212-Ag laminated superconducting wires.—75-00850A
Process for manufacturing a composite oxide superconducting wire.—75-00914P
Role of wireless communications in the National Information Infrastructure.—75-02147A
Scaling of the volume pinning force in superconducting wires and tapes based on $Bi_2Sr_2CaCu_2O_x$.—75-00861A
Simple description of Frohlich interaction in cylindrical GaAs/AlAs quantum wires.—75-05476A

wollastonite,
Enthalpy of formation of wollastonite and anorthite by experimental phase equilibrium measurements and high-temperature solution calorimetry.—75-03795A
Manufacture and use of synthetic wollastonite in production of fast-fired ceramic tiles.—75-00244A
Sintering and mechanical properties of ß-wollastonite.—75-04627A
Wollastonite as sintering aid in zirconium oxide/calcium oxide composites.—75-09490A
Wollastonite, pyrophyllite, and talc for rapid-fire wall tile bodies.—75-02802A
Wollastonite.—75-06061A

work function,
Using a simple feedback loop to accurately count and track WIP [work in process].—75-03603A

wurtzite,
Crystallography of epitaxial growth of wurtzite-type thin films on sapphire substrates.—75-01215A

X-ray diffraction,
Asbestos in bulk materials [analyzed] by X-ray diffraction: influence of grinding methods on the result.—75-06160A
Characterization of residual stresses in graded ceramic-metal structures: a comparison of diffraction experiments and FEM calculations.—75-02444A
Determining structural parameters of YBaCuO thin films by high-resolution X-ray diffractometry.—75-08288A
Effects of sintering conditions on hydroxyapatite for use in medical applications: a powder diffraction study.—75-06596A
High-resolution X-ray scattering studies of epitaxial $GdBa_2Cu_3O_{7-\delta}$ thin films.—75-03373A
In situ X-ray diffraction studies of $YBa_2Cu_3O_x$/$LaAlO_3$ interfaces.—75-01222A
New possibilities of X-ray diffraction analysis in assessing structural perfection of III-V and II-VI compounds.—75-05970A
Pressure-induced phase transition in cristobalite: an X-ray powder diffraction study to 4.4 GPa.—75-03826A
Quantitative X-ray diffraction analysis of portland cements.—75-00062A
X-ray diffraction characterization of percent crystallinity and contaminants in plasma-sprayed hydroxyapatite coatings.—75-01256A
X-ray diffraction investigation of highly defective $Bi_4Sr_4CaCu_3O_x$ single crystals.—75-05863A
X-ray diffraction method for the quantitative characterization of calcium phosphate coatings.—75-01977A
X-ray diffraction of aluminum nitride at heat-treatment temperature between 20° and 1200°C.—75-04445A
X-ray diffraction studies of the epitaxy of *a*/*b*-axes-oriented $YBa_2Cu_3O_{7-\delta}$ films grown by liquid phase epitaxy.—75-00894A
X-ray diffraction study of the incommensurate structure in $Bi_{2.2}Sr_{1.8}CaCu_2O_{8+\delta}$ single crystals.—75-03426A
X-ray powder diffraction data for high-T_c superconductor $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ (2223).—75-00895A

X-ray fluorescence,
Slag-foaming phenomena [analyzed] using an X-ray fluoroscopy technique and development of antifoamer for desiliconization process.—75-07664A

X-ray photoelectron spectroscopy,
Microstructural imaging of localized chemical reactions using valence photoelectrons.—75-01885A
X-ray photoelectron spectroscopy of Al- and B-substituted sodium trisilicate glasses.—75-04941A
X-ray photoelectron spectroscopy study of substrate surface pretreatments for diamond nucleation.—75-01978A

X-ray,
CVD diamond films for X-ray detectors.—75-08798A
Development and analysis of defects in CdTe single crystals and epitaxial layers by X-ray topography methods.—75-07826A
Effect of a magnetic field on the anomalous transmission of X-rays in the α-Fe_2O_3 crystal.—75-08199A
Improving practice for engineering ceramics X-ray testing technique.—75-03569A
Microfocal X-ray CT experimental system for NDT of advanced structural ceramics.—75-03581A
X-ray absorption studies of Bi-based superconductors.—75-05862A

xerogels,
Charge transfer transitions of copper(II) in drying silicate xerogels.—75-07288A
ETA [emanation thermal analysis] of nanocomposite xerogel powders.—75-08667A

Young's modulus,
Nondestructive testing of refractories.—75-00266A
Temperature dependence of dynamic Young's modulus and internal friction in LPPS NiCr AlY.—75-04868A
Young's modulus determination of functionally gradient Al-Al_3Ni material by a resonance method.—75-02562A

ytterbia,
Silicon nitride ceramic comprising samaria and ytterbia.—75-08844P

ytterbium,
Compositional dependence of absorption and fluorescence of Yb^{3+} in oxide glasses.—75-02633A
Electrical and luminescent properties of Yb-doped *n*-ZnSe single crystals.—75-03011A
Features of elastic behavior of ytterbium during the semimetal-semiconductor-semimetal transition under pressure.—75-07210A
Features of spin-lattice relaxation of Yb^{3+} ions in phosphate glasses.—75-04965A
High-temperature properties of Yb-containing Si_3N_4.—75-03899A
Kinetics and quenching mechanisms of photoluminescence in Yb-doped InP.—75-00530A
Low threshold, room temperature 1.64-μm Yb:Er:$Y_3Al_5O_{12}$ waveguide laser.—75-00535A
Phase relations in the system (Y, Dy, Yb)$_2Cu_2O_5$-CuO_x.—75-09032A
Synthesis and properties of ytterbium-doped C_{60}.—75-01350A
X-ray spectral study of interaction of subvalence electron shells in samarium and ytterbium oxides.—75-06413A
Ytterbium-doped apatite structure crystals: a new class of laser materials.—75-01257A

yttria,
Acoustic emission study of phase relations in low-Y_2O_3 portion of ZrO_2-Y_2O_3 system.—75-06153A
Ceramic composite material.—75-08774P
Ceramic rollers for conveyance of photographic films and paper polymeric webs.—75-08776P
Characterization of metastable tetragonal forms in ZrO_2-2.8 mol% Y_2O_3 ceramics.—75-03770A
Coating of yttria precursor on AlN powder by in situ precipitation.—75-06551A
Composite ceramics sintered body.—75-06086P
Compressive creep of a fine-grained polycrystalline yttria.—75-04463A
Critical factors determining the activity of oligomeric dispersants.—75-01417A
Densification behavior and properties of Y_2O_3-containing α-SiAlON-based composites.—75-04310A
Dispersion efficiency of powders of the Al_2O_3-(ZrO_2+Y_2O_3) system obtained by the plasmochemical method.—75-09264A
Effect of Al_2O_3 and Y_2O_3 on machining of silicon nitride.—75-09267A
Effect of Bi_2O_3 on the microstructure and electrical conductivity of ZrO_2-Y_2O_3 ceramics.—75-03885A
Effect of ferric oxide on the structure of solid solutions in the ZrO_2-Y_2O_3-Fe_2O_3 system.—75-06871A
Effect of structural defects formed in alloying of yttrium oxide by CeO_2 and in heat treatment on phase transformations.—75-09505A
Effect of Y_2O_3 on the sintering behavior of coprecipitated ZrO_2-SiO_2 hydrogel.—75-06589A
Electrokinetic behavior of aqueous ZrO_2(Y_2O_3) suspensions with ammonium polyacrylate.—75-01479A
Electronic trap defects in Y_2O_3:Eu and (Y, Gd)$_2O_3$:Eu X-ray scintillators.—75-01754A
Europium-doped yttrium oxide phosphor.—75-08577P
Experimental evidence of resputtering of the yttria layer in a $YBa_2Cu_3O_{7-\delta}$/Y_2O_3/$YBa_2Cu_3O_{7-\delta}$ trilayer film.—75-00802A
Grain boundary mobility in Y_2O_3: defect mechanism and dopant effects.—75-06876A
High-temperature deformation and point defects in yttria.—75-09510A
Hot isostatic pressing of tetragonal ZrO_2 solid solution powders prepared from acetylacetonates in the system ZrO_2-Y_2O_3-Al_2O_3.—75-06637A
Inhibition of the formation of the B metastable phase in yttrium oxide plasma spray coatings by the addition of zirconia.—75-06658A
Interfacial phenomena in Y_2O_3-ZrO_2-based ceramics—a surface science perspective.—75-01878A
Ionic conductivity of microwave sintered zirconia-yttria electrolytes.—75-00344A
Liquidus surface in the ZrO_2-Y_2O_3-Er_2O_3 system.—75-08971A
Mechanical relaxation of 4 wt% Y_2O_3-ZrO_2 tetragonal single crystals.—75-07012A
Modified sol-gel alumina.—75-07118P
Nitriding of large-sized aluminum.—75-04121A

Orientation relationships and interfaces between low symmetry phases in the yttria-alumina system.—75-04384A
Phase equilibria in the HfO_2-Y_2O_3-La_2O_3 ternary system.—75-09019A
Phase reaction and sintering behavior in the pseudoternary systen AlN-Y_2O_3-Al_2O_3.—75-09028A
Phase relations in the systems HfO_2-Y_2O_3 and ZrO_2-Y_2O_3: representation with *p-T-x* phase diagrams.—75-09033A
Processing, phase formation, and creep behavior of Si_3N_4 with Y_2O_3 and Al_2O_3.—75-03827A
Processing, properties, and microstructural design of sol-gel-derived nanostructured Ni-Y_2O_3/ZrO_2.—75-00122A
Rapid rate sintering of nanocrystalline ZrO_2-3 mol% Y_2O_3.—75-04192A
Rheological properties of Y_2O_3-ZrO_2 suspensions with various dispersants.—75-01651A
Role of particle dissolution in the stability of binary yttria-silica colloidal suspensions.—75-04203A
Silicon nitride based cutting tool insert.—75-01196P
Sintering of fine oxide powders: I. Microstructural evolution.—75-09574A
Sintering reaction in the system Si_3N_4-Y_2O_3-AlN.—75-01670A
Sol-gel synthesis of ZrO_2 solid solutions with Y_2O_3.—75-06773A
Solid-liquid reaction in the Si_3N_4-AlN-Y_2O_3 system under 1 MPa of nitrogen.—75-03836A
Structure and composition of interfacial silicon oxide layer in chemical vapor deposited Y_2O_3-SiO_2 bilayer dielectrics for metal-insulator-semiconductor devices.—75-00374A
Structure formation in a composite prepared from a ZrO_2-Y_2O_3-Al_2O_3 gel.—75-09453A
Surface charge and viscosity of mixed Si_3N_4-Y_2O_3 suspensions containing lignosulfonate.—75-09193A
Synthesis and structural characterization of a new system: ZrO_2-Y_2O_3-RuO_2.—75-09081A
Synthesis of transparent Nd-doped HfO_2-Y_2O_3 ceramics using HIP.—75-01722A
System HfO_2-Y_2O_3-Er_2O_3.—75-03846A
Thermodynamic calculation of the MgO-Y_2O_3-SiO_2 system.—75-03855A
Transport properties and structure of thin HTSC films of the $YBa_2Cu_3O_{7-\delta}$/ZrO_2:Y/α-Al_2O_3 system during magnetron sputtering.—75-05855A
Tunneling mode of superoxide radical anion decay on Pd-promoted yttria.—75-06401A
Variations in the electrical resistivity of Y_2O_3-doped ZrO_2 ceramics with microstructural design.—75-04416A
Water-dispersible, heat-resistant composition and use thereof.—75-01139P
X-ray photoelectron spectroscopy investigation on the low-temperature degradation of 2 mol% Y_2O_3-ZrO_2 ceramics.—75-09108A
Y_2O_3 single crystals: growth, structure, and photoinduced effects.—75-06415A
Yttria doping and sintering of submicrometer-grained α-alumina.—75-06831A
Zirconia crystals with yttrium and cerium oxides.—75-05152A

yttrium aluminum garnet (YAG),
Σ5 (210)/[001] symmetric tilt grain boundary in yttrium aluminum garnet.—75-09211A
589-nm light generation by intracavity mixing in an Nd:YAG laser.—75-02957A
Alumina/B-SiAlON/YAG composite ceramics.—75-01377A
Compositional optimization of α'-/β'-SiAlON ceramics with YAG as grain boundary phase.—75-03773A
Effect of composition on the oxygen tracer diffusion in transparent yttrium aluminum garnet (YAG) ceramics.—75-04281A
Effects of neodymium concentration on optical characteristics of polycrystalline Nd:YAG laser materials.—75-05301A
Fracture behavior of directionally solidified $Y_3Al_5O_{12}$/Al_2O_3 eutectic fiber.—75-04535A
High-temperature creep of yttrium aluminum garnet single crystals.—75-06990A
High-temperature deformation of single-crystal yttrium aluminum garnet (YAG).—75-04552A
Influence of MgO and SiO_2 dopants on the sintering behavior of yttrium aluminum garnet ceramics.—75-01541A
La^{3+} and Lu^{3+} isoelectronic centers in YAG.—75-08224A
Low threshold, room temperature 1.64-μm Yb:Er:$Y_3Al_5O_{12}$ waveguide laser.—75-00535A
Machining of CMC materials using YAG laser.—75-04099A
Microstructure and optical properties of hot isostatically pressed Nd:YAG ceramics.—75-05386A
Particle size effects in YAG:Cr phosphors.—75-01903A
Photo- and cathodoluminescence of hydrothermally synthesized $Y_3Al_5O_{12}$:Tb [YAG:Tb] and $NaY(WO_4)_2$:Tb.—75-05423A
Synthesis and crystallization of yttrium aluminum garnet and related compounds.—75-03335A
Synthesis of yttrium aluminum garnet from yttrium and aluminum isobutyrate precursors.—75-01724A
Transparent Cr^{4+}-doped YAG ceramics for tunable lasers.—75-00624A

yttrium barium copper oxide (Y-Ba-Cu-O),
Coated precursor powder for oxide superconductors.—75-05866P
Defects in superconductor thin films.—75-03351A
Direct correlation of transport properties and microstructure in $Y_1Ba_2Cu_3O_{7-\delta}$ thin-film grain boundaries.—75-03356A
Electrical behavior of high-T_c superconducting ceramic bulk shapes and their applications in current-limiting devices.—75-00797A
Electron microscopy studies and image simulation of the $YBa_2Cu_3O_{7-x}$/BaF_2 interface.—75-03364A
Epoxy-modified $YBa_2Cu_3O_{7-x}$ (123) superconductors with improved strength and fracture toughness.—75-00801A
Fabrication, microstructure, and superconductivity of textured $YBa_2Cu_3O_{7-x}$ bulk material of large size.—75-00804A
Important role of the interfaces in the high-temperature superconductors.—75-00812A
Interaction of twin boundaries with grain boundaries in $YBa_2Cu_3O_{7-\delta}$.—75-03375A
Melt-textured $YBa_2Cu_3O_{7-x}$ superconductor [studied] by transmission electron microscopy.—75-00828A
Method for manufacturing an oxide superconductor thin film and a target for use in the method.—75-00906P
Method of manufacturing Y-Ba-Cu-O superconducting thin film.—75-05873P
Method of producing a layer of superconductive oxide.—75-00910P
Method of producing an $SrTiO_3$/$YBa_2Cu_3O_7$ layer system and a layer system as thus produced as a high-temperature superconductor.—75-00911P
Method of producing superconductor which exhibits critical current density bifurcation.—75-05877P
Semiconducting properties of epoxy-modified $YBa_2Cu_3O_{7-x}$ (123) superconductors.—75-00862A
Superconducting properties of epoxy-modified $YBa_2Cu_3O_{7-x}$ (123) composites.—75-00873A
Surface and grain boundary modifications of $YBa_2Cu_3O_{7-\delta}$ ceramics by plasma-enhanced fluorination.—75-00875A
Temperature-dependent growth of $LaAlO_3$ films on $YBa_2Cu_3O_7$ *c*-axis films for multilayer structures.—75-03415A

yttrium barium copper oxide (YBCO),
c-axis optical response of fully oxygenated $YBa_2Cu_3O_{7-\delta}$ observation of dirty-limit-like superconductivity and residual unpaired carriers.—75-05721A
I-V characteristics of $YBa_2Cu_3O_{7-x}$ single crystals near T_c analyzed with a modulated procedure.—75-05722A
S- and *D*-condensate superpositions in the HTSC crystals with strong uniaxial crystalline fields.—75-05723A
^2H trapping in $YBa_2Cu_3O_{7-\delta}$/$LaAlO_3$<100> samples under $^2H^+$ irradiation.—75-00766A
10 kbar phase equilibria in the Y-Ba-Cu oxide system at 950°C.—75-00767A
Alkali metal impurities' influence on the magnetic and electrical properties of YBCO.—75-03342A
Anomalous phenomenology in nickel-substituted cuprates.—75-00770A
Application of surface chemical activation for synthesis of high-temperature superconductors.—75-05728A
Atomic scale flattening and characterization of a YBCO film surface.—75-08263A
Atomistic mechanisms of oxygen diffusion in $YBa_2Cu_3O_{7-x}$ and $YBa_2Cu_4O_8$.—75-05729A
$BaTiO_3$-$YBa_2Cu_3O_{6+\delta}$ ceramic composite system.—75-03343A
$BaZrO_3$ and $BaHfO_3$: preparation, properties, and compatibility with $YBa_2Cu_3O_{7-x}$.—75-05731A
Bicrystal junctions and superconducting quantum interference devices in $YBa_2Cu_3O_7$ thin films.—75-03344A
Change of structure of high-temp. superconductor core of compositional conductor after melting and crystallization.—75-05734A
Chemical vapor deposition of $YBa_2Cu_3O_x$ in a cold plasma reactor using an aerosol vaporization technique.—75-03345A
Complex susceptibilities of Co-doped $YBa_2Cu_3O_{7-\delta}$ synthesized by the polymerized complex method: II.—75-00776A
Computer simulation of the tweed microstructure in high-T_c superconductors.—75-05738A
Conditions for transition to superconducting state in the YREBaCuO (RE=Pr, Nd) system.—75-08276A
Correlation of transport and magnetic critical currents in melt-processed $YBa_2Cu_3O_{7-\delta}$ thick films.—75-00778A
Critical assessment of the process of growth of a $YBa_2Cu_3O_{7-\delta}$ [123] layer on Y_2BaCuO_5 [211].—75-08279A
Cryogenic scanning tunneling microscopy/spectroscopy on the (001) surfaces of $YBa_2Cu_3O_x$ epitaxial thin films.—75-00780A
Crystallization of lanthanide-doped $YBa_2Cu_3O_{7-\delta}$ ceramics as a method for preparing yttrium-containing high-T_c superconductors with high critical current densities.—75-08281A
Crystallization of superconducting yttrium barium cuprates from peritectic melts.—75-08282A
Crystallography of arbitrary grain boundaries by O lattice constructions: application to bulk $YBa_2Cu_3O_{7-\delta}$.—75-03350A
Dc electric field effect on the microwave properties of $YBa_2Cu_3O_7$/$SrTiO_3$ layered structures.—75-00783A
Decomposition of Y-Ba cuprates in solutions of alkaline halogenides with increased temperature and pressure.—75-05742A
Dependence of dissipation on magnetic field orientation in high-T_c superconductor ceramics.—75-03352A
Detection of ionic mobility of $YBa_2Cu_3O_{7-\delta}$ by means of the phase-sensitive rejection filtering technique.—75-03354A
Determination of copper ionic charges in yttrium barium cuprates based on the model of coulomb splitting of layers (BaO).—75-08285A
Determination of grain size and lattice distortions in ground $YBa_2Cu_3O_7$.—75-05744A
Determination of HTSC energy gaps during resistance measurements of the interface with a normal metal.—75-05745A
Determining structural parameters of YBaCuO thin films by high-resolution X-ray diffractometry.—75-08288A
Deuterium quadrupole coupling constant of H-doped Y-Ba-Cu-O systems.—75-03355A
Diagnostics of $YBa_2Cu_3O_{7-\delta}$ laser plume by time-of-flight mass spectrometry.—75-00785A
Distribution of components in metal oxide superconducting films produced by magnetron sputtering.—75-08291A
Early stages of growth of $YBa_2Cu_3O_{7-\delta}$ high-T_c superconducting films on (001)Y-ZrO_2 substrates.—75-05748A
Effect of an intermediate SnI_4 coating treatment on the critical transport current of the high-T_c superconductor YBCO.—75-08293A
Effect of double substitutions on transport properties, superconductivity, and band spectra in the $YBa_2Cu_3O_y$ system.—75-05751A
Effect of electrical field on the *I-V* characteristics of YBCO HTSC ceramics with an oxygen deficiency after hydrogen treatment.—75-05752A
Effect of ferroelastic deformation in the parent phase on the superconducting transition temperature of $YBa_2Cu_3O_{7-\delta}$.—75-05753A
Effect of microstructure of $YBa_2Cu_3O_x$ films on power handling capability studied with microstrip resonators.—75-00791A
Effect of neutron and γ-irradiation on YBCO and B(Pb)SCCO high-T_c superconductors.—75-03360A
Effect of oxygen vacancies on the X-ray emission spectra of Y-Ba-Cu-O thin films.—75-05755A
Effect of Pr and Ca substitution on superconductivity in $Y_{(1-x-y)}Pr_xCa_y)Ba_2Cu_3O_{7-\delta}$.—75-05756A
Effect of rhenium oxide addition on the superconducting characteristics in $YBa_2Cu_3O_y$.—75-00792A
Effect of silver in $YBa_2Cu_3O_{7-x}$ samples.—75-05757A
Effect of the ZrO_2-CaO substrate on superconducting properties of thick [$YBa_2Cu_3O_{7-x}$] high-T_c films.—75-05759A
Effect of zinc and iron on the (micro-) structure and copper charge excess of the YBaCuO superconductor.—75-05760A
Effects of high oxygen pressures and temperatures on the stability of the three superconducting Y-Ba-Cu-O compounds.—75-00794A
Effects of impurity contents of the starting materials of $YBa_2Cu_3O_x$ on superconducting characteristics.—75-00795A
Effects of photoinduced hole doping on transport properties of $YBa_2Cu_3O_x$ grain boundary junctions.—75-00796A
Effects of substituting mercury for yttrium, barium, and copper on the superconducting transition temperature of $YBa_2Cu_3O_x$.—75-03362A
Effects of Y_2BaCuO_5 [211] and platinum additions on the unidirectional solidification of $YBa_2Cu_3O_{7-\delta}$.—75-08303A
Effects of Y_2BaCuO_5 on the directional growth of $YBa_2Cu_3O_x$ superconductor.—75-05763A
Elastic after-effect study of the ferroelastic tetragonal-orthorhombic transition in $YBa_2Cu_3O_x$.—75-03363A
Electric field effect and transport properties of 90° grain boundary in $YBa_2Cu_3O_{7-x}$ thin films.—75-08305A
Electrical characteristics of MOCVD deposited $Ba_{1-x}Sr_xTiO_3$/$YBa_2Cu_3O_{7-x}$ on $LaAlO_3$ substrate.—75-05190A
Electrical transport and superconductivity in $YBa_2Cu_3O_{7-\delta}$-$YBa_2HfO_{5.5}$ percolation system.—75-00798A
Electron spin lattice relaxation in high-temperature superconductors: Cu^{2+} in Y-Ba-Cu-O.—75-08309A
Electronic Raman scattering study on $YBa_2Cu_3O_7$ in the superconducting state.—75-05764A
Electronic structural differences of $RBa_2Cu_3O_{6.1}$ (R=Y, Pr, and Nd) single crystals probed by soft X-ray absorption spectroscopy.—75-05765A
Energy-dispersive X-ray spectroscopic analysis in a microscopic area of a grain in YBCO ceramic superconductor.—75-03366A
Epitaxial $YBa_2Cu_3O_{7-\delta}$/(Ba, Sr)TiO_3 heterostructures on an Si-on-sapphire substrate.—75-08311A
Evidence of carbon retention in $YBa_2Cu_3O_{7-x}$ ceramics and its effect on the superconducting properties.—75-08312A
EXAFS studies of changes in the local environment of Cu ions in Fe- and Zn-doped $YBa_2Cu_3O_{7-\delta}$ superconductor.—75-03367A
Excess noise in $YBa_2Cu_3O_7$ thin-film grain boundary Josephson junctions and devices.—75-08313A
Experimental and theoretical studies of the slow oxidation stage of YBCO ceramics.—75-08314A
Experimental evidence of resputtering of the yttria layer in a $YBa_2Cu_3O_{7-x}$/Y_2O_3/$YBa_2Cu_3O_{7-x}$ trilayer film.—75-00802A
Experimental study of the influence of free carrier concentrations on the vibration spectra of $YBa_2Cu_3O_{7-y}$ compounds.—75-08315A
Fabrication of S-I-S planar sandwich-type junctions using in-plane aligned, *a*-axis-oriented $YBa_2Cu_3O_{7-x}$/$LaSrGaO_4$/$YBa_2Cu_3O_{7-x}$ trilayers.—75-08317A
Fabrication of the in-plane, aligned *a*-axis-oriented $YBa_2Cu_3O_{7-x}$ thin films.—75-08319A
Features of low-frequency conductivity and polaronic transport in the dielectric phase of YBaCuO.—75-08321A
Features of the electromagnetic absorption in high-J_c melt-textured samples.—75-03370A
Field-independent relationship between critical current and voltage drop for bulk YBCO superconducting sample in a magnetic field.—75-08322A
Fluctuation shift of T_c and width of the critical field in high-temperature superconductors.—75-05769A
Flux flow characteristics of step-edge junctions made of $YBa_2Cu_3O_{7-\delta}$ thin films.—75-08326A
Formation by ball milling and recrystallization of Y-Ba-Cu-O nanocrystalline phases.—75-00805A
Formation of pores and Y_2BaCuO_5-free regions during melt processing of $Y_{1.8}Ba_2Cu_{3.3}O_x$.—75-08144A
Frequency and low-field dependence of ac susceptibility in YBaCuO.—75-00808A
Generation of products of nuclear DD synthesis in high-temperature $YBa_2Cu_3O_{7-\delta}D_x$ superconductors near the superconducting phase transition.—75-08327A
Growth parameter effect in superconducting $YBa_2Cu_4O_8$ thin fims by dc magnetron sputtering.—75-05774A
Heterodyne microwave mixing in a superconducting $YBa_2Cu_3O_{7-x}$ coplanar waveguide circuit containing a single engineered grain boundary junction.—75-00810A

High-T_c SQUIDs fabricated by inhibiting ion implantation.—75-08330A

High-frequency vortex dynamics in $YBa_2Cu_3O_7$.—75-08335A

Hydration of $YBa_2Cu_3O_{6+\delta}$ in a low-humidity atmosphere.—75-08338A

Identification of CuO as a minority phase in YBCO: X-ray diffraction vs emf and coulometric titration measurements.—75-05776A

In situ growth of Y-Ba-Cu-O films by ion beam sputtering.—75-05777A

In situ X-ray diffraction studies of $YBa_2Cu_3O_x$/$LaAlO_3$ interfaces.—75-01222A

Influence of CeO_2, $BaCeO_3$, or PtO_2 additions on the microstructure and critical current density of melt-processed YBCO samples.—75-08340A

Influence of grain size on the toughness and thermal shock resistance of polycrystalline $YBa_2Cu_3O_{7-\delta}$.—75-08341A

Influence of hydrogenation on inter- and intragranular critical currents in $YBa_2Cu_3O_{7-\delta}$.—75-00813A

Influence of molybdenum substitution on superconductivity of yttrium barium cuprate.—75-05781A

Influence of oxygen partial pressure on the crystal growth and texture formation of some high-T_c superconductors.—75-03374A

Influence of residual carbon on the behavior of superconducting $YBa_2Cu_3O_{7-x}$ derived from sol-gel-based precursors.—75-05784A

Influence of YBCO film constants on the properties of an HTSC dc SQUID.—75-08344A

Interdiffusion between Y-Ba-Cu-O thin films and Al_2O_3 substrates studied by applying Rutherford backscattering spectrometry combined with atomic force microscopy.—75-01760A

Inverse magnetization of fine-grained HTSC.—75-08349A

Kinetics of polarization switching in epitaxial thin films of lead zirconate titanate.—75-08150A

Kinetics of the oxygen release in vacuum from $YBa_2Cu_3O_{6.92-x}$ ceramics (x=0–0.54).—75-08351A

$LaAlO_3$ thin films deposited on silicon and sapphire as buffer layers for $YBa_2Cu_3O_{7-x}$.—75-05788A

Line shapes of field-dependent nonresonant microwave and rf absorption in high-T_c superconductors.—75-00814A

Local stoichiometry measurement of Y-Ba-Cu-O thin layers grown by metallorganic chemical vapor deposition.—75-00817A

Local strain and autolocalization energy of clusters with S=2 and 3/2 in $YBa_2Cu_3O_7$.—75-08353A

Long-time magnetic relaxation measurements on a quench melt growth YBCO superconductor.—75-00818A

Low-frequency ($1/f$) noise in $YBa_2Cu_3O_{7-\delta}$ grain boundary junction dc superconducting quantum interference devices.—75-00819A

Low-frequency pendulum for studying vortex lattice melting.—75-08355A

Low-temperature mechanical energy dissipation phenomena in praseodymium-doped yttrium superconductors.—75-03378A

Low-temperature thermal conductivity measurement apparatus: design assembly, calibration, and measurement on (Y123, Bi2223) superconductors.—75-08679A

Low-temperature torsion pendulum measurements on YBCO superconductors.—75-03379A

Magnetic flux mapping, magnetization, and current distribution of $YBa_2Cu_3O_7$ thin films by scanning Hall probe measurements.—75-00820A

Magnetic flux penetration and creep in a ceramic (Y, Sm)$Ba_2Cu_3O_7$.—75-08356A

Magnetic ordering of the Gd^{3+} sublattice in the $Gd_{1-x}Y_xBa_2Cu_3O_{7-\delta}$ system.—75-05686A

Magnetic properties of cadmium-doped Y-Ba-Cu-O high-temperature superconductors.—75-03382A

Magnetization of oxygen-deficient YBCO domain prepared by melt texture processing.—75-05793A

Measurement and analysis of Hall effect of a two-dimensional electron gas in the close proximity of a superconducting $YBa_2Cu_3O_{7-x}$ film.—75-00823A

Mechanical and structural properties of $YBa_2Cu_3O_{7-x}$ superconductors.—75-05794A

Mechanical performance of $YBa_2Cu_3O_{7-x}$-Ag composites.—75-05795A

Mechanisms of optical response in superconducting $YBa_2Cu_3O_{7-\delta}$ thin films and grain boundary weak links.—75-00826A

Melt texturing of preferentially aligned $YBa_2Cu_3O_x$ superconductor by a seeded directional solidification method.—75-00827A

Melt-textured YBCO [investigated] by a radioscopic technique.—75-08361A

Metallorganic CVD of YBCO using a new, stable and volatile barium precursor.—75-05796A

Microstructure and electrical properties of YBCO films.—75-08363A

Microstructure and superconductivity of ultrathin $YBa_2Cu_3O_7$ films.—75-00831A

Microstructure of melt-textured Y-Ba-Cu-O oxides with CeO_2 addition and formation mechanism of the Ba-Cu-O platelet structure.—75-08365A

Microstructure of Pb(Zr, Ti)O_3 and Pb(Zr, Ti)O_3/$YBa_2Cu_3O_7$ films.—75-08366A

Microwave response of the Josephson junction in YBCO on a substrate with a small step.—75-08369A

Microwave testing of high-T_c-based direct current to a single flux quantum converter.—75-00833A

MOCVD of high-quality $YBa_2Cu_3O_{7-\delta}$ films: in situ preparation of fluorine-free layers from a fluorinated barium source.—75-05798A

Modification of the properties of HTSC YBCO thin films on silicon by superfast laser annealing in oxygen with a cw CO_2 laser.—75-03383A

Modified flux flow in polycrystalline YBCO: temperature and current dependence.—75-08373A

Na doping effect on the magnetic properties of the YBCO ceramics.—75-00835A

Nature of the formation of two superconducting phases in yttrium barium cuprates.—75-08378A

New look at the nature of 1-2-3 polymorphism.—75-05801A

NMR relaxation in Y-Ba-Cu-O superconductors.—75-05803A

Non-ohmic I-V behavior in granular $YBa_2Cu_3O_{7-\delta}$ and (Bi, Pb)$_2Sr_2Ca_2Cu_3O_{10}$ high-T_c superconductors.—75-08382A

Nonequilibrium and bolometric photoresponse in patterned $YBa_2Cu_3O_{7-\delta}$ thin films.—75-00836A

Nonlinear dynamics of the normal band in thin HTSC films with transport current.—75-08384A

Novel approach in the melt texturing of $YBa_2Cu_3O_{7-y}$.—75-03385A

Novel solid-phase epitaxial growth of $YBa_2Cu_3O_{7-\delta}$ films from precursor oxides.—75-00838A

Observations related to hydrogen in powder and single-crystal samples of $YBa_2Cu_3O_{7-\delta}$.—75-03386A

Orientation of $YBa_2Cu_3O_{7-x}$ films on buffered and CeO_2-buffered yttria-stabilized zirconia substrates.—75-00839A

Origins of growth spirals on laser-ablated $YBa_2Cu_3O_{7-\delta}$ thin films.—75-03387A

Oxidation of yttrium barium cuprate, $YBa_2Cu_3O_{6.09}$, under polythermal conditions.—75-08390A

Oxygen diffusion and reordering in $RBa_2Cu_3O_{6+x}$.—75-03388A

Oxygen diffusion in $YBa_2Cu_3O_{6+x}$ ceramics.—75-05809A

Oxygen diffusion in $YBa_2Cu_3O_{7-\delta}$ mixed conductors: interpretation of T-jump measurements and experiments on hysteresis of conductivity.—75-05810A

Oxygen mobility in $YBa_2Cu_3O_{7-\delta}$.—75-03389A

Oxygen relaxation spectrum in $YBa_2Cu_3O_{6+x}$ at high temperature.—75-03390A

Patterning of superconducting YBCO films.—75-05811A

Phonon anharmonism and structural instability of the $YBa_2Cu_3O_7$ crystalline lattice during hydrostatic compression.—75-08395A

Photoresponse of granular YBaCuO thin films.—75-08396A

Physicochemical properties and hydration stability of $YBa_2Cu_3O_x$ ceramics doped with Sn, Nb, and Zr oxides.—75-05812A

Physicomechanical properties of single-crystal $YBa_2Cu_3O_{7-x}$ HTSC films.—75-08397A

Piezoelectric effect and ultrasonic attenuation near T_c in single-crystal $YBa_2Cu_3O_{7-x}$ superconductors.—75-03393A

Plasma-enhanced fluorination of $YBa_2Cu_3O_{7-\delta}$ ceramics: I, Improvement of the superconducting properties.—75-05813A

Plasma-enhanced fluorination of $YBa_2Cu_3O_{7-\delta}$ ceramics: II, Interaction mechanisms between the reactive species and the materials.—75-05814A

Platinum-enhanced textural growth of grain-aligned $YBa_2Cu_3O_{7-x}$ thick films.—75-00842A

Polarization behavior of YBCO electrodes on YSZ electrolytes.—75-00843A

Preparation and characterization of CeO_2-based superconducting field effect transistors.—75-00846A

Preparation and characterization of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ single crystals.—75-00847A

Preparation of uniform grain size $YBa_2Cu_3O_{7-x}$ ceramics from sedimented single-crystalline powder fractions.—75-08401A

Preparation of YBCO superconducting nanocomposite films by MOCVD.—75-00852A

Preparation of YBCO superconductor thin film by spin-coating method with metallorganic precursors.—75-05818A

Preparation of YBCO-Ag composites with low carbon contents by a wet method.—75-05445A

Process for preparing $YBa_2Cu_3O_{7-x}$ superconductors.—75-08483P

Properties of a YBCO/insulator/YBCO trilayer and its application to a multilayer Josephson junction.—75-08402A

Properties of hydrated salt compositions for synthesis of HTSC with Y, Ba, Cu components.—75-05820A

Properties of shielded microstrip line resonators made from double-sided $YBa_2Cu_3O_x$ films.—75-00855A

Properties of Sn-added YBCO prepared by the powder melting process.—75-00856A

Proximity function in electron-beam lithography on high-T_c superconducting thin films.—75-08403A

Pulsed laser ablation deposition and characterization of superconductive/ferroelectric bilayers.—75-08404A

Quenched $YBa_2Cu_3O_{7-x}$-WO_3 superconductors.—75-03394A

Radio-frequency magnetoabsorption in YBCO-Ag and BSCCO superconductors: the crossover between two-level and one-level critical state models.—75-08406A

Random telegraph noise spectra in granular high-T_c films.—75-05821A

Reasons for formation of crystals with the c-axis oriented parallel to the substrate plane in $YBa_2Cu_3O_{7-x}$ films.—75-05824A

Reference relations for the evaluation of the materials properties of orthorhombic $YBa_2Cu_3O_x$ superconductors.—75-03397A

Reference relations for the evaluation of the materials properties of orthorhombic $YBa_2Cu_3O_x$ superconductors[—correction].—75-08407A

Resistivity peak anomaly in $Y_1Ba_2Cu_3O_{7-\delta}$ crystals and nonuniform distributed critical temperature inhomogeneities.—75-00859A

Role of initial reagents in the low O_2 pressure synthesis of $YBa_2Cu_4O_8$.—75-05825A

Role of mechanical deformation in the acoustoelectrical effect in $YBa_2Cu_3O_{7-x}$ films.—75-05826A

Seeded melt texturing [SMT] and melt joining of $YBa_2Cu_3O_x$.—75-03400A

Selection of appropriate systems for flux growth of single-crystal $YBa_2Cu_3O_{7-y}$.—75-05827A

Self-propagating high-temperature synthesis of Na-containing high-T_c superconductors.—75-05828A

Silver doping and its influence on the oxygenation during in situ growth of $YBa_2Cu_3O_{7-x}$ films.—75-00863A

Simulation of MOCVD-process for Y-Ba-Cu-O film production in stagnation zone reactor.—75-05830A

Simulation study of grain growth in layered materials, application to $YBa_2Cu_3O_{7-\delta}$ ceramics.—75-03402A

Simultaneous bolometric and nonbolometric microwave response in biepitaxial Y-Ba-Cu-O thin films.—75-00864A

Single-layer and integrated YBCO gradiometer coupled SQUIDs.—75-08410A

Singularity of complex magnetic susceptibility of $YBa_2Cu_3O_{6+x}$ in zero and quenched magnetic fields.—75-08411A

Sintering studies on submicrometer-sized Y-Ba-Cu oxide powder.—75-05831A

Sol-gel synthesis of superconducting $YBa_2Cu_4O_8$ using acetate and tartrate precursors.—75-05832A

Solution spinning of high-T_c oxide superconductors: VII, The effect of polyvinyl alcohol spinning medium on the sintering of $YBa_2Cu_3O_x$ superconducting filaments.—75-08413A

Spatially resolved analysis of high-T_c grain boundary Josephson junctions and arrays.—75-00866A

Special $AgNO_3$-induced formation of $YBa_2Cu_4O_8$ thin films through spray pyrolysis.—75-08414A

Spiral growth in sol-gel $YBa_2Cu_3O_{7-\delta}$ microspheres.—75-06779A

Spiral growth mechanisms in partially melted bulk $YBa_2Cu_3O_{7-\delta}$.—75-05833A

Sputtering apparatus for making high-temperature superconducting oxide films.—75-03438P

Stacking fault structures in melt-processed $YBa_2Cu_3O_{7-\delta}$ superconductors.—75-03405A

Stark broadening diagnostics of the electron density in the laser ablation plume of $YBa_2Cu_3O_{7-\delta}$ and $PbZr_xTi_{1-x}O_3$.—75-00867A

Stoichiometry dependence of oxygen anelastic relaxation in $YBa_2Cu_3O_{7-x}$ and the orthorhombic-to-tetragonal phase transition.—75-03406A

Straightforward identification of the a and b crystalline axes in $YBa_2Cu_3O_7$ single crystal by a polarizing microscope setup.—75-08419A

Strain and domain evolution in $YBa_2Cu_3O_x$.—75-03407A

Structural and magnetic investigations of $YBa_2Cu_xO_{7-\delta}$.—75-08420A

Structural changes and interlayer charge transfer in HTSC at high pressures.—75-08421A

Structural properties of Zn-substituted epitaxial $YBa_2Cu_3O_{7-\delta}$ thin films.—75-08422A

Structure and dynamics of the vortical lattice near the surface of the YBaCuO single crystal.—75-08423A

Superconducting composite.—75-08486P

Superconducting fast microbolometers operating below their critical temperature.—75-00872A

Superconducting thin film and a method for preparing the same.—75-03441P

Superconducting transition temperature and energy gap in $YBa_2Cu_3O_{6+x}$ superconductors, where x=0.41–0.88.—75-08432A

Superconducting $YBa_2Cu_3O_{7-x}$ produced at low temperatures.—75-08490P

Surface impedance of $YBa_2Cu_3O_{7-x}$ thin film grain boundary Josephson junctions: evaluation of the IcRn product.—75-00877A

Surface modification during scanning tunneling microscope measurements on $YBa_2Cu_3O_7$ thin films.—75-00878A

Surface modification of $YBa_2Cu_3O_{7-\delta}$ thin films using the scanning tunneling microscope: five methods.—75-03411A

Surface modification of $YBa_2Cu_3O_x$ thin films with a scanning tunneling microscope.—75-00879A

Surface resistance, residual losses, and granularity in Ag-doped $YBa_2Cu_3O_{7-\delta}$ thin films.—75-00880A

Surface resistivity of YBaCuO single crystals.—75-08434A

Surroundings of Cu(1) sites in tetragonal lattices of $Y_{1-x}Ca_xBa_{2-x}La_xCu_3O_{6+y}$.—75-05841A

Synthesis and superconductivity of $YBa_2Cu_3O_x$ ceramics doped with Sb, Ag, and Te.—75-05843A

Synthesis of bismuth/strontium/calcium/copper and yttrium/barium/copper oxide systems from malonate precursors.—75-03412A

Synthesis of Ca-doped Y124 [$YBa_2Cu_3O_8$] superconductor by polymerized complex method followed by O_2-HIP technique and discussion of Ca site selectivity in the crystal structure.—75-00884A

Synthesis of $YBa_2Cu_3O_{7-x}$ by the fast expansion of supercritical aqueous solutions of yttrium, barium, and copper nitrates.—75-05846A

Synthesis of $YBa_2Cu_3O_{7-x}$ superconductor with fiber structure by the sol-gel method.—75-03414A

Temperature-dependent kinetic inductance of $YBa_2Cu_3O_{7-\delta}$ thin films predicted by the coupled grain model in the strong-coupling limit.—75-03416A

Textured $YBa_2Cu_3O_{7-x}$ superconductor.—75-05848A

Thermal conductivity of pure or iron-doped $YBa_2Cu_3O_{7-\delta}$ with or without an excess of CuO.—75-03418A

Thermal expansion and specific heat of nonrandom YBCO/Ag composites.—75-08438A

Thickness dependence of critical current density for electrophoretically deposited $YBa_2Cu_3O_{7-x}$ films.—75-00890A

Transition edge noise in $YBa_2Cu_3O_{7-x}$ thin films before and after exposure to ionizing radiation.—75-03419A

Transport properties and structure of thin HTSC films of the $YBa_2Cu_3O_{7-\delta}$/ZrO_2:Y/α-Al_2O_3 system during magnetron sputtering.—75-05855A

Ultrasonic anomalies and phase transitions in $YBa_2Cu_4O_8$ and $Y_{1-x}Ca_xBa_2Cu_4O_8$ systems.—75-03422A

Ultrasonic determination of the superconducting energy gap in domain boundaries of melt-textured $YBa_2Cu_3O_7$.—75-05856A

Unusual transport and magnetic properties of Tb-doped $YBa_2Cu_3O_7$ single crystals and epitaxial thin films.—75-03425A
Vortex structures in $YBa_2Cu_3O_7$.—75-00893A
Why does $Y_2Ba_4Cu_7O_{14+x}$ not exhibit a plateau in its $T_c(x)$ dependence. Predictions from oxygen ordering.—75-05861A
X-ray diffraction studies of the epitaxy of *a*/*b*-axes-oriented $YBa_2Cu_3O_{7-\delta}$ films grown by liquid phase epitaxy.—75-00894A
X-ray study of the three-dimensional orientation of mixed *a*/*c*-oriented $YBa_2Cu_3O_x$ films on (100)$SrTiO_3$ substrates by metallorganic chemical vapor deposition.—75-00896A
$YBa_2Cu_3O_7$ Josephson junctions and dc SQUIDs by mechanically induced growth disorder.—75-00897A
$YBa_2Cu_3O_{7-\delta}$/Ag biepitaxial grain boundary junctions for flux flow devices.—75-08449A
$YBa_2Cu_3O_{7-x}$ films on yttria-stabilized ZrO_2 substrates: influence of the substrate morphology.—75-03427A
YBCO and BSCCO thin films prepared by wet MOCVD.—75-05864A
YBCO thin film formation near the stability line by resistive evaporation of BaF_2, Cu, and Y.—75-00898A

yttrium iron garnet (YIG),
Controlling high-frequency chaos in circular YIG films.—75-00728A
Exchange spin waves in nonuniform yttrium iron garnet films.—75-00733A
Exchange stiffness of Ca-doped YIG.—75-00734A
Forward volume wave microwave envelope solitons in yttrium iron garnet films: propagation, decay, and collision.—75-00736A
Magnetic characterization of epitaxial $Y_3Fe_5O_{12}$/$Bi_1Fe_5O_{12}$ and $Y_3Fe_5O_{12}$/$Eu_1Bi_2Fe_5O_{12}$ heterostructures grown by pulsed laser deposition.—75-00745A
Magnetoelastic interaction in yttrium iron garnet films with magnetic inhomogeneities through the film thickness.—75-03313A
Magnetooptic and magnetic properties of Tb:YIG.—75-03314A
Magnetooptical properties of $(BiGdY)_3Fe_5O_{12}$ for optical magnetic field sensors.—75-03315A
Nanoscale coating of silicon and manganese on ferrimagnetic yttrium iron garnets.—75-08232A
Orientation dependence of dipole gaps in the magnetostatic wave spectrum of Bi-substituted iron garnets.—75-03324A
Origin of the fine structure of subsidiary absorption in tangentially magnetized YIG films.—75-03325A
Ultrasonic behavior of ferrimagnetic yttrium iron garnet (YIG) crystal under pressure.—75-03338A
Wet process preparation of amorphous Y-Fe oxide films ferromagnetic at room temperature.—75-03340A
YIG single-crystal fiber growth using ir-assisted laser FZ [floating zone] technique.—75-03341A

yttrium oxide,
Compressive properties of yttrium oxide.—75-04464A
Preparation of sinterable ultrafine zirconia [ZrO_2-3 mol% Y_2O_3] powder by emulsion method.—75-04169A

yttrium,
Anisotropy of nuclear spin echo damping in yttrium iron garnet films.—75-08191A
Appearance of nonlinear optical interactions in $KY(WO_4)_2$ and $KGd(WO_4)_2$ laser crystals.—75-09119A
Bulk magnetostriction and change of magnetization at hydrostatic pressure in melts and compounds of rare-earth metals with iron: II. Crystalline compounds of Y_2Fe_{17} and Er_2Fe_{17}.—75-05658A
Cathodoluminophors based on yttrium oxyorthosilicate prepared by sol-gel technique.—75-09232A
Ceramic materials and methods of making the same comprising yttrium, barium, silver, and either selenium or sulfur.—75-08560P
Cerium-doped yttrium aluminum perovskite (YAP)—properties of commercial crystals.—75-01264A
Composition defects and cathodoluminescent properties of Y_2SiO_5 crystals doped with Tb and Ce.—75-08884A
Crystal structure of calcyberborosilite and its place in the datolite-gadolinite isomorphous series.—75-08893A
Density changes during melting of LiF, YF_3, and $LiYF_4$.—75-07295A
Determination of the nonstoichiometry of $YAlO_3$ crystals.—75-08904A
Effect of processing parameters on luminescence of combustion-synthesized, rare-earth-activated $Y_3Al_5O_{12}$ phosphors.—75-05294A
Effect of yttrium doping on the ferroelectric fatigue and switching characteristics of $Pb(Zr_{0.65}Ti_{0.35})O_3$ thin films prepared by sol-gel processing.—75-05553A
Electron paramagnetic resonance of Dy^{3+} ions in yttrium-aluminum garnet.—75-08212A
Electronic structure of $Y_2Cu_2O_{5-x}S_x$ (x=0, 0.25, 0.75) [investigated] by X-ray emission spectroscopy and X_α scattered wave calculation methods.—75-03365A
Excitation and propagation of composite spin waves in iron-yttrium garnet films.—75-08213A
Fatigue of phase transformation toughened Ce-TZP and Y-TZP ceramics.—75-06977A
Fluorite-matrix-based $Ba_4R_3F_{17}$ (R=Y, Yb) crystal structure. Ordering of cations and features of the anionic motif.—75-08938A
Further investigations of a 2-μm Tm:YVO_4 laser.—75-05327A
Heat capacity of yttrium aluminum garnet, $Y_3Al_5O_{12}$, in the range 350–610 K.—75-08221A
High energy and efficient SHG by using convex-antiresonant ring unstable Nd:YAP pulsed laser.—75-05334A
High field effective linewidth and eddy current losses in moderate conductivity single-crystal Zn-Y hexagonal ferrite at 10–35 GHz.—75-00737A
Influence of ionic substitution on the magnetic behavior of $Y_2Cu_2O_5$.—75-05780A
Instability of Y- and rare-earth-substituted Bi(Pb)-2223 phase.—75-05787A
Kinetics of formation of lanthanum and yttrium glasses at 1200°C and pO_2=2 kbar.—75-05024A
LiYF$_4$-2CaF$_2$·5YF$_3$ join of the LiF-CaF$_2$-YF$_3$ ternary system.—75-08972A
Macroscopic tunneling of spins in weakly ferromagnetic particles of orthorhombic antiferromagnets.—75-08227A
Magnetic susceptibility of $Y_{0.5}La_{0.5}CaNi_xAl_{1-x}O_4$ solid solutions.—75-05690A
Magnetoconductivity of $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ in fluctuation regime.—75-00821A
Memory effect of a shape in hexagonal manganites of $RMnO_3$ (R=Ho, Y).—75-05604A
Method of joining Y-based oxide superconductors.—75-08471P
Method of making an unactivated yttrium tantalate X-ray phosphor.—75-08603P
Neutron powder diffraction study of $(Bi_{0.35}Cu_{0.65})YSr_2Cu_2O_7$.—75-06286A
Nonstoichiometry in yttrium orthovanadate.—75-01899A
Optical absorption and luminescence of neodymium and erbium in single crystals of yttrium and gadolinium orthotantalates.—75-06492A
Optical-magnetic study of Stark sublevels of the $^7F_6$ basic multiplet of the Tb^{3+} ion in $Y_3Al_5O_{12}$.—75-05701A
Optimization of nucleation in a Y-Si-Al-O-N glass-ceramic.—75-02735A
Partially stabilized zirconia and its application to electronic device.—75-00407P
Phase equilibria in the CaS-Y_2S_3 system.—75-09017A
Phase stability and oxygen diffusion in $RBa_2Cu_3O_{6+\delta}$ (R=Y or Nd).—75-08394A
Proton and hole conductivity of $SrY_{2-2x}Ca_{2x}O_{4-\alpha}$ in a moist atmosphere.—75-05453A
Pure green (λ=555 nm) luminescence of GaP:Y epitaxial layers.—75-08032A
Rare earth oxide superconducting material and process for producing the same.—75-00916P
Reassessment of the ZrO_2-$YO_{1.5}$-MgO system.—75-03834A
Rietveld refinement of the crystal structures of the yttrium silicon oxynitrides $Y_2Si_3N_4O_3$ (N-melilite) and $Y_4Si_2O_7N_2$ (J-phase).—75-09053A
Sintering development and oxidation characterization of $AlYO_3$-doped Si_3N_4 ceramic.—75-04220A
Synthesis of Nd:YVO_4 thin films by a sol-gel method.—75-08075A
TEM observation of martensitic transformation in (Y, Mg)-PSZ ceramics.—75-03847A
Thermodynamic calculation of the yttrium-oxygen phase diagram.—75-09089A
Thermogravimetric study of yttrium isopropoxide and dispersant burnout in aluminum nitride ceramic processing.—75-06821A
Yttrium oxide/titanium oxide ceramic compositions.—75-08788P

zeolites,
Adsorption and catalytic reaction of CFC-11 on NaX zeolite.—75-08865A
Adsorption of benzene on the acidic and basic sites of KH ß-zeolites studied by in situ spectroscopy.—75-06155A
Adsorption of isobutane on H-ZSM-5 zeolite studied by ir and uv spectroscopies.—75-06156A
Adsorptive and isomeric activity of catalysts based on high-silicon zeolites and columnar montmorillonite.—75-08866A
Anomalies of the photoacoustic response in the CdS/Y zeolite system.—75-07782A
Approximate calculations of some thermodynamic characteristics of a hydrocarbon-X-zeolite system from gas chromatography data.—75-08872A
Aromatization of propylene on modified montmorillonite-containing catalysts based on a high-silica NTSVM zeolite.—75-06539A
Bronsted acid sites in zeolites. FTIR study of molecular hydrogen as a probe for acidity testing.—75-06167A
Ceramic-zeolite composite membranes and use for separation of vapor/gas mixtures.—75-06083P
Conversion of fly ash to zeolites for waste treatment.—75-03513A
Direct observation of channel structures on zeolite Y and A with a slow-scan, charge-coupled device [CCD] camera.—75-08660A
Dissolution of amorphous aluminosilicate zeolite precursors in alkaline solutions: II, Mechanism of the dissolution.—75-06208A
Effect of different glasses in glass-bonded zeolite.—75-03462A
Fixing large zeolite and zeolite-like molecular sieve crystals on moldings.—75-01111P
Heat of adsorption of ammonia and methanol on L-type zeolites.—75-09147A
Immobilization of Cs-contaminated zeolite by portland cement.—75-00045A
Inelastic neutron scattering study of NH_4 zeolites.—75-06244A
Ion exchange between NH_4^+-saturated zeolites and essential cations of the soil solution (K^+, Na^+, Ca^{2+}, and Mg^{2+}).—75-08959A
Localized adsorption of methane on rho-type zeolite.—75-06263A
Mn-promoted Rh/NaY zeolite catalysts: an ir spectroscopic study.—75-06273A
Modeling of prebiotic synthesis of oligopeptides in the presence of zeolites and kaolin.—75-06276A
Photogeneration of sound in the system of CdS thermally insulated microcrystals in zeolite.—75-08012A
Process for producing spherical zeolite catalyst and apparatus for producing the same.—75-06100P
Sorption properties of NaX zeolite modified by polydimethlydiallylammonium chloride.—75-09189A
Synthesis and optical properties of CdS clusters in type X zeolite.—75-05496A
Synthesis and properties of adsorptive catalysts based on high-silica zeolites and layered-columnar montmorillonites.—75-09460A
Synthesis and some adsorption characteristics of low-silica erionite-offretite.—75-09462A
Synthesis of celsian ceramics from zeolite precursors.—75-06805A
Two members of the ABC-D6R family of zeolites: zeolite phi and Linde D.—75-06074A
Utilization of synthetic phillipsite as a means for decreasing the concentration of ammonium ions in waste waters.—75-03537A
Zeolite-based additives for high alumina cement [HAC] products.—75-04839A
Zn-exchanged γ-zeolites studied with CO and xenon as probes.—75-06416A

zeta potential,
Zeta potential of bentonite clay in aqueous solution.—75-02805A

zinc blende,
Intersubband absorption of light in a semiconductor quantum well with complicated band structure.—75-03069A
Measurement of the anisotropy of two-photon absorption coefficients in zinc blende semiconductors.—75-05375A

zinc oxide,
Calculations of reactions of H_2O and NH_3 molecules with the surface of modified aluminosilicates and ZnO crystal.—75-06171A
Characterization of microwave-processed ZnO.—75-01804A
Characterization of the surface of ZnO layers and the ZnO/ZnSe interface in heterostructures prepared by radical-beam getter epitaxy.—75-05259A
Cluster simulation of the ideal and defect structures of ZnO by the self-consistent-field X_α scattered wave method.—75-09495A
CO gas sensitivity of CuO-infiltrated ZnO ceramics.—75-05261A
Cobalt oxide and antimony oxide effects in the zinc oxide-bismuth oxide system.—75-01400A
Creep sintering of polycrystalline ceramic particulate composites.—75-03982A
Crystallized glass compositions for coating oxide-based ceramics.—75-03205P
Dependence of ZnO varistor grain boundary resistance on sintering temperature.—75-05278A
Dielectric ceramic composition containing ZnO-B_2O_3-SiO_2 glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition.—75-07754P
Dielectric ceramic composition containing ZnO-B_2O_3-SiO_2 glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition.—75-07755P
Dielectric ceramic composition containing ZnO-B_2O_3-SiO_2 glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition.—75-07756P
Dielectric ceramic composition containing ZnO-$B_2O_3SiO_2$ glass, method of preparing the same, and resonator and filter using the dielectric ceramic composition.—75-05221P
Effect of addition of calcined grains on the microstructure and nonlinearity features of ZnO varistors.—75-05289A
Effect of anisotropy on the dispersion dependences of surface plasmon-phonon polaritons of zinc oxide.—75-09130A
Effect of grain size on diffusion-induced grain boundary migration in $Ba(Zn_{1/3}Nb_{2/3})O_3$ ceramics.—75-04317A
Effect of sintering atmosphere on the densification and abnormal grain growth of ZnO.—75-01464A
Effect of the sintering temperature and atmosphere on the grain growth and grain boundary phase formation of Pr-doped ZnO varistor.—75-07855A
Effect of variations in grain size and grain boundary barrier heights on the current-voltage characteristics of ZnO varistors.—75-07856A
Effect of Zn^{2+} on the size of the correlation zone in the Na_2O-ZnO-SiO_2 system.—75-08914A
Effects of deposition variables on the spray pyrolysis of ZnO thin film.—75-06591A
Electrical conductivity and gas sensitivity of sintered zinc oxide films in saturated steam.—75-09137A
Evaluation of ultrasonically determined elasticity-porosity relations in zinc oxide.—75-03562A
Faults of ZnO crystal in ZnO varistor.—75-00490A
Features of cathodic reduction of zinc oxide in alkali zincate solutions.—75-06606A
Formation of ZnO films by CO_2 laser evaporation at atmospheric pressure on glass and organic substrates.—75-06623A
Growth morphology and mechanism of a hollow ZnO polycrystal.—75-04331A
II-VI compound thin-film deposition by resonant laser sputtering.—75-05338A
Ineffective grain boundaries and breakdown threshold of zinc oxide varistors.—75-05343A
Influence of sputtering parameters and substrates on ZnO thin-film structure.—75-04083A
Interaction of Pt films with ZnO(0001) and ZnO(000$\bar{1}$).—75-04344A
Interface formation of Bi on ceramic ZnO: a simple model varistor grain boundary.—75-00523A
Intrinsic defects and luminescence of zinc oxide.—75-06851A
Low breakdown voltage varistors by grain boundary diffusion of molten Bi_2O_3 in ZnO.—75-03083A
Mass spectrometric study of the thermodynamic properties of ZnO-P_2O_5 system melts.—75-08980A
Microstructure and crystal phases of praseodymium oxides in zinc oxide varistor ceramics.—75-05385A
Microstructure and electrical properties of zinc oxide ceramics doped with B_2O_3.—75-09559A

Microstructure of TiO_2 and ZnO films fabricated by the sol-gel method.—75-04371A
Microstructure of ZA-12 alloy/ZnOw composite.—75-02510A
Modeling of multifrequency microwave sintering of ZnO ceramic.—75-01589A
Modified CuO surface appropriate for selective CO gas sensing at CuO/ZnO heterocontact.—75-07977A
Morphology of polycrystalline ZnO and its physical properties.—75-03908A
Nonohmic characteristics of ZnO-V_2O_5 ceramics.—75-00552A
Observations on wetting in the Bi_2O_3-ZnO system.—75-06903A
Optical and ESR spectra of the uv-induced defects in the glasses containing cadmium and zinc oxides.—75-02600A
Optical band-gap shrinkage in highly transparent and conducting ZnO thin films deposited by the Pyrosol process.—75-01318A
Optical, thermomechanical, and MOS properties of ZnO- and PbO-based glasses.—75-04986A
Phase equilibria in the As_2O_3-ZnO system.—75-09015A
Phase transformations and melting effects during the sintering of bismuth-doped zinc oxide powders.—75-05418A
Photoemission studies of the ZnO/CdS interface.—75-00564A
Physical properties of spray-pyrolyzed pure and doped ZnO thin films.—75-03914A
Polarization currents in zinc oxide varistors from 77 to 450 K.—75-00574A
Polarization relaxation in zinc oxide varistors from 77 K to 450 K.—75-00362A
Preparation and characterization of Al-doped ZnO transparent conducting thin film by sol-gel processing.—75-09379A
Preparation of transparent, electrically conducting ZnO film from zinc acetate and alkoxide.—75-06741A
Preparation of zinc oxide films by low-pressure chemical vapor deposition method.—75-04174A
Preparation of ZnO films with preferential orientation by sol-gel method.—75-09403A
Preparation of ZnO-based varistors by the sol-gel technique.—75-05446A
Processing and phase evolution in ZnO varistor prepared by oxide coprecipitation.—75-00581A
Reaction sintering of ZnO-Al_2O_3.—75-01644A
Reactivity of products of the interaction of zinc oxide with zinc and copper(II) salt solutions.—75-09050A
SAW filters based on diamond.—75-08051A
Shear and trace-wear behavior of ZA-12 alloy/ZnO_w composite.—75-02544A
Surface acoustic wave properties of ZnO films on {001}-cut <110>-propagating GaAs substrates.—75-03176A
Synthesis and properties of ZnO(Li) crystals.—75-06521A
Synthesis of $ZnO_{2-x}nH_2O$ nanolayers on the surface of silicon by the ionic stratification method.—75-06819A
Thermoelectric properties of homologous compounds in the ZnO-In_2O_3 system.—75-05505A
Ultrasonic and dielectric characterization of microwave-sintered and conventionally sintered zinc oxide.—75-09582A
Varistor performance of ZnO-based ceramics related to their densification and structural development.—75-03196A
Velocity surface measurements for ZnO films over {001}-cut GaAs.—75-00633A
Zinc oxide piezoelectric crystal film.—75-00722P
Zinc oxide.—75-06062A

zinc selenide,
Blue-green emitters in wide-gap II-VI quantum-confined structures.—75-05253A
Cathodoluminescence of $Zn_{1-x}Mn_xSe$:Ni.—75-05256A
Change of intrinsic defect structure of CdS(ZnSe) during doping with O and Te isoelectronic impurities.—75-07798A
Characterization of the surface of ZnO layers and the ZnO/ZnSe interface in heterostructures prepared by radical-beam getter epitaxy.—75-05259A
Conductivity type of ZnS_xSe_{1-x} crystals and deep trapping centers in them.—75-05263A
Current-voltage characteristics of electric contacts on *p*-type ZnSe.—75-02986A
Deep electron states in chlorine-doped ZnSe films grown by molecular beam epitaxy.—75-02988A
Diamondlike carbon film on ZnSe by ac sputtering and MPCVD [microwave power] hybrid method for infrared window applications.—75-08806A
Doping of ZnSe with a highly effective active nitrogen source during molecular beam epitaxy.—75-07835A
Electrical and luminescent properties of Yb-doped *n*-ZnSe single crystals.—75-03011A
II-VI compound thin-film deposition by resonant laser sputtering.—75-05338A
Kinetics of photoconductivity in ZnSe crystals upon photoexcitation of deep centers.—75-05357A
Large-band-gap SiC, III-V nitride, and II-VI ZnSe-based semiconductor device technologies.—75-00532A
Luminescence of localized electron-hole pairs in the range of the fundamental absorption of Zn(S,Se)-(Zn,Cd)Se structures having quantum wells.—75-05369A
Luminescence of undoped and chlorine-doped $Zn_{1-x}Cd_xSe$ and $Zn_{1-x}Mg_xS_ySe_{1-y}$ layers grown by molecular beam epitaxy.—75-07956A
Mechanism of the blue emission of light diodes based on zinc selenide.—75-03092A
Nitrogen-doped ZnSe with selenium-rich growth by low-pressure organometallic chemical vapor deposition.—75-03100A
Nondegenerate optical Kerr effect in semiconductors.—75-05401A
Nonlinear absorption in (Cd,Zn)Se/ZnSe single quantum wells.—75-00551A
Optical constants of ZnS_xSe_{1-x} ternary alloys.—75-03910A
Oxygen in the ZnSe:Te luminescence.—75-03108A
Photoelectrical characteristics of Ni-ZnSe contacts.—75-03120A
Photoluminescence of zinc selenide single crystals annealed in zinc or selenium atmosphere.—75-01605A
Preparation and optical properties of sol-gel-derived ZnSe crystallites doped in glass films.—75-00219A
Properties of ZnSe crystals doped with phosphorus.—75-05451A
Properties of ZnSe single-crystal layers doped with Cd.—75-05452A
Radiative recombination in zinc selenide single crystals activated with oxygen.—75-03145A
Relaxational polarization in ZnSe crystals under photoexcitation.—75-03149A
Reversible and irreversible changes in dielectric properties of ZnSe crystals induced by CO_2 laser radiation.—75-08048A
Scanning tunneling microscopy and spectroscopy of the cleavages of ZnSe/GaAs heterostructures.—75-08052A
Structural properties of ZnSe on GaAs grown by atomic layer epitaxy.—75-00605A
Transition metal impurities and band offsets in $Zn_{1-x}Mn_xSe$(Ni) compounds.—75-06532A
Use of zinc selenite in glass manufacture.—75-05046A
Voltage-current characteristic of the heterostructure on the basis of disordered zinc selenide.—75-05514A
ZnSe grown on GaAs by laser-assisted vapor phase epitaxy.—75-03202A

zinc sulfide,
Aging studies of atomic layer epitaxy ZnS:Mn alternating-current thin-film electroluminescent devices.—75-05236A
Anharmonic temperature factors and charge density in ZnS.—75-06158A
Conductivity type of ZnS_xSe_{1-x} crystals and deep trapping centers in them.—75-05263A
Effect of conditions of polycrystalline ZnS CVD on its microstructure.—75-09540A
Effect of ultraviolet radiation on a ZnS:Tb thin film electroluminescent device.—75-05299A
Effects of proton irradiation on the luminescence of ZnS(Cu) ceramic.—75-06594A
EPR and luminescence of plastically deformed ZnS:Mn crystals.—75-07877A
Influence of ultraviolet irradiation on excitation efficiency and space charge in ZnS thin-film electroluminescent devices.—75-00517A
Luminescence of ZnS:Tb^{3+} and ZnS:Sm^{3+} films obtained by the decomposition of chelate complexes.—75-07957A
Microwave joining of zinc sulfide.—75-01577A
New method of producing zinc sulfide with pigment purity.—75-05398A
Observation and simulation of space-charge effects and hysteresis in ZnS:Mn ac thin film electroluminescent devices.—75-00556A
Optical constants of ZnS_xSe_{1-x} ternary alloys.—75-03910A
Preparation of fine particles of ZnS-CdS solid solution by spray pyrolysis.—75-09394A
Properties of ZnS optical ceramics.—75-09177A
Pyrolytic growth of ZnS on Si.—75-03142A
Reverse current in Cu_xS/ZnS(Cu) heterojunctions.—75-05465A
Satellite peak generation in the electroluminescence spectrum of ZnS:Sm grown by metallorganic chemical vapor deposition with Cl codoping.—75-00591A
Tentative anatomy of ZnS-type electroluminescence.—75-00614A
Thermally stimulated conductivity in plastically deformed ZnS-Cu,Mn crystals.—75-05503A
Time behavior of currents in ZnS:Mn metal-insulator-semiconductor-insulator-metal structures.—75-00622A

zinc telluride,
Anomalous photovoltage in $Cd_{0.8}Zn_{0.2}Te$ thin films.—75-05241A
Control of nitrogen incorporation in ZnTe:N grown by molecular beam epitaxy using Ar dilution in an N plasma source.—75-01412A

zinc,
^{139}La nuclear quadrupole resonance and relaxation in Zn-doped La_2CuO_4.—75-03760A
Alkali magnesium/zinc silicate glasses with low Rayleigh scattering{—correction}.—75-02622A
Band structure and optical properties of zinc and cadmium diphosphides in the absorption edge range.—75-08194A
Ceramic composite and methods of making the same.—75-00151P
Change of magnetic and superconducting properties of layered cuprates with substitution of copper by zinc and nickel.—75-08269A
Characteristics of As_iZn_{Ga} pairs induced by irradiation plus annealing in *p*-type GaAs(Zn) crystals.—75-07802A
Characterization and low-temperature sintering of reactive Mn-Zn ferrite powder.—75-08195A
Combustion synthesis and properties of fine-particle Mg-Zn ferrites.—75-05659A
Corrosion of zinc-containing cabal glasses by various leaching solutions.—75-02636A
Crystal structure of a new orthophosphate, $CsNa_3Zn_2[PO_4]_2$.—75-08892A
Defect formation in ZnTe and (Cd, Zn)Te epitaxial layers grown on (001)GaAs.—75-07819A
Dielectric properties of $ZnGeP_2$ in far-ir long-wave range.—75-05280A
Effect of cooling in vacuum on the electrical properties of Mn-Zn off-stoichiometric ferrites.—75-08202A
Effect of CVD conditions on the porosity of zinc sulfide.—75-06575A
Effect of isovalent and heterovalent substituent ions on the structure and properties of nickel zinc ferrites.—75-08204A
Effect of zinc and iron on the (micro-) structure and copper charge excess of the YBaCuO superconductor.—75-05760A
Effects of addition of Na_2O, Sb_2O_3, CaO, and ZrO_2 on the properties of lithium zinc ferrite.—75-05667A
Elaboration and characterization of $BaZnGeO_4$ ceramics.—75-03793A
Electrical conductivity of Mn-Zn ferrites.—75-03291A
Electrical conductivity of vitreous ionic conductors with predominant composition of ZnF_2 or PbF_2.—75-04958A
Electrical conductivity of zinc oxide varistor ceramics with prolonged electrical current.—75-05308A
Electroabsorption and laser generation in ZnCdSe/ZnSeS quantum well diodes.—75-07867A
Electron mobility in $Cd_{0.8}Zn_{0.2}Te$.—75-05311A
EXAFS studies of changes in the local environment of Cu ions in Fe- and Zn-doped $YBa_2Cu_3O_{7-\delta}$ superconductor.—75-03367A
Features of the electrical properties connected with reorganization of domain structure in Rb_2ZnCl_4 ferroelectrics.—75-08141A
Foaming, macrokinetics, and mechanism of carbothermal reduction of iron zinc-containing oxide melts.—75-09312A
Formation of hydrogen-containing complexes in ZnTe single crystals annealed in H plasma and their decomposition under high-energy electron irradiation.—75-05324A
Formation of structural defects in heteroepitaxial layers of CdTe and CdZnTe grown on GaAs.—75-07897A
High field effective linewidth and eddy current losses in moderate conductivity single-crystal Zn-Y hexagonal ferrite at 10–35 GHz.—75-00737A
Hydrogen passivation of dislocations in ZnCdSe/GaAs heterostructures.—75-07911A
Impurity photoresistor in optical heterodyne pulse mode.—75-05342A
Influence of ferrous content on the second maximum permeability temperature of Mn-Zn ferrites.—75-03296A
Influence of gas medium and heat treatment on nonlinearity of *I-V* characteristics of zinc oxide varistors.—75-05346A
Influence of mole ratio of CaO to SiO_2 on magnetic properties and grain size of Mn-Zn ferrites.—75-05679A
Interaction of exchanged Zn^{2+}-montmorillonite with alkaline and earth-alkaline cations.—75-03801A
Low-frequency plasmons and radiation of ZnTe crystals in the red region of the spectra.—75-05364A
Luminescence of free excitons in disordered ZnCdSe solid solutions.—75-05368A
Luminescence of ZnTe films due to two types of isovalent substitutions.—75-07958A
Magnetic properties of $Ba_3(Zn_xFe_{1-x})_2Fe_{28}O_{46}$ X-type hexaferrites.—75-00746A
Magnetism of disordered nickel-zinc ferrites.—75-08228A
Mechanically induced reactivity of $ZnFe_2O_4$.—75-05693A
Mechanism for crack formation of Mn-Zn ferrites in the heating stage.—75-02076A
Mossbauer study of oxygen-deficient Zn^{II}-bearing ferrites and their reactivity toward CO_2 decomposition to carbon.—75-05697A
Nanocomposite formation in the Fe_2O_4-Zn system by reaction milling.—75-03321A
Near-ultraviolet upconversion fluorescence and low-temperature fluorescence properties in Er^{3+}-doped $ZnCl_2$-based glass.—75-07355A
Noble metal/Zn-Al_2O_3 reforming catalysts with enhanced reforming performance (C-2714).—75-07268P
Optical absorption and photoconductivity of $ZnCr_2S_4$ single crystals.—75-07989A
Optical, electrical, and photoelectrical properties of sputtered thin amorphous Zn_3P_2 films.—75-03911A
Persistent photoconductivity in CdTe-based II-VI semiconductors.—75-05417A
Phase diagram of the $Zn_2P_2O_7$-$Li_4P_2O_7$ system.—75-06301A
Physicochemical properties of $Nd_{1-x}Ca_xCr_{1-y}Zn_yO_3$ solid solutions.—75-09169A
Preparation of Co-Zn ferrite films at low substrate temperature by plasma-free dc sputtering for magnetic recording media.—75-03328A
Preparation of zinc silicate luminophors by the sol-gel technique.—75-09402A
Production of Mn-Zn ferrite ceramics by injection molding.—75-05705A
Properties of the $Cd_{1-x}Zn_xTe$ reflection spectra in the far-ir region of the spectrum.—75-08030A
Quantum chemical interpretation of the catalytic action of $Cu_{1-x}Zn_xCr_{2-y}Al_yO_4$ on ammonium nitrate decomposition.—75-06754A
Quaternary reciprocal system of Cd, Zn‖S, Se, Te.—75-05457A
Rate of chemical decomposition of sodium zinc phosphate glass with hydrochloric acid: effect of the ratio of the solution volume to the glass surface area.—75-02681A
Recovery of structural perfection of CdTe and ZnTe bombarded by low-energy ions as a result of subthreshold electron irradiation.—75-05460A
Removal of zinc from aqueous solutions by means of their contact with a manganese zinc ferrite powder.—75-05708A
Resistibility and structure of Zn-Co coatings.—75-09600A
Reverse *I-V* and *c-v* characteristics of Schottky-barrier-type diodes on Zn-doped InP epilayers grown by metallorganic vapor phase epitaxy.—75-00589A
Selective etching of zinc, cadmium, and mercury chalcogenides.—75-05468A
State of degenerate antiferromagnetism in $ZnFe_2O_4$.—75-05711A
Structural properties of Zn-substituted epitaxial $YBa_2Cu_3O_{7-\delta}$ thin films.—75-08422A
Structure analysis of coprecipitated $ZnFe_2O_4$ by extended X-ray absorption fine structure.—75-00760A
Structure and magnetic properties of ferrites in the $Ni_{0.35}Zn_{0.65}Fe_2O_4$-CaO-$Fe_2O_3$ system.—75-08243A
Thermodynamic analysis of growth conditions of $Zn_{1-x}Cd_xSe$ solid solution single crystals.—75-08083A
Thermodynamic and catalytic properties of solid solutions of copper and zinc oxides.—75-06394A

X-ray study of crystallographic parameters of Rb_2ZnBr_4 in the phase transition region.—75-09112A
Zinc titanate (Zn_2TiO_4) based spinels as desulfurization sorbents.—75-03867A
Zinc-blende [*ZB*]-wurtzite [*W*] structural transition during change in composition of $Zn_xCd_{1-x}Se$ solid solutions.—75-08097A
Zn-exchanged γ-zeolites studied with CO and xenon as probes.—75-06416A

zircon,
Alumina zircon refractory [AZR]—a new generation product for cement rotary kiln.—75-07462A
Chromium-zircon pigment.—75-02855A
Development of zircomullite aggregates from beach sand.—75-07530A
Dynamics of the interaction of zircon with hydrothermal carbonate fluid.—75-09128A
Influence of the stability of zircon suspensions on direct slurry-ICP chemical analysis.—75-01873A
Infrared optical properties of zircon.—75-06477A
Mechanochemical treatment of zircon sand and $ZrSiO_4$ amorphization at ordinary temperature.—75-04108A
Orthodontic device with a ceramic tooth attachment.—75-03674P
Synthesis and characterization of ultrafine zircon powder.—75-04236A
Synthesis of cordierite and cordierite-$ZrSiO_4$ composite by colloidal processing.—75-06806A
Use of reaction sintering in the microstructural design of zirconia-dispersed alumina matrix ceramics.—75-01973A
Wet erosive wear behavior of fine-grain zircon ceramic.—75-09698A
Zircon ceramics prepared from hydrous zirconia and amorphous silica.—75-06832A
Zircon EPR revisited: 10-K EPR of three low-symmetry centers in irradiated zircon.—75-03868A
Zircon formation from amorphous spherical $ZrSiO_4$ particles obtained by hydrolysis of aerosols.—75-06833A
Zircon.—75-06063A

zirconate,
Antiferroelectric-ferroelectric switching and induced strains for sol-gel derived lead zirconate thin layers.—75-05531A
$BaZrO_3$ and $BaHfO_3$: preparation, properties, and compatibility with $YBa_2Cu_3O_{7-x}$.—75-05731A
Effect of dopants on high-frequency dielectric properties of lead zirconate.—75-01454A
Electrical strengthening and phase transitions in $PbZrO_3$ crystals refined by chemical etching.—75-08134A
Entropy of coordination number changes of zirconium ions and free energy of fomation of several rare-earth zirconates.—75-06222A
EXAFS spectroscopic study of the structure of fluorozirconate glasses.—75-07298A
Flattening of dielectric constant by inhomogeneity control in $Ba(Ti_{1-x}Zr_x)O_3$ ceramics.—75-00333A
Fluorozirconate glass with low magnitude of bound scattering on phase microinclusions.—75-04899A
Humidity-sensitive $PbTiO_3$ and $PbZrO_3$ thin films prepared by a sol-gel process.—75-00665A
Oxygen ion conductivity in $Ba_3In_{3-x}Zr_xO_{7.5+x/2}$ (x=0.7-1.3).—75-05203A
Pathway for the low temperature synthesis of nanosized crystalline barium zirconate.—75-06704A
Piezoceramics with a different purpose.—75-05620A
Preparation and characterization of $Ln_2Zr_2O_7$ [Ln=lanthanide] microspheres by an inorganic sol-gel route.—75-06712A
Properties of fluorozirconate glasses containing gallium and indium trifluorides.—75-02679A
Raman spectra and pressure-induced phase transition in nanocrystalline $PbZrO_3$.—75-06333A
Structural and dielectric properties of $PbGeO_3$-$PbZrO_3$ metastable solid solutions with perovskite structure.—75-09190A

zirconia,
^{27}Al nuclear magnetic resonance of glassy and crystalline $Zr_{(1-x)}Al_xO_{(2-x/2)}$ [0.08≤x≤0.57] materials prepared from solution precursors.—75-01202A
Accelerated testing method of ZrO_2-based FGM coating for gas turbine blades.—75-02434A
Acoustic emission study of phase relations in low-Y_2O_3 portion of ZrO_2-Y_2O_3 system.—75-06153A
Anelastic relaxation associated with the intergranular phase in silicon nitride and zirconia ceramics.—75-04450A
Assessment of the phase diagram in the ZrO_2-CeO_2 system.—75-06161A
Auto-ignition processing of nanocrystalline CaO-doped ZrO_2 powders.—75-09220A
Catalysts for emission control of aldehyde.—75-01102P
Ceramic ferroelectric composite material—BSTO-ZrO_2.—75-08177P
Ceramic rollers for conveyance of photographic films and paper polymeric webs.—75-08776P
Characterization of metastable tetragonal forms in ZrO_2-2.8 mol% Y_2O_3 ceramics.—75-03770A
Chemical vapor deposition of ZrO_2 thin films monitored by ir spectroscopy.—75-06183A
Chemically bonded ceramic matrix composites—densification and conversion to diffusion bonding.—75-03969A
Chemically bonded ceramic processing of monocalcium aluminate.—75-03970A
Codeposition mechanism of zirconia fine particles in nickel/zirconia composite plating.—75-00078A
Combustion synthesis and properties of zirconia-alumina powders.—75-03976A
Comparison of K_{Ic} values for ZrO_2-SiCw composites obtained by using SENB and IM methods.—75-04460A
Computer simulation model for coupled grain growth and Ostwald ripening—application to Al_2O_3-ZrO_2 two-phase systems.—75-04307A
Contribution of microstructure to the toughness of mullite/zirconia composites.—75-02027A
Creep sintering of polycrystalline ceramic particulate composites.—75-03982A
Crystallization of zirconia under hydrothermal conditions.—75-01213A
Cycling pressure during cold isostatic pressing.—75-01419A
Deformation and fracture of CeO_2-stabilized zirconia ceramics: I, Strength and deformability.—75-06957A
Deformation and fracture of zirconia ceramics stabilized by CeO_2: II, Crack resistance.—75-06958A
Densification and crystallization of zirconia thin films prepared by sol-gel processing.—75-01424A
Densification studies of SRBSN [sintered reaction-bonded Si_3N_4] with unstabilized zirconia by means of dilatometry and electron microscopy.—75-04311A
Development of porous zirconia spheres by polymerization-induced colloid aggregation—effect of polymerization rate.—75-06570A
Dielectric ceramic composition for high frequencies and method for preparation of the same.—75-07757P
Dielectric ceramic compositions and dielectric resonators.—75-05222P
Dielectric loss properties of magnesia-stabilized zirconia.—75-00315A
Dielectric property measurement of zirconia fibers at high temperatures.—75-00319A
Dislocation mechanism of crack nucleation in cubic zirconia single crystals.—75-04489A
Dispersion efficiency of powders of the Al_2O_3-(ZrO_2+Y_2O_3) system obtained by the plasmochemical method.—75-09264A
Domain structure of cubic zirconia in ZrO_2-CeO_2.—75-03786A
Effect of Bi_2O_3 on the microstructure and electrical conductivity of ZrO_2-Y_2O_1 ceramics.—75-03885A
Effect of CaO and temperature on *t*-ZrO_2 retention in mullite-zirconia body produced by reaction sintering route.—75-07535A
Effect of coating thickness on interfacial shear behavior of zirconia-coated sapphire fibers in a polycrystalline alumina matrix.—75-04493A
Effect of ferric oxide on the structure of solid solutions in the ZrO_2-Y_2O_3-Fe_2O_3 system.—75-06871A
Effect of NiO on phase formation in fused specimens of the ZrO_2-Al_2O_3-NiO-Y_2O_3 system and properties of ceramics based on it.—75-07539A
Effect of stress on the phase distribution during superplastic deformation of an alumina-zirconia composite.—75-04502A
Effect of TiO_2 and ZrO_2 on sintering of sillimanite.—75-04013A
Effect of Y_2O_3 on the sintering behavior of coprecipitated ZrO_2-SiO_2 hydrogel.—75-06589A
Effect of ZrO_2 addition on strength and dilation behavior of cordierite ceramics.—75-06970A
Effects of grain size and humidity on fretting wear in fine-grained alumina, Al_2O_3/TiC, and zirconia.—75-04504A
Effects of heat treatment on mechanical properties of mullite/ZrO_2/SiC composites.—75-04505A
Effects of post-hot isostatic pressing on the strength of NiAl-ZrO_2 composites.—75-06972A
Efficiency of radiation technology for preparing high-strength corundum-zirconium ceramics.—75-05089A
Elastic properties of monoclinic and orthorhombic ZrO_2.—75-03888A
Electrical and mechanical properties of the composite TSZ [tetragonal stabilized zirconia]-Al_2O_3-SiO_2.—75-01085A
Electrochemical ZrO_2 and Al_2O_3 coatings on SiC substrates.—75-06598A
Electrokinetic behavior of aqueous $ZrO_2(Y_2O_3)$ suspensions with ammonium polyacrylate.—75-01479A
Electron diffraction and microscope studies of zirconium oxides stabilized by several metal oxides.—75-06217A
Electrophoretic deposition of nanosized ceramic powders.—75-01482A
Enhancement of $t \rightarrow m$ ZrO_2 transformation by MoO_2 and its application.—75-04511A
Estimation of diffusion coefficients for zirconia.—75-01755A
EXAFS study of nanocrystalline zirconia.—75-06226A
Experience in using zirconia refractories in linings of furnaces for the production of amorphous alloys.—75-05092A
Experimental verification of the shielding effect in zirconia.—75-06976A
Factors affecting the machinability of fine ceramic powder compacts.—75-01498A
Features of the failure of hydrostatically compacted zirconium dioxide.—75-09636A
Ferroelastic transformation in zirconia studied by neutron diffraction.—75-05573A
Formation and hot isostatic pressing of ZrO_2 solid solution in the system ZrO_2-Al_2O_3.—75-06611A
Formation of the ionic states of coating palladium in catalysts based on zirconium oxide.—75-06621A
Formation, characterization, and hot isostatic pressing of Cr_2O_3-doped ZrO_2 (0,3 mol% Y_2O_3) prepared by hydrazine method.—75-01510A
Friction and wear mechanism of zirconia in unlubricated sliding contact.—75-09318A
Generation of cracklike voids during sintering of Al_2O_3-10ZrO_2 ceramics and their prevention by presintering with low pressure (2 MPa).—75-04544A
Grain growth kinetics in ZrO_2-dispersed Al_2O_3 ceramics.—75-01856A
Hardness variations in multilayered ZrO_2-Al_2O_3 composites.—75-04548A
Heat treatment of ZTM/SiC(p) composite.—75-04065A
High zirconia fused cast refractories.—75-05155P
High-strength machinable ceramics "nanoceram."—75-05018A
High-strength zirconia ceramics from green body preforms.—75-01525A
High-temperature oxidation behavior of an Si_2N_2O-ZrO_2 composite.—75-04429A
Hot isostatic pressing of tetragonal ZrO_2 solid solution powders prepared from acetylacetonates in the system ZrO_2-Y_2O_3-Al_2O_3.—75-06637A
Improved endurance limit of zirconia ceramics by overloading.—75-06993A
India-stabilized zirconia coating for composites.—75-01170P
Influence of grain boundaries in fused ZrO_2 on the reaction with the mold powder.—75-07579A
Influence of residual stresses on the mechanical properties of a layered ceramic composite.—75-09646A
Influence of the method of stabilizing the tetragonal phase on mechanical properties of polycrystalline zirconia.—75-06998A
Influence of various zirconia additives on high-temperature properties of magnesia spinel brick.—75-07582A
Inhibition of the formation of the B metastable phase in yttrium oxide plasma spray coatings by the addition of zirconia.—75-06658A
Injection molding of ceria-zirconia powder mixtures using an aqueous [hydroxy propyl methyl cellulose] HPMC-PVA binder system.—75-01551A
Injection molding of submicrometer zirconia—blend formulation and rheology.—75-04086A
Interactions between oxygen and the ZrO_2 surface.—75-02000A
Interface structure of directionally solidified CoO-ZrO_2(Y_2O_3) eutectic.—75-01875A
Interfaces in zirconia-based electrochemical systems and their influence on electrical properties.—75-01299A
Interfacial phenomena in Y_2O_3-ZrO_2-based ceramics—a surface science perspective.—75-01878A
Ionic conductivity of microwave sintered zirconia-yttria electrolytes.—75-00344A
Joining of zirconia to zirconia using CaO-MgO-SiO_2-Al_2O_3 glasses.—75-09349A
Kinetic modeling of pressure filtration of ceramic powder suspensions.—75-01555A
Kinetics of colloid formation during the hydrolysis of zirconium *n*-propoxide.—75-01557A
Kinetics of colloid formation during the hydrolysis of zirconium *n*-propoxide.—75-01558A
Laser-induced surface alloying of Al_2O_3 ceramics with ZrO_2-TiO_2 powders.—75-04092A
Liquidus surface in the ZrO_2-Y_2O_3-Er_2O_3 system.—75-08971A
Localization of oxygen cathodic reduction zone at lanthanum manganite/zirconia interface.—75-07736A
Luminescence properties of Ti-doped gem-grade zirconia particles.—75-06485A
Machining performance of zirconia cutting tools.—75-01028A
Martensitic transformation.—75-06069A
Mechanical alloying of ceramics in zirconia-ceria system.—75-04101A
Mechanical properties and microstructure of Al_2O_3-platelet-reinforced-ZTM composites.—75-04589A
Mechanical properties of a zirconia-based ternary alloy.—75-02073A
Mechanical properties of $MoSi_2$/ZrO_2 composites at room temperature.—75-09651A
Mechanical relaxation of 4 wt% Y_2O_1-ZrO_2 tetragonal single crystals.—75-07012A
Metastable zirconia phases prepared from zirconium alkoxide and yttrium acetylacetonate: II, Hot isostatic pressing of tetragonal zirconia solid solution powders.—75-06681A
Method for producing stabilized zirconium oxide powder.—75-01118P
Method for the calculation of interfacial energies in Al_2O_3 and ZrO_2/liquid-metal and liquid-alloy systems.—75-05960A
Method of activating zirconia oxygen sensor.—75-00636P
Micromolding of ceramics using photolithographic polyimide patterns.—75-01571A
Microstructural and mechanical effects of oxide addition into thin ZrO_2 matrix.—75-06888A
Microstructural characterization of ZrO_2/O′-SiAlON composites.—75-04355A
Microstructure and fracture behavior of an Al_2O_3-ZrO_2-SiCw ceramic composite.—75-04600A
Microstructure and related properties of mullite/zirconia composites.—75-00351A
Microstructure of pressureless sintered Al_2O_3-24 vol% ZrO_2 composite studied by high-resolution electron microscopy.—75-06900A
Microstructure of zirconia-(Mn Zn ferrite) composites.—75-04372A
Microwave and conventional sintering of rapidly solidified Al_2O_3-ZrO_2 powders.—75-06685A
Multilayer nanolaminates containing polycrystalline zirconia.—75-06097P
Multiphase composites of tetragonal zirconia agglomerate dispersed into alumina and alumina-zirconia matrices.—75-06690A
Nanocoated particles: a special type of ceramic powder.—75-04119A
Nitridation of zirconia.—75-09369A
Nonstoichiometry of zirconia.—75-05115A
Novel method for zirconium oxide synthesis from aqueous solution.—75-09370A
One-pot synthesis of polyzirconoxane as a precursor for continuous zirconia fibers.—75-06701A
Oxidation of CoO into Co_3O_4 in CoO-ZrO_2(CaO) and $Co_{1-x}Ni_xO$-ZrO_2(CaO) lamellar eutectic structures.—75-04443A
Oxygen sensor.—75-03211P
Phase composition in sintered lanthana-doped (Zr,Sn)TiO_4 ceramics.—75-06295A
Phase equilibria and microstructures in ZrO_2-MgO-SiO_2-SrO system: IV, MgO-based refractories.—75-01233A
Phase relations in the system CaO-SiO_2-ZrO_2 at 1573 K.—75-03818A

Phase relations in the systems HfO_2-Y_2O_3 and ZrO_2-Y_2O_3: representation with *p-T-x* phase diagrams.—75-09033A
Phase transformation of ZrO_2 in MnZn ferrite under magnetic field.—75-00755A
Phase transition investigation of zirconia by synchrotron radiation.—75-09035A
Phase transitions in ceramic oxides as the result of processes with short-time high-temperature action.—75-01236A
Physical properties of quenched glasses in the Li_2O-ZrO_2-SiO_2 system.—75-02675A
Piezoelectric/electrostrictive element having ceramic substrate formed essentially of stabilized zirconia.—75-00720P
Powder preparation, mechanical and electrical properties of cubic zirconia ceramics.—75-09378A
Preparation and characterization of fine Y-ZrO_2 powders by spray pyrolysis.—75-04147A
Preparation and properties of ZrO_2(3Y)/Ni FGM.—75-02527A
Preparation of epitaxial indium tin oxide films on ZrO_2 substrates by magnetron sputtering.—75-09393A
Preparation of La_2NiO_4 films by dc sputtering on cubic ZrO_2.—75-06730A
Preparation of MgO-ZrO_2 ultrafine powder by freeze drying.—75-09400A
Preparation of mixed powders.—75-08782P
Preparation of monodisperse zirconia particles by thermal hydrolysis in highly concentrated solutions.—75-04159A
Preparation of monodispersed spherical zirconia particles by homogeneous precipitation.—75-04161A
Preparation of porous glass hollow fiber from glass based on SiO_2-B_2O_3-RO-ZrO_2 (R=Ca, Zn) system.—75-02737A
Preparation of sinterable ultrafine zirconia [ZrO_2-3 mol% Y_2O_3] powder by emulsion method.—75-04169A
Preparation of stainless steel/ZrO_2(3Y) functionally gradient material.—75-02528A
Preparation of ZrO_2 powder and ZrO_2-based composites.—75-09404A
Preparation of ZrO_2(3Y)/SUS(410) functionally gradient plasma material by thermal gradient sintering.—75-00120A
Pressureless sintering of zirconia-SiC platelet composites.—75-01631A
Process for forming a refractory oxide coating.—75-01131P
Process for producing a tetragonal phase zirconia ceramic.—75-01133P
Process for the preparation of zirconia.—75-03679P
Process for the production of ceramic prostheses.—75-03680P
Processing and densification of ceria-zirconia ceramic through extrusion of ceramic-polymer mixture.—75-04180A
Processing, properties, and microstructural design of sol-gel-derived nanostructured Ni-Y_2O_3/ZrO_2.—75-00122A
Production of composite ceramics based on zirconia fibers and binary ammonium-cobalt and ammonium-magnesium diphosphates.—75-09409A
Production of fiber-reinforced zirconium ceramics by the sol-gel method.—75-04186A
Production of stabilized and nonstabilized ZrO_2 by carbothermic reduction of $ZrSiO_4$.—75-06751A
Properties of Al_2O_3-15 vol% ZrO_2 ceramics prepared by precipitation.—75-04617A
Properties of slips of zirconia stabilized by oxides of rare-earth metals.—75-05122A
Properties of zirconia powders produced by homogeneous precipitation.—75-03828A
Raman scattering and structure of cubic solid solutions based on zirconium and hafnium dioxides.—75-06331A
Rapid rate sintering of nanocrystalline ZrO_2-3 mol% Y_2O_3.—75-04192A
Reaction-bonded mullite/zirconia composites.—75-01645A
Reassessment of the ZrO_2-$YO_{1.5}$-MgO system.—75-03834A
Refractory mix and shapes made therefrom.—75-00279P
Rheological properties of Y_2O_3-ZrO_2 suspensions with various dispersants.—75-01651A
Rheology of zirconia suspensions in a nonpolar organic medium.—75-01654A
Role of cold isostatic pressing in the formation of the properties of ZrO_2-based ceramics obtained from ultradisperse powders.—75-05133A
Rotary ultrasonic drilling and milling of ceramics.—75-00986A
Seeded sol-gel-derived alumina-zirconia composites.—75-04393A
Selective reduction of nitrogen oxide with propylene on alumina-zirconia prepared from Al chelate compound and Zr alkoxide.—75-09428A
Si_2N_2O-ZrO_2 composites prepared by hot isostatic pressing.—75-09432A
Sintering and microstructure of Al_2O_3-ZrO_2 ceramics containing TiO_2 [0–12 wt%].—75-09437A
Sintering characteristics of microfine zirconia powder.—75-06764A
Sintering kinetics study of zirconia powder compact—analysis of a flow model.—75-04221A
Sintering of sol-sprayed alumina-zirconia composites.—75-06768A
Size effect of the martensitic transformation in ZrO_2-containing ceramics.—75-03835A
Smoothly varying composition profiles by graded casting.—75-09446A
Sol-gel coating of ceramic powders.—75-04226A
Sol-gel process for spinning of continuous (Zr,Ce)O_2 fibers.—75-04227A
Sol-gel state of hydrated zirconium dioxide.—75-06354A
Sol-gel synthesis of ZrO_2 solid solutions with Y_2O_3.—75-06773A
Sol-gel-derived thick ZrO_2 coatings by liquid thermal spraying.—75-00133A
Solid solubility and diffusivity in an alumina/zirconia system.—75-04291A
Solid-state diffusive amorphization in TiO_2/ZrO_2 bilayers.—75-06856A
Solid-state phase transformation in ZrO_2-CaO system induced by high-energy ball milling.—75-03837A
Solute segregation and grain boundary impedance in high-purity stabilized zirconia.—75-04401A
Spread-type cylindrical ultrahigh-temperature zirconia furnace.—75-08740A
Stability of cubic ZrO_2 (10 mol% Y_2O_3) when alloyed with NiO, Al_2O_3, or TiO_2: implications to solid electrolytes and cermets.—75-06781A
Stability of $ZrSiO_4$-SiO_2-ZrO_2 assemblage in carbonate solutions at temperatures of 200–400°C and pressure of 1 kbar.—75-08766A
Stereological observations of platelet-reinforced mullite and zirconia matrix composites.—75-09576A
Structural and electrical properties of wet chemically deposited $Sr(Ti_{1-y}Zr_y)O_3$ (y=0...1) thin films.—75-05214A
Structural ceramics produced through post-sintering of dynamically compacted powder.—75-04230A
Structure formation in a composite prepared from a ZrO_2-Y_2O_3-Al_2O_3 gel.—75-09453A
Surface properties of ceramic laminates fabricated by die pressing.—75-01349A
Surface segregation in mullite-zirconia composites.—75-01960A
Synthesis and structural characterization of a new system: ZrO_2-Y_2O_3-RuO_2.—75-09081A
Synthesis of Al_2O_3-SiC-ZrO_2 from kaolinite and zircon.—75-09465A
Synthesis of nonaggregated nanometric crystalline zirconia particles.—75-01710A
Temperature dependence of the internal friction and modulus change in Y_2O_3- and MgO-doped ZrO_2 polycrystals.—75-03932A
Tensile ductility in zirconia-dispersed alumina at high temperatures.—75-02102A
Theoretical and experimental investigation of plasma spray of ZrO_2.—75-04253A
Thermal diffusivity/conductivity and specific heat of mullite-zirconia-silicon carbide whisker composites.—75-09201A
Thermal expansion and microstructures of melted Al_2O_3-ZrO_2-TiO_2 ceramics.—75-06911A
Thermal fatigue behavior of ZTM ceramics.—75-04650A
Thermoanalytical studies on titanium diboride, titanium-diboride-dispersed alumina, and zirconia ceramics.—75-04444A
Thermodilatometric behavior of pure and doped $ZrTiO_4$-SnO_2.—75-06530A
Thermodynamic assessment of the zirconia-urania system.—75-01252A
Thermomechanical behavior of mullite-zirconia composite.—75-09209A
Thermomechanical properties of alumina refractories containing a fused mullite-zirconia aggregate.—75-07683A
Three-dimensional dynamic calculation of the equilibrium shape of a coherent tetragonal precipitate in Mg partially stabilized cubic ZrO_2.—75-03859A
Three-dimensional temperature field calculation for the cylinder head of an air-cooled diesel engine with ceramic coated exhaust port.—75-03663A
Titanium/zirconium/cerium oxide granular particulates/agglomerates.—75-08635P
Toughening zirconia with bimodally distributed silver inclusions.—75-04655A
Transport properties and structure of thin HTSC films of the $YBa_2Cu_3O_{7-\delta}$/ZrO_2:Y/α-Al_2O_3 system during magnetron sputtering.—75-05855A
Ultra-microindentation of sol-gel-derived zirconia films on stainless steel.—75-02107A
Ultraviolet-induced thermoluminescence in ZrO_2 doped by Er_2O_3.—75-03860A
Variations in the electrical resistivity of Y_2O_3-doped ZrO_2 ceramics with microstructural design.—75-04416A
Water-dispersible, heat-resistant composition and use thereof.—75-01139P
Wear resistance of ZTM ceramics.—75-04667A
White fused alumina and zirconia manufactured by AFM [Australian Fused Materials], Western Australia.—75-07694A
Wollastonite as sintering aid in zirconium oxide/calcium oxide composites.—75-09490A
X-ray photoelectron spectroscopy investigation on the low-temperature degradation of 2 mol% Y_2O_3-ZrO_2 ceramics.—75-09108A
Yield stress of alumina-zirconia suspensions.—75-09699A
Zircon ceramics prepared from hydrous zirconia and amorphous silica.—75-06832A
Zirconia crystals with yttrium and cerium oxides.—75-05152A
Zirconia diaphragm structure and piezoelectric/electrostrictive element incorporating same.—75-08789P
Zirconia fine powder by hydrothermal process.—75-09491A
Zirconia formation by reaction of zirconium sulfate in molten alkali metal nitrates or nitrites.—75-06834A
Zirconia pump-gauge oxygen sensor operated with the gauge following a triangular emf.—75-03201A
Zirconia refractories.—75-05153A
Zirconia vane for rotary compressors.—75-08790P
Zirconia-based composite material and method of manufacturing the same product.—75-08791P
Zirconia-based structural materials under conditions of flame-initiated pyrolysis of hydrocarbons.—75-07695A
Zirconia-based tipped blades having macrocracked structure.—75-08792P
Zirconia-TZM brazed joints.—75-02563A
Zirconium oxide and zirconium nitride coated biocompatible leads.—75-07280P
Zirconium oxide fibers and process for their preparation.—75-08793P
ZrO_2 obtained by the sol-gel method: influence of synthesis parameters on physical and structural characteristics.—75-06836A
ZrO_2 ultrafiltration membranes processed by the sol-gel route.—75-01741A

zirconia-toughened alumina (ZTA),
Aging effects on the characteristics and sintering behavior of coprecipitated Al_2O_3-ZrO_2 powders.—75-03950A
Aging of zirconia-toughened alumina ceramics under different hydrothermal conditions.—75-08867A
Assessment of residual strains in mullite/zirconia-toughened alumina composites using X-ray diffraction.—75-06942A
Effect of attack angles on erosion behavior of ZrO_2-Al_2O_3-TiC ceramic composites.—75-04491A
Effect of sintering atmosphere on microstructure and mechanical properties of TiO_2-added zirconia-toughened alumina: II, Effect of the content of TiO_2.—75-09283A
Fracture properties of layered mullite/zirconia-toughened alumina composites.—75-06983A
Residual strains and stresses in mullite/zirconia-toughened alumina (ZTA) composites.—75-02089A
Sinter forging of zirconia-toughened alumina.—75-06763A
Synthesis and properties of mullite/zirconia-toughened alumina (ZTA) composites.—75-01703A
Ultrasonic characterization of zirconia-toughened alumina ceramics.—75-09583A
Zirconia-based organic precursor infiltration as a method for preparation of ZTA ceramics: II, Sintering and materials behavior.—75-06835A

zirconia: partially stabilized (PSZ),
Change of ionic conductivity accompanied by phase transformation in partially stabilized zirconia.—75-08878A
Densification of Mg-PSZ.—75-01427A
Determination of optimum condition in plasma spraying process.—75-07203A
Effect of stress and temperature of ferroelastic domain switching of partially stabilized zirconia pseudosingle crystals.—75-08132A
Effects of a ZDDP [zinc dialkyl dithiophosphate] additive on ceramic-steel contacts.—75-02459A
Effects of grinding on properties of Mg-PSZ ceramics prepared by the surface enrichment of zirconia powders.—75-06592A
Enhanced toughness of a partially stabilized zirconia at elevated temperatures.—75-09631A
High-temperature deformation of SiC whisker-reinforced MgO/PSZ mullite composites.—75-02059A
Impedance spectroscopy of Mg-partially stabilized zirconia and cubic phase decomposition.—75-08951A
Improvement of mechanical properties by the formation of a grain boundary phase in ZrO_2-3 mol% Y_2O_3-Al_2O_3 ceramics.—75-02065A
Influence of oxygen partial pressure on the creep characterization of a superplastic 4 mol% yttria partially stabilized zirconia.—75-06996A
Mg-PSZ ceramic for high-temperature applications.—75-06683A
Micrograined (Y,Mg)-PSZ/$MgAl_2O_4$ ceramics prepared by wet chemical method.—75-09360A
Microstructural investigations of plasma-sprayed yttria partially stabilized zirconia thermal barrier coatings.—75-06893A
Microstructure and mechanical properties of Mg-PSZ containing nanosized SiC particles.—75-09561A
Monoclinic phase measurement in Mg-PSZ using X-ray diffraction.—75-06278A
Partially stabilized zirconia and its application to electronic device.—75-00407P
Preparation and microstructures of micrograined PSZ(MGPSZ) ceramics.—75-04153A
Quantitative determination of the cubic, tetragonal, and monoclinic phases in partially stabilized zirconias by [vibrational] Raman spectroscopy.—75-06329A
Quick change crucible for vacuum melting furnace.—75-00278P
Sintering behavior and application of Mg-PSZ ceramic powder made by wet chemical method.—75-07661A
Special steel pouring through fully partially stabilized zirconia.—75-07666A
Strength–grain size behavior of ZrO_2 at room temperature.—75-07036A
Strength, hardness, and microstructure of 2Y PSZ-Al_2O_3 composites prepared from commercial powders.—75-07037A
TEM observation of martensitic transformation in (Y, Mg)-PSZ ceramics.—75-03847A
Thermal shock fracture mechanism of functionally gradient materials as studied by burner heating test.—75-02554A
Thermally activated martensitic transformations in Mg-PSZ.—75-03852A
Two and three dimensional finite element analyses of a PSZ ceramic femoral knee prosthesis.—75-01097A
Zirconia crystals suitable for medicine: I, Implants.—75-03664A

zirconia: tetragonal polycrystals (TZP),
$CeO_{1.5}$-stabilized tetragonal ZrO_2.—75-06175A
Crystalline phases and mechanical properties of TZP ceramics prepared from sol-gel powders.—75-06437A
Dislocation-related plasticity of ceria-stabilized zirconia polycrystals.—75-04490A
Effects of grain size and specimen geometry on the transformation and *R*-curve behavior of 9Ce-TZP ceramics.—75-06971A
Enhanced mechanical properties by grain boundary strengthening in ultrafine-grained TZP ceramics.—75-09630A
Fatigue of phase transformation toughened Ce-TZP and Y-TZP ceramics.—75-06977A
Grain size dependence of sliding wear in tetragonal zirconia polycrystals.—75-09639A
Grain-size-dependent residual microstresses in submicron Al_2O_3 and ZrO_2.—75-09640A
Mechanical property characterization of 9 mol% Ce-TZP ceramic material: II, Fracture toughness.—75-09653A

Preparation and high-temperature strengthening of tetragonal zirconia-mullite whisker composites.—75-01615A
Preparation and mechanical properties of SiC whisker and nanosized mullite particulate-reinforced TZP ceramics.—75-09383A
Residual stress and fracture characteristics of zirconia/metal(Ni, SUS304) functionally gradient materials.—75-00129A
Role of oxoanions in the stabilization of tetragonal zirconia.—75-06344A
Slip casting of nanometer-sized tetragonal zirconia powder.—75-06770A
Surface crack initiation in 2Y-TZP ceramics by low-temperature aging.—75-04643A
Synthesis and characterization of nanocrystalline Y-TZP.—75-01697A

zirconia: yttria stabilized (YSZ),
Aging of yttria-stabilized zirconia electrolytes at 1000°C.—75-01261A
Characterization and fast firing of nanoscale ZrO_2+3 mol% Y_2O_3 ceramic powder prepared by hydrothermal processing.—75-03964A
Conductivity measurements of various yttria-stabilized zirconia samples.—75-06434A
Correlation of densification kinetics of polycrystalline ceramics with colloid/interface variables.—75-01415A
Crack-interface interactions in a tungsten yttria-stabilized zirconia directionally solidified eutectic.—75-00082A
Degradation in ionic conductivity of yttria fully stabilized zirconia.—75-07720A
Determination of the structure of the cubic phase in high-ZrO_2 Y_2O_3-ZrO_2 alloys by convergent-beam electron diffraction.—75-03784A
Dielectric relaxations in yttria-stabilized zirconia alloys at lower temperatures.—75-00320A
Diffusion bonding interface structure of yttria-stabilized zirconia.—75-04313A
DIGM [diffusion-induced grain boundary migration]-like grain development at a single-crystal/polycrystalline interface in yttria-stabilized zirconia.—75-01823A
Direct energy conversion in single gas mixture by an oxide solid electrolyte electrochemical cell and its applications in multi-gas sensing.—75-00321A
Early stages of growth of $YBa_2Cu_3O_{7-\delta}$ high-T_c superconducting films on (001)Y-ZrO_2 substrates.—75-05748A
Effect of ferric oxide additives on the electrical conductivity of yttria-stabilized tetragonal zirconia solid electrolytes.—75-09132A
Effect of particle-diameter ratio of YSZ to Ni on polarization of Ni/YSZ cermet anode.—75-07206A
Effect of sintering temperature on the kinetics of isothermal tetragonal-to-monoclinic transformation in ZrO_2 (2 mol% Y_2O_3).—75-03790A
Effect of temperature on the structure and properties of $MoSi_2$-6 mol% Y_2O_3 partially stabilized ZrO_2 composites.—75-09286A
Effect of zirconia (3 mol% yttria) additive on mechanical properties and structure of alumina ceramics.—75-06872A
Electron-beam-induced loop formation on dislocations in yttria fully stabilized zirconia.—75-09544A
Electrophoretic deposition [EPD] of Y_2O_3-stabilized ZrO_2 electrolyte films in solid oxide fuel cells.—75-02910A
Forming of functionally gradient materials for thermal stress relaxation by low pressure spraying technique.—75-04854A
High-temperature mechanical properties of Al_2O_3/ZrO_2(Y_2O_3) fibers.—75-04555A
Influence of copper and iron doping on cubic yttria-stabilized zirconia.—75-06649A
Influences of electrochemical vapor deposit conditions on growth rate and characteristics of YSZ thin films: I.—75-09342A
Influences of electrochemical vapor deposition conditions on growth rate and characteristics of YSZ thin films: II.—75-09343A
Initial stages of epitaxial growth of Y-stabilized ZrO_2 thin films on a-SiO_2/Si(001) substrates.—75-06883A
Ionic conductivity of Na, K, and Ag β″-alumina–ZrO_2 composites.—75-05200A
Kinetics and morphology of electrochemical vapor deposited thin zirconia/yttria layers on porous substrates.—75-08965A
Measurement of the static disorder contribution to the temperature factor in cubic stabilized ZrO_2.—75-03577A
Mechanical loss measurements on yttria- and calcia-stabilized zirconia.—75-03804A
MOCVD yttria-stabilized zirconia on Co-Cr.—75-02512A
Modeling and scaleup of galvanic deoxidation of molten metals using solid electrolyte cells.—75-02513A
Phase decomposition of 8 wt% yttria-stabilized zirconia coatings at high temperature.—75-04134A
Physicochemical characterization of NiO/YSZ powders prepared by the citrate route.—75-06502A
Polarization behavior of YBCO electrodes on YSZ electrolytes.—75-00843A
Preparation of ultrafine zirconia powder by emulsion method.—75-09401A
Processing and electrical properties of plasma-sprayed yttria-zirconia.—75-05209A
Sintering and characterization of yttria-stabilized cubic zirconia with alumina derived from solid solution.—75-01664A
Sintering behavior of sol-gel synthesized alumina and alumina-8 vol% zirconia composite.—75-09439A
Solute segregations at the space charge layers of stabilized zirconia: an opportunity for ameliorating conductivity.—75-09575A
Synthesis of ultrafine Y-stabilized ZrO_2 powder by the pyrolysis of metal-oxalate-cellulose complex.—75-09480A
Synthesis of yttrium-stabilized zirconium oxide from metal ion-containing interpolymer complex—interpolymer coprecipitation method.—75-09482A
Uniform precipitation of yttria-stabilized zirconia.—75-05150A
X-ray Berg-Barrett topography of the deformation substructure of stabilized zirconium oxide single crystals deformed at 1673 K.—75-03865A
$YBa_2Cu_3O_{7-x}$ films on yttria-stabilized ZrO_2 substrates: influence of the substrate morphology.—75-03427A
Yttria-stabilized zirconia: I, Thermal stability of B_2O_3-Al_2O_3-SiO_2 added Y-TZP.—75-06534A
Yttria-zirconia slurries and mold face coats for casting reactive metals.—75-06102P
Zirconium nitride precipitation in nominally pure yttria-stabilized zirconia.—75-01258A

zirconia: yttria-stabilized tetragonal polycrystals (Y-TZP),
Acoustic emission studies of fatigue-loaded SiC platelet-reinforced Y-TZP.—75-05933A
Atomization and fuel saving of ceramic needle valves for diesel engine.—75-03642A
Behavior of 3 mol% yttria-stabilized tetragonal zirconia polycrystal (3Y-TZP) with submicron and nanosized microstructure after compressive/compressive fatigue tests.—75-04454A
Comparative investigation of high-temperature plastic deformation of fully and unfully dense 3Y-TZP.—75-04458A
Constant stress tensile creep behavior of a superplastic zirconia-alumina composite.—75-06946A
Coprecipitation conditions and compaction behavior of Y-TZP nanometric powders.—75-03980A
Correlation between microstructure, phase transformation during fracture, and the mechanical properties of Y-TZP ceramics.—75-09609A
Crack configuration beneath Vickers indentation in Y_2O_3-containing tetragonal zirconia polycrystals.—75-09610A
Effect of additives on densification and deformation of tetragonal zirconia.—75-06574A
Effect of heat treatment on grain size, phase assemblage, and mechanical properties of 3 mol% Y-TZP.—75-06578A
Effect of SiC on the mechanical properties of 3Y-TZP/SiC composites.—75-06968A
High-strength zirconia ceramics from green body preforms.—75-01525A
Hot-pressed 3Y-TZP matrix composites with mullite whiskers and alumina platelets.—75-04069A
Hydrothermal route for production of dense, nanostructured YTZP.—75-06640A
Influence of calcination on the reactivity of gel-derived Y-TZP powders—compaction, sintering, and mechanical behavior.—75-01540A
Influence of calcination temperature on the microstructure and mechanical properties of a gel-derived and sintered 3 mol% Y-TZP material.—75-04077A
Influence of crystallization and washing medium on the characteristics of nanocrystalline Y-TZP.—75-09338A
Injection molding and catalytic debinding of zirconia (Y-TZP) ceramics with a polyacetal based binder system.—75-01550A
Lapping of composite Y-TZP and Ce-TZP.—75-06667A
Mechanical properties of (Y-TZP)-alumina-silicon carbide nanocomposites and the phase stability of Y-TZP particles in it.—75-07007A
Mechanical properties of infiltrated alumina–Y-TZP composites.—75-07008A
Mechanical properties of Y-TZP/Al_2O_3 functionally graded ceramics obtained by sequential slip casting.—75-02501A
Microstructural development of the isothermal phase transformation during aging at 250°C in 2Y-TZP ceramics.—75-06890A
Preparation and characterization of alumina dispersed in Y-TZP.—75-01612A
Preparation of multilayer composites by combination of centrifugal filter pressing and rate-controlled sintering.—75-01624A
Preparation of Y-TZP/Al_2O_3 whisker preform by an in situ method.—75-06743A
Raman spectroscopic studies of phase trasnformations induced by a notch cut on a 3Y-TZP sample.—75-06334A
Rate-controlled sintering of ultrafine Y-TZP powder.—75-01640A
Role of O^{2-}, OH^-, and anion vacancies in the degradation of Y-TZP in moist environments.—75-06343A
Surface damage of yttria–tetragonal zirconia polycrystals and magnesia-partially-stabilized zirconia in single-point abrasion.—75-01042A
Thermal analysis of 3 mol% yttria-stabilized tetragonal zirconia powder doped with copper oxide.—75-01250A
Toughening of silicon nitride ceramics by Y-TZP addition.—75-04653A
Trapped cracks at indentations: I, Experiments on yttria-tetragonal zirconia polycrystals.—75-07055A

zirconium boride,
High-density zirconium diboride ceramics prepared with preceramic polymer binders.—75-08828P
Method of modifying ceramic composite bodies by a post-treatment process and articles produced thereby.—75-02571P
Preparation of high density zirconium diboride ceramics with preceramic polymer binders.—75-03751P
Preparation of zirconium boride powder.—75-04175A
Processing and properties of some alumina-boride composites.—75-04182A
Sintering of zirconium diboride through Fe-based liquid phase.—75-09443A
Spraying of zirconium diboride powder by an electrical column explosive technique and its mechanism.—75-01680A

zirconium carbide,
Kinetics and mechanism of the oxidation of ZrC.—75-04432A
Method of modifying ceramic composite bodies by a post-treatment process and articles produced thereby.—75-02571P

zirconium nitride,
Article having a protective coating simulating brass.—75-07240P
Emergence of ZrO phase and catastrophic failure of Si_3N_4-AlN-ZrN ceramics.—75-03697A
Structure and composition of demixing phases in Ti-Zr-N ternary ceramic composite.—75-09067A
Zirconium nitride precipitation in nominally pure yttria-stabilized zirconia.—75-01258A
Zirconium oxide and zirconium nitride coated biocompatible leads.—75-07280P

zirconium,
770-K isothermal section of the Zr-Co-Sn phase diagram and crystal structure of $Zr_6Co_{1.65}Sn_{1.35}$.—75-08857A
Ab initio determination of crystal structures by X-ray powder diffraction: structure of $Li_{29}Zr_9Nb_3O_{40}$.—75-06149A
Abrasive material based on zirconium corundum, a process for its production, and its use.—75-07115P
Acid-base properties of sorbents based on modified zirconium(IV) phosphates.—75-08860A
Acid-base properties of sorbents based on zirconium(IV) phosphates.—75-08861A
Calculations of chemical equilibria in the Zr-B-N system.—75-03768A
Characteristics of the electric and dielectric properties of fluorozirconate glasses.—75-04944A
Compositional and structural study of the phase $BaZr_{1-x}Cu_xO_{1-x}$.—75-03348A
Controlled crystallization and properties of zirconium fluoride-based glass-ceramics.—75-04887A
Formation of zirconium titanate in oxide fibers.—75-06622A
Influence of zirconium additions on the grain boundary melting of Ni_3Al intermetallic compounds.—75-02496A
Microstructure and dielectric properties of $Ba_2(Ti_{8.472}Zr_{0.528})O_{20}$.—75-07738A
Microwave dielectric ceramic composition.—75-00404P
Negative thermal expansion material.—75-01128P
Phase relations in the Li_2MoO_4-M_2MoO_4-$Zr(MoO_4)_2$ systems (M=K or Rb).—75-09031A
Preparation and characterization of fine La-Cr-Zr oxide ceramics by chemical coprecipitation at high temperatures.—75-09380A
Preparation of spherical $Zr_{0.8}Sn_{0.2}TiO_4$ powder by ultrasonic spray pyrolysis.—75-01626A
Short-range order in some ternary ZrF_4-based glasses.—75-04926A
Sintering of $(Ca_{1-x}Mg_x)Zr_4(PO_4)_6$ [x=0, 0.1, and 0.4] ceramics.—75-04223A
Structure of oxides grown on Zr-20Nb alloy.—75-04407A
Synthesis and characterization of zirconyl phosphate materials.—75-01699A
Synthesis of monodisperse spherical $ZrTiO_4$ powders by thermal hydrolysis of metal salts.—75-04244A
Synthesis of $NaZr_2P_3O_{12}$ powders by evaporative decomposition of solutions.—75-06813A
Thermal diffusivity, specific heat, and thermal conductivity of $(Ca_{1-x}Mg_x)Zr_4(PO_4)_6$ ceramic.—75-03935A
Thermodynamics of the Zr-H system.—75-01254A
Ultrasonic compacting of zirconium ceramics from ultradispersed powders.—75-08545A

Abstracts citations from the following journals appear in the 1996 issues of *Ceramic Abstracts:*

ACI Materials Journal
Advanced Cement Based Materials
American Ceramic Society Bulletin
American Glass Review
American Journal of Archaeology
American Laboratory (Fairfield, Connecticut)
American Mineralogist
Annual Review of Materials Science
ASTM Special Technical Publication

Beton i Zhelezobeton (Moscow)
British Ceramic Transactions
Bulletin of Materials Science (India)
Bulletin of the Bismuth Institute (Brussels)

Caliao Kexue
Canadian Ceramics Quarterly
Ceramic Engineering and Science Proceedings
Ceramic Industries International
Ceramic Transactions
Ceramic World Review
Ceramica Informacion
Ceramics Monthly
Ceramics Technology International
Ceramics--Silikaty
CFI, Ceramic Forum International/Berichte der Deutschen Keramishen Gesellschaft
China's Refractories
Composites Science & Technology
Condensed Matter News

Doklady Akademii Nauk

Engineering and Fracture Mechanics

Fine Ceramics Report
Fizika Tverdogo Tela (Leningrad)
Funtai oyobi Funmatsu Yakin

Geokhimiya
Glass and Ceramics (English Translation)
Glass Industry
Glass Technology
Glastechnische Berichte
Glasteknisk Tidskrift
Guisuanyan Xuebao

IEE Journal of Quantum Electronics
IEE Proceedings, Part G: Circuits, Devices, and Systems
IEE Proceedings, Part J: Optoelectronics
Integrated Ferroelectrics
InterCeram
International Ceramic Monographs
International Journal of Fracture
International Journal of Heat and Mass Transfer
Ironmaking and Steelmaking

Japan Fine Ceramics Center Review
Journal de Physique I
Journal de Physique II
Journal de Physique III
Journal of Alloys and Compounds
Journal of Applied Crystallography
Journal of Applied Physics
Journal of Chemical Physics
Journal of Colloid and Interface Science
Journal of Electronic Materials
Journal of Engineering for Gas Turbines and Power
Journal of Engineering Materials and Technology
Journal of Materials Processing Technology
Journal of Materials Science
Journal of Materials Science Letters
Journal of Materials Science: Materials in Electronics
Journal of Materials Science: Materials in Medicine
Journal of Non-Crystalline Solids
Journal of Physical Chemistry
Journal of Physics D: Applied Physics
Journal of Physics: Condensed Matter
Journal of the American Ceramic Society
Journal of the Ceramic Society of Japan
Journal of the Chemical Society, Farady Transactions
Journal of the European Ceramic Society
Journal of the Mechanics and Physics of Solids
Journal of Vacuum Science and Technology, B: Microelectronics Processing and Phenomena

Kristallografiya

Langmuir, The ACS Journal of Surfaces and Colloids
Lietuvos Fizikos Rinkinys

Materials Research Bulletin
Materials Research Society Symposium Proceedings
Materials Science & Engineering, A: Structural Materials: Properties, Microstructure, Processing
Materials Science and Engineering B: Solid-State Materials for Advanced Technology
Materials Science Monographs
Metally

Nanostructure Materials
Nanotechnology (Bristol)
NATO ASI Series, Series E: Applied Sciences
New Glass

Optics Communications

Philosophical Magazine A: Defects and Mechanical Properties
Philosophical Magazine B: Structural, Electronic, Optical and Magnetic Properties
Philosophical Magazine Letters
Physical Review Letters
Physics and Chemistry of Glasses
Powder Technology
Proceedings of the Beijing International Symposium on Cement and Concrete
Proceedings--Sensors Expo

Refractories (English Translation)
Report of the Research Laboratory of Engineering Materials, Tokyo Institute of Technology
Revue Internationale des Hautes Temperatures et des Refractaires
Revue Roumaine de Chimie

Semiconductors (English Translation)
Seramikkusu
Shinagawa Gihl
Smart Materials and Structures
Solid State Communications
Steel Times
Stroitel'nye Materialy
Superconductivity Science and Technology

Taikabutsu Overseas
Taoci Yanjiu
Thin Solid Films
Tile and Brick International ACI Materials Journal
Transactions--Institution of Mining and Metallurgy, Section C
Tribology Transactions
Tsement

UNITECR '95 Congress

Yoop Hakhoechi

Zhurnal Eksperimental'noi i Teoreticheskoi Fiziki
Zhurnal Neorganicheskoi Khimii
Zhurnal Prikladnoi (Leningrad)

BOOKS REVIEWED in 1996
Ceramic Injection Molding
Ceramic Precursor Technology and its Applications
Ceramic Sensors
Ceramic Transactions, Vol. 54: Science, Technology, and Applications of Colloidal Suspensions
Ceramic Transactions, Vol. 55: Sol-Gel Science and Technology
Ceramic Transactions, Vol. 57: High-Temperature Ceramic-Matrix Composites I: Design, Durability, and Performance
Ceramic Transactions, Vol. 58: High-Temperature Ceramic-Matrix Composites II: Manufacturing and Materials Development
Ceramic Transactions, Vol. 59: Theory and Application in Materials Processing III

Ceramic Transactions, Vol. 60: Crystal Growth of Novel Electronic Materials
Ceramic Transactions, Vol. 61: Environmental Issues and Waste Management Technologies in the Ceramic and Nuclear Industries
Ceramic Transactions, Vol. 62: Science, Technology, Commercialization of Powder Synthesis and Shape
Ceramic Transactions, Vol. 63: Bioceramics: Materials and Applications, II
Ceramic Transactions, Vol. 64: Fractography of Glasses and Ceramics
Ceramic Transactions, Vol. 65: Role of Ceramics in Advanced Electrochemical Systems
Ceramic Transactions, Vol. 66: Challenges in Ceramic Product Development, Manufacture, and Commercialization
Ceramic Transactions, Vol. 67: Synthesis and Application of Lanthanide-Doped Materials
Ceramic Transactions, Vol. 68: Hybrid Microelectronic Materials
Ceramic Transactions, Vol. 71: Mass and Charge Transport in Ceramics
Ceramic Transactions, Vol. 78: Corrosion of Materials by Molten Glass
Ceramic Transactions, Vol. 79: Advanced Synthesis and Processing of Composites and Advanced Ceramics, II
Chemical Kinetics of Solids
Chemical Processing of Ceramics
Databook on Mechanical and Thermophysical Properties of Particulate-Reinforced Ceramic Matrix Composites
Databook on Mechanical and Thermophysical Properties of Whisker-Reinforced Ceramic Matrix Composites
Deformation and Fracture Mechanics of Engineering Materials
Fracture of Brittle, Disordered Materials: Concrete, Rock, and Ceramics
Friction and Wear of Ceramics
Handbook of Polymer-Modified Concrete and Mortars: Properties and Process Technology
Handbook on Continuous Fiber-Reinforced Ceramic Matrix Composites
Magnetic Ceramics
Materials Science and Technology-A Comprehensive Treatment: Vol. 17A, Part I, Processing of Ceramics
Materials Science and Technology-A Comprehensive Treatment: Vol. 17B, Part II, Processing of Ceramics
Organic Additives and Ceramic Processing: With Applications in Powder Metallurgy, Ink, and Paint.
Out of the Earth Into the Fire: A Course in Ceramic Materials for the Studio Potter
Phase Equilibria Diagrams: Volume XII
Physics and Chemistry of Earth Materials
Plastic Deformation of Ceramics
Properties of Silicon Carbide
Refractory Linings: Thermomechanical Design and Applications
Science and Design of Engineering Materials
Sintering and Materials: Proceedings of the Sixth International Symposium on the Science and Technology
Sintering Theory and Practice

Statement of Ownership

Ownership, Management, and Circulation Statement per 39 U.S. Code 3685 for Ceramics Abstracts as filed September 27, 1996 with the U.S. Postal service.

The Ceramic Abstracts is published irregularly by the American Ceramic Society, 735 Ceramic Place, Westerville, OH 43081. Publisher is W. Paul Holbrook; Society Publications Editor is John B. Wachtman; and Publications Director is Mark J. Mecklenborg.

	Avg. each issue during previous 12 months	Actual no. of single issue nearest filing date
A. Total number of copies printed	**2159**	**2000**
B. Paid circulation		
1. Sales through dealers, carriers, etc.	**74**	**74**
2. Mail subscriptions	**1665**	**1674**
C. Total paid circulation	**1739**	**1748**
D. Free distribution by mail, carrier, or other means—samples, complimentary, and other free copies	**18**	**18**
E. Total distribution	**1757**	**1766**
F. Copies not distributed		
1. Office use, left over, unaccounted, spoiled after printing	**402**	**234**
2. Return from news agents	**0**	**0**
G. Total	**2159**	**2000**